

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

Bombay W 11

•

•

.



MAGNETICAL AND METEOROLOGICAL OBSERVATIONS

MADE AT THE

GOVERNMENT OBSERVATORY,

BOMBAY.

1864.

MAGNETICAL AND METEOROLOGICAL OBSERVATIONS

MADE AT THE

GOVERNMENT OBSERVATORY, BOMBAY,

IN THE YEAR 1864,

UNDER THE SUPERINTENDENCE OF

LIEUTENANT W. L. SEARLE, H.M.I.N., F.R.A.S.,

WITH AN INTRODUCTION BY

CHARLES CHAMBERS, Esq.

Printed by Order of Her Majesty's Government.

Bombay:

PRINTED FOR GOVERNMENT

AT THE

EDUCATION SOCIETY'S PRESS, BYCULLA.

1867.

	·			·
		•		
ı				
,				
•			·	
	·			
	•			
		·		
		•		

PART I.

											•			•		PAGE
PREFACE	в .	•	••	••	••	••	••	••	• • •	••	••	••	••	••	••	i
Introdu	CTION :-	_		• •	••	••	••	••	••	••	••		••	••	• •	iii
	Situation	on of	the	Bombay	Obser	rvatorv			••		••					ib.
				ervatory		••	••	••	••	••	•••	••	•••	••	••	ib.
				vation an		uction, a	ınd dist	ributio	n of du	ties	••	••		••	••	ib.
·	•			Phenom		•						• •	••	••	•••	vi
				condition							on the	proces	ses of a	reductio	n	vii
											,	•				
						I.—N	I AGNET	CAL I	NSTRUI	MENTS.						
		•		last adju			••	••	••	• •	••	• •	••	••	••	ib.
				scale for		_	scope	• •	• • •	• •	• •	• •	• •	• •	• •	viii
	•			Reading T		•	••	••	• •	• •	• •	• •	• •	• •	• •	ib.
				ection of						•	• •	• •	• •	••	• •	x
				f the angl			•		ion of t	he Dec	linome	er Coll	imator	Scale	• •	ib.
	Variati	on of	tors	ion force	of su	spension	thread	••	• •	• •	••	••	• •	••	• •	x i
SMALL I	Declina	TION	MA	GNETOMI	TER	••	••	• •	••	• •	••	• •		••		xii
LARGE I	Horizon	TAL	Fore	CR MAGN	BTOM	ETER.										
	Descri	otion :	and	last adju:	stmen	t	••	• •								ib.
	•			in 1864	••	••	•	••	••	••	••	••	••		••	ib.
	Temper				••	•	••	••	••	••	•	••	••	••	••	xiv
				of the M	agnet		••	• •	••	••	••	• •	••		••	XV
				pider line			ding Tel	lescope	· · ·	••	••	• •	• •	••	••	xvi
Small I	Horizon	TAL]	Fore	CR MAGN	ETOM	ETBR	••		••	••		••				ib.
Vertica						•							• -	••	••	10.
. 201101				adjustme												
				ision of t		idad aa	olo	••	••	••	• •	••	••	,••	••	XVII
	Scale c			ision of C	ne utv	iucu sc	AIC	• •	• •	••	• •	••	••	• •	• •	ib. ib•
	Temper			fficient	• •	••	• •	• •	••	••	••	••	••	••	• •	xxiii
	гешра	atuic		111010114	••	••	••	• •	••	••	••	••	••	••	••	AAIII
DEFLECT	INA NOI	D V11	BRAT	HAN MOE	ARAT	US.										
	Descrip	tion o	of In	strument	, and	continu	ity of O	bserva	tions	••	••	••	• •	• •	••	ib.
	Formul	a of r	educ	ction	• •	• •	••	••	• •	• •	• •	• •		• •	••	ib.
	Momen	t of I	nerti	ia of Vib	ration	Magne	t	• •	• •	••	• •	• •	• •	• •	• •	xxiv
	Error o	f dist	ance	marks o	n Def	flection	Bar	• •	• •	• •	• •	• •	• •	• •	• •	ib.
	Arc-val	ue of	a di	vision of	the D	eflection	n Scale	••	• •	• •	• •	• •	• •	••	• •	ib.
			•	obable er			ational	quanti	ties	••	••	• •	• •	••	••	xxv
		•		rs and u		inties	••	••	••	••	••	••	••	••	• •	ib.
				ection Sc	ale	• •		••	••	••	••	•••	• •	••	••	xxvi
	Fault of	f Defl	lection	on Bar	••	••	• •	••	••	• •	• •	••	••	••	••	ib.
DIP CIR		•	•	• •	••	••	••	••	••	• •	••	••	••	• •	••	ib.
410	a 2.—18	64.														

D.	11.—	METEORO	LOGICA	L Instri	JMENT	s.				PAG
BAROMETER.		•								
Description Determination of Erro	r in setting t	he Zero-p	 ooint of	the scale	•••	••	••	••	••	xxvii ib.
DRY AND WET-BULB THERMO	MRTERS			• •		••				xxviii
Determination of error		ion	••		••			• •	•••	xxix
Situation of Thermome	.,		••	••	••	••	••	••	••	XXX
REGNAULT'S AND DANIELL'S H	l vgrometer	s	••			••		••		ib
GROUND THERMOMETERS	••	• ••.	••	••	••	• •		••	••	ib
ANEMOMETER			••	• •			••	••	••	xxx
Rain Gauges				••	• •	• •	••	••	••	ib
Tide-Gauge	•• , ,••		••	• •	••	••	••	• •	••	xxxii
Atmospheric Electrometer	••		• •	••		••		••	• •	ib.
DESCRIPTION OF THE RECORDS	OF MAGNE	TICAL OF	RERVA	TIONS.						
Hourly Observations	•••••									xxxiij
Inclination and Horizo			••	••	••	. ••	••	••	••	ib.
Magnetical Disturbance		• ••	• •	• •	••	••	••	••	••	ib.
Term Observations			• •	• •	••	• •	••	••	••	· · ib
TABLES OF THE RESULTS OF M	AGNETICAL	OBSERVA	ATIONS	••	• •	••	• -	• •		ib
DESCRIPTION OF THE RECORDS	or Hourt	у Метео	ROLOGI	CAL OBS	ERVAT	rions		••	••	ib
REDUCTION. Height of Barometer Temperature of the Air Pressure of Vapour, D Monthly and Annual I Fall of Rain Aggregate and Mean	r, &c Pew-point, an Range of Me	d Relative	e Hum	idity of A	 \ir 	••	••	THE F	ROCES	xxxiv xxxiv ib ib ib
Hourly Magnetical Observa	ATIONS .		••	•	••	• •	••	••		1 to 124
OBSERVATIONS OF MAGNETIC I	Disturbance	Es	• •	••	••	••	••	••	••	125 to 131
OBSERVATIONS OF INCLINATION		• ••	••	••	•••	••	••	••	••	133 to 135
DEFLECTION AND VIBRATION C)bservation	vs	••		••	••	••	• •	• •	136 & 137
		P	ART	II.	٠	,				
HOURLY METEOROLOGICAL OB	SERVATIONS	• •	••	••	• •	••	••	••	• •	1 to 247
Extraordinary Electrometr	er Observa	TIONS	••	••	••	••	••	••		2 50 to 259
Abstract of the Results	OF OBSERV	ATIONS O	p Mag		eclina	ATION, A	AND OF	тне Л	Мет во	ROLOGICAL
TABLE I.—Mean Vulues of Ab	solute Easte		nation,		day	of Götti	ingen 1	Mean T	'ime, i	
nutes of Arc TABLE II.—Mean Values of A									the day	· ·
Mean Diurnal Va TABLE III.—Showing the Ann from the readings	ual Mean L	Declination	and t	he Annu	al-Ch	ange of	Decli	nation,	as de	duced

		PAGE
TABLE	IV.—Daily Height of Standard Barometer (No. 58), corrected for Temperature, for each day of Bombay Civil Time: also the Mean Monthly Height and its Variation from the Mean of the year.	5
Table	V.—The Mean Diurnal Variation of the Height of Barometer for each Month and for the whole year, or the Excess of the Mean Hourly Height above the respective Monthly and Annual Means.	6
TABLE	VI.—Mean Daily Temperature of the Air for each Day of Bombay Civil Time; also the Mean Monthly Temperature and its Variation from the Mean of the year	7
TABLE	VII.—The Mean Diurnal Variation of Temperature of the Air for each Month and for the whole year, or the Excess of the Mean Hourly Temperature above the respective Monthly and Annual	
Table	Means	8
Table	at the respective depths of 1, 9, 20, and 60 inches below the surface	9
Table	nine inches respectively below the surface, and its Mean Diurnal Variation for the year X.—Mean Temperature of Evaporation for each day of Bombay Civil Time: also the Mean Monthly Temperature of Evaporation, and its Variation from the Mean of the year	10
TABLE	XI.—The Mean Diurnal Variation of the Temperature of Evaporation for each Month, and for the whole year, or the Excess of the Mean Hourly Temperature of Evaporation above the respec-	11
TABLE	tive Monthly and Annual Means XII.—Mean Temperature of Dew-point (calculated) for each day of Bombay Civil Time; also the	12
	Mean Monthly Temperature of Dew-point and its Variation from the Mean of the year XIII.—The Mean Diurnal Variation of the Temperature of the Dew-point for each Month and for	13
	the whole year, or the Excess of the Mean Hourly Temperature of Dew-point above the respective Monthly and Annual Means	14
Table	XIV.—In which are collected the individual Observations in each Month of the year 1864, which showed the greatest and the least values of the following elements, viz: Height of Barometer, corrected for Temperature; Temperature of Air; Temperature of Evaporation; and Tempera-	
TABLE	ture of Dew-point	14
	sure of Vapour and its Variation from the Mean of the year	15
TABLE	XVI.—The Mean Diurnal Variation of the Pressure of Vapour for each Month and for the whole year, or the Excess of the Mean Hourly Pressure above the respective Monthly and Annual	16
TABLE	Means	16
Тавгр	Mean Relative Humidity and its Variation from the Mean of the year	17
IABLE	whole year, or the Excess of the Mean Hourly Relative Humidity above the respective Monthly and Annual Means	18
TABLE	XIX.—Mean Extent of Cloudy Sky for each day of Bombay Civil Time; also the Mean Monthly Extent and its Variation from the Mean of the year	19
TABLE	XX.—Mean Extent of Cloudy Sky in each month for each hour of Bombay Civil Time	20
	XXI.—Total Fall of Rain (in inches) as measured by Newman's Gauge, placed 41 feet above the	
•	ground, for each day and each month of the year	21
Table	XXII.—Total Fall of Rain, as measured by Newman's Gauge, placed 4 feet above the ground, in each month and for the whole year, for each hour of Bombay Civil Time	22
	XXIII.—Total Fall of Rain (in inches) as measured by Osler's Gauge, placed 26 feet above the ground, for each day and each month of the year	23
Table	XXIV.—Total Fall of Rain as measured by Osler's Gauge, placed 26 feet above the ground, in each month and for the whole year, for each hour of Bombay Civil Time	24
TABLE	XXV.—Showing, for the year 1864, the Sums of the Pressures of the Winds which blew, in each month, from each of the Eight Principal Directions with a recorded force greater than 0·1 lb. on the square foot; and also the number of Observations which those Sums comprise, the latter numbers indicating the relative frequency of the same Wind (as to direction) in the	0.E
Table	several months, and of different Winds during the same months	25
	hour of the day, from each of the Principal Directions, with a recorded force greater than 0·1 lb- on the square foot	27

·	PAGE
TABLE XXVII.—Showing, for the year 1864, the number of times on which the Wind was observed to blow	
at each hour of the day from each of the Eight Principal Directions with a recorded force	
greater than 0.1 lb. on the square foot	27
TABLE XXVIII.—Mean Estimated Force of Wind, without regard to the direction from which it blew, for	
each Day of Bombay Civil Time: also the Mean Monthly Force and its Variation from the	
Mean of the year	28
TABLE XXIX.—The Mean Diurnal Variation of the Estimated Force of Wind for each Month and for the	
whole Year, or the Excess of the Mean Hourly Force above the respective Monthly and	
Annual Means	29
TABLE XXX.—List of Abnormal Days, or those on which the Wind veered to an excessive extent, in 1864	30
·	30
TABLE XXXI.—Showing the Excess of the Direct Circular Motion of the Wind over the Retrograde	
Motion, during the year 1864	30
TABLE XXXII.—Record of the Days on which the Wind blew with a force exceeding 1 lb. on the square	
foot in the year 1864	31
TABLE XXXIII.—Showing the Number of Days of the occurrence of each of the Phenomena which come	
under the head "Weather," during the year 1864	31
Synopsis of the Prevailing Clouds and Formation of Dew, and occasional notices of the state of weather	
for the year 1864	32
•	•
TABLE XXXIV.—Showing the Mean Hourly, Monthly, and Annual values of Meteorological Elements, as	99
deduced from the Results of the last Eighteen years' Observations (1847—1864 inclusive)	33

LIST OF PLATES.

- Plate I.—Curves showing the Mean Diurnal Variation of Meteorological Elements, and the absolute mean values for each hour of the day.
- Plate II.—Curves showing the Mean Annual Variation of Meteorological Elements, and the absolute mean values for each month.
- Plate III.—Curves showing the daily mean values of Meteorological Elements for every day in the year.

ERRATA.

Introduction, page vii, line 18, after "page" insert "iv."

" note at foot of page x, line 2, for "letter" read "latter."

" line 6, for "Scale-reading" read "Scale-readings."

" page xxxiii, line 8, for "xxvii" read "iii."

" for "table" read "tables."

Part III, page 14, heading of Table XIII., after "Excess of the Mean" insert "Hourly."

" " XVIII., " " "

PREFACE.

On taking charge of the Bombay Observatory in September 1865, I found that the whole of the hourly observations which form the bulk of this volume were already in the press, and of much the greater portion of them the usual number of copies had been printed; and although it does not appear advisable to continue the publication in extenso of the hourly observations (especially the Meteorological) of which upwards of 20 years have already been so printed, yet for the reason just mentioned it was thought right to complete the present volume, particularly as an improvement had been introduced in the form of registration of Magnetical Observations, whereby the reader who may wish to do so, will have the opportunity of drawing his own independent conclusions as to their significance; - this improvement consists in the publication of the Scale-readings, without any correction, and temperatures of the two Force Instruments, instead of the Scale-readings corrected for temperature, and the calculated values of absolute Horizontal and Vertical Intensity and The values of Declination are given reduced as hitherto, but no inconvenience need arise on this account, as the published numbers may be operated upon precisely as if they were scale-readings and the results be easily re-converted by a simple inverse operation to that indicated by the formula of reduction.

In the incidental allusions that are made, solely for the information of the reader, to defective instruments and faulty processes of treatment of observations, I would carefully disclaim the intention of throwing blame upon any of the officers who have held charge of the Observatory, for I am persuaded that, being placed at great disadvantage in bearing the responsibility of the direction of the Observatory as an attachment merely to some other office demanding their attention primarily, they have acted most wisely in maintaining generally a strict adherence to the methods of observation and adjustment of instruments, introduced with great ability and under very adverse circumstances by the first of their number—the late Professor Orlebar;—had the Observatory been placed in less judicious hands, a different course of needless or capricious interference with the routine well devised for the special purposes of the Observatory might have sadly marred the promise of extended magnetical knowledge which there is now good reason to believe the Bombay Observations are capable, under a right treatment, of affording. In carrying out their purposes they appear to have been zealously aided by successive European and Native Assistants, to whose abilities frequent testimony is borne, and I may here state my impression that considerable respect is due to the intelligence displayed by the Brahmin Assistants, on whom latterly has devolved, in great part, the task of preparing the observations for publication, and who, so far as their experience could guide them, have performed well both the observing and other duties entrusted to them.

Intending to prepare, as rapidly as the computing force at present available will allow, a resumé of the results of the whole series of observations made at the Bombay Observatory during the last twenty years, it has not appeared to me necessary to go into minute detail in the descriptions of the instruments and other particulars connected with the

ii PREFACE.

observations in the present volume, excepting as regards points on which information is not to be found in former volumes of the Bombay Observations, because it will be requisite that a notice of every point materially bearing on the quality or trustworthiness of the observations should accompany the work mentioned, and the present publication would be still further delayed by adopting a different course. Partly for the same reason I have avoided any discussion of the scientific import of the observations, but also because it seems preferable that the statement of simple matters of fact which, to facilitate the exact comprehension of their meaning, accompanies the observations, should be kept distinct from the discussion of results in which the judgment of the writer should be allowed freer play.

With respect to reductions of the hourly Magnetical Observations, as the crude observations require careful and somewhat laborious preparation before the usual processes of averaging are applied, and as one year's observations barely suffices for the treatment of several important questions that yield distinct replies when applied to more extensive series, it appears to be by far the most economical and efficient course to treat a considerable body of several years' observations at once, and I have therefore refrained from adding to the bulk of this volume by including in it any of the usual tables of mean values, except those of hourly, daily, monthly, and annual means of Absolute Declination, which, without any elaborate treatment, may safely be assumed to be near the truth.

The delay that has occurred in completing the manuscript of this volume has arisen from the absorption of my time and attention by the more immediate objects of my appointment to the superintendence of the Observatory, viz.—the rectification of defective operations and of such faulty instruments as were susceptible of improvement, and the preparation of a plan for the more complete equipment and future conduct of the Observatory, by which its usefulness might be extended, and the value attaching to its past proceedings be rendered available for scientific purposes. It was not, therefore, until what I conceived to be necessary in these respects had received due attention, and been partly disposed of, that I felt myself at liberty to proceed with the experiments and collection of data which I deemed requisite to give precision to the account of the instruments and observations which appears in the following pages.

CHARLES CHAMBERS.

Colaba Observatory, Bombay, November 1866.

INTRODUCTION TO THE MAGNETICAL AND METEOROLOGICAL OBSERVATIONS

For 1864.

The locality of the Bombay Observatory, as well as the grounds in which it is situated, and the buildings appropriated to the Magnetical and Meteorological instruments, is described in the Introduction to the volume of Observations for 1846. Its adopted geographical position deduced from astronomical observations made at the Observatory, is:—

Staff of the Observatory.—The Staff of the Observatory consisted in the year 1864 of the undermentioned persons, to whose names are attached the initials by which they are severally designated in the records of Observations:—

MAGNETICAL DEPARTMENT.

Goverdhun Luxooman C. *	. First Assistant	G.
- Naro Balcrishna P	. Second do	N.
Baboo Moreshwer	. First Observer	В.
Gunesh Narayen	. Second do	G.
Crishnajee Gunesh		
Narayen Ramchundra		

ASTRONOMICAL DEPARTMENT.

Govind Ramchundra	First Assistant.
Hurree Chintamon	Second do.

System of Observation and reduction, and distribution of duties.—The duties in the Magnetical Department of the Observatory were distributed in the following manner:—The hourly Magnetical and Meteorological Observations were taken and entered in the registration forms by the Observers in rotation in three periods of 4 hours' duration of every

^{*} Mr. Goverdhun Luxooman died on the 25th May, and Mr. Naro Balcrishna P. became Acting First Assistant from that date. Mr. Krishna Pandoorung succeeding as Acting Second Assistant from the 1st July.

successive half-day; and in the intervals between successive hourly observations the Observers copied the observations of each element into tables, having the days of the month marked in numerical order in the first column, and the hours of the day in order at the head of the columns, and computed the daily mean values and the monthly mean values for each different hour; the Computer also took part in the latter operations: in this stage the reductions passed into the hands of the Assistants, who deduced from them the tables of results; these were prepared (although many have been withheld as meaningless) for 1864 as for former years, according to a nearly uniform plan which had been long followed, and had become part of the fixed routine of the establishment. The First and Second Assistants made also the regular observations of Magnetic Dip and Horizontal Intensity, and occasional observations of the Electrometer; and upon the First Assistant devolved the immediate oversight both of observers and instruments, and the general control under the Superintendent of the Department; he was also charged with the preparation of the manuscript of the observations and results, and of the notices of adjustments, &c., for the press, the latter being afterwards submitted for the approval and additions or alterations of the Superintendent. Thus to Mr. Naro Balcrishna P. is due the credit of having carefully drawn up the results which form the Addenda to the Observations contained in the present volume: and I may here add that the high degree of intelligence, and the creditable knowledge of his profession which he possesses, and which have been frequently called into request in the course of the experiments hereafter described, in which he has rendered me very efficient aid, give good ground for dependance upon the work which he has performed. The hourly Magnetical Observations commenced every week at noon on Sunday and concluded at 11 A. M. on Saturday, Göttingen Civil Time. The Meteorological Observations commenced at 12 P. M. on Sunday and concluded at 11 P. M. on Saturday, Bombay Civil Time. Although the special reason for the observance of Göttingen Time may no longer exist, yet as any 24 equidistant times will serve equally well with any other 24 for determining the character of a diurnal variation; no disadvantage can attend its use other than the inconvenience to the Observer, who loses by the arrangement described 8 hours of freedom every Sunday; accordingly, while retaining Göttingen Time in 1866—partly for the sake of uniformity of system, and partly because of the impossibility of making the hourly readings of all the instruments, Magnetical and Meteorological, at the exact hour—the week has been made to commence on Sunday at 8 P. M. of Göttingen Mean Time, so that now the Observer gets his full Sunday of rest, a matter of no slight importance when the confining nature of the employment is considered.

Observations of Inclination were made twice a week, on Tuesdays and Fridays; and Deflection and Vibration experiments generally every Saturday.

In respect to the general fidelity and accuracy with which the hourly observations have been recorded, the results of the new reductions of the Declination Observations afford important and favourable testimony which I will here describe:—By a process devised by Major General Sabine and explained by him in various publications, disturbances were separated from the general body of observations, and the aggregate amount of disturbance at a particular hour throughout a period of seven years (from 1859 to 1865) was found for the easterly and westerly disturbances separately: this being done for every hour of the day it was found that at Bombay, as elsewhere, the aggregate disturbance effects have a distinct variation depending upon the hour angle of the sun.

.The results are exhibited in the following table:—

Table I.—Showing the Ratios of the Aggregate Values of the Declination Disturbances exceeding 1'4 in amount at the several hours in the seven years from 1859 to 1865 inclusive; the unit being one-twenty fourth of the Aggregate of Easterly or Westerly Disturbances in the seven years.

Bombay Astronomical Hours.	Westerly disturbances.	Easterly disturbances.
12	: 05	470
, 13	·17	•68
14	.16	•64
15	·14	•84
16	•18	.69
17	•36	•71
18	.80	•92
19	•96	1.17
20	1.64	1.00
21	2.35	1.08
22	2.73	1.61
23	2.76	1.83
0	2.84	1.68
1	2.57	1.56
2	1.86	1.29
3	1.41	.99
4	1.06	•91
5	·61	•85
6	•40	.85
7	•45	∙80
8	•16	1.00
9	-11	∙79
10	.16	•70
11	.08	•72
Aggregate {	2801'1	4538:7
seven years.	733	9:8

Remarking now, that on the average there are about thirteen normal observations to one disturbed, and that the ratios for any given hour are obtained quite independently of those at the remaining hours, it will be evident how almost impossible it is that the regularity in the ratios shown in the above table should flow from any but true observations; and further the marked distinction between the ratios of westerly disturbance and those of easterly disturbance, in that the former possess scarcely appreciable values for nine hours of the day, renders it very difficult to imagine that there can be any sensible admixture of fraudulent observations in the whole body. It has also been found from observations made in other parts of the world that the yearly aggregate of all disturbances occurring in a series of years is subject to a decennial variation corresponding in its general features, viz. in duration of the period and in coincidence of the times of maxima and minima, with the variation in frequency of the appearance of sun spots, and the same general result is shown for Bombay in the following numbers:—

Table II.—Showing the Aggregate Values of all Disturbances exceeding 1'4 in the several years from 1859 to 1865 inclusive.

Years.	Aggregate values.
1859	1532'-1
1860	1421.6
1861	951.8
1862	1240.5
1863	691-1
1864	595.9
1865	906.8

Note.— Some errors have been discovered in the two tables given above which it will take time to correct, but they are not such as to affect the argument based upon them.

DGICAL OBSERVATIONS.

successive half-day; and in the intervals becovers copied the observations of each element into take in numerical order in the first column, and the hocolumns, and computed the daily mean value hour; the Computer also took part in the hands of the Assistants who many have rers copied the one in numerical order in the management and computed the daily and different hour; the Computer also took part me tions passed into the hands of the Assistants these were prepared (although many have these were prepared (although many have these were prepared to a nearly ur the second of the established the established the second of the established the established the established the second of the established the established the established the established the established the established the es

oversight both of observers and: tendent of the Department; he the observations and results, ? being afterwards submitted

tendent. Thus to Mr. Na the results which form th and I may here add the his profession which ' course of the experi aid, give good gre Magnetical Obs A. M. on Saturd 12 P. M. on S

the special 24 equidi of a div to the

day

through the usual daily signal.

the fact that no reason can the particular characters rs should have been anvariation of aggregate true than any other;

_eterminat__

the v


npossible to produce ot well be comme abstituted by oth articipating i

. 1 P. M. The Assista or of the sun when stars are the error and rate of the standard gister comparisons of a portion of the store, and furnish certificates of the errors and .s of ships in the harbour. The examination and ons made at several out-stations, and the computation of o effected by the Junior Assistant, previous to their being incorporation with similar returns from British possessions in Time is the only element contributed by this department to-Observations, and this, for ordinary purposes, is furnished to the Mag-

Instruments and Phenomena observed during the year 1864.—The indications of the instruments were read at every hourly observation in the order and at the minutes stated opposite to each :-

Rain Gauge..... After the hour, Bombay Civil Time. Air Thermometer Thermometer in ground 1 inch deep do. 9 inches deep....... Two Standard Barometers From 7 to 9 minutes. Vertical Force Magnetometer and its Thermometer. At 10 minutes. Large Declination Magnetometer..... Large Horizontal Force Magnetometer and its? Small Declinometer At 16 minutes.

The direction and force of the wind, description and extent of clouds, general state of weather, and the Electrometer were observed between 5 minutes before and 5 minutes after the hour.



Plans showing the arrangement of the Large and Small differential appear in the Bombay Magnetical and Meteorological Observations 1846, Plan

LARGE DECLINATION MAGNETOMETER.

Description and last Adjustment.—This instrument, which is described partly in the Royal Society's Report of the Committee of Physics, and partly in the Bombay Observations 1845, Introduction, Page v, has furnished the hourly values of Absolute Declination for the whole period since the establishment of the Observatory. It was last adjusted in November 1861, since which time the formula adopted for the reductions has been:—

$$D = 6' \cdot 841 \ (f - 28 \cdot 2733) \times 1.0028.$$

where D denotes the absolute Easterly Declination in minutes of Arc, and f the Scale-reading of the Declinometer, 6'·841 is the adopted value of one division of the Declinometer scale, 28·2733 the adopted reading for the coincidence of the magnetic axis of the bar with the true meridian, and 1·0028 the Torsion coefficient of the suspension thread. The Observations are made by a Transit Instrument, which is fixed on an isolated pillar of masonry at a distance of 27 feet to the southward of the Declinometer pillar, and which, in this position, is capable of being used also for observing the transits of stars through an opening (provided with shutters) in the roof of the Observatory. There are two sources of uncertainty which attach to the values of the Declination thus obtained, the first arising from possible accidental or gradual derangement of the adjustments of the Transit Instrument; and the second from probable inconstancy of the torsion of the suspension thread (which consists of about 40 fibres of raw silk) of the Declination magnet.

cc—1864.

The force of the argument here advanced lies;—first, in the fact that no reason can yet be assigned why the disturbance diurnal variations should have the particular characters which are found from the observations, still less why these characters should have been anticipated; secondly, that it is scarcely possible that the decennial variation of aggregate disturbance should have been foreseen as being more likely to be true than any other; thirdly, that, supposing them to be pre-conceived, it would be all but impossible to produce these results designedly; and lastly, the design existing, it could not well be common to three Observers, some of whom were changed from time to time and substituted by others, who would with difficulty be persuaded that they had any interest in participating in the fraudulent practice.

With the exception of Sundays and about eight Government holidays, the work of the Observatory went on regularly throughout the year.

The purpose served by the Astronomical Department is mainly the determination of correct time, which is publicly signalled every day (except Sundays) at 1 P. M. The Assistants make frequent observations of the meridian passages of stars, or of the sun when stars are not visible, with the large Transit Instrument, calculate the error and rate of the standard clock, and drop the time-ball; they also make and register comparisons of a portion of the chronometers which constitute the Government store, and furnish certificates of the errors and rates of their chronometers to the captains of ships in the harbour. The examination and reduction of Meteorological observations made at several out-stations, and the computation of abstracts of their results, is also effected by the Junior Assistant, previous to their being despatched to England for incorporation with similar returns from British possessions in various parts of the world. Time is the only element contributed by this department towards the published Observations, and this, for ordinary purposes, is furnished to the Magnetical office through the usual daily signal.

Instruments and Phenomena observed during the year 1864.—The indications of the following instruments were read at every hourly observation in the order and at the minutes stated opposite to each:—

Rain Gauge	٠.
Air Thermometer	Time.
Wet Bulb Thermometer	
Thermometer in ground 1 inch deep	Civil
Do. do. 9 inches deep	1
Two Standard Barometers From 7 to 9 minutes.	Bombay
Vertical Force Magnetometer and its Thermometer. At 10 minutes.	Pg
Large Declination Magnetometer At 12 minutes.	
Large Horizontal Force Magnetometer and its)	hour,
Large Horizontal Force Magnetometer and its At 14 minutes.	the
Small Declinometer	er l
Small Declinometer	After
	,

The direction and force of the wind, description and extent of clouds, general state of weather, and the Electrometer were observed between 5 minutes before and 5 minutes after the hour.

REMARKS ON THE CONDITION AND ADJUSTMENTS OF THE INSTRUMENTS AND ON THE PROCESSES OF REDUCTION.

It is not purposed to repeat here the general descriptions of instruments which have from time to time appeared along with the Bombay Observations, but merely to make known such special circumstances in connection with their condition, situation and adjustment, with the habits of the Observers, and with the routine of the processes of reduction as are necessary to enable the reader to form an independent judgment of the degree of precision attained and of the weight to be attached to any conclusions that may be drawn from the observations recorded in this volume. Reference has, however, been freely made to operations of a later date than 1864, wherever these were deemed likely to be of interest to the reader, and especially where their object was to rectify supposed defects before existing, or to furnish data for the useful employment of the recorded observations.

It may be remarked here that the system of checking the reductions hitherto adopted, though thoroughly good and effective where it applies, has not extended to many of the simple operations of copying and taking averages, and is consequently lacking with respect to many of the fundamental data upon which the results are based. It has been confined to the simple requirement of identical monthly mean values from the monthly abstracts (described on page) whether they were derived from the calculated daily or hourly means.

I.—MAGNETICAL INSTRUMENTS.

Plans showing the arrangement of the Large and Small differential Magnetometers appear in the Bombay Magnetical and Meteorological Observations 1846, Plates I and II.

LARGE DECLINATION MAGNETOMETER.

Description and last Adjustment.—This instrument, which is described partly in the Royal Society's Report of the Committee of Physics, and partly in the Bombay Observations 1845, Introduction, Page v, has furnished the hourly values of Absolute Declination for the whole period since the establishment of the Observatory. It was last adjusted in November 1861, since which time the formula adopted for the reductions has been:—

$$D = 6'.841 (f - 28.2733) \times 1.0028.$$

where D denotes the absolute Easterly Declination in minutes of Arc, and f the Scale-reading of the Declinometer, 6'841 is the adopted value of one division of the Declinometer scale, 28.2733 the adopted reading for the coincidence of the magnetic axis of the bar with the true meridian, and 1.0028 the Torsion coefficient of the suspension thread. The Observations are made by a Transit Instrument, which is fixed on an isolated pillar of masonry at a distance of 27 feet to the southward of the Declinometer pillar, and which, in this position, is capable of being used also for observing the transits of stars through an opening (provided with shutters) in the roof of the Observatory. There are two sources of uncertainty which attach to the values of the Declination thus obtained, the first arising from possible accidental or gradual derangement of the adjustments of the Transit Instrument; and the second from probable inconstancy of the torsion of the suspension thread (which consists of about 40 fibres of raw silk) of the Declination magnet.

cc-1864.

Fixed reference Scale for Reading Telescope. As an easy means of detecting any irregularity of the Transit Instrument, a divided Scale was fixed in May 1853 above the north window of the Magnetometer room, and was observed monthly by the Transit Telescope, always, apparently, with satisfactory results. To render this contrivance practicable, it was necessary at the same time to furnish the telescope with a sliding tube, carrying the object-glass, of sufficient length to allow focussing adjustment for parallel rays of light and for the fixed scale which was only 31 feet distant. Now, on examination in May 1866, the fitting of the tube was found to be so imperfect that sensible but small changes in the pointing of the telescope followed upon the repeated reversal of the pivots, or even upon swinging the telescope sharply round in its bearings, and a packing of thin paper was easily inserted between the two tubes *; nevertheless the readings of the reference scale, of which a unit equals about 18'.5 and the numbers increase from East to West, were 29.775 in every month of 1864, except January and February when they were 29.770 and 29.768 respectively. The regularity during ten months is remarkable, and the small apparent deviations to the extent of only 0'13 may for the present be attributed with greater probability to change of collimation (owing to looseness of the tube) at the long focusing adjustment required for the fixed scale than to actual derangement of the Transit when adjusted for the Declinometer The reality of the apparent deviations in January and February may be tested by comparing with the monthly mean Declination readings of those months, corrected for annual and secular variation, the similar means of the preceding and following months, and this will be best effected when the whole body of observations is under discussion. while the extent of the uncertainty is too small to affect any useful application of the recorded values of Declination.

Adjustment of Reading Telescope.—The reading wire of the Transit Instrument was supposed to point accurately in the direction of the true meridian, and its adjustment was effected by causing the wire to bisect Polaris when on the meridian, the collimation and At the first adjustment on record, dated 28th level errors being first sensibly destroyed. February 1854, the reading of the fixed scale was 29.780, which, allowing for the faulty state of the focussing tube is very close, being within 0'. I to the reading still made use of in 1864, viz. 29.775; hence it is probable that the supposition of the telescope pointing in a constant direction is very nearly correct. It was found, however, on a thorough examination of the adjustments of the Transit Instrument in May 1866, that the western pivot was very sensibly too high, and the collimation error liable to vary within small limits. It may, therefore, be the best course to assume that the level and average collimation errors were the same in 1864 as in May 1866,—this is probable from the constancy of the readings of the fixed scale,—and to infer the absolute direction—corresponding to the fixed scale reading 29.775—in which the telescope pointed in 1864 from approximate determinations of the same absolute direction made in 1866. The details of the observations of the Transits of stars which were made for this purpose are shown in the following table:

^{*} After this the adjustment was made for parallel rays, and has since remained undisturbed, the reference scale being substituted by a collimator mark placed on a solid teakwood pillar resting on the chunam floor between the Transit and the Declinometer.

TABLE III.—Observations of Transits of Stars made with the Transit Instrument used for observing the Large Declinometer to determine the deviation of the Division 29.775 of the Fixed Scale.

Ē	IN BRADER.	12	All the observations were made with lamp east.	* On May 1st the Telescope pointed eastward of the division 29.775 of the	sions of the azimuthal adjusting screw	hence as each division of the adjusting	tion to the deduced azimuthal error	to make it comparable with those observed after is 3'12.	May 4th. Focus adjusting screw turned to extreme limits.	May 8th do. do. † May 11th. Observed only last contact of star with wire.	Cope relieved, bearings of axis of Teles-	and instrument readjusted. ‡ May 14th. Observed only first con-	May 15th. Altered collimation adjust- ment.	sliding tube of telescope; and instru-	May 21st. Collimator mark fixed on wooden nillar.			
.Ter.	тэөдО	=	z:	2 2	2 2	2 2	2 2	: :	2	: :		: :	2 2	C. C	2 2	2 2 :	: : 2	5
ithal Error.	For each group.	10			W 0:30 W											V N 0.37 W		_
Mean Azimuthal Error	For each day.	6	2,94	N 0.13 W N 0.10 E		N 0.63 W		N 0-44 W		N 0.11 W		N 0-43 W	N 0.18 W		N 0.45 W	N 0.39 W	N 0.32 W	
Weight given	tion of Azlınu- thal Error.	80	1	0 1:5	,	1.5	1.5	1.5	ر + 1	1.5		1:3	9 1	1.4		4.0	2 7 7	7 f.T
Deduced Azimu-	Transit Instru- ment.	7	2'48 3-21	N 2:95 N 0:19 E E E	0.49	0.43	77.0	0.40	N 0.52 W	N 0.13 W N 0.08 W			N 0.41 W	0.20	N 0.24 W	0.40		0.40
7 -	Collimation Errors.	9	19 46 19	13 17 20·44 10 55 26·56 13 0 54·96	55 46	19		11 46 49·40 12 19 10·42		12 19 12·80 13 9 36·25		46 19	11 46 48.38	54	מז ניז	13 54 25·40	6 4 5	ک ا
1	Transit Instrument.	5	056	- 0.26	00.0		00.0			+ 0.57		+ 0.08	80·0 +	+ 0.02		700	4 0.01	
Level Error of	Iransit Instrument.	4	+ 1,.20	+ 1.32	+ 1.32		+ 1.25		·	+ 0.01		+ 0.01	+ 0.01	- 0.05	_	i	- 0.02	
Sidereal Time of Level Error of	for Brror of Chronometer.	3	1 * .	17 55 10		10 a	55		13 9 26·19	12 19 10·49 13 10 20·44		11 46 12 19			14 30 31-90 14 51 14:00 13 6 46:04		25.0	9
		67	y Ursa Majoris.	Polarisa Ursa Majoris. Polaris	d Ursa Majoris.	a' Crucis	a Ursa Majoris.	y Ursa Majoris.	Polaris	a' Crucis		y Ursa Majoris	y Ursa Majoris.	β Centauri	g Centauri β Ursa Minoris.	B Centanti B Ursa Minoris.		Centauri
1866	Date.	-	May 1					::	. 11	May 14		May 15		May 22	2 2 2	388	26	, "
					·ďn	gro	dani'i	[econd.		brin •quo			·dnoi	անի բ	Fou	

The signs of the Level and Collimation errors are considered positive when a south star is made to appear on the wire of the telescope too soou, that is when the western point is too high or when the wire points to the eastward of the direction perpendicular to the axis of rotation of the telescope.

The numbers in Columa 7 are obtained by substracting the apparent Right Ascensions of the stars, taken from the Nautical Almanac, from the times shown in Column 6, and dividing the difference expressed in minutes by { Cos (Altitude from south) of star} the deviation being to east of north if the sign of the result be positive and the star above the pole, or if the sign be negative and the star below the pole, and to the west in the reverse cases.

The weight assumed in Column 8 is roughly proportional to the square root of \$\frac{\cos. (Altitude)}{\cos. (Declination)}\$ of star \$\cdot\$, and the mean values in Column 9 are deduced from the individual errors having regard to the respective weights of the latter. No observations were used for this purpose for which \$\frac{\cos. (Os. (Altitude)}{\cos. (Declination)}\$ of star \$\cdot\{\cos. (Declination)}\$ of star \$\cdot\{\cos. (Declination)}\$ of star \$\cdot\{\cos. (Declination)}\$ of star \$\cdot\{\cos. (Declination)}\$ of observation, may in the first group be partly accounted for by irregularities of Collimation not allowed for, but the values are sufficiently accordant to show that the probable error in adopting the mean result of the first group will fall much within 0'.5. This mean is N 0'.30 W and the mean Collimation Error is 0'.13 W, hence the direction corresponding to the reading wire is N 0'.43 W, and 0'.43 must be subtracted from the printed values of Absolute Declination, if so small a quantity be esteemed of consequence, in any special investigation for which they may be used. After packing the sliding tube of the telescope both the individual and mean measures for finding the collimation error became regular and satisfactory, the exact means being on May 21st + 0'.017 and on May 23rd +0'.014.

Constancy of direction of the magnetic axis of the bar.—The division of the Collimator Scale corresponding to the magnetic axis of the Declinometer Magnet was in January 1856, 28·31, and in August 1861 three independent measures gave values 28·25, 28·29, and 28·27; it appears, therefore, that the change in five and a half years was very small, and that the last determination was doubly verified; the latter may therefore be relied upon as nearly correct in 1864.

Determination of the Angle subtended by a Unit Division of the Declinometer Collimator Scale.*—The observations upon which the value 6'.841 of a unit of the Declinometer Scale is based, were made in 1845, and are shown in detail in the Introduction to the volume of Observations for that year, Page v1. In January 1856, however, the lens and divided scale were detached from the magnet, and it is conceivable that on replacing them their distance apart might not remain exactly the same as before, in which case the arc-value of a division of the scale would be altered nearly in the inverse ratio of the distances. order to test the value, without disturbing the adjustment of the Declinometer, the same Altitude and Azimuth Instrument that was used for the former determination was therefore mounted, in June 1866, on a firm tripod stand, in a line with, and successively at different distances from, the magnet in its usual adjustment, and the division of the scale cut by the middle wire of the telescope was noted simultaneously with the reading of an auxiliary declinometer when one of the azimuth micrometers was shifted by the tangent screw successively through intervals of 10', 25', and 2°.10'. The following table shows the readings of the Declinometer Scale, after correction to a uniform value of the Declination, thus obtained:—

^{*} It may be remarked here that every tenth division of the scales of the three differential Magnetometers is marked with a long line and a number of which the letter is greater by unity than that of the next preceding tenth division; for this reason, apparently, the unit division was at the commencement of the series of observations in each case taken as indicated by the figures and the small divisions as tenths of a unit. There appears to be no sufficient reason for now departing from this practice, for while the angular values of the divisions were nearly the same in the Declinometers and Bifilars supplied at first to different Observatories, the scale-reading at one station were not comparable with those at another until they had been reduced to a common unit of force; and in the scale values given along with the Bombay Observations due regard has always been paid to the units actually used in the readings recorded.

TABLE IV.

Distance of		Scale-re	ading of Larg	e Declinometer, lue of Declination	Deduced va-	Weight of	Mean value		
Lens on Magnet from Object-glass of Telescope.	Interval on Azimuth Circle.	For Initial	For Final	Mean Initial	Mean Final	Difference.	lue of a Unit of Scale.	Determina- tion.	of a Unit of Scale.
		Division	of Circle.	Reading.	Reading.	Dinerence.			
Inches.		36.662							
105	10′	36·632 36·623	35·170 35·170	36.639	35.170	1.469	64807	1	
105	25′	34·487 34·495 34·478	38·165 38·167	34·487	38·166	3·679	6.795	2.5	
348·7	10'	35·947 35·913 35·883 35·867	34·466 34·428 34·410	35.903	34·43 5	1·468	6.812	1	64806
16:3	2°10′	19·940 19·955 19·953 19·942 19·946	39·053 39·052 39·047 39·031	19.947	39·046	19-099	6-807	13	

There is evident system in the decrease of the numbers in Columns 3 and 4, but whatever it may arise from, as it is small in amount and affects equally the numbers in both columns, the mean of all the results, giving weights proportional to the arcs from which the individual values are derived, may safely be adopted. If the Scale were sensibly but very slightly removed from the principal focus of its lens, the observed values of a division should form a regular gradation as the distances increased or diminished; but it is seen that the value given by the observations at the intermediate distance is slightly less than either of those at the extreme distances, hence it is probable that the small differences arise from errors of observation and errors of division of the Azimuth Circle, and that the divided Scale is very nearly in the principal focus of its lens. The final mean value is 6'806, and it is apparent that the interval between the Scale and its lens (about 12.7 inches) has been increased since 1845 to the extent of about 0.06 inch: however, as the retention of the old Scale value will produce an error in the Absolute Declination of less than 0'.2, it seems preferable, for the sake of preserving the comparability of the values given in this and in former volumes, not to make any change in the formula of reduction.

Variation of Torsion Force of Suspension Thread.—In 1864 no means had yet been devised for determining closely the amount of effect that may be due to inconstancy of the torsion of the suspension thread. But an approximate estimate of the aggregate error from all causes may perhaps be formed from the comparison of independent determinations of Absolute Declination made in January 1866 with the corresponding readings of the Large Declinometer. The mean of eight results showed that the Large Declinometer gave the Absolute Easterly Declination 2'·4 too great, and though the capabilities of the independent instrument are not such as could be desired for the purpose, yet, as the individual determinations all lay within 0'·8 of the mean, the reality of the error is unquestionable. Until the comparison of the whole body of Declination observations may give more definite information this result may be taken as an approximate indication of the aggregate error of the printed numbers.

DD-1864.

SMALL DECLINATION MAGNETOMETER.

No observations made with this instrument in 1864 are printed except those recorded during magnetic disturbances. The Angular motion of the north end of the magnet to the eastward corresponding to an increase of one Scale-division in the reading is very nearly 5'23.

LARGE HORIZONTAL FORCE MAGNETOMETER.

Description and last Adjustment.—This Instrument is also described in the Royal Society's Report of the Committee of Physics, and its mounting in the Bombay Observations 1845, Introduction page III. The north end of the magnet has always been twisted westward, and the readings of the Torsion Circle increase in a right-handed direction. The last adjustment was made on the 31st December 1855, and from the account of it given in the volume for that year, Introduction page xv, it may be gathered that as an angle of torsion (v) of 56° 17".5 required that the reading of the Torsion Circle should be 278°13', so the reading which would allow the axis of the magnet to lie in the magnetic meridian would be 64° 30'.5, and this differs little from the corresponding reading (64° 58') found at the next previous adjustment on December 28th, 1850, of which a definite and satisfactory record is given in the volume of Observations for 1851, Introduction page xIII. It is stated that when the last adjustment was completed, the Torsion Circle read 270° and the Collimator Scale 17.69 div. at temperature 81.0. Assuming, as this is only implied in the record, that in this position the magnet was at right angles to the meridian, the angle of torsion (v) would be 64° 30'.5, and the coefficient of reduction, calculated by the formula:—

 $k = \cot v \, dv = \cot 64^{\circ} \, 30' \cdot 5 \times 10.85^{*} \times 0002909$, is equal to 0.01505.

Scale Coefficient in 1864.—Now to find its value in the middle of 1864 when the Scale reading had become 21.717 (at mean temperature 82.21)—an increase of 43.69—and the Easterly Declination was greater by 16.17, we have for any angle of torsion (v) and any deviation of the magnet from the meridian (a-v), the equation of equilibrium of the Bifilar instrument:—

Differentiating

$$\frac{d(M X)}{M X} = \{\cot v + \cot (a-v)\} d v - \cot (a-v) d a \dots (3)$$
and when v becomes $(v + \triangle v)$ and a becomes $(a + \triangle a)$ this will be

$$\frac{d(\mathbf{M} \mathbf{X})'}{(\mathbf{M} \mathbf{X})'} = \left[\cot \left(v + \Delta \mathbf{v}\right) + \cot \left\{(a - v) + (\Delta \mathbf{a} - \Delta \mathbf{v})\right\}\right] d\mathbf{v} - \cot \left\{(a - v) + (\Delta \mathbf{a} - \Delta \mathbf{v})\right\} d\mathbf{a}$$
which when $(a - v) = 90^{\circ}$

$$= \left[\cot \left(v + \Delta v\right) - \tan \left(\Delta a - \Delta v\right)\right] dv + \tan \left(\Delta a - \Delta v\right) da \qquad (5)$$

^{*} Since d v or a unit of the Collimator Scale was found in 1845 from numerous careful observations to be 10'85; and the arc of one minute to radius unity equals .0002909.

Now for the case in question $(a \ a - a \ v)$,= $(16' \cdot 17 - 43' \cdot 69)$ = $-27' \cdot 52$, is very small, and the last term of (5) depending on changes of declination (da) may be disregarded; indeed it would be so troublesome to apply this term in practice that as soon as it becomes of importance the theory of the instrument requires that the angle v should be altered by turning the torsion arms so as to make (a-v) again nearly equal to 90°. For the middle of 1864 the Scale-coefficient will therefore be

$$k = \{ \cot. (64^{\circ} 30' \cdot 5 + 43' \cdot 69) + \tan. 27' \cdot 52 \} \times 10.85 \times .0002909$$

- = (cot. 65° $14' \cdot 19 + \tan 27' \cdot 52$) × 10.85×0002909
- = .001481.

Mean Deflec

tion

Reduc**e**d

distance..

and on May 29-30, 1866, when the Scale-reading was 22.85 and

Deflections of the Large Horizontal Force Magnetometer by A.51.

 $\triangle a = 24' \cdot 01$, k would be $= \cdot 001472$ or $\cdot 000009$ less than in the middle of 1864.

Between the 29th May and 4th June 1866 an independent determination of k was made by using the same 3-inch magnet (marked A·51) to deflect in succession the Horizontal Force and Declination Magnetometers, of which the magnets are alike in size and shape. A·51 was placed successively at different distances along a horizontal line passing at right angles to the magnetic axis through the middle of the deflected magnet, with its length in the direction of that line, and the corresponding readings of the magnetometers were noted with the mean results shown in the following table:—

-			·		J J J J J J J J J J						
		Distance of Deflector in feet.					Distance of Deflector in feet.				
	North end of Deflector.	2.007	2.507	3.007		North end of Deflector.	2.000	2.500	3.000		
		Mean Scale-readings.					Mean Scale-readings.				
on P	. N	26.150	24.702	23.940	. 8	E	36.597	35.550	35.022		
e er	8	19.752	21.237	21.815	Deflector on Eastern side.	W	31.857	32.942	33.460		
ector uther	N	26.147	24.730	23.892	flecto Easte side.	E	36.590	35.547	35.025		
8 8	S	19.745	21.237	21.793	e e	w	31.860	32.937	33.467		
Deflector on Southern side.	N	26.115	24.742	23.897	ă g	E	36.597	35.545	35.040		
Mean	N	26.137	24.725	23.910	Mean	E	36.595	35.547	35.029		
Do	8	19.749	21.237	21.804	Do	W	31.859	32.940	33.463		
Deflection	••	3.194	1.744	1.053	Deflection .	••	2.368	1.304	0.783		
8 g	N	25.827	24.182	23.310	g _	E	36.941	35.655	35.075		
e e	8	19.607	20.772	21.262		W	32.157	33.041	33.502		
a T ig	N	25.705	24.115	23.282	ector ester side.	E	36.952	35.682	35.096		
e S	8	19·5 27	20.727	21.225	4 % s	w	32.165	33.070	33.516		
Deflector on Northern side.	N	25.615	24.055	23.245	Deflector o Western side.	E	36· 95 6	35.708	35.102		
Меап	N	25:716	24.117	23.279	Mean	E	36.950	35.682	35.091		
Do	8	19.567	20.750	21.243	Do	W	32.161	33.055	33.509		
Deflection		3.074	• 1.684	1.018	Deflection .	••	2.394	1.313	0.791		
Mean Deflec- tion		3.134	1.714	1.035	V D.						
					-Mean De-	i	1				

TABLE V.

Deflections of the Large Declinometer by A.51. •

2.381

1.308

0.787

1.042

3.000

1:728

2.500

3.167

2.000

flection.

^{*} The change in the strength of the deflecting magnet during the interval between the two sets of experiments was, if sensible, quite inconsiderable as affecting the purpose of the experiments.

The formula of reduction for these experiments is

$$k = \frac{\tan u}{n}$$
 or near enough $= \frac{u}{n}$

u being the deflection (in Arc) of the Declinometer and n that of the Bifilar in scale-divisions with the deflector at the same distance. The value of a unit of the Declinometer Scale being 6'-806, if we multiply by 1.0028 the Torsion coefficient of the Declinometer thread, we shall have—

$$k = \{\frac{9.881}{9.167} \text{ or } \frac{1.909}{1.728} \text{ or } \frac{0.787}{1.042}\} \times 1.0028 \times 6.806 \times .0002909$$

= $\{.001493 \text{ or } .001503 \text{ or } .001499\}$

from deflections at the distances 2.0, 2.5, and 3.0 feet respectively.

It follows from the agreement of these three values of k that the distribution of magnetism is very similar in the Large Horizontal Force and Large Declination magnets, and thence that the three results may be regarded as independent determinations, when the mean of the three ($\cdot 001498$) is seen to be very accurate, differing not more than $\cdot 000006$ from any of the individual determinations. On the other hand, some doubt attaches to the values obtained by the formula $\cot v \, dv$ on account of the indefiniteness of the records as to the value of v, and although the resulting value of k differs but little from that given by the method of deflections, yet the latter, being free from any such uncertainty, is to be preferred. Adopting then the mean ($\cdot 001498$) as the true value for the time at which the deflection experiments were made, and finding the amount of change in the value of k since the middle of 1864 by the formula

and then deducting this from .001498 we get as the most probable value in 1864, k = .001508, or .00151 as near enough for practical application.*

Temperature Coefficient.—The most experienced magneticians agree that a satisfactory knowledge of the magnitude of the effect of a simple increase or decrease of the temperature of the Bifilar Instrument in altering its scale reading, may be obtained by the comparison of a considerable body of ordinary observations at different natural temperatures. By this means applied to all the observations made since the last adjustment of the instrument, viz: between 1856 and 1865, a mean value of 0·143 div. has been found as the diminution of Scale-reading produced by an increase of 1° Fahrenheit of temperature, the values for the individual ten years ranging between 0·126 and 0·160. The following was the process made use of for a first approximation—Entering the mean temperature of the instrument for every day in the year side by side with the corresponding mean daily Scale-readings, the differences of every two successive entries of Scale-reading divided by the corresponding differences of temperature, would, if the mean readings were unaffected by other causes, give

^{*} It will be observed that the scale-coefficient used in the reduction of the Bombay Horizontal Force observations from 1856 to 1863, being about '0021, is erroneous to the extent of one-fourth of its whole value.

independent values of the temperature coefficient. Taking then the sum of all the differences of temperature (regardless of their signs) in the year, and—after changing the signs of all those differences of Scale-reading for which the corresponding difference of temperature was negative—adding together also the differences of Scale-reading with their proper signs, the quotient of the latter sum divided by the former gives the mean coefficient for the year, and is the equivalent of the mean of all the daily determinations, giving weight to each proportional to the temperature effect which furnished it. The actual calculations were much shortened, but without altering the principle of procedure. The condition above mentioned, that no other causes must be supposed to affect the mean Scale-readings, under which alone the method is applicable as regards the daily determinations, may, as respects the yearly mean, be discarded, excepting so far as those other causes are dependent upon or vary with changes of natural temperature, because in the great number of oscillations of mean daily temperature which must occur in the course of a year, the extraneous effects will probably occur as often with a rising as with a falling temperature, and will thus affect the coefficient by augmentation to the same extent as by diminution: exception must, however, be allowed, as to the very near equivalence of the effects, in the case of disturbances of large amount and frequent occurrence, since the uneliminated portion of these may mask to a considerable extent the smaller effects of temperature: and on this account such days of disturbance should be struck out before commencing the calculations for an exact determination of the coefficient; but in the case of Bombay, where disturbances are neither relatively large nor frequent, their influence in a course of years will be nearly as much in one direction as in the other, and cannot be great in the ten years in question, for which the extreme yearly values of the coefficient are within one-eighth of the mean. The uncertainty arising from the possibility of the existence of disturbing causes,—other than the simple heating of the instrument,—depending on changes of natural temperature can only be met in any particular case by experiments in which—the instrument remaining under the same adjustment,—artificial heating and cooling are substituted for the natural variations of temperature in the process described, and which may furnish an independent determination of the coefficient. If this result should agree with the former, there is no indirect temperature action of the kind that has been imagined, otherwise it may be suspected.* No such experiments having been made at any time with the Bombay Instrument, and the writer not having as yet found time to prepare for and execute them, it is with reference to this source of uncertainty that the prevailing opinion of magneticians, which is derived from the agreement of the effects of natural and artificial heat in other instances, is stated at the head of this paragraph. A more elaborate treatment of this question is in progress, and will be completed before applying the result to the reduction of the observations: it will probably result in greater consistency of the yearly determinations, without materially altering the mean of all.

Loss of Strength of the Magnet of the Large Horizontal Force Magnetometer.— Referring to page xii we find for the 31st December 1855, with Scale-reading 17:69 and temperature 81:0, $v = 64^{\circ}$ 30'·5 and $(a-v) = 90^{\circ}$; and for the middle of 1864, (with Easterly Declination increased by 16'·17 and Scale-reading 21·717 at temperature 82:21 or reduced to temperature 81:0 the Scale-reading would be 21·891, for which) $v = 65^{\circ}$ 16'·07

^{*} The method of determining the temperature correction of magnetometers by the comparison of mean daily scale-readings and mean daily temperatures at intervals of one, two, &c. days was first described by Mr. J. A. Broun in the "Edinburgh Transactions for 1845."

EE-1864.

and $(a-v) = 89^{\circ} 30' \cdot 60$;—and from the formula

$$(M X) \sin(a-v) = G \sin v$$
, we have $(M X) = G \frac{\sin v}{\sin(a-v)}$

hence on December 31st, 1855, (M X)=
$$G_{\frac{\sin \theta^{4} \circ 30^{1} \circ 5}{\sin \theta^{2}}}$$
(1)

deducting (1) from (2) and dividing by (1) we find

$$\frac{(M X)' - (M X)}{(M X)} = \frac{\Delta (M X)}{(M X)} = \frac{\frac{\sin . 65^{\circ} 16 \cdot 07}{\sin . 89^{\circ} 30 \cdot 60} - \sin . 64^{\circ} 30' \cdot 5}{\sin . 64^{\circ} 30' \cdot 5} = +0063$$

therefore
$$\frac{\Delta \cdot M}{M} = + \cdot 0063 - \frac{\Delta X}{X}$$
(3)

To eliminate $\frac{\Delta X}{X}$ we must have recourse to the absolute determinations of Horizontal Force by observations of Deflection and Vibration which give for 1856, X=8.0278, and for 1864, X=8.0848, with a regular, though not uniform, increase from year to year; it follows that $\frac{\Delta X}{X}$ for the eight years = 0071, which on adding .0005 for the half year from December 31st 1855 to the middle of 1856 becomes .0076. Now, since with an average annual increase of less than a thousandth of the whole force, the observations show for every individual year an actual increase, it is probable that the difference just obtained is very nearly correct:—substituting it in equation (3)

$$\frac{\Delta M}{M} = + .0063 - .0076 = -.0013.$$

This amount of loss has been produced in 8½ years, or at the rate of '90015 per annum, indicating a degree of permanence of the free magnetism of the bar, the advantage of which, in facilitating the treatment of all questions but those of variations of short period, such as the diurnal, can scarcely be over-estimated. Observations were made monthly of the time of vibration of the Large Horizontal Force magnet in its adjustment, with the intention of checking any irregularities or change in the magnetic moment of the bar, but as the bare times of vibration and no date or hour are recorded without any note of the corresponding Scale-readings and temperature of the Bifilar, or of the readings of the Declinometer, all of which are essential elements in the calculation of the strength of the magnet, they cannot be used for that purpose: but as the rough indication they do afford is not generally accordant with the conclusion just arrived at, it is not thought right to suppress them, and they are accordingly quoted below in the order of the months from January to December, the mean for the year being 16.22 seconds:—

Renewal of the Spider Lines of the Reading Telescope.—Whenever this was rendered necessary by the spontaneous breaking of the old spider lines, the new line was approximately adjusted to a division of the Scale having the same relation to the reading of the small Horizontal Force Magnetometer as was found to exist between the two instruments before the breakage took place: but no record appears to have been preserved to show when and how often this had to be done.

SMALL HORIZONTAL FORCE MAGNETOMETER.

Observations with this instrument are published only for times of magnetic disturbance. The Scale coefficient in use in 1864 was $k = \frac{dx}{x} = .001$, and the temperature coefficient was $\frac{dx}{dx} = 0.19$, the decrease of Scale-reading corresponding to an increase of 1° of temperature. I have not yet found opportunity to examine as to the correctness of these values.

VERTICAL FORCE MAGNETOMETER.

Description and Adjustments.—A description of this Instrument will be found in the Bombay Observations for 1850, Introduction page xx. The axis of the Magnet lies approximately in the magnetic meridian, with the north end directed northwards. In consequence of the magnet and attachments becoming partially rusted during the wet season it has generally been necessary to clean the knife-edge and renew the adjustments towards the end of the monsoon, and thus the observations will fail to be of use as regards changes of long period. But the same evil affects also the comparability of the observations which form the earlier and the later portions of the same series, inasmuch as the sensibility of the instrument appears to decrease as the rust accumulates on the knife-edge. the adjustment in 1864 was made on the 26th September.

Value of one division of the Divided Scale*.—The actual length of a division of the Scale is 0.25 inch, and the distance of the Scale from the knife-edge of the Magnet as given with the description above mentioned is 154.8 inches: this differs by only 0.5 inch from a careful measurement made later, and may be regarded as sufficiently correct. It has also been found that when the normal to the mirror is in the same horizontal plane with the axis of the reading telescope, the angle contained by these two directions is approximately 4° 41', and it appears further from the description (1850, Introduction page xxi) that the plane of the mirror is inclined to the broad (or vertical) surface of the magnet at an angle of 88° 15'. Hence when the normal to the mirror is nearly horizontal † the angular motion (a) of the magnet corresponding to a change of Scale reading of one division will be

$$a = \frac{0.25}{2 \times 154.8 \cos_4 4^0 41' \sin_8 80'15'} = .0008106 \log_a = 6.90879.$$

Scale Coefficient.—The observations that have been made for determining the change of Vertical Force $(\frac{dY}{Y})$ corresponding to a change of one division in the Scale reading have been only those of the time of vibration (T) of the magnet in adjustment, the intention being to assume that the time of vibration (T') when the magnet was suspended freely and oscillating in a horizontal plane was not sensibly changed since the last observation in 1850. Representing the magnetic dip by θ , the coefficient would then have been calculated by the formula

$$k = \frac{d Y}{Y} \stackrel{\cdot}{=} a \cot \theta \frac{T'^3}{T^2}$$
,

adopting, as applicable to the whole year, a general value of T, which it has apparently been the custom to estimate by an inspection of the values observed in those months when the instrument was in its most satisfactory condition.

The defects of the instrument having been apparently regarded as incurable, and from its being a disputed point whether in a case of gradual derangement like that of the Bombay instrument, the time of vibration in a vertical plane is any longer a true indication of the existing sensibility of the instrument, and not rather that the sensibility remains unimpaired by whatever defect the time of vibration is diminished, the general procedure is perhaps as free from objection as any, that in the absence of special experiments, could be devised. But it is otherwise when experiment is called in to aid the judgment, as will be seen from what follows:-

^{*} The unit division here intended is subdivided by short lines into tenths.

⁺ As the position rarely or never deviates from horizontality more than 2°, the same value of a will be abundantly near to the truth for all the recorded observations.

In October 1865, the instrument having acquired its usual sluggish condition at that season of the year, the Magnet was deflected—without disturbing its adjustment or opening the box in which it is enclosed—by the small magnet A·51 placed vertically at successive different distances along a vertical line above the centre of the Vertical Force Magnet, with its north and south ends alternately pointing towards that centre. The presence of the masonry pillar prevented its being also placed vertically underneath the Vertical Force Magnet, and it was therefore placed vertically at the sides of the pillar in the vertical plane which cuts the magnet at right angles at its centre, at corresponding distances below the Vertical Force Magnet but laterally removed by (0.96 foot) the half breadth of the pillar with the deflection rodattached, the observations in this position being multiplied by $\frac{2 \operatorname{cosec.}{}^{3}\beta}{2 \sin^{2}\beta - \operatorname{cose.}{}^{2}\beta}$ (in which \$\beta\$ is the inclination of the line joining the centres of the two magnets to the horizontal direction) to reduce them nearly to what would have been found with the Deflector in the vertical line under the magnet. After this, and before opening the magnetometer box, three independent observations were made of the time of vibration of the Vertical Force Magnet in its adjustment, with the results 7s.05, 7s.12 and 6s.97, derived from 32, 18, and 30 vibrations respectively at temperature 85° As contrasted with the time of vibration (about 11 seconds) of this instrument in the dry months there is a fair degree of consistency about these numbers, although it is not such as we should expect from a delicate instrument in good order. Next, the box was opened and inverted to form a receptacle in which to vibrate the magnet in a horizontal direction when suspended by a silk thread. Twelve perfectly independent intervals of 60 vibrations occupied 13 minutes, and the following number of seconds respectively, viz:—50.4, 50.2, 49.9, 50.3, 50.8, 50.6, 50.3, 49.6, 49.9, 50.2, 50.4, and 50.8; the mean of which is 13m. 50s.28, whence the time of one vibration = 13s·838;—the coefficient of Torsion of the suspension thread was 1.00317 and temperature Another similar set of observations of twelve intervals of 100 vibrations of the magnet 85° each gave a mean value of one vibration 13".828. The adopted value was 13.83. In the Vibration experiments the deviation of the Vertical Force Magnet from its mean position was never greater than 1°, the rate of the chronometer was always less than 5 seconds, and the effect of induction would be small and compensating, and therefore negligible, in the different parts both of the Vibration and Deflection experiments. Retaining the last arrangement of the Vertical Force Magnet it was now deflected horizontally by the small magnet A:51 placed successively at different distances along the horizontal line passing at right angles through the centre of the Vertical Force Magnet, with its north and south ends alternately pointing towards that centre. This was done with the Deflector, both on the Eastern and Western sides of the Vertical Force Magnet. The positions of the deflected magnet were read on a divided paper Scale—placed horizontally in front of the usual vertical scale—with a theodolite mounted on a temporary stand so as to command a view of the scale by reflection from the mirror attached to the magnet. The axis of the Telescope was inclined at an angle of 3° 30' to the horizontal direction, and a horizontal movement of the magnet of 6'24" was required to produce a change of a unit in the Scale-reading, the length of a division being 0.498 inches and the distance from the mirror to the Scale 133-94 inches. The axis of rotation of the magnet was the same as in the Vertical Deflections and Vibrations.

The following table shows the observed Vertical and Horizontal Deflections:-

T	RT.R	VI.	

		Vertical	distance of	Deflector in			Distance o	f Deflector			
		15		3.0				North end	in feet.		
North end of			Position of	Deflector.	Deflector placed	of Deflector.	1.5	20			
Deflector.	Above.	Below.		Below.			-		·		
	Above.	East. West.		Above.	Bast.	West.			Scale-re	-reading.	
		De	flection in S	cale Division		w	47:655	44.797			
ſ	2·80 2·84 2·85 2·86	0·95 0·95	0·98 0·97	1·34 1·49 1·50 1·52	0·72 0·74	0·72 0·72	On Eastern side	E W E W E	36·405 47·665 36·440 47·685	39·420 44·765 39·297 44·800	
Lowermost <		0.94			0.74						
Ų		0.947	0.975		0.733	0.720				39.322	
	2.838	اا	0:961 1:462		0.726		Mean Mean	WE	47·668 36·422	44·790; 39·365;	
Mean		0.301				Deflection		5.623	2.712		
Uppermost {	2·61 2·65	0·85 0·89	*	1·20 1·32	0·63 0·69		On Western	E	37·450 47·790 37·467 47·795	40·112 45·170 40·122 45·167	
Mean	2.630	0.870		1.260	0.660		side	E W			
Deflection	2.734	0.9	15	1.361	0.6	93			37.486	40.130	
Deflection cor- }		2.7	15		1.315		Mean Mean	W E	47·792 37·466	45·168 40·121	
Mean Deflection.	2.724			1.338			Deflection		5.163	2.523	
							Mean Deflection	on	5·393	2.618	
Mean Tempera-			8	4:4	Mean Temper	ature	87:0				

^{*} There being no systematic difference between the first set of deflections with the small magnet on the eastern and western sides of the pillar, the observations were not repeated with the Deflector on the western side.

Disregarding the small difference of temperature, the effect of which would be considerably less than the probable errors of observation, and assuming θ the magnetic dip at 19° 20′ we have from these deflection results:—

 $k = \frac{r d}{r} = \cot \frac{\theta}{n}$, u being the Horizontal angle of deflection and n the Vertical deflection in Scale divisions,

$$= \cot . 19^{\circ} 20' \times_{\frac{9}{2} \times 133.94 \times \cos . 1^{\circ} 30' \times \cos . 1^{\circ} 45'} \times 1.00317 \{ \frac{5.593}{2.724} \text{ or } \frac{2.618}{1.338} \}$$

= $\cdot 01054$ or $\cdot 01042$ from deflections at 1.5 feet and 2.0 feet respectively or the mean = $\cdot 01048$

The corresponding value of k given by the Vibration experiments is

$$k = a \cot^{\theta} \frac{T^{2}}{T^{2}} = .0008106 \times \cot^{\theta} 20' \frac{(13.88)^{8} \times 1.00317}{(7.05)^{3}} = .00892.$$

which is about one-seventh less than the value just found by the method of deflections. FF-1864.

[†] The factor $\frac{2 \text{ corec.}^3 \beta}{2 \sin^2 \beta - \cos^2 \beta}$ for reducing the observations at the side of the pillar is 2.967 or 1.898 at 1.5 feet or 2.0 feet distance respectively: and 2.715 = 0.915 × 2.967, and 1.315 = 0.693 × 1.898.

In taking these means regard is paid to the division of the observations into two distinct series by the black line.

The knife-edge was now carefully cleaned with oil and tripoli powder, and all rust removed from the Magnet, which was then coated with shellac dissolved in spirits of wine and approximately adjusted in its usual position, and afterwards again vibrated and deflected horizontally as before. The next operation was to adjust the instrument closely for regular observation, and when this was completed to repeat the vertical Vibration and Deflection experiments. And finally the edges of the enclosing box lying in contact with the marble slab on which it rests were coated with size, and the key which is used for raising and lowering the magnet being removed, the key-hole in the box was closed by glueing over it two or three layers of smooth paper with the object of rendering the enclosure thereafter approximately air-tight, and so freeing it from the hygrometric influences which apparently exercise so troublesome and injurious an action upon the instrument during the monsoon. Two small copper vessels, containing chloride of calcium, were also placed within the box for drying the surrounding air.

The results of the Vibration and Deflection observations after cleaning the instrument were as follows:—

Time of Horizontal Vibration.—Twelve independent intervals of 60 vibrations were observed to occupy 13 minutes and 50.6, 50.3, 51.0, 51.0, 51.3, 51.0,—49.9, 49.9, 50.4, 50.7, 50.9 and 50.5 seconds respectively, the mean being 13^m 50.62, whence the mean time of one vibration is 13.844 at temperature 89.4. The torsion coefficient was 1.00467.

Time of Vertical Vibration.—The mean value from 44 vibrations at temperature 876 with scale-reading about 36.14 was 11.011.

Vertical Deflecti . adju		eing cleaned) by		s new		eflections of the er being cleaned		Magnet
	Ver	tical distance of	Deflector in fe	et.	,		Distance of Deflector in feet.	
	1.9		2.0		Deflector placed	North end of Deflector.	1.2	2.0
North end of Deflector.		Position of I	Deflector.				Scale-readings.	
,	▲bove.	Below and East.	Above.	Below and East.	On Western	E W E W E	43·205 53·710	45·825 50·990
		Deflection in Sca	le Divisions.		side		43·170 53·705	45.825 50.980
Lowermost {	7·564 7·626	2·621 2·650	3·771 3·811	1·986 2·012			43·190 53·707	45·840 50·985
Jppermost {	7·484 7·507	2 647 2·675	3·672 3·664	2·030 2·022	Deflection		43·188 5·260	45·830 2·577
Mean	7.545	2.648	3.730	2.012	On Eastern side	E W E W	42·740 53·930 42·710 53·925	45.620 51.070 45.602 51.060
* Mean corrected.	•••	7.856	••••	3.819	Mean	W E	42·770 53·927 42·740	45.610 51.065 45.611
Sean Deflection	7·700		3·774		Deflection		5.593	2.727
					Mean Deflection	5 426	2.652	
Iean Tempera- ture		87:2	;		Mean Temperatu	69:1		

TABLE VII.

The value of one division of the horizontal scale being the same as before, we get from the Deflection experiments

$$k = \cot . 19^{\circ} 20' \times \frac{0.498}{2 \times 133.94 \times \cos .3^{\circ} 30' \times \cos .1^{\circ} 45} \times 1.00467 \left\{ \frac{5.426}{7.700} \text{ or } \frac{2.652}{3.774} \right\}$$

= $\cdot 003760$ or $\cdot 003750$ from deflections at distances 1.5 feet and 2.0 feet respectively and the mean = $\cdot 003755$

and the Vibration results give

$$k = .0008106 \times \cot.19^{\circ} 20' \frac{(13.84.0^{\circ} \times 1.00407)}{(11.011)^{\circ}} = .00367$$

It appears therefore that while the Bombay Vertical Force Magnetometer is in a clean state, it is almost indifferent whether the method of Vibrations or that of Deflections be resorted to for the determination of the Scale-coefficient, since the two processes give nearly the same results, for the difference between the numbers .00375 and .00367 is immaterial beside the irregularities of the instrument due to unknown causes or to influences whose effects cannot be numerically expressed. But, when the instrument is in its periodical faulty condition there is an apparent discordance in the results of the two methods, that of Vibrations having given, in the particular experiments described above, a value (.00892) about oneseventh less than that derived from Deflections (.01048). But this discrepancy may, I think, be partly explained in the following manner:—it is an observed fact that if the magnet, when in its faulty state, be slightly disturbed and the time of vibration observed, and then made to oscillate through a much larger arc and the time be again observed, the latter observation will be very sensibly greater than the former, and the bar will take up an altered position of rest, which is just what would occur if, while swinging rapidly through a considerable arc, the knife-edge of the magnet became partially freed from the obstruction which caused the gradual diminution of sensitiveness. Hence it is easily seen why the Deflection experiments which were made before the vertical vibration give a considerably larger coefficient (indicating less sensibility) than those of Vibration; the probability being that if the time of vertical vibrations of slight extent had been observed in the first instance, a coefficient would have been obtained thereby nearly, or quite as large as, that shown by the Deflection observations. It appears, therefore, that in the case of the Bombay instrument, to use the observed time of Vertical Vibration as a measure of the Scale-coefficient is not only allowable, but decidedly preferable to the adoption of a uniform coefficient; for while the two methods of determining the coefficient agree in showing that it is about two and a half times greater when the instrument has acquired its faulty state than it is when the knife-edge has been freshly cleaned, the disagreement of the two methods in the worse case extends only to one-seventh of the whole coefficient. The observations of Vertical Vibration have, however, been made but once a month, and it will be seen from the following list of the observed times, that the change between August and September is so large as to require frequent (perhaps daily) alterations of the Coefficient, and the only means now available for effecting these with approximation is the careful inspection and comparison of the mean daily deviations of the hourly observations (regardless of the direction of deviation) from the mean daily position of the magnet.

TABLE VIII.

Monthly Observations of the Time of Vibration, in seconds, of the Vertical Force Magnetometer, in the order January, February, &c. to December in the year 1864.

												٠
11.70	11.67	11.60	11.60	11.50	11-40	10.80	10.14	7:36	11.20	11-15	11.10	

It is unfortunate that neither the dates nor the temperatures at which these observations were made have been recorded. From January to July, and for part of August, and from September 26th to December 31st, the times are sufficiently regular (though not uniform) to show that the Coefficients found from them will not deviate much from the truth; while for the remainder of August and onwards to the 25th September recourse must be had to the other means named above.

Now the time of Horizontal Vibration was found on December 31st, 1850, to be 13.00, and again in October 1865 to be 13.83; assuming as the torsion coefficient and temperature at the former date are not on record that they were the same in both cases, we have an annual increase of 0.056 in the time of vibration, and it is seen that a uniform value of T' may safely be adopted through the whole of a single year, and that for the year 1864 this value will be 13.76. As in the case of the Bifilar, already treated, so here there is a small change in the magnitude of the Coefficient, with a change of Scale-reading. To estimate its amount we have by differentiating the following expression for k:—

$$k^* = \left\{ \frac{\tan. \epsilon + \cot. \theta}{\cos. \hat{\eta}} \cdot \frac{\cos. \epsilon}{\cos. (\epsilon - \hat{\eta})} \right\} a$$

in which ϵ is the angle included between the magnetic axis of the bar and the line joining the knife-edge and the centre of gravity of the magnet, θ is the magnetic dip, and $\hat{\eta}$ the depression below the horizontal direction of the north end of the magnetic axis of the bar.

$$\Delta k = k \{ \tan \cdot \hat{\eta} - \tan \cdot (\epsilon - \hat{\eta}) \} \Delta \hat{\eta}$$

$$\frac{\Delta k}{k} = \{ \tan \cdot \hat{\eta} + \hat{\eta} \sec \cdot \hat{\theta} - \tan \cdot \epsilon \} \Delta \hat{\eta} \text{ (nearly)}$$

and since $\dot{\eta}$ is a very small angle, $\Delta \dot{\eta}$ probably never exceeds 1°, and the value of ϵ given by the last determination of k is not greater than 60° 42′, the products of the first two terms into $\Delta \dot{\eta}$ may be rejected as insignificant in comparison with unity, when $\frac{\Delta k}{k} = -\tan \epsilon \Delta \dot{\eta} = -\Delta \dot{\eta} \times 1.78$; and the alteration of Scale-reading which occurred in the whole of 1864 (about 20 divisions, or less than 1°) would occasion a change in the Coefficient to the extent of only one-thirty-fifth of the whole, which, considering that there is a degree of uncertainty arising from the imperfect and gradually changing state of the instrument, during a great part of the year, is too small a quantity to be taken account of. But if, as in some cases that actually occur in practice, ϵ had been negative in sign—that is, if the centre of gravity had been above the straight line drawn through the knife-edge parallel to the magnetic axis of the bar—and if it had also been a large angle, the proportion might easily have been much larger than one-thirtyfifth, when it would no longer have been right to use the same Coefficient for widely different Scale-readings.

In conclusion, for the months January to July and October to December 1864 the Scale-coefficient may safely be calculated by the formula:—

$$k = 0008106 \frac{(18.76)^{2} \times 1.00317}{T^{2}}$$

T being the observed time of Vertical Vibration as recorded above.

^{*} The complete expression for $\frac{d \cdot Y}{Y_i}$ contains terms involving $\frac{d \cdot X}{X}$ and $\frac{d \cdot M}{M}$ the former of which may be neglected while the latter requires a corresponding change of its coefficient, for a considerable change of scale-reading to that which is here found for k.

Temperature Coefficient.—The order in which it is purposed to effect the reduction of the accumulated body of Bombay Observations is to commence with the Declination, then to take up the Horizontal Force, and lastly the Vertical Force records, the latter of which, being both of less satisfactory character and more difficult of treatment than the observations of the two former elements, may well be deferred until what there is of value in these shall have been to some extent elicited. The Declination reductions are now considerably advanced, and an instalment will shortly be ready for publication. It is for this reason that, although the part of the process for finding the temperature coefficient of the Vertical Force Magnetometer that requires little computing skill is effected for several years, yet no result has yet been arrived at, since it seemed unadvisable to draw off the abler part of the computing force from the objects more immediately in view.

DEFLECTION AND VIBRATION APPARATUS.

Description of Instrument, and Continuity of Observations.—The instrument that has been used for finding the intensity of the Horizontal Component of the earth's magnetic force in absolute measure, is of the kind described in Riddell's Magnetic Instructions, page 66, and the same method of observing with it appears to have been uniformly maintained since 1845, but the constants required for the reduction of the observations have been the same only since 1848, as in the previous year the suspended magnet in the Deflection experiment was changed for one of smaller size, and at the beginning of 1848 the Deflection distances were much diminished. The last seventeen years of published Observations, from 1848 to 1864, may therefore—excepting the uncertainty named below as to the occasional removal of the paper scale of the Unifilar—be regarded as comparable, and it remains only to point out to what extent they are correct as absolute measures.

Formula of Reduction.—This is

$$X=\frac{\pi}{t}$$
 $\sqrt{\frac{3}{1+k}\frac{K}{R^3\tan k}}$, in which

X = the Horizontal Intensity.

 $_{\pi} = 3.1416$

t = the observed time of vibration corrected for Torsion Force of suspension thread.

K = moment of Inertia of the vibration magnet (A.51).

R = Distance apart (in feet) of the centres of the deflecting and suspended magnets.

u = the angle through which the suspended magnet is deflected:—and

k = the Torsion Coefficient of the suspension thread of the deflected magnet.

And, denoting by t' the actually observed time of vibration, this becomes—

$$X = \frac{\pi}{\frac{r}{r'(1+\frac{k'}{2})}} \sqrt{\frac{\frac{2}{1+k}}{1+k}} \frac{K}{R^{8} \tan. (n \times 5' \cdot 23)} \text{ nearly,}$$

n being the number of divisions in the observed deflection, $5'\cdot 23$ the angular value of the middle division of the Scale, and k' the torsion coefficient of the suspension thread of the vibration magnet.

The rate of the Chronometer, the arc of vibration, and the change of temperature between the Deflection and Vibration experiments, are said to have been too small to affect the value of X appreciably, and have therefore not been recorded; neither has any correction 66-1864.

been applied for the effect of induction in increasing the strength of the magnet in the vibration experiment, nor yet has a value been sought of the quantity P—depending on the relative magnitude of, and distribution of magnetism in the deflecting and deflected magnets—in the factor $(1 + \frac{1}{2} \frac{P}{R^2})$, which should be used for correcting the values of X found by the above formula.

First, to examine the Constants:—

Moment of Inertia of Vibration Magnet.—K was found in 1845 to be equal to 2.254, and this value has been used without alteration up to the end of the year 1864. It was calculated from the observed times of vibration (t') and t' of the magnet when suspended successively with and without two cylindrical brass bars of known and nearly equal weight (p+p') and of radius (c), by the formula

$$K = \frac{r^2(p+p')}{\frac{T^2}{1^2}-1}$$
 where r is the half-distance between the points of suspension of the

two brass weights, $T^2 = t^2 (1+k)$ and $T'^2 = t'^2 (1+k' + \frac{\Delta X}{X})$

the corrections to t and t' being for torsion force of suspension thread, and for change of Horizontal Intensity in the interval between the two observations. In one respect this value of K is to a very considerable extent erroneous, and in another somewhat uncertain:—first as to the latter, the inertia weights hang by silk threads which pass into small grooves in the two ends of the magnet, and it would be impossible with any means existing in the Observatory to measure the interval between the two threads with very great accuracy, so that the adopted value of r (1263 foot) may well be doubtful to the extent of 01 inch; this would affect the value of K by 0131 of the whole, and thence that of X by 0066 of itself. Secondly, to render the formula strictly correct r^2 should be multiplied by $\{1+\frac{1}{2}(\frac{c}{r})^2\}$, and in the particular case c was equal to 0169 foot, whence $\{1+\frac{1}{2}(\frac{c}{r})^2\}=1\cdot0090$, and the adopted value of K was 0090 of itself too small: the deduced values of Horizontal Intensity are therefore too small by 0045 of the whole, but as the error is constant it will be easy to apply the correction before making any practical use of the results.

Error of Distance Marks on Deflection Bar.—The interval between the distance marks on the scales attached to the wooden deflection rod was measured in September 1866, when it was found that the values of R as read in the scales require a correction of +·0021 foot; the error arising from assuming R to be correct makes the force appear ·0027 of itself too great, and it is probable that it affects the whole series of observations, as there is no reason to suspect, although it is possible, that the deflection scales have been moved further apart, either accidentally or purposely, since the apparatus was mounted in 1845.

Arc Value of a Division of the Deflection Scale.—The angular value of a division of the Unifilar Scale was obtained from measurements made in 1846 of the Scale, and of its distance from the mirror of the suspended magnet; the distance was 65.76 inches, and would probably be within '05 inch of the truth: an error of this magnitude would affect the value of the Horizontal Force to the extent of less than '0005 of the whole, while the calculation being carried only to the second place of decimals, and giving the value of one division at 5'23 instead of 5'2277, would allow an error of 0002. The length of a division of the Scale was 0.20 inch. The divided scale of the Deflection Apparatus is attached to a straight frame, while the formula is adapted to the case of a Scale bent into an arc of a circle whose centre

is in the mirror of the suspended magnet at a distance of one-third of the thickness of the glass in front of the silvered surface; hence d being the number of scale-divisions contained in the distance between the mirror and the scale, a correcting factor $(1-\frac{n^2}{5d^2})$ should be applied to n before inserting it in the formula, and with the mean values of n for 1864 (16.72 and 21.70) the calculated values of X are on the average 0006 of the whole too small on this account.

Estimation of Probable Errors of Observational Quantities.—The quantities t' and n have been generally observed weekly throughout the year 1864, and k and k' occasionally: t was derived from the time occupied by the magnet in making 200 or 300 oscillations, and depends upon two—the initial and final—observations only;—the observed interval may be liable to 0.5 second of error, the effect of which on the value of the force would be only about ·0005 of the whole: for the purpose of verification only the magnet was also observed at the 10th, 20th, and 50th and 100th vibrations. n has been always observed with the Deflector at two distances, 1.1 foot and 1.2 foot, and the probable error in reading the Scale would not affect a weekly determination of the force beyond the ratio .0002. error in setting the Deflector Magnet at the marked distances would probably not affect a complete weekly determination of the force by more than .0003 of the whole. It appears to have been considered that as the quantities k and k' are generally small, their changes might be disregarded; and to this mistake are attributable some of the irregularities that appear in the 1864 determinations of Horizontal Intensity: the former practice of observing the Torsion Force with each set of Vibration and Deflection experiments has however latterly been resumed.

The Torsion Coefficient was obtained by the usual method of turning the Torsion Circle through 90° and observing the Deflection (a) in minutes produced upon the magnet; when $1+k=1+\frac{a}{(90\times 90)-a}$

Summary of Errors and Uncertainties.—In the following table are brought together the errors and uncertainties which affect the determinations of Horizontal Intensity, as shown in the table of Deflection and Vibration Observations:—

Source of Error or Uncertainty.	Ratio of Error or Uncertainty to the whole Horizontal Force.	Sum of Errors.
From omission to consider the sensible diameter of the inertia cylinders. From the absence of correction for induction in the Vibration experiments (about) From want of precision in the calculated value of the middle division of the Deflection Scale From treating the scale-divisions as if they were parts of a circular arc instead of as being parts of a tangent (average error). From omission of the factor $\left(1 + \frac{1}{2} \frac{P}{R^2}\right)$. From probable error in measuring the distance between the divided scale and the mirror. From uncertainty in the determination of r in the Vibration Experiment with inertia weights. From probable error in reading deflection scale. Ditto in setting the deflector at the marked distances Ditto observation of t. From unfrequency of determinations of k and k'.		 ·0021

TABLE IX.

The magnitude of all these errors is such as would be quite inadmissible with an instrument of the kind now used in the best Observatories, and it is evident that the degree of precision attainable with modern instruments was not contemplated as requisite or practicable by the able originator,—the late Professor Orlebar,—of this series of observations. Nevertheless, the series of determinations being very numerous, and long and uninterruptedly continued, the estimated probable errors of observational quantities are small enough to show that it possesses great value, and this it will be the endeavour of the writer hereafter to extract and exhibit, when the whole body of observations of Horizontal Force and its variations comes under discussion. The aggregate constant error from all sources may most effectually be found by a comparison of the results of simultaneous observations, to be made hereafter with this apparatus, and with one that has been tested at the Kew Observatory, and is now on its way to Bombay.

Renewal of Deflection Scale.—It should be mentioned that some time in the year 1864, it is not known exactly when, the divided Scale of the deflection apparatus having become illegible, it was replaced by a Scale divided by hand, of which the average length of the divisions was found in September 1866 to be 20054 inch. If similar substitutions, of which no record appears, have been made in previous years, a careful examination of the observations will probably render it apparent.

Fault of Deflection Bar.—Also the Deflection distance Bar was found to be capable of a motion bodily to and from the suspended magnet of about '023 inch, but as much friction is sustained in the movement, no error is likely to have existed generally from this cause, since it would only be an accidental disturbance of the bar, occurring in the course of a deflection experiment, that would affect the result.

DIP CIRCLE.

The instrument used for the Observations of Inclination is of an old pattern, by Barrow of London, without microscopes, and read off by the estimated intersection of the prolongation of the axis of the needle with the limb of the Circle. The needle—one only remaining, in a moderately clean state—is 6 inches long, and is reported frequently to have become rusted, so as to require its axle rubbing with fine emery paper: whatever, therefore, may have been the capabilities of the instrument in the first place, such treatment would effectually ruin it as a delicate Inclinometer, and no hope may be entertained of procuring a series of satisfactory dip observations of any considerable length, unless effective means be found of protecting the needle from the moist air which effects its oxydation during the monsoon. Special provision for this purpose is made in the appurtenances of a new Dip Circle now on its way from England. The state of the axle of the needle, both as to its figure and cleanliness, being by far the most important consideration in seeking satisfactory observations of Inclination, it will be seen that little value can be attached under the circumstances mentioned to the Bombay observations, which have from the first been regarded as doubtful in a very considerable degree. It does not follow, however, that they are absolutely worthless, nor even that their discontinuance is advisable until better means of observing are available, or until the actual value they possess has been ascertained. There is also a lesser defect in the instrument connected with the action of the lifting Y's, but in the face of the glaring fault just described it is not deemed necessary to allude to it further.

II. METEOROLOGICAL INSTRUMENTS.

BAROMETER.

Description.—A description of the Standard Barometer, No. 58, by Newman, appears in the Bombay Observations 1846, page LIII, and is correct in all respects excepting the height of the cistern, which ought to be 37 feet above the mean sea-level. But in the long period that has elapsed since that description was written there has been a gradual accumulation of scum on the surface of the mercury in the cistern, and the glass cistern has become more and more opaque, until at the present time the reflected image of the ivory Zero-point of the Scale is very obscurely seen, so that the operation of setting the zero of the scale is uncertain in a very sensible degree.

Determination of Error in setting the Zero-point of the Scale.—To determine the probable error from this cause the readings shown in the subjoined table were made by five different Observers and myself alternately: both the upper and lower setting screws were arbitrarily turned after each observation, to avoid the possibility of any bias towards uniformity, and the Zero-point was always adjusted before bringing the tangent plane into contact with the upper surface of the mercury in the tube.

Table X.—Readings of Newman's Standard Barometer, No. 58, made to determine the probable Error of a setting of the Zero-point of the Scale by different Observers.

Reading of Barometer No. 58.	Temperature.	Observer.	Mean of two successive read- ings by C. C.	Other Observer, minus C. C.	Mean Results.
29.931	85:4	C. C.			
29.928	85.5	K.	•928	•000	K-C. C. =002
29.925	85.6	C. C.			V-C. C. =003
* 29.932	85.7	v.	•925	+.007	$Chr-C. \ C. = +.010$
29.924	8 5 ·6	C. C.	1		$N-C \cdot C \cdot = +019$
29.922	85.7	v.			Ram - C. C. =007
29.922	85·7	v.	•925	— ∙003	
29.926	85.6	C. C.			
29.922	85· 7	V.	•924	 ∙002	The initials refer to:—
29.921	85.6	C· C·			
29.926	85 ·8	Chr.	•917	+.009	C. C.—Mr. Chambers.
29.913	85.8	C. C.		-	NMr. Naro Balcrishna.
2 9·926	85.8	Chr.	·914	+.012	K.—Mr. Keshow Pandoorung.
29.914	85.8	C. C.			Chr.—Mr. Chrishnajee Gunesh.
29.932	86.0	N.	.912	+.020	V.—Mr. Vishnu Nilkunt.
29.910	96∙0	C. C.			Ram.—Mr. Ram. S. Mogher.
2 9·926	86.1	N.	.908	+.018	
29 ·90 5 ,	86.1	C. C.			•
29.896	86.0	Ram.	•904	 ·008	
29.903	86.3	C. C.			
29 ·898	86.1	_ K.	.903	— ∙005	
29 ·896	86.2	Ram.	.903	 ∙007	
29.904	86.3	C. C.			

^{*} The Observer believed that he had in this instance read the vernier '010 too high, in which case the result would agree exactly with his two other readings; but being doubtful the observation has been rejected in taking the means.

From the approach to regularity in the decrease of the readings by C. C., and from the general agreement with himself of each Observer on successive trials, as shown by the differences in Column 5, it may be inferred that .005 inch would fully cover the doubt as regards any one Observer, while it is seen from the results in Column 7 that the personal error of the Observers is much larger, the maximum difference between any two being .026 inch.

HH—1864.

Now, although it is much to be regretted that steps were not taken many years ago to have one of the duplicate Barometers in store freed from this fault, as in that case the fruits of the same labour of observing would have had manifold greater value than under the actual circumstances, yet it must not be supposed that the observations, such as they are, are either worthless or even of only small value. For in the first place, as regards the actual errors of observation, it must be remembered that being repeated every hour, the observations are exceedingly numerous, and the compensation of errors consequently very complete, both with respect to Absolute daily, monthly, and annual Mean Pressures, and to the ordinary laws of diurnal and annual variation; and as regards personal errors they are reduced to a very minute average both in the daily, monthly, and annual absolute pressures, and in the mean diurnal variation for the year and for each quarter, while the mean diurnal variation for the several months of each year separately will be affected by them to their full extent for the reason that will now be stated. It has been the custom for the three Observers to make the observations in terms of four successive hours, each Observer commencing duty at the same hour A. M. and P. M. throughout a given month—during the next month his terms will commence four hours later, and so on, so that every three months there is a complete rotation of the system, and the mean of all the observations made, at any hour, in three months will be affected only by the mean personal error. It has also been the practice to set the Zero-point of the Barometer, except during times of unusual movement, only at the first hour of every observation term.

The mean personal error will be approximately found by comparison of simultaneous observations purposed to be made hereafter with No. 58, and a satisfactory instrument for preparing which means are now on their way from England. As regards the connexion between Barometric Oscillations of considerable magnitude and the movement of storms, the errors in question can have but trifling importance.

To avoid, however, the continuance of these errors, it was considered advisable to cease to use No. 58 for Absolute Observations, and to substitute for this purpose solely No. 51, a similar Barometer by the same maker, the mercury and cistern of which were rather cleaner than those of No. 58. The mean of 408 comparisons showed that No. 51 read 011 inch higher than No. 58. The latter was accordingly suitably adjusted in May 1866, and after removing the lower adjusting screw the instrument was thenceforth used only for the measurement of variations of Atmospheric Pressure, a suitable table of capacity corrections being prepared and the corrections applied at the moment of entering the observations in the register.

DRY AND WET BULB THERMOMETERS.

The description of these thermometers given in the Bombay Observations 1846, Introduction pages Liv. and LXII., agrees with the appearance of the instruments still used for the hourly observations, but it is known that the Wet Bulb Thermometers, and very probable that the Air Thermometers, are not identical; for several broken instruments of the latter description can be traced, and some of these may have successively served in place of the present air thermometer, and one of the former description was broken in 1854. The difficulty of identifying them absolutely arises from their possessing no distinguishing marks or numbers with the exception of the maker's name, "Newman."

Determination of Errors of Graduation.—Their Freezing Points were tested in December 1865, by immersing the bulbs in melting ice, and at the same time were determined those of two standard Thermometers by Murray and Heath (divided on the glass stems), whose errors had been found at the Kew Observatory in June 1860, as follows:—

TABLE XI.

	Kew Corrections	in June 1860.	In December 1865.		
At Temperature	Murray an	ad Heath.	Murray at	nd Heath.	
	No. 3.	No. 4.	No. 3.	No. 4.	
	110. 0.	110. 2.	Kew Correction minus 40.	Kew Correction minus 0.45.	
32° 42	-0°1	-0°1 -0·1	- 0°50	0°55	
52 62	0·0 0·1	-0·1 -0·1 -0·1	0·40 0·40 0·50	0·55 0·55 0·55	
72 82	0·0 0·0 —0·3	-0.1 0.0	-0·40 0·40	0·55 0·45	
92	— 0·3	-0.2	0·70	0.65	

The fourth and fifth Columns show the corrections oberved in 1865 to be requisite at the freezing points, and also the Kew Corrections at the other points diminished by the same amount that the freezing points were found to have risen on the scales since 1860. Adopting these corrections the same two thermometers were now successively compared with the Dry and Wet Bulb Thermometers, by immersing them in a vessel of water, the temperature of which was successively raised and lowered, and the water kept in a state of constant agitation so as to maintain an equable temperature throughout the mass. The results of these comparisons give the following corrections for the Dry and Wet Bulb Thermometers:—

TABLE XII.

Corrections required to be applied to the Readings of the Dry and Wet Bulb Thermometers used in making the ordinary Hourly Observations.

	Obse	rved.			Ado	pted.	
Dry Bulb.		Wet Bulb.		Dry Bulb.		Wet Bulb.	
32° 56 68 71 82 94	-0°2 -0°6 -0°7 -0°7 -0°7 -0°7 -1°0	32° 49 51 56 59 62	Correction. -0.1 0.0 0.0 -0.2 -0.5 -0.6	50° 62 88 and above.	-0.6° -0.7 -1.0	Between Temperatures. 44° 53 54 56 57 58	0°0 -0·1 -0·2 -0·3 -0·4
		72 82 94	-0·7 -0·8 -1·0			59 67 77 88 and above.	-0·5 -0·6 -0·7 -0·8 -1·0

The two standard Thermometers by Murray and Heath are evidently, from the regularity of their errors, of good character, so that much reliance may be placed upon these corrections; but for satisfaction it is purposed to repeat the determinations of the errors of Nos. 3 and 4 as soon as a Kew standard Thermometer shall be available for the purpose, and as the Kew Committee have generously signified their intention of placing one in my hands, these results will probably not have long to wait for confirmation.

Situation of Thermometers.—The Thermometers have been placed, since 1851, in a roomy shed 30 feet to the south-eastward of the Magnetical Observatory—with cadjan roof and open sides, supplied with shutter frames which are covered with bamboo matting, and swing on hooks vertically; the shutters are propped open at different elevations according to the prevailing strength of wind: the floor, which is of red earth, is raised a few inches to prevent any flow of rain into the inside of the shed during the wet season, and the eastern and western corners of the shed are protected by strips of bamboo matting against the ingress of direct rays of the sun in the morning and evening. The shed is 12 feet square, and 14 feet high to the highest point of the roof. The Dry Bulb Thermometer was suspended by a hook from the roof, with its bulb at a height of 4 feet above the middle of the floor; and the Wet Bulb Thermometer stood upon a light table, with its bulb 2 inches above the top of the table, and $2\frac{1}{2}$ feet from the ground.

For more effectually cutting off any direct breeze from the Wet Bulb Thermometer, and for the better protection of other thermometers in constant use from solar radiation, they were, early in January 1866, mounted on light wooden rods inside an open cage with venetian sides; the cage was supported by four corner posts which entered the ground, leaving its open bottom at a height of 3 feet, and the bulbs of both thermometers $4\frac{1}{4}$ feet from the soil; the dimensions of the cage are 3 feet square and 5 feet high, and the roof is completely closed; the position occupied by it is the middle of the old thermometer shed. This description of thermometer stand, which was devised by the late Mr. Welsh for the Kew Observatory, has been in use there for many years, and is found to afford a free circulation of air, and at the same time to answer well the other objects in view.

REGNAULT'S AND DANIELL'S HYGROMETERS.

Previous to the commencement of the present year (1866) these instruments were observed twice daily inside the Astronomical Observatory, more, apparently, for the sake of comparison with a pair of Dry and Wet Bulb Thermometers, similarly placed, than as a record of the hygrometric state of the air. Since then they have been observed in the Thermometer shed, and when a sufficient body of definite observations is accumulated the relation between the results of the three different methods of observation may be investigated. None of the observations hitherto made have been published.

GROUND THERMOMETERS.

No attempt has been made to find the errors of graduation, nor any alteration that may have taken place in the capacity of the bulbs of any of the thermometers used for measuring the temperature of the soil. Neither is it purposed to interfere with the instruments in such a way as to break the continuity of the series of observations until the Observatory computing establishment is in a position to take up the reductions without setting aside what appear to be more pressing claims on its limited powers. The construction and situation of the instruments is described in the Bombay Meteorological Observations 1851, Introduction page v; those observed in 1864 had their bulbs at the respective depths of 1, 9, 20, and 60 inches.

ANEMOMETER.

Osler's Anemometer, which has furnished the directions and pressures of the wind recorded in this volume, is described in the Bombay Observations, 1847, Part II, Introduction page x. Its situation is still unaltered, but in the latter part of 1858 the erection of a tower for the Time-signal Ball cut off the direct action of the wind when blowing from the eastward. The horizontal angle subtended by the tower at the Anemometer is about 28°, and the elevation of the tower above the Wind Vane is about 26°. both the Direction Vane and the Pressure Plate are far from delicate in their action, nor, so far as I can learn, have they been in a better state during many years, perhaps never; consequently the records must be regarded as omitting all account of light winds, which fail to produce any response from the instrument. The direction of the wind has also been estimated by the Observers at the regular hourly terms, but as the observation was made from the ground, where the obstructions to the free course of the wind are too considerable to be disregarded, and as it was the practice to refer to and depend chiefly upon the observed position of the Osler's Wind Vane, no advantage would be gained by the substitution of these observations. To remedy the deficiency as to good anemometric records, a Robinson's Anemometer, with Beckley's improvements, has been constructed, under the superintendence of the Kew Committee, and is now on its way to Bombay.

RAIN GAUGES.

Newman's Gauge, which is similar to that described on page XII. of the Introduction to the Bombay Observations, 1847, Part II., was placed near the southern wall of the Magnetical Observatory, with its circular mouth raised 4½ feet above the ground. The roof of the Observatory having an elevation of about 32° above the mouth of the gauge in that position, it was considered advisable to remove it to a more open spot, where no obstructions would lie within a considerable distance of it, and this was accordingly done before the commencement of the rains of 1866, some trees that lay in the immediate neighbourhood having been cut down to prepare the new place.

Measurements made in May 1866 showed the mean diameter of the exposed surface to be 12.008 inches, and the diameter of the cylindrical vessel in which the rain is collected to be 5.732 inches, while the length of 4 units of the scale attached to the float was 17.18 inches; hence a rise of 1 unit of the Scale corresponds to a fall of $\{\frac{17.18}{4} \times (\frac{5.782}{13.008})^{3} = \}0.979$ in. of Rain. To test this result, water at temperature 86.4 was drawn off from the gauge until the reading of the scale was diminished by 0.35, and this quantity was found to weigh 9720.0 grains: then, as one cubic inch of water at temperature 62 weighs 252.458 grains, and as the volume at 62 is to that of the same weight of water at 86.4 as 1 to 1.00325, and the diameter of the exposed surface being 12.008 in., we have

one unit of scale =
$$\frac{9730.0 \times 1.00325}{252.458 \times (12.008)^{9} \times 3.1416 \times 0.25} = 0.975$$
 in.

Common water was used instead of distilled water, but this would have but a trifling influence on the result. The mean of the two determinations is 0.977, which may be adopted as a factor for converting the recorded rainfall into absolute measure in inches. No correction has been applied to the printed numbers, in obtaining which one inch has been assumed as the value of a unit of the scale. Newman's Gauge when quite empty requires that 0.05 inch of rain should fall before the float is raised from contact with the bottom

of the vessel, and the scale begins to rise: after 1865 the precaution was therefore taken, when letting off the water, to retain sufficient to keep the scale-reading at 0.05, which was thereafter adopted as the most convenient zero of the scale, and which reading was maintained during intervals of dry weather, when from evaporation the scale would otherwise have fallen below this, by pouring water into the gauge.

In May 1866 Osler's Rain Gauge exposed a surface of 197.87 square inches, the rectangular shape of which had become somewhat distorted. Its arrangement and situation are described in the same place with the Newman's Gauge. The weight of water at temperature 85 contained in the glass receiver when the syphon began to act was found to be 12240.8 grains; whence this quantity, which was assumed to correspond, by the construction of the instrument, to 0.25 inch of rain, was really equal to $\frac{1224098 \times 1.003001}{252.438 \times 197.87} = 0.2458$ inch, and the factor for converting the recorded quantities into absolute inches is 0.983. This has not been applied. There is a slight deficiency in the aggregate rainfall as shown by this instrument in consequence of the continued flow of water during very gentle rains over to the inner surface of the longer leg of the syphon, caused by capillary action, immediately before the vessel is filled sufficiently to bring the syphon into action. And although the indications of the instrument are perfectly distinct, every time the vessel is emptied, they are, owing to friction of the measuring vessel, far from proportional to the quantities of rain contained in the vessel in the process of filling, so much so that, after emptying, nearly 0.1 inch of rain must fall before the recording pencil begins to move. Hence the aggregate falls for short intervals may be to a small extent doubtful, but as it has always been the practice for the Observer to read once a day the quantity of rain collected in the glass receiver, the daily aggregates, and thence the monthly and yearly aggregates are thus rendered reliable.

Since the erection of the Time Ball Tower in 1858 the same objection attaches to the situation of Osler's Rain Gauge as to that of the Anemometer, the tower acting as an obstacle to the straight course of both wind and rain when the former proceeds from an easterly direction, but as easterly winds are very unfrequent during the rainy season the error in the rainfall from this source must be very small.

TIDE-GAUGE.

In consequence of a breach in the iron pipe connecting the Tide-house with the sea, no tidal records were obtained in the year 1864.

Atmospheric Electrometer.

Owing to defective insulation, Ronald's Electrometer rarely showed signs of a difference of tension between the Air and the Earth; and the occasional records, which possess little value, can only be regarded as indicating the tension of a portion of a circuit whose conducting power varied with every hygrometric change of the atmosphere, when the difference of tension between the two extremities was very high, the resistance of the circuit being great enough, although not infinite, to prevent an instantaneous discharge. The positive and negative signs attached to the hourly observations were not determined experimentally, and are therefore not to be depended upon; for this reason no signs were given with the occasional observations on pages 250 to 259, which were not yet in type when the work of preparation for the press fell into the writer's hands, and which, although failing to meet the purposes of the designer of the apparatus, may yet be of interest as affording a rough indication of the electrical state of the atmosphere at the times to which they refer. The general rule adopted as to the signs was to attach a plus sign in fine weather, and a minus sign during thunderstorms and rain.

DESCRIPTION OF THE RECORDS OF MAGNETICAL OBSERVATIONS.

Hourly Observations.—At pages 1 to 124 are given for every observation hour from January 1st to December 31st the calculated values of Easterly Declination, obtained as before explained, and the simple readings, as entered in the register at the moment of observation, of the Large Horizontal Force and Vertical Force Magnetometers, with the corresponding temperature readings. Increasing Scale-readings of the respective magnetometers denote increasing horizontal force and increasing vertical force. The names of the Observers, to which the initials in the table refer, have already been given (see page xxvii).

Inclination and Horizontal Intensity.—The Observations of Inclination given in detail in pages 133 to 135, need no explanation, beyond the headings of the several columns of numbers; neither do those of Deflection and Vibration on pages 136, 137, with the exception of the columns headed "Torsion Coefficient," the first of which (k') refers to the suspension thread of the Vibration Magnet, and the second (k) to that of the Deflected Magnet, and the column marked LM the numbers under which represent the-quantity (so to speak) of free magnetism in one pole multiplied by its distance from the centre of the vibration magnet (A.51), or half the magnetic moment of the bar.

Magnetical Disturbances.—The Disturbance Observations on pages 125 to 131 correspond exactly to the regular hourly observations, except in their being repeated at shorter intervals, and in the readings of the small Declinometer and small Horizontal Force Magnetometer being also recorded. These being essentially differential observations, it is needless to refer particularly to the approximately constant difference existing between the readings of the large and small Declinometers, both of which are reduced by similar formulæ.

Term Observations.—The Term Observations, depending entirely for their usefulness upon the co-operation of other observatories, have been withheld, and the practice of making them discontinued: the combined action appearing no longer to exist, no object can be gained by continuing the observations, and a sufficiently large body is already accumulated for examination with relation to the purposes for which the system was devised.

TABLES OF RESULTS OF MAGNETICAL OBSERVATIONS.

For the reason already specified these are confined, for 1864, to the Daily, Monthly, and Annual Means of Easterly Declination, and to the Hourly Means for each month, and mean diurnal variation for the year of the same element. They are shown in Tables I. and II. To them is added, for the period from 1845 to 1864, a table (III.) showing the annual mean declination and annual change of declination, as deduced from the readings of the Large Declinometer.

DESCRIPTION OF THE RECORDS OF HOURLY METEOROLOGICAL OBSERVATIONS.

These appear in order, in pages 1 to 247 of Part II., for the whole of the year 1864, and the following explanatory remarks may be useful where the headings of the several columns do not fully describe the subscribed numbers.

The height of the Barometer, in Column 2, is the reading of Newman's Barometer No. 58 reduced to temperature 32, and the numbers in Column 3 are equal to those in Column 2 diminished by the pressure of moisture shown in Column 8.

The Dry and Wet Bulb Thermometers, whose simple readings are given in Columns 4 and 5, have already been alluded to, and the mode of calculating the Dew-point, Pressure of Moisture, and Humidity of Air (Columns 7, 8, and 9) is shown below (page xxxv).

The temperature of the ground at one and nine inches* depth is given in simple readings of the Thermometers.

The direction and pressure of the wind is read off directly from the curve described on the recording paper of Osler's Anemometer.

The quantities of rain which fall between a particular hour and the next following hour are entered opposite the latter hour.

The Electrical Observations have been remarked upon above (page xxxii).

The proportion of cloudy sky, the whole celestial hemisphere being reckoned as 8, is estimated by the Observer, and is entered in Column 19.

The numbers entered in Column 21 as the mean daily temperatures of the ground at 20 and 60 inches depth, are the readings of the respective thermometers at 1 P.M.; it had been found by hourly readings in 1849, 1850, and 1851, that no appreciable diurnal variation of temperature reached the depth of 20 inches.

The occasional observations of atmospheric electricity given in pages 250 to 259 need no special remark, except that they were made on all occasions when the indicators showed signs of activity.

DESCRIPTION OF THE TABLES AND SUMMARIES OF METEOROLOGICAL RESULTS,
AND OF THE PROCESSES OF REDUCTION.

Height of Barometer.—In Table IV. is shown, for each observation day in the year, the mean of twenty-four hourly observations reduced to temperature 32: Fahrenheit, by means of Table II., given in the Royal Society's "Report of the Committee of Physics;" also the mean height for each month and for the whole year, and the excess of each monthly mean over the annual mean: the principal features of the annual variation are also indicated at the foot of the table.

A further correction of + 006 inch is required, for capillarity (the inner diameter of the tube, which is supposed to be unboiled, being 0.53 in.), to convert the results into Absolute Pressures, but as no correction on this account appears to have been applied in former years, the values are still given uncorrected for the sake of retaining the advantage of comparability of different years.

In Table V. is shown the excess of the mean of all the observations made at a given hour in a given month over the mean of the observations made at all hours in the same month, for every hour of the day and for every month of the year: also the excess of the mean of all the observations made at a given hour in the whole year over the mean of the observations made at all hours throughout the year, for every hour of the day; the principal features of the mean diurnal variation of the Height of the Barometer for the year are also indicated at the foot of the table.

^{*} The headings of temperatures at nine inches depth are printed by mistake as at "6 inches depth" from January 1st to October 18th, 1864, and throughout 1863.

Temperature of the Air, &c.—The above description of Tables IV. and V. will serve also to explain Tables VI. and VII., X. and XI., XII. and XIII., XV. and XVI., XVII. and XVIII., XIX. and XX., and XXVIII. and XXIX., by substituting "Temperature of Air," "Temperature of Evaporation," and the respective subjects of the several tables, for "Height of Barometer." The same description includes an explanation of the less extensive Tables VIII. and IX. As the errors of graduation of Thermometers were unknown, no corrections have been applied to any of the temperature observations or results recorded in this volume, but the errors of the Air Thermometer and Wet Bulb Thermometer, found in December 1865, and given in the Introduction page xxix, may be applied retrospectively, as the instruments are the same that were in use in 1864.

Pressure of Vapour, Dew-point, and Relative Humidity of Air.—The pressure of vapour was calculated by the formula

$$f'' = f' - .01147 (t - t') \times \frac{29 \cdot 8 - f'}{30}$$

which for all cases occurring during the year when the depression of the Wet Bulb Thermometer was not greater than 20° gives values of f'' within 003 in. of those obtained by the use of the correct Apjohn's formula, in which the actual height of the Barometer takes the place of 29.8. In this formula t and t' denote the temperatures of the Air and of the Wet Bulb Thermometer respectively, and f'' and f' represent respectively the elastic force of aqueous vapour at the temperature of the Dew-point and at temperature t.' The values of the elastic force of aqueous vapour at different temperatures were obtained from a table given in the Introduction to the Bombay Meteorological Observations for 1847, page viii; this table was constructed according to the formula of Biot for the determination of the constants, in which the experiments of Dalton had furnished the requisite data. By a simple reference to this table, with the value of f'' found as above, the corresponding temperature was extracted and entered in the register as that of the Dew-point. To find the Relative Humidity of the Air, the elastic force of vapour was taken from the table corresponding to the temperatures of the Air and of the Dew-point respectively, and the latter number was divided by the former.

Monthly and Annual Range of Variation of Meteorological Elements.—Table XIV. shows the extreme limits between which the oscillations of the undermentioned elements were confined in each month, and in the whole year; and also the magnitude of the interval enclosed by those limits: viz. of Height of Barometer, Temperature of Air, Temperature of Evaporation, and Temperature of Dew-point.

Fall of Rain.—Tables XXI. and XXIII. show the Total Fall of Rain for every day in the year, for each month, and for the whole year, as measured by gauges placed respectively 4½ feet and 26 feet above the ground. The day is reckoned from 11 p.m. to 11 p.m., and was so reckoned in former years, although in previous volumes it was called by mistake the day of Bombay Civil Time.

Tables XXII. and XXIV. show for the same two gauges respectively, the Total Fall between a given hour and the next following hour throughout a given month, and this for every hour in the day and every month in the year: also the Total Fall between a given hour and the next following hour throughout the whole year, and this for every hour in the day. In corresponding tables in previous volumes of the Bombay Observations the day is made to commence at 11 P.M. To convert this into the civil day all that is necessary is 11-1864.

to transfer the first line of figures to the bottom, although it is of little consequence when it is distinctly known to which hour each number corresponds.

From measurements made in May 1866 it was found that to obtain the true rainfall from the indications of Newman's and Osler's Gauges they should be multiplied by 0.977 and 0.983 respectively.

Aggregate and Mean Force of Winds Blowing from each different direction.—To form Table XXV. all the observations of direction of the wind in a given month were classed under some one or divided between two of the eight principal directions, N, NE, E, &c. by adding, for instance, to the number of hourly observations of North wind, the number of N by E and N by W winds, and half the number of NNE and NNW winds; to the number of hourly observations of NE wind the number of NE by E and NE by N winds, and half the number of NNE and ENE winds, and so on for each of the eight Again, all the hourly pressures observed during the month having been distributed to their respective directions, and added together for each direction by itself, there were thus obtained thirty-two sums, which were divided, in the same manner as the numbers of observations, among the eight principal points. In compiling this table, all observations of which the pressure was less than 0.1 lb. were wholly rejected. This table, therefore, exhibits first, the aggregate force of the winds which blew during the whole of each month, and during the whole year from each of the eight principal directions; secondly, the number of times that each different wind (as to direction) was observed in the whole month and in the whole year; and thirdly, the average strength of the wind from each different direction, the last being got by dividing each aggregate force by the corresponding number of observations.

Table XXVI. shows for each hour of the day the aggregate force of the winds which blew from each different direction during the whole year; and Table XXVII. shows, also for each hour of the day, the aggregate number of times that the wind was observed to blow from each different direction in the course of the whole year.

In other words, Table XXV. points out the relative frequency of a particular wind (as to direction) in the different months of the year; and the relative frequency of different winds in the same month; and Table XXVII. the relative frequency of the same wind at different hours of the day, and of different winds at the same hour; the corresponding relations of the aggregate forces are indicated by Tables XXV. and XXVI.

In Table XXX. are specified all the days in the year when the wind veered to an extent exceeding 135°; also the initial and final directions and the angle enclosed between them, and in Table XXXI. is shown for each month and for the whole year the excess, derived from the previous table, of the rotations of the wind in the direction N, E, S, W, N (or direct) over those in the direction N, W, S, E, N (or retrograde). Table XXXII. is a collection of all the observations taken in the year 1864 in which the wind blew with a force exceeding 1 lb. on the square foot.

The remaining Tables require no explanation, beyond their titles and the headings of the several columns.

BOMBAY GOVERNMENT OBSERVATORY.

MAGNETICAL OBSERVATIONS.

1864.

DATE. Göttingen Mean Time. 1864. h. JAN. 1st-Noon. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	36'747 36.130 36.130 36.130 36.061 36.199 35.787 35.924 35.787 35.513 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032 35.238 35,032 35.238	Horizontal Force Magneto-meter. Scale Readings Uncorrected. 22.06 21.95 21.95 22.01 22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	79*5 78.6 78.0 77.5 77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	Vertical Force Magneto- meter. Scale Readings Uncorrected. 20.48 20.52 20.70 20.95 21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36 21.49	Thermometer of Vertical Force Magnetometer. 78*7 78.7 78.1 77.5 77.2 77.0 76.5 76.0 75.6 75.3 75.0 74.6	в в в в в в в в в в в в в в в в в в в	DATE. Bombay Civil Time. 1864. h. m. 4 12 p. m. 5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,, Midnight. 1 12 a. m. 2 12 ,,
Jan. 1st-Noon. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	36.130 36.130 36.061 36.199 35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032	21.95 21.95 22.01 22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	78.6 78.0 77.5 77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.52 20.70 20.95 21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36	78.7 78.1 77.5 77.2 77.0 76.5 76.0 75.6 75.3	B B G G C C	4 12 p. m. 5 12 ", 6 12 ", 7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ", Midnight. 1 12 a. m.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	36.130 36.130 36.061 36.199 35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032	21.95 21.95 22.01 22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	78.6 78.0 77.5 77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.52 20.70 20.95 21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36	78.7 78.1 77.5 77.2 77.0 76.5 76.0 75.6 75.3	B B G G C C	5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, Midnight. 1 12 a, m.
2 3 4 5 6 7 8 9 10 11 12 13 14 15	36.130 36.061 36.199 35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032	21.95 22.01 22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	78.0 77.5 77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.70 20.95 21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36	78.1 77.5 77.2 77.0 76.5 76.0 75.6 75.3 75.0	B B G G C C	6 12 ", 7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ", Midnight. 1 12 a. m.
3 4 5 6 7 8 9 10 11 12 13 14 15	36.061 36.199 35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032	22.01 22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	77.5 77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.95 - 21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36	77.5 77.2 77.0 76.5 76.0 75.6 75.3 75.0	B B G G G C	7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ", Midnight. 1 12 a. m.
4 5 6 7 8 9 10 11 12 13 14 15	36.199 35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032 35.238	22.04 22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	77.2 77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	21.00 21.00 20.85 20.94 21.14 21.17 21.19 21.36	77.2 77.0 76.5 76.0 75.6 75.3 75.0	B G G G C	8 12 ", 9 12 ", 10 12 ", 11 12 ", Midnight. 1 12 a. m.
5 6 7 8 9 10 11 12 13 14 15	35.787 35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35,032 35.238	22.15 22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	77.0 76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	21.00 20.85 20.94 21.14 21.17 21.19 21.36	77.0 76.5 76.0 75.6 75.3 75.0	G G G C	9 12 ", 10 12 ", 11 12 ", Midnight. 1 12 a. m.
6 7 8 9 10 11 12 13 14 15	35.924 35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35.238	22.02 22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	76.2 75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.85 20.94 21.14 21.17 21.19 21.36	76.5 76.0 75.6 75.3 75.0	G G C C	10 12 ", 11 12 ", Midnight. 1 12 a. m.
7 8 9 10 11 12 13 14 15	35.787 35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35.650	22.45 22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	75.4 74.8 74.3 74.2 73.5 73.0 73.3	20.94 21.14 21.17 21.19 21.36	76.0 75.6 75.3 75.0	G G C	11 12 ,, Midnight. 1 12 a. m.
8 9 10 11 12 13 14 15	35.513 35.513 35.924 35.993 35.787 35.650 35.238 35,032 35.238 35.650	22.65 22.68 22.58 22.70 22.83 22.80 22.97 23.05	74.8 74.3 74.2 73.5 73.0 73.3	21.14 21.17 21.19 21.36	75.6 75.3 75.0	G C C	Midnight. 1 12 a. m.
9 10 11 12 13 14 15	35.513 35.924 35.993 35.787 35.650 35.238 35.032 35.238 35.650	22.68 22.58 22.70 22.83 22.80 22.97 23.05	74.3 74.2 73.5 73.0 73.3	21.17 21.19 21.36	75.3 75.0	C C	1 12 a. m.
10 11 12 13 14 15	35.924 35.993 35.787 35.650 35.238 35.032 35.238 35.650	22.58 22.70 22.83 22.80 22.97 23.05	74.2 73.5 73.0 73.3	21.19 21.36	75.0	c	9 19
11 12 13 14 15	35.993 35.787 35.650 35.238 35.032 35.238 35.650	22.70 22.83 22.80 22.97 23.05	73.5 73.0 73.3	21.36			,, شا ک
12 13 14 15 16	35.787 35.650 35.238 35.032 35.238 35.650	22.83 22.80 22.97 23.05	73.0 73.3			C	3 12 ,,
14 15 16	35.650 35.238 35.032 35.238 35.650	22,97 23-05	73.3		74.0	c	4 12 ,,
15 16	35.238 35.032 35.238 35.650	23-05		21.60	73.6	В	5 12 ,,
16	35.238 35.650	(73.1	21.56	7 3.5 ·	В	6 12 ,,
	35.650		72.9	21.60	73.3	В	7 12 ,,
17		23.05	73.5	21.55	73.3	В	8 12 ,,
	35,993	23.05	74.8	21.50	74.0	G	9 12 ,,
18		22.97	76.4	21.38	74.6	G	10 12 ,, '
19	35.238	22.96	77.3	21.02	75.7	G	Noon.
20	34.484	22.75 22.80	78.0 78.5	20.80 20.54	76.4 77.0	G	1 12 p. m.
21 22	34.484 35.170	22.89	78.5	20.45	77.5	C	9 19
23	35.513	22.58	79.6	20.32	78.1	C C	3 12 ",
20	00.010				, , , ,		,,
JAN. 3rd-Noon.	35.718	22.25	79.1	20.30	7 9.0	c	4 12 ,,
]	35.650	22.22	78.4	20.45	78.3	В	5 12 ,,
2	35.718	22.25	77.5	20.65	77.6	В	6 12 ,,
3	35.444	22.21	77.2	20.75	77.5	В	7 12 ,,
4	35.238	22.29	77.0	20.85	77.1	В	8 12 ,,
5	35.238	22.35	76.8	21.00	76.8	G	9 12 ,,
6	35.238	22.40	76.5	21.00	76.5	G	10 12 ,, 11 12 ,,
7	35.444	22.41	76.1	21.02 21.10	76.3 76.0	G	Midnight.
8 9	35·170 34·895	22.50 22.60	75.7 75.0	21.10	75.6	G	1 12 a. m.
10	34.895	22.75	74.4	21.15	75.2	C	2 12 ,,
11	34.758	22.80	74.4	21.28	75.1	C C	3 12 ",
12	34.689	22.85	74.0	21.33	74.9	c	4 12 ,,
13	34.689	22.95	73.8	21.35	74.5	В	5 12 ,,
14	35.032	23.05	73.7	21.38	74.3	В	6 12 ,,
15	34.552	23.10	73.5	21.55	74.0	В	7 12 ,,
16	34.895	23.24	73.6	21.50	74.0	В	8 12 ,,
17	36-061	23.20	74.7	21.44	74.1	G	9 12 ,,
18	35.238	23.29	75.8	21.28	74.7	G	10 12 ,, 11 12 ,,
19	34.552	23.29	76.6	21.00 21.00	75.0 75.5	G	Noon.
20	34.278 33.035	23.15 22.90	77.0 77.8	20.74	75.5 76.1	G	1 12 p. m.
21 22	33.935 34.484	22.90 22.67	77.6	20.74	76.5	C	2 12 ,,
22 23	34.484 34.964	22.55	78.0	20.72	77.2	C	3 12 ",
20	0 2100 -1	22.00		-50.50		C	"
JAN. 4TH-Noon.	35.513	22.29	78.2	20.50	78.0	c	4 12 ,,
1	34.895	22.19	77.5	20.60	77.5	в	5 12 ,,
2	35.238	22.13	76.5	20.85	77.0	В	6 12 ,,
3	35.513	22.20	76.1	20.95	76.4	В	7 12 ,,
4	35.307	22.20	75.7	20.95	76.0	В	8 12 ,,
5	35.444	22.25	75.5	21.02	75.7	G	9 12 ,,
6	35.170	22.41	75.0	21.10	75.5	G	10 12 ,,
7	35.307	22.50	74.4	21.12	75.0 74.7	G	11 12 ,, Midwight
8	36.130	22.85	74.0 73.9	21.46 21.50	74.7	G	Midnight. 1 12 a.m.
9	36.130	22.88 22.77	73.9 73.5	21.52	74.0	C	0.10
10 11	36.199 34.964	22.77 22.98	73.5 73.0	21.55	73.8	c	2 12 ,, 3 12 ,,

_	DAILY	OBSERVATI	ONS, FROM	5тн то 6тн Ј	ANUARY 18	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers,	DATE. Bombay Civil Time. 1864.
h.		00.00		01.00	70 94		h. m. 4 12 a, m.
JAN. 4TH—12	34′689	23.08	72:6	21.69	7 3:4	C	
13	35.032	23.08	72.1	21.85	73.0	В	5 12 ,,
14	34.484	23.20	72-1	21.90	72 ·8	В	6 12 ,,
15	34.415	23.15	72.2	22.05	72.5	В	7 12 ,,
16	34.964	23.08	72.6	22.20	72.6	В	8 12 ,,
17	35.924	23.00	73.8	22.02	73.0	G	9 12 ,,
18	36.885	23.00	74.7	21.92	73.5	G	10 12 ,,
19	36·106	23.00	75.8	21.20	74.1	G	11 12 ,,
20	35.513	22.90	77.0	20.67	75.5	G	Noon.
21	34.895	22.75	77.4	20.55	75.9	C	1 12 p. m.
2 2	35.307	22.62	77.8	20.70	76.6	C	2 12 ,,
23	36.061	22.43	77.8	20.88	77.0	С	3 12 "
JAN. 5TH-Noon.	36.199	22.30	77.3	20.91	77.2	c	4 12 ,,
1	35.718	22.21	76.5	20.95	76.6	В	5 12 ,,
2	35.718	22.25	75.3	21.15	75.6	В	6 12 ,,
3	35.856	22.40	75.0	21.30	75 .0	В	7 12 ,,
4	35.856	22.35	74.5	21.45	74.4	В	8 12 ,,
5	35.444	22.50	74.0	21.50	74.2	G	9 12 ,,
6	35.513	22.50	73.8	21.58	74.0	G	10 12 ,,
7	35.238	22.70	72.9	21.75	7 3.6	G	11 12 ,,
8	35.513	23.00	72.2	21.85	73.3	G	Midnight.
9	35.513	23.06	72.0	21.89	73-1	C	1 12 a. m.
10	34.895	23.06	71.4	21.94	72 .5	C	2 12 ,,
11	34.689	23.2 8	70.9	22.20	72.0	C	3 12 ,,
12	34.484	23.42	71.4	22.24	72.0	C	4 12 ,,
13	33.798	23.25	71.2	22.34	71.5	В	5 12 ,,
14	33.798	23.35	71.0	22.25	71.3	В	6 12 ,,
15	33.660	23.48	70.6	22.50	71.0	В	7 12 ,,
16	34.072	23.44	71.3	22.62	71.0	В	8 12 ,,
17	35.307	23.35	72.4	22.50	71.9	G	9 12 ,,
18	35.513	2 3.39	73.7	22.28	72.5	G	10 12 ,,
19	34.562	23.30	75.0	21.92	73.1	G	11 12 ,,
20	34.415	23.09	76.5	21.30	74.1	G	Noon.
21	34.552	22.69	77.6	20.75	75.7	C	1 12 p.m.
22	34.689	22.42	78.7	20-60	77.0	C	2 12 ,,
23	35-170	22.17	79.0	20.60	77.4	C	3 12 ,,
JAN. 6TH-Noon.	35.170	22.12	78.9	20.64	77.6	C	4 12 ,,
1	35.307	22.06	78.0	20.85	77.2	В	5 12 ,,
2	35.170	22.08	77. 0	21.00	76.6	В	6 12 ,,
3	35.444	22.11	76.2	21.25	76.2	В	7 12 ,,
4	35.307	22.12	75.6	21.35	75.7	В	8 12 ,,
5	35.2 38	22.21	75.2	21.40	75.2	G	9 12 ,,
6	35.238	22.37	74.7	21.46	75.0	G	10 12 ,,
7	35.444	22.55	74.0	21.50	74.6	. 6	11 12 ,, Midnight
8	35.513	22.70	73.6	21.64	74.3	G	Midnight.
9	34.964	22.69	73.2	21.79	74.0	C	1 12 a.m. 2 12 ,,
10	34.964	22.83	72.8	21.93	73.7	C	
11	34.209	22.97	72.4	21.94	73.3 73.0	C	4 10
12	34.003	22.92	72.2	21.98	73.0 72.6	C	F 10
13	34.141	23.00	71.7	22.00	72.0 72.1	В	C 10
14	34.141	23.20	71.5 71.5	22.06 22.25	72.1 72.0	B	- 10
15	33.935	23.25 23.40	71.5	22.25 22.46	72.0 72.0	В	0.10
16	34.141	23.40	71.9 72.8	22.46 22.52	72.7		0.19
17	34.837	23.39	72.8 74.1	22.52 22.12	73.0	G G	10.10
18	34.964		74.1 75.4	22.12 21.80	73.0 73.9	G	11 10
19	34.621	23.27	77.0	21.50 21.17	75.9 75.0		Noon.
20	34.484 34.690	23.14	77.0	20.90	76.1	G	1 12 p. m.
21 22	34.689 34.346	22.77	79.0	20.60 20.60	70.1 77.2	C	0.10
<i>''''</i> (34.346	22.52	1 13.U	20.00	77.2 78.4	C	3 12 ,,

	DAILY	OBSERVATIO	NS, FROM	7тн то 10тн J	ANUARY 18	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864. h. JAN. 7TH-Noon. 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 -17 18	34.484 34.689 34.689 34.964 34.837 34.964 34.552 34.689 34.758 34.141 34.895 34.552 34.415 34.141 34.346 34.621 35.650 36.199	22.25 22.31 22.40 22.45 22.45 22.47 22.59 22.89 22.71 22.68 22.85 22.97 23.10 23.10 23.30 23.40 23.36 23.40 23.35	80°4 79.0 77.5 76.6 76.3 76.0 75.4 75.4 75.0 74.6 74.0 73.4 73.1 73.0 72.5 72.5 73.1 74.4 75.8	20.40 20.70 21.35 21.55 21.65 21.70 21.78 21.80 22.00 22.17 22.29 22.13 22.30 22.25 22.40 22.50 22.42 22.00	79 ⁴ 0 78.4 77.1 76.5 76.1 75.9 75.5 75.5 75.2 75.0 74.5 74.1 73.9 73.4 73.0 73.0 73.0 73.5 74.4	C B B C G G C C C B B G G	h. m. 4 12 p. m. 5 12 " 6 12 " 7 12 " 8 12 " 10 12 " 11 12 " Midnight. 1 12 a. m. 2 12 " 3 12 " 4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 9 12 " 10 12 "
19 20 21 22 23	35.993 34.837 34.964 35.101 35.375	23.25 22.95 22.75 22.51 22.34	77.4 78.7 79.6 80.2 80.9	21.37 20.92 20.79 20.60 20.55	75-5 76-4 77.7 78.6 79.4	G C C C	11 12 ,, Noon. 1 12 p. m. 2 12 ,, 3 12 ,,
JAN. 8TH-Noon. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	35.444 34.964 35.101 35.444 35.307 35.238 35.650 35.170 35.307 35.238 35.170 34.621 34.964 34.837 34.415 33.523 33.592 33.866 34.072 33.455 34.621 35.51,3 35.650 35.718	22.16 22.05 22.08 22.10 22.05 22.30 22.55 22.66 22.66 22.80 22.97 23.08 23.05 23.28 23.05 23.28 23.60 23.85 24.05 23.85 24.05 23.85 24.05 23.85 23.67 23.45 22.96 22.22	81.3 80.5 78.5 77.6 77.1 76.8 76.5 76.0 75.2 74.9 74.5 74.0 73.6 72.9 72.5 72.3 73.0 73.9 75.5 76.3 78.0 79.0 79.0 79.9 80.7	20-50 20-80 21-25 21-35 21-55 21-55 21-70 21-82 21-90 21-92 21-94 21-99 22-00 22-05 22-25 22-25 22-35 22-35 22-12 21-84 21-62 21-52 21-52 20-85 20-51	80.2 79.4 78.2 77.5 77.0 76.8 76.2 76.0 75.5 75.2 75.1 74.8 74.4 73.6 73.2 72.8 72.9 73.5 74.0 74.8 76.0 77.1 78.2 79.3	C B B B G G C C C B B B G G C C C	4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 9 12 " 10 12 " 11 12 " Midnight. 1 12 a. m. 2 12 " 3 12 " 4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 9 12 " 10 12 " 11 12 " Noon. 1 12 p. m. 2 12 " 3 12 "
JAN. 10TH-Noon. 1 2 3 4 5 6 7 8 9 10	35.032 35.032 35.375 35.375 35.513 35.375 35.375 35.375 35.444 35.444	22-25 22-27 22-42 22-44 22-59 22-62 22-80 22-92 22-92 22-99 23.05 23.15	81.0 79.8 78.3 77.5 76.9 76.4 76.0 75.8 75.4 75.2 74.4 73.5	20.60 20.95 21.30 21.55 21.65 21.72 21.80 21.92 22.00 22.00 22.02 22.15	79.5 79.1 78.2 77.4 77.0 76.5 76.2 76.0 75.8 75.6 75.2	B B B G G G	4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 9 12 " 10 12 " 11 12 " Midnight. 1 12 a. m. 2 12 " 3 12 "

		OBSERVATIO		1	Horizontal Vertical . DATE.												
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay										
Göttingen			Porce Magne-		Force Magne-	9	Civil Time.										
Mean Time.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	đ	1864.										
h. JAN. 10TH-12	34/621	23.19	73.5	22.17	74:2	c	h. m. 4 12 a. m.										
13	34·141	23.15	73.4	22.25	73.6	В	5 19										
14	34.484	23.28	72.5	22.35	73.3	В	6 19 "										
15	34.837	23.45	72.1	22.45	72.8	В	7 19										
16	34.837	23.55	72.6	22.50	72.7	В	9 10 "										
17	35.032	23.46	74.4	22.30	73.2	G	0.19 "										
18	35.513	23.38	76.0	22.00	74.0	G	10 19 "										
19	36.061	23.45	76.9	21.62	75-3	G	11 12 ,,										
20	36.816	23.21	78.4	21.22	76.0	G	Noon.										
21	35.856	22.84	79-5	20.94	77.2	c	1 12 p. m.										
22	35.307	22.63	80-4	20.69	78.2	c	2 12 ,,										
23	35.101	22.32	80-9	20.60	79.1	C	3 12 ",										
AN. 11TH-Noon.	35.101	22.19	80.9	20-60	79.4	c	4 12 "										
1	35.032	22.35	80-1	20.82	79.3	в	5 l2 <i>"</i> ,										
2	35.238	22.49	79.0	22.31	78-5	В	6 12 ",										
3	35.307	22.48	78.3	22.55	78.0	В	7 12 ,,										
4	35.581	22.31	77.5	22.70	77.5	В	8 12 ,,										
5	35.924	22.15	77.0	22.90	77.0	G	9 12 ,,										
6	35.856	22.25	76.1	23.00	76.6	G	10 12 ,,										
7	35.787	22.71	75.4	23.02	76.1	G	11 12 ,,										
8	35.581	22.75	75.0	23-18	75.5	G	Midnight.										
9	35.2 38	22.70	74.5	23.18	75.2	C	l 12 a.m.										
10	34.837	22.62	74.2	23.12	75.0	C	2 12 ,,										
11	34.484	22.60	73.8	23.00	74.7	C	3 12 ,,										
12	34.837	22.55	73.7	23.10	74.5	C	4 12 ,,										
. 13	35.170	22.75	73.7	23.45	74.3	В	5 12 ,,										
14	35.170	22.72	73.4	23.45	73.8	18	6 12 ,,										
15	34.484	22.85	73.1	23.65	73.5	В	7 12 ,,										
16	34 758	23.00	73.5	23.70	73.5	В	8 12 ,,										
17	35.444	23.05	74.7	23.62	74.0	œ	9 12 ,										
18 19	35.993	23.07 23.00	76.0	23.32 23.00	74.8	G	10 12 ,,										
20	36.130	22.85	77.7	23.54 22.54	76.0	G	11 12 ,,										
21	35.787	22.57	78.5	22.5 4 22.59	76.5	G	Noon.										
22	36.061 36.061	22.29	79.0 80-0	22.48	77.2	C	1 12 p. m. 2 12 ,,										
23	35.856	21.97	80.6	22.05	78.2 79.0	C C	3 12 ,,										
Jan. 12th-Noon.	35.170	21.86	80.9	21.95	79.5		4 12 "										
]	35.170 35.170	21.91	80.2	22.15	79.5 79.4	C B	5 10 °										
2	35.375	22.03	79-1	22.45	79.4 78-5	В	6 19										
3	35.375	22.04	78.3	22.70	78.0	В	5 10 "										
4	35.375	21.90	77-4	22-85	77.5	В	0 10										
5	35.650	21.90	77.0	22.90	77.0	G	0.10										
6	35.307	22.04	76.9	23.00	76.7	G	10 10										
7	35.375	22.29	76.5	23.02	765	G	11 12 ,,										
8	35.856	22.40	76.0	23.10	76.0	G	Midnight.										
9	35.856	22.41	75.7	23.14	75.7	C	1 12 a. m.										
10	35-581	22.52	75.7	23.18	75.7	c	2 12 ,,										
11	35-787	22-47	75.9	23.19	75.7	c	3 12 ,,										
12	35.307	22.60	75.4	23.19	75.5	c	4 12 ,,										
13	35-513	22.85	74.5	23.32	75.0	В	5 12 ",										
14	34.837	22.85	74.4	23.40	74.6	В	6 12 ,,										
15	34.141	22.85	74.0	23.55	74.2	В	7 12 ,,										
16	34-484	22.80	74.3	23.55	74.2	В	8 12 ",										
17	35.238	22.87	76.0	23.40	75.0	G	9 12 ",										
18	35.856	22.89	77.8	23.12	75.7	G	10 12 ,,										
19	35.170	22.76	78.5	22.74	76.5	G	11 12 ,,										
20	35.307	22.55	79.7	22.52	77.4	G	Noon.										
21	35-513	22.32	80.6	22.27	78.3	С	1 12 p. m.										
22	35.032	22.14	80.9	22.12	79.0	c	2 12 ,,										
23	34.964	22.05	81.0	22.03	79.5	c	3 12 ,,										

2-1864.

I			1			- 1	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay
Mean Time.	Declination.	Scale Readings	toineter	Scale Readings	tometer.	Deci	Civil Time.
1864.		Unorrected.		Unorrected.		ō	1864.
h.							h. m.
JAN. 13TH-Noon.	35′101	21.98	80°6	22.00	79 *8	C	4 12 p. m.
l	35.101	22.00	80.0	22.24	79.5	В	5 12 ,,
2	35.513	22.05	78.7	22.55	78.5	В	6 12 ,,
3	35-444	22.05	78.0	22.75	78.0	В	7 12 ,,
4	35.307	22.19	, 77.4	22.85	77.5	В	8 12 ,,
5	35.307	22.25	77.0	22.92	77.0	G	9 12 ,,
6	35.307	22.22	76.2	23.00	76.6	G	10 12 ,,
7	35.101	· 22.20	76.0	23.00	76.3	G	11 12 ,,
8	34.837	22.15	75.6	23.10	76.0	G	Midnight.
9	35.856	22.18	75.2	23.37	75.7	С	1 12 a.m.
10	35.787	22.49	74.9	23.31	75.4	C	2 12 ,,
11	35-307	23.00	74.7	23.39	75-2	C	3 12 ,,
12	35.238	22.93	74.7	23.44	75.2	С	4 12 ,,
13	35.101	22.90	74-0	23.50	74.4	В	5 12 ,,
14	34.758	23.05	73.4	23.43	73.8	В	6 12 ,,
15	34.003	23.05	73.1	23.60	73.5	В	7 12 ,,
16	34-837	23.15	74.0	23.85	73.9	В	8 12 ,
17	36.130	23.10	75.5	23.52	745	G	9 12 ,,
18	36-197	23.30	76.4	23.14	75.0	G	10 12 ,,
19	35.924	23.19	77.5	23.00	76.0	G	11 12 ,,
20	35.718	23-10	78.0	22.74	76.4	G	Noon.
21	36.336	22.80	78.1	22.61	77.0	C	1 12 p. m.
22	35.650	22.74	78.3	22.40	77.3	C	2 12 ,,
. 23	35.307	22.52	78.3	22-40	78.0	C	3 12 ,,
AN. 14TH-Noon.	35.718	22.38	78.1	22.52	78.1	c	4 12 ,,
1	35.444	22.31	77.3	22.75	77.5	В	5 12 ,,
2	35.718	22.28	76.5	22.95	76.5	В	6 12 ,,
3	35-650	22.15	75.5	23.15	75-5	В	7 12 ,,
4	35-238	22.30	75.1	23.15	75.4	В	8 12 ,,
5	35.170	22.66	74.6	23.30	75 .0	G	9 12 ,,
6	35.581	22.65	74.3	23.42	74.8	G	10 12 ,,
7	35.993	22.85	73.5	23.50	74.2	G	11 12 "
8	36.061	22.75	73.0	23.50	7 3-5	G	Midnight.
9	36 .33 6	23.10	72.8	23 .80	7 3.3	C	1 12 a. m.
10	35.650	22.98	72.2	23.95	73.0	C	2 12 "
11	36.404	23.08	71.6	24-10	72.5	· c	3 12 ,,
12	35. <i>5</i> 81	23.05	70.9	24-20	72.1	С	4 12 ,,
13	34.621	23.15	70.5	24.35	71.4	В	5 12 "
14	34.278	23-35	69.5	24.60	7 0.5	В	6 12 ,,
15	34.346	23.55	69.0	24.75	70.0	В	7 12 "
16	34.964	23.52	69.3	25.00	69.8	В	8 12 ,,
17	35.856	23.30	70.4	24.85	70·0	G	9 12 ,,
18	35.170	23-60	71.7	24.30	70.9	G	10 12 ,,
19	34.837	23.71	73.4	24.00	72.0	G	11 12 ,,
20	34.837	23.60	74.7	23.85	72.9	G	Noon.
21	35.513	23.24	75.4	. 23.49	73.9	C	1 12 p. m.
22	35-787	22.92	76.6	23.20	74.8	C	2 12 ,,
23	36.267	22.80	77.3	23-08	75.6	С	3 12 ,,
Jan. 15 TH- Noon.	36.542	22.63	76.9	23.00	76.0	С	4 12 ,,
)	36.199	22.41	76.0	23.05	7 <u>5.5</u>	В	£ 10
2	35.718	22.55	74.7	23.25	74.5	В	6 12 ,,
3	36.130	22.65	74.0	23.50	74.0	В	7 12 ",
4	36.199	22.60	73-4	23.60	73.6	В	0 10
5	37.228	22.65	72.8	23.90	73.0	G	9 12 ,,
6	35.993	22.56	72.0	24.00	72.7	G	10 12 ",
7	36.610	22.95	71.1	24.15	72.0	G	11 12 ",
8	36.267	23.40	70.4	24.20	71.5	G	Midnight.
9	35.856	23.47	70.0	24.24	71.3	C	1 12 a. m.
10	36.267	23.33	68.8	24.58	70.3	C	2 12 ,,
11	34.964	23.35	68.3	24.80	69.5	C	3 12 "

DATE.		Horizontal Force Magueto-	Thermometer	Vertical Force Magneto-	Thermometer	ģ	DATE.
Göttingen	Bastern	meter.	of Horizontal	meter.	of Vertical	Observers.	Bombay
•	Deallastian		Force Magne-		Force Magne-		Civil Time.
Mean Time. 1864.	Declination.	Scale Resdings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	ő	1864.
h.		90.00		04.00	0001		h. m.
Jan. 15th—12	35′924	23.36	68:0	24.90	69°1	C	4 12 a.m.
13	35.032	23.55	68.2	24.85	68.8	В	5 12 "
14	35.513	23.60	68.2	24.95	, 68.7	В	6 12 ,,
15	35-856	23-60	67.7	25.05	68.5	В	7 12 ,,
16	35.924	23.60	68.8	25.05	68.5	В	8 12 ,,
17	36.130	23.62	70.3	24.96	69.4	C	9 12 ,,
. 18	35-581	23.63	71.8	24.45	70.3	c	10 12 ,,
19	35.375	23.72	73-4	23.79	71.4	c	11 12 ,,
20	35.170	23.53	74.3	23.49	72.4	c	Noon.
21	35.238	23.31	76.4	23.02	73.5	G	1 12 p. m.
22	34.895	22.95	76.6	22.75	74.4	G	กเก๋
23	35.307	22.62	77.0	22.80	75.0	G	3 12 ,,
						İ	·
AN. 17TH-Noon.	36.130	22.82	76.8	22.80	75.8	C	4 12 ,,
1	36.199	22.80	76.2	22.86	75.5	c	5 12 ",
2	35.650	22.70	75.1	23.22	75.0	В	6 12 ",
3	36.199	22.50	74.1	2 3. 5 0	74.2	В	7 12 ,,
4	36.679	22.20	73.5	23.70	73.6	В	. 9 19 "
5	36.336	22.60	73.0	23.84	73.0	G	. 0.19
6	36-130	22.73	72.5	24.00	72.6	Ğ	10 19 "
7	36.061	22.92	72.0	24.00	72.2	G	11 12 ,,
8	35.444	23.45	71.2	24.45	71.8	G	H 14 ,, Midnicka
	,35.581	23.36	70.9	24.45 24.55	71.5	c	Midnight.
9		23.44	70.9 70.3	24.55 24.65	71.3 71.3	c	1 12 a. m.
10	36.061	23.44				_	2 12 ,,
11	35.856		69.4	24 .69	70.8	C	3 12 ,,
12	35.718	23.45	69.2	24.90	70.2	C	4 12 ,,
13	35.170	23.43	69.1	24.70	69.6	В	5 12 ,,
14	35.444	23.50	68.4	24.88	69.3	В,	6 12 ,,
15	35.856	23.75	68.0	25.35	69.0	В	7 12 ,,
16	36.679	23.85	68-6	25.60	69.0	В	8 12 ,,
17	37.845	23.70	70.2	25.49	69.5	G	9 12 ",
18	37.228	23.60	72 ·1	25.02	70.4	G	10 12 ,,
19	35.444	23.55	73.9	24.28	72.0	G	11 12
20	35.513	23.30	75.4	23.92	73.0	G	Noon."
21	35.924	22.84	76.1	23.48	74.0	c	1 12 p. m.
22	35.375	22.81	766	23.10	74.4	c	0.10
23	34.964	22.80	76-8	23.02	75.5	c	3 l2 ,,
AN. 18TH-Noon.	35.101	22.73	76-5	23.07	75.7	C	4 12 "
1	35.101	22.66	75.6	23.50	75.5	В	5 12 ",
2	35.307	22.65	74.5	23.75	74.5	В	6 12 ,,
3	35.650	22.82	74.0	24.00	73.6	В	7 12 ,,
4	35.650	22.81	73.8	24.02	73.4	В	ຊາງ້
5	35.650	22.85	73.2	24.10	73.0	G	0.19
6	35.375	22.97	72.7	24.22	72.9	G	10 10
7	35.444	23.05	72.0	24.44	72.5	G	11 10 "
8	35.444	23.10	71.4	24.50	72.1	G	Midnight.
9	35.375	23.20	71.4	24.60	71.9	C	1 12 a. m.
10	35.513	23.37	71.2	24.72	71.6	1	0.10
		23.49		24.72 24.84		C	0.10
11	35-238	23.49	70.6		71.2	C	3 12 ,,
12	35.238		70.2	24.95	70.8	C	4 12 ,,
13	35.444	23.55	69.6	25.05	70.0	В	5 12 ,,
14	35.101	23.62	69.6	25.10	70.0	В	6 12 "
15	35.170	23.65	69.5	25.20	70.0	В	7 12 ,,
16	35.993	23.61	70.2	25-40	70.0	В	8 12 ,,
17	37,296	23-56	71.5	25.00	70.6	G	9 12 ,,
18	36.816	23.70	73.0	24.44	71.4	·G	10 12 ,,
19	35.238	23.66	74.7	23.72	72.5	a	11 12 ,,
20	34.552	23.55	75.6	23.42	73.1	G	Noon."
21	33.592	23.40	76.4	23.17	74.0	c	1 12 p. m.
22	33.592	23.21	70.4 77.1	23.16	75.1	c	0 10
23	34.621	22.95	77.5	23.10	76.0	c	3 12 ,,

		DAILY (DBSERVATION	NS, FROM 1	9тн то 21sт J	ANUARY 186	64.	
	DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizonal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizonial Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
	h.							h. m.
	JAN. 19TH-Noon.	35/307	22.82	77:7	23.00	76°5	C	4 12 p. m.
	1	35.30 7	22.81 22.82	77.0	23.15 23.50	76.2 75.5	B B	5 12 ,, 6 12 ,,
	2 3	35.101 35.307	22.75	75.6 75.0	23.80	75.0	В	7 10 "
	4	35.513	22.81	74.6	23.98	74.7	В	8 12 ,,
	5	35.513	22.85	74.5	24.00	74.2	G	9 12 ,,
	6	35.375	23.02	74.1	24.00	74.0	G	10 12 ,,
	. 4	35.170	23.10	73.6	24.10	73.5	G	11 12 ,,
	8	35.170	23.15	73.0	24.18	73.2	G	Midnight.
	9	35.170	23.21	72.8	24.29 24.48	73.0 72.8	C	1 12 a. m. 2 12
•	10	35.032 35.032	23.28 23.36	72.4	24.48	72.5	C	2 10 "
	11 12	35.513	23.43	72.0 71.3	24.70	72.1	C	A 19 "
	13	35.856	23.55	71.3	24.85	71.6	В	5 12 ,,
	13	35.170	23.70	70.8	24.85	71.5	В	6 12 ,,
	15	34.484	23.80	70.3	25.15	70.8	В	7 12 ,,
	16	35.513	23.90	71.1	25.35	70.9	В	8 12 ,,
	17	36.610	23.85	72.6	24.70	71.7	G	9 12 ,,
	18	35.924	23.85	74.0	24.10	72.2	G	10 12 ,,
	19	35.375 35.101	23.95 23.75	75.5 77.0	23.74 23.50	73.3 74.5	G	11 12 ,, Noon.
	20 21	35.856	23.28	77.0	23.46	75.9	C	1 12 p. m.
	21 22	36.267	23.07	78.0	23.11	76.3	C	2 12 ,,
	23	35.307	22.62	78.7	23.00	7 7.0	C	3 12 ,,
	Jan. 20th-Noon.	35.513	. 22.35	79.1	22.88	77.8	C	4 12 ,,
	1	35.170	22.35	78.3	22.95	77.5	В	5 12 ,,
	2	34.895	22.52	77.4	23.30	76.6 76.1	В	6 12 ,,
	3	34.964	22.52 22.50	76.2	23.60 23.65	75.6	B	7 12 ,, 8 12 ,.
	4 5	34.895 35.238	22.56	75.5 74.8	23.80	75.0	G	0.19
	6	35.375	22.75	74.1	24.00	74.5	G	10 12 ,,
	7	35.307	22.85	73.7	24.14	74.0	G	11 12 ,,
	, 8	35.101	22.85	73.7	24.10	73.9	G	Midnight.
	9	35.032	22.86	73.6	24.07	73.7	C	l 12 a. m.
	10	34.837	23.14	73.6	24.00	73.7 73.3	C	2 12 ,, 3 12 ,,
	11	34.484	23.20 23.40	73.0 72.6	24.20 24.20	73.0	C	4 10 "
	. 12 . 13	34.141 33.180	23 48	72.0	24.25	72.5	В	5 12 ,,
	13	33.729	23.51	71.6	24.50	72.0	В	6 12 ,,
	15	33.935	23.59	70.6	24.55	71.6	В	7 12 ,,
	16	34.346	23.83	71.3	24.82	71.7	В	8 12 ,,
	17	35.032	23.70	73.6	24.64	72.3 73.2	G	9 12 ,,
	18	34.415	23.80 23.60	75.0	23.65 23.30	73.2 74.0	G	10 12 ,, 11 12 ,,
	19	33.523 33.729	23.45	76.5 76.7	23.30	75.0	G	Noon.
	20 21	33.798	23.13	77.6	23.17	75.6	c	l 12 p. m.
	22	34.552	22.73	78.2	23.00	76.7	С	2 12
	23	34.964	22.56	78.5	22.88	77.2	С	3 12 ",
	Jan. 21st-Noon.	34.415	22.48	79.0	22.62	77.9	C	4 12 ,,
	1	34.141	22.52	78.8	22.52	77.9 77.0	В	5 12 ,, 6 12 ,,
	2	34.484 34.964	22.55 22.47	77.7 76.3	22.90 23.29	76.3	B	7 10
	3 4	34.904 35.238	22.56	75.7	23.50	75.9	В	8 12 ,,
	5	34.964	22.70	75.3	23.65	75.3	G	9 12 ,,
	6	35.101	22.74	75.0	23.72	75.1	G	10 12 ,,
	7	34.964	22.75	75 .0	23.83	75.0	G	11 12 ,,
	8	34.895	22.80	74.0	24.00	74.3	G	Midnight.
	9	35.238	23.02	73.3	24.25	73.9 73.3	C	1 12 a. m. 2 12 ,,
	10	35.238	23.05 23.18	72.9 72.3	24.32 24.43	73.1	C	2 12 ,, 3 12 ,,
	11	34.827	1 20.18	1 /2.3	1 44,40	1 70.1	, ,	. 3 12 71

	DAILY	OBSERVATION	vs, from 21	sт то 24тн JA	ANUARY 186	4.	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Porce Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1884.
1864.		- Oncorrected.					
JAN. 21st—12	34/964	23.20	72°0	24.45	72*9	С	h. m. 4 12 a. m.
13	35.307	23.33	72.0	24.55	72.5	В	5 12 »
14	34.621	23.30	72.0	24.55	72.3	В	6 12 ,,
15	34.484	23.55	71.3	24.70	71.6	В	7 12 ,,
16	35.513	23.77	72.1	24.95	71.9	В	8 12 ,,
17	37.159	23-92	73.4	24.74	72.4	G	9 12 ,,
18	38.394	23.86	74.5	24.40	73.0	G	10 12 ,,
19	36.404	23.74	75.4	23.88	73.8	G	11 12 ,,
20	35.032	23.55	76.5	23.12	74.5	G	Noon.
21	34.278	23.17	77.2	23.15	75.7	C	1 12 p. m.
22	34.552	22.96	77.5	23.23	76.2	C	2 12,
23	35.101	22.69	77.7	23-25	76.9	C	3 12 ,,
JAN. 22ND-Noon.	34.964	22.60	77.5	23.26	77.1	С	4 12 "
1	34.689	22.59	76.7	23.30	76.7	В	5 12 ,,
2	34.837	22.61	75.6	23.50	75.7	В	6 12 ,,
3	35.238	22.55	75.0	23.75	75-1	В	7 12 ,,
4	35.101	22.70	74.5	23.95	74.6	В	8 12 ,,
5	35.03 2	22.90	74.0	24-00	74.2	G	9 12 ,,
6	3 5. 238	22.85	74.0	24.00	74.0	G	10 12 ,,
7	35.101	22.86	73.8	24.18	73.8	G	11 12
. 8	35.170	22-90	73.3	24 ·40	73.5	G	Midnight.
9	35.650	22.95	72.5	24.50	73.2	c	l 12 a. m.
10	35.650	23.06	72.0	24.61	72.7	C	2 12 ,,
11	35.718	23.25	71.5	24.85	72.3	C	3 12 ,,
12	35-513	23.24	71.4	24.80	72.1	C	4 12 ,,
13	34.964	23.25	71.4	24.85	72.1	В	5 12 ,,
14	34.484	23.42	71.4	24 .80	72.0	В	6 12 ,,
15	34.141	23.55	71.4	24.85	71.6	В	7 12 ,,
16	34.964	23.61	71.6	25.25	71.6	В	8 12 ,,
17	36-679	23.89	72.5	25.00	72.0	G	9 12 ,,
18	36.542	23.90	73.8	24.66	72.5	G	10 12 ,,
19	36.542	23-90	74.8	24-10	73.3	G	11 12 ,,
20	36.199	23.67	75.0	24.10	73.8	G	Noon.
21	35.718	23.29	75.5	23.96	74.3	C	1 12 p. m.
22 23	34.621 34.552	23.13 22.89	75.6 75.5	23.91 23.88	74.8 75.1	C C	2 12 ,, 3 12 ,,
	0.5.000	200	-0.5	20.01	85.0		
JAN. 24TH-Noon.	35.993	22.81	76.5	23.34	75-6	В	4 12 ,,
1	35·650	22.77	75.3 74.0	23.55	74.8 74.0	В	5 12 ,, 6 12 .,
2	35.238 35.513	· 22·85 22.93	74.0	23.75 24.10	73.4	В	7 10 "
3 4	35.650	22.93 22.97	72.9	24.10 24.35	73.4 73.0	В	0 10 "
5	35.050 35.170	23.24	72.9	24.35 24.50	73.0 72.2	В	0.10
6	35.170	23.36	71.0	24.65	71.8	N N	10.10
7	34.827	23.40	70.8	24.85	71.3		10 12 ,,
8	3 5 .307	23.47	70.6	24.85 24.96	71.0	N N	Midnight.
9	35.307 35.307	23.64	69.7	24.90 25.05	70.7	C	1 12 a. m.
10	35.307 35.307	23.85	69.2	25.18	70.7 70.5	C	2 12 ,,
11	34.964	23.85	68.5	25.16 25.27	70.0	c	0 10
12	34.827	23.90	68.2	25.40	69.6	c	4 10
13	34.346	24.05	68.0	25.55	68.5	В	- 10
14	34.278	24.10	67.5	25.65	68.0	В	6 10
15	33.798	24.30	67.4	25.80	67.7	В	7 10
16	34.689	24.10	68.4	26.00	68.0	В	7 12 ,, 8 12 ,,
17	35.718	24.21	70.1	25.55	69.1	c	9 12 ,,
18	36.199	24.12	71.6	25.06	70.2	c	10 12 ,,
19	35.170	23.85	73.3	24.20	71.0	В	11 12 ,,
20	34.964	23.63	74.6	23.95	72.2	В	Noon.
21	35.170	23.29	75.6	23.95	73.3	c	1 12 p. m.
22	35.375	23.03	76.4	23.67	74.3	c	2 12 ,,
23	35.375	22.88	77.0	23.49	75.3	c	3 12 ,,

1				1		1	
DATE.		Horizontal Force Magneto-	Thermometer	Vertical Force Magneto-	Thermometer	اغ	DATE.
Göttingen	Eastern .	meter.	of Horizontal	meter.	of Vertical	Observers	Bombay
-	Declination.		Force Magne-		Force Magne-	96	Civil Time.
Mean Time. 1864.	Decimation.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	0 0	1864.
							1009.
h. An. 25TH-Noon.	95/519	22.75	77:1	02.20	750		h. m.
AN. ZOTH-MOUIL	35/513			23.32	75.9	C	4 12 p. m.
1	35.238	22.78	76.4	23.40	75.6	В	5 12,
2	35.170	22.75	75.4	23.60	74.7	В	6 12 ,,
3	35.307	22.75	74.0	23.95	74.0	В	7 12 ,,
4	35.718	22:35	73.5	24.15	73.5	в	8 12 ,,
5	35.856	22.60	73.0	24.30	73.1	G	0.19
6	36.199	22.50	72.5	24.46	72.5	i (,,
- 1	36.199	22.90				G	
7			71.8	24.50	72.2	G	11 12 ,,
8	35.856	23.15	71.0	24.70	72.0	G	Midnight.
9	35.650	23.20	70.8	24.82	71.7	C	l 12 a.m.
10	35.513	23.32	70.2	24.90	71.2	c	2 12 ,,
11	35.170	23.42	69.4	24.92	70-8	c	วาก๊
12	34.346	23.67	68.9	25.15	70.2	c	4 19 "
13	33.660	23.69	68.4	25-25	69.2	1	5 19 ^{''}
· · ·		23.85		1		В	,,
14	33.798		68.0	25.45	68.8	В	6 12 ,,
15	33.523	23.95	67.6	25.60	68.5	В	7 12 "
16	34.689	24.01	69.2	25.75	68.9	В	8 12 ,,
17	36. 542	23.75	70.3	25.50	70.0	G	0.19 "
18	35.924	23.85	72.1	25.04	70.5	G	10 19 "
19	36.473	24.00	73.4	24.26	71.5	1	11 10 "
	35.444	23.35		1	1	G	
20			74.8	23.45	72.4	,G	Noon.
21	34.827	23.39	76.0	23.30	73.7	C	1 12 p. m.
. 22	35.032	23.16	76.7	23.21	74.5	c	2 12,
23	35.787	22.73	77-1	23.08	75.5	C	3 12 ,,
							,
		22.50					•
JAN. 26TH-Noon.	35.375	22.73	77.1	23.08	76.0	C	4 12 ,,
1	35.993	22-63	76.3	23.35	75.5	В	5 12 ,,
2	35.375	22.75	75.0	23.60	74.7	В	6 19
3	36.267	22.66	74.5	24.05	74.4	В	7 19 "
4	35.993	22.58	74.0	24.00	74.0	1 1	,,
-	35.856	22.35		1		В	"
5			73.7	24.12	73.2	G	9 12 ,,
6	35.856	22.65	73.0	24.40	73-0	G	10 12 ,,
7	36.336	22.60	72.6	24.50	72.9	G	11 12 ,,
8	35.856	22.95	71.8	24.50	72.5	G.	Midnight.
9.	34.895	23.40	71.3	24.55	72.1	C	1 12 a. m.
10	34-895	23-48	71.2	24.60	71.9	c	2 12 ,,
	34.827	23.28	71.2	24.68			2 10 ,,
11	34.552	23.28			71.7	C	3 12 ",
12			70.8	24.74	71.5	C	4 12 ,,
13	34.209	23.32	70.3	24.75	70-7	В	5 12 ,,
14	34.141	23.51	69.7	24.90	70.5	В	6 12 .,
15	34.27 8	23.60	69.4	25.25	70.3	В	7 12 ,,
16	34.964	23.80	70.2	25.35	70.5	В	0 10
17	35-924	23.80	71.8	25.10	71.0	1	0.10
	36.885	23.85				G	10 10
18			73.5	24.52	72.0	G	10 12 ,,
19	37.159	23.86	75.0 .	24.00	73.2	G	11 12 ,,
. 20	35.718	23.55	76.4	23.30	74.0	G	Noon.
21	35.650	22.92	77.2	23-21	75.1	c	1 12 p.m.
22	35.307	22.83	77.4	23.03	75.9	C	2 12 ,,
23	35.170	22.69	77.6	23.09	76.3	C	3 12 ,,
20	30•			20.03	70.0		.,
			1				
JAN. 27TH-Noon.	35.170	22.55	77.8	23.10	76.9	c	4 12 ,,
1	35.993	2 2.25	77.1	23.30	76.6	В	£ 10
2	35.307	22.40	76.1	23.50	75.8		6 10
		22.53				В	7 10 °
3	35.513		75.0	23.70	75.3	В	7 12 ,,
4	35.856	22.47	74.5	23.95	75.0	В	8 12 ,,
5	35.513	22.80	74.2	24.06	74.4	G	9 12 ,.
6	35.650	22.90	73.8	24.00	73.9	G	10 12 ,,
7	35.513	22.85	73.3	24.20	73.3		11 12 ,
		22.85				G	M:J
. 8	35.513		73.3	24.30	73.3	G	Midnight.
9	35.170	23-32	72.8	24.40	73.1	C	l 12 a. m.
10	34.895	23.34	72.4	24.44	72.9	C	2 12 ,,
11	35.170	23.29	72.1	24.50	72.5	c	3 12 ,,

	DAILY	OBSERVATIO	NS, FROM 2	7тн то 29тн	JANUARY 18	364.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
							
JAN. 27TH—12	35/032	23.29	71:9	24.50	72:2	c	h. m. 4 12 a. m.
13	34.689	23.20	71.3	24.50	71.8	В	5 19
14	35.170	23.35	70:5	24.70	71.5	В	6 12
15	34.484	23.50	70.6	24.90	71.3	В	7 12 ,,
16	35.170	23-31	71.6	24.95	71.5	В	8 12 ",
17	36.885	23.25	73.0	24.72	72.0	G	9 12 ",
18	37.571	23.37	74.5	24.20	72.9	G	10 12 ,,
19	36.199	23.25	75.8	23.60	73.8	G	11 12
20	35-307	23.25	77.5	23.06	74.7	G	Noon.
21	35.032	22.92	77.9	22.98	75-9	C	1 12 p. m.
22	35.032	22.58	78.1	22.97	76.3	C	2 12,
23	35.032	22.42	78.2	22-90	77.1	С	3 12 ,,
JAN. 28TH-Noon.	35.513	22.20	78.2	22.90	77.5	c	4 12 ,,
1	35.718	22.12	77.5	23.00	77.2	В	5 12 ,,
2	35.650	22.35	76.5	23.27	76.3	В	6 12 ,,
3	35.856	22.46	75. 6	23.60	75.6	В	7 12 ,,
4	35.993	22.58	75.2	23.90	75.2	В	8 12 ,,
5	35.787	22.80	75.0	24.02	75-0	G	9 12 ,,
6	35.238	22.77	74.7	24.08	74.8	G	10 12 ,,
7	35.650	22.75	74.2	24 10	74.5	G	11 12 ,,
8	35.581	22.86	73.1	24.32	74.0	G	Midnight.
9	35.444	22.89	72.8	24.36	73.7	C	1 12 a. m.
10	35.170	22.91	72.7	24.40	73.3	C	2 12 ,,
11	34.827	23.16	72.6	24.47	73.1	C	3 12 ,,
12	35.307	23.14	72.3	24.62	73.0	C	4 12 ,,
13	34.552	23.15	72.1	24.80	72.5	В	5 12 ,,
14	34.484	23.30	71.5	24.85	72.0	В	6 12 ,,
15	34.895	23.60	70.9 71.5	24·90 25.00	71.6 71.6	В	7 12 ,,
16	35.444	23.59 23.65	71.3	25.00	· 72.2	В	8 12 ,, 9 12
17	36-679 37.571	23.71	74.3	24.62	73.0	G	10 12 ,,
18	31.371 36.199	23.61	74.3	23.88	73.0 74.0	G	11 19 "
19	30.199 34.895	23.20	77.0	23.52	74.8	G	Noon.
20	34.827	22.88	77.7	23.42	75·9	G	1 12 p. m.
21	34.964	22.76	78.0	23.20	76.6	C	2 12 ,,
22 23	34.964	22.48	78-4	23.05	77.1	C C	3 12 ,,
V NO N	34.895	22.43	78.2	23.02	77.7	_	4 12 ,,
AN. 29TH-Noon.	34.695 35.101	22.43	77.5	23.30	77.5	C B	- 10 "
$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	35.92 4	22.42	76.3	23.55	7 6.6	B	6 12 ,,
3	36·199	22.45	75.5	23.80	75.8	В	7 12 ,,
4	35.924	22.60	75.0	24.10	75.3	В	8 12 ,,
5	35.718	22.45	74.8	24.24	75.0	ū	9 12
6	35.444	22.64	74.0	24.33	74.0	G	10 12 ,,
7	35.238	22.84	73.3	24.40	74.0	G	11 12 ,,
8	35.170	22.90	73.0	24.48	73.7	G	Midnight.
9	35.032	23.07	72.8	24.48	73.6	C	1 12 a. m.
10	34.964	23.13	72.4	24.53	73.3	C	2 12 ,,
11	34.758	23.13	72. 7	24.83	73.3	c	3 12 ,,
12	34·346	23.13	72.6	24.93	73.0	c	4 12 ,,
13	34.209	23-25	71.6	25.05	72.6	В	5 12 ,,
14	34.141	23.32	70.6	25.10	72-0	В	6 12 ,,
15	33.935	23.48	71.0	25.11	71.7	В	7 12 ,,
16	34.484	23.55	72.0	25.40	72.2	В	8 12 ,,
17	35.513	23.50	73.8	25.14	73.0	G	9 12 ,,
18	36.542	23.46	75.7	24.65	73.8	G	10 12 ,,
19	36.130	23.42	76.0	23.66	74.5	G	11 12 ,,
20	35.581	23.35	77.0	24.00	75.0	G	Noon.
21	36.061	23.14	78.0	23.70	76.0	c	l 12 p. m.
22	35.375	22.67	78.4	23.48	76.7	С	2 12',,
23	35-307	22.54	78.6	23.38	77.3	C	3 12 ,.

		l	NUM SIST JA	NUARY TO 2:	ND FEBRUAL	KI 180	D4.
DATE.		Horizontal Force Magneto-	Thermometer	Vertical Force Magneto-	Thermometer	2	DATE.
Göttingen	Eastern	meter.	of Horizontal	meter.	of Vertical	Observers.	Bombay
Mean Time.	Declination.	Scale Readings	Force Magne- tometer.	Scale Readings	Force Magne- tometer.	pse	Civil Time
18C4.	Decimation.	Uncorrected.	cometer.	Uncorrected.	tometer.	0	1864.
h.							h. m.
JAN. 31st-Noon.	34'415	22.55	77 :6	23.50	77:2	G	4 12 p. m.
l	34.621	22 50	77.0	23.58	77.0	G	5 12 ,,
2	35.101	22.51	76.0	23.80	76.2	В	6 12 ,,
3	35.307	22.55	75.5	24.15	75.6	В	7 12 ,,
4	35.238	22.59	75.1	24.20	75.5	В	8 12 ,,
5	35.650	22.75	75.0	24.36	75.3	G	9 12 ,,
6	35.170	22.75	74.8	24.50	75.0	G	10 12 ,,
7	35.170	22.85	74.1	24.00	74.7	G	11 12 .,
8	35.170	22.85	73.8	23-15	74.1	G	Midnight.
9	35.101	22.87	73.6	23.05	73.8	c	1 12 a. m.
10	34.689	23.12	73.2	23.19	73.5	c	2 12 ,,
11	34.552	23.17	72.9	23.37	73.2	c	2 19 "
		23.23	72.4	23.39	73.0	c	A 19 "
12	34.415	23.34	72.4		73.0 72.7	C	5 19 "
13	34.141		71.9	23.45	72.7 72.5		6 19 "
14	33.935	23.47	I .	23.60		C	, ,,
15	33.866	23.56	71.6	23.60	72.2	С	7 12 ,,
16	34.552	23.48	72.2	23.60	72.3	С	8 12 ,,
17	35.856	23.55	72.6	24.25	72.9	В	9 12 ,,
18	36.199	23.45	74.2	23.75	73.5	В	10 12 "
19	35-307	23.43	76.0	23.20	74.5	В	11 12 ,,
20	34.278	23.31	77.2	22.95	75.4	В	Noon.
21	34.552	23.19	77.4	23.08	75.5	G	1 12 p. m.
22	34.141	23.00	77.5	23.10	76.0	G	2 12,
23	33.523	22.73	77.8	23.00	77.0	G	3 12 ,,
20	00.020						,,
FEB. 1sr-Noon.	34.689	22.62	77.7	23.08	77.2	a	4 12 ,,
LEB. 181-14001.	35.170	22.58	76.7	23.15	77.0	c	5 19 ´
,	1	22.58	75.5	23.39	i II	- 1	6 19 "
2	35 444	22.61	74.9		76·4	C	7 19
. 3	35.170	22.76		23.55	75.5	C	***
4	35.032		1	23.67	75.2	C	- ,,
. 5	34.689	22.95	74-1	23.75	74.5	В	9 12 ,,
6	34.689	22.95	73.7	23.95	74.2	В	10 12 ,,
7	35-238	22.79	73.4	24.00	73.8	В	11 12 ,,
8	35.032	23.00 .	73.0	24.00	73.4	В	Midnight.
9	35.101	22.75	72.5	24.02	73.0	G	l 12 a. m.
10	34.375	23.11	72.1	24.35	72-8	G	2 12 ,,
11	34.827	22.95	72.0	24.30	72.5	G	3 12 ,,
12	34.141	23.06	71.7	24.46	72.3	G	4 12 ,,
13	34.484	23.25	71.2	24.28	72.0	c	5 12 ,,
14	33.180	23.55	70.6	24.56	71.9	C	6 12 ,,
15	33-935	23.39	70.4	24.79	71.6	o	7 10
16	34-827	23.29	71.7	24.93	71.9	c	0.10
17	35.718	23.46	73.0	24.85	72.2	В	A 10 '
		23.40	74.4	24.35		В	10 10
18	36.061	23.40	75.6		73.0		10 12 ,,
19	35.993	23.47		23.76	73.8	В	11 12 ,,
20	35.170		76.5	23.25	75.0	В	Noon.
21	35.170	23.25	77.0	23.12	75.4	G	1 12 p. m.
22	34.758	22.77	77.8	22.90	76.0	G	2 12',,
23	34.689	22.66	78.0	22.82	76.8	G	3 12 "
FEB. 2nd-Noon.	34.964	22.35	78.0	22.96	77.0	G	4 12 ,,
1	35.375	22.29	77.3	22.90	77.5	C	5 12 ,,
2	35.513	22.43	76-2	23.09	76.7	C	6 12 ,,
3	35.375	22.48	75.4	23.36	76.1	c	7 12 ,,
4	35.307	22.49	75.2	23.54	75.4	c	8 12 ,,
5	35.032	22.53	74.8	23.75	75.1	В	0.19
6	35.032	22.68	74.6	23.75	74.8	В	10 10
7	34.827	22.75	74.0	23.75	74.5 74.5	В	10 12 ,, 11 12 ,,
		22.95					
8	34.827		73.5	23.98	74.1	B	Midnight.
9	34.552	23.19	73.3	24.00	73.8	G	1 12 a. m.
10	34.415	23.14	73.0	24.00	73.5	G	2 12 ,,
11	34.552	23.20	72.5	24.10	73.0	G	3 12 ,,

	DĄILY	OBSERVATIO:	NS, FROM 2	ND ТО 4ТН FE	BRUARÝ 186	4.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Unorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne - tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.			=0=0	04.00	2027		h. m.
FEB. 2ND-12	34.895	23.19	72*0 71.6	24.28 24.41	72 : 7 72:5	G	4 12 a. m. 5 12
13	34.827 34.6 89	23.25 23.28	71.6 71.6	24.41	72.5 72.4	C	6 19 "
15	34.209	23.29	71.6	24.54	72.1	C	7 10 "
16	34.758	23.37	72.8	24.60	72-1	c	8 12 ,,
17	34.895	23.40	74.5	24.30	73.2	В	9 12 ,,
18	34.689	23.50	75.2	23.65	73.6	В	10 12 ,,
19	34.141	23.58	76.5	23.00	74.5	В	11 12 ,,
20	34.003	23-10	77.5	22.63	75.5	В	Noon.
21	34.141	23.05	78·2 78·8	22.65 22.55	76.4 77.0	G	1 12 p. m. 2 12
22 23	34.827 34.484	23.06 22.77	76.6 7 9.0	22.50 22.50	77.5	G G	2 10 "
23	04404	24.11	79.0	22.00	77.5	u	3 12 ,,
FEB. 3RD—Noon.	35.032	22.64	79.1	22.50	78.1	G	4 12 ,,
1	35.581	22 53	78.8	22.60	78.4	C	5 12 ,,
2	35.238	22.58	77.6	22.84	77.9	C	6 12 ,,
3	35.238 35.170	22.52 22.54	76.6 76.3	23.04 23.18	77.1 76.9	C	7 12 , , 8 12 . ,
4 5	35.170 35.101	22.54 22.51	76.3 75.7	23.16	76.9 76.3	C B	0.19 "
6	34.964	22.65	75.3	23.30	75.9	В	10 12 ,,
7	34.964	22.70	75.3	23.45	75.8	В	11 12
8	34.964	22.76	75.2	23.50	75.5	В	Midnight.
9	34.895	22.90	75.0	23-56	75.2	G	l 12 a.m.
10	34.758	23.02	74.5	23.60	75.0	G	2 12 ,,
11	34.552	23.10	74.2	23.72	74.7	G	3 12 ,,
12	34.415	23.29	73.5 73.4	23.80 23.75	74.5 74.3	G	4 12 ,, 5 12 ,,
13	34.346 34.415	23.32 23.15	73.4 73.3	23.94	74.3 74.1	C C	6 19 "
15	34.415	23.18	73.4	23.96	74.0	c	7 19 "
16	35.032	23.22	74.2	24.00	74.1	c	8 12 ,,
17	35.856	23.33	75.3	23.85	74.5	В	9.12 ,,
18	37.228	23.35	7 6.9	23.54	75.4	В	10 12 ,,
19	36-885	23.25	78.2	22.70	`76.5	В	11 12 ,,
20	35.718	23.02	79.5	22.20	78.0	В	Noon.
21	34.689	23.00 22.64	81.0 82.7	21.74 21.50	79.5 80.7	G	1 12 p. m. 2 12 ,,
22 23	33.935 33.798	22.34	83.2	21.50	81.5	G G	3 12 ,,
	0	00.10	00.0	01.00	01.0	_	4.30
FEB. 4TH-Noon.	34.415	22.16 22.21	82.9 82.0	21.80 21.95	81.8 81.8	G	4 12 ,, 5 12 ,,
2	34.895 35.170	22.21 22.21	82.0 80.7	22.20	80.9	C C	6 10
3	35.170 35.170	22.15	79.3	22.55	80.2	C	7 12 ,,
4	35.238	22.01	78.7	22.58	79.5	C	8 12 ,,
5	35.170	21.99	78.0	22.75	78.8	В	9 12 ,,
6	35.170	22.00	77.6	22.75	78.5	В	10 12 ,,
7	35.307	22.15	77.6	22.95	78·0	В	11 12 ,,
8	35.170	22.30	77.6	23.00 23.00	77.6 77.4	В	Midnight.
9	35.307 ` 35.032	22·26 22·45	77.5 77.2	23.05	77.4	G G	1 12 a. m. 2 12 ,,
10 11	35.032 34.484	22.60	76.6	23.10	76.8	G	3 12 ,,
12	34.7 5 8	22.60	76.0	23.14	76.6	G	4 12 ,,
13	34.689	22.73	75.6	23.28	76.4	C	5 12 ,,
14	34.689	22.74	75.3	23.33	76.1	C	6 12 ,,
15	34.003	22.81	75.3	23-40	76.0	C	7 12 ,,
16	34.484	22.95	76.2	23.44	76.3	O	8 12 ,,
17	35-375	22.95	77.2 78.5	23.15 22.75	76.6 77.4	В	9 12 ,, 10 12 ,,
. 18	35.718 35.238	22.83 22.68	78.5 79.6	22.75 22.35	77.4 78.5	B B	11 10
19 20	35.238 34.689	22.41	81.5	21.85	79.7	В	Noon.
21	34.7 08	22.22	81.9	21.50	80- <i>5</i>	G	1 12 p. m.
22	33.592	22.11	83.0	21.50	81.3	G	2 12 "
23	33.729	22.10	83.4	21.60	82.0	G	3 12 ,,

4-1864.

	DAILY	OBSERVATIO	ONS, FROM	5тн то 8тн F I	EBRUARY 18	3 64 .	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.					0.000		h. m. 4 12 p. m.
FEB. 5TH-Noon.	33/866	22.00	82.9	22.00	82:2	G	f 19
1 2	34.827	21.98 22.11	81.4	22.06 22.39	82.0 81.0	C	6 19 "
3	34.895 35-170	22.11 22.13	80.1 79.6	22.59 22.60	80.2	C	7 12 ,,
4	35.101	22.13 22.19	79.0 79.1	22.62	79.5	C	8 12 ",
5	35.101	22.20	78.5	22.80	79.0	В	9 12 ",
6	34.827	22.25	78.3	22.75	78.7	В	10 12 ,,
7	35.032	22.15	78.0	22.95	78.4	В	11 12 ,,
8 [.]	36- 061	21.90	77.5	23.00	78.1	В	Midnight.
9	36.267	21.92	77.1	23.00	77.8	G	1 12 a. m. 2 12
10	36.267	22.05	76.8	23.00	77.2	G	3 12 ,,
11	35.444	22.09	76.6	23.00	77.0	G	4 19 "
12	35.444	22.20	76.0	23.12	77.0 76.8	G	5 19 "
13 14	34.209	22.57 22.61	75.6	23.14 23.18	76.8 76.5	O	6 19 "
14 15	34.209 34.689	22.61 22.69 、	75.3 75.3	23.18	76.2	C	7 12 ,,
16	34.089 35.375	22.70	75.3 76.3	23.47	76.6	C	8 12 ,,
17	36.404	22.85	77.7	23.25	77.0	В	9 12 ",
18	37.0 90	22.68	79.4	22.92	77.9	В	10 12 ,,
19	36.679	22.51	80.4	22.40	7 8·9	В	11 12 ,,
20	35.856	22.32	81.6	22.00	80.2	В	Noon.
21	35.032	22.00	82.9	21.92	80.8	G	l 12 p. m.
22	34.827	21.85	82.9	21.96	81.0	G	2 12 ,,
23	35.101	21.74	82.5	22.00	81.6	G	3 12 ,,
FEB. 7TH-Noon.	34.484	21.89	82.1	21.90	81.9	c	4 12 "
1	34.484	21.86	81.5	22.05	81.7	С	5 12 ,,
2	34.552	21.92	80.5	22.38	81.1	C	6 12 ,, 7 12 ,,
3	35.101	21.92 22.01	79·6 78 · 6	22.66 22.70	80.2 79.5	C	9 19 "
4 5	35.307 35.718	22.15	78.5	22.75	79.2	C	9 12 ,,
6	35.718 35.513	22.30	77.6	22.95	78.6	B	10 12 ,,
7	35. 2 38	22.33	77.4	22.90	78.0	B	11 12 ,,
8	35-513	22.50	77.0	23.00	77.7	В	Midnight.
9	35.101	22.55	77.0	23.06	77.5	G	1 12 a.m.
10	34.758	22.55	77.0	23.00	77.5	G	2 12 ,,
11	34.484	22.75	76.6	23.05	77.0	G	3 12 ,,
12	34.484	22.71	76.0	23.05	76.7	G	4 12 ,, 5 12 ,,
13	34.484	22.88 23.00	75.0	23.09	76.1 75.8	C	£ 10 "
14	33.935	23.00 23.08	74. 9 74. 9	23.30 23.46	75.6	C	7 12 ,,
15 16	33.935 34.552	23.38	74.9 75.4	23.48	75.6	C	8 12 ,,
17	35-856	23.42	76.6	23.35	75.9	C B	9 12 ,,
18	36.610	23.35	78.0	22.90	76.9	В	10 12 ,,
19	35.513	23.15	7 9.6	22.40	78.0	В	11 12 ,,
20	35.032	23.01	80.9	22.00	79.1	В	Noon.
21	34.895	22.66	82.0	21.72	80.0	G	1 12 p. m.
22	34.552	22.39	83.3	21.50	81.5 82.2	G	2 12 ,, 3 12 ,,
23	34.141	22.10	84.0	21.54	02.2	G	3 12 "
Feв. 8тн-Noon.	34.141	21.76	83.8	21.60	82.5	G	4 12 ,,
1	34.621	21.59	82.7	21.92	82.5	C	5 12 ,,
2.	34.415	21.59	81.5	21.98	81·9	C	6 12 ,,
3	34.758	21.54	80.5	22.36	81.1	C	7 12 ,, 8 12 ,,
4	35.170	21.61	79.6	22.48 22.75	80.3 79.6	C	0.10
5	35.170	21.55 21.65	79.4 79.2	22.75 22.82	79.5	B	10 12 ,,
6	35.718 35.444	21.05	79.2 79.1	22.80 22.80	79.3	В	11 12 ,,
7 8	35.444 35.444	21.70	78.6	22.85	79.0	В	Midnight.
9	34.964	22 .30	78.1	22.90	78.6	G	1 12 a. m.
10	35.170	22.36	77.8	22.94	78-3	G	2 12 "
ii	34.895	22.57	77.5	22.90	78.0	G	3 12 ,,

	DAILY	OBSERVATIO	NS, FROM 8	тн то 10тн Г	EBRUARY 1	864.	
DATE. Göttingen Mean Time. 1864.	Bastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Reedings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATH. Bombay Civil Time. 1864.
h.	04040	22.80	. ====	00.15	eet.		h. m. 4 12 a. m.
FEB. 8TH-12	34/346		77*0	23.15	77:5	G	F 10
13	33.729	22.85	76.8	23.44	77.3	C	5 12 ,,
14	33.798	23.09	75.7	23.44	76-6	C	6 12 ,,
15	32.700	23.10	75.4	23.47	76-2	C	7 12 ,,
16	33.592	23.22	76.3	23.57	76.4	C	8 12 ,,
17	34.847	23.25	77.4	23.5 5	7 6.9	В	9 12 "
18	35.924	23.18	79.0	23.4 5	7 7.8	В	10 12 ,,
19	36-542	22.93	80.4	23 .15	78.5	В	11 12 ,,
20	36.679	22.63	81.4	22.65	7 9-5	В	Noon.
21	36.953	22.40	82.5	22.12	81.2	G	1 12 p. m.
22	35.513	22.12	83.8	21.68	82.5	G	2 12 ,,
23	34.895	21.45	84.8	21.54	83.0	G	3 12 "
Fвв. 9тн-Noon.	34-895	21.19	84.5	21.70	83.5	G	4 12 "
1	35.101	20.88	83.6	21.90	83.4	C	5 12 ,,
2	35.101	21.03	82.3	22.09	82.5	C	6 12 ,,
3	35.032	21.41	81.5	22.44	82.0	C	7 12 ,,
4	34.895	21.55	80.7	22.52	81.3	C	8 12 ,,
5	35.032	21.60	80.0	22.7 0	80.5	В	9 12 ,,
6	35.032	21.80	79.6	22.85	80.0	В	10 12 ,,
. 7	35.307	22.00	79.6	22.90	79.8	В	11 12 ",
8	35.650	22.10	79.1	22.98	79.5	В	Midnight.
9	36.336	21.98	78.6	23.08	79·3	G	1 12 a. m.
10	36.544	21.63	78.3	23.18	79.0	G	2 12 ,,
11	37.296	22.15	78.0	23.10	78.5	G	3 12 ",
12	36.473	22.00	77.8	23.00	78.3	G	4 12 ,,
13	35.307	22.05	77.1	23.05	78.0	c	5 12 ,,
14	34.484	22.18	77.0	23.09	77.8	c	6 12 ,,
15	34.072	22.19	76.9	23.33	77.4	C	7 10
16	33.729	22.19	77.2	23.46	77.7	C	0.10
17	34.847	22.25	77.7	23.55	77.8	В	0.10
18	35.238	22.30	78.5	23.35	78.0	В	10 19
19	35.101	22.40 22.40	80.0	23.00	78.8		11 30 "
	35.238	22.15			_	В	""
20 21	35.513	21.92	81.3 82.4	22.95 22.90	79.6 8 0.3	В	Noon. 1 12 p.m.
	35.856				81.1	G	0.10
22 23	35.444	21.61 21.39	82.5 82.7	22-72 22.42	81.7	G G	3 12 ,,
F 10 Noon	34.895	91.90	99.7		01.0		4 10
FEB. 10TH-Noon.	34.621	21.20 20.95	82.7	22.30	81.8 81.8	G	4 12 ,,
1	34.021 35.375	20.95 20.65	82.1	22.40	81.8 81.2	C	5 12 "
2	35.170	20.65	81.2	22.69	81.2 80.9	C	6 12 ,, 7 12 ,,
3	35.513	20.81	80.2	22.69	80.9 80.1	C	0.30
4	35.032	21.25 21.45	79.2	22.78	79.5	C	0.10
5 6	35.032 35.032	21.45	79.0	22.95	79.3 79.3	В	10 10
	35.513	21.40 21.25	79.0	22.95	79.3 79.3	В	10 12 ,, 11 12 ,,
7			79.0	23.15		В	Midninka
8	35.375	21.42	78.9	23.15	79.1	В	Midnight.
.9	35.513	21.84	78-3	23.28	78.9	G	1 12 a.m.
10	36.473	21.92	78.2	23.44	78.5	G	2 12 ,,
11	35.856	21.85	77.7	23.60	78.3	G	3 12 ,,
12	35.307	22.45	77.0	23.54	77.9	G	4 12 ,,
13	34.689	22.34	76.7	23.27	77.5	C	5 12 ,,
14	34.621	22.32	76.2	23.50	77.1	C	6 12 ,,
15	35.581	22.30	76.2	23.68	76·9	C	7 12 ,,
16	34.621	22.43	77.0	23.70	77.0	C	8 12 ,,
17	35.718	22.50	78.1	23.45	77.5	В	9 12 ,,
18	36.747	22.41	79.5	23.15	78.2	В	10 12 ,,
19	37.365	22.45	81.0	22.65	79.3	В	11_12 ,,
20	36.542	22.45	82.0	22.45	80.1	В	Noon.
21	36.685	22.00	82.9	22.50	81.0	G	1 12 p. m.
22	37.296	21.76	83. <u>5</u>	21.70	81.9	G	2 12 "
23	36.199	21.55	84,0	21:40	83.0	G	3 12 ,,

	DAILY	ÒBSERVATIO	NS, FROM	lітн то 14тн і	FEBRUARY	1864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
FEB. 11TH-Noon.	34/964	21.23	84:2	21.20	83*3	G	4 12 p. m.
1	35.032	21.20	83.5	21.50	83.6	C	5 12 ,,
2	34.209	21.35	82.4	21.78	82.9	C	6 12 ,,
3	34.895	21.43	81.8	22.10	82.1	C	7 12 ,,
4	35.238	21.44	81.1	22.19	81.8	C	8 12 ,,
5	35.375	21.45	80.1	22.30	80.8	В	9 12 ,
6	34.895	21.55	79.5	22.35	80.2	В	10 12 ,,
7	34.964	21.75	79.3	22.50	79.9	В	11 12 ,,
8	35.238	21.85	79.0	22.65	79.5	В	Midnight. 1 12 a. m.
9	35.444	21.85	78.8	22.68	79-4	G	0.10
10	35-650	21.88	78.5	22.70	79.2	G	2 10 "
11	35.856	21.90	78.2	22.70	79.0	G	4 19 "
12	35-513	22.00	77.8	22.78	78.4	G	5 10 "
13	34.278	22.41	77.2	22.74	78.1	C	5 12 ,,
14	34.827	22.29	76.8	22.70	77.9	C	6 12 ,, 7 12 ,,
15	33.866	22.37	76.5	22.25	77.6	C	0 19 "
16	33.660	22.54	77.4	22.18	77.9	C	0.12
. 17	34.895	22.55	78.5	22.05	78.0	В	10.19
18	34.621	22.80	79.3	21.75	78.6	В	11 10 "
19	34.141	22.94	80.7	21.60	79.4	В	Noon.
20	34.346	22.65	82.1	21.65	80.5	В	
21	35.65 0	22.31	82.5	21.76	81.7	G	1 12 p. m 2 12
22	36.542	22.05	82.7	21.84	82.0	G	2 10 "
23	33.3 36	21.45	83.0	21.70	82. 2	G	3 12 ,,
Feв. 12тн-Noon.	35.993	21.44	83.0	21.30	82.3	G	4 12 ,,
. 1	35.2 38	21.45	82.0	21.10	82.1	C	5 12 ,,
2	34.689	21.62	80.9	21.37	81.5	C	6 12 ,,
3	34.689	21.62	80.2	21.50	81-1	C	7 12 ,,
4	34.689	21.60	79.6	21.69	80.4	C	8 12 ,,
5	34.847	21.65	79.2	21.85	79.6	В	9 12 ,,
6	35.170	21.85	78.6	21.95	79.2	В	10 12 ,,
7	3 5 .03 2	21.92	78.2	21.95	78.8	В	11 12 ,,
8	35.513	22.00	78.2	23.00	78.5	В	Midnight.
9	35.6 50	22.04	78.0	23.08	78.3	G	1 12 a. m.
10	35.787	22.17	77.5	23.14	78.1	G	2 12 ,,
11	35.787	22.15	77.1	23.20	78.0	G	3 12 ,,
12	34.964	22.20	77.0	23.18	77.8	G	4 12 ,,
13	35.238	22.38	76.4	23.24	77.4	C	5 12 ,,
14	34.895	22.30	75.5	23.35	77.0	C	6 12 ,,
15	34.964	22.31	76.0	23.40	76.8	C	7 12 ,,
16	35.307	22.43	76.9	23.44	77.2	C	8 12 ,,
17	35.513	22.55	77.8	23.10	77.8	В	9 12 ,,
18	35.170	22.49	79.0	22.80	78.0	В	10 12 ,,
19	34.758	22.44	80.1	22.50	78.9	В	11 12 ,,
20	34.758	22.23	81.3	22.40	79.6	В	Noon.
21	34.847	21.98	. 81.6	22.40	80.2	G	1 12 p. m.
22	35.032	21.82	82.3	22,25	80.9	G	2 12 ,,
2 3	35.6 50	21.75	82.5	22.20	81.4	G	3 12 ,,
Feв. 14тн-Noon.	35.238	21.55	83.0	22.20	82.5	G	. 4 12 ,,
1	34.689	21.55	82.2	22.12	82.0	G	5 12 ,,
2	34.003	21.50	81.1	22.10	81.7	G	6 12 ,,
3	35 .032	21.55	80.1	22.38	81.1	C	7 12 ,,
4	34.689	21.59	79.6	22.77	80.4	С	8 12 ,,
5	34.552	21.70	79.3	23.00	80.0	В	9 12 ,,
6	34.847	21.90	79.0	23.15	79.5	В	10 12 ,,
7	35.170	21.93	₹ 78.5	23.15	79.1	В	11 12 ,,
8	35 .856	21.85	78.3	23.20	78.7	В	Midnight.
9	35.851	22.08	78.0	23.30	78.5	G	l 12 a.m.
10	35.307	22.60	77.8	23.46	78.2	G	2 12 ,,
11	35.170	22.43	77.8	23.00	78.1	G	3 12 ,,

	DAILY	OBSERVATION	NS, FROM 1	4тн то 16тн I	EBRUARY I	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.				00.00	5000		h. m.
Feb. 14TH—12	35′170	22.30	77:8	22.90	78.0	G	4 12 a. m.
13	34.827	22.30	77.8	22.92	78.0	C	5 12 "
14	34.895	22.58	77.4	22.95	77.9	C	6 12 ,,
15	34.552	22.27	77-4	22.96	77.5	C	7 12 ,,
16	34.964	22.39	77.4	23.05	77. 5	C	8 12 ,,
17	35.856	22.52	78.0	2 3.00	77.8	В	9 12 ,,
18	36.061	22.64	79.3	22.65	78.4	В	10 12 ,,
19	35.238	22.57	80.4	22.30	79-1	В	11 12 ,,
20	34.895	22.32	80.5	22 .36	79.9	В	Noon.
21	35.513	22.05	81-0	22.40	80.0	G	1 12 p. m.
22	35.307	22.05	81.3	22.30	80.5	G	2 12,
23	35.444	21.80	81-4	22.18	80.8	G	3 12 ,,
FEB. 15TH-Noon.	35.440	21.74	81.0	22.00	81.0	a	4 12 "
1 1	34.895	21.30	80.4	22.00	81.0	c	5 12 ",
2	34.895	21.60	79.6	22.35	80-2	c	6 12 ,,
3	34.964	22,00	78.8	22.45	79.9	c	7 12 ,,
4	34.758	22.03	78.4	22.47	79.4	c	9 10
5	34.964	22.10	78.1	22.60	79.0	N	0.19
6	34.964	22.25	77.9	22.67	78.8	N	10.10
7	34.964	22.35	77.3	22.70	78.2	N	11 12 ,,
8	34.415	22.34	77.3	22.75	78.0	N	Midnight.
9	34.415	22.37	77.1	22.79	77.8	G	1 12 a.m.
10	34.484	22.45	77.0	22.86	77.7	G	9 19
ii	34.484	22.50	76.9	22.92	77.5	G	2 19 "
12	34.454 34.552	22.55	76.9 76.9	23.02	77.3	G	<i>4</i> 10 ″
13	34.552	22.60	70.9	23.00	77.3	C	5 19 "
13	34.552 34.415	22.61	77.0 77.0	23.04	77.2		6 19 "
15	34.415 34.209	22.65	77.0 76.8	23.18	77.1	C	7 19 "
16				23.18	77.3	0	
10	35.101 35.650	22.71 22.80	77.3 78.5	23.16	77.9	C	8 12 ,, 9 12
18		I I		22.60	78.2	N	· · · · · · · · · · · · · · · · · · ·
	35.513	22.83	79.3	22.63	79.0	N	10 12 ,,
19	35.170	22.90	80.0	22.60 22.60	79.0 79.1	N	11 12 "
20	35.032	22.85	80.4			N	Noon.
21	35.375	22.55	80.8	22-50	79.8	G	1 12 p. m.
22 23	34.689 34.758	22.12 22.05	81.0 81·1	22·28 22.30	80.0 80.5	G G	2 12 ,, 3 12 ,,
N							
FEB. 16TH-Noon.	35.444	22.19	81.0	22.40	81.0	G	4 12 ,,
1	35.44 4	22.05	80.4	22.37	80.9	C	5 12 ,,
2	35.032	22.02	79-5	22.58	80-1	C	6 12 ,,
3	34.964	22.05	79.0	22.66	79.7	C	7 12 ,,
4	34.895	22.02	78-7	22.71	79.3	C	8 12 ,,
5	34.827	22.00	78.2	22.78	78-8	N	9 12 ,,
6	35.101	21.95	78-0	22.90	78.8	N	10 12 ,,
7	34.827	22.13	77.6	22.94	78.5	N	11 12 ,,
8	34.895	22.22	77.3	22.92	78.0	N	Midnight.
9	34.621	22.45	77.0	23.04	77.8	G	1 12 a. m.
10	34.621	22.45	77.0	23.06	77.7	G	2 12 ,,
11	34.552	22.51	76.9	23.10	77.5	G	3 12 ,,
12	34.484	22.57	76.7	23.12	77.5	G	4 12 ,,
13	34-346	22.62	76-2	23.27	77.3	C	5 12 ,,
14	34.484	22.67	75.9	23.39	76.9	C	6 12 ,,
15	35.101	22.67	75.7	23.40	76.6	C	7 12 ,,
16	35-787	22.75	76,3	23.40	76.8	C	8 12 ,,
17	35.924	22.69	77.5	23.10	77.0	N	9 12 ",
18	36.336	22.84	78.5	22.80	78.0	N	10 12 ,,
19	35.581	22.73	79.0	22.42	78.0	N	11 12 ",
20	34.415	22.62	79.8	22.16	78.7	N	Noon."
21	34.072	22.40	80.2	22.10	79.0	G	1 12 p. m.
22	33.798	22.12	80.5	22.00	79.7	G	2 12 ,,
23	33-523	22.00	80.7	22.05	80.0	G	3 12 ,,
20	30020		, , , , , , , , , , , , , , , , , , , ,				<u> </u>

5-1864.

	DAILY C	BSERVATION	is, from 17	тн то 19тн F	EBRUARY 18	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer	Vertical Force Magneto- meter. Scale Readings Unorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h. Feb. 17th-Noon.		21.00					h. m.
FEB. 17TH-NOON.	33'592	21.95	80:4	22.18	80.0	G	4 12 p. m.
2	34.278	22.04	79.4	22.48	80.0	С	5 12 ,, 6 12
3	34.827 35-032	22·11 22.16	78.3 77.4	22.70 22.88	79 . 2 78.4	C	7 19
4	35.032	22.28	76.9	23.00	78.4 78.0	C	9 19
5	35.375	22.45	76.4	23.00	78.0 77.0	C	0 19
6	35.032	22.30	76.0	23.26	76.8	N	10 12 ,,
7	34.964	22.40	75.6	23.32	76.2	N	11 12 ,,
8	35 .238	22.62	75.2	23.40	76.0	N	Midnight.
9	34.827	22.65	75.1	23.50	75.8	G	1 12 a. m.
10	34.621	22.70	75.0	23.50	75.5	G	2 12 ,,
11	34-964	22.75	75.0	23.50	75-4	G	3 12 "
12	34.484	22.80	74.8	23.50	75.0	G	4 12 ,,
13 14	34.346	22.85	74-4	23.52	74.9	C	5 12 ,,
14	34.003 34.064	22.86	74.4	23.68	74.8	C	6 12 ,,
, 16	34.964 35.787	22.99 23.14	74.4	23.80	74.8	С	7 12 ,,
17	35.78 7 35.787	23.14	75.2 76.5	23.72 23.30	75.1	C	8 12 ,,
18	35.787 35.993	23.19	77.8	23.30	75-6 76.0	N	9 12 ,, 10 12 ,,
19	35.032	23.09	78.5	23.00	76.0 76.9	N	11 19 "
20	34.895	22.94	79.0	22.73	76.9 77.3	N	Noon.
21	35.170	22.77	78.5	22.54	77.3 78.0	N	1 12 p. m.
22	34.847	22.65	78.5	22.50	78.2	G G	0 10
23	34.847	22.50	78.7	22-50	78.5	G	3 12 ,,
Feв. 18тн-Noon.	34.278 34.484	22.42 22.37	78.5	22.50 22.70	78.7	G	4 12 ,,
2		22.38	77.7	1	78-7	С	5 12 ,,
.3	34.552 34.621	22.38	76.9 76.2	23.08 23.11	78.0	C	6 12 ,,
4	34.689	22.57	75.9	23.29	77·3 76.9	C	7 12 ,, 8 12 ,,
5	34.827	22.69	75.8	23.30	76.9 76.0	C	0.19 "
6	34.895	22.65	75.6	23.34	76.0 76.0	N N	10 19
7	34.895	22.70	75.5	23.40	75.9	N	11 19 "
8	34.895	22.75	75.5	23.45	759	N	Midnight.
9	34.895	22.77	75.3	23.48	75.7	G	1 12 a. m.
10	34.827	22.80	75.2	23.50	75.5	Ğ	2 12 ,,
11	34.827	22.90	75.1	23-50	75.4	G	3 12 ,,
12	34.827	22.90	75.0	23-48	7 5.3	G	4 12 ",
13	34.758	22.94	74.8	23.41	75.1	С	5 12 ,,
14	33.660	23-30	74.4	23.50	7 5.0	С	6 12 ,,
15	33.935	23.19	74:3	23.78	74.9	С	7 12 ,,
16	35.375	23.31	75.1	23.90	75.2	c	8 12 ,,
17	36.885 36.540	23.39	76.3	23.50	75·3	N	9 12 ,,
18 19	36.542 36.267	23-37	77.7	23.00	76-0	N	10 12 ,
20	36.267 36.718	23.30	79.0 79.5	22.42	77.0	N	11 12 ,,
20 21	35.718 36.100	23.10 22.84	80.1	22.50 22.52	78.0	N	Noon.
22	36.199 36-061	22.62	80.4	22.52	78.5 79.3	G	1 12 p. m.
23	36.130	22.52	80-5	22.40	79.8 79.8	G G	2 12 ,, 3 12 ,,
n 10 37	05.000	00.04	90.5	00.10	20.0		
Fвв. 19тн-Noon.	35.238	22.34	80.5 80.0	22.10 22.22	80.0	G	4 12 ,,
l o	34.758 34.827	22.31 22.28	79.5	22.22	79.9 79.6	C	5 12 ,,
2 3	35.101	22.26	78.6	22.88	79.6 79.1	C	6 12 ,,
	35.032	22.39	78.2	22.97	79.1 78.9	C	7 12 ,,
4 5	35.170	22.40	78.0	23.00	78.9 78.7	C	8 12 ,,
6 1	35.170	22.40	78.0	23.00	78.7 78.5	N	9 12 ,,
7	35,170	22.40	77.8	23.00	78.2	N	10 12 ,, 11 12 ,,
8	35,170	22.40	77.8	23.00	78.0	N N	Midnight.
9	35,101	22.43	77.6	23.00	77.8	G	1 12 a.m.
10	35,101	22.48	77.5	23.00	77.6	G	0.30
11	34.758	22.50	77-5	23.00	77.5	G	3 12 ,,

DAILY OBSERVATIONS, FROM 19TH TO 22ND FEBRUARY 1864.											
DATE.	Bastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE. Bombay				
Göttingen	2000014	meter.	Force Magne-	meter.	Force Magne-	E	Civil Time.				
Mean Time. 1864.	Declination.	Scale Resdings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	රි	1864.				
h. Frв. 19тн—12	04404	22.50	77:4	23.00	77:4	G	h. m.				
13	34:484	22.50 22.54		23.00	77.3	1 1	4 12 a.m.				
14	34.209	22.55	77.2	23.09	77.2	C	5 12 ,, 6 12				
15	34.346	22.68	77.0 76.8	23.16	77.1	c	,,				
16	33-866	22.95	70.8	23.05	77.4	c	7 12 ,, 8 12 .,				
17	34.621	23.15	77.5 78.8	22.80	78.0	N	0.19				
18	35.650	23.17	80.0	22.40	78.5	N	10 19 "				
19	35-307 33.935	23.10	81.0	22.10	79.2	N	11 10 "				
20	33,592	23.04	81.5	22.20	79.9	N	Noon.				
21		22.75	82.0	22.44	80.3	G					
21 22	33.866 34.552	22.75	82.0 82.5	22.30	81.0	G	1 12 p. m. 2 12				
23	34.332 35.101	22.41	82.8	22.00	81.8	G	3 12 ,,				
							~				
FEB. 21st-Noon.	34.895	21.88	83.4	21.86	83.9	c	4 12 ,,				
1	34.758	21.80	82.5	21.99	83.3	C	5 12 ,,				
2	34.346	21.79	81.5	22.18	82.6	C	6 12 ,,				
3	34.689	21.78	80.9	22.36	82.2	C	7 12 ,,				
4	34.827	21.90	80.3	22.48	81.5	C	8 12 ,,				
5	35.101	22.00	80.0	22.60	81.0	N. R.	9 12 ,,				
6	35-375	22.19	79.8	22.68	81.0	N. R.	10 12 ,,				
7	36.543	22.25	79.7	22.80	79.7	N. R.	11 12				
8	36.199	22.40	79.6	22.89	79.4	N. R.	Midnight.				
9	35.101	22.34	79.6	22.80	80.4	G	l 12 a.m.				
10	34.895	22.30	79.2	22.78	80.0	G	2 12 ,,				
11	34.552	22.35	79.0	22.78	79.6	G	3 12 ,,				
12	34.415	22.40	79.0	22.70	79.5	G	4 12 ,,				
13	34.346	22.43	78.8	22.72	79.4	C	5 12 ,,				
14	33.798	22.39	78.7	22.79	79.3	C	6 12 ,,				
15	34.003	22.49	78.7	23.00	79.1	C	7 12 ,,				
16	34.895	22.76	79.4	23.00	79.5	C	8 12 ,,				
17	35.170	22.90	80.0	23.06	79.8	N. R.	9 12 ,,				
18	35.513	22.94	81-0	23.10	79.9	N. R.	10 12 -,,				
19	34.484	23.20	82.0	22.40	80.0	N. R.	11 12 ,,				
20	34.346	23.00	82.1	22.38	80.6	N. B.	Noon.				
21	34.758	22.49	82.7	22.30	81.9	G	1 12 p. m.				
22	35.101	22.00	83.0	22.24	82.8	G	2 12 ,,				
23	35.718	21.85	83.2	22.10	83.0	G	3 12 ,,				
FEB. 22ND-Noon.	35.375	21.82	83-1	22.00	83.2	G	4 12 "				
FEB. 22ND-NOOII.	35.032	21.78	82.5	21.85	83.3	C	£ 19 "				
2	34.415	21.78	81.5	22.10	82.6	c	6 12 ,,				
3	34.827	21.74	80.8	22.35	82.1	c	7 12 ",				
4	35.032	21.80	80.3	22.47	81.4		8 12 ,,				
5	35.238	21.73	79.8	22.50	80.4	G. L.	9 12 ",				
6	34.758	21.99	79.2	22.74	80.0	G. L.	10 12 ,,				
7	34.895	22.00	79.0	22.74	80.0	H	11 12 ,,				
8	35.718	22.15	78.6	22.68	79.9	н	Midnight.				
9	34.847	22.15	78.3	22.68	79.4	G	1 12 a. m.				
10	35.032	22.15	77.7	23.34	78.8	a	2 12 ,,				
ii	35-170	22.22	77.4	23.40	78.3	G	3 12 ,,				
12	35.170	22.30	77.0	23.40	78.0	G	4 12 ,,				
13	35.032	22.39	76.9	23.30	77.9	c	5 12 ,,				
14	34.484	22.53	76.7	23.16	77.7	c	6 12 ,,				
15	34.141	22.71	76.9	23.15	77.5	c	7 12 ,,				
16	35.101	22.62	78.0	23-14	77.9	c	8 12 ,,				
17	35-170	23.25	79.0	23.18	78.0	N. R.	9 12 ,,				
18	35.513	23.25	79.8	23.18	78.6	N. R.	10 12 ,,				
19	35.170	23.16	80.0	22.90	78.8	N. R.	11 12 ,,				
20	34.847	23.00	80.6	22.20	79.0	N. B.	Noon.				
20 21	34.415	22.74	81.2	22.20	80.5	G	1 12 p. m.				
21 22	34.689	22.53	81.5	22.00 22.00	80.8	G	0 10				
23	35.993	22.16	81.5	22.00 22.02	81.2	G	2 12 ,, 3 12 ,,				

DAILY OBSERVATIONS, FROM 23RD TO 25TH FEBRUARY 1864.										
DATE.	Eastern	Horizonal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE.			
Göttingen	1349(0) 11	meter.	Force Magne-	meter.	Force Magne-	L	Bombay			
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	å	Civil Time.			
1864.	•	Uncorrected.		Uncorrected.			1864.			
h,	00000	00.05		00.09	0105		h. m.			
FEB. 23RD-Noon.	36'267	22.05	81:5	22.08	81:5	G	4 12 p. m.			
1	35.650	21.92	80.9	22.00	81.8	c	5 12,			
2	34.758	21.91	79.5	22.30	80.7	c	6 12 ,,			
3	34.758	22.06	78.8	22.55	79.8	c	7 19 ´			
4	35.718	21.93	78.1	22.80	79.3	r	8 19 ″			
5	34.895	22.10	77.7	22.80	79.0	G. L.	0.19			
6	35.307	22.19	77.6	22.86	78.7	G. L.				
7		22.30	1	22.90	78.2	1 1	10 12 ,,			
	35.513	22.38	77.5	22.85		G. L.	11 12 ,,			
8	35.444	1	77.0		77.9	G. L.	Midnight.			
9	35.650	22.55	77.0	23.00	77.9	G	l 12 a. m.			
10	35.513	22.60	76.5	23.04	77.1	G	2 12 ,,			
11	35.170	22.55	76.2	23.05	76.9	G	3 12 ,,			
12	34.895	22.61	76.0	23.10	76.5	G	A 19 "			
13	35.101	22.67	75.5	23.17	76.2	c	5 19 ´´			
14	34.758	22.74	75.0	23.36	76-0	c	6 19 ["]			
15	34.689	22.99	74.7	23.50	75.6	1 1				
	35.856	23.24	1	23.57	75.6	C	7 12 ,,			
16			74.4			C	8 12 ,,			
17	36.199	23.25	74.9	23.39	75.9	N. R.	9 12 ,,			
18	35.856	23.30	75.4	22.99	76.0	N. R.	10 12 ,,			
19	35.856	23.10	76.0	22.70	76.6	N. R.	11 12 .,			
20	33.798	23.16	77.9	22.60	· 77.0	N. R.	Noon."			
21	33.729	23.25	79.0	22.40	78.3	G	1 12 p. m.			
22	34.689	22.91	79.8	22.48	79.0	G	0.10			
23	35.513	22.55	80.0	22.60	79.8	G	2 10 "			
20	00.010	12.00	00.0	-	70.0	"	3 12 ,,			
Гев. 24тн-Noon.	06.100	22.32	00.0	22.50	80.0					
_ 1	36.199	22.32	80.0	22.47	80.0	G	4 12 ,,			
1	36.061		79.0	1		C	5 12 ,,			
2	35.307	22.41	77.9	22.47	79.2	C	6 12 ,,			
3	35.444	22.50	77.2	22.80	78.2	C	7 12 ,,			
4	35.444	22.59	76.8	22.93	77.9	C	8 12 ,,			
5	36.885	22.55	76.3	22.92	77.2 ·	D	9 12 ,,			
6	35.513	22.60	75.8	23.00	76.8	D	10 19			
7	35.513 ·	22.85	75.3	22.89	76.2	D	11 19 "			
8	36.199	22.85	75.0	22.95	75.0	D				
9	35.307	22.93	74.8	23.20	74.8	1	Midnight.			
	35.307	22.91	74.6	23.26	74.7	G	1 12 a. m.			
10				23.38		G	2 12 ,,			
11	34.895	23.02	74.0		74.6	G	3 12 ,,			
12	35.787	23.00	73.8	23.44	74.5	G	4 12 ,,			
13	35.375	22.98	73.5	23.69	74.3	C	5 12 ,,			
14	35.170	23.20	73.0	23.71	73.9	C	6 12 ",			
15	35.787	23.39	71.9	23.75	73.2	c	7 10			
16	35.787	23.54	72.2	23.98	73.1	c	0 10			
17	35.856	23.60	73.5	23.20	73.5	D	0.19			
	34.484	23.60	74.7	22.75	74.2	D	10.10			
18		23.45		22.30	75.5	1 1	10 12 ,,			
19	33.455		77.2	22.20		D	11 12 ,,			
20	33.798	23.20	78.9		75.8	D	Noon.			
21	34.484	22.95	79.7	22.20	77.7	G	1 12 p. m.			
22	34.964	22.72	80.4	22.28	78.9	G	2 12 ,,			
23	35.924	22.50	80.7	22.10	79.6	G	3 12 ,,			
FBB. 25TH-Noon.	36.267	22.45	80.6	22.10	80.0	G	4 12 ,,			
1	35.993	22.49	79.9	22.10	80.3	c	· 5 10 ~			
2	35.581	22.50	78.6	22.32	79.3	c	£ 10 "			
3	35.581	22.59	77.8	22.60	78.7	c	7 10			
	35.444		77.2	22.80	77.9		0 10 "			
4		22.70		22.60		C	8 12 ,,			
5	35.170	23.00	76.8		77.4	D	9 12 ,,			
6	35.513	22.65	76·1	22.80	77.0	D	10 12 ,,			
7	34.847	22.70	76.1	23.00	76.9	D	11 12			
8	35.513	22.90	75.8	23.15	76.3	D	Midnight.			
9	35.238	22.97	75.6	23.20	76.0	G	1 12 a. m.			
10 _	35.032	23.16	75.0	23.20	75.5	G	0.10			
10 - [35.650	23.25	74.5	23.34	75.3	G	2 12 ,, 3 12 ,,			

	DAILY	OBSERVATION	IS, FROM 25	отн то 27тн F	EBRUARY 1	864.	
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	ers.	DATE.
Göttingen Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	ester. Scale Readings Uncorrected.	Force Magne- tometer.	Observers.	Bombay Civil Time. 1864.
h.							h. m.
Feb. 25тн—12	35/101	23.25	74°4	23.40	75 °0	G	4 12 a. m.
13	34.278	23.30	74.0	23.46	74.9	C	5 12 ,,
14	35.513	23.35	73.9	23.80	74.7	C	6 12 ,,
15	36.404	23.19	74.2	24.13	74.7	C	7. 12 ,,
16	36.542	23.20	75.1	24.19	74.9	C	8 12 ,,
17	36.542	23-35	76·9	23.60	75.4	D	9 12 ,,
18	36.542	23.30	78.1	23.05	75.9	D	10 12 ,,
19	35.513	23.25	79.1	22.70	76.5	D	11 12 ,,
20	34.484	23.25	7 9.5	22.70	77.8	D	Noon.
21	33.935	23.05	80.0	22.50	78.7	G	1 12 p. m.
22	33.935	22.85	80.9	22.50	79.6	G	2 12',,
23	34.484	22.65	81.8	22-44	80.7	G	3 12 ,,
FEB. 26TH-Noon.	35.101	22.46	81.8	22.48	81.2	G	4 12 ,,
1	35.581	22.27	80.9	22.50	81.7	C	5 12 ,,
2	35.444	22.48	79.9	22.79	80.5	C	6 12 ,,
3	35.238	22.46	79.1	23.04	79-8	c	7 10 "
4	35.170	22.49	78.6	23.12	79.1	c	0 10
5	34.847	22.70	78.8	23-30	78.7	D	0.19
6	35.170	22.40	78.1	23.20	78.0	D	10 19 "
7	34.895	22.80	78.0	23.50	77.5	D	11 12 ,,
8	35.170	22.90	77.5	23-50	76.9	D	Midnight.
9	34.484	22.95	77.3	23.60	76.8	_	1 12 a. m.
10	34.484	22.83	77.2	23.40	76.8 76.8	G	2 12
ii	34.552	22.99	77.1	23.59	76.8	G	, , , , , , , , , , , , , , , , , , , ,
12	34.072	22.99	76.8	23.63	76.8	C	3 12 ,,
13	33.866	23.20	76.4	23.80	76.3	C	4 12 ,,
14	34.847	23.15	76.2	23.80		D	5 12 ,,
15	35.513	23.10	76.2 76.4	23.60	75.9	D	6 12 ,,
16	36.267	23.30		t e	76.0	G	7 12 ,,
		N	77.0	23.90	76.4	G	8 12 ,,
17	36-610	23.49	78.4	23.35	77.4	C	9 12 ,,
18	35.718	23.51	79.4	22.96	78.3	С	10 12 ,,
19	34.621	23-55	80.7	22.41	79.2	D	11 12 ,,
20	33.866	23.19	81.0	22.15	80.0	D	Noon.
21	33.317	22.95	81.2	22.16	80.3	G	1 12 p. m.
22	33.112	22.62	81.3	22.18	80.5	G	2 12 ,,
23	33.660	22-38	81.2	22.32	81.5	C	3 12 ,,
FEB. 27TH-Noon.	33.866	22.25	80.9	22,45	81.8	c	4 12 ,,
1	34·141	22.29	80.0	22.70	81.5	D	5 12 ,,
. 2	34.847	22-20	79.1	23-00	81.0	D	6 12 ,,
3	35.375	22.35	78.5	23.25	79.2	G	7 12 ",
4	35.101	22.50	78.2	23.50	78.7	G	8 12 ,,
5	35.375	22.49	77.4	23.43	78.4	C	9 12 ,,
6	35.307	22.65	77.2	23.51	78.1	c	10 12 ,,
7	35.238	22.50	77.0	23.70	78.0	D	11 12 ,,
8	35.170	22.75	77.1	23.65	78.1	D	Midnight.
9	35.375	22.65	77.2	23.54	77.0	G	1 12 a. m.
10	35.170	22.70	77.0	23.65	77.0	G	2 12 ,,
11	35.101	22.75	77.0	23.60	76.9	G	2 10 "
12	34.552	22.81	76.7	23.60	76.8	G	4 10
13	34.484	22.94	76.2	23.70	76.7	C	F 10
14	34.346	23.09	75.8	23.80	76.5	C	e 10
15	35.238	23.17	75.2	23. 98	76.0		6 10
16	36.679	23.48	75.2 75.6	24.00	76.0	C.	0.10
17	37.914	23.63	76.4	23.55	76.5	C	0.10
18	37.571	23.80	77.2	23.10	77.0	D	10.10
19	36.199	23.83	77.9	23.10 22.60	77.3	D	10 12 ,,
	34.48 4	23.55			77.5	D	11 12 ,,
20			78.0	22.50		D	Noon.
21	32.974	23.24	78.4	22.50	78.0	G	1 12 p. m.
22	33.798	22.99	78.8	22.70	78.7	G	2 12',,
23	34.415	22.70	78.6	22.90	78.6	G	3 12 ,,

6—1864.

DAILY OBSERVATIONS, FROM 29th FEBRUARY to 2nd MARCH 1864.							
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	* DATE. Bombay
Göttingen			Force Magne-		Force Magne-	, <u>ş</u>	Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	ō	1864.
h.		00.00		02.07	#0°0		h. m.
Fвв. 29тн-Noon.	36′199	22.20	79:0	23.07	78*8	C	4 12 p. m.
1	36.199	22.23	78.3	23.05	78.8	С	5 12,
2	35.375	22.49	77.3	23.16	78.2	С	6 12 ,,
. 3	35.170	22.57	76.9	23.38	77.8	С	7 12 ,,
4	35.170	22.74	76.5	23.49	77.4	C	8 12 ,,
5	35.037	22.55	76.2	23.65	76.8	В	9 12 ,,
6	35.399	22.45	75.5	23.85	76.2	В	10 12 ,,
7	36.130	22.40	75. 0	23.95	75.6	В	11 12 ,,
8	36.267	22.25	74.5	24.00	75.3	В	Midnight.
9	36.130	22.60	74.3	24.02	75.0	G	1 12 a.m.
10	36.130	22.75	73.8	24.15	74.9	G	2 12 ,,
11	36.542	23.00	73.5	24.25	74.5	G	3 12 ,,
12	35.993	22.95	73.5	24-30	74.2	G	4 12 ,,
13	35.375	23.10	73.2	24.17	73.9	C	5 12 ,,
14	35.170	23.07	73.0	24.15	73.7	C	6 12 ,,
15	35.513	23.08	73.2	24.60	73.7	C	7 12 ,,
16	36.061	23.20	74.3	24.45	74.0	c	8 12 ,,
17	36.542	23.35	75.6	24.15	74.6	G	9 12 ,,
18	35.856	23.41	76.8	23.80	75.3	G	10 19 "
18	35.101	23.34	78.0	23.24	76.6	G	11 10 "
	35.170	23.05	80.4	23.00	78.5	G	Noon.
20		22.73		22.85	79.1	В	1 12 p. m.
21	35.650	22.73	81.4	22.70	79.8		2 12 p. tu.
22	35.993		81.6	22.65	80.7	В	0.10
23	36.473	22.25	82.2	22.00	50.7	В	3 12 ,,
M L - Noon	36.610	22.12	82.2	22.50	81.5	В	4 12 ,,
MAR. 1st-Noon.	36.061	22.05	81.8	22.50	81.5	G	5 19 "
1	35.513	22,00		22:70	81.0	_	6 19 "
2	35.718	22.00	81.0	23.00	80.2	G	7 19
3	35.581	21.90	80.2	23.10	80.0	G	8 12 "
4		21.90	80.0	23.20	79.5	G	9 12 "
5	35.581		79.3	23.36	79.5 79·1	C	1 - " "
6	35.375	22.00	78.9	23.39	78.9	C	10 12 ,,
7	35.238	22.08	78.6			C	M: 3-: 14
8	35.170	22.27	78.4	23.50	78.5	C	Midnight.
9	35-032	22.35	78.2	23.62	78.2	В	1 12 a. m·
10	35.170	22.46	77.9	23.70	77.8	В	2 12 ,,
11	35.032	22.53	77.7	23.75	77.7	В	3 12 ,,
12	35.032	22.48	77.7	23.75	77.7	В	4 12 ,,
13	35.032	22.49	77.6	23.84	77.4	G	5 12 ,,
14	34.964	22.50	77.5	23.90	77.0	G	6 12 ,,
15	<i>35</i> .718	22.50	77.5	24.00	77.2	G	7 12 ,,
16	36.885	22.67	78.4	23.84	77.4	G	8 12 ,,
17	37.159	22.79	79.4	23.65	78.1	C	9 12 "
18	36-816	22.88	80.3	23.36	79.0	C	10 12 ,,
19	35.993	22.88	81.1	22.96	79.5	C	11 12 ,,
20	35.718	22.85	82.0	22.66	80.6	C	Noon.
21	35.718	22.71	82.5	22.50	81.3	В	1 12 p.m.
22	36.199	22.61	83.0	22.40	81.8	В	2 12
23	35.650	22.35	83.3	22.30	82.4	В	3 12 ,,
MAR. 2nd-Noon.	35.444	22.14	83.3	22.30	82.8	В	4 12 ,,
1	35.238	22.00	82.9	22.40	83.0	G	5 12 ,,
2	34.964	22.00	82.1	22.58	82.3	G	6 12 "
3	35.101	22 .01	81.1	22.80	81.6	G	7 12 ,,
4	34.964	22.12	80.7	23.00	81.0	G	8 12 ,,
5	35.101	22.20	80.2	22.97	80.7	С	9 12 ,.
6	34.827	22.34	79.6	23.08	80.4	C	10 12 ,,
7	34.895	22.31	79.3	23.20	80.0	c	11 12 ,,
8	34.758	22.48	79.0	23.34	79.5	C	Midnight.
l l	35.032	22.48 22.50	78.5	23.30	79.0	B	1 12 a. m.
9	34.827	22.55 22.55	78.2	23.50	79.0 78.7		2 12 ,,
10						В	3 12 "
11	34,621	22.75	77.7	23.55	78.2	В	J 12 ,,

		1			1		
DATE.	_	Horizontal Force Magneto-	Thermometer	Vertical Force Magneto-	Thermometer	Observers.	DATE.
Göttingen	Eastern	meter.	of Horizontal	meter.	of Vertical	rve	Bombay
Mean Time.	Declination.	Scale Readings	Force Magne- tometer.	Scale Readings	Force Magne- tometer.	pse	Civil Time.
1864.	20011111011	Uncorrected.	wineset.	Uncorrected.	10110101	ō	1864.
h.							h. m.
Mar. 2nd—12	344758	22.80	77:6	23.65	78°2	·B	4 12 a. m.
13	34.621	22.83	77.4	23.68	77.9	G	5 12 ,,
14	34.552	22.87	77.2	23.70	77.8	G	6 12 ,,
. 15	35.718	2 2.80	77.2	23.78	77.2	G	7 12 ,,
16	36•199	22.87	77.8	23.70	77.5	G	8 12 ,,
17	36.542	22.93	78.4	23.45	78.0	C	9 12 ,,
18	36.267	23.04	79.4	23.05	78-6	C	10 12 ,,
19	35-375	22.98	80.1	22.72	79.2	C	11 12 ,,
20	34.689	22.87	80.6	22.70	80.0	C	Noon."
21	35.032	22.72	80.6	22.80	80-2	В	1 12 p. m.
22	35.307	22.55	81.3	22.75	80.5	В	ดาด
23	35.101	22.31	81.6	22.50	81.1	В	2 10 "
25	30.101	22.01	01.0	22.00	• • •	В	J 12 ,,
MAR. 3RD-Noon.	34.758	22.28	81.6	22.50	81.6	В	4 12 ,,
AR. URD-ITTOIL	34.758	22.32	81.2	22.50	81.5	G	5 12 ,,
2	34.415	22.35	80.4	22.86	81.0	G	6 19
3		22.40	80. 4 80.0	23.00	80.5	G	7 19 "
3	34.758	22.52		23.00	80.2		Q 19 "
4	34.327	22.45	79.4	23.11	80.2 80·0	G	0.19 "
5	34.964	1	79.0	23.11	79.6	C	
6	34.895	22.57	78.6			C	10 12 ,,
7	35.170	22.57	78.1	23-40	79.3	C	11 12 ,,
8	34.895	22.65	77.6	23.43	79-1	C	Midnight.
9	35.170	22.66	77-1	23.45	78.2	В	l 12 a. m.
10	35.101	22.85	76.6	23.55	77.7	В	2 12 ,,
11	34.621	22.95	76.4	23.48	77.5	В	3 12 "
12	34.552	22.90	76.5	23.60	77.3	В	4 12 ,,
13	34.278	22.90	77.2	23.72	77.0	G	5 12 ,,
14	34.621	22.95	77.0	23.73	77.0	G	6 19 "
15	34.758	22.93	76.8	23-73	77.1	G	7 19 "
16	35.718	23.00	77.0	23-80	77.1	G	Ω 10
	35-924	23.13	78.2	23.52	77.9	C	0.19
17	35.993	23.00	79.3	23.15	78.5		10 19 "
18		23.05		22.65	79.5	C	11 12 "
19	34.895	23.85 22.85	80.7	22.51	80.2	C	Noon
20	34.346		81.4			С	Noon.
21	34.621	22.71	82.2	22.65	80-7	В	1 12 p. m.
22	35.032	22.45	83.0	22-55	81.5	В	2 12',,
23	35.513	22.28	83-0	22-45	82.3	В	3 12 ,,
	06.610	22.21	90.0	22.35	82.6	_	4 10
IAR. 4TH-Noon.	35.513		83.0			В	4 12 ,,
1	35.375	22.12	82.7	22.39	83.0	G	5 12 ,,
2	34.964	22.15	81.9	22.54	82.9	G	6 12 ,,
3	35 ·101	22.15	81.2	22.80	82.1	G	7 12 ,,
4	35.307	22.10	81.0	22.90	81.5	G	8 12 ,,
5	35.17 0	22.13	80.6	23.00	81.1	C	9 12 ,,
6	35.513	21.95	80.4	23.07	80.8	C	10 12 "
7	35.513	21.88	80.2	23.25	80.6	C	11 12
8	35.650	21.85	80.0	23.30	80.3	C	Midnight.
9	35.650	22.05	79.5	23.40	80•0	В	1 12 a. m.
10	35.513	22.08	79.0	23.55	7 9.6	В	2 12 ,,
11	35-238	22.28	78.4	23.60	79.1	В	2 10 "
	35-170	22.35	78.4	23.70	78.7	В	4 10
12		22.30		23.86	78.5		• • • • •
13.	35.101	22.65	78.2	23.86	78.5 78.4	G	0.10
14	35.238		77.9			G	6 12 ,,
15	35.307	22.66	77.2	23.70	78.0	G	7 12 ,,
16	36.610	22.95	77.8	23.70	78-1	G	8 12 ,,
17	37.159	23.10	78.9	23.36	79.0	C	9 12 "
18	36.473	23.20	80.8	22.79	80.2	C	10 12 ,,
19	35.170	23.42	82.7	22.10	82.0	C	11 12 ,,
20	34.621	23.08	85.0	22.09	83.1	C	Noon.
21	35.307	22.35	85.3	22.30	83.5	В	1 12 p. m.
22	35.718	22.05	85.5	22.35	84.4	В	
24	OF 110	21.52		22.30	85.0	₽	2 12 ,, 3 12 ,,

	DAIL	Y OBSERVATI	ONS, FROM	6тн то 8тн Л	IARCH 1864.	,	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time
18C4.	Decimation.	Scale Readings Uncorrected.	wineter.	Scale Readings Uncorrected.	tometer.	0	1864.
h.	0.5/000	01.00	9690	00.00	0594	G	h. m. 4 12 p. m.
MAR. 6TH-Noon.	35/238	21.20 20.83	86°0 85.2	22.20 22.30	85°4 85-5	G	K 19
1	35-513	21.05	84.1	22.48	84.7	G	6 19
$\begin{bmatrix} 2 \\ 3 \end{bmatrix}$	36.964 35.718	21.15	83.7	23.00	84.0	G	7 19
4	35.718 35.307	21.15	83.0	22.96	83.5	G	Q 19 ″
5	35.170	21.20	82.4	22.75	83.2	c	0.19
6	35.101	21.23	82.1	22.66	83.0	C	10 12 ,,
7	36.610	20.81	82.0	22.93	82.7	C	11 12
8	36.267	20.91	82.0	22.93	82.5	c	Midnight.
9	35.718	21.15	81.6	22.85	82.1	В	1 12 a. m.
10	35.513	21.50	81.2	23.00	81.5	В	2 12 ,,
11	35.650	21.35	81.3	23.10	81.5	В	3 12 ",
12	35.513	21.37	81.2	23.15	81.3	В	4 12 ",
13	35.787	21.50	81.0	23.20	81.1	G	5 12 ,,
14	35.99 3	21.57	80.6	23.36	81.0	G	6 12 ,,
15	36.336	21.55	80.0	23.24	80.5	G	7 12 ",
16	36.885	21.60	81.0	23.00	80.7	G	8 12 ,,
17	36.542	21.93	82.0	22.70	81.4	c	9 12 ,,
18	35.718	21.75	83.0	22.26	82.2	c	10 12 ,,
19	34.827	21.61	84.1	22.11	83.0	c	11 12 ,,
20	34.278	21.28	85.3	22.00	84.5	c	Noon.
21	34.141	20.90	86.2	22.25	84.6	В	l 12 p. m.
. 22	34.552	20.68	86.9 '	22.20	85.3	В	2 12,
23	34.964	20.48	87.3	22.15	86.2	В	3 12 ,,
Mar. 7 _{TH} -Noon.	35.307	20.43	86.5	22.22	86.3	_	4 12 ,,
MAR. 7TH-110011.	35.787	20.70	85.7	22.30	85.8	B G	5 10
2	35.170	20.42	85.0	22.50	85.2	G	6 19 "
3	35.101	20.42	84.4	22.68	84.8	G	7 19 "
4	35.307	20.35	84.0	22.96	84.3	G	Q 19
5	35.307	20.50	83-9	23.00	83.8	C	0.19
6	35.650	20.88	83.5	23.26	83.3	C	10 12 ,,
7	35.924	20.89	83.1	23.26	83.0	C	11 12 ",
8	35.924	20.89	82.7	23.20	82.9	C	Midnight.
9	35.718	21.07	82.5	23.20	82.5	В	1 12 a. m.
10	35-856	21.08	82.5	23.25	82.5	В	2 12 ,,
11	35.993	21.18	82.5	23.25	82.5	В	3 12 ,,
12	35.718	21.05	82.1	23.22	82.4	В	4 12 ,,
13	35.924	21.25	81.5	23.34	82.2	G	5 12 ", .
14	35.993	21.60	81.3	23.40	82.0	G	6 12 ,,
15	36-199	21.55	81.0	22.45	81.7	G	7 12 ,,
16	35.787	21.89	81.5	22.00	81.6	G	8 12 ,,
17	35.856	22.14	82.8	21.75	82.5	C	9 12 ,,
18	35.307	22.28	83.4	21.57	83.0	C	10 12 ,,
19	34.209	22.28	84.2	21.40	83-4	'C	11 12 ,,
20	33.249	21.99	84.3	21.40	83.6	C	Noon.,,
21	33.935	21.71	84.3	21.70	83.6	В	1 12 թ. տ.
22	34.484	21.51	84.3	21.78	84.0	В	2 12 ,,
23	35.101	21.28	84.3	21.80	84.4	В	3 12 ,,
M.n. Omer No.	25 101	21.28	84.0	21.60	84.5	В	4 12 ,,
MAR. 8TH-Noon.	35.101 34.484	21.25	83.7	21.50	84.9	G	5 19 °
$\frac{1}{2}$	34.484 34.415	21.25 21.35	82.6	21:80	83.8	G	<i>a</i> 10
	34.415 35.101	21.35	82.0	21.90	83.4	G	7 10
3		21.47	81.8	22.00	82.8	G	0 10
4	34.895	21.55	81.3	22.15	82.5	C	0.10
5 6	34.758 34.758	21.61	81.0	22.17	82.1	c	10 10 "
	35.032	21.63	80.9	22.60	82.0	c	10 12 ,, 11 12 ,,
7 0	35.032 35.101	21.59	80.9	22.90 22.90	81.7	c	Midnight.
8 9	34.984	21.59	80.7	23.00	81.4	В	1 12 a. m.
	34.984 34.758	21.50	80.7	23.05	81-1	В	0.10
10			80.1	23.05	80.6	1	3 12 ,,
11	35.032	21.82	1 8U.1	23.05	0.00	В	J 14 ,,

5				1	j 1	,	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	vers.	DATE. Bombay
Mean Time.	Declination.	Scale Readings Unorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne - tometer.	Observers.	Civil Time. 1864.
h. Мак. 8тн—12	34:484	22.00	79:6	23.00	80*3	В	h. m. 4 12 a. m.
MAR. 61H—12	34.827	21.50	79.4	23.00	80-0	G	5 19
14	34.621	22.15	790	23.30	79.8	G	6 19 "
15	34.484	22.35	79.0	23.50	79.5	G	7 12 ",
16	36.679	22.60	79.5	23.50	79-7	G	8 12 ",
17	37.433	22.89	80.5	23.01	80.4	c	9 12 ",
18	37.022	23.05	81.6	22.54	81.0	c	10 12 ,,
19	35.238	23.00	82.0	22.36	81.3	c	11 12
20	34.141	22.72	82.5	22.26	82.0	c	Noon.
21	33.660	22.35	83-0	22.40	82.1	N	1 12 p. m.
22	34.484	22.00	83.5	22.50	82.8	N	2 12 ,,
23	34-621	21.64	83.2	22.32	83.2	N	3 12 ",
Mar. 9th-Noon.	34.895	21.07	83.0	22.25	83.6	N	4 12 "
. 1	34.346	21.30	82.5	22.30	83.2	G	5 12 ,,
2	34.278 34.690	21.50	81.8	22·50	82.8	G	6 12 ,,
3	34.689	21.70	81.0	22.76	82.5	G	7 12 ,
4	34.689	21.75	80.8	22.90	81.5 81.2	G	8 12 ,,
5	34.552 35.101	21.80	80-2	23.00 93.19	81.2 80.6	C	9 12 ,,
6	35.101 35.444	21.84	79.9 79.5	23.12 23.25	80.0 80.0	C	10 12 ,, 11 12
7	35·444 35.238	21.84	79.5 79.3	23.25 23.26	80.2	c	Midnight.
8	35.238 35.718	21.77	79.3 79.0	23.20 23.22	80.0	C	l 12 a.m.
9	35.718 35.718	21.64 21.88	79.0 79.0	23.23	79.7	N	9 10
10	35.718 35.238	21.90	79.0 78.5	23.23 23.18	79.7 79.2	N	2 19 "
11	35.170	22.05	78.2	23.29	79.0	N	4 19
12	34.895	22.05	78.0	23.31	78.7	G	£ 10 "
13	35.375	22.20	77.1	23.45	78.5	G	6 19 "
14	35,8 <i>5</i> 6	22.35	77.0	23.72	78.0	G	7 19 "
15 16	36.061	22.80	77.9	23.35	78.2	G	9 19 "
17	36.679	22.91	79.3	22.94	79.0	c	0 19 "
18	35.993	23.07	80.0	22-46	80.0	c	10 12 ,,
19	34.552	23.08	81.0	22.16	80.6	c	11 12 ,,
20	33-180	22.83	81.6	22.11	81.1	c	Noon.
21	33.798	22.45	82.0	22 ·61	81.2	N	1 12 p. m.
22	34.964	22.23	82.2	22.78	82.0	N	2 12',
23	35.238	22-00	82.0	22.70	82.2	N	3 12 ",
IAR. 10TH-Noon.	35.787	21.40	82.0	22.60	82.5	N	4 12 ,,
1	36.267	20.85	81.4	22.54	82.5	G	5 12 ,,
2	34.895	20.95	80.7	22.50	82.0	G.	6 12 ,,
3	35.307	21.05	80.0	22.68	81.1	G	7 12 ,,
4	35.238	20.75	79-8	23.00	80.9	G	8 12 ,,
5	34.827	21.35	79.4	23.00 23.06	80.5 80.2	C	9 12 ,, 10 12 ,,
6	35.513	21.10	79.2	23.06 23.26	80.2 80-0	C	10 12 ,,
7	35.787 ac 995	21.00	79.2 79.0	23.26 23.33	79.6	C	II IZ ,, Midniaha
8	36.885 36.473	20.73	79.0 78.3	23.33 23.40	79.0 79.0	N	Midnight. 1 12 a.m.
9	36.473 36.670	21.11	78.3 78.2	23.40 23.56	79.0 78.8	N	0.10
10	36.679 27.433	21.70	78.2 77.9	23.50 23.55	78.2	N	2 10
11	37.433 27.014	21.52	77.5	23.40	78.2 78.0	N	4 10
12	37.914	21.48 21.25	77.1	23.40 23.40	77.7	G	- 10
13	37.228 27.571	21.45	77.1 76.5	23.40 23.65	77.7 77.2	G	£ 10
14	37-571 36.542	22.04	76.0	23.60 23.50	77.0	G	# 10 °
15		22.04	76.8	23-50 23-50	77.0	G	0 10
16	37.022	21.82	78.3	23.42	78.0	C	0.10
17	37·228 35.581	21.90	79.8	23.42 22.75	78.8	c	10 10
18	35.561 34.484	21.90	80.7	22.55	79.8	c	10 12 ,,
19.	34.209	21.92	81.2	22.5 4	80·3	C	Noon."
20	35.170	21.00	81.9	22.70	81·5	D	1 12 p. m.
21		20.81	82.0	22.60	82.3	D	2 12 ,,
22	36.885	2017/21	1 04.0	22.14)	04.0	י ע	<i>u</i>

	- Dilli	ODSERVATIO	MO, PROM	Пти то 14ти	MAINON 1004	•• 	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne- tometer.	Open	Civil Time. 1864.
h. Mar. 11th-Noon.	364885	21.00	62°3	22.40	82*8	D	h. m. 4 12 p. m.
1	35.650	21.01	81.7	22.40	82.2	G	5 12 ,,
2	35.581	21.35	80.8	22.64	81.6	. G	6 12 ,, 7 12
3	35-650	21.50	80.0	23.00	80.7	G	9 19
4 5	35.924	21.70	79.7	23.05	80.0	G	0.19 "
6	35.787	21.69 21.26	79.2	23.11 23.28	7 9.8 7 9.6	c c	1A 19 "
7	36.199 35.993	21.20	78.9 78.3	23.33	79.0 79.3	c	11 12
8	36·199	21.75	77.6	23.38	· 79.0	c	Midnight.
9	36.542	21.70	77.5	23.30	78.7	D	l 12 a.m.
10	36.542	22.00	77.4	23.30	78.5	D	2 12 ,,
11	35.170	22.10	77.6	23.35	78.1	D	3 12 ,,
12	35.856	22.00	77.4	23.40	77.8	D	4 12 ,,
13	36.199	21.75	77.0	23.48	77.4	G	5 12 ,,
14	35.924	21.95	76.8	23.50	77.0	G	6 12 ,,
15	36.679	22.40	76.2	23.50	76.8	G	7 12 ,, . 8 12 ,,
16 17	37.228	22.60	76.7	23.46	77.0	G	0.19 "
18	36.199 35.170	22.65 22.70	78.0	23.09 22.69	78·0 78·7	C	10 19 "
19	35.170 34.003	22.70	79.0 80.0	22.37	79.2	C	11 19 "
20	33.249	22.48	80.6	22.44	79.8	C C	Noon.
21	33.455	21.80	81.3	22.50	80.4	D	1 12 p. m.
22	34.484	21.60	81.4	22.70	81.2	D	2 12',
23	35.170	21.45	81.9	22.50	81.5	D	3 12 ,,
Mar.13th-Noon.	34.758	22.12	81.2	22.50	81.2	G	4 12 ,,
1	34.827	22.05	80.8	22.50	81.0	G	5 12 ,,
2	35.513	21.93	80.2	22.77	80.7	G	6 12 ,,
3	35. <i>5</i> 81	21.75	79-1	22.95	80.0	G	7 12 ,,
4	35.581	21.95	78.7	23.10	79.6	G ·	8 12 ,,
5	35.993	21.80	78.6	23.11	79.3	C	9 12 ,, 10 12
6 7	36.130 35.375	21.66 22.02	78.2 78.1	23.15 23.15	79.0 78.9	C	11 19 "
. 8	35.575 35.581	22.15	78.0	23.36	78.8	C C	Midnight.
9	35.513	22.20	77.8	23.40	77.5	D	1 12 a. m.
10	35.170	22.35	77.7	23.50	77.4	D	2 12 ,,
11	35.513	22.35	77.7	23.30	77.2	D	3 12 ,,
12	35.238	22.35	77.5	23.50	77.2	D	4 12 ,,
13	35.375	22.32	77.3	23.54	77.0	G	5 12 ,,
14	35.307	22.45	77.0	23.60	77.0	G	6 12 ,,
15	36.199	22.46	76.8	23.65	77.0	G	7 12 ,,
16	37.090	22.65 22.82	77.4	23.54	77.5	G	8 12 ,, 9 12 ,,
17	37·296 36.336	22.82 22.86	78.6 79.3	23.26 22.75	78.0 79.0	C	10 10 "
18 19	36.336 35.170	22.87	80.5	22.75 22.42	79.0 79.6	C	11 10
20	34.072	22.69	81.0	22.42	80.2	C	Noon.
21	35.513	22.50	81.4	22.40	80.9	D	1 12 p. m.
22	34.484	22.25	81.9	22.70	81.6	D	2 12 ,,
23	35.513	22.05	82.0	22.70	82-2	D	3 12 ,,
Mar.14th-Noon.	35.513	21.85	81.9	22.50	82.8	D	4 12 "
1	35.375	21.91	81.3	22.50	82.0	G	5 12 ,,
2	34.827	21.85	80.9	22.58	81-4	G	6 12 ,,
3	35.101	21.85	80.2	22.90	81.0	G	7 12 ,,
4	35.101	21.95	80.0	23.00	80.8	G	8 12 ,,
5	35.307	21.75	79.5	23.05	80.5	C	9 12 ,,
6	35.307	21.95	79.3	23.08	80.2	C	10 12 ,,
7	35.513	22.01 22.00	79.1	23.12	80.0 79.7	C	11 12 ,, Midnight
8 9	35.581 35.718	22.00 22.15	78.8 78.7	23.20 23.20	79.7 79.2	C D	Midnight. 1 12 a. m.
10	35.718 35.032	22.15 22.45	78.7 78.8	23.20 23.20	. 79.2	D	0.10
10	34.895	22.35	78.6	23.20	78.8	D	2 12 ,, 3 12 ,,

	DAIL	Y OBSERVATI	ONS, FROM	14тн то 16тн	MARCH 18	64.	•
DATE. Göttingen Mean Time. 1864.	Bastern Declination.	Horizontal Force Magneto- meter. Reale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time: 1864.
h.	0.000	00.25		. 00.05	78*5		h. m. · 4 12 a. m.
MAR. 14TH-12	354032	22.35	78:1	23.25		D	F 10
13	35.101	22.40	78.0	23.38	78.3	G	
14	35.513	22.44	77.8	23.50	78·1	G	6 12 ,,
15	36.199	22.45	77.8	23.60	77·3	, G	7 12 ,,
16	37.433	22.61	78.8	23.50	78.2	G	8 12 ,,
17	37.914	22.78	79.8	23.16	79.4	C	9 12 ,,
18	37.022	22.80	80.5	22.69	80.0	C	10 12 ,,
19	35·3 7 5	22.84	81.3	22.30	80.8	C	11 12 ,,
20	34.552	22.65	81.7	22.36	81.3	C	Noon.
21	34.758	22.51	82.1	22.55	81.8	D	1 12 p. m.
2 2	35.238	22.25	82.2	22.78	82.5	D	2 12 ,,
23	35.787	22.05	82.3	22.50	82.8	D	3 12 "
Mar. 15th-Noon.	35.681	22.00	81.9	22.50	82.3	Д	4 12 "
1	35.032	21.85	81.2	22.40	82.0	G	5 12 ,,
2	35.307	22.00	80.8	22.65	81.5	G	6 12 ,,
3	34.827	22.05	80.5	22.80	81.0	G	7 12 ,,
4	34.964	22.14	80.0	23.00	80.9	G	8 12 ,,
5	35.238	22.05	79.8	23.00	80.7	Č	9 12 ",
6	35.170	22.08 22.08	79.7	23.07	80.4	c	10 12 ,,
7	35.513	22.09	79.5	23.17	80.2	c	11 12 "
	35.856	22.06	79.3 79.2	23.26	80.0	c	Midnight.
8	35.513	22.20 22.20		23.20	79-7		1 12 a. m.
9		22.20 22.20	79.0		79.1	D	0.10
10	35.238		79.1	23.30	79.1 78.8	D	3 12 ,,
11	35.170	22.10	79.0	23.15	78.7	D	
12	34.827	22.20	78.9	23.10		D	4 12 ,,
13	34.895	22.30	78.6	23.10	78.5	G	5 12 ,,
14	35.238	22.26	78.4	23.42	79.0	G	6 12 ,,
15	35.924	22.35	78.5 .	23.40	78.8	G	7 12 ,,
16	36.473	22.54	79.2	23.38	79.1	G	8 12 ,,
17	36.473	22.63	80.0	23.02	79.6	C	9 12 ,,
18	36.473	22.85	80.8	22.77 ·	80.4	C	10 12 ,,
. 19	35.170	22.83	81.5	22.5l	81.0	C	11_12 ,,
20	34.209	22.5 5	82.2	22.50	. 81.5	Ċ	Noon.
21	34.827	22.05	82.7	22.50	81.8	D	1 12 p.m.
22	35.856	21.85	83.0	22.50	82.5	D	2 12 ,,
23	35-856	21.90	83.1	. 22.35	83.4	D	3 12 ,,
Mar. 16th-Noon.	35.924	21.85	82.9	22.20	83.9	D	4 12 "
1	35.513	21.79	82.2	22.30	83.0	G	5 12 ",
2	35.513	' 21.62	81.7	22.60	82.8	G	6 12 ",
3	35.581	21.60	81.3	22.60	82.0	G	7 12 ",
. 4	35.856	21.75	81.0	22.90	81.6	G	8 12 ",
5.	35.718	21.67	80.9	23.00	81.6	c	0.19
6	35.444	21.72	80.6	23.00	81.3	c	10 10 "
7	35.581	21.79	80.4	23.07	81.1	c	10 12 ,,
. 8	35.718	21.93	80.0	23.11	80.7	c	Midnight.
9	35.513	22.05	79.4	23.20	80.4	D	1 12 a.m.
10	35.170	22.10	79.4	23.15	79.8	D	0 10
	35.238	22.10 22.05	79.3 79.2	23.10	79.5	D	2 10
11	34.827	22.05 22.15			79.3	D	4 19 "
12	35.307	22.15 22.35	79.1	23.10	79.0	1	5 19 °
13	36.061		78.5	23.18	79.0 79.0	G	£ 10 "
14	36.885	22.29	78.0	23.30	79.0 78.5	G	e 10 "
15		22.46	77.7	23.42	79.0	G	7 12 ,
16	36.963	23.07	78.3	23.38		G	8 12 ,,
17	37.022	22.59	79.7	22.95	79.8	С	9 12 ,,
18	36.404	22.65	81.0	22.71	80.6	С	10 12 ,,
19	35.170	22.45	82.0	22.26	81.3	С	11 12 ,,
20.	34.072	22.36	82.8	22.15	82.2	C	Noon.
21	34.141	22.14	83.2	22.10	83.9	D	1 12 p. m.
22	34.484	21.90	83.7	22.10	84.2	D	2 12 ,,
23	35-170	21.89	83.6	22.10	84.3	D	3 12 ,,

·		Y OBSERVAT	TONS, PROM	1/18 TO 20T	- MARKON I	JU1.	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings	Thermometer of Horizontal Force Magnetometer.	Vertical Foce Magneto- meter. Scale Readings	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864.		Uncorrected.		Uncorrected.		0	1004.
h.							h. m.
MAR. 17TH-Noon.	35′238	21.71	83*5	22.00	84.5	D	4 12 p. m.
1	35-307	21.70	83.0	22.00	84.0	G	5 12 ,,
· 2	35.513	21.79	82.7	22.30	83.8	G	6 12 ,,
3	35.032	21.82	82.2	22.46	83.2	G	7 12 ,,
4	35.101	21.90	82.0	22.50	83.0	G	8 12 ,,
5	35.101	21.92	81.7	22.70	82.8	C	9 12 ,,
6	35.032	21.96	81.2	22.72	82.3	C	10 12 ,,
7	35.101	22.09	81.0	22.86	82.0	C	11 12 ,,
8	34.964	22.20	80.7	22.88	81.6	C	Midnight. 1 12 a. m.
9	35.170	22.15	80.4	23-00	81.3	D	2 12
10	35-170	22.30	80.1	22.90	80.9	D	3 12
11	35.170	22.65	80-0	22.80	80.3	D	, ,,
12	35-513	22.40	79.6	22.90	80.1	D	4 12 ,,
13	35.513	22.50	79.3	22.96	80.0	G	5 12 ,,
14	35.993	22.50	78.7	23.10	79.5	G	6 12 ,,
15	36.885	22.40	78.6	23.24	79.4	G	7 12 ,,
16	37.159	22.60	79.2	23.29	79.5	G	8 12 ,,
17	36-610	22.73	80.4	23.00	80.4	C	9 12 ,,
18	35-513	22.73	81.4	22.30	81.1	C	10 12 ,,
19	35.238	22.56	82.2	22.11	81.8	C	11 12 ,,
20	34.346	22.37	82.8	22.07	82-5	C	Noon.
21	35.101	22.05	83.0	22.00	83.4	D	1 12 p. m.
22	35-513	21.65	84.0	22.00	83.9	D	2 12 ,,
23	35-513	21.25	84.1	21.85	84.3	D	3 12 ,,
Mar. 18th-Noon.	35.681	21.00	84.0	21.90	84.7	D	4 12 ,,
1	35.101	21.35	83.4	21.90	85.0	G	5 12 ,,
2	34.964	21.40	82.5	22.02	84.1	G	6 12 ,,
3	35.375	21.35	82.0	22.50	83.6	G	7 12 ,,
4	35.513	21.50	81.7	22.50	82.9	G	8 12 ,,
5	35.101	21.74	81.2	22.50	82.9	С	9 12 ,,
6	35.101	21.87	81.2	22.65	82.6	С	10 12 ,,
7	35.170	21.88	81.2	22.73	82.2	C	11 12 "
8	35.307	21.91	80.8	22.88	81.8	C	Midnight.
9	35.170	22.00	80.2	22.90	81.0	D	1 12 a. m.
10	34.758	22.05	80.0	22.95	80.4	D	2 12 ,,
11	35.170	22.10	79.7	23.00	80.2	D	3 12 ,,
12	34.827	22.20	79.2	23.00	79.7	D	4 12 ,,
13	34.552	22.20	79.0	23.05	80.0	G	5 12 ,,
14	35.718	22.30	78.8	23.35	79.8	G	6 12 ,,
15	36.679	22-30	79.0	23.50	79.5	G	7 12 ,,
16	37.228	22.40	80.0	23.90	79.8	G	8 12 ,,
17	37.776	22.55	81.0	23.00	80.6	c	9 12 ,,
18	36.542	22.59	82.0	22.64	81.3	С	10 12 ,,
19	35.170	22.45	82.2	22.23	82.0	0	11 12
20	34.415	22.35	82.5	22.23	82.6	C	Noon.
21	34.346	• 22-25	83.5	22.10	83.8	D	1 12 p. m.
22	35.101	21.90	84.1	22.00	84.3	D	2 12' ,;
23	35.993	21.15	84.0	22.20	84.7	D	3 12 ,,
Mar. 20th-Noon.	35.170	21-84	83.1	22.26	84.0	c	4 12 ,,
MAR. 20TH-NOON.	35.238	21.75	82.4	22.40	83.2	G	5 12 ,,
2	35.170	21.62	81.8	22.48	82.8	G	6 12 ",
3	35.650	21.60	81.6	22.60	82.3	G	# 10 °
3	35.650	21.50	81.4	22.65	82.0	G	0.10
	35.8 <i>5</i> 6	21.61	81.0	22.70	81.8	c	0.10
5	35.856	21.01	80.5	22.87	81.6	·c	10 10
6	35.856	21.90	80.3	22.83	81.5	c	10 12 ,,
7		21.90	80-3	22.89	81.3	C	Midnight.
8	35.581 25.797		80.0	22.69 22.95	80.8	i	l 12 a.m.
9 10	35.787 35.650	21.95 21.90	79.6	22.95 23.00	80.5	B	2 l2 ,,
IN I	.45 050	: 21.MJ	. /9.0	. 40.W	. 00.43	. н	

Göttingen Mean Time. 1864. h. 1AR. 20TH—12 13 14 15 16 17 18 19 20 21 22 23 lAR. 21st-Noon.	Bastern Declination. 35'238 35-101 35.787 37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798 34.827 35.650 35.032	### Test	79*2 79.0 78.5 78.0 78.4 79.4 80.7 81.7 82.4 83.1 83.5 84.0	23.02 23.10 23.26 22.95 22.80 22.40 22.36 21.69 21.50 21.75 21.75	79*8 79.5 79.0 78.5 79.1 80.1 80.6 81.4 82.2 82.6	a o o o o o o o o o o o o o o o o o o o	Bombay Civil Time. 1864. h. m. 4 12 a. m. 5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,, Noon.
1864. IAR. 20TH—12 13 14 15 16 17 18 19 20 21 22 23 IAR. 21st-Noon.	35'238 35-101 35.787 37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798	21.97 22.05 22.05 22.20 22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	79*2 79.0 78.5 78.0 78.4 79.4 80.7 81.7 82.4 83.1 83.5	23.02 23.10 23.26 22.95 22.80 22.40 22.36 21.69 21.50 21.75	79*8 79.5 79.0 78.5 79.1 80.1 80.6 81.4 82.2	B G G G C C	1864. h. m. 4 12 a. m. 5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,,
IAR. 20TH—12 13 14 15 16 17 18 19 20 21 22 23	35-101 35.787 37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798	22.05 22.05 22.20 22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	79.0 78.5 78.0 78.4 79.4 80.7 81.7 82.4 83.1 83.5	23.10 23.26 22.95 22.80 22.40 22.36 21.69 21.50 21.75	79.5 79.0 78.5 79.1 80.1 80.6 81.4 82.2	G G G C C C	4 12 a. m. 5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,,
14 15 16 17 18 19 20 21 22 23	35-101 35.787 37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798	22.05 22.05 22.20 22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	79.0 78.5 78.0 78.4 79.4 80.7 81.7 82.4 83.1 83.5	23.10 23.26 22.95 22.80 22.40 22.36 21.69 21.50 21.75	79.5 79.0 78.5 79.1 80.1 80.6 81.4 82.2	G G G C C C	5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,,
15 16 17 18 19 20 21 22 23	35.787 37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798	22.05 22.20 22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	78.5 78.0 78.4 79.4 80.7 81.7 82.4 83.1 83.5	23.26 22.95 22.80 22.40 22.36 21.69 21.50 21.75	79.0 78.5 79.1 80.1 80.6 81.4 82.2	G G C C C	6 12 ", 7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ",
16 17 18 19 20 21 22 23	37.022 37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798	22.20 22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	78-0 78.4 79.4 80.7 81.7 82.4 83-1 83-5	22.95 22.80 22.40 22.36 21.69 21.50 21.75	78.5 79.1 80.1 80.6 81.4 82.2	G G C C	7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ",
17 18 19 20 21 22 23	37.914 37.365 37.296 35.581 33.798 32.631 32.906 33.798 34.827 35.650	22.57 22.60 22.89 22.75 22.43 22.17 21.97 21.85	78.4 79.4 80.7 81.7 82.4 83.1 83.5	22.80 22.40 22.36 21.69 21.50 21.75 21.75	79.1 80.1 80.6 81.4 82.2	G C C C C	8 12 ", 9 12 ", 10 12 ", 11 12 ",
18 19 20 21 22 23 1AR. 21st-Noon.	37.365 37.296 35.581 33.798 32.631 32.906 33.798 34.827 35.650	22.60 22.89 22.75 22.43 22.17 21.97 21.85	79.4 80.7 81.7 82.4 83-1 83-5	22.40 22.36 21.69 21.50 21.75 21.75	80.1 80.6 81.4 82.2	C C C	9 12 ", 10 12 ", 11 12 ",
19 20 21 22 23 1AR. 21st-Noon.	37.296 35.581 33.798 32.631 32.906 33.798 34.827 35.650	22.89 22.75 22.43 22.17 21.97 21.85	80.7 81.7 82.4 83-1 83-5	21.69 21.50 21.75 21.75	80.6 81·4 82.2	C C C	10 12 ", 11 12 ",
20 21 22 23 MAR. 21st-Noon.	33.798 32.631 32.906 33.798 34.827 35.650	22.43 22.17 21.97 21.85	82.4 83·1 83·5	21.50 21.75 21.75	82.2	C C	11 12 ,,
21 22 23 1AR. 21st-Noon.	32.631 32.906 33.798 34.827 35.650	22.17 21.97 21.85	83·1 83·5	21.75 21.75			Noon."
22 23 1AR- 21st-Noon.	32.906 33.798 34.827 35.650	21.97 21.85	83-5	21.75	82.6	- Po	
23 AAR- 21st-Noon.	33.798 34.827 35.650	21.85				ן ע	1 12 p. m.
AAR. 21st-Noon.	34.827 35.650		840	21.75	83.3	в	2 12',
1	35.650	21.71	1	j .	83.9	В	3 12 ,,
1 2	35.650		84.0	21.80	84.5	В	4 12
2		21.55	83.6	21.90	84.4	G	5 19 "
		21.70	82.8	22.00	83-5	G	6 12 ,,
3	35.170	21.74	82.2	22.10	83.0	a	7 12 ,,
4	35.170	21.75	81.9	22.30	82.6	G	8 12 ",
5	35.238	21.84	81.5	22.30	82.5	c	9 12 ",
6	35.170	21.88	81.2	22.40	82.2	C	10 12 ,,
7	35.238	21.93	81.0	22.45	82.0	c	11 12 ,,
8	35.238	21.95	80.8	22.45	81.6	c	Midnight.
9	34.964	21.94	80.5	22.50	81.2	В	l 12 a.m.
10	35.307	21.90	80.1	22.45	80.7	в	2 12 ,,
11	35.375	22.00	79.8	22.60	80.5	В	3 12 ,,
12	35.238	22.15	79.5	22.60	80.3	В	4 12 ,,
13	35.170	22.25	79.4	22.68	80.0	G	5 12 "
14	35.650	22.30	79.3	22.80	79.5	G	6 12 ,,
16	36.816	22.49	79.5	22.90	79.5	G	7 12 ,,
17	37.433	22.60	80.0	22.82	80.0	G	8 12 ,,
18	37.228	22.75 22.84	81.0	23.10	80.6	C	9 12 ,,
19	35.787 35.03 2	22.85	82.0	22.40 21.77	81.4 81.8	C	10 12 ,,
20	34.346	22.65 22.75	82.2 82.6	21.77	82.3	C	11 12 ,,
21	33.112	22.31	82.9	21.50	82.6	C	Noon.
22	33.455	21.93	82.9	21.65	83.0	В	1 12 p. m. 2 12 ,,
23	34.278	21.82	82.9	21.78	83.4	B B	3 12 ,,
JAR. 23RD-Noon.	25 512	21.90	90.0	21.85	02.4		4.10
1	35.513 35.30 7	21.85	82.8 82.0	21.85	83.4 83.1	G	4 12 ,,
2	34.631	21.95	81.1	21.80	82·8	0	5 12 ,,
3	34.895	21.96	81.0	22.10	82.5	G G	6 12 ',, 7 12 ',
4	35.170	22.10	80-6	22.38	81.9	G	9 10
5	35.444	22.00	80.1	22.50	81·4	c	0.10
6	35.238	22.07	80.0	22.50	81.0	c	10.10
7	35.238	22.14	79.7	22.59	80.6	c	11 12
8	35.444	22.17	79.5	22.60	80.4	c	Midnight.
9	35.444	22.28	79.4	22.78	80.0	В	1 12 a. m.
10	35.238	22.19	79.1	22.84	79.7	В	2 12 ,,
11	34.964	22.30	78.9	23.00	79.5	G	3 12 ,,
12	35.101	22.35	78.8	23.08	79.2	G	4 12 ,,
. 13	35-238	22.32	78.3	23.01	79.2	c	5 12 ,,
14	35.787	22.34	78.0	23.06	79.0	С	6 12 ,,
15	36.061	22.55	77.6	23.08	78.4	в	7 12 ,,
16	36-336	22.82	77.9	23.00	78.5	В	8 12 "
17	36.473	23.23	79.0	22.94	79.0	G	9 12 ,,
18	36.336	23.30	80.3	22.50	79.8	G	10 12 "
19	35.101	23-29	81.3	21.95	80.5	C	11 12 ,,
20	33.112	23.01	82.0	21.75	81.3	С	Noon.
21	32.974	22.73	82.4	22.00	81.7	В	1 12 p. m.
22 23	34.072 35.238	22.42 22.10	82.5 82.5	22.42 22.50	82.3 80.9	B G	2 12 ,, 3 12 ,,

	DAILY (BSERVATION	IS, FROM 25	тн то 28тн М	ARCH 1864.		
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer	Scale Readings Uncorrected.	tometer.	Obs	1864.
h. Mar. 25th-Noon.	36′542	21.00	83:0	22.20	00%		h. m. 4 12 p. m.
1	36.199	21.05	82.5	22.20 22.00	83°5 83.2	G	F 10
2	36.473	20.92	82.0	22.18	83.0	6	6 19 "
3	35-856	20.84	81.4	22.10	82.5	G G	7 19
4	37.296	20.85	81.0	22.60	82.0	G	8 12 ,,
5	36.473	20.94	80.6	22.63	81.8	c	9 12 ,,
6	35.513	21.09	80.3	22.64	81.5	C	10 12 ",
7	35.444	21.45	80.3	22.50	81.2	c	11 12 ,,
8	35.238	21.59	80.1	22.70	81.1	C	Midnight.
9	35.238	21.72	80.1	22.75	80.7	В	1 12 a. m.
10	35.513	21.76	79.6	22.75	80.5	В	2 12 ,,
11	35-238	21.85	79.5	22.84	80-5	В	3 12 ,,
12	35.238	21.83	79.3	22.85	80.1	В	4 12 ,,
13	35.170	21.95	79.0	22.90	80.0	G	5 12 ,,
14	35.924	22.00	79.0	23.10	79.5	G	6 12 ,,
15 16	36.610	22.11	79.0	23.10	79.5	G	7 12 ,,
16 17	36·954	22.60	79.8	23.00	79.8	G	8 12 ,,
17	35 .30 7	22.78 22.90	80.8	22.75	80.6	C	9 12 ,,
19	34·415 33.660	22.90	81.5	22.24 22.00	81.4	C	10 12 ,,
20	33.386	22.83	82.0 82.6	22.00 22.00	82.0	С	11 12 ,, Noon.
21	33.386	22.32	83.4	21.95	82.4 83.0	С	1 10 m
22	34. 346	22.01	83.7	22.10	83.5	В	1 12 p. m. 2 12 ,
23	34.895	21.81	83.7	22.15	83.9	B B	2 10 "
					0.3.0	ь	ى ئا تى ₉ ,
M 07 N		Į.					
Mar. 27th-Noon.	35.238	21.75	83.6	22.01	84.8	c	4 12 ,,
1	34. 895	21.79	82.5	22.00	842	C	5 12 ,,
2	34.827	21.80	81.6	22.17	83. 7	C	6 12 ,,
, 3 4	34.827	21.89	81.2	22.25	83-0	G	7 12 "
5	34.827	21.80	81.0	22.40	82.7	G	8 12 "
6	35.170	21.85	80.6	22.46	82.1	C	9 12 ,,
ž	35.238	21.85	80.4	22.50	81.8	C	10 12 ,,
8	35.238 35.30 7	21.90 21.96	80.1	22.51 22.60	81.3	C	11 12 ,,
. 9	34.964	22.05	79.8 79.6	22.85	81.1	C	Midnight.
10	35.238	22.05 22.05	79.6	23.05	80.6 80.6	В	1 12 a.m.
11	35.513	22.10	79.5	23.12	80.4	В	2 12 ,, 3 12 ,,
12	35.513	22.15	79.0	23-25	80.3	В	A 10
13	34.827	22.14	78.7	23.30	80.0	В	£ 10 "
14	35.856	22.24	78.7	23.46	79.8	G G	6 12 ,,
15	36.542	22.26	79.0	23.50	79.5	G	7 12 ,,
16	36.816	22.55	79.4	23.38	79.5	G	8 12 ,,
17	36.336	22.90	80.2	23.19	80.4	C	9 12
18	36.130	23:04	81.0	22.90	81.0	c	10 12
19	35.513	23.04	81.7	22.50	81.6	C	11 12 ,,
20	34.346	22.95	82.1	22.48	82.1	c	Noon.
21	34.278	22.71	82.5	22.50	82.4	В	1 12 p. m.
. 22 . 23	34·552	22.45	82.6	22.55	82.8	В	2 12
23	35.238	22.23	83.0	22.64	83.4	В	3 12 ",
				1			
MAR. 28TH-Noon.	3 5.30 7	22.14	83.1	22.60	83.9	В	4 12 ,,
1	35.101	22.10	82.7	22.44	83.9	G	£ 10 "
2	34.758	22.10	82.0	22.50	83.5	G	6 12 ,,
3	34.621	22.10	81.7	22.66	83.0	G	7 12 ,,
4	34.758	22.04	81.2	22.80	82.5	G	8 12 ,,
5	35.170	21.80	80.7	23.00	82.1	C	9 12 ,,
6	35. 30 7	21.84	80.4	23.04	82.0	С	10 12 ,,
7	35.444	21.85	80.2	23.04	81.6	C	11 12
8	35.444	22.00	80.0	23.08	81.2	C	Midnight.
9	35.307	22.00	79.5	23.02	80.7	В	1 12 a.m.
. 10	35.856	22.03	79.5	23.15	80.5	В	2 12 "
11	35.581	22.10	79.2	23.25	80.4	В	3 12° ,,

	DAIL	Y OBSERVATI	ons, from	28тн то 30тн	MARCH 18	64.	
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Göttingen	5 . 1/	l —	Force Magne-		Force Magne-	Ber	Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	ő	1864.
h.							h. m.
MAR. 28TH—12	35'375	22.10	79*0	23.30	80:1	В	4 12 a.m.
13	35.856	22.10	79.0	23.38	80.0	G	5 12 .,,
14	35.581	22.30	78.8	23.30	79.8	G	6 12 ,,
15	35-375	22.65	79.0	23.30	79.4	G	7 12 ,,
16	35.101	22.90	79.8	23.28	80.0	G	8 12 ,,
17	34.827	23.03	80.8	23.00	80.7	c	9 12 ,,
18	34.964	23.03	81.5	22.78	81.4	c	10 19
19	34.209	22.62	82.2	22.45	82.1	C	11 10 "
20	33.249	22.55	83.0	22.30	82.7	c	Noon.
21	32.974	22.10	83.4	22.45	83.1	В	1 12 p. m.
22	33.935	21.28	83.6	22.55	83.6	В	0 10
23	34.827	21.35	83.6	22.65	84.1	B	3 12 ,,
Mar. 29th-Noon.	34.758	21.43	83.9	22.55	84.5	10	A 10
1	34.875	21.10	83.3	22.50	84.2	В	4 12 ,,
2	34.964	20:75	82.8	22.50 22.50	84.2 83.8	G	5 12 ,,
3	36.267	20.65	82.0	22.83		G	6 12 ,,
4	35.37 5	20.95	82.0 81.7	22.83 22.80	83.0	G	7 12 ,,
5	35.375 35.375	20.95 20.96			82.8	G	8 12 ,,
	35.375 35.238	20.96 21.29	81.4	22.90	82.6	C	9 12 ,,
6			81.2	22.95	82.3	С	10 12 ,,
7	35.924	21.15	81.0	23.04	82.0	C	11 12 ,,
8	36.199	21.15	80.9	23.09	81.8	C	Midnight.
9	36.610	21.00	80.5	2 3.15	81.4	В	1 12 a. m.
10	36.061	21.30	80.1	23.15	80.8	В	2 12 ,,
11	36.199	21.40	79.7	23.30	80.6	В	2 19 "
12	36.404	21.60	79-5	23.25	80.2	В	4 19 "
13	36.542	21.65	79.3	23.30	80.0	G	· 5 19 "
14	36.542	21.65	78.8	23.50	79.7	G	6 19 "
15	37.022	21.96	78.8	23.45	79.4	G	7 19 "
16	36.885	22.10	79.7	23.24	79.8		8 12
17	36.473	22.16	80.4	22.96	80.5	G	, , , , , , , , , , , , , , , , , , , ,
18	36.267	22.10	81.5	22.80	81.3	C	,,
19	34.827	22.14	82.6	22.50	82.0	C	10 12 ,,
	33.592	22.19	83.2			С	11 12 ,,
20	32.974	22.11	83.6	22.41	82.7	C	Noon.
21		21.78		22.45	83.0	В	1 12 p. m.
22 23	33.729 34.415	21.71	83.8 83.8	22.52 22.35	83.5 84.0	B B	2 12 ,, 3 12 ,,
Mar. 30th-Noon.	04 246	01.51	00.5	20.00			
	34.346	21.51	83.5	22.38	84.1	В	4 12 ,,
1	34.141	21.32	82.9	22.50	83.7	G	5 12 ,,
2	34.415	21.35	82.2	22.80	83.2	G	6 12 ,,
3	34.415	21.55	81.9	22.80	83.0	G	7 12 ,,
4	35.307	21.55	81.5	23.10	82.7	G	8 12 ",
5	35.581	21.38	81.3	23.00	82.3	c	9 12 ",
6	35.581	21.26	81.1	23.00	82.1	c	30 19
7	36.404	21.09	81.0	23.04	82.0	c	10 12 ,,
. 8	36.473	21.15	80.8	23.08	81.6	c	Midnight.
9	36.610	21.13	80.5	23.10	81.1	В	1 12 a. m.
10	36.404	21.30	80.1	23.15	80.8	В	0 10
ii	36-130	21.40	79.9	23.24	80.5		2 10
12	36.061	21.70	79.8	23.25	80.5	В	4 10
13	35.924	21.80	79.7	23.30	80.2	В	4 12 ,,
14	36.542	21.72	79.1	23.30		G	5 12 ,,
15	36.130	21.72	79.1 78.8	23.30	80.0	G	6 12 ,,
16	36.404				79.8	6	7 12 ,,
		22.22	79.5	23-14	80.0	G	8 12 ,,
17	36-130	22.26	80.8	22.88	81.0	С	9 12 ,,
18	35.444	22.68	81.7	22.66	81.7	c	10 12 ,,
19	34.484	22.37	82.4	22.50	82.1	c	11 12 ,,
20	34.141	21.79	83.1	22.50	82.8	c	Noon.
21	33.935	21.66	83.5	22.45	83.2	В	1 12 p. m.
22	33.798	21.55	83.9	22.55	83.5	В	2 12 ,,
23	34.827	21.10	83.9	22.55	84.0	В	3 12 ,,

DATE. Göttingen Mean Time. 1864. Declination. Declination. MAR. 3] ST-Noon. Bastern Bastern Declination. Bastern Beale Readings Uncorrected. Horizonal Force Magneto- meter. Beale Readings Uncorrected. Thermometer of Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time.
h.			1864.
MIAR. 5181-110011. 34.827 21.20 8.56 22.50		_	h. m.
		В	4 12 p. m.
1 34.621 21.20 83.0 22.58	84.0	G	5 12 ,,
2 34.621 21.35 82.2 22.80	83.2	G	6 12 ,,
3 34.484 21.45 813 22.84	83.0	G	7 12 ",
4 34.621 21.38 81.2 23.00	82.8	G	8 12 ,,
5 35.032 21.28 81.0 23.08	82.5	C	9 12 ,,
6 35.307 21.50 80.7 23.10	82.2	C	10 12 ,,
7 35.718 21.44 80.4 23.27	81.8	C	11 12 ,,
8 36.473 21.80 80.2 23.35	81.4	C	Midnight.
9 36.199 21.70 79.9 23.28	81.4	В	1 12 a. m.
10 36.542 21.60 79.6 23.32	80.8	В	2 12 ,,
11 36.336 21.60 79.5 23.30	80.5	В	3 12 ,,
12 36.199 21.45 79.5 23.25	80.4	В	4 12 ,,
13 36.130 21.52 79.3 23.35	80.2	G	5 12 ,,
14 36.473 21.62 79.3 23.40	80-0	G	6 12 ,,
15 37.365 21.87 79.5 23.30	80.0	G	7 12 ",
16 36.610 21.80 80.0 23.00	80.2	G	8 12 ",
17 36.747 22.20 80.6 22.85	80.7	C	9 12 ",
18 35.444 22.04 81.5 22.65	81.6	C	10 12 ,,
19 34.072 21.82 82.2 22.30	82.0	C	11 12 ",
20 32.837 21.74 82.9 22.25	82.6	C	Noon."
21' 32.769 21.50 83.0 22.50	83.0	В	1 12 p. m.
22 33.935 21.01 83.3 22.54	83.5	В	2 12 ,,
23 34.415 21.10 83.4 22.55	84.2	В	3 12 ",
APRIL 1st-Noon. 34.484 21.12 83.4 22.48 1 35.307 21.11 82.6 22.70 2 35.307 20.80 82.1 22.85	84.6 83.7 83.3	C B	4 12 ,, 5 12 ,, 6 12 ,,
3 35.032 20.96 81.5 22.80	82.9	В	7 19
4 35.238 21.35 81.2 22.95	82.6	В	8 12 ,,
5 35.787 21.20 81.1 23.00	82.4	D	0.19 "
6 35.513 21.20 80.8 23.00	82.1	D	10 12 "
7 36.199 21.40 80.5 23.20	82.0	D	10 12 ,,
8 35.513 21.70 80.4 23.20	81.5	I	
9 35.856 21.66 80.1 23.30	81.3	D	Midnight.
10 36.061 21.66 79.9 23.38	81.1	3	1 12 a. m.
11 35.856 21.95 79.6 23.29	80.8	C	2 12 ,,
	80.5	C	3 12 ,,
	80.3 80.1	C	4 12 ,,
	79.7	В	5 12 ,,
1	79.7 79.5	В	6 12 ,,
	79.5 79.9	В	7 12 ,,
	79.9 80.8	В	8 12 ",
17 37.875 21.75 80.9 23.00 18 37.159 21.85 81.9 23.00	81.7	D	9 12 ,,
	82.9	D	10 12 ,,
	82.9 83.7	D	11 12 ,,
	83.7 83.7	D	Noon.
	83.7 84.0	C	1 12 p. m.
22 35.513 21.39 83.4 22.70 23 35.170 21.41 83.4 22.77	84.0 84.4	C	2 12 ,, 3 12 ,,
APRIL 3RD-Noon. 35.513 21.12 84.2 22.50	85.5	В	4 12 ,,
1 35.170 21.13 83.6 22.30	85.5	В	5 12 ,,
2 35,378 21.20 83.2 22.35	84.6	В	6 12 ,,
3 3 5.513 21.38 83.0 22.50	84.1	В	7 12 ,,
4 35.581 21.20 82.6 22.70	83.6	В	8 12 ,,
5 35.856 21.35 82.3 22.80	83.5	N	9 12 ,,
6 35.581 21.55 82.2 22.80	83.2	N	10 12 ,,
7 35.856 21.45 81.8 22.95	83.0	N	11 12 ,,
8 35.787 21.86 81.3 22.95	82.6	N	Midnight.
9 35.856 21.52 81.1 23.00	82.5	C	1 12 a. m.
10 35.718 21.69 81.0 23.00	82.3	C	2 12 ,,
11 35.718 21.75 80.6 23.02	82.1	C	3 12 ",

DATE.		Horizontal		Vertical			DATE.
1	Eastern	Force Magneto-	Thermometer of Horizontal	Force Magneto-	Thermometer of Vertical	ers.	
Göttingen		meter.	Force Magne-	meter.	Force Magne-	erve	Bombay
Mean Time.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Observers.	Civil Time.
h.							h. m.
APRIL 3RD—12	35/513	21.75	80°4	23.03	8139	C	4 12 a. m.
13	35.581	21.74	80.4	23.10	81.5	В	5 12 "
14	36.199	21.70	80.1	23.20	81.2	В	6 12 "
15	37.433	21.83	80.5	23.12	81.1	В	7 12 ,,
16	38.257	21.85	81.4	22.85	81.5	В	8 12 "
17	37.708	22.29	82.0	22.00	82.2	N	9 12 ,,
18	37.022	22.20	82.9	22.10	83.0	N	10 12 ,,
19	35.170	22.15	.84.0	21.80	83.4	N	11 12 "
20	32.700	22.10	84.2	21.94	83-8	N	Noon.
21	32.631	21.90	84.4	22.02	84.5	C	1 12 p. m.
22	33.180	21.72	84.5	22.37	85.0	c	2 12,
23	34.415	21.52	84.4	22-48	85.1	C	3 12 ,,
PRIL 4TH-NOON.	35.307	21.30	84.2	22.48	85.3	c	4 12 ,,
1	35.307	21.31	84.1	22.30	85.3	В	£ 10 "
2	34.964	21.32	83.4	22.35	84.8	В	£ 10
3	34.895	21.33	83.0	22.50	841	В	7 19 "
4	34.964	21.40	82.5	22.70	83.6	В	0 10
5	34.827	21.45	82.2	22.94	83.2	G	0.19
ϵ	35 .03 2	21.45	82.0	22.82	83.0	G	10 10 "
7	34.895	21.51	81.8	22.80	82.7	G	,,
8	35.238	21.30	81.0	23.00	82.5	1	11 12 ,, Midnight
9	35.238	21.73	80.5	23.05	82.1	G	Midnight.
10	35.718	21.62	80.2	23.08	81.5	C	9 10
10	35.718 35.581	21.90	79.8	23.08	81.1	C	2 12 ,,
11	35.238	22.00	79.8	23.10	80.9	C	3 12 ,,
13	35.307	22.00	79.7	23.25	80.5	C	4 12 ,,
13	36.542	21.80	79.0	23.35	80.2	В	5 l2 ,,
	37.91 4	21.89	78.8	23.40	79.9	В	6 12 ,,
15	38.051	22.10	79.6	23.20	79.9 80.4	В	7 12 ,,
16	38·051	22.60	80.7	22.90	81.0	В	8 12 ,,
17		22.26	82.0	22.34		G	9 12 ,,
18	36.473	22.64	83.2	21.95	81.9 82.4	G	10 12 ,,
19	33,249	22.37	83.8	22.10	83.2	G	11 12 ,,
20	35.101	21.89		22.10		G	Noon.
21	32.494	21.69	84.0	22.16 22.16	84.1	C	1 12 p. m.
22 23	32.563 33.592	21.45	84.5 84.8	22.39	84.6 85.3	C	2 12',, 3 12',,
PRIL 5TH-Noon.	34.346	20.83	84.8	22.41	85-7	C	4 12 "
1	35-101	20.95	84.5	22.30	85.4	В	5 12 "
2	34.895	21.14	83.6	2 2.25	84.7	В	6 12 ,,
3	34.552	21.07	82-8	22.40	84.1	В	7 12 ,,
4	35.238	21.13	82.5	22.60	83.7	В	8 12 "
5	35.787	21.05	82.3	22.68	83.5	G	9 12 "
6	35.856	21.35	82.0	22.70	83.0	G	10 12 "
7	35.718	21.80	81.8	22.85	82.8	G	11 12 ,,
8	36.473	21.45	81.3	23.00	82.5	G	Midnight.
9	36.542	21.33	81.2	23.02	82.3	c	1 12 a. m.
10	35.924	21.47	81.0	23.13	82.2	C	2 12 ,,
11	35.238	21.66	80.5	23.32	81.9	C	3 12 ,,
12	35.101	21.79	80.1	23.34	81.5	c	4 12 ,,
13	35.650	21.67	79.6	23.45	81.0	В	5 12 ,,
14	35.993	21.80	79.5	23.50	80.8	В	6 12 ,,
15	37.228	21.75	79.9	23.65	80.7	В	7 12 ,,
16	37.982	21.90	81.1	23.30	81.4	В	8 12 ,,
17	37.365	22.24	82.0	22.80	82.0	G	9 12 ,,
18	35.650	21.90	83.0	22.42	82.7	G	10 12
19	33.112	22.02	83.9	22.06	83.0	G	11 12 ,,
20	32.083	21.95	84.8	22.00	84.0	G	Noon.
21	32.220	21.50	85.1	22.07	84.8	c	1 12p.m.
22	32.769	21.30	85.1	22.29	85.2	c	2 12 ,,
1 62	041.40		1 00.1	,			<i>4 14 ••</i>

		OBSERVAT	IONS, FROM	6тн то 8тн	ATTUIL 1004		
DATE.		Horizontal	Thermometer	Vertical	Thermometer	.8.	DATE.
Göttingen	Eastern	Force Magneto- meter.	of Horizontai	Force Magneto- meter.	of Vertical	Observers.	Bombay
-	Declination.	l —	Force Magne-		Force Magne- tometer.	bse	Civil Time.
Mean Time. 1864.	Decimation.	Scale Rendings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Ō	1864.
h.							h. m.
APRIL 6TH-Noon.	35′032	20.92	84*9	22.42	85.6	C	4 12 p. m.
1	34.964	20.98	84.5	22.50	85.5	В	5 12,
2	34.964	20.97	83.6	22.65	85.0	В	6 12 ,,
3	35.238	20.81	83.0	22.80	84.4	В	7 12 ',,
4	35.650	20.55	82.6	22.95	83.8	В	8 12 ,,
5	35.375	21.40	82.4	23.00	83.2	G	9 12 ,,
6	35.856	21.12	82.4	23.00	83.2	G	10 12 ,,
7	35.718	21.49	82.0	23.06	83.0	G	11 12 ,,
8	36 .061	21.25	81.9	23.18	82.9	G	Midnight.
9	36.199	21.17	81.7	23.21	82.7	C	l 12 a.m.
10	36.199	21.13	81.2	23.23	82.4	C	2 12 ,,
ii	35.993	21.17	80.5	23.28	82.0	C	3 12 ,,
12	35.375	21.45	80.3	23-19	81.9	C	4 12 ,,
13	35.30 7	21.50	80.3	23.35	81.5	В	5 12 ,,
14	36.26 7	21.45	80.2	23.55	81.0	В	6 12 ",
15	37.228	21.48	80.4	23.60	81.0	В	7 19 "
	37.433	21.43	81.5	23.20	81.5	В	Q 19 "
16		21.80		22.90	81.9	1	0 12 "
17	37.365		82.4	22.62	83.0	G	10 10 "
18	36.954 25.27.5	21.80	83.0	2	83.3	G	10 12 ,,
19	35.375	21.85	83.8	22.10	83.8	G	11 12 ,,
20	33.729	21.65	84.0	22.00	1	G	Noon.
21	33.592	21.26	84.2	22.30	84.1	C	1 12 p. m.
22	34.141	21.42	84.3	22.50	84.5	С	2 12 ,,
23	34.141	21.35	84.3	22.50	84.6	C	3 12 "
	24.415	21.25	05.0	99.60	85.3		4 10
APRIL 7TH-Noon.	34.415		85.2	22.60	85.0	C	4 12 ,,
1	35.170	21.05	84.0	22.60	84.5	C	5 12 ,,
2	35.513	20.90	83.3	22.75	1	В	6 12 ,,
3	35.170	21.08	82.5	22.85	83.6	В	7 12 ,,
4	35.238	21.05	82.0	23.00	83.4	В	8 12 ,,
5	35.238	21.05	81.8	23.00	83.0	G.	9 12 ,,
6	35.513	21.45	81.1	23.00	82.6	G	10 12 ,,
7	35-444	21.60	81.0	23.08	82.2	G	11 12 ,,
8	35.824	21.60	80.8	23.20	81.8	G	Midnight
9	36.061	21.46	80.6	23.21	81.6	C	l 12 a. m
10	35.787	21.75	80.2	23.60	81.4	C	2 12 ,,
11	35.581	21.79	80.0	23.62	81.1	C	3 12 ,,
12	35.101	22.00	79.6	23.64	80.9	C	4 12 ,,
13	34.484	22.05	79.2	23.60	80-5	В	5 l2 "
14	35.513	22.82	79.1	23.90	80.1	В	6 12 ,,
15	36.885	21.60	79.5	23.90	80.2	В	7 12 ,,
16	38.462	21.74	· 80.4	23.65	80.5	В	8 12 ,,
17	37.433	22.00	81.0	23.20	81.2	Q.	9 12 ,,
18	36-404	21.86	82.0	22.80	81.7	G	10 12 ,,
19	35.032	21.74	82.7	22.64	82.0	G	11 12 ,,
20	33.866	21.35	83.0	22.70	82.8	G	Noon.
20 21	33.523	21.09	83.5	22.71	83.7	c	1 12 p.m.
21 22	34.003	21.11	83.9	22.74	84.0	C	2 12 ,,
23	33.935	21.20	84.0	22.65	84.4	c	3 12 ,,
APRIL STH-Noon.	34.141	20.95	84.0	22.65	84.9	c	4 12 ,,
1	34.415	20.72	83.5	22.80	84.5	В	5 12 ,,
2	34.827	20.52	82.6	23.00	84.0	В	6 12 ",
3	34.758	20.84	82.1	23.15	83.5	В	7 12 ",
4	34.827	21.12	81.6	23.30	83.0	В	8 12 ,,
5	34.552	21.40	81.4	23.42	82.8	G	9 12 ,.
6	35.513	21.30	81.2	23.50	82.5	G	10 12 ,,
1	36.130	21.45	81.2	23.58	82.4		11 12 ,,
7	36.267	91.40		23.60	82.0	G	
8		21.10	81.0			G	Midnight.
9	36.336	21.09	80.9	23.61	81.9	C	1 12 a. m.
10	36.199	21.09	80.7	23.66	81.7	0	2 12 ,,
11	36.130	21.42	80.3	23.62	81.4	C	3 12 ,,

	DAIL	Y OBSERVATI	ons, from	8тн то 11тн	APRIL 1864	١.	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Mean Time.	Declination.	Scale Readings	Force Magne-	Scale Readings	Force Magne- tometer.	şã	Civil Time.
1864.	Decimation.	Uncorrected.	womeser.	Uncorrected.		°	1864.
h.							h. m.
APRIL 8TH-12	35/032	21.66	80:0	23.60	81:0	C	4 12 a. m.
13	35. 513	21.65	79.5	23.65	80.8	В	5 12 ,,
14	36.199	21.60	79·4	23.80	80.4	В	6 12 ,,
15	36 542	21.75	79.2	23.85	80.0	В	7 12 ,,
16	36·885	22.10	80.1	23.55	80.4	В	8 12 ,,
17	36.885	22.10	81.0	23.40	80-8	G	9 12 ,,
18	36 .130	22.64	82.4	22.90	82.0	G	10 12 ,,
19	35.101	22.67	83.0	22.74	82.6	G	11 12 ,,
20	33.935	22.54	83.6	22.70	83.0	G	Noon.
21	33.523	21.94	83.8	22.70	84-0	O.	1 12 p. m.
· 22	33.866	21.54	83.9	22.70	84.3	C	2 12 ,,
23	33.935	21.53	83.9	22.88	84.4	C	3 12 ,,
A 10 N	35 .032	21.51	04.0	22.70	84.8	В	4 12 ,,
APR. 10TH-Noon.		21.49	84.0	22.70 22.80	84.5	В	5 19 "
1	35.101 34.689	21.35	83.4 92.5	22.80 22.94	83. 7	В	6 19 "
2		21.43	82.5	23.20	83.0	В	7 19 "
3	34.689 34.346	21.43	81.8	23.20 23.28	83.0 82.4	В	9 19
4	34.346	21.55 21.65	80. 9	23.26 23.34	82.4 82·0		0 19 "
5	34.484	21.05	80.4			G	10 19
6	34.827	21.75 21.80	80.4	23.50	81.8	G	11 19 "
7	35.170		80.4	23-53 23.50	81.5	G	Midnight.
8	35.101	21.75	80.2		81.4	G	Midnight.
9	35.101	21.75	80-0	23.16	81.1	C	l 12 a. m.
10	35.170	21.78	79.9	23.14	81.0	C	2 12 ,,
11	35.101	21.83	79.7	23.20	80.9	C	3 12 ,,
12	35.032	21.92	79.7	23.20	80.9	C	4 12 ,,
13	35.032	21.90	79.6	23.30	80.6	В	5 12 ,,
14	35.718	21.90	79.5	23.45	80.3	В	6 12 ,,
15	37.090	22.00	79.5	23-45	80.4	В	7 12 ,,
16	38.257	22.30	80.5	23-10	80.9	В	8 12 ,,
:17	37.296	22.85	81.4	22.84	81.3	G	9 12 ,,
18	34.827	23.10	82-3	22.16	82.2	G	10 12 ,,
19	33.249	23.05	82.8	22.30	82.7	G	11 12 ,,
20	31.534	22.60	83.0	22.30	83.0	G	Noon.
21	31.397	22.35	83.3	22.60	83-3	C	1 12 p. m.
22	32.426	22.09	83.4	22.90	83.7	С	2 12 ,,
23	33.660	21.83	83-3	22-92	84.0	C	3 12 ,,
APR. 11TH-Noon.	34.964	21.55	82.9	22.98	84.0	c	4 12 ,,
APR. IITH-IVOOD.	35.375	21.41	82.5	22.80	83. <i>5</i>	В	z 19
2	34.827	21.42	81.5	22.75	82.7	B	6 12 ,,
3	34.415	21.55	81.1	22.90	82.2	В	m 10
1	34.415	21.65	80.6	23.00	82.0	В	0.10
4	34.621	21.65	80.6	23.22	81.7	G	0.10
5 6	34.758	21.68	80.5	23.20	81.5	G	10 12 ,,
	34.689	21.85	80.3	23.20	81.4	G	11 10
7	34.827	21.85	80.0	23.20	81.2	G	Midnight.
8	34.827 35.170	21.90	80.0	23.30	81.0	C	1 12 a, m.
9	35.170 35.170	21.95	79.9	23.31	80.9	c	0.10
10	33-170 34.827	21.92	79.9 79.9	23.25	80.9	C	2 10
11	34.827 34.758	21.95	79.9 79.9	23.21	80.9	C	4 10
• 42	34·758 34.621	21.95	79.9 79.9	23.30	80.6	B	E 10
13	34.021 35.101	22.02	79.9 79.6	23.35	80.6	В	0.10
14	35.101 35.513	22.25	79.6 79.8	23.40	80. <i>5</i>	В	7 10
15		22.35		23.10	81·0	В	0.10
16	36.816 36.670	22.35 22.60	80.7	23.10 22.70	81.8	G G	0.10
17	36.679	22.60 22.79	81.9		82.5		10.10
18	34.552		82.7	21.30	82.5 83.0	G	11 10
19	33.455	22.75	83.5	21.25	83.4	G	Noon.
20	33.249	22.53	84.0	21.45	83.4 84.0	G	
21	32.631	22.18	84.1	21.40	84.0 84.3	C	1 12 p. m. 2 12 ,,
22	33-112	21.98	84.2	21.58	85 . 0	C	0.10
23	34.209	21.60	84.4	21.52	09-0	С	3 12 ,,

	DAILY OB	SERVATIONS,	FROM 12TH	то 14тн АР	RIL 1864.		
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Therinometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observerz.	DATE. Bombay Civil Time. 1864.
h.			0.400	01.15			h. m.
APR. 12TH-Noon.	35/307	21.26	84.3	21.47	85:2	c'	4 12 p. m.
1	35-856	21.16	83.9	21.50	85.2	В	5 12 ,,
2	35.375	21.23 21.34	83.3 82.5	21.60 21.75	84.5	В	6 12 ,,
3 4	35.3 7 5 35.238	21.38	82.0	21.75	83.8	В	7 12 ,, 8 12
5	35.101	21.54	81.7	22.00	83.2	В	8 12 " 9 12 "
6	35.170 35.170	21.61	81.6	22.16	82.9 82.5	G G	10 19 "
7	35.170 35.170	21.60	81.4	22.16	82.2	G	11 19 "
8	35.581	21.68	81.2	22.10	82.0	G	Midnight.
ğ	35.650	21.69	81.0	22.10	81.9	c	1 12 a. m.
10	36.199	21.76	80.8	22.17	81.9	c	9 19
ii	35-307	21.77	80.6	22.19	81.9	c	2 19 "
12	35.170	21.79	80.5	22.27	81.8	C	A 19
13	35.170	27.83	80.5	22.30	81.5	В	5 12 ,,
14	35.856	21.85	80.5	22.50	81.3	В	6 12 ,,
15	36.885	21.88	80.6	22.50	81.3	В	7 12 ,,
16	36.953	22.12	81.4	22.15	81.5	В	8 12 ,,
17	35.856	22.35	82.0	22.00	82.0	G	9 12 ",
18	34.758	22.45	82.7	21.50	82.2	G	10 12 ,,
19	33.866	22.40	83.0	21.28	83.0	G	11 12 ,,
20	32.563	22.26	83.5	21.40	83.5	G	Noon.
21	32.563	22.15	84.0	21.40	84.0	c	1 12 p. m.
22	33.249	22.06	84.0	21.55	84.5	c	2 12,
23	34.621	21.78	84.5	21.70	85-1	C	3 12 ,,
APR. 13TH-Noon.	35.101	21.53	83.9	21.60	85.2	c	4 12 ,,
1	35.238	21.58	83.3	21.78	84.6	В	5 12 ,,
2	35.170	21.51	82.5	21.80	84.1	В	6 12 ,,
3	34.689	21.60	82.1	21.80	83.5	В	7 12 ,,
4	34.621	21.50 21.75	81.9 81.7	21.85 21.90	83.4	В	8 12 ,,
5 6	35.101	21.75	81.5	22.00	83.0	G	9 12 ,,
7	35.444 3 5 -444	21.80	81.2	22.14	82.8 82.5	G	10 12 ,,
8	35.101	21.95	81.0	22.14	82.5 82.2	G	H 12 ,,
9	35.170	21.83	80-5	22.20	81.0	G	Midnight. 1 12 a. m.
10	35.170	21.98	80.2	22.30	81.0	N	0.10
11	35.066	22.04	80.0	22.30	. 81.0	N N	2 10 "
12	35.513	22.10	79.6	22-40	81.0	N	4 10 "
13	35.375	22.30	79.5	22.40	80.8	В	5 10 °
14	36.267	22.20	79.3	22.50	80.6	В	6 19 "
15	36-953	22.15	79.6	22.50	80.5	В	7 12 ,,
16	36-885	22.00	80.6	22.10	81.0	В	8 12 ,,
17	35.581	22.15	81.5	22.00	81.6	G	9 12 ,,
18	34 .689	22.10	82.0	21.70	82.0	G	10 12 ,,
19	33.523	22.20	82.6	21.44	82-3	G	11 12 "
20	33.455	22.16	83.2	21.50	83.0	G	Noon.,,
21	33.592	22.00	83.6	21.55	83.5	N	1 12 p. m.
22	34.072	21.80	83.9	21.50	84.0	N	2 12 ,,
23	34.484	21.70	84.0	21.50	84.6	N	3 12 "
Apr. 14th-Noon.	34.621	21.58	84.0	21.50	84.9	N	4 12 "•
1	34.621	21.48	83.5	21.50	84.9	В	5 12 ,,
2	34.964	21.45	82.9	21.60	84.3	В	6 12 ,,
3	34.964	21.56	82.1	21.85	83.5	B	7 12 "
4	34.964	21.63	81.7	21.85	83.4	В	8 12 ,,
5	35.170	21.50	81.5	21.96	83.1	G	9 12 ,,
6	35.513	21.60	81.1	22.10	82.5	G	10 12 ,,
7	35.444	21.80	81.0	22.10	82.2	G	11 12 ,,
8	35.307	21.90	81.0	22.16	82.0	G	Midnight.
9	35.375	21.85	80.3	22,30	81.8	N	1 12 a. m.
10	35.30 7	21.91	80-0	22.25	81.5	N	2 12 ,,

	DAII	Y OBSERVAT	IONS, FROM	14тн то 17тн	APRIL 186	4.	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne -	Observers.	DATE. Bombay
Mean Time. 1864.	Declination.	Scale Readings Unorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Obec	Civil Time. 1864.
h. Apr. 14th—12	35'375	21.95	79*8	22.30	81:0	N	h. m. 4 12 a. m.
13	35.513	22.00	79.8	22.30	80.8	В	5 12 ,,
14	35.718	21.95	79-9	22.50	80-6	В	6 12 ,,
15	36.267	21.88	80.1	22.50	80.6	В	7 12 ,
16	36.267	22.11	80.6	22.20	81.1	В	8 12 ,,
17	35.718	22,25	81.7	21.94	81.7	G	9 12 ,,
18	35.3 75	22.45	82.6	21.62	82.3	G	10 12 ,,
19	34.346	22-35	83-3	21.30	83.0	G	11_12 ,,
20	33-523	22.35	83.8	21.30	83.4	G	Noon.
21	33.112	22.10	84.0	21.40	84.0	N	1 12 p. m.
22	33.455	21.95	84.1	21.50	84.3	N	2 12 ,,
23	34.072	21.75	84.0	21.55	84-9	N	3 12 ,,
APR. 15TH-Noon.	34.141	21.66	83.9	21.50	85.0	N	4 12 ,,
1	34.689	21.61	83.5	21.65	85.0	В	5 12 ,,
2	34.895	21.65	83.0	21.75	84.3	В	6 12 ,,
3	34.964	21.65	82.1	21.85	83.5	В	7 12 ,,
4	34.689	21.80	81.8	21.90	83.1	В	8 12 ,,
5	34.895	21.70	81.4	22.00	83.0	G	9 12 ,,
6	34.827	21.70	81.2	22.00	82.7	G	10 12 ,,
7	35-513	21.85	81.0	21.80	82.2	G	11 12 ,,
8	35.513	21.80	80.9	21.72	82.0 81.7	G	Midnight.
9	35.856 35.170	21.95	80.5	21.80 22.00	81.7	D	l 12 a.m.
10	35.170	22.00	80.3	22.00 21.95	81.3	D	2 12 ,,
11	35.101 35 .6 13	22.00 22.15	80.0 79.7	21.95 22.00	81.1	D	3 12 ,,
12	35.513	22.15	79.7 79.3	22.00 21.95	80.6	D B	4 12 ,, 5 12
13	35.856	22.13	79.3 79.3	22.30	80.4	В	6 19 "
14	37.228	22.25	79.6	22.35	80.6	В	7 19 "
15	37.571	22.30	80.6	22.00	81.0	В	0 10 "
16 17	37.022	22.47	81.7	21.50	81.5	G	0 19 "
17	35.581	22.55	82.8	21.02	82.4	G	10 19 "
19	34.484	22.45	83.8	20.94	83.3	G	11 12 ,,
20	33-798	22.40	84.5	21.00	83.8	G	Noon."
21	34.484	22.19	85.0	21.00	84.3	D	1 12 p. m.
22	34.141	22.05	85.7	21.00	84.7	D	2 12 ,,
23	34.827	21.81	85.8	20.90	85.4	D	3 12 ",
Apr. 17TH-Noon.	36.061	21.46	85.0	21.07	86.0	С	4 12 ,,
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35.787	21.42	84.6	21.00	85.9	C	5 12 ",
2	35.170	21.51	83.5	21.20	85.0	В	6 12 ,,
3	34.621	21.65	83.0	21.35	84.2	В	7 12 ,,
4	34.827	21.64	82.7	21.50	83.5	В	8 12 ,,
5	34.827	21.60	82.2	21.64	83.1	G	9 12 ,,
6	35.238	21.55	81.8	21.80	82.6	G	10 12 ,,
7	35.513	21.60	81.4	21.90	82.2	G	11 12 ,,
8	35.513	21.75	81.2	22.00	81.9	G	Midnight.
9	35.513	21.82	80.7	21.91	81.8	С	l 12 a.m.
10	35.718	21-89	80.3	21.95	81.5	C	2 12 ,,
11	35.513	21.94	80.0	21.98	80.9	C	3 12 "
12	35.444	21.90	79.8	21.98	80.8	C	4 12 ,,
13	35.444	22.00	79.5	22.01	80.5	В	5 12 ,,
14	35-650	22.10	79.5	22.20	80.3	В	6 12 ,,
15	36.953	22.25	79.5	22·35 22·02	80.4 90.7	В	7 12 ,,
16	37.571	22.45	80.5	22.02 21.60	80.7 81.4	В	8 12 ,,
17	36-885 35-207	22.72 22.85	81. 7 82.3	21.00 21.32	81. 4 82.2	G	9 12 ,, 10 12 ,,
18	35.30 7	22.85	82.5 83.4	21.32 21.30	83.0	G G	11 10
19	33.866 33.455	22.77 22.45	83.4 84.0	21.30 21.48	83.0 83.4	G	Noon.
20	33.455 33.935	22.45	84.0 84.2	21.48 21.55	83.9		1 12 p. m.
21	33.935 34.552	22.29	84.2	21.59	84·7	C	A 10
22 23	35.513	21.74	84.2	21.59 21.59	85.0	C	2 12 ,, 3 12 ,,
10—1864.	00.010	1 21.77	1 0.3.2	21,00	00.0		J 14 ,,

10-1864.

	DAILY	OBSERVATIO	NS, FROM	18тн то 20тн	APRIL 1864.		
DATS. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.		01.00			0.450		h. m.
APR. 18TH-Noon.	35/850	21.62	83.5	21.50	84.9	C	4 12 p. m. 5 12
$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	36.199	21.55 21.70	82.8 82.0	21.50 21.50	84.3 83.5	B B	6 19 "
3	35.513 34.689	21.70 21.75	82.0 81.6	21.65 21.65	83.1	В	7 12 "
4	35.170	21.85	81.5	21.70	82.7	В	8 12 ,,
5	35.170	21.90	81.4	21.76	82.2	G.	9 12 ,,
6	35.513	21.90	81.1	21.80	82.0	G	10 12 ,,
7	35.650	21.85	80.9	22.00	81.8	G	11 12 ,,
8	35.650	21.80	80.8	22.00	81.5	G	Midnight. 1 12 a. m.
9	35.718	21.80	80.4	21.90	81.2	C	9 19
10 11	35.513	21.83	80.1	21.94 22.00	81.0 80.9	C	2 19 "
12	35.170	21.85 21.92	79.9 79.6	22.00	80.7	C	4 19 °
13	· 35.375 35.375	21.92	79.0	22.00	80. <i>7</i> 80. <i>5</i>	C B	5 12 ,,
14	36.610	22.10	79.1	22.05	80.3	В	6 12 ",
15	37.228	22.32	79.5	22.10	80.4	В	7 12 ,,
16	37.433	22.45	80.4	21.82	80.7	В	8 12 ,,
17	36.885	22.70	81.8	21.32	81.5	G	9 12 ,,
18	35.856	22.90	82.5	21.04	82.2	G	10 12 ,,
19	34.895	22.80	83.4	21.05	82.8	G	11 12 ,, Noon.
20	34.141	22.55	83.7	21.14	83.4 84.0	G	1 12 p. m.
21 22	33.866 34.278	22.20 21.93	84.1 84.1	21.30 21.50	84.4	C	9 19
23	34.278 34.82 7	21.53	84.0	21.40	84.8	C	3 12 ,,
20	02.027		02.0	21.10	00	ľ	,
Apr. 19th-Noon.	35.307	21.73	83.9	21.40	84.8	•c	4 12 "
1	35.375	21.82	83.5	21.35	84.5	В	5 12 ,,
2	34.689	21.81	82.6	21.40	84.0	В	6 12 ,,
3	34.415	21.88	82.2	21.60	83.4	В	7 12 ,,
4	34.552	21.91	81.9	21.70	83.0	В	8 12 ,, 9 12 ,,
5	34.621	21.90 22.05	81.5 81.4	21.84 21.80	82.7 82.5	G	10 19 "
6 7	34.484 35.101	22.15	81.4	22.00	82.3	G G	11 19 "
8	35.101 35.444	22.20	81.2	22.00	82.0	G	Midnight.
9	35-581	22.21	81-0	22.00	81.9	C	1 12 a. m.
10	35.581	22.30	80.6	22.00	81.6	С	2 12 ,,
11	35.307	22.30	80.2	22.01	81.2	С	3 12 ,,
12	35.170	22.27	79.9	22.04	81.0	C	4 12 ,,
. 13	35.581	22.25	79.5	22.10	80.6	В	5 12 "
14	36.404	22.30 22.45	79.3	22.30	80.5 80.6	В	6 12 ,, 7 12 ,,
15 16	37.571 38.257	22.45 22.65	80.0 81.0	22.15 21.80	80.0 81.0	В	9 19 "
17	38.257 38.051	22.95	81.8	21.50	81.8	B G	9 12 ,,
18	36.816	23.07	82.7	21.14	82.7	G	10 12 ,,
19	35.581	22.75	83.5	20.90	83.0	G	11 12 ,,
20	34.689	22.60	84.0	21.00	83.4	G	Noon.
21	33.798	22.36	84.4	21.13	84.1	С	1 12 p. m.
22	34.827	22.07	84.6	21.40	84.9	C	2 12 ,,
23	35.787	21.87	84.8	21.40	85.3	С	3 12 "
Apr. 20тн-Noon.	35.924	21.70	84.8	21.29	85.6	С	4 12 "
APR. 201H-NOON.	35.238	21.71	84.3	21.15	85.3	В	5 12 ,,
2	35.101	21.55	83.5	21.35	84.5	В	6 12 ,,
3	34.895	21.71	82.9 `	21.50	83.8	В	7 12 ,,
. 4	34.689	21.75	82.6	21.65	83.7	В	8 12 ,,
5	35.101	21.80	82.4	21.60	83.5	G	9 12 ,,
6	35.30 7	21.76	82.3	21.68	83.3	G	10 12 ,, 11 12 ,,
7	35.513 35.718	21.82	82.0	21.75 21.75	83.0 82.5	G G	Midnight.
8 9	35.718 35.718	21.85 21.91	81.7 81.3	21.73	82.3	c	1 12 a. m.
10	35.718 35.718	22.05	80.9	21.90	82.2	c	2 12 ,,
11	35.375	22.08	80.7	21.92	81.9	В	3 12 ,,

	DAIL	Y OBSERVAT	ions, from	20тн то 22мі	APRIL 186	64.	
DATE. Göttingen	Eastern Declination.	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time.
Mean Time. 1864.		Scale Readings Uncorrected.	tometer.	Uncorrected.	tometer.	రే	1864.
h.							h. m.
APRIL 20TH-12	35′170	22.13	80:3	21.98	81°5	- B	4 12 a. m.
13	35.307	22.15	80.0	22.00	81.2	G	5 12 ,,
14	35.444	22.35	79-9	22.00	81.0	G	6 12 ,,
15	36.061	22.38	80.3	22.18	81-4	C	7 12 ,,
16	36.336	22.59	81.3	21.90	81.9	С	8 12 ,,
17	36.610	22.85	82. 5	21.65	82.4	В	9 12 ,,
18	35.37 <i>5</i>	22.96	83.5	21.30	83.2	В	10 12 ,,
19	33.729	23.10	84.0	21.05	83.5	G	11 12 ,,
20	32.837	22.85	85.0	21.06	84-2	G	Noon.
21	32.426	22.41	85.5	21.24	85.1	С	1 12 p. m.
22	32.906	22.08	85.8	21.45	85.9	C	2 12 ,,
23	34.072	21.81	85.7	21.65	86.2	В	3 12 ,,
APR. 21st-Noon.	35-101	21.53	85.8	21.65	86.5	В	4 12 ,,
1 1	35.787	21.28	85.6	21.50	86.7	G	5 12 ,,
2	35.032	21.39	84.7	21.50	86.0	G	6 12 ,,
3	34.964	21.49	83.7	21.55	85.2	C	7 12 ,,
4	34.964	21.55	83.4	21.66	84.9	С	8 12 ,,
5	35.101	21.60	83.0	21.78	84.0	В	9 12 ,,
6	35.444	21.55	82.6	22.54	83.6	В	10 12 ,,
7	35.718	21.75	82.0	22.55	83.0	G	11 12 ,,
8	35.856	21.90	82.0	22.60	83.0	G	Midnight.
9	35.718	21.80	81.8	22.63	82.9	С	1 12 a. m.
10	35.856	21.89	81.4	22.69	82.6	C	2 12 ,,
11	34.924	21.90	81.0	22.70	82.2	C	3 12 "
12	35.375	21.95	80.5	22.70	82.0	C	4 12 ,,
13	35.238	22.05	80.2	22.75	81.6	В	5 12 ,,
14	36.610	22.20	79-6	22.95	81.1	В	6 12 ,,
15	37.649	22.25	80.2	22.98	81.2	В	7 12 ,,
16	37.776	22.40	81.4	22.60	81.8	В	8 12 ,,
17	37.914	22.60	82.6	22.28	82.5	G	9 12 ,,
18	36.816	22.62	84.0	22.00	83.0	G	10 12 ,,
19	35.032	22.70	84.6	21.56	83.5	G	11 12 ,,
20	32.563	22.65	84.9	21.54	84.0	G	Noon.
21	32.494	22.40	85.0	21.75	84.9	С	1 12 p.m.
22	33.249	22.05	85. 2	21.89	85.8	С	2 12 ,,
23	34415	21.84	85.2	22.00	86.2	С	3 12 ,,
Apr. 22 _{ND} -Noon.	34.484	21.64	85.0	22.00	86.3	С	4 12 "
1	34.552	21.71	84.5	22.00	85. 7	В	5 12 ,,
2	34.346	21.68	83.8	22.20	85.2	В	6 12 ,,
3	34.552	21.78	83.4	22.25	84.6	В	7 12 ,,
4	34.758	21.68	83.1	22.70	84.2	В	8 12 ,,
5	34.758	21.85	82.9	22.74	84.0	G	9 12 ,,
6	35.170	21.75	82.6	22.90	83.5	G	10 12 ,,
7	35.513	21.75	82.4	23.00	83.3	G	11 12 ,,
8	35.513	21.85	82.4	23.00	83.1	G	Midnight.
9	35.581	21.88	82.2	23.01	83.0	C	1 12 a.m.
. 10	35.856	21.80	81.6	23.04	82.7	C	2 12 ,,
11	35.650	21.86	81. 2	23.04	82.4	C	3 12 ,,
12	35.444	21.86	81.0	23.05	82.2	С	4 12 ,,
13	35.307	22.00	81.0	23.00	81.6	В	5 12 ,,
14	35.513	22.00	80.5	23.15	81.8	В	6 12 ,,
15	36.404	22.25	80.7	23.12	81.5	В	7 12 ,,
16	36.885	22.45	82.3	22.90	82.3	В	8 12 ,,
17	36.542	22.65	83.4	22.08	83.2	G	9 12 ,,
18	34.827	22.80	85.0	22.00	84.l	G	10 12 ,,
19	33.043	22.55	86.0	21.64	85.0	G	11 12 ,,
20	31.945	22.25	86.4	22.00	85.5	G	Noon.
21	32.426	22.03	86.3	22.21	86.1	С	1 12 p. m.
		เการว	961	22.29	86.9	C	2 12 ,,
22 23	33-317 34.689	21.73 21.35	86.1 86.1	22.48	87.0	c	2 12 ,, 3 12 ,,

DATE. Göttingen Mean Time. 1864. h. Apr. 24th-Noon.	Eastern Declination.	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer		DATE.
		Scale Readings Uncorrected.	Force Magne- tometer.	meter. Scale Readings Uncorrected.	of Vertical Force Magne- tometer.	Observers.	Bombay Civil Time. 1864.
	35′238	20.81	87:0	22.30	88:0	В	h. m. 4 12 p. m.
1 1	35.238	20.69	86.1	22.30	87.5	В	5 12 ;,
2	35.101	20.52	85.5	22.45	86.7	В	6 12 ,,
3	35.650	20.28	84.9	22.50	86.2	В	7 12 ,,
4	35.924	20.51	84.6	22.65	86.0	В	8 12 ,,
5	35.993	20.60	, 84.4	22.70	85.7	G	9 12 ,,
6	35.993	20.75	84.3	22.75	85.5	G	10 12 ,,
7	35.993	20.85	84.3	22.80	85.3	G	11 12 ,,
8	36.061	20.85	84.3	22.85	85.0	G	Midnight.
9	36.199	2 0.90	84.2	22.92	84.9	C	1 12 a. m.
10	36-336	20.96	84.1	22.83	84.7	С	2 12 ,,
11	35.856	20.95	83-8	22.29	84.4	C	3 12 ,,
12	35-307	21.39	83.7	22.15	84.2	С	4 12 ,,
13	35.581	21.52	83.5	22.25	84.0	В	5 12 ,,
14	36.542	21.35	83.4	22.40	83.9	В	6 12 ,,
15	37.776	21.10	83.5	22.40	83.8	В	7 12 ,,
16	37.531	20.94	84.4	22.60	84.4	В	8 12 ,,
17	36.885	21.45	84.7	21.50	84.8	G	9 12 ",
17	35.307	21.37	85.5	21.50	85.0	G	10 12 ,,
19	34.072	21.45	86.3	21.30	86.0	G	11 12 ",
20	34.072 33·592	20.90	86.8	21.30	86,5	G	Noon."
· ·	33.523	20.78	87.2	21.20	87.7	c	1 12 p. m.
21		20.65	87.9	21.19	88.3	C	9 19
22	33.592	20.28	88.1	21.13	88.9	C	2 19 "
23	34.278	20.20	00.1	21.20	00 3		J 12 ,,
APR. 25TH-Noon.	, 34.141	20.01	88.2	21.33	89.3	c	4 12 ,,
1	34.415	19.72	88.0	21.40	89.3	В	5 12 ,,
2	34.827	19.64	87.5	21.60	88.5	В	6 12 ,,
3	35.238	19.61	86.9	21.75	87.8	В	7 12 ,,
4	35.924	19.85	86.5	21.85	87.5	В	8 12 .,,
5	36.199	20.00	86.2	22.00	87.2	G	9 12 ,,
6	36.267	19.95	86.0	22.00	86.5	G	10 12 ,,
7	36.199	20.25	85. 7	22.00	86.2	G	11 12 ,,
8	36.679	20.35	85.5	22.16	86.1	G	Midnight.
9	36.816	20.65	85.3	22.25	86.1	C	1 12 a. m.
10	36.816	20.64	85.2	22.28	86.0	С	2 12 ,,
ii	36.267	20.67	85.0	22.17	85.8	C.	3 12 ,,
12	36.061	20.86	84.9	22.16	85.6	C	4 12 ,,
13	36.061	20.85	84.6	22.15	85.3	В	5 12 ",
14	36.061	20.94	84.6	22.30	85.2	В	6 12 ",
15	36.610	21.07	84.7	22.36	85.4	В	7 12 ,,
16	37.090	21.31	85.5	22.20	85.5	В	8 12 ",
17	36.473	21.46	86.0	21.90	86.1	G	9 12 ",
18	36.444	21.52	86.8	21.72	86.5	G	10 12 ,,
19	34.278	21.45	87.2	21.60	86.9	G	11 12
20	34.141	21.40	87.8	21.68	87.4	G	Noon."
21	34.621	20.94	88.0	21.86	88.1	C	1 12 p. m.
22	35.170	20.75	88.3	21.89	88.6	C	2 12 ,,
23 23	35.444	20.62	88.3	21.91	89.0	C	3 12 ",
APR. 26TH-Noon.	35.993	20-55	87.9	21.86	89.2	С	4 12 ,,
1	36.130	20.51	87.2	21.80	89.0	В	5 12 ,,
2	35.513	20.52	86.1	21.85	88.0	В	6 12 ,,
3	35.375	20.55	85.8	21.92	87.2	В	7 12 ,,
4	35.650	20.60	85.6	21.95	87.0	В	8 12 ,,
5	35.650	20.65	85.2	22.00	86.7	G	9 12 ,,
6	35.307	20.75	85.2	22.20	86. <i>5</i>	G	10 12 "
7	35.513	20-90	85.2	21.34	86.4	G	11 12 ,,
8	35.650	20.90	85 ·2	21.52	86.2	G	Midnight.
9	35.787	20.94	85.1	21.59	86.1	C	1 12 a.m.
10	36.267	21.01	84.7	21.78	86.0	С	2 12 ,,
11	35.856	21.03	84.3	21.73	85.8	c	3 12 ,,

13		DAILY	OBSERVATIO	NS, FROM 2	26тн то 28тн	APRIL 1864.		
APR. 26TH-Noon. 33,386 20,27 87,1 21,28 88,6 c 412 m.		Bastern	Force Magneto-	of Horizontal	Force Magneto-	of Vertical	rvers.	
APR. 25TH-Noon. 33.386 35.897 APR. 27TH-Noon. 33.386 20.27 35.597 APR. 27TH-Noon. 33.386 20.27 35.599 30.295 35.597 APR. 27TH-Noon. 33.386 33.307 34.307 APR. 27TH-Noon. 33.386 35.307 35.307 35.307 36.307 36.307 37.307 38.308 39.207 49.307 49.307 49.307 APR. 27TH-Noon. 33.386 30.27 40.407 40.	Mean Time.	Declination.					Obse	
13	h. Apr. 26th—12	35/993	21.10	84!1	21.76	854	C	
14					· ·			5 19
16	14							6 19 "
166 88.953 21.99 84.9 21.65 85.4 8 8 12 " 177 86.336 21.62 85.6 21.40 86.8 6 0 10 12 " 180 35.307 21.85 86.0 21.28 86.0 6 11 12 " 200 33.386 22.14 87.0 21.00 87.3 6 Noon. 21 34.073 21.99 87.3 21.16 88.1 c 112 p. m. 22 33.523 21.24 87.4 21.30 88.4 c 2 12 " 23 33.112 20.49 87.4 21.30 88.4 c 2 12 " 24 32.553 20.25 86.3 21.35 87.5 8 6 12 " 2 32.553 20.25 86.3 21.35 87.5 8 6 12 " 2 33.386 20.25 86.3 21.35 87.5 8 6 12 " 2 33.386 20.25 86.3 21.35 87.5 8 6 12 " 2 33.386 20.25 86.3 21.35 87.5 8 6 12 " 2 33.386 20.25 86.3 21.35 87.5 8 6 12 " 3 32.837 20.40 85.5 21.65 86.6 B 8 12 " 5 5 33.993 20.25 85.0 21.74 86.2 0 9 12 " 5 6 33.993 20.25 85.0 21.74 86.2 0 9 12 " 7 7 36.267 22.20 84.5 22.00 88.7 6 11 12 " 8 8 37.08 20.20 84.5 22.00 88.7 6 11 12 " 8 8 37.08 20.20 84.5 22.00 88.7 6 11 12 " 1 37.57 20.03 84.1 22.00 88.5 6 Midnight. 10 38.70 20.20 84.5 22.00 88.7 6 11 12 " 11 37.57 20.03 83.1 22.00 88.1 1 22.00 88.5 6 11 12 " 11 37.57 20.03 83.1 22.00 88.1 22.00 88.5 6 11 12 " 11 37.57 20.03 83.1 22.00 88.1 22.00 88.5 6 11 12 " 11 37.57 20.03 83.1 22.00 88.1 1 22.00 88.5 6 11 12 " 11 37.57 20.03 84.1 22.00 88.5 6 Midnight. 10 38.267 20.03 84.1 22.00 88.5 6 Midnight. 11 37.57 20.03 83.1 22.30 84.4 22.00 88.5 6 11 12 " 11 37.57 20.03 88.1 22.30 88.1 6 2 21 12 " 12 34.41 20.03 88.1 22.30 88.4 6 1 C 2 12 " 13 36.061 20.03 88.1 22.30 88.4 1 22.00 88.5 6 1 12 " 14 36.061 20.03 88.1 22.30 88.4 1 22.00 88.5 6 1 12 " 15 38.267 20.05 88.1 22.30 88.4 1 22.30 88.0 1 C 2 12 " 16 33.866 20.05 88.1 22.30 88.4 21.90 88.0 1 C 2 12 " 17 36.061 20.05 88.1 22.30 88.4 21.90 88.0 1 C 2 12 " 18 36.061 20.05 88.1 22.30 88.4 21.90 88.0 1 C 2 12 " 19 33.866 20.05 88.3 22.20 88.6 2 21.79 86.0 1 G 11 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 11 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 1 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 1 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 1 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 1 12 " 19 33.866 20.05 88.3 22.20 88.0 0 G 1 12 " 19 33.866 20.05 88.0 20.05 88.0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	15		1	I	21.85	84.9		7 19 "
177					21.65	85.4	_	9 19 "
18		36.336	21.52	85.6			G	0.19 "
20 33.386 22.14 87.0 21.00 87.3 G Non. 21 34.073 21.59 87.3 21.18 88.1 G 1 12p.m. 22 33.523 21.24 87.4 21.23 88.4 G 2 12 p.m. 23 33.112 20.49 87.4 21.23 88.4 G 2 12 p.m. 24 33.523 20.25 86.3 21.25 88.8 G 3 12 p.m. 25 32.974 20.65 87.0 21.30 88.3 B 5 12 p.m. 26 32.53 20.25 86.3 21.35 87.5 B 6 12 p.m. 27 32.8253 20.25 86.3 21.35 87.5 B 6 12 p.m. 28 32.837 20.40 85.5 21.45 87.0 B 7.1 21 p.m. 29 32.837 20.40 85.5 21.45 86.0 G 10 12 p.m. 20 38.816 19.65 84.8 21.90 86.0 G 10 12 p.m. 20 38.83 37.708 20.20 84.5 22.00 88.7 G 11 12 p.m. 21 32.538 20.25 86.0 21.74 86.2 G 9 12 p.m. 22 32.5393 20.25 86.0 21.74 86.2 G 9 12 p.m. 28 37.708 20.20 84.5 22.00 88.7 G 11 12 p.m. 29 37.914 20.39 84.1 22.00 85.3 G 11 12 p.m. 10 38.257 20.75 83.7 22.00 85.3 C 1 12 a.m. 11 37.571 20.80 83.4 21.95 84.9 C 3 12 p.m. 12 37.590 20.35 83.1 22.30 84.4 B 5 12 p.m. 14 38.061 20.95 83.1 22.30 84.4 B 5 12 p.m. 15 38.257 20.95 83.5 22.10 86.0 G 10 12 p.m. 16 38.257 20.95 83.4 22.30 84.4 B 5 12 p.m. 17 38.661 20.95 83.1 22.30 84.4 B 5 12 p.m. 18 34.621 21.28 85.8 82.2 21.89 84.7 C 4 12 p.m. 19 33.866 20.95 83.1 22.30 84.4 B 5 12 p.m. 19 33.866 20.95 83.1 22.30 84.4 B 5 12 p.m. 19 33.866 20.95 83.1 22.30 84.0 B 6 12 p.m. 20 34.072 20.55 86.1 21.48 86.2 21.10 84.2 B 7 12 p.m. 21 34.141 20.45 86.3 21.10 88.0 G 11 12 p.m. 22 34.758 20.45 86.3 21.10 88.0 G 11 12 p.m. 23 34.758 20.45 86.3 21.10 86.0 G 11 12 p.m. 24 35.660 20.95 83.1 22.30 84.0 B 6 12 p.m. 25 34.758 20.45 86.3 21.59 86.9 G 11 12 p.m. 26 35.660 20.45 86.3 21.59 86.9 G 11 12 p.m. 27 36.661 20.95 83.1 22.30 84.0 B 6 12 p.m. 28 36.67 20.44 86.3 21.10 86.0 G 11 12 p.m. 29 34.758 20.45 86.3 21.59 86.9 G 11 12 p.m. 20 34.072 20.55 86.1 21.48 86.2 21.09 86.0 G 11 12 p.m. 21 36.680 20.55 86.1 21.48 86.2 21.09 86.0 G 11 12 p.m. 22 34.758 20.45 86.0 20.55 86.1 21.48 86.2 21.09 86.0 G 11 12 p.m. 29 34.758 20.45 86.0 20.55 86.0 21.40 86.0 G 11 12 p.m. 20 34.679 20.55 86.1 21.48 86.2 21.00 86.6 B 8 12 p.m. 21 36.680 20.25 86.0 20.25 86.0 20.25 86.0 20.25 86.0 20.25 86.0 20.25 86.0 20.25 86.0 20.25 86.0	}	35.307		86.0			G	10 19
21 34.073 21.59 87.3 21.18 88.1 c 11.12 p.m. 22 33.323 21.24 87.4 21.20 88.4 c 2.12 y. 23 33.112 20.49 87.4 21.23 88.8 c 2.12 y. 24 33.323 21.24 87.4 21.23 88.8 c 2.12 y. 25 33.12 y. 26 33.12 20.49 87.4 21.23 88.8 c 2.12 y. 27 33.12 y. 28 88.8 c 2.12 y. 38 88.8 c			1				G	
22 33.523 21.24 87.4 21.20 88.4 C 3 12 y, and an approximately approxim							G	
23 33.112 20.49 87.4 21.23 88.8 C 3 12 "," APR. 27TH - Noon. 33.386 20.25 87.0 21.30 88.3 B 5 12 "," 2 32.833 20.25 86.3 21.35 87.6 B 6 12 "," 3 32.837 20.40 85.5 21.45 87.0 B 7 12 "," 4 33.866 20.28 85.2 21.55 86.6 B 8 12 "," 5 3.5933 20.25 85.0 21.74 86.2 0 9 12 "," 6 36.816 19.65 84.8 21.50 86.0 0 10 12 "," 7 36.267 22.20 84.3 22.00 85.7 0 11 12 "," 8 37.708 20.20 84.3 22.00 85.5 0 11 12 "," 8 37.708 20.20 84.3 22.00 85.5 0 11 12 "," 11 37.571 21.09 83.4 21.95 84.9 C 12 12 "," 11 37.571 21.09 83.4 21.95 84.9 C 12 12 "," 12 37.690 20.85 83.1 22.30 84.4 B 61.2 "," 13 36.61 20.95 83.1 22.30 84.4 B 61.2 "," 14 38.61 20.95 83.1 22.30 84.4 B 61.2 "," 15 38.257 20.95 83.5 21.10 84.2 B 7 712 "," 3 3.8627 20.95 83.1 22.30 84.0 B 61.2 "," 18 34.21 21.2 84.2 21.72 84.6 B 81.2 "," 20 34.072 20.05 86.1 21.48 86.2 0 91.2 "," 3 3.862 20.34 86.3 21.49 86.0 G 11.12 "," 13 3.4758 20.65 86.2 21.79 87.7 C 3 11.2 "," 14 35.681 20.44 86.3 21.49 86.2 G 11.12 "," 3 3.694 20.45 86.3 21.49 86.4 B 61.2 "," 3 3.5294 20.45 84.1 22.00 85.6 B 7.2 C 11.2 "," 3 3.5294 20.45 84.1 22.00 85.6 B 7.2 C 11.2 "," 11 36.865 20.40 84.1 22.00 85.6 B 7.1 2 "," 3 3.5294 20.45 84.0 22.16 86.0 B 7.1 2 "," 3 3.5294 20.45 84.0 22.18 85.2 G 7," 11 36.865 20.40 84.1 22.00 85.6 B 7.1 2 "," 3 3.5294 20.45 84.0 22.18 85.2 G 7," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 3 3.5294 20.45 84.0 22.18 85.2 G 7," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.868 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.868 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 36.865 21.15 82.9 22.37 84.1 C 4.12 "," 11 37.33 21.05 83.0							C	1 12 p. m.
APR. 27TH-Noon. 33.386 20.27 87.1 21.28 88.6 C 4 12 " 33.2837 20.40 85.5 21.45 87.0 B 71 2 " 4 33.866 20.28 85.2 21.65 86.6 B 81 2 " 6 38.816 19.65 84.8 21.90 86.0 G 10 12 " 7 36.267 22.20 84.5 22.00 85.7 G 11 12 " 8 37.708 20.20 84.3 22.00 85.5 G 11 12 " 8 37.708 20.20 84.3 22.00 85.5 G 11 12 " 11 37.571 21.09 83.4 21.85 83.4 21.89 84.7 C 4 12 " Midnight. 13 37.571 20.80 83.1 22.30 84.4 B 6 12 " Midnight. 13 37.571 20.80 83.1 22.30 84.4 B 6 12 " 13 38.657 20.95 83.1 22.30 84.4 B 6 12 " Midnight. 10 38.257 20.75 83.4 21.89 84.7 C 4 12 " Midnight. 10 38.257 20.95 83.1 22.30 84.4 B 6 12 " Midnight. 10 38.257 11 37.571 20.80 83.1 22.30 84.4 B 6 12 " 13 37.571 20.80 83.1 22.30 84.4 B 6 12 " 13 38.666 B 8 12 " 14 38.661 20.95 83.5 22.10 84.2 B 7 12 " 17 36.661 21.12 84.2 21.72 84.6 B 8 12 " Noon. 4P. 20.45 86.6 B 8 12 " Noon. 20 34.758 20.44 86.3 21.49 86.9 C 11 12 " Noon. 4P. 20.45 86.6 B 8 12 " 10 35.681 20.45 86.6 B 8 12 " 10 11 2 " 11 35.581 20.44 86.3 21.49 86.9 C 11 12 " 11 20 " 11 20 " 11 20 " 11 21 " 11 35.581 20.44 86.3 21.49 86.9 C 11 12 " 11 21 " 11 35.681 20.44 86.3 21.49 86.9 C 11 12 " 12 " 13 37.738 20 34.758 20.44 86.3 21.49 86.9 C 11 12 " 12 " 13 35.581 C 11 12 " 13 37.738 20.44 86.3 21.49 86.9 C 11 12 " 12 " 13 37.738 20 34.758 20 34.866 21.10 86.9 C 11 12 " 12 " 13 36.666 C 11 12 " 13 36.666 C 11 12 " 13 37.758 20 34.758 20 34.758 20 34.866 C 11 12 " 11 20			1				- 1	
1 32.974 20.55 87.0 21.30 88.3 n 5.12 " 2 32.563 20.25 86.3 21.35 87.5 n 612 " 3 32.887 20.40 85.5 21.45 87.0 n 81.2 " 4 33.866 20.28 85.2 21.65 86.6 n 812 " 5 35.993 20.25 85.0 21.74 86.2 0 9 12 " 6 36.16 19.65 84.8 21.90 86.0 d 10 12 " 7 36.267 22.20 84.5 22.00 85.7 d 11 12 " 8 37.708 20.20 84.3 22.00 85.5 d Midnight. 9 37.914 20.39 84.1 22.00 85.3 d 11 12 " 8 37.708 20.20 83.4 21.95 84.9 c 312 " 11 37.571 21.09 83.4 21.95 84.9 c 312 " 12 37.990 20.85 83.2 21.89 84.7 d 12 " 13 37.571 20.80 83.1 22.30 84.4 n 512 " 14 38.061 20.96 83.1 22.30 84.4 n 612 " 14 38.061 20.96 83.1 22.30 84.4 n 612 " 16 37.365 21.12 84.2 21.12 84.2 n 7 12 " 16 37.365 21.12 84.2 21.12 84.2 n 7 12 " 17 36.061 21.30 86.0 21.50 85.0 d 11 12 " 18 34.621 21.28 86.8 c 10 12 " 19 33.866 20.95 86.0 21.40 86.0 d 11 12 " 20 34.072 20.65 86.1 21.48 86.2 d Noon. 1 34.141 20.45 86.3 21.49 86.2 d Noon. 1 35.5924 20.35 84.5 22.00 85.6 n 7 12 " 2 34.738 20.44 86.3 21.99 87.7 c 2 12 " 2 34.738 20.45 86.2 21.99 87.7 c 2 12 " 2 34.738 20.45 86.3 21.99 87.7 c 2 12 " 2 35.650 20.55 86.2 21.99 87.7 c 2 12 " 2 36.661 20.90 83.6 82 21.179 87.7 c 2 12 " 2 36.661 20.90 83.6 82 21.99 87.2 n 612 " 2 34.738 20.45 86.9 22.20 86.0 n 7 12 " 2 35.650 20.55 86.2 22.00 86.4 n 612 " 2 36.660 20.45 84.1 22.00 85.6 n 7 12 " 2 36.661 20.90 83.6 22.20 86.0 n 7 12 " 2 36.661 20.90 83.6 22.20 86.0 n 7 12 " 2 36.660 20.45 84.1 22.00 85.6 n 7 12 " 2 36.677 21.22 86.5 86.2 22.20 86.0 n 7 12 " 2 36.677 21.22 86.5 86.2 22.20 86.0 n 7 12 " 2 36.677 21.22 88.5 22.20 86.0 n 7 12 " 2 36.677 21.22 88.5 22.20 86.0 n 7 12 " 2 36.677 21.22 88.5 22.20 86.0 n 7 12 " 2 36.677 21.22 88.5 22.20 86.0 n 7 12 " 2 36.677 21.22 86.5 86.0 22.23 84.0 n 612 " 2 36.677 21.22 86.5 86.0 22.23 84.0 n 612 " 2 36.677 21.22 86.5 86.0 22.23 84.0 n 612 " 2 36.677 21.22 86.5 86.0 22.23 84.0 n 612 " 2 36.677 21.22 86.0 80.0 82.6 22.20 86.0 n 7 12 " 2 36.677 21.22 86.0 80.0 22.35 84.1 c 112 n m. 2 37.238 21.05 83.0 22.35 84.5 c 22.00 86.0 n 7 12 " 2 36.677 21.22 88.6 0 21.50 86.0 c 112 p m. 2 37.28 21.05 83.0 22.2	23	33.112	20.49	87-4	21.23	88.8	C	3 12 ,,
1 32974 20.56 87.0 21.30 88.3 B 512 " 2 32.563 20.25 86.3 21.55 87.5 D 6 12 " 3 3 328.37 20.40 85.5 21.45 87.5 D B 712 " 4 33.666 20.28 85.2 21.65 86.6 D B 12 " 5 33.993 20.25 85.0 21.74 86.2 G 9 12 " 7 36.267 22.20 84.5 22.00 85.7 G 11 12 " 8 37.798 20.20 84.3 22.00 85.7 G 11 12 " 8 37.798 20.20 84.3 22.00 85.5 G Midnight. 9 37.914 20.39 84.1 22.00 85.3 C 112 a.m. 10 38.257 20.75 83.7 22.00 85.1 C 212 a.m. 11 37.571 20.80 83.1 22.30 84.4 B 51.2 " 11 37.571 20.80 83.1 22.30 84.4 B 51.2 " 11 37.571 20.80 83.1 22.30 84.4 B 51.2 " 11 38.661 20.95 83.5 22.10 84.2 B 71.2 " 11 38.661 20.95 83.5 22.10 84.2 B 71.2 " 11 38.661 20.95 88.5 22.10 84.2 B 71.2 " 11 38.661 20.95 88.5 22.10 84.2 B 71.2 " 11 38.661 20.95 88.3 22.10 84.2 B 71.2 " 11 38.4621 21.28 86.8 21.42 85.8 G 10 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 12 " 11 37.58 20.44 86.3 21.91 87.2 C 212 " 20 34.758 20.45 86.3 21.99 87.7 C 212 " 21 34.141 20.45 86.3 21.91 87.2 C 212 " 22 34.758 20.46 86.3 21.91 87.2 C 212 " 23 34.758 20.46 86.3 21.91 87.2 C 212 " 24 4 35.650 20.55 85.2 22.00 86.4 B 61 2 " 25 35.594 20.35 84.5 22.20 86.6 B 71.2 " 26 36.130 20.51 88.6 22.20 86.6 B 71.2 " 21 34.141 20.45 86.3 21.99 87.7 C 212 " 22 34.758 20.46 86.3 21.91 87.2 C 212 " 23 34.758 20.45 86.3 21.99 87.2 G 912 " 24 35.650 20.55 85.2 22.00 86.4 B 61.2 " 25 36.60 20.40 84.1 22.00 85.6 B 71.2 " 26 36.60 20.40 84.1 22.00 85.6 B 71.2 " 27 36.601 20.90 83.5 22.20 86.0 B 71.2 " 28 36.50 20.55 85.2 22.00 86.4 B 61.2 " 3 35.924 20.45 84.0 22.18 85.2 G 912 " 3 35.924 20.45 84.0 22.18 85.2 G 912 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 36.60 20.90 83.5 22.20 86.0 B 71.2 " 3 37.71 20.80 80.0 20.20 86.0 20.00 86.0 B 71.2 " 3 37.722 20.88 83.0 22.24 84.0 B 81.2 " 3 37.7238 21.06 83.0 22.24 84.0 B 81.2 " 3 37.738 21.0	APR. 27TH-Noon.						c	
2 32.633 20.25 86.3 21.35 87.5 B 6 12 " 3 32.837 20.40 85.5 21.45 87.0 B 7 12 " 4 33.866 20.28 85.2 21.65 86.6 B 812 " 7 36.267 22.20 84.5 22.00 85.7 G 11 12 " 8 37.708 20.20 84.5 22.00 85.7 G 11 12 " 8 37.708 20.20 84.5 22.00 85.1 C 11 2 a.m. 10 38.237 20.75 83.7 22.00 85.1 C 212 " 11 37.571 21.09 83.4 21.55 84.9 C 312 " 11 37.571 20.80 83.1 22.30 84.4 B 5 12 " 11 38.051 20.95 83.1 22.30 84.4 B 5 12 " 11 38.051 20.95 83.1 22.30 84.4 B 6 12 " 11 38.051 20.95 83.1 22.30 84.4 B 6 12 " 116 37.355 21.12 84.2 21.12 84.2 B 8.2 11.72 84.6 B 8 12 " 117 36.061 21.30 85.0 21.50 86.0 G 11 12 " 118 34.621 21.28 85.8 21.42 85.8 U 10 12 " 12 34.141 20.45 86.3 21.49 86.0 G 11 12 " 13 34.621 21.28 85.8 21.42 85.8 U 10 12 " 14 38.051 20.95 83.1 22.30 84.6 B 12 " 15 38.257 20.95 86.0 21.50 86.0 G 11 12 " 16 37.355 21.12 84.2 11.2 84.2 B 7 12 " 17 36.061 21.30 85.0 21.50 86.0 G 11 12 " 18 34.621 21.28 85.8 21.42 85.8 U 10 12 " 19 33.866 20.95 86.0 21.49 86.0 G 11 12 " 20 34.072 20.65 86.1 21.49 86.2 G Noon. 21 34.141 20.45 86.3 21.49 86.0 G 11 12 " 22 34.758 20.44 86.3 21.49 86.0 G 11 12 " 23 35.581 20.44 86.3 21.49 87.7 C 2 212 " 24 35.581 20.44 86.3 21.49 87.7 C 2 212 " 25 35.600 20.55 86.0 21.50 86.0 B 71.2 " 27 36.061 20.90 83.5 82.2 22.00 86.4 B 61.2 " 28 36.60 20.40 841 22.00 85.6 B 7.2 C 2 12 " 29 36.60 20.55 86.0 21.50 86.0 B 71.2 " 20 34.758 20.44 86.3 21.41 87.2 C 2 212 " 3 35.640 20.55 86.0 20.55 86.0 B 71.2 " 3 35.640 20.55 86.0 20.55 86.0 B 71.2 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 841 22.00 85.6 B 7.2 C 2 12 " 3 36.650 20.40 84.1 84.5 C 22.00 86.0 B 7.1 2 " 3 36.650 20.40 84.1 22.00 85.6 B 7.2	1			I .			В	5 12 ",
3 32.837							В	6 12 ,,
5 35.993 20.25 85.0 21.74 86.2 0 9 12 7 6 30.316 19.65 84.8 21.90 86.0 6 10.12 7 30.267 22.20 84.5 22.00 85.5 0 11.12 7 8 37.708 20.20 84.3 22.00 85.5 0 Midnight, 10 38.257 20.75 83.7 22.00 85.1 0 11.12 12 11 37.571 21.09 83.4 21.95 84.9 0 21.2 12 37.090 20.85 83.2 21.89 84.7 0 41.2 13 37.571 20.80 83.1 22.30 84.4 8 51.2 7 14 38.061 20.95 83.1 22.30 84.4 8 51.2 7 14 38.061 20.95 83.1 22.30 84.4 8 6 12 7 16 37.365 21.12 84.2 21.72 84.6 8 12 7 16 37.365 21.12 84.2 21.72 84.6 8 12 7 17 36.061 21.30 85.0 21.50 85.0 6 11.12 7 18 34.621 21.28 85.8 21.42 85.8 6 10.12 7 19 33.866 20.95 86.1 21.49 86.0 6 11.12 7 19 33.866 20.95 86.1 21.49 86.2 6 11.12 7 20 34.072 20.65 86.1 21.49 86.2 6 11.12 7 20 34.758 20.44 86.3 21.59 86.9 0 1 12 7 1 2 3 34.758 20.65 86.2 21.79 87.7 0 3 12 7 3 3 35.924 20.35 84.5 22.05 86.0 86.0 8 12 7 3 3 35.924 20.35 84.5 22.05 86.0 86.0 8 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.18 85.2 6 9 12 7 3 3 35.924 20.45 84.0 22.28 84.5 22.00 86.4 8 6 12 7 3 3 35.924 20.45 84.0 22.28 84.5 22.00 86.4 8 6 12 7 3 3 35.924 20.45 84.0 22.28 84.5 0 10.12 7 3 3 35.924 20.45 84.0 22.23 84.5 0 10.12 7 3 3 35.924 20.45 83.5 22.20 84.0 8 81.2							_	7 12 ,,
6 36.316 19.65 84.8 21.90 85.0 6 10 12 " 7 36.267 22.20 84.5 22.20 85.7 6 11 12 " 8 37.708 20.20 84.3 22.00 85.7 6 11 12 " 10 38.257 20.75 83.7 22.00 85.3 c 11 2 a.m. 10 38.267 20.75 83.7 22.00 85.3 c 11 2 a.m. 11 37.571 21.09 83.4 21.95 84.9 c 3 12 " 11 37.571 20.80 83.1 22.30 84.4 B 5 12 " 11 37.571 20.80 83.1 22.30 84.4 B 5 12 " 13 37.571 20.80 83.1 22.30 84.4 B 5 12 " 14 38.061 20.95 83.1 22.30 84.0 B 61 2 " 15 38.257 20.95 83.5 22.10 84.2 B 7 12 " 16 37.365 21.12 84.2 21.72 84.6 B 812 " 17 36.061 21.30 85.0 21.50 85.0 6 9 12 " 18 34.621 21.28 85.8 21.42 85.8 6 10 12 " 19 33.866 20.95 86.0 21.40 86.0 c 11 12 " 20 34.072 20.65 86.1 21.48 86.2 c Noon. 21 34.141 20.45 86.3 21.59 86.9 c 1 12 " 22 34.758 20.44 86.3 21.59 86.9 c 1 12 " 23 34.758 20.45 86.2 21.79 87.7 c 3 12 " APR. 28th-Noon. 35.032 20.39 84.5 22.20 86.4 B 61 2 " 3 35.924 20.35 84.5 22.20 86.4 B 61 2 " 3 35.924 20.35 84.5 22.20 86.4 B 61 2 " 3 35.924 20.35 84.5 22.20 86.4 B 61 2 " 3 35.924 20.45 84.0 22.18 85.2 20.0 86.4 B 61 2 " 3 35.924 20.35 84.5 22.20 86.0 B 7 12 " 8 36.130 20.90 83.5 22.20 86.0 B 7 12 " 8 36.130 20.90 83.5 22.20 86.0 B 7 12 " 8 36.130 20.90 83.5 22.20 86.0 B 7 12 " 8 36.130 20.90 83.5 22.36 84.9 c 11 12 " 8 36.130 20.90 83.5 22.36 84.9 c 11 12 " 8 36.867 21.27 88.9 22.37 84.1 c 3 12 " 11 36.885 21.15 82.9 22.37 84.1 c 3 12 " 11 36.885 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.37 84.1 c 3 12 " 11 36.886 21.15 82.9 22.36 86.0 0 0 10 12 " 12 36.267 21.22 88.8 3.0 22.36 84.9 c 11 12 " 13 37.238 21.05 83.5 22.20 84.0 B 84.0 B 11 12 " 14 37.238 21.05 83.5 22.20 84.0 B 84.0 B 11 12 " 13 37.38 21.05 83.5 22.20 84.0 B 84.0 B 11 12 " 14 37.238 21.05 83.5 22.20 84.0 B 84.0 B 11 12 " 12 36.667 21.22 88	- 1						_	8 12 ,,
7 36,267 22,20 84,5 22,00 85,7 0 11 12 12 13 10 38,257 20,75 83,7 22,00 85,5 0 Midnight. 12 a.m. 10 38,257 20,75 83,7 22,00 85,1 c 2 12 m. 11 37,571 20,95 83,4 21,95 84,9 c 3 12 m. 12 m. 13 37,571 20,80 83,1 22,30 84,4 B 5 12 m. 14 38,051 20,95 83,1 22,30 84,0 B 6 12 m. 16 38,257 20,95 83,1 22,30 84,0 B 6 12 m. 16 38,257 20,95 83,5 22,10 84,2 B 7 12 m. 16 33,857 20,95 83,5 22,10 84,2 B 7 12 m. 16 37,365 21,12 84,2 21,72 84,6 B 8 12 m. 17 36,061 21,30 85,0 21,50 85,0 g 9 12 m. 18 34,621 21,28 86,8 21,42 85,8 6 10 12 m. 19 33,866 20,95 86,0 21,40 86,0 g 11 12 m. 13 m. 13 m. 14 m. 15	- 1		1					,,,
8 37.708 20.20 84.3 22.00 85.5 G Midnight. 9 37.914 20.39 84.1 22.00 85.3 C 1 12 a.m. 10 38.257 20.75 83.7 22.00 85.1 C 2 12 m. 11 37.571 21.09 83.4 21.95 84.9 C 3 12 m. 12 37.090 20.85 83.2 21.89 84.7 C 4 12 m. 13 37.571 20.80 83.1 22.30 84.4 B 5 12 m. 14 38.051 20.95 83.1 22.30 84.4 B 5 12 m. 14 38.051 20.95 83.1 22.30 84.4 B 5 12 m. 14 38.051 20.95 83.1 22.30 84.4 B 5 12 m. 16 37.365 21.12 84.2 21.72 84.6 B 8 12 m. 17 36.061 21.30 86.0 21.50 85.0 G 9 12 m. 18 34.621 21.28 85.8 21.42 85.8 G 10 12 m. 18 34.621 21.28 85.8 21.42 85.8 G 10 12 m. 19 33.866 20.95 86.0 21.40 86.0 G 11 2 m. 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 1 12 m. 22 34.758 20.44 86.3 21.59 86.9 C 1 12 m. 22 34.758 20.44 86.3 21.59 86.9 C 1 12 m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 m. 35.660 20.45 86.5 22.179 87.7 C 3 12 m. 35.660 20.40 84.1 22.00 86.4 B 6 12 m. 35.660 20.40 84.1 22.00 86.4 B 6 12 m. 35.660 20.40 84.1 22.00 85.6 B 12 m. 35.660 20.40 84.1 22.00 85.6 B 12 m. 35.660 20.40 84.1 22.00 85.6 B 12 m. 36.061 20.90 83.5 22.20 85.0 B 12 m. 37.238 20.90 83.5 22.20 83.6 B 5 12 m. 37.238 20.90 83.5 22.20 83.6 B 5 12 m. 37.238 20.90 82.6 22.20 83.6 B 5 12 m. 37.238 20.90 82.6 22.20 83.6 B 5 12 m. 37.238 20.90 82.6 22.20 83.6 B 5 12 m. 37.238 20.90 82.6 22.20 83.6 B 7 12								
9 37.914 20.39 84.1 22.00 85.3 C 1 12 a.m. 10 38.257 20.75 83.7 22.00 85.1 C 2 12 m. 11 37.571 21.09 83.4 21.95 84.9 C 3 12 m. 12 37.090 20.85 83.2 21.89 84.7 C 4 12 m. 13 37.571 20.80 83.1 22.30 84.0 B 6 12 m. 14 38.051 20.95 83.1 22.30 84.0 B 6 12 m. 15 38.257 20.95 83.5 22.10 84.2 B 7 12 m. 16 37.365 21.12 84.2 21.72 84.6 B 8 12 m. 17 36.061 21.30 85.0 21.50 85.0 G 9 12 m. 18 34.621 21.28 85.8 21.42 85.8 G 10 12 m. 19 33.866 20.955 86.0 21.40 86.0 G 11 12 m. 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.81 87.2 C 2 12 m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 m. 23 34.758 20.44 86.3 21.81 87.2 C 2 12 m. 24 35.660 20.95 86.2 21.79 87.6 C 4 12 m. 25 35.924 20.35 84.5 22.05 86.0 B 61 2 m. 26 36.130 20.51 88.6 22.20 86.0 B 7 12 m. 28 36.130 20.51 83.6 22.20 86.0 B 7 12 m. 29 35.924 20.35 84.5 22.05 86.0 B 7 12 m. 38 36.130 20.90 83.5 22.20 85.6 B 12 m. 39 35.934 20.45 84.0 22.18 85.2 G 9 12 m. 30 37.022 20.88 83.0 22.30 84.8 G Midnight. 31 37.238 21.05 83.2 22.39 84.1 C 4 12 m. 31 37.238 21.05 83.5 22.20 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.34 84.3 C 2 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.238 21.05 83.0 22.35 83.6 B 5 12 m. 31 37.23	- 1						-	
10								Midnight.
11							-	
12							_	2 10 "
13 37.571 20.80 83.1 22.30 84.4 B 5 12 " 14 38.051 20.95 83.5 22.10 84.2 B 7 12 " 15 38.257 20.95 83.5 22.10 84.2 B 7 12 " 16 37.365 21.12 84.2 21.72 84.6 B 8 12 " 17 36.061 21.30 85.0 21.50 85.0 G 9 12 " 18 34.621 21.28 85.8 21.42 85.8 G 10 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 12 " 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 11 2p.m. 22 34.758 20.44 86.3 21.81 87.2 C 212 " 23 34.758 20.66 86.2 21.79 87.7 C 3 12 " 23 34.58 20.65 86.2 21.79 87.7 C 3 12 " 24 35.650 20.54 86.2 21.79 87.7 C 3 12 " 2 35.650 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.44 85.8 21.90 87.2 B 5 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.660 20.40 84.1 22.00 86.4 B 6 12 " 3 35.924 20.45 84.0 22.18 852 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 B 7 12 " 8 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 1 37.022 20.88 83.0 22.37 84.1 C 312 " 1 37.022 20.88 83.0 22.37 84.1 C 312 " 1 37.338 21.05 83.2 22.28 84.5 C 1 12 a.m. 10 37.022 20.88 83.0 22.37 84.1 C 312 " 11 36.885 21.15 82.9 22.37 84.1 C 312 " 13 37.238 21.00 82.6 22.20 85.0 G 10 12 " 13 37.238 21.00 82.6 22.20 84.0 B 6 12 " 14 37.238 21.00 82.6 22.20 84.0 B 6 12 " 17 37.159 21.66 84.7 22.00 84.8 G 9 12 " 18 35.993 21.65 84.7 22.00 84.8 G 9 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 10 37.022 21.11 86.3 21.55 85.9 C 11 2 m. 20 34.072 21.29 86.0 21.59 87.2 G 11 12 " 20 34.072 21.29 86.0 21.59 87.2 G 11 12 " 20 34.072 21.19 86.0 21.59 87.2 G 11 12 " 20 34.072 21.11 86.3 21.55 86.9 C 1 12 p.m.					1		_	4 19 "
14 38.051 20.95 83.1 22.30 84.0 B 6 12 " 15 38.257 20.95 83.5 22.10 84.2 B 7 12 " 16 37.365 21.12 84.2 21.72 84.6 B 8 12 " 17 36.061 21.30 85.0 21.50 85.0 G 9 12 " 18 34.621 21.28 85.8 21.42 85.8 G 10 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 12 " 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 1 12 p. m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 " 23 34.758 20.66 86.2 21.79 87.7 C 3 12 " APR. 28th-Noon 35.032 20.39 86.2 21.79 87.7 C 3 12 " APR. 28th-Noon 35.650 20.55 86.2 22.00 86.4 B 6 12 " 2 35.650 20.55 86.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 36.660 20.40 84.1 22.40 85.6 B 6 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.30 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.20 83.6 B 5 12 " 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.885 21.16 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 28.8 22.39 84.1 C 3 12 " 13 37.238 21.00 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.20 84.0 B 81.2 " 15 37.238 21.05 83.5 22.20 84.0 B 81.2 " 17 37.159 21.66 84.7 22.00 84.8 G 0 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11.12 " 20 34.072 21.29 86.0 21.59 86.9 C 1.12 p.m. 22 34.003 20.82 86.6 21.59 86.9 C 1.12 p.m. 22 34.003 20.82 86.6 21.59 87.2 C 21.15 21.15 21.15 21.15 21.15 21.15 21.15 21.15 21.15 21.15	1		4	B .				5 19
15 38.257 20.95 83.5 22.10 84.2 B 7 12 " 16 37.365 21.12 84.2 21.72 84.6 B 8 12 " 17 36.061 21.30 85.0 21.60 85.0 G 9 12 n 18 34.621 21.28 85.8 21.42 85.8 G 10 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 112 " 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 112p.m. 22 34.758 20.44 86.3 21.81 87.2 C 212 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " 23 34.758 20.44 86.3 21.81 87.2 C 212 " 23 35.650 20.55 86.2 21.79 87.7 C 3 12 " APR. 28th-Noon 35.032 20.39 86.2 21.79 87.6 C 4 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.30 84.8 G Midnight. 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 112a.m. 10 37.022 20.88 83.0 22.34 84.3 C 212 " 11 36.885 21.15 82.9 22.37 84.1 C 312 " 11 36.885 21.15 82.9 22.37 84.1 C 312 " 11 37.238 21.00 82.6 22.20 83.6 B 6 12 " 12 36.267 21.22 82.8 22.29 84.1 C 412 " 13 37.238 21.05 83.0 22.34 84.3 C 212 " 14 37.238 21.00 82.6 22.20 83.6 B 6 12 " 15 37.238 21.05 83.0 22.35 84.7 C 112a.m. 16 37.571 21.25 83.5 22.20 84.0 B 812 " 17 37.159 21.65 83.0 22.35 84.7 C 112 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 83.8 21.52 86.0 C 1 12 " 19 34.827 21.56 83.8 21.52 86.0 C 1 12 " 19 34.827 21.56 83.8 21.52 86.0 C 1 12 " 19 34.827 21.56 83.8 21.55 86.9 C 1 12 p.m. 22 34.003 20.82 86.6 21.59 87.2 G 21.27 " 22 34.003 20.82 86.6 21.59 87.2 G 21.27 " 23 24.004 20.38 86.9 C 1 12 p.m. 22 34.003 20.82 86.6 21.59 87.2 G 21.27 " 23 24.004 20.38 86.9 C 1 12 p.m. 24 24.004 20.38 86.9 C 1 12 p.m. 25 34.003 20.82 86.6 21.59 87.2 G 21.27 " 26 34.003 20.82 86.6 21.59 87.2 G 21.27 " 27 34.003 20.82 86.6 21.59 87.2 G 21.27 " 28 24.003 20.82 86.6 21.59 87.2 G 21.27 " 29 34.003 20.82 86.6 21.59 87.2 G 21.27 " 20 34.003 20.82 86.6 21.59 87.2 G 21.27 " 21 34.003 20.82 86.6 21.59 87.2 G 21.27 " 21 34.003 20.82 86.6 21.59 87.2 G 21.27	14				22.30	84.0	_	6 19 "
16 37.365 21.12 84.2 21.72 84.6 B 8 12 " 17 36.061 21.30 85.0 21.50 85.0 G 9.12 " 18 34.621 21.28 85.8 21.42 85.8 G 10 12 " 19 33.866 20.95 86.0 21.40 86.0 G 11 12 " 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 1 12 p. m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " 24 35.650 20.55 85.2 21.79 87.7 C 3 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.65 86.0 B 7 12 " 4 35.660 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 11 2a. m. 10 37.022 20.88 83.0 22.37 84.1 C 12 a. m. 11 36.885 21.15 82.9 22.37 84.1 C 12 a. m. 12 37.238 20.90 82.6 22.20 83.6 B 5 12 " 13 37.238 20.90 82.6 22.20 84.0 B 5 12 " 14 37.238 21.00 82.6 22.20 84.0 B 5 12 " 11 36.885 21.15 82.9 22.37 84.1 C 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 212 " 11 36.885 21.15 82.9 22.37 84.1 C 412 " 12 36.267 21.22 82.8 22.29 84.0 B 5 12 " 13 37.238 20.90 82.6 22.20 83.6 B 7 12 " 14 37.238 21.00 82.6 22.20 84.0 B 7 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 83.8 21.52 86.9 C 1 12 a. m. 10 37.022 21.29 83.6 6 22.20 84.8 G 912 " 11 27 34.072 21.11 86.3 21.59 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 21.2" 23 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 21.2"	15	38.257	l .		22.10	84.2	_	7 19 " '
17 36.061 21.30 85.0 21.42 85.8 6 9 12 " 18 34.621 21.28 85.8 85.8 21.42 85.8 6 10 12 " 19 33.866 20.95 86.0 21.40 86.0 0 11 12 " 20 34.072 20.65 86.1 21.48 86.2 0 Noon. 21 34.141 20.45 86.3 21.59 86.9 c 1 12p.m. 22 34.758 20.65 86.2 21.79 87.7 c 3 12 " 23 34.758 20.65 86.2 21.79 87.7 c 3 12 " 23 34.758 20.65 86.2 21.79 87.7 c 3 12 " 24 35.650 20.55 85.2 22.00 86.4 B 6 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 3 35.924 20.45 84.0 22.18 85.2 c 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.30 84.8 G Midnight. 10 37.022 20.88 83.0 22.34 84.3 c 2 12 " 11 36.865 21.15 82.9 22.37 84.1 c 3 12 " 12 36.267 21.22 82.8 22.39 84.1 c 3 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.20 83.6 B 6 12 " 15 37.238 21.05 83.0 22.35 84.1 c 3 12 " 16 37.571 21.25 83.5 22.20 83.6 B 5 12 " 17 37.159 21.65 83.0 22.35 84.0 B 812 " 19 34.827 21.65 83.0 22.35 84.0 B 812 " 19 34.827 21.65 83.0 22.35 83.6 B 5 12 " 19 34.827 21.65 83.0 22.35 83.6 B 5 12 " 19 34.827 21.65 83.0 22.35 83.6 B 6 12 " 11 12 " 12 " 13 35.933 21.05 83.0 22.35 83.6 B 5 12 " 14 37.238 21.05 83.0 22.35 83.6 B 5 12 " 15 37.238 21.05 83.0 22.35 83.6 B 5 12 " 16 37.571 21.25 83.5 22.20 84.0 B 812 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.933 21.05 83.0 22.35 83.6 B 5 12 " 19 34.827 21.56 83.0 22.35 83.6 B 612 " 11 12 " 12 " 13 36.66 36.6 21.59 86.0 C 1 12 " 14 37.238 21.05 83.0 22.35 83.6 B 5 12 " 15 37.238 21.05 83.0 22.35 83.6 B 612 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.933 21.05 83.0 22.35 83.6 B 612 " 19 34.827 21.56 85.8 21.55 83.5 22.20 84.0 B 812 " 19 34.827 21.56 85.8 21.55 83.6 21.59 87.2 G 2 22 " 20 34.003 20.82 86.6 21.59 87.2 G 2 22 " 20 34.003 20.82 86.6 21.59 87.2 G 2 22 "	16	37.365	21.12	84.2	1	84.6	В	Q 19 "
18 34.621 21.28 85.8 21.40 86.0 G 10 12 " 19 33.866 20.955 86.0 21.40 86.0 G 11 12 " 20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 1 12p.m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " 24 34.758 20.44 85.8 21.90 87.2 B 5 12 " 25 35.650 20.55 85.2 22.00 86.4 B 61 2 " 2 35.650 20.55 85.2 22.00 86.0 B 7 12 " 2 35.650 20.40 84.1 22.00 85.6 B 812 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 36.650 20.40 84.1 22.00 85.6 B 812 " 5 35.924 20.45 84.0 22.18 85.2 G 912 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 11 36.85 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 83.0 22.34 84.3 C 2 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 20.90 82.6 22.20 83.6 B 7 12 " 15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 81.2 " 17 37.159 32.85 20.90 82.6 22.20 83.6 B 7 12 " 18 35.93 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.55 86.0 21.50 86.0 B 61.2 " 19 34.827 21.56 85.8 21.55 86.0 C 1 12 p. " 11 2 36.00 82.6 22.20 83.6 B 7 12 " 11 2 34.00 82.6 22.20 83.6 B 7 12 " 12 34.00 82.6 22.20 83.6 B 7 12 " 13 37.238 21.05 83.0 22.35 83.6 B 7 12 " 14 37.238 21.05 83.0 22.35 83.6 B 7 12 " 15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 81.2 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.55 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.50 86.0 21.50 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 212 "		36.061		85.0			G	0.19
20 34.072 20.65 86.1 21.48 86.2 G Noon. 21 34.141 20.45 86.3 21.59 86.9 C 1 12 p. m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 ; 23 34.758 20.65 86.2 21.79 87.7 C 3 12 ; APR. 28th-Noon 35.032 20.39 86.2 21.79 87.6 C 4 12 ; 2 35.650 20.55 85.2 22.00 86.4 B 6 12 ; 2 35.650 20.55 85.2 22.00 86.4 B 6 12 ; 3 35.924 20.35 84.5 22.05 86.0 B 7 12 ; 4 35.650 20.40 84.1 22.00 85.6 B 8 12 ; 5 35.924 20.45 84.0 22.18 85.2 G 9 12 ; 6 36.130 20.51 83.6 22.20 85.0 G 10 12 ; 7 36.061 20.90 83.5 22.36 84.9 G 11 12 ; 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.37 84.1 C 2 12 ; 11 36.885 21.15 82.9 22.37 84.1 C 3 12 ; 12 36.267 21.22 82.8 22.39 84.1 C 4 12 ; 13 37.238 21.00 82.6 22.20 83.6 B 5 12 ; 14 37.238 21.00 82.6 22.20 83.6 B 5 12 ; 16 37.571 21.25 83.5 22.20 84.8 G 9 12 ; 17 37.159 21.65 84.7 22.20 83.6 B 7 12 ; 18 35.993 21.67 85.0 21.64 85.0 G 10 12 ; 19 34.827 21.56 85.8 21.52 85.7 G 11 12 ; 20 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 ; 23 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 24 25 34.003 20.82 86.6 21.59 87.2 G 2 12 ; 25 26 34.003 20.87 86.7 21.59 87.2 G 2 12 ; 26 27 28 28 21.59 86.0 21.59 87.2 G 2 12 ; 27 28 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 28 28 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 28 28 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 28 28 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 28 28 24.003 20.82 86.6 21.59 87.2 G 2 12 ; 28 24.003 20.82 86.6 21.59 87.2 G 2 212 ; 28 24.003 20.82 86.6 21.59 87.2 G 2 212 ; 28 24.003 20.82 86.6 21.59 87.2 G 2 212 ; 28 24.003 20.82 86.6 21.59 87.2 G 2 212 ; 28 24.003 20.82 86.6 21.59 87.2 G 2 212 ;							G	. 10 19
21 34.141 20.45 86.3 21.69 86.9 C 1 12p. m. 22 34.758 20.44 86.3 21.81 87.2 C 2 12 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " APR. 28th-Noon 35.032 20.39 86.2 21.79 87.6 C 4 12 " 1 35.581 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 3.9.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 3 12 " 13 37.238 20.90 82.6 22.20 83.6 B 7 12 " 14 37.238 21.00 82.6 22.20 83.6 B 5 12 " 15 37.238 21.05 83.0 22.35 83.6 B 5 12 " 16 37.571 21.25 83.5 22.20 83.6 B 7 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.25 83.8 21.52 88.7 G 11 12 " 19 34.827 21.25 83.8 21.52 88.7 G 11 12 " 20 34.072 21.11 86.3 21.58 86.9 C 1 12 p.m. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p.m. 22 34.003 20.82 86.6 21.59 87.2 G 2.12 " 20 34.003 20.82 86.6 21.59 87.2 G 2.12 " 20 34.003 20.82 86.6 21.59 87.2 G 2.12 " 21 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p.m.							G	
22 34.758 20.44 86.3 21.81 87.2 C 2 12 " 23 34.758 20.65 86.2 21.79 87.7 C 3 12 " APR. 28th-Noon 35.032 20.39 86.2 21.79 87.6 C 4 12 " 1 35.581 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.36 84.9 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a.m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 3 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.20 83.6 B 5 12 " 15 37.238 21.00 82.6 22.40 83.6 B 6 12 " 17 37.159 21.65 83.0 22.35 84.0 B 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.25 83.5 22.20 84.0 B 81.2 " 19 34.827 21.26 85.8 21.52 86.0 C 10 12 " 19 34.827 21.25 85.8 21.52 86.0 C 10 12 " 11 20.56 85.8 21.52 85.7 G 11 12 " 11 20 34.072 21.12 86.3 21.58 86.9 C 1 12 p.m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 " 23 24.003 20.82 86.6 21.59 87.2 G 2 12 " 24 25 34.003 20.82 86.6 21.59 87.2 G 2 12 " 25 34.003 20.82 86.6 21.59 87.2 G 2 12 " 26 27 24.003 20.82 86.6 21.59 87.2 G 2 12 " 20 34.003 20.82 86.6 21.59 87.2 G 2 12 " 20 34.003 20.82 86.6 21.59 87.2 G 2 12 "								Noon.
APR. 28TH-Noon. 35.032 20.39 86.2 21.79 87.6 C 4 12 " 1 35.581 20.44 85.8 21.90 87.2 B 5 12 " 2 35.660 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.660 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 21 12 " Midnight. 11 36.885 21.15 82.9 22.37 84.1 C 11 2 a. m. 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " Midnight. 1 12 a. m. 1 22.30 84.8 G Midnight. 1 12 a. m. 1 37.238 20.90 82.6 22.20 83.6 B 7 12 " 1 2 " 1 2 " 1 37.238 20.90 82.6 22.20 83.6 B 7 12 " 1 2 " 1 37.238 20.90 82.6 22.20 83.6 B 7 12 " 1 2 " 1 37.238 21.05 83.0 22.35 84.1 C 4 12 " 1 2 " 1 2 " 1 37.238 2 2.90 8 2.6 2 2.20 8 3.6 B 6 12 " 1 12 " 1 37.238 2 1.05 8 3.0 2 2.35 8 4.1 C 4 12 " 1 2 " 1 2 " 1 3 37.238 2 0.90 8 2.6 2 2.20 8 3.6 B 7 12 " 1 37.159 2 1.65 8 4.7 2 2.00 8 4.8 G 1 1 12 " 1 34.072 2 1.11 8 6.3 2 1.59 8 6.6 2 1.59 8 7.2 B 5 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 3 12 " 4								1 12 p. m.
1 35.581 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.37 84.1 C 3 12 " 11 36.865 21.15 82.9 22.37 84.1 C 4 12 " 12 36.267								2 10 "
1 35.581 20.44 85.8 21.90 87.2 B 5 12 " 2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.37 84.1 C 3 12 " 11 36.865 21.15 82.9 22.37 84.1 C 4 12 " 12 36.267	4 00 N				01.50	27.2		
2 35.650 20.55 85.2 22.00 86.4 B 6 12 " 3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.660 20.40 84.1 22.00 85.6 B 8 12 " 5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.40 83.6 B 5 12 " 15 37.238 21.00 82.6 22.40 83.6 B 6 12 " 16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2.12 " 23 40.03 20.82 86.6 21.59 87.2 G 2.12 " 24 25 27 34.003 20.82 86.6 21.59 87.2 G 2.12 " 24 25 26 24.004 86.9 C 1 12 p. m.	- 1							
3 35.924 20.35 84.5 22.05 86.0 B 7 12 " 4 35.650 20.40 84·1 22·00 85·6 B 8 12 " 5 35.924 20·45 84.0 22.18 85·2 G 9 12 " 6 36.130 20.51 83·6 22.20 85·0 G 10·12 " 7 36.061 20.90 83.5 22.36 84·9 G 11·12 " 8 36.130 20·90 83.5 22.30 84·8 G Midnight. 9 35.924 21.05 83.2 22·28 84·5 C 1 12 a. m. 10 37·022 20.88 83.0 22.34 84·3 C 21·2 " 11 36·885 21·15 82·9 22·37 84·1 C 3 12 " 12 36.267 21.22 82·8 22.39 84·1 C 3 12 " 13 37·238 20·90 82·6 22·20 83·6 B 512 " 14 37·238 20·90 82·6 22·20 83·6 B 512 " 14 37·238 21.05 83.0 22·35 83·6 B 612 " 15 37·571 21.25 83.0 22·35 83·6 B 7 12 " 16 37·571 21.25 83.0 22·35 83·6 B 7 12 " 17 37·159 21·65 84·7 22·00 84·8 G 912 " 18 35·993 21·67 85·0 21·64 85·0 G 10·12 " 19 34·827 21·56 85·8 21·52 85·7 G 11·12 " 20 34·072 21.29 86·0 21·50 86·2 G Noon. 21 34·072 21.11 86·3 21·58 86·9 C 1·12 p. m. 22 34·064 20.75 86·7 21·65 87·2 G 21·67 87·2 G 21·67 86·0 21·59 87·2 G 21·2 "								£ 10
4 35.650 20.40 84.1 22.00 85.6 B 8 12 ,, 5 35.924 20.45 84.0 22.18 85.2 G 9 12 ,, 6 36.130 20.51 83.6 22.20 85.0 G 10 12 ,, 7 36.061 20.90 83.5 22.36 84.9 G 11 12 ,, 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 ,, 11 36.885 21.15 82.9 22.37 84.1 C 3 12 ,, 12 36.267 21.22 82.8 22.39 84.1 C 4 12 ,, 13 37.238 20.90 82.6 22.20 83.6 B 5 12 ,, 14 37.238 21.05 83.0 22.35 83.6 B 7 12 ,, 15 37.53								7 10
5 35.924 20.45 84.0 22.18 85.2 G 9 12 " 6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.865 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.40 83.6 B 6 12 " 15 37.538 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571								9 19
6 36.130 20.51 83.6 22.20 85.0 G 10 12 " 7 36.061 20.90 83.5 22.36 84.9 G 11 12 " 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.40 83.6 B 5 12 " 15 37.238 21.05 83.0 22.35 83.6 B 6 12 " 16 37.571 21.25 83.5 22.20 84.0 B 812 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 "								0.10
7 36.061 20.90 83.5 22.36 84.9 G 11 12 ,, 8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 ,, 11 36.885 21.15 82.9 22.37 84.1 C 3 12 ,, 12 36.267 21.22 82.8 22.39 84.1 C 4 12 ,, 13 37.238 20.90 82.6 22.20 83.6 B 5 12 ,, 14 37.238 21.00 82.6 22.40 83.6 B 5 12 ,, 14 37.238 21.00 82.6 22.40 83.6 B 6 12 ,, 15 37.238 21.05 83.0 22.35 83.6 B 7 12 ,, 16 37.571 21.25 83.5 22.20 84.0 B 8 12 ,, 17 37.159 21.65 84.7 22.00 84.8 G 9 12 ,, 18 35.993 21.67 85.0 21.64 85.0 G 10 12 ,, 19 34.827 21.56 85.8 21.52 85.7 G 11 12 ,, 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 C 2 12 ,, 21.50 86.7 G 21.59 87.2 C 2 12 ,, 22.50 20.84 20.85 20							1	10.10
8 36.130 20.90 83.5 22.30 84.8 G Midnight. 9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 " 11 36.885 21.15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " 13 37.238 20.90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.40 83.6 B 6 12 " 15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827				83.5	22.36	84.9		
9 35.924 21.05 83.2 22.28 84.5 C 1 12 a. m. 10 37.022 20.88 83.0 22.34 84.3 C 2 12 ,, 11 36.885 21.15 82.9 22.37 84.1 C 3 12 ,, 12 36.267 21.22 82.8 22.39 84.1 C 4 12 ,, 13 37.238 20.90 82.6 22.20 83.6 B 5 12 ,, 14 37.238 21.00 82.6 22.40 83.6 B 6 12 ,, 15 37.238 21.05 83.0 22.35 83.6 B 7 12 ,, 16 37.571 21.25 83.5 22.20 84.0 B 8 12 ,, 17 37.159 21.65 84.7 22.00 84.8 G 9 12 ,, 18 35.993 21.67 85.0 21.64 85.0 G 10 12 ,, 19 34.827 21.56 85.8 21.52 85.7 G 11 12 ,, 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 ,, 23 40.64 20.75 86.7 21.65	8	36.130	20.90	83.5	22.30	84.8		Midnight.
10 37.022 20.88 83.0 22.34 84.3 C 2 12 , 11 36.885 21.15 82.9 22.37 84.1 C 3 12 , 12 36.267 21.22 82.8 22.39 84.1 C 4 12 , 13 37.238 20.90 82.6 22.20 83.6 B 5 12 , 14 37.238 21.00 82.6 22.40 83.6 B 6 12 , 15 37.238 21.05 83.0 22.35 83.6 B 7 12 , 16 37.571 21.25 83.5 22.20 84.0 B 8 12 , 17 37.159 21.65 84.7 22.00 84.8 G 9 12 , 18 35.993 21.67 85.0 21.64 85.0 G 10 12 , 19 34.827 21.56 85.8 21.52 85.7 G 11 12 , 20 34.072 21.29 86		35.924	21.05	83.2				1 12 a. m.
11 36-885 21-15 82.9 22.37 84.1 C 3 12 " 12 36.267 21.22 82.8 22.39 84.1 C 4 12 " 13 37-238 20-90 82.6 22.20 83.6 B 5 12 " 14 37.238 21.00 82.6 22.40 83.6 B 6 12 " 15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.003 20.82 86.6 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>C</td><td>2 12 ,,</td></t<>							C	2 12 ,,
12 36.267 21.22 82.8 22.39 84.1 C 4 12 , 13 37.238 20.90 82.6 22.20 83.6 B 5 12 , 14 37.238 21.00 82.6 22.40 83.6 B 6 12 , 15 37.238 21.05 83.0 22.35 83.6 B 7 12 , 16 37.571 21.25 83.5 22.20 84.0 B 8 12 , 17 37.159 21.65 84.7 22.00 84.8 G 9 12 , 18 35.993 21.67 85.0 21.64 85.0 G 10 12 , 19 34.827 21.56 85.8 21.52 85.7 G 11 12 , 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>C</td> <td>3 12 ,,</td>							C	3 12 ,,
14 37.238 21.00 82.6 22.40 83.6 B 6 12 " 15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 " 23 24.064 20.75 21.65 27.6 21.65 27.6 21.2								4 12 ,,
15 37.238 21.05 83.0 22.35 83.6 B 7 12 " 16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 " 23 24.064 20.75 21.65 21.65 27.5 21.65								
16 37.571 21.25 83.5 22.20 84.0 B 8 12 " 17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 " 23 24.064 20.75 21.65 27.5 21.65 27.5								
17 37.159 21.65 84.7 22.00 84.8 G 9 12 " 18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 G 2 12 " 23 24.064 20.75 21.65 27.5 21.65 27.5 21.65								
18 35.993 21.67 85.0 21.64 85.0 G 10 12 " 19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 O 2 12 " 23 24.064 20.75 21.65 27.5 21.65 27.5								0.10
19 34.827 21.56 85.8 21.52 85.7 G 11 12 " 20 34.072 21.29 86.0 21.50 86.2 G Noon. 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 O 2 12 " 23 24.064 20.75 21.65 27.5 21.65 27.5								10.10
20 34.072 21.29 86.0 21.50 86.2 G Noon." 21 34.072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 O 2 12 ,, 23 24.064 20.75 21.65 27.5								11 10
21 34·072 21.11 86.3 21.58 86.9 C 1 12 p. m. 22 34.003 20.82 86.6 21.59 87.2 0 2 12 ,, 23 24.064 20.75 21.65 27.5								
22 34.003 20.82 86.6 21.59 87.2 0 2 12 ,,								1 12 n m
92 24064 9075 967 9165 977								0 10
								3 12 ,,

	DAILY (OBSERVATION	18, FROM 29	OTH APRIL TO	2ND MAY 1	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombey Civil Time. 1864.
h.							h. m.
APR. 29TH-Noon.	35′37 <i>5</i>	20.46	86°6	21.69	87:8	C	4 12 p. m.
1	35.581	20.62	86.1	21.75	87.5	В	5 12 ,,
2	35.101	20-64	85.3	21.90	86-8	В	6 12 ,,
3	34-895	20.65	84.5	21.95	86.0	В	7 12 ,,
4 5	34.621	20.95	84.4	22.00	85.6	В	8 12 ,,
6	34.758	20.90	84.0	22.10	85.2	G	9 12 ,,
7	35.718 35.856	20.75 21.20	83.8 83.5	22.26 22.20	85.0	G	10 12 ,, 11 12 ,,
8	36.404	21.16	83.3	22.20 22.28	84.7 84.4	G	Midnight.
9	36.473	21.18	83.2	22.26	84.4 84.2	G.	1 12 a. m.
10	35.993	21.08	83.0	22.26	84.1	C	0.10
11	35-581	21.17	83.0	22.24	84-1	C	2 10
12	35.718	21.20	82.9	22.24	84.0	C	4 12 ,,
13	35.718	21.20	82-6	22.25	83.6	В	5 12 ,,
14	36.885	21.30	82.5	22.40	83.5	В	6 12 ,,
15	37.571	21.38	83.0	22.50	83.6	В	7 12 ,,
16	37.770	21.20	83.8	22.10	84.I	В	8 12 ,,
17	3 6.336	21.35	84.5	21.92	84-8	G	9 12 ,,
18	35-032	21.40	85.2	21.44	85.0	G	10 12 ,,
19	34.209	21.37	85.8	21.32	85.8	G	11 12 ,,
20	34.209	21.20	86.5	21.35	86.2	G	Noon.
21	34.072	21.14	86.8	21.40	86.9	C	1 12 p.m.
22 23	34.072 34.484	21.09 20.89	87.0	21.49 21.53	87.4	С	2 12 ,,
20	J4.404	20.09	87.1	21.00	87.9	С	3 12 "
MAY 1st-Noon.	33.866	20.72	86.7	21.50	´ 88.1	c	4 12 "
1	34.689	20.59	85.9	21.69	87-6	C	5 12 ,,
2	35.375	20.65	84.9	21.69	86.7	C	6 12 ,,
3	34-964	20.80	84.4	21.92	86-1	C	7 12 "
4	35-170	20.87	84.1	21.98	85.6	C	8 12 "
5 6	35.513	21.00	83.7	21.92	85.2	В	9 12 ,,
7	35.513 35.238	21.20 21.20	83.7	22.10 22.25	85.0	В	10 12 ,,
	35.718	21.20	83.5 83.4	22.35	84.7 84.5	В	11 12 ,,
9	35.993	21.33	83.2	22.38	84.3	В	Midnight.
10	36.473	21.45	83-0	22.40	84.0	G	1 12 a. m. 2 12 ,,
11	36.542	21.55	82.8	22.47	83.8	G G	2 10
12	35.650	21.40	82.5	22-50	83.5	G	3 12 ,, 4 12 ,,
13	35.856	21.24	82.4	22.56	83.5	C	5 12 ,,
14	36.336	21.36	82.3	21.70	83.4	c	6 12 ",
15	37.776	21.23	82.9	22.30	83.9	C	7 12 ,,
16	38.325	21.40	83.9	22.17	84.3	C	8 12 ,,
17	37.433	21.35	84.0	21.75	. 84.4	В	9 12 "
18 19	36.061	21.63	84.6	21.40	85·1	В	10 12 ,,
19 20	34.758 33.660	21.64	85.4	21.25	85.4	В	11 12 ,,
20 21	33.660 33.455	21.74 21.60	85.9	21.30 21.35	86.0	В	Noon.
22	33.455 33.929	21.60	86.2 86.5	21.35	86.2 86.8	G	1 12 p. m. 2 12 ,,
23	34.758	21.27	86.3	21.50	87.0	G G	3 12 ,,
M O NT	04.00		00.1	01.00	0.00		
May 2nd-Noon.		21.11	86.4	21.60	87.2	G	4 12 ,,
1 2	35.101 35.650	20.85 20.76	85.9 85.1	21.77 22.00	87.2 86.8	C	5 12 , ,
3	35.375	20.76	84.5	22.00	86·1	C	6 12 ,, 7 12 ,,
4	35.101	20.82	84.1	22.00	85.5	C	0.10
5	35.170	20.90	84.0	22.05	85.1	C B	
6	35.307	21.05	83.7	22.20	84.8	В	10 12 ,,
7	35.444	21.15	83.5	22.25	84.5	В	11 12 ,,
8	35.993	20.90	83.1	22.35	84.2	В	Midnight.
9	36.336	21.30	83.0	22.48	84.0	G	1 12 a. m.
10	36,610	21.10	82-8	22.50	83.8	G	2 12 .,
11	36.542	21.10	82.7	22.62	83.5	G	3 12 ,,

		DAILY	OBSERVATI	ONS, FROM	2nd to 4th M	1AY 1864.		
•	DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay
	an Time. 1864.	Declination.	Scale Resdings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	8 0	Civil Time. 1864.
MAR	h. 2 _{ND} —12	36'542	21.25	82:5	22.60	83*3	G	h. m. 4 12 a. m.
MAI	13	36.885	21.35	82.1	22.52	83.1	c	£ 10
	14	37.228	21.15	82.0	22.61	83.0	C	6 19
	15	38·25 7	21.34	82.5	22.65	83.2	c	7 10 "
	16	37.845	21.21	83.2	22.74	83.4	C	0 19 "
	17	37.228	21.40	83.6	22.00	83.9	В	9 12 ,,
	18	35.718	21.54	84.4	21.40	84.5	В	10 12 ,,
	19	34.484	21.67	85-0	21.30	85.2	В	11 12 ,,
	20	34.484	21.30	85.6	21.15	86.0	В	Noon.
	21	33.660	21.00	86.0	21.20	86.5	G	1 12 p. m.
	22	33.798	20.35	86.2	21.40	86.8	G	2 12,
	23	34.895	20.12	86.4	21.48	87.0	G	3 12 "
May	3RD-Noon.	34.415	20.40	86.4	21.55	87.2	G	4 12 "
	1	34.552	20.52	85.8	21.72	87.0	C	5 12 ,,
	2	35.101 36.067	20·60 20.87	85.1 84.4	21.89 22.16	86.3 85.9	C	6 12 ,,
	3	36.267	20.87 20.43	84.4 84.0	22.16 22.35	85.9 85.2	C	7 12 ,,
	4	36.267 35.650	20.43 20.60	84.0 83.9	22.33 22.40	85.2 85.0	B	8 12 ,, 9 12
	5	35.650 35.444	20.80 20.80	83.6	22.30	84.6	В	10 19 "
	7	36.061	20.80	83.4	22.44	84.3	В	10 12 ,,
	8	35.650	21.20	83.3	22.45	84.1	В	Midnight.
	9	35.924	21.15	83.0	22.48	83.8	G	1 12 a. m.
	10	35.924	21.15	82.9	22.50	83.6	G	9 19
	ii	36.199	21.10	82.8	22.50	83.5	G	2 19 "
	12	36.404	21.10	82-5	22.50	83.3	G	4 12 ,,
	13	36.404	21.08	82.2	22.56	83.2	C	5 12 ,,
	14	37.433	21.14	82.1	22.67	83.1	C	6 12 ,,
	15	38.325	21.23	82.5	22.69	83.6	C	7 12 ,,
	16	38.325	21.14	83.1	22.70	83.9	C	8 12 ,,
	17	37.433	21.25	84.1	22.00	84.1	В	9 12 ,,
	18	36.199	21.28	85-1	21.60	84.9	В	10 12 ,,
	19	34.895	21.22 21.17	85.6	21.35 21.30	85.5	В	11 12 ,,
	20	33.866	21.17 21.10	86.2 86.8	21.34	86.1 86.8	В	Noon."
	21	34.072	20.90	87.0	21.50	87.0	G G	1 12 p. m.
	22 23	34.758 35.101	20.90	87.2	21.58	87.8	G	2 12 ,, 3 12 ,,
May	4тн-Noon.	35.718	20.90	87.2	21.66	87.9	G	4 12 ,,
	1	35.993	20.89	86.4	21.88	87.8	C	5 12 ,,
	2	35.993	20.85	85.6	21.99	87.0	C	6 12 ,,
	3	35.513	20.85	85.0	22.03	86.4	C	7 12 ,,
	4	35.307	20.94	84.4	22.10	85.8	C	8 12 ,,
	5	35.444	21.04	84.1	22.20	85.3	В	9 12 ,,
	6	35.856	20.94	83.9	22.30	85.1 84.6	В	10 12 ,,
	7	35.993	21.10	83.6 83.4	22.30	84.6 84.5	В	11 12 ,,
	8	35.856 36.199	21.05 21.05	83.4 83.0	22.35 22.42	84.1	В	Midnight.
	. 9 10	36.199 36.199	21.05 21.35	82.9	22.42 22.46	83.6	G G	1 12 a. m. 2 12 ,
	10	36.199 36-267	21.35	82.7	22.40 22.50	83.3	G	2 10 "
	12	36.267	21.20	82.5	22.50 22.50	83.3	G	A 19 "
	13	36.542	21.10	82.3	22.56	83.1	C	£ 10 "
	14	37.296	21.18	82.0	22.60	83.0	C	6 19
	15	38.051	21.24	82.4	22.62	83.3	C	7 12 ,,
	16	37.982	21.25	82.9	22.66	83.7	C	8 12 ,,
	17	37.228	21-50	83.6	22.00	83.9	В	9 12 ,,
	18	35.993	21.50	84.4	21.65	84.4	В	10 12 ,,
	19	34.964	21.57	84.9	21.50	84.7	В	11 12 ,,
	20	34.278	21.55	85.5	21.50	85.4	В	Noon.
	21	34.141	21.37	8 5.7	21.68	85.8	G	1 12 p. m.
	22	34.827	21.27	86.0	21.70	86.4	G	2 12 ,,
	2 3	35.513	21.15	86.4	21.70	87.0	G (3 12 ,,

	DA	ILY OBSERVA	TIONS, FRO)М 5тн то 8тн	MAY 1864.		
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizonal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Орвегчетв.	DATE. Bombay Civil Time. 1864.
h.							h. m.
MAY 5TH-Noon.	35/170	21.15	86.7	21.57	87.5	G	4 12 p. m.
1	35.924	20.86	86.1	21.75	87.5	C	5 12 ,,
2	35.238	20.99	85.3	21.88	87.1	C	6 12 ,,
3	35.032	20.91	84.5	22.07	86.2	C	7 12 ,,
4	35.650	20.79 20.60	84.0	22.26	85.4	C	8 12 ,,
5 6	35.993 36.816	20.35	83.9 83.6	22.30 22.50	85.1	В	9 12 ,,
7	36.885	20.64	83.3	22.45	84.6 84.4	В	10 12 ,,
8	36.953	20.48	83.0	22.35	84.2	B	11 12 " Midnight.
9	37.288	20.65	83.0	22.50	83.7	G	1 12 a. m.
10	37.433	20.68	82.6	22.45	83.5	G	0.10
11	36.679	20.85	82.5	22.47	83.3	G	3 19 "
12	36.473	20.60	82.0	22.54	83.2	G	4 12 ,,
13	35.513	20.70	81.9	22.50	83.1	C	5 12 ,,
14	36.885	20.69	81.8	22.68	83-0	С	6 12 ,,
15	36.610	20.81	82.1	22.64	83.2	C	7 12 ,,
16	36.610	20.95	82.3	22.50	83.4	C	8 12 ,,
17	36.267 35.375	20.97 21.02	82.8	22.15	83.5	В	9 12 ,,
18 19	35.375	20.91	83.1 84.1	22.00 21.95	83.5 84.4	В	10 12 ,,
20	33.935	20.69	85.0	21.75	85.4	В	11 12 ,,
21	34.072	20.55	85.8	21.60	85.8	В	Noon.
22	35.032	20.36	86.0	21.78	86.3	a	1 12 p. m. 2 12 "
23	36.199	20.15	86.4	21.90	86.8	G	1 210 "
							3 12 ,,
May 6TH-Noon.	36.954	20.34	86.1	21.90	87.0	G	4 12 ,,
1	36.885	20.05	85.0	21.92	86.9	c	5 10 "
2	36.542	20.09	84.4	22.00	86.2	C	6 19
3	35.513	20.38	84.0	22.08	85.6	C	7 12 ,,
4	35.238	20.48	83.7	22.26	85.1	С	8 12 ",
5	35.238	20.65	83.4	22,30	84.5	В	9 12 ,,
6	35.238	20.73	83.2	22.32	84.2	В	10 12 ,,
· 7	35.513 35.307	20.90 21.04	83.1	22.45	84.1	В	11 12 ,,
9	35.375	21.05	83.0 82.8	22.45 22.50	84.0 83.5	В	Midnight.
10	35.513	21.15	82.5	22.50	83.3	G	1 12 a. m.
11	35.718	21.25	82.4	22.50	83.1	G	2 12 ,,
12	35.856	21.25	82.0	22.55	83.0	G	3 12 ", 4 12 ",
13	36.404	21.15	81.9	22.70	82.9	c	1 <u>- 10</u>
14	37.845	21.35	81.8	22.78	82.8	C	6 12 ,,
15	38.257	21.60	82.1	22.51	83.0	С	7 12 "
16	37.845	21.62	82.7	22.26	83.2	С	8 12 ",
17	36.404	21.51	83.5	21.70	84.0	В	9 12
18	34.552	21.67	84.5	21.52	84.5	В	10 12
19	33.729	21.65 21.53	85.5	21.45	85.1	В	11_12 ,,
20 21	33.386 33.455	21.42	85.5 86.0	21.45 21.50	85.4	В	Noon.
21 22	33.455	21.15	86.2	21.55	86.0 86.2	G	1 12 p. m.
23	34.141	21.00	86.4	21.70	86.5	G	2 12 ,,
20			00.4	20	00.0	G	3 12 ,,
MAY 8TH-Noon	35.856	21.19	86.5	21.85	88.3	С	4.10
MAY OTH-NOOM	36.130	21.14	86.0	21.81	88.0	C	4 12 ,,
2	35.513	21.15	85.1	21.76	87.3	c	5 12 ,, 6 12 ,,
3	34.689	21.32	84.5	21.80	86.4	c	m 10 "
4	34.621	21.34	. 84.2	21.95	86.1	c	8 12 ,,
5	34.621	21.20	84.2	22.15	85.6	В	9 12 ",
6	34.827	21.35	83.7	22.35	85.1	В	10 12 ,,
7	35.513	21.30	83.5	22.60	84.6	В	11 12
8	36.061	21.30	83.3	22.65	84.5	В	Midnight.
9	35.993	21.35	83.0	22.70	84.2	G	l 12 a. m.
10	36.130	21.25	82.8	22.70	83.6	G	2 12 ,,
11	36.542	21.25	82.5	22.70	83.4	0	3 12 ,,

	DA	ILY OBSERVA	ATIONS, FRO	ОМ 8тн то 10:	гн МАҮ 186	4.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.		01.05	0001	00.55	0000		h. m.
MAY 8TH-12	35/513	21.35	82:1	22.55	83.2	C	4 12 a. m.
13	35.650	21.40	81.9	22.50	83.0	C	5 12 ,,
14	35.650	21.46	81.9	22.86	83.0	C	6 12 "
15	36.610	21.65	82.3	22.95	83.2	C	7 12 ,,
16	37.914	21.70	83.2	22.99	84.0	C	8 12 "
17	37.159	21.80	84·1	22.30	84.1	В	9 12 ,,
18	35.513	21.75	85.0	21.85	84.5	В	10 12 ,,
19	34.484	21.71	85.5	21.75	85.2	В	11 12 ,,
20	33.386	21.59	85.9	21.55	85-8	В	Noon.
21	33.112	21.55	86.2	21.70	86.4	D	1 12 p. m.
22	32.906	21.40	86.7	21.90	86.7	D	2 12,
23	33.455	21.10	86.9	22-30	87.4	D	3 12 "
MAY 9TH-Noon.	35.032	21.05	86.1	22.30	87.3	. D	4 12 "
1	35.924	20.95	85.3	22.45	87.1	C	5 12 "
2	35.924	20.91	84.5	22.40	86.6	C	6 12 "
3	35.375	21.04	84.1	22.48	85-9	C	7 12 "
4	35.032	21.21	83.9	22.50	85.4	C	8 12 "
5	35.718	21.30	83.6	22.60	85.1	В	9 12 ,,
6	35.856	21.30	83.5	22.65	84.7	В	10 12 ,,
7	35.787	21.25	83.2	22.65	84.5	В	11 12 ,,
8	35.856	21.28	82.9	22.75	84.0	В	Midnight.
9	35.78 7	21.45	82-8	22.80	83.6	D	l 12 a. m.
10	35.170	21.65	82.7	2 2.75	83.4	α	2 12 ,,
11	35.856	21.60	82.7	22.70	83.2	D	3 12 ,,
12	35-513	21.70	82.6	22.80	83.1	D	4 12 ,,
13	35.650	21.67	82.3	22.75	83.1	С	5 12 ,,
14	36.885	21.63	82.3	22.84	83.0	С	6 12 ,,
15	37.639	21.71	83.0	22.86	83.4	С	7 12 ,,
16	37.776	21.81	83.9	22.60	84.0	C	8 12 ,,
17	37·02 2	21.92	84.9	22.12	84.5	В	9 12 ,,
18	35.993	22.02	85.4	21.90	85.1	В	10 12 ,,
19	35.238	21.91	86.1	21.85	85.7	В	11 12 ,,
20	34.141	21.81	86.3	21.72	86.4	В	Noon.
21	33,455	21.60	86.7	21.75	86.7	D	1 12 p. m.
22	34.141	21.40	86.9	21.80	87.3	D	2 12 ,,
23	34.141	21.35	86.3	22.10	87.4	D	3 12 ",
May 10th-Noon.	34.827	21.29	86.0	22.20	87-3	D	4 12 ,,
1	34 689	21.31	85.3	22.07	87.1	C	5 12 ,,
2	35.101	21.28	84.3	22-24	86.4	C	6 12 ,,
3	34.552	21.26	84.0	22.40	85.6	C	7 12 ,,
4	34.895	21.30	83.9	22.60	85.4	С	8 12 ,,
5	35.375	21.31	83.9	22.65	85.0	В	9 12 ,,
6	35.170	21.32	83.7	22.65	84.9	В	10 12 "
7	35.513	21.30	83.5	22.75	84.7	В	11 12 ,,
8	35.375	21.40	83.5	22.75	84.5	В	Midnight.
9	35.787	21.45	83.2	22.80	84.5	D	1 12 a. m.
10	35.924	21.45	83.0	22.80	84.2	D	2 12 ',,
11	35.856	21.45	82.8	22.85	83.9	D	3 12 ,,
12	35.787	21.59	82.6	22.90	83.5	D	4 12 ,,
13	35.787	21.66	82.4	22.97	83.7	C	5 12 ,,
14	36.199	21.83	82.4	22.97	83.7	C	6 12 ,,
15	36.610	21.77	83.1	22.70	84.0	C	7 12 ,,
16	36.816	21.89	84.0	22.48	84.5	C	8 12 ,,
17	36.336	22.03	85.2	22.20	85.1	В	9 12 ,,
18	35.238	22.23	85.9	22.00	85.5	В	10 12 ,,
19	34.278	22.32	86.5	21.75	86.0	В	11 12 ,,
	33.317	22.29	86.6	21.65	86.5	В	Noon.
20 1						1	
20	32.426	21.75	86.7	21.74	87.0	G	l 12 p. m.
20 21 22	32.426 33.249	21.75 21.05	86.7 87.0	21·74 21.90	87.0 87.3	G G	1 12 p. m. 2 12 ,,

12—1864.

				М 11тн то 13т			
DATE. Göttingen Mean Time. 1804.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter, Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE, Bombay Civil Time. 1864.
h.							h. m.
MAY 11TH-Noon.	35′650	20.25	86°8	22.30	87:5	G	4 12 p. m.
1	35.718	20.38	86.1	22.15	87.3	C	5 12,
2	3 5.03 2	20.57	85.4	22.10	87.0	C	6 12 "
3	35.170	20.48	85.0	22.35	86.3	C	7 12 "
4	34.689	20.69	84.9	22.50	86.1	c	8 12 "
5	35.238	20.85	84.8	22.65	86.0	В	9 12 ,,
6	35.513	20.82	84.5	22.75	85.6	В	10 12 "
7	35.653	20.93	84.5	22.75	85.5	В	11 12 ,,
8	35.856	20.93	84.2	22.80	85.3	В	Midnight.
9	35.856	20.95	84.0	22.72	85.0	G	1 12 a.m.
10	36.267	21.35	83.9	22.70	84.9	G	2 12 ,,
11	36.061	21.20	83.8	21.90	84.8	G	3 12 ,,
12	35.993	21.15	83.7	21.60	84.5	G	4 12 ,,
13	36.130	21.30	83.3	21.54	84.4	C	5 12 ,,
14	36.473	21.35	83.3	21.52	84.4	C	6 12 ,,
. 15	37.159	21.45	83.5	21.68	84.6	C	7 12 ,,
16	37.433	21.55	84.0	21.68	84.9	C	8 12 ,,
17	37.228	21.61	84.4	21.40	84.9	В	9 12 ,,
18	36.610	21.76	85.3	21.00 20.76	85.3 85.9	В	10 12 ,,
19	35.575	21.71	86.1			В	11 12 ,,
20	34.278	21.53	86.3	20.80 20.84	86.3 87.0	В	Noon.
21	34.003	21.33	86.4	20.84	87.0 87.2	G	1 12 p. m.
22	33.935	21.15 21.05	86.7	21.00	87.5	G	2 12 ,,
23	34.484	21.05	87.0	21.00	07.0	, G	3 12 "
May 12th-Noon.	34.621	21.00	86.9	21.00	87.8	G	4 12 ,,
1	35.170	20-90	86.2	21.09	87.8	c	5 12 ,,
2	35.513	20.95	85.3	21.30	87.5	c	6 12 ,,
3	35.444	20.96	85.0	21.40	86.8	c	7 12 ,,
4	35. 37 <i>5</i>	20.99	84.7	21.45	86.2	c	8 12 ,,
5	35.307	21.03	84.5	21.50	85.6	В	9 12 ,,
6	35.924	21.03	84.2	21.50	85-5	в	10 12 ,,
7	35 .856	21.12	84.0	21.55	85.4	В	11 12 "
8	35.581	21.20	83.7	21.55	85.1	В	Midnight.
. 9	35-856	21.30	83.6	21.59	85.0	G	l l2 a. m∙
10	36.061	21.42	83.5	21.75	84.9	G	2 12 ,,
11	36.199	21.40	83.4	21.84	84.5	G	3 12 ,,
12	35.856	21.45	83.2	21.87	84.4	G	4 12 ,,
13	36.336	21.42	82.9	21.90	84-3	C	5 12 ,,
14	37.502	21.56	82.9	21.94	84.1	C	6 12 ,,
15	38.257	21.61	83.2	21.95	84.2	C	7 12 ,,
16	38.257	21.71	83.8	21.70	84.7	C	8 12 ,,
17	37.296	21.73	84.6	21.20	85.0	В	9 12 ,,
18	36-404	21.87	85.3	21.00	85.3	В	10 12 ,,
19	34.964	21.93	85.5	20.88	85.5	В	11 12 ,,
20	34.072	21.73	86.1	20.85	86.2	В	Noon."
21	34.278	21.55	86.5	21.00	86.5	G	1 12 p.m.
22 23	34.346 34.895	21.46 21.27	86.7 86.8	21.10 21.18	87.0 87.5	G	2 12 ,, 3 12 ,,
						•	<i>,</i> ,
MAY 13TH-Noon.	35.650	21.17	86.8	21.20	87.5	G	4 12 "
1	35.787	21.10	86.2	21.21	87.5	c	5 12 ,,
2	35.581	21.08	85.4	21.29	87.2	c	6 12 "
3	35.170	21.23	85.0	21.40	86.4	c	7 12 ,,
4	35.170	21.25	84.4	21.48	86.0	c	8 12 ,,
5	35.307	21.35	84.3	21.55	85.5	В	9 12 ,.
6	35.856	21.25	83.9	21.65	85.1	В	10 12 ,,
7	35.513	21.30	83.7	21.65	85.0	В	11 12
8	35.513	21.40	83.5	21.75	84.7	В	Midnight.
9	35.581	21.40	83.4	21.80	84.5	G	1 12 a. m.
10	35.513	21.45	83.3	21.84	84.3	G	2 12 "
11	35.513	21.55	83.0	21.88	84.0	G	3 12 ,,

1				13тн то 16тн			
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE.
Göttingen		meter.	Force Magne-	meter.	Force Magne-	ser	Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	OP	Civil Time. 1864.
h.	00000	, 00.00		21.00	2090		h. m.
Мау 13тн—12	36/130	21.60	82:9	21.82	83.9	G	4 12 a.m.
13	35.650	21.55	82.7	21.90	83.9	C	5 12 ,,
14	36.542	21.66	82.4	21.98	83.9	C	6 12 ,,
15 .	3 7·5 0 2	21.82	82.9	22.00	84.1	С	7 19
16	37.708	21.92	83.9	22.00	84.4	C	8 19 "
17	37.228	22.05		21.40	84-6	В	0.19 "
1			84.5		85-1		
18	36.061	22.10	85.1	21.15		В	10 12 ,,
19	3 5 .30 7	22.05	85.5	21.00	85.5	В	11 12 ,,
20	34.552	21.77	85.9	21.00	86.0	В	Noon.
21	34.003	21.60	86.3	21.00	86-4	G	1 12 p. m.
22	34.895	21.47	86.5	21.25	87.0	G	2 12,
23	35.787	21.28	86.6	21.30	87.3	G	3 12 ",
N. J.S. N.	25 444	01.20	07.0	03.40	90 A		4 10
May 15th-Noon.	35.444	21.38	87.0	21.40	88.0	C	4 12 ,,
1	35.581	21.30	86.2	21.36	87.5	C	5 12 ,,
2	35.787	21.23	85.3 '	21.30	87.0	C	6 12 ,,
3	35.238	21.29	84.9	21.36	86.3	C	7 12 ,,
. 4	35.101	21.39	84.4	21.48	86.1	C	9 19 "
5	35.170	21.48	84.3	21.65	85.5	В	0.19 "
6	35.307	21.55	84.1	21.75	85. 4	В	10 19 "
i i							
7	35.513	21.62	83.8	21.75	85. 2	В	11 12 ,,
8	35.513	21.65	83.5	21.75	84.8	В	Midnight.
9	35.513	21.60	83.4	21.70	84.7	G	l 12 a. m.
10	35. 30 7	21.55	83.4	21.72	84.5	G	2 12 ,,
11	35.787	21.55	83.2	21.80	84.3	G	3 10 "
12	35.787	21.57	83.0	21.80	84.0	ſ	4 19 "
		21.65			83.9	G	
13	35.856		82.8	21.83		C	5 12 ,,
14	37.090	21.60	82.4	21.90	83.8	C	6 12 ,,
15	37.228	21.71	82.7	21.93	84.0	C	7 12 ,,
16	36.199	21.88	83.6	21.58	84.5	C	8 12 ,,
17	35.170	21.94	84.5	21.30	84.8	В	0.19
18	33.729	21.96	85-3	21.25	85.2	i	10 19 "
		21.97		21.20	86.0	В	
19	33.180		85.9			В	11 12 ,,
20	33.043	21.91	86.4	21.15	86.5	В	Noon.
21	33.798	21.79	86.7	21.14	87-3	G	1 12 p. m.
22	34.827	21.50	87.0	21.26	87.5	G	2 12',,
23	35.444	21.35	87-4	21-20	88.0	G	3 12 ",
M 1C N	26 100	21.13	97.4	21.12	88.3		4 30
May 16th-Noon.	36.199		87.4			G	4 12 ,,
1	36.130	21.02	86.8	21.15	88.2	C	5 12 ,,
2	35.513	21.10	86.0	21.25	87.7	C	6 12 ,,
3	35-238	21.18	85.3	21.38	87.1	c	7 12 ,,
4	35.238	21.20	85.1	21.42	86.6	c	8 12 ,,
5	,35.307	21.24	84.9	21.55	86.1	В	0.10
6	35.307	21.30	84.5	21.55	85.9		10 10
1						В	
7	35.513	21.35	84.3	21.60	85.6	В	11 12 ,,
8	35.856	21.40	83.9	21.65	85.3	В	Midnight.
9	35.444	21.45	83.8	21.30	85.0	G	1 12 a. m.
10	35-101	21.51	83.5	21.62	84.9	G	2 12 ,,
ii)	35.581	21.55	83.4	21.74	84.5	G	3 12 ,,
12	35-37 5	21.60	83.2	21.80	84.2	G	4 10
		21.77	83.1	21.90	84.1		r 10
13	35.78 7					C	5 12 ,,
14	35.856	21.90	83.1	21.90	84.0	C	6 12 ,,
15	37.433	21.98	83.6	21.87	84.3	C	7 12 ,,
16	37.502	22.12	84.9	21.64	849	c	8 12 ,,
17	36.473	22.22	85.4	21.22	85.4	В	0.10
18	35.787	22.31	86.0	21.22	85.5	В	10 10
		22.05	86.6	21.24	86.1	1	10 12 ,,
19	35.787					В	11 12 ,,
20	34.552	21.91	87.1	21.05	86.8	В	Noon.
- 21	33.660	21.74	87.8	20.92	87.5	G	1 12 p. m.
22	34-278	21.54	88.0	20.90	88.0	G	2 12,
	34.552	21.23	88.2	20.98	88-88		3 12 ,,

	DAIL	Y OBSERVAT	IONS, FROM	I 17тн то 19ті	MAY 1864.		
l'ATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.					0000		h. m.
MAY 17TH-Noon.	35/581	20.88	87:8	21.14	888	G	4 12 p. m.
1	36-061	20.61	87.5	21.18	88.8	C	5 12 ,, 6 12
2	36.061	20.58	86.9	21.27	88.4	C	7 19 "
3	35.238	20.78	86.1	21.35	87.6	C	0 19 "
4	35.032	20.89	85.9	21.38	87.3	C B	0.19 "
5	35.032	20.92	85.5	21.40	86.8	В	10.19
. 6	35.307	21.00	85.4	21.55	86.5 86.3	В	11 12 ,,
7	35.375	21.07	85.2 85.0	21.55 21.64	86.0	В	Midnight.
8	35.375	21.15 21.30	84.8	21.66	85.5	G	1 12 a. m.
9	35.30 7	21.30	84.5	21.70	85.4	G	2 12 ,,
10	35.375	21.35	84.4	21.62	85.4	G	3 12 ,,
11	35.444 25.650	21.43	84.2	21.70	85.2	G	4 19 "
- 12 13	35.650 36.061	21.43	84.1	21.92	85.0	c	5 12 ,,
13	36.061 37.159	21.64	84.0	22.00	84.9	c	6 12 ,,
14	38.05l	21.57	84.4	21.96	85.2	С	7 12 ,,
16	37.776	21.68	85.3	21.60	85.9	C	8 12 ,,
17	36.610	21.81	86.3	21.00	86.1	В	9 12 ",
18	34·689	22.01	87.0	20.75	86.6	В	10 12 ,,
19	33.866	21.93	87.6	20.75	87.4	В	11 12 ,,
20	33.386	21.78	88.1	20,65	87.7	В	Noon.
21	33.866	21.79	88.2	20.90	88.0	G	1 12 p. m.
22	34.758	21.61	88.4	20.96	88.3	G	2 12,
23	35.170	21.43	88.4	21.00	88.7	G	3 12 "
May 18th-Noon.	35.101	21.32	88.0	21.00	89.0	G	4 12 ,,
1	35.101	21.29	87.3	20.97	88.9	C	5 12 ,,
2	35.238	21.19	86.4	21.12	88.2	C	6 12 ,,
3	34.758	21.17	86.0	21.35	87.4	C	7 12 ,,
4	34.895	21.31	85.6	21.40	87.1	C	8 12 ,,
5	35.170	21.28	85 -6	21.55	86.5	В	9 12 ,,
6	35.170	21.30	85.5	21.65	86.5	В	10 12 ,,
7	35 ·03 2	21.42	85.5	21.55	86.3	В	11 12 ,,
8	35.238	21.22	85.2	21.65	86.1	В	Midnight.
. 9	35.718	21.44	85-0	21.70	86.0	G	1 12 a. m. 2 12 ,,
10	35-581	21.45	84.6	21.72	85.6	G	2 10
11	35.650	21.45	84.3	21.90	85.2	Ģ.	4 10 "
12	35.513	21.51	84.2	21.94 22.00	85.1 85.0	G	F 10
13	35.513	21.70	84.0	22.00	85.0 84.9	C	6 10
14	36.953	21.70	83.9 84.5	22.10	85.3	C	7 19
]5	37·571	21.61 21.73	84.5 85.4	21.85	85.8	C	8 12 ,,
16	37 . 639 36.130	21.80	86.5	21.25	86.1	В	9 12 ,,
17	36.130 34.141	21.84	87.1	21.00	86.5	В	10 12 ,,
18	34.141 33.455	21.81	87.7	21.00	87.3	В	11 12 ,,
19 20	32.83 7	21.71	88.1	21.00	87.9	В	Noon.,,
20 21	32.97 4	21.61	88.5	21.22	88.0	G	1 12 p. m.
22	32.974 33.180	21.34	88.7	21.24	88.5	G	2 12 ,,
23	34.072	21.23	88.6	21.30	88.8	G	3 12 ,,
May 19th-Noon	34.758	21.05	88.2	21.30	89.0	G	4 12 ,,
1	35-513	20.90	87.5	21.38	88.9	C	5 12 ,,
2	35.30 7	20.94	86-9	21.40	88.2	C	6 12 ,,
3	35.032	21.03	86.2	21.50	87.7	C	7 12 ,,
4	34.758	21.02	86.0	21.50	87.2	C	8 12 ,,
5	35.032	21.05	85.8	21.50	87.0	В	9 12 ,,
6	35.032	21.00	85.5	21.65	86.6	В	10 12 ,,
7	34.895	21.15	85.4	21.55	86.1	В	11 12 ,,
8	35.170	21.20	85.1	21.65	85.9	В	Midnight.
9	35.375	21.26	85.0	21.68	85.8	G	1 12 a. m.
10	35.307	21.35	84.7	21.70	85-5	G	2 12 ,,
11	35.650	21.55	84.5	21.70	85.4	G	3 12 ,,

DAILY OBSERVATIONS, FROM 19TH TO 22ND MAY 1864.										
DATE.	Bastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	vers.	DATE.			
Göttingen Mean Time. 1864.	Declination.	Scale Readings Unorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne - tometer.	Observers.	Bombay Civil Time. 1864.			
Мау 19тн—12	35′513	21.41	84*2	21.78	85*3	G	h. m. 4 12 a. m.			
MAY 191H—12	35.924	21.45	83.9	21.90	85.2	c	* 5 19			
14	37.288	21.55	83.7	21.96	85-0	C	6 19 "			
15	37.571	21.65	84.4	21.75	85.3	C	7 10 "			
16	37.022	21.90	85.4	21.52	85.9	C	Ω 19 ″			
- 1	35.856	21.90	86.0	21.10	86.1	В	0.19			
17		j .	86.6	20.85	86. 6		10 19 "			
18	34.141	21.95		20.75	87.2	В	11 10 "			
19	32.974	21.85	87-4		87.2 87.6	В				
20	32.288	21.71	87.6	20.65		В	Noon.			
21	33.180	21.63	87.9	20.97	88.0	G	1 12 p. m.			
22	33.729	21.26	88.0	21.00	88.6	G	2 12 ,,			
23	34.209	20.75	88.1	21.08	88-9	G	3 12 "			
May 20th-Noon.	35.170	20.22	87.8	21.26	89.0	G	4 12 ,,			
1	35.993	19 96	87.0	21.38	89.0	C	5 12 ,,			
2	35.993	19.82	86.2	21.46	88.2	С	6 12 ,,			
3	35.375	19.78	85.9	21.42	87.4	С	7 12 ,,			
4	35.307	19.95	85.5	21.54	87.1	С	8 12 ,,			
5	35.238	20.05	85-3	21.65	86.8	В	9 12 ,,			
6	35.513	20.25	85.3	21.75	86. 5	В	10 12 ,,			
7	35-856	20.45	85.3	21.8)	86 .5	в	11 12			
8	35.856	20.55	85.1	21.80	86.1	В	Midnight.			
9	36.816	20.57	84.8	21.80	85. 7	G	1 12 a.m.			
	36.199	20.83	84.6	21.80	85.3	G	0.10			
10	35.993	21.05	84.3	21.90	85.1	G	2 10 "			
11	36.473	20.90	84.0	22.00	85.0	G	4 19 "			
12		20.96	83.7	22.10	84.9		. 5 10 "			
13	36.816			22.14	84.9	C	6 12 ,,			
14	37.228	21.05	83.5	22.14	85.2	С				
15	38.668	21.15	84.1			С	7 12 ,,			
16	38.600	21.25	84.9	21.94	85. 5	С	8 12 ,,			
17	37.98 2	21.40	85.7	21.32	85.8	В	9 12 ,,			
18	36.610	21.30	86.4	21.00	86.3	В	10 12 ,,			
19	35 .30 7	21.27	86.9	20.80	86.8	В	11 12 ,,			
20	34.003	21.13	87.4	20.75	87.3	В	Noon.			
21	33.455	20.95	87.7	20-90	87.6	G	1 12 p. m.			
22	34.003	20.80	87.8	21.09	88.0	G	2 12 ,,			
23	34.895	20.7.5	87.8	21.20	88.6	G	3 12 ,,			
May 22nd-Noon.	35.924	20.51	88.1	21-45	89.3	U	4 12 ,,			
1	36.542	20.37	87.4	21.40	88.9	C	5 12 ,,			
2	36.610	20.29	86.6	21.50	88.2	C	6 12 ,,			
3	3 5.856	20.50	86.0	21.50	87.4	C	7 12 ",			
4	35.718	20.60	86-0	21.94	87.3	C	8 12 ,,			
5	35.924	20.55	86.0	21.75	87.0	В	9 12 ,,			
6	36.06 1	20.54	86.0	21.60	87.0	В	10 12 ,,			
	36.404	20.54	86.0	21.65	87.0	В	11 12 ,,			
7	36.473	20.49	85.6	22.36	86.6	В	Midnight.			
8	36.473 36.954	20.49	85.4	22.55	86.3	G	1 12 a. m.			
9		20.65	85.0	22.67	86.0		0.10			
10	36.816	20.80	84.9	22.60	85.9	G	2 10			
11	36.610 36.747	20.85	84.7	22.60 22.60	85.9	G	4 10			
12	36.747			22.70 22.70	85. 5	G	r 10			
13	36.816	20.90	83.8			C	5 12 , ,			
14	36-542	20.95	83.7	22.84	85.3	C	6 12 ,,			
15	37.914	21.10	84.4	22.71	85.5	С	7 12 ,,			
16	38.668	21.07	85.2	22.46	86.0	С	8 12 ,,			
17	37.571	21.15	85.5	22.20	86.0	В	9 12 ,,			
18	35.718	21.26	85.5	22.00	86.0	В	10 12 ,,			
19	34.141	21.35	86.0	22.00	86.1	В	11_12 "			
20	33.386	21.42	86.6	22.05	86-6	В	Noon.			
21	33.317	21.27	86.9	22.00	87-2	G	1 12 p. m.			
22	34.072	21.00	87.3	22.28	87.7	G	2 12',			
44	35.444	20.62	87.8	22.30	88.0	G	3 12 ,,			

13—1864.

	· DAIL	Y OBSERVAT	ions, from	1 24тн то 26ті	H MAY 1864.	,	
DATE. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h. May 24th-Noon.	34:758	20.11	89.0	21.85	90:3	G	h. m. 4 12 p. m.
1	35.307	20.11	88.3	21.88	90.0	C	5 12 ,,
2	35.307	20.23	87.3	22.05	89.4	C	6 12 ,,
3	35-718	19.97	86.6	22.36	88.5	C	7 12 ,,
4	36.336	20.24	86. 3	22.36	88.1	C ·	8 12 ,,
5	36 .061	20.30	86.3	22.15	87.5	В	9 12 ,,
6	36.542	20.22	86.0	22.30	87.2	В	10 12 ,,
7	36 542	20.31	85.6	22.30	86.9	В	11 12 ,, Midnight.
. 8	36.267	20.44	85.5	22.35	86.4	В	
9	36.679	20.55	85.4	22.50	86.3	G	1 12 a. m. 2 12
10	3 3.336	20.85	85.0	22.58	\$6.0	G	3 19 "
11	3 3.816	21.20	84.9	22.60	85.9	G	4 19 "
12	3 3.88 5	20.98	84.8	22.66	85.9	0	5 19 "
13	37.228	20.90	84.3	22.70	84.8	C	6 19 "
14	38.257	21.15	84.3	22.78	84.8 95.5	C	7 19 "
15	38.943	21.34	84.9	22.78 22.61	85.5 85.9	C	9 19 "
16	38.394	21.24	85.2	22.00	85.9 86·3	C	0.12
17	36.915	21.55 21.35	86.1 86.5	22.00	86-6	В	10 19 "
18	34.621	1		21.75	87·1	В	11 10 "
19	32.769	21.11 20.87	87.2 87.5	21.85	87.5	В	Noon.
20	32.906	20.85	88.0	22.10	87.9	В	1 12 p. m.
21	32.837	20.65	88.6	22.10	89.0	G	່າວໍ
22	34.072	20.70	88.8	22.10	89.4	G	2 19 "
23	34.484	20.20	00.0	22.10	00.1	G	J 12 ,,
May 25th-Noon.	35.581	20.30	89.0	22.10	89.8	G	4 12 "
1	35.101	20.45	88.6	22.00	89.8	C	5 12 ,,
2	35.101	20,55	88.1	22.07	89.5	С	6 12 ,,
3	34.827	20.60	87.2	22.15	88.9	C	7 12 ,,
4	34.621	20.71	86.8	22.34	88.4	C	8 12 ,,
5	34.689	20.80	86.5	22.35	88.0	В	9 12 ,,
. 6	34.827	20.95	86.2	22.40	87.5	В	10 12 ,,
7	35 513	20.65	86.0	22.50	87. 2	В	11 12 ,,
8	36 199	20.65	85.6	22.54	87.0	В	Midnight.
9	37.502	20.75	85.5	22.52	86.8	G	1 12 a. m.
10	37.022	20.76	85.4	22.60	86.4	G	2 12 ,,
11	36.130	20.79	85.1	22.54	86.2	G	3 12 ,,
12	35.610	21.00	85.0	22.60	86.0	G	4 12 ,,
13	36.404	20.55	84.9	22.60	85.9	C	5 12 ,, 6 12 ,,
14	38.119	20.77	84.7	22.56 22.84	85.8 86.0	C	7 10
15	38.462	20.59 20.33	85.0 85.6	22.84 22.70	86.2	C	Q 19
16	38.805	20.33	86.1	22.70	86.4	C	0.10
17	37.571	20.69	86.6	21.95	86.8	В	10 19
18	35.856	20.09	87.4	21.55	87.3	B	11 12 ,,
19	34.484	20.95	87.9	21.30	87.8	B	Noon."
20 21	33.180 32.700	20.75	88.3	21.48	88.4	G	1 12 p. m.
21 22	32.700 33.386	20.30	88.8	21.70	88.9	G	2 12 ,,
23	33.935	20.00	89.0	21.78	89.4	G	3 12 ",
							_
MAY 26TH-Noon.	34.827	19.69	89.2	21.80	89.9	G	4 12 ,,
1	35.444	19.67	88.5	21.84	89.9	C	5 12 ,,
2	3 6.473	19.99	87.9	22.08	89-5	C	6 12 ,,
3	35.581	20.07	87.3	22.15	88.9	C	7 12 ,,
4	35.101	20.27	87.0	22.22	88.3	C	8 12 ,,
5	35.718	20.40	86.6	22.25	87.8	В	9 12 ,,
6	35.650	20.46	86.5	22.25	87.7	В	10 12 ,,
7	3 5.856	20.49	86.5	22.40	87.5	В	11 12 ,,
8	35.513	20.61	86.4	22.38	87.3	В	Midnight.
9	35.032	20.90	86.2	22.40	87.0	G	1 12 a. m.
10	36.130	20.84	86.0	22.48	86-8 86-8	G	2 12 ,, 3 12 .,
11	36 130	20.85	860	22 50	60.0	G	3 12 .,

DATE. Göttingen	Eastern	Horizontal	Thermometer	Vertical			DATE.
Mean Time. 1864.	Declination.	Force Mugneto- meter. Scale Readings Uncorrected.	of Horizontal Force Magne- tometer.	Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	Bombay Civil Time. 1864.
h.							h. m.
MAY 26TH-12	36/816	20.80	8 <i>5</i> *8	22.50	86°7	G	4 12 a. m.
13	36.542	20.76	85.4	22.60	86.5	C	5 l2 "
14	37 .639	20.80	85-3	22.66	86-3	c	6 12 ,,
15	37.982	20.95	85.6	22.69	86-6	c	7 12 ,,
16	38.600	20.95	86.4	22.58	87.0	c	8 12 ,,
17	37.914	20.95	87.0	22.00	87.0	В	9 12 ,,
18	35.924	21.25	87.5	21.60	87.5	в	10 12 ,,
19	34.141	21.13	88.2	21.45	88.1	в	11 12 ,,
20	32.494	20.86	88.5	21.35	88.5	в	Noon.
21	32.083	20.74	89.0	21.55	89.0	G	1 12 p. m.
22	32.769	20.56	89.7	21.70	89.8	G	2 12 ,,
23	34.141	20.27	89.5	22.00	90.0	G	3 12 ",
May 27TH-Noon.	34.895	20.19	89.5	22.00	90.5	G	4 l2 "
1	35.101	20.17	89.4	22.00	90.7	C	5 12 ,,
2	35.787	19.86	89.0	22.05	90.3	c	6 12 ,,
3	35.856	20.19	88.3	20.10	90.0	C	7 12 ,,
4	35.924	20.07	87.9	22.10	89.3	C	8 12 ,,
5	35.993	20.33	87.4	22.05	88.7	В	9 12 ,,
6	35.993	20.33	87.0	22.10	88.3	В	10 12 ,,
7	36.061	20.45	86.7	22.22	88.0	В	11 12 ",
8	36.061	20.50	86.5	22.35	87.6	В	Midnight.
9	36.404	20.55	86.4	22.08	87.5	G	1 12 a. m.
- 1	36.199		86.4		87.3	G	0.10
10	37.022	20.80	85.9	21.54		c	0.10
11	36.747	21.02	85.8	21.15	87.2	c	4 10 "
12		20.80	85.6	21.05	87.0	В	£ 10 "
13	36.885	20.63		21.24	86.7		
14	38.051	20.75	85.6	21.30	86.5	В	6 12 ,,
15	38.943	20.65	86.2	21.22	86.8	G	7 12 ,,
16	38.257	20.95	86.8	20.84	87.0	G	8 12 ,,
17	37.090	21.14	87.5	20.58	87.8	c	9 12 ,,
18	35.444	21.17	88.1	20.15	88.3	C	10 12 ,,
19	34.415	20.92	88.6	20.05	88.5	В	11 12 ,,
20	34.072	20.83	89.1	20.16	89.0	В	Noon.
21	33.249	20.57	89.7	20-10	89. 7	G	l 12 p.m.
22	33.455	20.38	90.0	20.10	90.0	G	2 12 ,,
23	33-866	20.34	90.2	20.20	91.0	G	3 12 ,,
MAY 28TH-Noon.	34.346	20.25	90.2	20.35	91.3	c	4 12 "
1	35.170	20.11	90.0	20.40	91.1	В	5 12 ,,
2	35.787	20.13	89.2	20.45	90.6	В	6 12 ,,
3	35.856	20.05	88.5	20.60	90.0	G	7 12 "
4	35.581	20.25	88.0	20.74	89.4	G	8 12 ,,
. 5	36.130	20.13	87.6	20.89	89.1	C	9 12 "
6	36.336	20.44	87.5	20.87	89.0	C	10 12 "
7	36.199	20.63	87.2	20.86	88.6	В	11 12
8	36.061	20.60	87.0	20.95	88.1	В	Midnight.
9	36.610	2 0. 57	86.8	21.10	87.5	G	1 12 a.m.
10	36.885	20.65	86.7	21.10	87.4	G	2 12 ,,
ii l	36.199	20.61	86.5	21.00	87.4	G	3 12 ,,
12	35.856	20.85	86.4	21.00	87.3	G	4 12 ,,
13	35.718	20.85	86.1	21.10	87.0	c	5 12 ,,
14	38.051	20.53	86.0	21.39	86.9	C	£ 10 "
15	38.874	20.62	86.7	21.40	87·2	C	m 10
16	39.560	20.75	87. 4	21.05	88.0	C	0 10
	38.707	20.95	88.0	21.05 20.72	88.3	В	A 10 "
17	36.679	20.95 20.97	88.6				10 10
18		20.97 20.84	89.2	20.14	88.5	В	11 10
19	34.278 32.151	20.84 20.81		19.94	88.8	В	11 12 ,, Noon.
^^ !	32.13T	1 20.81	89.8	19.72	89.4	В	Moou.
20						_ 1	1 10
20 21 22	31.877 32.964	20.55 20.41	90.3 90.6	19.85 20.10	90.0 90.6	G G	1 12 p. m. 2 12 "

	DAILY	OBSERVATIO:	NS, FROM 3	Отн МАЧ то	lst JUNE 18	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magnetn- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
MAY 30TH-Noon.	35'650	20.07	91:3	20.30	92:3	C	4 12 p. m. 5 12 ,
1	35.650	20.20	91.0	20.35	92.2	C	5 12 ,, 6 12
2	35.718	20.09	90.3	20.50	91.3	C	7 12
3	35.375	19.95	89.7	20.48 20.60	91.1	C	8 19 "
4	35.375	19.99 20.15	89.2 88.8	20.65	90.4	В	0 19 "
5 6	35.513 35.718	20.15	88.6	20.55	90.0 89.6	В	10.19 "
7	35.993	20.36	88.5	20.60	89.5	В	10 12 "
8	36.199	20.41	88.1	20.75	89.3	В	Midnight.
9	36.26 7	20.36	88.0	20.90	89-0	G	1 12 a. m.
10	36.130	20.47	87.8	20.86	88.8	G	2 12 ,,
ii	35.787	20.53	87.5	20.85	88.5	G	3 12 ,,
12	35.787	20.51	87.4	2 0.9 5	88.3	G	4 12 ,,
13	36.816	20.60	87.0	21.00	88.1	C	5 12 ,,
14	37.502	20.83	86.9	21.07	87.9	C	6 12 ,,
15	38.531	21.04	87.3	21.04	88.0	С	7 12 ,,
16	38.462	21.16	88.2	20.89	88.7	C	8 12 ,,
17	37.159	21.25	88.8	20.40	88.8	В	9 12 ,,
18	35-170	21.25	89.5	20.15	89.2	В	10 12 ,,
19	34.141 .	21.15	89.9	20.35	89.5	В	11 12 ,,
20	32.974	20.85	90.2	20.25	90.0	В	Noon.
21	33.249	20.70	90.5	20.46	90.5	G	1 12 p. m.
22	34.621	20.41	90.8	20.60	90.9	G	2 12 ,,
23	35.513	20.25	91.0	20.52	91.0	G	3 12 ,,
MAY 31st-Noon.	35.787	19.95	91.0	20.26	91.6	G	4 12 "
1	35.307	19.99	90.9	20-15	91.9	C	5 12 ,,
2	35.032	19.93	90.3	20.37	91.4	C	6 12 ,,
3	35.444	20.29	89.6	20.56	90.9	C	7 12 ,,
4	35 .238	20.29	89.2	20.56	90.4	C	8 12 ,,
5	35.101	20.35	89.0	20.65	90.0	В	9 12 ,,
6	35.238	20.42	88.7	20.70	89.6	В	10 12 ,,
7	35 .650	20.47	88.5	20.78	893	В	11 12 ,,
8	35.856	20.51	88.2	20.85 20.85	89.0	В	Midnight.
9	37.296 36.100	20.65	88.0	20.80	88.6	G	1 12 a. m.
10	36.199 35.591	20.60	87.9	20.80	88.3	G	2 12 ,,
11	35.581 36.130	20.65 20.65	87.9 87.7	20.50	88.3 88.0	G	3 12 ,,
12 13	36.130 36.88 5	20.80	87.4	21.00	87.6	G	4 12 ,, 5 12 ,,
13	37.571	20.65	87.0	21.18	87.0 87.2	G	6 10 "
15	38.397	20.80	87.0	21.00	87.0	G	7 19
16	38.707	20.95	87.7	20.80	87.7	G	0 10
17	37.228	21.00	88.5	20.50	88.5	c	0 19 "
18	34 689	21.13	89.3	19.98	89.0	0	10 19 "
19	32.837	21.16	89.8	19.75	89.7	c	11 12 ,,
20	32.631	20.80	90.1	19.75	90.1	C	Noon."
21	33.317	20.52	90.5	20.00	90.2	В	1 12 p. m.
22	34.552	20.29	90.7	20.25	90.6	В	2 12',,
23	35.444	20.21	90.8	20.25	91.0	В	3 12 ,,
June 1st-Noon	36.336	20-31	90.9	20.15	91 . 5	В	4 12 ,,
1	35.993	20.35	90.8	20.18	91.7	G	5 12 ,,
2	35.5 81	20.31	90.1	20.42	91.2	G	6 12 ",
3	35.238	20.35	89.6	20.50	90.7	G	7 12 ",
4	34.964	20.34	89.2	20.50	90.3	G	8 12 ,,
5	35.170	20.39	88.9	2).48	90.1	С	9 12 ",
6	35.375	20.48	88.6	20.58	89.9	C	10 12 ,,
7	35. 65 0	20-53	88.4	20.92	89.4	C	11 12 .,
8	35.513	20.64	88· 2	20.99	89.2	С	Midnight.
9	35.924	20.71	88.1	20.95	88.8	В	1 12 a.m.
10	35.924	20.68	88.0	21.00	88.6	В	2 12 ,,
11	35.856	20.69	87.6	21.15	8 8. 5	В	3 12 ,,

DAILY OBSERVATIONS, FROM 1st to 3rd JUNE 1864.										
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontai	Vertical Force Magneto- meter.	Thermometer of Vertical	vers.	DATE. Bombay			
Göttingen Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne- tometer.	Observers.	Civil Time. 1864.			
June 1st-12	35/933	20.69	87:5	21.10	88*2	В	h. m. 4 12 a. m.			
13	36.816	20.75	87.2	21.28	88.0	o	5 12 ,,			
14	38.680	20.79	87.0	21.20	87.8	G	6 12 ,,			
15	38,707	20.90	87.4	21.22	87.8	G	7 12 ,,			
16	37.916	21.15	88.0	20.92	88.0	G	8 12 ,			
17	36.404	21.36	89-0	20.49	88.9	c	9 12 ,			
18	34.895	21.33	89.9	20.38	89. 5	o	10 12 ,,			
19	33,455	21.19	89.9	20-38	89.6	c	11 12 ,,			
20	32.769	21.06	90.2	20.28	90.2	c	Noon.			
21	31.877	20.91	90.6	20.35	90.5	В	1 12 p. m.			
22	32.837	20-80	91.0	20.45	90.9	В	2 12 ,,			
23	34.484	20.66	91.2	20-70	91.5	В	3 12 "			
JUNE 2ND-Noon.	35.513	20.51	91.1	20.78	91.6	В	4 12 "			
1	36.199	20.36	90.7	20.79	91.5	G	5 12 ,,			
2	35.513	20.39	89-8	20.79	91.0	G	6 12 ,,			
3	35.238	20.50	89.1	20.78	90.6	a	7 12 ,,			
4	35.238	20.60	88.8	20.84	90.2	G	8 12 ,,			
5	35.170	20.78 20.85	88.4 88.2	20.90 20.99	89.9	C	9 12 ,,			
6	35.444	20.85	88.1	20.99 21.06	89.8 89.5	C	10 12 ,,			
7	35.444	20.81	88.0	21.06	89.5 89.2	. c	11 12 ,,			
8	35.787	20.75	87·8	21.00	88.9	C	Midnight. 1 12 a. m.			
9	35.993	20.75	87.6	21.05	88.7	В	1 12 a. m. 2 12			
10	36.199	20.95	87.5	21.05	88.5	B	,,			
11 12	36.336 36.542	21.00	87.5	21.08	88.5	В	4 19			
13	37.639	21.15	87.1	21.18	88.3	G	5 19			
14	38.668	21.15	87.0	21.30	88.0	G	6 19			
15	38.946	21.35	87.4	21.21	88.1	G	7 19			
16	39.080	21.52	87.7	20.94	88.3	G	Q 19 ~~			
17	38.874	21.75	88.2	20.42	89.0	c	0.19 "			
18	36 .26 7	21.84	88.8	20.07	89.3	c	10 12 ,,			
19	34.758	21.94	89.4	20.00	89.8	C	11 12 "			
20	33.592	21.89	90.0	20.00	90.2	c	Noon.			
21	32.974	21.81	90.1	20.05	90.4	в	1 12 p. m.			
22	33.180	21.61	90.3	20.25	90.6	В	2 12 ,,			
23	33.729	21.44	90.4	20.35	91.0	В	3 12 ",			
June 3rd-Noon.	34.552	21.11	90.5	20.50	91.2	в	4 12 "			
1	35-375	20.95	90.0	20.60	91.3	G	5 12 ,,			
2	34.827	20-76	89.6	20-68	90.8	G	6 12 ,,			
3	34.689	20.74	89-0	20.72	90.5	G	7 12 ,,			
4	35.238	20.64	88.8	20.80	90.0	G	8 12 "			
5	35.718	20.67	88.3	20.96	89.8	С	9 12 ,,			
6	35.856	20.79	88.1	21.00	89.7	c	10 12 ,,			
7	35.924	20.99	88.0	21.00	89.4	C	11 12 ,,			
8	36.061	21.01	87.8	21.00	89.2	C	Midnight.			
9	36.061	20.93	87.5	21.00	88.9	В	1 12 a.m.			
10	36.199	21.03	87.5	21.05 21.05	88.5	В	2 12 ,,			
11	36.336	21.00 21.05	87.2	21.05 21.05	88.5	В	3 12 ,,			
12	36.336 36.670	21.15	87.1 87.0	21.05	88.2 88.0	В	4 12 ,, 5 12 ,,			
13	36.679 27.620	21.13	86.8	21.50	88.0	G	0.10			
14	37.639 38.531	21.35	86.8	21.54	88.0	G	- 10			
15	38.531 38.707	21.73	87.0	21.42	88.0	G	0.10			
16	38.707 38.531	22.06	87.5	21.42	88.1	G	0.10			
17 18	36.6 7 9	22.15	88.7	20.72	88.8	C	10.10			
18	36.679 34.621	22.28	89.4	20.45	89.4	c	10 12 ,,			
20	34.621 32.631	22.18	89.7	20.45	89.9	c	Noon.			
21	32.563	21.81	90.1	20.49	90.4	В	1 12 p. m.			
22	32.906	21.54	90.1	20.60	90.6	В	2 12 ,,			
'',', '										

14-1864.

	DAI	LY OBSERVA	TIONS, FRO	М 5тн то 7тн	JUNE 1864	•	
DATE. Göttingen Mean Time. 1884.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter, Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h. June 5th-Noon.	32:837	21.45	91:0	20.70	91.5	G	h. m. 4 12 p. m.
1	32.769	21.66	89.9	20.88	90.2	G	5 12 ,,
2	34.758	20.90	88.7	21.00	90.0	G	6 12 ,,
3	35.444	20.48	88.3	21.08	89.6	G	7 12 ,,
4	35.238	20.70	88.0	21.16	89.4	G	8 12 ,,
5	35.307	20.65	87.7	21.37	89.1	С	9 12 ,,
6	35.307	20.85	87.6	21.40	89.0	C	10 12 ,,
7	35.787	20.70	87.5	21.42	88.9	C	11 12 ,,
8	35.856	20.78	87.4	21.42	88.8	C	Midnight.
9	36.199	20.85	87.4	21.35	88.4	В	l 12 a.m.
10	36.061	2 0.95	87.4	21.35	88.4	В	2 12 ,,
11	36.199	20-81	87.2	21.45	88.2	В	3 12 ,,
12	36.673	20.92	87.0	21.50	88-0	В	4 12 ,,
13	36.610	21.02	86.9	21.56	87.9	G	5 12 ,,
14	38.394	21.10	86.7	21.62	87.8	G.	6 12 ,,
15	38.462	21.19	86.7	21.40	87.8	G	7 12 ,,
16	37.502	21.53	87.0	21.14	88.0	G	8 12 ,,
17	36.061	21.82	87.5	21.00	88.2	C	9 12 ,,
18	33.935	21.94	88.1	20.58	88.6	c	10 19 "
	32.97 4	21.91	88.5	20.56	89.1	C	11 19 "
19	32.563	21.79	89.0	20.56	89.4	C	Noon.
20		21.32	89.5	20.55	89.5	_	1 12 p. m.
21	32.974	21.11	89.5 89.5	20.75	90.0	В	2 12 p. m.
22	33.592	21.11	1	20.95	90.0	В	
23	34 .55 2	21.01	89.5	20.90	90.5	В	3 12 ,,
JUNE 6TH-Noon.	35.513	20.81	89.5	21.20	90.5	В	4 12 "
1	36.130	20-57	89.2	21.28	90.6	G	5 12 "
2	35.856	20.51	88.5	21.24	90.0	G	6 12 ,,
3	35.718	20.59	88.1	21.20	89.6	G	7 12 ,,
4	35.101	20.55	88.1	21.20	89.4	G	8 12 ,,
5	35.513	20.71	88.0	21.30	89.2	С	9 12 ,,
6	35.718	20.71	87.9	21.36	89-2	С	10 12 ,,
7	35.924	20.75	87.9	21.39	89.1	c	11 12
8	36.061	20.79	87.7	21.41	88.9	C	Midnight.
9	36-267	20-81	87.5	21.45	88.3	В	l 12a.m.
10	35.993	20.85	87.4	21.40	88-1	В	2 12
ii	36.336	20.88	87.2	21.30	88.0	В	3 12 ",
12	36.610	20.98	86.9	21.35	87.6	В	4 12 ,,
13	36.610	21.05	86.5	21.40	87.0	G	5 12 ,,
14	37.296	21.11	86.5	21.52	87.0	G	6 19
15	37.571	21.20	86.5	21.50	87.0	G	7 10
16	37.770	21.40	86.5	21.50	87.0	G	0 10
17	37.770 37.914	21.67	86.7	21.27	87.3	C	0.10
		21.72	87.0	21.04	87.3		10 12 ,,
18	36.404 35.939	21.66	87.0 87.4	20.90	87.5 87.6	C	11 12 ,,
19	35.238	21.35		20.90	87.0 88.2	C	Noon.
20	34.484		88.1			C	1 10
21	33-729	21.19	88.6	20.85	88.6	В	1 12 p.m.
22	33.455	21.01	89.2	20.85	89.4	В	2 12°,
23	33.729	20.45	89.5	20.88	90.0	В	3 12 ",
June 7th-Noon.	34.689	20.48	89.5	20.95	90.3	В	4 12 "
1	35.307	20.55	89.2	21.05	90.2	G	5 12 .,
2	36.267	20.53	88.6	21.20	89.8	G	6 12 ",
3	36.199	20.24	88.2	21.14	89.4	G	7 12 ,,
4	36.473	20.32	88.0	21.18	89.0	G	8 12 ,,
5	35.444	20.89	87.8	21.18	89.0	c	9 12 ",
6	36.610	20.37	87.1	21.27	88.5	C	10 12 ,,
7	36.610	20.70	86.7	21.40	87.8	C	11 12 ,,
	35.993	20.72	86.1	21.35	87.2		Midnight.
8		20-90	85.3	21.50	86.1	C	1 12 a. m.
9	36.542	21.05				В	1 14 H. III,
10 11	36.473		85.5	21.70	86.0	В	2 12 ,,
	36.542	21.10	85.5	21.65	85.9	В	3 12 ,,

	DAIL	I UDSEKVATI	UNS, FRUM	7тн то 9тн Ј	- FOOT		
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Mague- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.	06/005	01.15	0.00	01.00	859		h. m. 4 12 a. m.
June 7th—12	364985	21.15	85:5	21.80	86.0	В	
13	38.668	20.40	85.4	21.80	86.0	G	, ,,,
14	38.946	20.35	85.5	21.80	86.1	G	,,
15	40.932	20-55	85.7	21 96	86.3	G	7 12 ,, 8 12 ,,
16	40.452	20.74	86.0	21.70	87.0	G	8 12 ,, 9 12
17	38.943	20.90	86.7	21.26	87.5	C	10 12
18	37.639	20.44	87.4	20.97	88.0	C	11 10 "
19	36.953	20.06	87.9	20.58 20.63	88-6	C	Noon.
20	36.336 36.747	19.55 18.85	88.3	20.85	88-8	В	1 12 p. m.
21	36.747	18.11	88.5	21.05	89-5	В	9 10*
22 23	37.090	17.35	89.5 89.6	21.00	90.2	В	3 12 ,,
June 8th-Noon.	36.747	16.92	89.9	21.00	90.6	В	4 12 ,,
1	40.040	16.85	89.5	21.36	90.6	G	5 12 ,,
2	37.502	17.62	88.8	21.20	90.0	G	6 12 ,,
3	34.758	18.00	88.4	21.10	89.6	G	7 12 ,,
4	36.267	17.95	88.0	21.50	89. 4	G	8 12 ,,
5	35.238	18.45	87.2	21.02	88.9	C	9 12 ,,
6	35.650	18.90	87.1	21.50	88.7	C	10 12 ,,
7	35.787	19-27	87.2	21.70	88.7	C	11 12 ,,
8	35.856	19-40	87.4	21.21	88.6	C	Midnight.
9	35.787	19.45	87-4	21.40	88.4	В	l 12 a. m.
10	36.542	19.40	87.2	21.60	88.2	В	2 12 ,,
11	36.336	19.75	86.9	21.75	88.0	В	3 12 ,,
12	36.679	19.67	87.0	21.76	87.9	В	4 12 ,,
13	37.022	19.87	86.5	21.80	87.7	G	5 12 ,,
14	38.051	20.24	86.0	22.00	87.2	G	6 12 ,,
15	38.325	20.45	86.7	22.00	87.5 88.0	G	7 12 ,,
16	38.680	20.80	87.4	21.72	88.6	G	8 12 ,,
17	38-188	20.94	88.4	21.41	89.2	C	9 12 ,,
18	37.433	20.83	89-2	21.13	89.2 89.8	C	10 12 ,,
19	35.856	21.05	89.9	20.70	90.2	C	11 12 ,,
20	35.581	19.53	90.2	20.66	90.2 90.5	C	Noon.
21	35.581	19.31	90.5	20.66	90.6	В	1 12 p. m.
22 23	35.650 35.856	18.61 18.18	90.5 90.5	20.72 20.92	90.8	B B	2 12 ,, 3 12 ,,
JUNE 9TH-Noon.	37.228	17.68	90.3	21.10	91.0	В	4 12 ,,
1	36.679	17.74	89.9	21.17	90.9	G	5 12 ,,
2	3 7 .159	18.36	89.4	21.26	90.5	G	6 12 ,,
3	35-993	18.59	88.9	21.18	90.0	G	7 12 ,,
4	35.787	18.96	88. 8	21.30	90.0	G	8 12 ,,
5	35.032	19-02	88.4	21.33	89.8	C	9 12 ,,
6	36.610	18.85 \	88.0	22.30	89.2	C	10 12 ,,
7	36 .610	19.55	87.3	22.44	88.5	C	11 12 ,,
8	37.159	19.95	86.9	22.46	88.0	C	Midnight.
9	37.090	19.90	86.5	22.45	87.5	В	1 12 a. m.
10	37-571	19.95	86.4	22.48	87.2	В	2 12 ,,
11	37.433	19.99	86.4	22.55	87.0	В	3 12 ,,
12	37.776	20-10	86.4	22.60	86 . 9 86.8	В	4 12 ,,
13	38.051	20.48	86.1	22.60	86.7	G	5 12 ,,
14	38.531	20.80	85.9	22.78	86.7 86-8	G	6 12 ,,
15	39.491	20.85	86.1	22.70	86.9	G	7 12 ,,
· 16	39.560	20.20	86.7	22.40	80.9 87.7	G	8 12 ,,
17	38.119	20.66	87.5	21.76	88.5	C	9 12 ,,
18	36.679	20.57	88.8	21.44	89.0	С	10 12 ,,
, 19	34.964	20.95	89.0	21.20	89.4	C	11 12 ,, Noon.
20	33.386	20.91	89.7	21.12	89.4 89.6	C	1 10
21	33.455	20.41	90.2	21.28	90.3	В	l 12 p. m.
22	34.209	19.96	90.5	21.50	90.6	В	2 12 ,
23	34.484	19.81	90.5	21.52	3V.U	В	3 12 ,,

DAILY OBSERVATIONS, FROM 10th to 13th JUNE 1864.										
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter,	Thermometer of Vertical	Observers.	DATE. Bombay			
Mean Time.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne- tometer.	Obse	Civil Time. 1864.			
h. June 10th-Noon.	34:758	19.59	90°5	21.55	90:8	В	h. m. 4 12 p. m.			
1	34.895	19.66	90.2	21.70	90.9	G	5 12 ¹ ,			
2	35.444	19.75	89.9	21.70	90.7	G	6 12 ,,			
3	35.170	19.85	89.0	21.85	90.5	G	7 12 ,,			
4	35.03 2	19.85	88.7	21.92	90.0	G	8 12 ",			
5	35.924	19.75	88.2	22.07	89.7	c	9 12 ,,			
6	35.993	19.81	87.9	22.09	89.1	c	10 12 ,,			
7	36 .130	19.85	87.6	22.10	89.0	C	11 12 ,,			
8	36.130	19.90	87.4	22.15	88.8	C	Midnight.			
9	36.199	19.86	87.2	22.25	88.5	в	1 12 a. m.			
10	36.610	19.87	87.1	22.25	88.4	в	2 12 ,,			
11	36.747	20.05	87.0	22.25	88.1	В	3 12 ,,			
12	37.228	20.01	87.0	22.25	88.0	В	4 12 ,,			
13	37.159	20.13	87.0	22.28	87.9	G	5 12 ",			
14	38.051	20.12	86.9	22.50	87.8	G	6 12 ,,			
15	38.531	20.19	87.0	22.50	87.9	G	7 12 ",			
16	39.286	20.26	87.3	22.46	88.0	G	8 12 ,,			
17	39.080	20.39	88.0	22.10	88.8	C	9 12 ,,			
18	37.982	20.49	88.6	21.91	89.1	C	10 12 ,,			
19	36.336	20.49	89.0	21.60	89.3	C	11 12 ,,			
20	35.170	20.52	89.7	21.50	90.0	C	Noon.			
21	35.307	20.41	90.5	21-55	90.5	В	1 12 p. m.			
22	35.101	20.28	90.5	21.55	91.0	В	2 12,			
23	35.238	20.08	90.9	21.55	91.4	В	3 12 ,,			
JUNE 12TH-Noon.	35.650	19.90	90.9	21.70	91.5	G	4 12 ,,			
1	36.199	19.99	90.4	21.78	91.4	G	5 12 ,,			
2	36 336	20.00	89.9	21.84	90.8	G	6 12 ,,			
3	35.650	20.00	89.2	21.80	90.5	G	7 12 ,,			
4	35.444	20.04	88.8	21.84	90.1	G	8 12 ,,			
5	35 .993	20.15	88.0	22.00	89.5	C	9 12 ,,			
6	36.542	20.18	87.3	22.10	89.1 88.5	C	10 12 ,, 11 12 ,,			
8	36.130 36.336	20.35 20.30	86.7 86.5	22.11 22.11	88.1	C				
9	36.336	20.35	86-3	22.11 22.25	87.9	C	Midnight. 1 12 a. m.			
10	36.473	20.45	862	22.25 22.25	87.6	В	0.10			
10	36.473	20.43	86.1	22.20	87.3	В	2 10 "			
]2	36.404	20.60	85.9	22.24	87.0	В	A 19			
13	36.816	20.61	85.8	22.30	87.0	B G	5 19 ´´			
14	37.708	20.90	85.8	22.44	86.9	G	6 19			
]5	38.531	20.88	85.8	22.50	86.5	G	7 19			
16	39.217	21.25	86.0	22.46	86.8	G	0 10			
17	38.462	21.49	86.8	22.11	87.2	c	0.19			
. 18	36.404	21.67	88.0	21.78	88.0	c	10 12 ,,			
19	34.964	21.52	88.8	21.66	88.8	c	11 12 ,,			
20	34.346	21.35	89.3	21.60	89.2	C	Noon.,,			
21	34.003	21.08	90.1	21.30	89-6	В	1 12 p. m.			
22	34.072	20-81	90.5	21.52	90.4	В	2 12 ,,			
23	34.415	20.51	90.8	21.55	90.7	В	3 12 ",			
June 13th-Noon	35.170	20.35	90.7	21.65	91.0	В	4 12 ,,			
1	35.924	20.26	90.2	21.82	91.0	G	5 12 ,,			
2	35.650	20.36	. 89-6	21.86	90.7	G	6 12 ,,			
3	35.856	20.30	88-7	21.97	90.0	G	7 12 ,,			
4	35.924	20.32	88.0	22.00	89.6	G	8 12 ,,			
5	35.993	20.32	87.9	21.94	89.3	C	9 12 "			
6,	36.061	20.37	87.8	21.94	89.1	C	10 12 ,,			
7'	35.924	20.36	87.5	21.98	89.0	C	11 12 ,,			
8	36 267	20.40	87.3	22.00	88.8	C	Midnight.			
9	36.199	20.41	87.0	22.05	88.3	В	1 12 a.m.			
10	36.473	20.52	86.8	22.15	88-0	В	2 12 ,,			

DAILY OBSERVATIONS, FROM 13TH TO 15TH JUNE 1864.										
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE.			
Göttingen	_		Force Magne-		Force Magne -	. P	Bombay			
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	چ ا	Civil Time.			
1864.		Unorrected.		Uncorrected.		<u> </u>	1864.			
h.		20.50	0.095	00.00	87:5		h. m.			
UNB 13TH-12	36′336	20.58	86.5	22.20		В	4 12 a. m.			
13	36.679	20.63	86.2	22.38	87.2	G	5 12 ,,			
14	38.325	20.65	85-7	22.50	86-9	G	6 12 ,,			
15	38.707	20.75	85.7	22.50	86.8	G	1 7 10			
l l		20.90	86.4	22.32	87.0	G	l 819 "			
16	39.217				88.0					
17	37.914	21,15	87.1	22.12		C	9 12 ,,			
18	36.199	21.33	87.3	22.00	88.2	C	10 12 ,,			
19	35.248	21.34	88-0	21.68	88.7	C	11 12			
20	34.689	21.20	88.4	21-62	89.0	C	Noon.			
			88.8	21.55	89.2		1 12 p. m.			
21	34.346	21.05			89.5	В				
22	34.484	20.82	89.0	21.55		В	2 12 ,,			
23	34.827	20.55	89.1	21.56	89-6	В	3 12 ,			
		00.00	90 0	21.95	89.9		4 19			
UNE 14TH-Noon.	35.444	20.38	88.9		90.0	В	4 12 ,,			
1	35.581	20.36	88.5	21.94		G	5 12 ,,			
2	35.444	20.45	87.9	22.00	89.2	G	6 12 ,,			
3	35.375	20.41	87.6	22.00	88.9	G	7 19 "			
			87.4	22.00	88.5	G	8 19 "			
4	35.581	20.50			88.3	-	1 17			
5	35.924	20.54	87-0	21.10		C	9 12 ,,			
6	36-199	20.55	86.8	20.50	88.1	C	10 12 ,,			
- 1	36.542	20.68	86.0	20.10	87.6	C	11 12			
7		20.80	85.6	20.19	87.3	c	Midnight.			
8	36.199				87.0	-	Manual Inc.			
9	36.336	20.85	85.6	20-35		В	1 12 a.m.			
10	36.061	20.90	85.5	20.40	86.6	В	2 12 ,,			
ii	36.199	21.00	85.3	20.45	86.5	В	3 12 ,,			
	36.199	20.90	85.3	20.45	86.5	В	A 19 "			
12				20.70	86.4					
13	36.679	20.95	85.3		86.4	G	5 12 ,,			
14	38.051	20.82	85.3	20.56		G	6 12 ,,			
15	39.011	21.10	85.5	20.50	86.6	G	7 12 ,,			
	38.707	21.35	85.7	20.34	86.6	G	9 19 "			
16			86.6	20.21	87.0					
17	37.296	21.69	t I		87.3	C	9 12 ,,			
18	35 .03 2	21.84	87.4	19-80		С	10 12 ,,			
19	33.660	21.76	88.0	19.60	87.7	C	11 12 ,,			
3	33-249	21.41	88.6	19.60	88. 4	C	Noon."			
20			89.0	19-85	88.8	В	1 12 p. m.			
21	34.072	21.01			89.3		1 12 p. m.			
22	34.758	20-81	89.4	19.95		В	2 12 ,,			
23	35.170	20.53	89.4	20.05	89.6	В	3 12 ,,			
	, 02.020	00.61	88.9	20-00	89.6	В	4 12 ,,			
UNE 15TH-Noon.	35.650	20.51			89.5					
1	35.856	20.50	88.6	20.00		G	5 12 ,,			
2	35.65 0	20.55	88.0	20.00	89.2	G	6 12 ,,			
3	3 5.238	20.51	87.7	20.00	88.8	G	7 12 ,,			
		20.70	87.5	20-02	88.5	G	0.10			
4	35.170		87.2	20.20	88.3		0.19			
5	35.375	20.78			88.0	C	9 12 ,,			
6	35.513	20.72	87.0	20.21		C	10 12 ,,			
7	35.718	20.89	86.8	20.28	87.9	C	11 12 ,,			
8	35.924	20.93	86.5	20.30	87.7	C	Midnight.			
		21.01	86.4	20.35	87.5	В	1 12 a. m.			
9	35.924			20.35	87.3		0.10			
10	36.199	21.08	86.2			В	2 12 ,,			
11	36.610	21.09	86.1	20.45	87.1	В	3 12 "			
12	36.404	20.97	85.9	20-44	87.0	В	4 12 ,,			
	37.159	20.83	85.9	20.50	87.0	G	£ 10			
13			85.9	20.48	87.0		e 10			
14	37.708	21.04			86.9	G				
15	39.011	21.02	86.0	20-48		G	.7 12 ,,			
16	39.011	21.13	86.2	20-30	87.0	G	8 12 "			
		21.28	87.0	20.00	87.6	c	0.10			
17	37.365		87.6	20.00	88.0		10 10			
18 /	35.101	21.48				ď	10 12 ,,			
19	33.592	21.73	88.0	19.60	88.1	C	11 12 "			
20	32.974	21.35	88.4	19.55	88-7	c	Noon.			
	33.180	20.82	89.0	19.50	89-1	В	1 12 p. m.			
21			89.4	19.75	89-5	- 1	0 10			
22	33.249	20.52				В	2 12 ,,			
23	34.003	20.32	89.6	19.85	90.0	В	3 12 ,,			

	DAIL	Y OBSERVAT	IONS, FROM	I 16тн то 19ти 	JUNE 1864	١.	
DATS. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Mague- tometer.	Observers.	DATE, Bombay Civil Time. 1864.
h,							h. m.
June 16TH-Noon.	34'689	20.22	89.5	19.86	90:3	В	4 12 p. m.
1	35.375	20.42	89.5	19.90	90.3	G	5 12 ,,
2	35.718	20.38	88.8	19.98	90.0	G	6 12 ,,
3	35-238	20.35	88.2	20.00	89.5	G	7 12 ,,
4	35.307	20.39	88.0	20.00	89.1	G	8 12 ,,
5	35.513	20.49	87.7	20.00	89.0	c	9 12 ,,
6	35.718	20.60	87.4	20.15	88.9	C	10 12 ,,
7	35.856	20.73	87.3	20.24	88.7	C	11 12 ,,
8	36.747	20.75	87.0	20.45	88.4	C	Midnight.
9	36.885	20.55	87.0	20.45	88.2	В	1 12 a. m.
10	37.296	20.53	86.9	20.45	87.6	В	2 12 ,,
ii		20.51	86.1	20.40	87.0	В	3 12 ,,
12	37.776	20.60	85.5		86.5		1 4 19
13	37.708	20.65	85.4	20.48	86.4	В	5 19 "
14	37.296		85.7	20.50		G	. 6 10
	38.946	20.85		20.68	86.4	G	7 10 "
15	39.080	21.00	86.1	20.70	86.6	G	0 19
16	39.286	20.78	87.0	20.49	87.0	G	
17	37.296	21.13	87.4	20.11	87.7	C	9 12 ,,
18	34.964	21.28	88.2	20.00	88-1	C	10 12 ,,
19	33.729	21.29	88.9	20.05	88-8	C	11 12 ,,
20	33.523	21.20	88.4	20.05	88.8	C	Noon.
21	33.866	21.01	87.5	20.30	88.5	В	1 12 p. m.
22	34.552	20.81	89.0	20.45	89.1	В	2 12 ,,
23	34.827	20.58	89.5	20.35	89.5	В	3 12 ,,
June 17th-Noon.	35.444	20.21	89.6	20.15	90.1	В	4 12 "
1	34.827	20.26	89.5	20.10	90.0	G	5 12 ,,
2	35.03 2	20.33	88.9	20.18	89.8	, G	6 12 ,,
3	35.101	20.40	88.0	20.18	89.2	G	7 19
4		20.45	87.7	20.49	89.0	G	0 10
5	35.238	20.37	87.3	20.49	88.8		0.19 "
6	35.787	20.45	87.1	20.50	88.5	C	10.19
7	36.130	20.45	87.0		88.3	C	11 19 "
8	36.610		87.0	20.50		C	Midnight.
	36.610	20.60		20.60	88.2	C	1 12 a. m.
9	36.610	20.65	87.0	20.55	88.0	В	0.10
10	36.679	20.74	86.7	20-55	87.8	В	
11	36-885	20.75	86.5	20.55	87.5	В	3 12 ,,
12	37.159	20.92	86.1	20.65	87.1	В	4 12 ,,
13	37.845	20.90	86.0	20.74	87.0	G	5 12 ,,
14	39.286	20.78	85.8	20.86	86.8	G	6 12 ,,
15	39.629	20.94	86.5	20.58	87.0	G	7 12 ,,
16	39.217	20.94	87.0	20.20	87.4	G	8 12 ,,
17	37.022	21.20	87.8	20.00	88.0	C	9 12 ,,
18	35.170	21.24	88.8	19.92	88.8	C	10 12 ,,
19	34.209	21.09	89.2	20.00	89.1	C	11 12 ,,
20	33-386	20.96	89.8	19.94	89.8	С	Noon.
21	33.729	20.80	90.0	20.05	90.0	В	1 12 p. m.
22	34.209	20.50	90.1	20.05	90.5	В	2 12',
23	34.895	20.05	90.5	20.00	90.9	В	3 12 ,,
June 19th-Noon.	2E 0 <i>EE</i>	20.37	90.1	20.10	90.9	G	4 12 ,,
_	35.856		88.8				F 10
1	35.856	20.37		20.28	90.1	G	0.10
2	35.581	20.48	88.2	20.30	89-4	G	7 10
3	35.238	20.51	88.0	20.30	89.0	G	7 12 ,,
4	35.307	20.50	87.8	20.30	88.8	G	8 12 ,,
5	35.650	20.49	87.4	20.38	88.6	C	9 12 ,,
6	35.924	20.55	87.3	20.40	88.3	C	10 12 ,,
7	36.542	20.53	87.0	20.48	88.2	C	11 12
8	35.747	20.55	87.0	20.49	88.1	C	Midnight.
9	37.159	20.52	86.8	20.50	87.8	В	l 12 a.m.
10	37.365	20.53	86.6	20.45	87· 7	В	2 12 ,,
11	37.433	20.59	86.5	20.45	87.5	В	3 12 ,,

	DAI	LY OBSERVA'	rions, fro	M 19тн то 21s	T JUNE 186	4.	
DATE. Göttingen Mean Time 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.		00.64	0.550	00.45	000		h. m.
June 19TH-12	37/571	20.64	85.9	20.45	87.0	В	4 12 a. m.
13	37.502	20.79	85.1	20.48	86.6	G	5 12 ,,
14	38.188	21.05	84-4	20.54	86-4	G	6 12 ,,
15	35.571	21.44	84.7	20.55	86-4	G	7 12 ,,
16	37.022	21.60	84.9	20.50	85.8	G	8 12 ,,
17	36.542	21.80	84.3	20.75	85.6	C	9 12 ,,
18	35.307	21.91	84.3	20.60	85.3	C	10 12 ,,
19	34.278	22.05	84.1	20.60	85.2	C	11 12 ,,
20	34.141	22.02	83.8	20.5 0	85-0	C	Noon.
21	33.798	21.75	83.5	20.50	85.0	В	1 12 p. m.
22	33.386	21.70	83.6	20.70	84.4	В	2 12 ,,
23	34.484	21.43	84.2	20-85	84.6	В	3 12 "
JUNE 20TH-Noon.	35-513	21.25	84.4	20.85	84.7	В	4 12 "
1	36.267	21.24	84.2	20.90	83.8	G	5 12 "
2	,35.8 <i>5</i> 6	21.10	84.4	20.70	84.4	G	6 12 ,,
3	35.513	21.10	84.0	20.70	84.3	G	7 12 ,,
4	35 .513	21.10	84.0	20.76	84.3	G	8 12 ,,
5	35.8 <i>5</i> 6	21.07	84.5	20.70	84.8	C	9 12 ,,
6	35.581	21.10	83.7	20.80	84.3	C	10 12 ,,
. 7	35.924	21.28	83.3	20.82	84.1	С	11 12 ,,
8	36.542	21.27	83.2	20.95	84.0	C	Midnight.
9	37.090	21.35	83.3	20.85	83-8	В	l 12 a.m.
10	36.816	21.45	83.2	20.85	83.8	В	2 12 ,,
11	37.022	21.41	83.1	20.85	83.8	В	3 12 ,,
12	36.816	21.51	83.1	20.85	83.8	В	4 12 ,,
13	37.1 <i>5</i> 9	21.65	83.1	20.94	83.8	G	5 12 ,,
14	38.257	21.86	83.3	21.00	84.0	G	6 12 ,,
15	38.394	21.95	83.0	20.98	83.4	G	7 12 ,,
16	38.257	22.15	82.6	20.90	82.7	G	8 12 ,,
17	39.217	22.43	82.5	20.76	83.0	С	9 12 ,,
18	38.325	22.41	83.3	20.60	83.6	С	10 12 ,,
19	36.199	22.38	81.8	20.92	. 82.9	С	11 12 ,,
20	33.455	22.33	81.4	21.00	82.7	C	Noon.
21	32.974	22.21	82.0	20-90	82.7	В	1 12 p.m.
22	34.209	21.98	82.4	21.15	82.7	В	2 12 ,,
23	35-444	21.78	82.3	21.15	82.5	В	3 12 ,,
June 21st-Noon.	36.885	21.65	81.4	21.24	82.1	В	4 12 ,,
1	36.542	21.65	81.0	21.25	81.3	G	5 12 ,,
2	35.993	21.85	81.0	21.16	81.2	G	6 12 ,,
3	35.307	21.78	81.2	21.00	81.2	G	7 12 ,,
· 4	35.101	21.77	81.5	21.08	81.5	G	8 12 ,,
5	35.170	21.82	81.1	21.12	81.5	C	9 12 ,,
6	35.513	21.90	81.2	21.15	81.6	C	10 12 ,,
7	35.993	21.85	81.4	21.15	82.0	C	ll 12 " Midnight
8	36.404	21.73	81.3	21.18	81.9	C	Midnight.
9	36.747	21.67	81.5	21.40	81.7	В	l 12 a.m.
10	36.885	21.74	81.6	21.40	81.7	В	2 12 ,,
11	37.022	21.71	81.8	21.45	81.9	В	3 12 ,,
12	36.885	21.75	81.6	21.45	82.0	В	4 12 ,,
13	37.090	21.74	82.0	21.50	82.2	G	5 12 ,,
14	38.051	21.79	81.8 82.0	21.58	82.0 82·1	G	6 12 ,, 7 12 ,,
15	38.531	21.85	82.0 82.0	21.50	82·1 82.1	G	0.10
16	38.805	21.95	82.0 82.0	21.46	82.1	G	0.19
17	37.571	22.29 22.66	82.0 82.2	21.12	82.1 82.4	C	10 10
18	35.444	22.66 22.66	82.4	21.02	82.4 83.1	C	11 10
19	34.552		82.4 85.0	21.00 20.88	83.1 84.5	C	Noon.
20	33.592	22.40 22.21	85.0 85.5	20.85	85.1	C	1 12 p. m.
21 22	32.906 33.455	21.95	85.5	21.00	85.3	B B	2 12 ,,

DAILY OBSERVATIONS, FROM 22ND TO 24TH JUNE 1864.											
DATE.	Eastern	Horizontal Force Magneto-	Thermometer	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE. Bombay				
Göttingen	-	meter.	Force Magne-	meter.	Force Magne-	1	Civil Time.				
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	2					
1864.		Uncorrected,		Uncorrected.		0	1864.				
h. June 22nd-Noon.	24/004	21.51	85*6	21.02	86:1		h. m. 4 12 p. m.				
INB ZZND-1100II.	34'827					В	5 19				
. 1	34-827	21.42	85.6	21.00	86.0	G					
2	34.827	21.54	84.8	21.00	85.3	G	,,,				
3	34.621	21.44	84.2	21.00	85.0	G	7 12 ,,				
4	34.346	21.45	84.0	21.04	85.0	G	8 12 ,,				
5	34.827	21.52	84.0	21.00	85.0	c	9 12 ,,				
6	35.170	21.70	83.7	21.31	84.8	c	10 12 ,,				
7.	35.581	21.49	83.7	21.50	84.8	1 1	11 12 ,,				
1		•	83.5		1	C	Midnight.				
8	36.336	21.61		21.76	84.5	C	1 12 a. m.				
9	37.090	21.51	83.4	21.65	84-3	В					
10	36-610	21.17	83.4	21.45	84.2	В	2 12 ,,				
11	36.139	21.65	83-4	21.38	84.0	G	3 12 "				
12	36-130	21.60	83.1	21.46	83.8	G	4 12 ,,				
13	36.542	21.36	83.1	21.50	83.8	C	5 12 ,,				
14	38.051	21.24	82.9	21.59	83.7	C	6 19 "				
		21.31	82.6	21.70	83.4		7 19 "				
15	39.080					В	0 19 "				
16	39.148	21.39	82.3	21.42	83.0	В					
17	37.982	21.80	81.9	21.29	82.8	G	9 12 ,,				
18	35-993	22.30	82-4	20.90	83.0	G	10 12 ,,				
19	34.895	20.70	83.0	20.76	83.3	C	11 12 ",				
20	35.718	19.47	82.4	21.15	83-1	c	Noon."				
21	33.729	18.90	82.6	21.18	83.0		1 12 p. m.				
		l .	83.0			B	2 12				
22	33-523	19.25		21.42	83-1	В					
23	34.689	19.20	82.7	21.50	83.0	G	3 12 ,,				
JUNE 23RD-Noon.	35.101	19.72	82.0	21.60	82.8	G	4 12 ,,				
1	35.650	19.94	81.8	21.68	82.6	C	5 12 ,,				
2	34.621	19.66	81.3	21.74	82.1	C	6 12 ,,				
3	35.170	19.55	80.8	21.88	81.6	В	7 10				
4	35.375	19.90	81.0	21.92	81.7	В	g 19 ″				
5	35.924	20.25	80.8	22.00	81.5		9 12 "				
		L	80.8		1	G	, ,,				
6	37.433	20.10		22.00	81.4	G	10 12 ,,				
7	38.051	19-72	80.1	22.05	81.1	C	11 12 ,,				
8 }	37.708	20.62	79.8	22.01	80.8	C	Midnight.				
9	37.982	20.65	80.2	22.04	80.9	В	1 12 a. m.				
10	38.600	20.80	80.1	22.14	80.8	В	2 12 ,,				
ii	38.946	21.05	79.7	22.10	80.6	В	2 10 "				
12	38.531	20.85	80.0	21.95	80.6	B	4 10 "				
	39.247	20.78	80.0			1 1	£ 10 "				
13				21.98	80.5	G	5 12 ,,				
14	40.520	20.80	79.8	22.10	80.5	G	6 12 ,,				
15	41.344	20.79	79.8	22.14	80.6	G	7 12 ,,				
16	38.707	21.07	80.2	21.88	80.6	G	8 12 ,,				
17	38.325	21.10	80.3	21.75	80.7	c	9 12 ",				
18	36.953	21.49	80.6	21.62	80.8	C	10 19 "				
19	35.238	21.70	80.9	21.56	81.0	1 1	11 10 "				
						C	11 12 ,,				
20	33.935	21.76	81.0	21.48	81.4	C	Noon."				
21	33.866	21.58	81.7	21.55	82.0	В	1 12 p. m.				
22	34.278	21.39	82.2	21.55	82.3	В	2 12 ,,				
• 23	34.552	21.16	82.0	21.70	82.3	В	3 12 ,,				
24											
UNE 24TH-Noon.	35.101	20-81	81.6	21.85	82.2	в	4 12 "				
1	35.523	20.75	81.4	21.90	82.0	G	£ 10				
2	35.856	20.85	81.5	21.90	82.0	1 1	£ 19				
3	35.856	20.83				G					
4			81.5	21.95	82.0	G	7 12 ,,				
	35.856	20.85	81.7	21.94	82.0	G	8 12 "				
5	35.924	20.79	81.4	21.95	82.0	C	9 12 ,,				
6	36.267	20.78	81.3	21.96	82.0	c	10 10				
7	36.336	20-92	81.3	21.96	81.9		10 12 ,,				
8	36.747	20.94	81.3	21.98	81.9	C	Midnialia				
9						C	Midnight.				
10	36.816	20.86	81.6	21.85	81.9	В	1 12 a.m.				
	37.159	20.89	81.6	21.85	82.0	В	2 12 ,,				
11	37.502	20.89	81.6	21.85	82.1	В	3 12 ,,				

DAILY OBSERVATIONS, FROM 24TH TO 27TH JUNE 1864.											
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	vers.	DATE. Bombay				
Göttingen Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne- tometer.	Observers.	Civil Time. 1864.				
h.		-					h. m.				
June 24th-12	37/571	20.93	81:3	21.95	81 : 9	В	4 12 a. m.				
13	37.914	21.00	81.0	21.98	81.5	G	5 12 ,,				
14	38.874	21.05	81.2	22.00	81.5	G	6 12 "				
15	39.903	21.15	81.4	22.00	8.18	G	7 12 ,,				
16	39.972	21.24	82.0	21.94	82.0	G	8 12 "				
17	38.805	21.51	81.5	21.65	82.0	C	9 12 ,,				
18	37.296	21.78	80.5	21.55	81.6	c	10 12 ,,				
19	35.238	22.01	80.5	21.25	81.1	c	11 12 ,,				
20	34.003	22.07	81.0	21.25.	81.4	·c	Noon."				
21	33.935	21.90	81.5	21.08	81.8	В	1 12 p. m.				
22	34.758	21.76	81.6	21.00	82.0	В	2 12 ,,				
23	34.895	21.46	81.3	20-77	82.0	В	3 12 ",				
JUNE 26TH-Noon.	35. <i>5</i> 13	21.45	81.9	21.95	82.5	В	4 12 "				
ONE LUTH-1100II.	35.993	21.45	81.9	21.86	82.5	G	£ 10 "				
2	35.650	21.43	82.6	21.70	82.9	G	£ 10				
1		21.33	83.0	21.70	83.0	-	7 19				
3	35.238	21.32		21.54		G	0.10				
4	35.307		82.8	1	83.0	a	8 12 ,,				
5	35.718	21.20	82.6	21.76	83.0	C	9 12 ,,				
6	36.336	21.09	82.8	21.78	83.2	C	10 12 ,,				
7	36.336	21.17	82.8	21.86	83.2	C	11 12 ,,				
8	36.336	21-18	82.8	21.89	83.2	C	Midnight.				
9	36.542	21.19	82.6	21.85	83.0	В	1 12 a. m.				
10	36.953	21.06	82.5	21.85	83.0	В	2 12 ,,				
11	37.159	21.15	82.5	21.85	83.0	В	3 12 ,,				
12	36-747	21.16	82.4	21.85	82.9	В	4 12 ,,				
13	36.885	21.20	82.2	22.00	82.9	G	5 12 ,,				
14	38.257	21.45	81.3	22.00	82.3	G	6 12 ,,				
15	38.680	21.47	80.9	22.00	82.3	G	7 10				
16	37.982	21.75	81.0	21.94	82.8	G	0.10 "				
- 1	36.747	21.65	81.6	21.84	82.8	c	0.19				
17		21.88	81.5	21.60	82.6		10 12				
18	35.307	21.98	L I	21.58	82.7	C	• • • • • • • • • • • • • • • • • • • •				
19	34.621		81.7			C	11 12 ,,				
20	34.072	21.81	82.4	21.54	83.0	C	Noon.				
21	34.141	21.75	83.2	21.45	83.2	В	1 12 p. m.				
22 23	34.346 34.621	21.61 21.25	83.6 84.0	21.42 21.45	83.5 83.9	B B	2 12 ,, 3 12 ,,				
		21.12	22.4	0) 45	24.0		, , , , , ,				
UNB 27TH-Noon.	35-307	21.16	83.4	21.45	840	В	4 12 ,,				
1	34.758	21.05	83.7	21.50	84.2	G	5 12 ,,				
2	34.895	20-95	83.5	21.50	84.2	G	6 12 ,,				
3	35.101	20.92	83-3	21.55	84.2	G	7 12 ,,				
4	35.375	21.00	83.3	21.70	84.0	o	8 12 ,,				
5	35.307	21.15	83.2	21.87	84.0	c	9 12 ,,				
6	35.581	21.13	83.1	21.75	84.0	c	10 12 ,,				
7	35.718	21.10	83.0	21.88	83.9	c	11 12 ,,				
8	35.924	21.11	83.0	21.89	83.8	c	Midnight.				
9	36.885	21.12	83.0	21.95	83.8	В	1 12 a. m.				
10	37.296	21.28	82.6	21.95	83.6	В	2 12 ,,				
ii	36.953	21.43	81.5	21.95	82.8	В	3 12 ,,				
12	36.610	21.50	81.2	21.95	82.2	В	4 12 ,,				
13	36.953	21.45	82.1	21.90	82.4	G	- 10				
	37.639	21.35	82.2	22.00	82.7	G	6 10				
14				21.98			# 10 ·				
15	38.257	21.50	82.2		82.9	G	0.10				
16	38.737	21.75	82.5	21.80	83.0	G	8 12 ,,				
17	37.433	21.97	82.6	21.62	83.1	C	9 12 ,,				
18	35.924	22.07	82.7	21.47	83.2	C	10 12 ,,				
19	34.964	21.97	83.2	21.38	83.6	c	11_12 ,,				
20	34.415	21.89	83.4	21.38	83.8	c	Noon.				
21	34.827	21.75	83.5	21.60	83.8	В	l 12p.m.				
22	35.101	21.71	83.5	21.74	84.0	В	2 12,				

.		Horizontal		Vertical		. 1	Die
DATE.	Eustern	Force Magneto-	Thermometer of Horizontai	Force Magneto-	Thermometer	Observers.	DATE.
Göttingen	Pastern	meter.	Force Magne-	meter.	of Vertical Force Magne-	erv	Bombay
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	\$a	Civil Time.
1864.		Uncorrected.		Uncorrected.		١	1864.
h.							h. m.
UNE 28TH-Noon.	35/513	21.41	83*3	21.95	84.0	В	4 12 p. m.
ONE ZOTH-NOON.	35.444	21.36	83.2	21.92	84.0	G	- 10
1		21.39	83.0	21.88	83.7	1	6 19
2	34.837	21.39		21.90	83.6	G	,,
3	35.170		83.0	1		G	,,
4	35.238	21.20	83.0	21.95	83.5	G	8 12 ,,
5	35.650	21.11	82.9	21.97	83.5	C	9 12 ,,
6	35.513	21.10	82.8	22.00	83.5	C	10 12 "
7	35.513	21.19	82.8	22.07	83.5	C	11 12 ,,
8	35.581	21.21	82.8	22.14	83.5	C	Midnight.
9	36.199	21.28	82.6	21.95	83.4	В	1 12 a.m.
10	36.336	21.42	82.3	21.90	83.1	В	2 12 ,,
ii	36.199	21.55	82.3	21.95	83.1	В	3 12 ",
12	36.610	21.53	82.3	21.95	83.0	В	4 10 "
13	36.679	21.52	82.4	21.96	83.0	G	5 19 ^{''}
	37.365	21.38	82.4	22.00	83. 2		6 19
14		21.55		22.00	83.2	G	7 10 "
15	37.708		82.5	I .		G	,,
16	37.639	21.90	82.8	22.00	83.2	G	8 12 ,,
17	37.433	21.98	83.2	22.03	83.4	C	9 12 ,,
18	37.159	21.74	84.0	21.87	84.0	C	10 12 ,,
. 19	3 6.336	21.67	85.0	21.63	84.8	C	11 12 "
20	3 5.238	21.67	85.3	21.28	85.3	C	Noon.
21	34.346	21.53	85.5	21.45	85.5	В	1 12 p.m.
22	34.827	21.22	85.5	21.45	85.6	В	2 12',,
23	34.758	20.81	85.3	21.56	85.7	В	3 12 ,,
20							,,
	07.101	00.05		21.55	05.5	_	4 10
June 29th-Noon.	35.101	20.85	85.2	21.60	85.7	В	4 12 ,,
1	35.581	20-82	85.1		85.6	G	5 12 ,,,
2	35.924	20.80	84.7	21.62	85.4	G	6 12 ,,
3	35.787	20.71	84.2	21.59	85.0	G	7 12 ,,
4	35.924	20.54	84.0	21.60	84.9	G	8 12 "
5	36.130	20.57	83.9	21.60	84.8	c	9 12 ,,
6	36.199	20.73	83.6	21.67	84.7	c	10 12 ,,
7	36.267	20.75	83.4	21.68	84.4	c	11 12
- 8	36.404	20.75	83.3	21.68	84.3	C	Midnight.
9	36-199	20.85	83.2	21.85	84.0	В	J 12 a. m.
10	36.473	20.81	83.2	21.75	83-8	В	2 12 ,,
	36.336	20.95		21.75	83.7	В	3 12 ,,
11		20.98	83.0	21.75	83.5	T I	4 10
12	36.199		82.9	21.75		В	e 10
13	36.610	21.00	82.9		83-4	G	C 10
14	37.845	21.00	82.8	21.94	83.4	G	6 12 ,,
15	38.394	21.24	83.0	21.94	83.5	G	7 12 ,,
16	38.119	21.45	83.8	21.69	83.8	G	8 12 ,,
17	36.336	21.60	84.0	21.52	84.3	C	9 12 ,,
18	34.689	21.68	84.3	21.50	84.5	C	10 12 ,,
19	33.523	21.65	85.1	21.36	85.0	c	11 12 ,,
20	33.592	21.60	85.4	21.35	85.6	c	Noon.
21	33-180	21.38	85.6	21.25	85.8	В	l 12 p. m.
22	34.141	20.95	86.2	21.40	86.4	В	2 12 ,,
23	34.631	20.67	86.5	21.45	86.6	В	3 12 ,,
20	04.001	20.07	00.0	2. 20	00.0		,,
June 30th-Noon.	35.375	20.51	86.2	21.45	86.7	В	4 12 ,,
1	36.336	20.55	85.8	21.58	86.5	G	5 12 ,,
2	36.199	20.65	85.0	21.54	86.0	G	6 12 ,,
3	35.523	20.70	84.8	21.50	85.6	G	7 12 ,,
4	35.856	20.65	84.5	21.50	85.4	G	0.10
	36.199	20.68	84.2	21.65	85.2		0.10
5					85.0	C	10 12 ,,
6	36.199	20.79	83.7	21.65		C	10 14 ,,
7	36.267	20.90	83.5	21.76	84.7	С	11 12 ,,
8	36.610	20.80	83.4	21.70	84.4	C	Midnight.
9	36.747	20-95	83.3	21.75	84.1	В	l 12 a. m.
10	36.542	21.00	83.3	21.75	84.0	В	2 12 "
11	36.47 3	20.98	83.2	21.75	84.0	В	3 12 ,,

DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE.
Göttingen	Lastern	meter.	Force Magne-	meter.	Force Magne-	erv	Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Obs	Civil Time. 1864.
h. June 30th-12	36′679	21.00	83*2	21.85	83:9	В	h. m. 4 12 a. m.
13	37.159	21.10	83.0	21.90	83.7	G	5 19
14	37.571	21.25	82.8	21.68	83.3	G	6 12 "
15	38.119	21.50	83.2	21.50	83.4	G	7 19 "
16	38.462	21.34	84.0	21.26	83.8	G	9 19
17	37.571	21.33	84.5	21.05	84.2	В	9 12 ,,
18	35.238	21.35	85.1	20.75	85.0	В	10 12 ,,
19	33.729	21.46	85.6	20.80	85.4	В	11 12 ,,
20	33.798	21.38	86.4	20.85	86-0	в	Noon."
21	34.621	21.05	86.8	20.98	86-7	c	1 12 p. m.
22	35.513	20.88	87.2	20.90	87-1	С	2 12',,
23	36-610	20.66	87.2	20-88	87.5	С	3 12 ,,
July lsT-Noon.	36.747	20.34	87 .2	20.90	87.7	c	4 12 ,,
1	36.473	20.25	86.6	20.75	87.5	В	5 12 ,,
2	35.718	20.38	86.1	20.85	87.0	В	6 12 "
3	35.375	20.52	85.6	20.90	86.6	В	7 12 ,,
4	34.895	20.58	85.3	20.98	86.2	В	8 12 ,,
5	35.856	20.31	85.2	21.00	86·0	G	9 12 ,,
6	35.375	20.64	85.0	21.02	85. 7	G	10 12 ,,
7	36.061	20.55	84.9	21.18	85.5 85.4	G	11 12 ,,
8	36.130	20.66	84.8	21.20	85.4	G	Midnight.
9	35.856	20.82	84.4	21.28	85.3	C	1 12 a. m.
10	36.474	20.86	84.2	21.39	85.2	C	2 12 ,,
11	36.267	20.69	84.1	21.39	85.1	C.	3 12 ,,
12	36.610	21.00	84.0	21.41	84.9 84.5	C	4 12 ,,
13	36.747	21.12	83.8	21.30	84.4	В	5 12 ,,
14	37.776	21.06	83.6	21.45	84.2	В	6 12 ,,
15	37.914	21.05	83.7	21.44	84.3	В	7 12 ,,
16	37.708 36.816	21.24 21.19	83.8	21.35 20.97	85.0	В	8 12 ,, 9 12
17	35.101	21.19 21.25	84.4 85-2	20.97	85. 4	G	9 12 ,, 10 12 .,
18 19	33.798	21.25	85.2	20.88	85.8	G G	10 12 ,,
20	33.180	21.16	85.1	20.86	85.9	G	Noon.
21	33.455	20.65	85.4	20.96	86-0	c	1 12 p. m.
22	34.758	20.84	84.4	21.20	84.9		0.10
23	35.924	20.95	84-3	21.20	84.6	C C	3 12 ,,
uly 3rd-Noon.	36.199	20.77	85.6	2 0.89	87. 0	c	4 12 ,,
1	36.747	20.54	85.3	20.94	86.3	c	5 12 ,,
2	36.747	20.55	85.0	20.74	86.1	c	6 12 ,,
3	36-267	20.46	84.5	21.00	85. 6	В	7 12 ,,
4	36.747	20.35	84.3	21.20	85.3	В	8 12 ,,
5	36.267	20.65	84.2	21.18	85.0	G	9 12 ,,
6	35.924	20.65	84.0	21.02	84.9	G	10 12 ,,
7	36.267 ·	20.70	84.0	21.00	84.7	G	11 12 ,,
8	36.610	20.74	83.8	21.00	84.5	G-	Midnight.
9	36.473	20.80	83.6	21.00	84.5	c	1 12 a. m.
10	36-610	20.75	83.4	21.00	84.4	c	2 12 "
11	36.885	20.81	83.3	21.03	84.3	c	3 12 ,,
12	36-885	20-81	83.2	21.05	84.2	C	4 12 ,,
13	37.159	20.93	83.2	21.20	84.0	В	5 12 ,,
14	38.394	21.02	83.1	21.40	83.8	В	6 12 ,,
15	38.394	21.15	83.4	21.40	83.8	В	7 12 ,,
16	37.571	21.46	83.7	21.25	84.0	В	8 12 ,,
17	37.502	21.65	84.6	21.00	84.7	G-	9 12 ,,
18	36.130	21.65	85.3	20.75	85.0	G	10 12 ,,
19	34.346	21.60	85.8	20.79	85.4	G	11 12 ,,
20	34.209	21.47	86.4	20.85	86.1	G	Noon.
21	34.141	21.26	86.8	20.88	86.6	C	1 12 p. m.
22 23	34.415 35-650	21.08	87.1 87.2	20.95	87.2 87.7	C	2 12 ,,

	DAII	LY OBSERVAT	IONS, FROM	1 4тн то 6тн	JULY 1864.		
DATE.	Rastern	Horizontal Force Magneto- meter.	Thermometer of Horizoutal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Göttingen	Deallaction		Force Magne-		Force Magne-	bse	Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	0	1864.
h.							h. m.
July 4TH-Noon.	36/199	20.65	86.8	21.00	87:6	C	4 12 p. m.
1	36-473	20.58	85.9	21.25	87.0	В	5 12 ,,
2	36.473	20.63	85.5	21.28	86.6	В	6 12 ,,
3	36.061	20.65	85.1	21.25	86.3	В	7 12 ,,
4	36.130	20.55	84.6	21.30	85.7	В	8 12 ,, 9 12
5	36.336	20.70	84.5	21.38	85.2	G	10 19 "
6	36.267	20.64	84.4	21.38 21.40	85.1 85.0	G G	11 19 "
7 8	36.679	20.74	84.2 84.2	21.46	84.9	G	Midnight.
9	36.542 36.199	20.85	84.1	21.40	84.9	C	1 12 a. m.
. 10	36.473	20.86	83.9	21.38	84.8	c	2 12 ,,
l ii l	36.336	20.87	83.7	21.44	84.7	C	3 12 ,,
12	36.542	20.99	83.5	21.47	84.6	C	4 12 ,,
13	36.885	21.01	83.3	21.42	84.1	В	5 12 ,,
14	38.325	21.18	83.2	21.75	83.9	В	6 12 ",
15	38.600	21.35	83.6	21.65	84.0	В	7 12 ,,
16	38.257	21.49	84.1	21.40	84.4	В	8 12 ,,
17	37.914	22.00	85.0	21.14	85.0	G	9 12 ,,
18	36.679	21.60	85.8	21.00	85.5	G	10 12 ,,
19	34.895	21.52	86.5	20.92	86.0	G	11 12 ,,
. 20	34.964	21.56	86.9	20-51	86.8	G	Noon.
21	33.523	21.52	87.1	20.55	87.4	C	1 12 p. m.
22	33.660	21.25	87.3	20.64	87.7	C	2 12 ,,
23	34.552	20.90	87.5	20.66	88.0	C	3 12 ,,
July 5th-Noon.	35.513	20.48	87.5	20.67	88.3	c	4 12 ,,
1	36.267	20.26	87.1	20.72	88.0	В	5 12 ,,
2	36.267	20.31	86.2	20.75	87.5	В	6 12 ,,
3	35.924	20.35	85.5	20.85	87.1	В	7 12 ,,
4	36.061	20.50	85.3	20-95 21.00	86.6	В	8 12 ,, 9 12
5	36.542	20.67 20.69	85·1 85.0	21.00	86.2 86.0	G	10 19 "
6 7	36.130 36 -267	20.80	84.8	21.00	85.6	G G	11 12 ,,
		20.85	84.7	21.00	85.3	G	Midnight.
8 9	36.40 7 36.542	20.85	84.4	20.97	85.3	C	1 12 a. m.
10	36.407	20.95	84.1	20.98	85.2	c	2 12 ,,
11	36.404	21.15	84.0	21.00	. 85.1	C	3 12 ",
12	36.404	21.16	83.9	21-00	85.0	C	4 12 ,,
13	36.542	21.20	83.7	21-10	84.6	В	5 12 ,,
14	37.924	21.40	83.6	21.30	84.5	В	6 12 ,,
15	39-080	21.50	83.8	21.25	84.5	В	7 12 ,,
16	, 39,286	21.60	84.6	21.00	84.8	В	8 12 ,,
17	38.874 ′	21.70	85.5	20.78	85.4	G	9 12 ,,
18	37,365	21.70	86.3	20.54	86.0	G	10 12 ,,
19	35.238	21.74	87.0	20.40	86.7	G	11 12 "
20	34.209	21.70	87.5 97.5	20.48 20.51	87.0 87.7	G	Noon.,,
21	33.317	21.55 21·40	87.5 87.7	20.51	87·7 88.1	C C	1 12 p. m. 2 12 ,
22 23	32,837 33.043	20.95	87.9	20.56	88.4	C	3 12 ,,
I 6 N	99.005	20.64	87.9	- 20.56	88.6	c	4 12 ,,
July 6TH-Noon.	33.935	20.63	87.9 87.2	20.75	88.2	B	5 19
1 2	34.827 35.650	20.68	86-7	20.85	87.8	В	6 12 ,,
3	35.238	20.72	86-3	20.75	87.2	В	7 12 ,,
4	35.37 <i>5</i>	20.73	86.1	20.85	87.0	В	8 12 ,,
5	35.78 7	20.76	85.8	20.98	86.5	G	9 12 ,,
6	36.061	20.75	85.6	21.00	86.3	G	10 12 ,,
7	36.130	20.85	85.4	21.00	86.2	G	11 12 ,,
8	36.473	20.99	85.3	21.00	86.0	G	Midnight,
9	36.542	21.01	85.2	21.04	85.9	C	l 12 a. m.
10	36.542	21.05	85.1	21.07	85-8	C	2 12 ,,
11	36.473	21.12	84.9	21.05	85.7	C	3 12 ,,

	DAII	LY OBSERVAT	IONS, FROM	1 6тн то 8тн	JULY 1864.		
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Porce Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864.							
JULY. 6TH-12	36/404	21.15	84.6	21.02	85.5	С	h. m. 4 12 a. m.
13	36.885	21.13	84.5	21.00	85.1	В	5 10
14	37.914	21.24	84.3	21.15	85.0	В	6 19 "
15	38.600	21.26	84-5	21.20	85.0	В	7 19 "
16	38.943	21.41	85.0	20.90	85.2	В	8 12 ,,
17	37.571	21.70	85.7	20.78	85.5	G	9 12 ,,
18	36.061	21.88	86.1	20.36	86.0	G	10 12 ,,
19	34.141	22.11	86.7	20.28	86-5	G	11 12 ",
20	33.180	22.11	87.3	20.40	86.9	G	Noon.
21	33.455	21.85	87.9	20.50	87. 7	C	1 12 p. m.
22	34.827	21.57	87.9	20.55	87.9	C	2 12 ,,
23	35.650	21.32	87.9	20.80	88.1	C	3 12 ,,
July 7TH-Noon.	35.856	21.06	87.2	20-80	88.0	c	4 12 "
1	35.650	20.88	87.1	20.75	87.5	В	5 12 ,,
2	35.718	20.89	86.5	20.75	87.2	В	6 12 ,,
3	35.650	20.82	85.9	21.00	86.8	В	7 12 ,,
4	35.787	20.90	85.5	20.50	86.6	В	8 12 ,,
5	35.650	21.00	85.2	20.46	86.2	G	9 12 ,,
6	35.650	21.04	85.2	20.46	86.0	G	10 12 ,,
7	35.993	21.10	85.1	20.44	•86.0	G	11 12 ,,
8	36.199	21.14	85.0	20.50	85.6	G	Midnight.
9	36.542	. 21.15	84.5	20.40	85.2	С	1 12 a.m.
10	, 36.610	21.19	84.4	20.40	85.2	C	2 12 ,,
11 12	36.542	21.17	84.2	20.50	85.2	C	3 12 ,,
13	36.404	21.21 21.24	84.1	20.54 20.55	85.1	C	4 12 ,,
13	36.885 37.571	21.35	84.0 83.9	20.60	84.9 84.6	В	5 12 ,,
15	38.257	21.55	83.9	20.60	84.6	В	6 12 ,,
16	38.119	21.76	83.9	20.50	84.6	B B	7 12 ,, · 8 12 ,,
17	36.885	22.14	84.0	20.46	84.8	G B	0.19 "
18	35.581	22.36	84.4	20.40	85.0	G	10 19 "
19	34.552	22.49	85.0	20.38	85.1	G	11 19 "
20	34.484	22.40	85-8	20.12	85.5	G	Noon."
21	34.003	22.16	86.0	20-10	86.2	c	1 12 p. m.
. 22	33.592	22.00	86.0	20.08	86.4	c	0.10
23	35.101	21.69	85.7	20.32	86.4	c	3 12 ,,
July 8th-Noon.	35.718	21.40	85.4	20.34	86.4	c	4 12 "
1	36.199	21.15	85.2	20.55	86.1	В	£ 10 "
2	36.404	21.08	85-1	20.60	86-0	В	6 12 ,,
3	36.130	21.05	84.7	20.45	85.6	В	7 12 ",
4	35.993	21.02	84.5	20-45	85.5	В	8 12 ",
5	35.993	21.05	84.4	20.50	85-5	G	9 12 ,,
6	36.061	21.10	84-4	20.50	85.1	G	10 12 ,,
7*	35.924	21.10	84.4	20.50	85-0	G	11 12 ,,
8	35.924	21.14	84.3	20.50	85.0	G	Midnight.
9	36.130	21.19	84.1	20.46	84.9	С	1 12 a. m.
10	36 267	21.32	83.3	20.41	84.7	c	2 12 ,,
11	36 199	21.26	83.7	20.47	84.7	C	3 12 ,,
12	36.679 36.670	21.17 21.30	83.2	20.49 20.50	84.3 84.0	C	4 12 ,,
13 14	36.679 37.776	21.50	82.8	20.55	84.0 83.6	В	5 12 ,,
15	37.776 38.600	21.70	82.5 82.5	20.65	83.5	В	6 12 ,,
16	38.946	21.80	82.5 82.7	20.55	83.7	В	7 12 ,,
17	3 7. 571	22.16	82.7 82.1	20.42	83.7 83.1	В	8 12 ,,
18	35.856	22.30	82.0	20.30	83·1	G	9 12 ,,
19	34.689	22.40	81.9	20.34	82.7	G	10 12 ,, 11 12 ,,
20	34.209	22.46	81.8	20.44	82.4	G G	Noon.
21	33.866	22.44	81.8	20.47	82·4	C	1 12 p. m.
22	33. 72 9	22.39	82.2	20.41	82.8	C	
23	35.032	21.81	81.3	20.37	82·3	C	2.10
17—1864.	30.002	, 2	, 01.0	20.07	02.0	<u> </u>	3 12 ,,

	DAIL	Y OBSERVAT	ions, from	1 10тн то 12тн	JULY 1864	•	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
July 10TH-Noon	35/513	21.82	83°4	20.50	84°2	В	4 12 p. m.
1	35.718	21.66	83.0	20.62	83.8	В	5 12 ,,
2	35.993	21.15	82.6	20.65	83-5	В	6 12 ,,
3	35-513	21.32	82.2	20.65	83.1	В	7 12 ,,
4	35.170	21.45	82.3	20.70	83.0	В	8 12 ,, 9 12
5	35.523	21.60	82.2	20.78	82.9	G	10 19 "
6 7	35.993	21.65 21.66	82.0	20.90 21.00	82.8	G	11 19 "
8	36.473 36.610	21.75	82.0 81.8	21.00	82.5 82.3	G G	Midnight.
9	36.542	21.78	81.9	21.04	82.3	C	l 12 a. m.
10	36.267	21.79	81.8	21.08	82.3	C	2 12 ,,
ii	36-816	21.59	81.5	20.95	82.2	c	3 12 ",
12	36.816	21.65	81.6	20.87	82.2	C	4 12 ,,
13	37.365	21.64	81.8	20.95	82.3	В	5 12 ,,
14	38.394	21.81	81.6	21.00	82.1	В	6 12 ",
15	39.423	21.83	81.9	21.06	82.2	В	7 12 ,,
16	38-874	21.91	82.4	20.90	82.5	В	8 12 ,,
17	38.119	22.05	82.0	20.64	82.5	G	9 12 ,,
18	35-444	22.10	81.8	20.50	82.1	G	10 12 "
19	34.827	22.24	81.3	20.58	82.0	G	11 12 ,,
20	34.415	22.19	82.0	20.65	82.4	G	Noon.
21	34.827	22.00	82.9	20.66	83.2	. C	1 12 p. m.
22	34.895	21.85	83.3	20.60	83.5	C	2 12 ,,
23	35.375	21.62	84.1	20-46	*8 4.2	С	3 12 ,,
July 11TH-Noon.	35.718	21.43	84.2	20.38	84.8	С	. 4 12 ,,
1	35.787	21.39	83.0	20.60	84.0	В	5 12 ,,
2	36.061	21.35	83.0	20.74	84.0	В	6 12 ,,
. 3	35.993	21.27	82.5	20.75	83-6	В	7 12 ,,
4	35.718	21.25	82.5	20.70	83.4	В	8 12 ,,
5 6	35.787	21.35	82.6	21.22	83.3	G	9 12 ,,
7	35.924 35.924	21.36 21·33	82.6	21.30 21.72	83.3	G	10 12 ,, 11 12 ,,
8	36.542	21.50	82.2	22.00	83·0 82 .7	G	Midnight.
9	36.130	21.54	81.8 81.7	22.00	82.6	G C	1 12 a. m.
10	36.610	21.52	81.8	22.09	82.6	C	2 12 ,,
11	36.816	21.52	81.9	22.27	82.6	c	3 12 ,,
12	36.885	21.48	82.0	22.39	82.6	c	4 12 ,,
13	37.159	21-51	82.0	22.35	82.6	В	5 12 ,,
14	38.119	21.62	82.0	22.45	82.6	В	6 12 ,,
15	39.011	21.87	82.3	22.40	82.5	В	7 12 ,,
16	38.943	22.08	82.7	22.30	82.8	В	8 12 ,,
17	38.668	22.34	83.3	22.24	83.3	G	9 12 ,,
- 18	37.365	22.44	83.8	22.00	83.5	G	10 12 ,,
19 20	36.704	22.28 22.41	84.6	21.95 21.92	84.3	G	11 12 ,, Noon.
20 21	36.473 35.718	22.41	85.0 85.4	21.86	84.9 85.8	G	1 12 p. m.
21 22	35.718 35.238	21.73	85.4 85.4	21.82	85.8 85.8	C C	2 12 p. m.
23	35.650	21.54	85.7	21.82	86.3	c	3 12 ,,
	272:2	01.00		21.55	200		4.10
JULY 12TH-Noon.		21.39 21.32	85.3	21.75	86.2	c	4 12 ,, 5 12 ,,
1	36.061 36.130	21.32	85.0 84.5	21.95 21.92	86.0 85.6	В	6 10
2 3	35.787	21.24	84.5	21.92	84.8	B	7 10
$\frac{3}{4}$	35.856	21.25	83.0	22.05	84.0	В	0 10
5	35.523	21.25	83.0	22.10	83.9	G	9 12 ,,
6	36.199	21.36	82.3	22.14	83.2	i G	10 12 ",
7	36.199	21.50	82.0	22.28	83.0	G	11 12 ,,
8	37.159	21.45	82.3	22.40	83.0	G	Midnight.
9	37.502	21.35	82.3	22.30	83.2	C	1 12 a. m.
10	37.639	21.31	82.3	22.24	83.2	C	2 12 ,,
11	37.571	21.40	82.2	22.24	83.1	c	3 12 ,,

	DAIL	Y OBSERVAT	IONS, FROM	1 12тн то 14тн	JULY 1864	•	
DATE. Göttingen Mean Time.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Resdings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864.							
July 12TH—12	37:433	21.45	82:1	22.30	83*0	С	h. m. 4 12 a. m.
13	37.571	21.50	81.5	22.35	82.5	В	£ 10
14	38.257	21.70	81.8	22.45	82.2	В	6 19
15	39-148	21.95	81.2	22.35	82.1	В	7 19 "
16	39.148	22.00	81.1	22.25	82.0	В	Q 19 ″
17	37.914	22.40	81.4	22.20	82.0	G	0 19
18	37.159	22.85	82.0	22.18	82.0	G	10 19 "
19	36.130	22.55	82.0	22 .08	82.5	G	10 12 ,,
20	34.964	22.34	82.2	22.00	82.7	G	Noon.
21	34.209	21.91	82.6	22.00	83.0	c	1 12 p. m.
22	35.032	21.65	82.8	22.02	83.1	c	2 12 ,,
23	35.581	21.55	82.9	22.10	83.2	С	3 12 ,,
July 13TH-Noon.	35.101	21.56	83.0	22.14	83.3	c	4 12 ,,
1	35.238	21.48	82.5	22.00	83.0	В	5 12 ,,
2	35.238	21.49	82.3	22.00	82.8	В	6 12 ,,
3	35.444	21.50	81.8	22.15	82.4	В	7 12 ,,
4	35.307	21.45	81.8	22.25	82.4	В	8 12 ,,
5	35.787	21.45	82.0	22.25	82.5	G	9 12 ,,
6	35.787	21.50	82.0	22.40	82.5	G	10 12 ,,
7	36.061	21.51	82.1	22.40	82.5	G	11 12 ,,
8	36.542	21.55	81.8	22.44	82.4	G	Midnight.
9	36.885	21.90	80.9	22.31	82.0	C	l 12 a.m.
10 -	37.296	21.79	81.0	22.42	81.9	C	2 12 ,,
11	37.296	21.51	81.3	22.44	82.0	C	3 12 ,,
12	37.296	21.49 21.49	81.5	22.44	82.0	C	4 12 ,,
13	37.228	21.49	81.5	22.60	82.0	В	5 12 ,,
14	37.914	21.75	81.5	22.85 22.80	82.0 82.0	В	6 12 ,,
15	38.668 39.286	22.00	81.6 80.5	22.85	81.2	В	7 12 ,,
16	38.680	22.38	80.5	22.58	81.0	В	8 12 ,,
17	37.885	22.76	80.3 80·1	22.50 22.50	81.0	G	9 12 ,,
18 19	35.170	22.95	81.4	22.50 22.50	81.4	G G	10 12 ,,
20	34.621	22.76	82.5	22.44	82.5	. 1	11 12 " Noon.
20 21	33.729	22.35	83.4	22.18	83.2	G C	1 10 m m
22	33.660	21.95	83.8	22.14	84.0	c	1 12 p. m. 2 12 ,,
23	34.895	21.62	83.8	22.08	84.2	c	3 12 ,,
July 14TH-Noon.	36.061	21.38	83.5	22.10	84.2	c	4 12 ,,
1	36.404	21.31	83.5	22.40	84.2	В	5 12 ",
2	36.336	21.31	83.0	22.40	83.7	В	6 12 ,,
3	36.130	21.21	82.6	22.35	83.5	В	7 12 ,,
4	35.993	21.33	82.6	22.45	83.5	В	8 12 ,,
5	35.993	21.35	82.7	22.50	83.3	G	9 12 ,,
6	36.061	21.35	82.7	22.50	83.3	G	10 12 ,,
7	36.199	21.35	82.6	22.50	83.2	G	11 12 ,,
8	36.473	21.39	82.4	22.50	83.0	G	Midnight.
9	36.885	21.41	82.2	22.54	83.0	С	l 12 a.m.
10	36.885	21.47	82.1	22.54	83.0	С	2 12 ,,
11	36-885 37-000	21.49 21.49	82.0	22.51	82.9	C	3 12 ,,
12	37.090 37.000	21.49	82.0	22.51	82.9	C	4 12 ,,
13 14	37.090	21.49	82.0	22.55	82.9	В	5 12 ,,
15	38.188 39.011	21.49	82.0 82.5	22.64	82.8 82.9	В	6 12 ,,
16	39.011	21.76	82.5 83.1	22.65 22.40	83.2	В	7 12 ,,
17	37.639	21.91	83.8	22.40 22.14	83.5	В	8 12 ,,
18	36.267	22.00	53.8 84.4	22.14 22.00	84.3	G	9 12 ,,
19	35.513	21.96	85.0	22.00 22.00	84.9	G	10 12 ,, 11 12 ,,
20	34.964	21.83	85.3	22.00 22.00	85.1	G	Noon.
		1 1				G	110011.
	34 680	91.57	857	99 ሰለ 1	85 U I	~ !	1 19 n
21 21 22	34.689 35.238	. 21.57 21.29	85.7 85.7	22.00 21.96	85.9 86.2	C C	1 12 p. m. 2 12 ,,

DAILY OBSERVATIONS, FROM 15TH TO 18TH JULY 1864.											
DATE, Göttingen Mean Time. 1864.	Eastern Declination.	Horizonal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.				
h.							h. m.				
July 15TH-Noon.	35 ′856	21.11	85°3	21.92	864	c	4 12 p. m.				
1	36.336	21.04	84.6	22.00	86.0	В	5 10				
2	36.267	21.01	84.4	22,20	85.5	В	6 12 ,,				
3	36 .199	21.01	84.0	22.22	85.1	В	7 12 ,,				
4	36.061	21.13	83.5	22.25	84.5	В	8 12 ,,				
5	36.061	21.22	83.5	22.30	84.4	G	9 12 ,,				
6	36.199	21.16	83.3	22.46	84.0	G	10 12 ,,				
7	36.473	21.25	83.3	22.50	84.0	G	11 12 "				
8	36.542	21.16	83.2	22.50	83.9	G	Midnight.				
9	36.610	21.38	83.0	22.51	83.9	c	1 12 a. m.				
10	36.816	21.38	82.9	22.54	83.9	c	2 12 ,,				
11	36.885	21.39	82.8	22.54	83.8	c	3 12 ",				
12	36.679	21.47	82.7	22.57	83.6	c	4 12 ,,				
13	36.885	21.51	82.6	22.55	83.5	В	5 12 ,,				
14	38.051	21.51	82.5	22.65	83-2	В	6 12 ",				
15	37.982	21.68	82.6	22.62	83.2	В	7 12 ",				
16	37.090	21.99	83.4	22.52	83.5	В	8 12 ",				
17	36.336	22.15	84.0	22.50	83.8	G	9 12 ",				
18	35.444	22.28	84.9	22.39	84.7	G	10 12 ,,				
19	34.003	22.19	85.0	22.26	84.9	G	11 12 ",				
20	33.043	22.03	85.3	22.25	85.1	G	Noon.				
21	33.112	21.87	85.3	22.30	85.6	C	1 12 p. m.				
22	34.003	21.65	85.4	22.33	85.9	C	0.10*				
23	35.375	21.39	85.4	22.39	86.0	c	3 12 ,,				
ULY 17TH-Noon.	36.54 2	21.07	83.7	22.35	84.5	В	4 12				
1	36.542	21.02	82.6	22.40	83.6	В	5 19 "				
2	36.061	21.10	82.5	22.30	83.2	В	6 19 "				
3	35.924	21.25	82.6	22.20	83.4	В.	7 19 "				
4	35.924	21.26	82.6	22.32	83.4	В	0 10 "				
5	36.130	21.32	82.8	22.46	83.3	G	0.19				
6	36.542	21.35	82.8	22.62	83.2	G	10 19				
7	36.542	21.37	82.8	22.70	83.2	G	11 12 ,,				
8	36.747	21.45	82.7	22.54	83.0	G	Midnight.				
9	36.885	21.48	82.6	22.50	83.0	c	1 12 a. m.				
10	36.954	21.49	82.5	22.34	83.0	C	0.10				
ii	36.885	21.54	82.4	22.32	83.0	C	2 10 "				
12	36.816	21.56	82.3	22.27	82.9	c	4 10				
13	36.747	21.63	82.1	22.35	82.9	В	£ 10				
14	37.845	21.75	82.0	22.45	82.8	В	6 10				
15	38.051	22.08	82.2	22.45	82.7	В	7 10				
16	37.502	22.27	82.1	22.32	82.6		0.10				
17	36.747	22.49	82.2	22.30	82.8	,В G	0.10				
38	35.581	22.68	82.2	22.28	82.8	G	10.10				
19	34.895	22.75	82.5	22.28	82.8	G	11 10				
20	34.278	22.59	82.9	22.28	83.0	G	Noon.				
21	34.072	22.39	82.4	22.39	83.0	G C	1 10 m				
22	3 3.455	22.10	82.6	22.39	83.0		l l2 p. m.				
23	34.484	21.89	82.8	22.47	83.3	C	2 12 ,, 3 12 ,,				
July 18TH-Noon.	92 #10	21.69	00.0	22.50	90.0	_	4.10				
l ISTH-1400ii.	36.718 36.100		82.8		83.3	C B	4 12 ,,				
	36.199 36.423	21.52	82.6	22.40	83.2		5 12 ,,				
2	36.473	21.44	82.5	22.35	83.1	В	6 12 ,,				
3	35.924	21.51	82.2	22.25	83.0	В	7 12 ,,				
4	35.924	21.49	82.2	22.25	82.9	В	8 12 ,,				
5	36.199	21.42	82.2	22.30	82.9	G	9 12 ,,				
6	36.407	21.34	82.2	22.40	82.8	G	10 12 ,,				
7	36.610	21.15	82.2	22.50	82.8	G	11 12 ,,				
8	37.159	20.95	82.4	22.50	82.8	G	Midnight.				
9	37.776	20.89	82.4	22.50	. 82.8	С	1 12 a. m.				
10	38.188	20.72	82.4	22.57	82.8	C	2 12 ,,				
11	38.946	20.94	82.1	22.59	82.7	C	3 12 ,				

DATE.		Horizontal	Thermometer	Vertical	Thermometer	ا بر	DATE.
	Eastern	Force Magneto- meter.	of Horizontal	Force Magneto- meter.	of Vertical	20	
Göttingen	Declination.	Scale Readings	Force Magne- tometer.	Scale Readings	Force Magne - tometer.	Observers.	Bombay Civil Time.
Mean Time. 1864.	Decimation.	Unorrected.	tometer	Uncorrected.		ő	1864.
JULY 18TH-12	38:531	20.98	81:9	22*5 9	82°6	c	h. m. 4 12 a. m.
13	37.982	21.15	81.9	22.45	82.5	В	5 12 ,,
14	38.051	21.40	81.9	22.45	82· 3	В	6 12 ,,
15	37.637	21.73	82.0	22.45	82.3	в	7 12 ,
16	36.747	21.75	82.3	22.25	82.4	В	8 12 ,,
17	35.856	21.55	82.6	22.20	82.8	G	9 12 ,,
18	35.375	21.14	83.0	22.14	83.0	G	10 12 ,,
19	35.444	20.86	83-1	22.18 22.10	83. 2 83.3	G	11 12 ,, Noon.
20	35-101	20,80 20.50	83.3 83.4	22.02	83.9	G	1 12 p. m.
21	35.032	20.95	82.8	22.10	83.1	c	ด เก๋
22	35.307 34.278	21.23	82.9	22.15	83-2	c	2 10 "
23	04.270	21.20		30.10			
ULY 19TH-Noon.	36.267	20.49	83.1	22.50	83.5	С	4 12 ,,
1	37.022	20.13	83.0	22.35	83.4	В	5 12 ,,
2	36.885	20.09	82.9	22.45	83.3	В	6 12 ,,
3	36.885	20.22	82.8	22.45 22.45	83.2 83.1	В	7 12 ,
4	36.885	20.31 20.49	82.7 82.6	22.45 22.50	83.0	В	8 12 ,, 9 12
5	37.639	20.49	82.6 82.6	22.50 22.50	83.0	G	10 19 "
6	37·845 38.257	20.44	82.5	22.58	83.0	G	10 12 ,,
7 8	38.257	20.85	82.1	22.50	82.8	Ğ	Midnight.
9	38.946	20.75	82.2	22.58	82.9	c	l 12 a.m.
10	39.286	20.98	82.0	22.59	82.7	c	2 12 ,,
	39.423	21.00	82.0	22.59	82.7	c	3 12 ,,
12	39.766	21.01	82.0	22.62	82.7	c	4 12 ,,
13	39.903	21.01	\$2.0	22.65	82.5	В	5 12 ,,
14	39.148	20.95	81.9	22.70	82.4	В	6 12 ,,
15	38.531	20.60	81.9	22.65 22.75	82.4 82.3	В	7 12 ,,
16,	38.531	20.10 20.05	81.9 82.2	22.70°	82.4	B G	8 12 ,, 9 12
17	38.737 37.639	20.26	82.6	22.66	82.5	G	10.19 "
18 19	37.039 36.473	20.25	82.1	22.58	82.4	G	10 12 ,,
20	35.581	20.45	82.3	22.60	82.5	G	Noon.
21	35.856	20.36	82.8	22.60	82.9	c	1 12 p. m.
22	36.199	20-31	82.1	22.72	82.6	C	2 12 ,,
23	36.473	19.95	82.0	22.87	82.6	С	3 12 ,,
	27.045	00.05	82.4	22.90	82.9	c	4 12 ,,
ULY 20TH-Noon.	37.845 37.639	20.05 20.08	82.4	22.75	82.6	В	5 10
2	37.05 9 36.953	20.03	82.2	22.75	82.5	В	6 12 ,,
3	37. 090	19.94	82.1	22.75	82.5	в	7 12 ,,
4	36.679	20.11	82-1	22.75	82.5	В	8 12 ,,
5	36.007	20.35	82.0	22-64	82.5	G	9 12 ,,
6	37.296	20 35	82.0	22.70	82.5	G	10 12 ,,
7	37.296	20.61	82.0	22.78	82·5	G	11 12 ,,
8	37.296	20.69	82.2	22.80	82.7 82.4	G	Midnight.
9	38.05l	20.66	81.6	22.91 22.69	82.4 82.4	c c	1 12 a.m. 2 12 .,
10	38.188	20.38 20.92	81.8 81.6	22.69 22.65	82.4 82.2	В	2 10
11	38.462 39.148	20.63	81.5	22.65	82.1	В	4 12 ,
12 13	39.148 38.531	20.68	81.5	22.70	82.0	G	5 12 ,
10	39.217	20.36	81.5	22.72	82.0	G	6 12 ,,
15	40.589	20.35	81.3	22.71	82.0	C	7 12 ,,
16	40.520	20.70	81.3	22.57	82.0	C	8 12 ,,
17	38.943	21.35	82.3	22.20	82.3	B	9 12 ,,
18	36.542	21.31	82.8	22.00	82.7	В	10 12 ,,
19	34.758	21.49	83.3	22.00	83.2	G	11,12 ,,
20	34.072	21.45	83.8	22.00	83.7	G	Noon.
21	33.523	21.29	. 84.1	22.00	84.2	C	1 12 p. m.
22	34.141	20.89	84.1 83.5	22.00 22.24	84.4 84.0	C	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

	DAIL	Y OBSERVAT	IONS, FROM	[218т то 24тн	JULY 1864	•	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Seale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Resdings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
July 21st-Noon.	35'924	20.66	82:9	22.45	83.4	В	4 12 p. m.
1	36.610	20.50	82.6	22.50	83.1	G	5 12 ,,
2	36.954	20.54	82.0	22.50	82.7	G	6 12 ,,
3	36.679	20.37	82.0	22.54	82.6	C	7 12 ,,
4	36.816	20.42	82.0	22.49	82.6	C	8 12 ,,
5	37.296	20.38	82.0	22.42	82.5	В	9 12 ,,
6	37.228	20.45	82.0	22.42	82.5	В	10 12 ,,
7	37.571	20-55	82.0	22.50	82.5	G	11 12 ,,
8	37.502	20-54	82.0	22.52	82.5	G	Midnight.
9	37.571	20.48	81.5	22.57	82.2	C	1 12 a. m.
10	37.914	20.70	81.1	22.50	81.9	C	2 12 ,,
11	37.914	20.79	81.1	22.62	81.9	C	3 12 ,,
12	37.845	20.88	81.1	22.57	81.9	C	4 12 ,,
13	38.462	21.05	81.2	22.65	81.7	В	5 12 ,,
14	38.805	21.20	81.2	22.80	81.7	В	6 12 ,,
15	39.354	21.28	81.3	22.70	81.7	В	7 12 ,,
16	39.560	21.48	81.5	22.45	82.0	В	8 12 ,,
17	38.257	21.65	82.0	22.14	82.5	G	9 12 ,,
18	36.199	21.85	81.8	22.12	82·1	G	10 12 ,,
19	34.209	21.95	82.4	22.04	82.5	G	11 12 ,,
20	35.032	21.90	82.8	22.20	82,8	a	Noon.
21	33.798	21.76	83.0	22.38	83.1	C	1 12 p. m.
22	34.827	21.61	82.5	22.50	83.1	c	2 12 ,,
23	36.130	21.35	82.0	22.50	82.7	C	3 12 ,,
,							•
July 22nd-Noon.	37.090	21.09	81.7	22.68	82.4	C	4 12 ,,
1	37.502	21.01	81.4	22.55	82.0	В	5 12 ,,
2	37.502	21.05	81.5	22.55	82.0	В	6 12 . ,,
3	36.885	21.01	81.5	22.45	82.0	В	7 12 ,,
4	36.747	20.96	81.5	22.55	82.0	В	8 12 ,,
5	37.228	20.85	81.0	22.60	81.6	G	9 12 ,,
6	37.296	20.93	81.0	22.68	81.5	G	10 12 ,,
7	37.228	21.05	81.1	22.70	81.7	G	11 12 ,,
8	37.365	21.09	81.1	22.70	81.7	G	Midnight.
9	37.502	21.11	81-1	22.88	81.7	C	1 12 a. m.
10	37.845	21.13	81.1	22.80	81.7	· C	2 12 ,,
ii	37.708	21.27	81.1	22.76	81.7	C	3 12 ,,
12	37.845	21.30	81.1	22.75	81.7	c	4 12 ,,
13	38.805	21.27	80.5	22.65	81.1	В	5 12 ,,
14	39.491	21.45	80.5	22.65	81.0	B	6 12 ,,
15	39.491	21.50	80.6	22.75	81.0	В	7 12 ,,
16	39.491	21.55	81.0	22.55	81.3	В	8 12 ,,
17	38.668	21.75	81.6	22.44	82.0	G	9 12 ,,
18	36.407	21.83	82.0	22. 4 0	82.2	G	10 12 ,,
19	36.747	21.85	82.9	22.28	82.8	G	11 12 ,
20	36-407	21.58	83.4	22.16	83.2	G	Noon."
21	35.718	21.65	83.0	22.19	83.1	C	1 12 p. m.
22	36.473	21.49	83.0	22.28	83.1	C	2 12 ,,
23	36.954	21.25	83.2	22:47	83.2	C	3 12 ,,
	20.00						<i>"</i>
July 24TH-Noon.	36.542	20.91	83.5	22.15	84.2	В	4 12 ,,
1	37.090	20.91	82.8	22.35	83.9	В	5 12 ,,
2	37.159	20.69	82.4	22.45	83-0	В	6 12 ,,
3	37.433	20.85	82.2	22.40	82.9	В	7 12 ,,
4	36.747	21.01	82.1	22.45	82.7	В	8 12 ,,
5	36.473	21.00	82.0	22.36	82.5	G	9 12 ,,
6	36.679	21.15	82.0	22.40	82. 5	G	10 12 ,,
7	36.473	21.15	82.0	22.48	82.4	G	11 12 ,,
8	37.022	21.15	81.6	22.50	82.0	Ğ	Midnight.
9	36. 954	21.23	81.6	22.52	82.0	c	1 12 a. m.
<i>3</i>							
10	3 7.36 5	21.27	81.4	22.55	82.0	C	2 12 ,,

DATE. Göttingen Mean Time. 1864. h. JULY 24TH—12 13 14 15	Rustern Declination.	Horizontal Force Magneto- meter. Scale Readings	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	į	DATE.
h. July 24th—12 13 14		Uncorrected.	Force Magne- tometer.	meter. Scale Rendings Uncorrected.	Force Magne- tometer.	Obeervars.	Bombay Civil Time. 1864.
13 14 15							h. m.
14 15	37/571	21.29	81:2	22.88	81:8	C	4 12 a. m.
15	37.571	21.25	81.3	22.85	81.8	В	5 l2 "
15	37.708	21.31	81.3	22.75	81.8	В	6 12 ",
	38.394	21.55	81.5	22.65	81.9	В	7 12 ,,
	38.462	21.64	81.6	22.55	82.0	В	8 12 ,,
17	38.119	21.85	82.7	22.50	82.5	G	9 12 ,,
18	36.816	21.95	83.0	22.24	82.8	G	10 12 ,,
	35-170	21.75	83.4	22.14	83.2	G	11 12 ,,
19		21.36	83.8	22.00	83-5	G	Noon.
20	34.415	21.33		21.95	83.9	· c	1 12 p. m.
21	34.003		84. l				ดเจ๋
22	34.346	21.29	84.1	22.07	84.2	c	3 12 ,,
23	35.581	21.12	83.9	22.40	84.1	C	3 12 ,,
ULY 25TH-Noon.	36.473	20.91	83.6	2 2.49	84.0	c	4 12 ,,
1	37.090	20.93	83.2	22.45	83.6	В	5 12 ,,
2	37.433	20.87	83.0	22.45	83.1	В	6 12 ,,
3	36.747	20.85	82.5	22.45	83.0	в	7 12 ,,
4	36.542	20.98	82.5	22.45	83.0	В	8 12 ,,
5	36.816	21.01	82.2	22.48	83.0	G	9 12 ,,
6	37.022	21.00	82.1	22.50	82.8	G	10 12 ,,
- 1	36.885	21.05	82.0	22.50	82.5	G	11 12 ,,
7		21.05		22.50 22.50	82.5	G	Midnight.
8	37.1 59		82.0		82.5		1 12 a. m.
9	37.776	21.24	81.9	22.42		C	0 10
10	37.571	21.25	81.8	22.37	82.5	С	
11	37.228	21.25	81.6	22.39	82.4	C	3 12 ,,
12	36.747	21.08	81.5	22.46	82.3	C	4 12 ,,
13	37.022	21.31	81.5	22.55	82.0	В	5 12 ,,
14	37.502	21.48	81-5	22.68	82.0	В	6 12 ,,
15	38.325	21.51	81.5	22.65	82.0	В	7 12 ,,
16	38.668	21.71	82.0	22.55	82.2	В	8 12 ,,
17	37.776	21.71	82.5	22.50	82.3	G	9 12 ,,
18	36.816	21.76	83.1	22.36	82.8	G	10 12 ,,
19	36.473	21.51	83.8	22.22	83.2	G	11 12 ,,
	35.307	21.44	84.0	22.02	83.5	G	Noon.
20	34.415	21.16	84.1	22.00	84.0	C	1 12 p.m.
21		21.06	84.6	22.00	84.6	c	
22 23	34.827 35.170	20.87	84.6	22.08 22.08	84.9	c	2 12 ,, 3 12 ,,
I	25 501	20.74	84.2	22.07	84.4	C	4 12 ,,
July 26TH-Noon.	35.581 35.004	20.74	83.6	22.07 22.15	83.8	В	5 10 ·
l l	35.924	20.90			83.4	В	6 19
2	36.610 36.540	20.90 20.95	83.0	22.35	83.0	В	~ 10
3	36.542		82.5	22.45	82.8		9 10
4	35.856	20.90	82.5	22.45		В	0.10
5	36.199	20.90	82.5	22.50	82.8	G	9 12 ,,
6	36.747	20.90	82.5	22.50	82.7	G	10 12 ,,
7	36.816	20.99	82.2	22.55	82.5	G	11 12 ,,
8	36.747	21.05	82.0	22.54	82.4	G	Midnight.
9	36.816	21.01	81.5	22.39	82.1	C	1 12 a.m.
10	36.954	21.23	81.1	22.48	81.8	C	2 12 ,,
11	36.610	21.25	81.2	22.52	81.8	C	3 12 ,,
12	36.679	21.23	81.0	22.55	81.7	C	4 12 ,,
13	37.228	21.20	81.0	22.60	81.5	В	5 12 ,,
14	38.051	21.35	81.1	22.75	81.5	В	6 12 ,,
15	37.982	21.35	81.4	22.65	81.6	B,	7 12 ,,
16	37.502	21.42	82.0	22.55	82.0	В	8 12 ,,
17	36.885	21.57	82.8	22.44	82.5	G	9 12 ,,
17	36.199	21.74	83.4	22.36	83.0	G	10 12 ,,
		21.60	84.0	22.30	83.3	G	11 10 "
19	35.513			22.30 22.28	84.0	G	Noon.
20	34.827	21.63	84.6		84.8	- 1	1 12 p. m.
21	34.689	21.18	84.9	22.20		C	0.10
22 23	34.895 34.620	21.19 21.19	84.6 84.5	22.16 22.25	84.8 84.8	c c	2 12 ,, 3 12 .,

,	DAII	LY OBSERVAT	IONS, FROM	d 27тн то 29т	н JULY 186	4.	
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical 'Free Magneto-	Thermometer of Vertical	Observers.	DATE. Bombay
Göttingen	Declination.		Force Magne-		Porce Magne-	198	Civil Time.
Mean Time. 1864.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Scale Rendings Uncorrected,	tometer.	Scale Readings Uncorrected.	tometer.	00	1864.
h.							h. m.
JULY 27TH-Noon.	36'473	21.06	84:3	22.30	84?8	С	4 12 p. m.
l '	36.473	21.05	83.7	22.25	84.2	В	5 12 ,,
2	36.336	21.01	83.4	22.25	83.8	В	6 12 ,,
3	36.130	20.92	83.1	22.25	83.5	В	7 12 ,,
4	35.787	21.02	82.9	22.25	83.2	В	8 12 ,,
5	35.993	21.15	82.8	22.28	83.0	G	9 12 ,,
6	36.199	21.15	82.3	22.30	82.9	G	10 12 ,,
. 7	36.130	21.30	82.2	22.42	82.8	G	11 12
8	36.473	21.15	82.2	22.50	82.8	G	Midnight.
9	36.747	21.12	82.1	22.56	82.7	c	1 12 a. m.
10	36.885	21.24	82.0	22.59	82.5	C	2 12 ,,
11	37.022	21.29	81.9	22.50	82.3		2 10 "
		21.32	81.8	22.48	82.2	C	'A 10 ''
12	37.022			22.55		C	5 19 ´´
13	37.502	21.33	81.5	22.55 22.65	82.0	В	6 10 "
14	37.914	21.45	81.5	l	82.0	13	
15	38.462	21 40	81.6	22.60	82.0	В	7 12 ,,
16	38.394	21.45	81.9	22.50	82.1	В	8 12 ,,
17	38.188	21.54	82.4	22:50	82.8	G	9 12 ,,
18	36.610	21.79	83.2	22.38	83.0	G	10 12 ,,
19	36.267	21.86	84.0	22.22	83.6	G	11 12 ,,
20	36.061	21.75	84.8	22.10	84.0	G	Noon.
21	36.199	21.39	849	22.08	84.8	C	1 12 p. m.
22	36.816	20.82	84.9	22.12	85.0	C	2 12',,
23	35-816	20.69	84.9	22.10	85.1	C	2 10 "
2.,	00.010		0.00				0 12 ,,
00 8	36.747	20.61	85.0	22.10	85.2		4 12
ULY 28TH-Noon.		1	l .	22.15		C	
1	35.610	20.45	84.6	22.30	84.6	В	5 12 ,,
2	36.199	20.35	83.8		84.3	В	6 12 ,,
3	35.924	20.41	83.2	22.35	84.0	В	7 12 "
4	36.199	20.35	83.0	22.45	83.6	В	8 12 ,,
5	36.473	20.44	82.8	22.48	83.3	G	9 12 ,,
6	36.542	21.00	82.8	22.46	83.0	G	10 12 ,,
7	36.964	21.02	82.5	22.48	83.0	G	11 12 ,,
8	36.885	21.00	82.4	22.50	82.8	G	Midnight.
. 9	36.747	21.01	82.4	22.50	83.0	C	1 12 a. m.
10	37.022	21.00	81.6	22.68	82.5	C	2 12 ,,
ii	37.022	21.38	81.5	22.73	82.3	c	2 10
12	37.022	20.97	81.5	22.75	82.2	C	4 10
	3%542	21.20	81.5	22.80	82.0	1 1	£ 10
13	37.228	21.33	81.5	22.85	82.0 82.0	В	6 10
14			81.6	22.85		В	6 12 ,,
15	38.257	21.50		22.75	82.0	В	7 12 ,
16	37.571	21.66	82.2		82.2	В	8 12 ,,
17	35.307	21.95	82.4	22.60	82.6	G	9 12 ,,
18	34.415	22.00	83.7	22.36	83.5	G	10 12 ,,
19	33.386	21.95	84.6	22.30	84.0	G	11 12
20	33.523	21.56	84.8	22.46	84.4	G	Noon."
21	33.592	21.35	84.8	22.48	85.1	c	1/12 p. m.
22	33.798	20.64	84.9	22.46	85.8	c	2 12 ,,
• 23	35.307	20.45	84.9	24.38	85.8	С	3 12 ",
,							4
тъу 29тн-Хооп.	36.199	20.22	84.8	22.31	85.4	c	4 12 ,,
i	36.267	20.29	84.5	22.55	84.6	В	5 12 ,,
2	36.061	20.30	84.1	22.45	84.1	В	0.13
, 3	3 5. 993	20.20	83.5	22.45	839	i i	~ 11
4	36.542	20.35	88.3	22.45	83.6	В	0.10
5	35.718		83.2	22.50		В	0.10
5		20.75	82.9	22.55	83.4	G	9 12 ,,
1	35.856	20.40			83.3	G	10 12 ,,
7	36.267	20.70	82.8	22.60	83.0	G	11 12 ,,
8	37.090	20.79	82.5	22.62	82.8	G	Midnight.
9	3 6. 610	20.90	82.3	22.66	82.8	c	1 12 a.m.
10 '	36.404	20.65	82.2	22.65	82.6	C	2 12 ,,
11 -	36.885	21.09	82,1	22.76	82.5	C	3 12 ,,

	DAILY C	BSERVATION	S, FROM 29:	re JULY to 1	ST AUGUST	1864.	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Obser	Civil Time. 1864.
л. July 29тн—12	37/022	21.18	82°0	22.88	82.4	c	h. m. 4 12 a. m.
13	37.228	21.13	82.0	22.85	82.2	В	5 12 ,,
14	38.600	21.06	82.0	22.88	82.2	В	6 12 ,,
15	39.286	21.20	82.1	22.85	82.1	В	7 12 ",
16	39.148	21.22	82.6	22.70	82.2	В	8 12 ,,
17	37.845	21.25	82.8	22.52	83.0	G	9 12 ,,
18	36.542	21.10	84.4	22.44	83.3	G	10 12 ,,
19	34.895	21.21	85.1	22.28	84.0	G	11 12 ,,
20	35.581	21.15	85.4	22.30	85.0	G	Noon.
21	36.199	20.74	85.4	22.40	85.5	C	l 12 p. m.
22	36.130	20-87	85.4	22.42	86.0	C	2 12 ,,
23	36.199	20.66	85.6	22-35	86.0	С	3 12 ,,
July 31st-Noon.	35.924	20.85	83.7	22.51	84.0	G	4 12 "
1	36.267	20.67	83.0	22.50	83.5	G	5 12 ,,
2	36.542	20.65	82.8	22.50	83.3	G	6 12 ",
3	36.336	20.66	82.5	22.55	83-2	В	7 12 ,,
4	36.405	20.75	82.5	22.50	83.0	В	8 12 ,,
5	35.856	20.68	82.4	22.50	83.0	G	9 12 ",
, 6	36.061	20.90	82.2	22.56	83.0	G	10 12 ,,
7	36.199	20.95	82.1	22.52	82.8	G	11 12 ",
8	36.199	21.05	82.0	22.50	82.5	G	Midnight.
9	36.610	21.14	81.9	22.49	82.5	c	l 12 a. m.
10	36.679	21.11	81.7	22.49	82.4	c	2 12 ,,
11	36.816	21.09	81.6	22.47	82.3	c	3 12 ,,
12	36-679	21.22	81.5	22.48	82.3	c	4 12 ,,
13	36.954	21.21	81.4	22.50	82.1	В	5 12 ,,
14	37.845	21.31	81.4	22.70	82.0	в	6 12 ,,
15	38.120	21.43	81.5	22.75	82.0	В	7 12 ,,
16	37.571	21.46	82.0	22.65	82.1	В	8 12 ,,
17	36.885	21.55	82.8	22.58	82.5	G	9 12 ,,
18	36.405	21.42	83.7	22.50	83.1	G	10 12 ,,
19	35.718	21.09	84.5	22.48	83.8	a	11 12 ,,
20	35 .650	20.95	84.7	22.42	83.8	G	Noon.
21	35 .101	21.03	84.9	22.40	84.8	c	l 12 p. m.
22	36.061	20.94	85.0	22.39	85.1	c	2 12',,
23	36.336	20.85	84.5	22.39	85.1	С	3 12 ",
Aug. Ist-Noon.	36-679	20.77	84.3	22.39	84-8	С	4 12 ,,
. 1	36.747	20.88	83.6	22.47	84.2	c	5 12 ,,
2	36.473	21.05	82.5	22.47	83.3	c	6 12 ,,
3	36.199	21.19	81.3	22.49	82.3	c	7 12 ",
4	36.130	21.25	81.4	22.50	82.3	В	8 12 ,,
5	36.336	21.24	81.6	22.5 0	82.3	В	9 12 ,,
6	36.542	21.28	81.8	22.55	82.4	В	10 12 ,,
7	36.885	21.25	82.0	22.50	82.4	В	11 12 ,,
8	36.473	21.18	82.0	22.50	82.5	G	Midnight.
9	36.747	21.20	82.0	22.68	82.4	G	1 12 a. m.
10	36.885	21.20	81.9	22.62	82.2	G	2 12 ,,
11	36.954	21.21	81.9	22.70	82.2	G	3 12 ",
12	37.022	21.22	81.9	22.70	82.2	c	4 12 ,,
13	37.159	21.24	81.7	22.78	82.2	c	5 12 ,,
14	38.051	21.38	81.7	22.79	82.2	c	6 12 ,,
15	38.669	21.39	81.9	22.84	82.4	C	7 12 ,,
16	38.669	21.47	82.4	22.88	82.8	В	8 12 ,,
17	38.737	21.65	83.0	22.75	83.0	В	9 12 ,,
18	37.776	21.81	83.4	22.58	83.2	В	10 12 ,,
19	36.610	21.69	84.5	22.60	83.8	В	11 12 ,,
20	35.719	21.72	85.0	22.55	84.5	В	Noon.
21	35.582	21.51	85.0	22.50	84.8	G	1 12p.m.
22	35.787	21.27	84.9	22.48	84.7	G	2 12 ,,
	36.288	21.12	84.1	22.50	84.7	-	3 12 ,,

	DAIL	Y OBSERVAT	IONS, FROM	2ND TO 4TH	AUGUST 186	4.	
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Hurizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE.
Göttingen	Pastolii	meter.	Force Magne-	meter.	Force Magne-		Bombay
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	å	Civil Time.
1864.		Uncorrected.		Uncorrected.			1864.
h. Aug. 2nd-Noon.	37!708	20.95	84:7	22.50	84°8	G	h. m. 4 12 p. m.
		20.96	84.2	22.55	84.7	C	- 10
1	37.983	20.96	83.7	22.56	84.4	c	6 19 ´
2 3	37.571 36.542	20.97	83.2	22.50	84.1	C	7 19
1	36.062	21.04	83.0	22.48	84.0	c	Q 19 ″
4		21.06	82.9	22.50	83.5	- 1	0.19
5	36.062	21.00	82.8	22.50 22.50	83.5	В	10 12 ,,
6	36.199	21.14	82.7	22.45	83.5	В	11 12 "
7	36.542 36.611	21.14	82.7	22.55	83.3	В	Midnight.
8	36.611	21.10	82.7	22.50	83.0	В	l 12 a.m.
9		21.12	82.4	22.46	82.9	G	0 10
10	36.679	21.13	82.4 82.2	22.44	82.8	G	3 12 "
11	36.885			22.44	82.5	G	
12	36.954	21.20	82.2	22.44	82.5	G	4 12 ,,
13	37.365	21.25	82.1	1	82.5 82.5	C	5 12 ,,
14	38.600	21.29	82.0	22.36	82.5 82.5	C	6 12 ,,
15	39.423	21.43	81.9	22.48		C	7 12 ,,
16	39.149	21.62	82.0	22.59	82.8	C	8 12 ,,
17	37.502	21.78	83.2	22.50	83.1	В	9 12 ,,
18	36.130	21.75	84.0	22.48	83.5	В	10 12 ,,
19	35.307	21.71	84.6	22.35	84.2	В	11 12 ,,
20	34.895	21.75	85.5	22.32	84.8	В	Noon.
21	35.513	21.26	85.6	22.46	85.0	G	1 12 p. m.
22	36.062	20.95	85.8	22.50	85.3	G	2 12 ,,
23	36.405	20.39	86.0	22.50	85.8	G	3 12 "
Aug. 3rd-Noon.	37.228	20.11	85.8	22.52	86.2	G	4 12 ,,
1	36.885	20-36	85.2	22.50	86.0	C	5 12 ,,
2	35.993	20.39	84.3	22.50	85.3	С	6 12 ,,
3	36.130	20.45	83.8	22.50	85.0	С	7 12 ,,
4	35.924	20.49	83.6	22.50	84.6	С	8 12 "
5	36.199	20.70	· 83.1	22.25	84.0	В	9 12 ,,
6	36.199	20.83	83.1	22.25	83.9	В	10 12 ,,
7	36.542	20.85	83.0	22.26	83.8	В	11 12 ,,
8	36.885	20.95	82.9	22.26	83.6	В	Midnight.
9	37.022	20-90	82.8	22.30	83.4	G	1 12 a. m.
10	37.297	21.02	82.8	22.38	83.2	G	2 12 "
11	37.571	21.05	82.7	22.40	83.0	G	3 12 ",
12	3 7. 571	21.10	82.7	22.40	83.0	G	4 12 ,,
13	36.885	21.18	82.5	22.39	82.9	c	5 12 ,,
14	39.080	21.27	82.4	22.35	82.8	С	6 12 ,,
15	39.560	21.61	82.4	22.38	82.9	c	7 12 ,,
16	39.012	21.78	83.1	22.46	83.2	c	8 12 ,,
17	37.297	22.01	83.5	22.30	83.4	В	9 12 ,,
' 18	35.718	22.11	84.2	22.22	83.8	В	10 12 ,,
19	34.964	21.91	84.1	22.22	84.0	В	11 12 ,,
20	34.553	21.96	84.5	22.20	84.3	В	Noon.
21	34.758	21.82	85.0	22.20	84.8	G	l 12 p. m.
22	35.993	21.59	85.0	22,28	84.8	G	2 12
23	37.159	21.51	84.1	22.30	84.2	G	3 12 ,,
Aug. 4TH-Noon.	37.502	21.41	84.0	22.42	8 4.2 .	G	4 12 ,,
1	37.502	21.12	84.0	22.40	84.2	С	5 12 ,,
2	37.091	20.89	83.6	22.39	84.1	C	6 12 ,,
3	36.288	21.09	83.3	22.38	84.0	C	7 12 ,,
4	36.336	21.17	83.1	22.44	83.9	C	8 12 ,,
5	36.542	21.18	82.7	22.45	83.4	В	9 12 ,,
6	36.336	21.35	82.5	22.40	83.1	В	10 12 ,,
7	36.199	21.50	82.5	22.50	83.0	В	11 12 ,,
8	36.885	21.50	82.4	22.50	82.9	В	Midnight.
							6
	36.611	21.52	82.2	22.50	82.9	G	l 12 a.m.
9	36.611 36.954	21.52 21.50	82.2 82.1	22.50 22.50	82.9 82.8	G G	l l2 a. m. 2 l2 "

	DAIL	Y OBSERVATI	ONS, FROM	4тн то 7тн /	AUGUST 186	4.	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magner tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864.		Uncorrected.					h. m.
h. Aug. 4TH-12	36/954	21.61	82*0	22.35	82°5	G	4 12 a.m.
13	37.365	21.39	82.0	22.34	82.6	С	5 12 ,,
14	38.394	21.45	82.0	22.38	82.6	C	6 12 ,,
15	38-805	21.69	82.1	22.40	82.9	C	7 12 ,,
16	38.805	21.88	82.3	22.40	82.9	C	8 12 ,,
17	36.885	22.29	82.6	22.32	82.8	В	9 12 ,,
18	35.719	22.21	83.5	22.25	83.2	В	10 12 ,,
19	34.346 33.386	22.19 22.35	83.0	22.20	82.8 82.5	В	11 12 ,, Noon.
20	33.455	22.35 22.16	82.5 83.4	22.25 22.30	82·9	B G	1 12 p. m.
21	35.033	21.82	83.8	22.46	83-3	G	9 79
22 23	36-288	21.65	84.0	22.50	83.7	G	3 12 ,,
Aug. 5TH-Noon.	36.679	21.45	83.8	22.42	84.0	G	4·12 "
1	36.336	21.26	83.3	22.33	83.9	c	5 12 ,,
2	35.856	21.25	83.0	22.25	83.7	С	6 12 ,,
3	36.288	21.27	82.8	22.29	83.3	C	7 12 ,,
4	35.513	21.25	82.6	22.39	83.2	C	8 12 ,,
5	36.199 36.748	21.20 21.08	82.5	22.40 22.40	83-4	В	9 12 ,, 10 12 ,,
6	36.748	` 21.06	82.4 82.4	22.40 22.40	83.2 83.3	В	10 12 ,,
7 8	37.159	21.16	82.4	22.35	83.1	B B	Midnight.
9	36.954	21.15	82·2	22.50	83.0	G	1 12 a. m.
10	37.091	21.28	82.1	22.50	82.9	G	2 12 ,,
11	37.159	21.30	82.0	22.46	82.8	G	3 12 ,,
12	36.748	21.36	82.0	22.46	82.8	G	4 12 ,,
13	37.297	21.47	82.0	22.47	82.8	C	5 12 ,,
14	35.650	21.09	81.6	22.48	82.4	C	6 12 ,,
15	37.777	21.64	81.3	22.48	82.2	C	7 12 ,,
16	37.434	21.69	81.8	22.42	82.3	C	8 12 ,,
17	35-582	22.05	82.5	22.38	82.5	В	9 12 ,,
18	33.935 32.495	22.16 21.92	83·1 83.9	22.28 22.30	82.8	В	10 12 ,, 11 12 ,,
19	32.4 95 32.7 00	21.92 21.72	83.9 84.3	22.35 22.35	83.3	В	Noon.
20	33.249	21.50	85.0	22.40	83.7 84-2	B	1 12 p. m.
21 22	34.758	21.41	85.1	22.48	84.9	G G	
23	35.993	21.19	85-4	22-48	85.0	G	2 12 ,, 3 12 ,,
Aug. 7th-Noon.	36.611	21.49	84.2	22.40	8 <i>5</i> .1	C	4 12 ,,
1	36.816	21.25	83.4	22.41	84.4	C	5 12 ,,
2	36.748	21.10	83.1	22.36	84.2	C	6 12 ,,
3	36-288	21.09	82.8	22.25	84.0	C	7 12 ,,
4	35.856	21.33	82.6	22.21	83.9	C	8 12 ,,
5	35.993 36.405	21.29 21.25	82.5 82.5	22.32 22.30	83.4	В	9 12 ,, 10 12 ,,
6 7	36.816	21.25	82.5 82.5	22.30 22.30	83.3 83.2	B	10 12 ,, 11 12 ,,
8	36.816	21.45	82.4	22.35	83.0	B B	Midnight.
9	36.679	21.50	82.2	22.38	8 2. 9	G	1 12 a. m.
10	36.954	21.50	82.1	22.40	82.8	G	2 12 ,,
ii	37.365	21.50	82.1	22.48	82.7	G	3 12 ,,
12	37.777	21-49	82.0	22.50	82.7	G	4 12 ,,
13	37.845	21.53	81.9	22.47	82.7	C	5 12 ,,
14	39.286	21.71	81.9	22.47	8 2. 6	C	6 12 ,,
15	39.217	21.77	82.0	22.49	82-8	C	7 12 ,,
16	38.188	21.97	81.6	22.46	82.7	C	8 12 ,,
17	36.542	22.20	82.5	22.30	82-7	В	9 12 ,,
18	34.141 32.838	22.01 21.89	83.0 84.2	22.20 22.27	82.9 82.5	В	10 12 ,, 11 12 ,,
19 20	32.838 32.906	21.89	84.2 84.5	22.27 22.35	83.5 83.9	B	Noon.
21	33.661	21.55	84.5	22.30	84.4	B G	1 12 p. m.
22	34.141	21.50	84.8	22.50 22.50	84.8	G	2 12 ,,
23	34-895	21.45	85.0	22.50	85.0	G	3 12 ,,

DAILY OBSERVATIONS, FROM 8th to 10th AUGUST 1864.										
DATE. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- nieter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.			
h.							h. m.			
Aug. 8TH-Noon.	35/856	21.22	84°8	22.55	85:0	G	4 12 p. m.			
1	36.062	21.09	83.9	22.52	84.3	C	5 12 ,,			
2	36.405	20.95	82.7	22.52	83.7	C	6 12 ,,			
3	36.199	20.93	82.5	22.50	83.5	C	7 12 ,,			
4	35.513	21.00	82.4	22.50	83.3	C	8 12 ,,			
5	36.199	21.10	82.5	22.50	83.0	В	9 12 ,,			
6	36.288	21.20	82.5	22.40	83.0	В	10 12 ,,			
7	3 6.336	21.29	82.2	22.40	83.0	В	11 12 ,,			
8	36.611	21.35	82.2	22.45	83.0	В	Midnight.			
9	36.885	21.44	81.9	22.45	82.6	G	1 12 a.m.			
10	37.571	21.54	81.5	22.40	82.2	G	2 12 ,,			
11	37.228	21.55	81.5	22.60	81.9	G	3 12 ,,			
12	37.914	21.50	81.5	22.38	82.0	G	4 12 ,,			
13	37.914	21.95	81.5	21.90	82.0	c	5 12 ",			
14	39.286	21.69	81.5	21.78	82.0	c	6 12 ,,			
15	39.766	21.61	81.8	21.79	82.1	c	7 10 "			
1	39.766 39.355	21.95	82.0	21.79	82.3	c	0 19 "			
16		21.85	82.0	21.75	82.3		0.19			
17	37.640					В	10 19 "			
18	35.307	22.05	82.8	21.65	82.7	В	11 10 "			
19	34.621	21.96	83.5	21.50	83.2	В				
20	34.758	21.70	84.0	21.45	83.7	В	Noon.			
21	34.141	21.55	84.7	21.40	84.0	G	1 12 p. m.			
22	33.935	21.42	84.8	21.40	84.7	G	2 12 ,,			
23	34.896	21.21	84.8	21.44	85.0	G	3 12 ,,			
Aug. 9TH-Noon.	36.288	21.14	84.7	21.48	85.0	G	4 12 ,,			
1	37.091	21.11	84.2	21.50	84.9	C	5 12 ,,			
2	36.885	21.14	83.5	21.50	84.4	c	6 12 ,,			
3	36.954	21.13	83.1	21.48	84.0	c	7 12 ,,			
4	36.679	21.01	82.9	21.50	83.8	c	8 12 ,,			
5	36.473	21.05	82-8	21.50	83.6	в	9 12 ",			
6	36.748	21.15	82.3	21.50	83.0	В	10 12 ,,			
7	37.159	21.25	82.2	21.60	83.0	В	11 12 ",			
8	36.816	21.45	82.2	21.55	82.6	В	Midnight.			
9	36.542	21.24	82-0	21.50	82.6	G	1 12 a. m.			
10	37.022	21.25	81.8	21.50	82.4	G	2 12 ,,			
ii	37.365	21.39	81.7	21.50	82.2	G	3 12 ,,			
12	37.297	21.43	81.7	21.55	82.2	G	4 10 "			
13	37.297 37.777	21.35	81.8	21.50	82.2	c	£ 10			
	37.777 38.874	21.45	81.5	21.60	82.2	c	6 10 °			
14		21.43	81.9	21.64	82.3		7 10			
15	39-835	21.61	82.0	21.65	82.4	C C	0 10			
16	39.080	21.88	82.0	21.45	82.5		0.10			
17	38.669		82.3	21.45 21.45	82.5	В	10.10			
18	36.954	22.11				В	11 10 "			
19	35.170	22.19	83.3	21.36	83.1	В	11 12 ,,			
20	34.621	21.96	83.9	21.35	83.5	В	Noon. ,,			
21	34.553	21.76	84.0	21.40	84-0	G	1 12 p. m.			
22	35.376	21.59	84.4	21.48	84.4	G	2 12 ,,			
23	36.130	21.54	82.4	21.50	83.0	G	3 12 ,,			
Aug. 10th-Noon.	36.679	21.49	83.0	21.50	83.3	G	4 12 ,,			
1	37.159	21.34	82.7	21.46	83.3	c	5 12 ,,			
2	36.885	21.39	82-8	21.44	83.4	c	6 12 ,,			
3	36.288	21.32	82.6	21.49	83.3	c	7 12 ,,			
4	36.199	21.26	82.4	21.50	83.2	c	8 12 ,,			
5	36.199	21.24	82.4	21.45	83.0	В	9 12 ",			
6	36.542	21.40	82.4	21.45	83.0	В	10 12 ,,			
7	36.611	21.45	82.2	21.50	82.9	В	11 12 ,,			
	36.611	21.45	82.1	21.45	82.5	В	Midnight.			
8	30.011 37.022	21.41	82.0	21.50	82.4	1	1 12 a. m.			
	37.022	1 21.55	04.0	ı ∠1.∪∪	04.4	G	1 14 a. III.			
9 10	36.679	21.40	82.0	21.50	82-4	G	2 12 ,,			

	DAILY	OBSERVATIO	ONS, FROM	10тн то 12тн	AUGUST 18	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Rendings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.				·			h. m.
Aug. 10тн—12	36/885	21.65	82.0	21.50	82.5	G	4 12 a.m.
13	37.228	21.54	81.8	21.61	82.5	C	5 12 "
14	38.531	21.58	81.8	21.62	82.4	C	6 12 ,,
15	39.217	21.52	81.9	21.61	82.5	C	7 12 ,,
16	39.423	21.58	81.4	21.57	82.4	C	8 12 ,,
17	38.257	21.80	80.7	21.50	81.3	В	9 12 ,,
18	36.542	21.90	81.1	21.45	81.3	В	10 12 ,,
. 19	35.513	22.12	82.0	21.44	81.8	в	11 12 ,,
20	34.553	22.19	82.6	21.38	82.3	в	Noon."
21	34.896	22.05	83-8	21.40	83.1	G	1 12 p. m.
22	35.444	22.02	84-1	21.42	84.0	G	2 12 ,,
23	36.199	21.85	84-1	21.48	84.2	G	3 12 ,,
Aug. 11TH-Noon.	36.885	21.76	83.8	21.50	84.0	G	4 12 "
1	37.022	21.58	83.2	21.50	84.0	С	5 12 ,,
2	36.748	21.55	83.0	21.46	83.9	С	6 12 ,,
3	36.06 2	21.47	82.7	21.50	83.3	c	7 12 ,,
4	35.856	21.45	82.3	21.50	83.2	c	8 12 ,,
5	36.199	21.52	82.3	21.45	82.9	В	9 12 ,,
6	36.542	21.51	82.3	21.45	82.9	в	10 12 ,,
. 7	36.816	21.55	82.3	21.45	82.9	В	11 12
8	36.885	21.53	82.2	21.45	82.9	В	Midnight.
9	37.159	21.64	82.1	21.50	82.8	G	1 12 a.m.
10	37.159	21.60	82.1	21.50	82.8	G	0 10
11	37.159	21.60	82.0	21.50	82.7	G	3 12 .,,
12	37.365	21.64	81.9	21.48	82.5	G	4 19 "
13	37.777	21.66	81.9	21.40	82.5	c	5 19 "
14	38.737	21.75		21.53	82.3	c	6 12 "
15		21.79	81.7	21.57	82.4	_	7 10 "
16	39.492	22.05	81.8	21.50	82.6	. c	8 12 "
	38.463	I	82.2	21.38	82.8	C	9 12 ,,
17	36.679	22.24	82.9		82.7	В	, ,,
18	35.307	22.41	82.5	21.38		В	10 12 ,,
19	35.101	22.56	82.5	21.38	82.6	В	11 12 ,,
20	34.621	22.61	82.6	21.36	82.8	В	Noon.
21	34.827	22.45	83.0	21.40	83.2	G	1 12 p. m.
22	34.758	22.26	82.9	21.46	83.0	G	2 12 ,,
23	34.964	21.98	83-5	21.48	83.4	G	3 12 ,,
Aug. 12TH-Noon.	35.239	21.85	83.8	21.48	84.0	G	4 12 "
1	35.993	21.66	83.5	21.50	84.0	C	5 12 ,,
2	35.993	21.69	82-4	21.50	83-2	C	6 12 ,,
3	35.719	21.59	82.2	21.50	83.1	C	7 12 ,,
4	35.856	21.53	82.0	21.54	82.8	С	8 12 ,,
5	36.816	21.50	82.0	21.45	82.5	В	9 12 ,,
6	36.748	21.40	82.0	21.50	82.5	В	10 12 ,,
7	37.434	21.09	81.7	21.60	82.5	В	11 12 ,,
8	37.297	21.28	81.6	21.62	82.2	В	Midnight.
9	37.297	21.25	81.4	21.60	82.0	G	1 12 a. m.
10	37-159	21.35	81.1	21.60	82.0	G	2 12 ,,
11	37.914	21.44	80.7	21.60	81.4	G	3 12 ,,
12	37.365	21.75	80.8	21.65	81.4	G	4 12 ,,
13	37.983	21.68	80.8	21.64	81.3	C	5 12 ,,
14	39.080	21.64	80.5	21.67	81.2	C	6 12
15	40.041	21.80	80.3	21.69	81.1	C	7 12 ,
16	39-560	21.99	80.6	21.69	81.2	c	8 12 ,,
17	38.394	21.95	81.0	21.50	81.4	В	9 12 ,,
18	36.199	22.23	80.2	21.50	80.7	В	10 12 ,,
19	35.170	22.18	80.0	21.60	80.4	В	11 12 ,,
20	33.867	22.20	79.5	21.60	80.0	В	Noon.
21	33.455	21.80	80.0	21.60	80.0	G	1 12 p. m.
22	34.827	21.66	79.2	21.68	79.6	G G	2 12 ,,
23	35.650	21.69	78.9	21.70	79.4	G	3 12 ,,
<i>20</i> (501050		, ,,,,,,	1	, , , , , ,	· u	

	DAILY	OBSERVATIO	ONS, FROM	14тн то 17тн	AUGUST 186	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thefmometer of Horizontal Force Magne- tometer	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
Aug. 14TH-Noon.							h. m.
AUG. 14TH-110011.	37:159	20.40	80°3	21.38	81*2	В	4 12 p.m.
2	38.531	19.73	80.8	21.40	81.2	c	5 12 ,,
3	39.012	19.65	80.8	21.37	81.2	c	6 12 ,,
4	38.874	19.46	80.5	21.35	81.2	C	7 12 ,,
5	38.943	19.45	80.4	21.41	81.2	C	8 12 ,,
6	38.531 37.571	19.45 19.90	80.3	21-50	81.0	B	9 12 ,,
7	37.845	20.25	80.0 80.0	21.40	80.9	В	10 12 ,,
8	37.845	20.35	79.5	21.90 21.90	81.0	В	11 12 ,,
9	38.943	20.35	79.8	22.00	80.6	В	Midnight. 1 12 a.m.
10	39.492	20.86	79.8	21.96	80.5 80.5	G	0 10
' 11	37-640	21.24	79.8	21.82	80.3 80.4	G G	2 19 "
12	38.943	21.00	79.8	21.80	80.1	1	4 19
13	39.149	20.98	79-8	21.70	80.1	G C	5 10
14	40.864	21.09	79.5	21.76	80.1	c	6 19
15	41.138	21.15	79.3	21.72	80.1	c	7 12 ,,
16	40.384	21.19	79.9	21.59	80.3	c	8 12 "
17	38.326	21.31	80.1	21.30	80-4	В	9 12 ,,
18	36-816	21.31	80.8	21.22	80.8	В	10 12 ,,
19	34.553	21.41	81.5	21.02	81.4	В	11 12 ,,
20	33.318	21.25	82.3	21.00	82.0	В	Noon.
21 22	35.592	20.85	82.0	21.18	82.0	G	1 12 p. m.
23	34.827	20.81	82.2	21.30	82.3	G	2 12 ,,
20	37.091	20.81	82.0	21.38	82.4	G	3 12 "
Aug. 15TH-Noon.	37.297	20.90	81.9	21.40	82.2		4 12 ,,
1	37.091	20.96	81.8	21.46	82.2 82·0	G C	5 10 °
2	36.405	21.09	80.9	21.39	81.9	c	6 19
3	36.542	21.04	80.5	21.50	81.7	C	7 19 "
4	36.748	21.05	80.5	21.50	81.3	c	8 12 ,,
5	36.816	21.02	80.3	21.50	81.3	В	9 12 ,,
6 7	37.022	21.10	80.3	21.45	81.0	В	10 12 ,,
8	37.091	21.17	80.3	21.42	81.0	В	11 12 ,,
9	37.297	21.17	80.0	21.40	80.6	В	Midnight.
10	37.708 37.708	21.20	79.7	21.48	80.1	G	1 12 a. m.
ii	37.708 37.91 4	21.30	· 79·0	21.50	79.8	G	2 12 ,,
12	37.640	21.35 21.40	79.4	21.50	80.0	G	3 12 ,,
13	37.845	21.40	79.7 79.7	21.50	80.0	G	4 12 ,,
14	38.669	21.45	79.7	21.50 21.50	80.1	C	5 12 ,,
15	39.080	21.54	79.7	21.50	80.1 80.2	C	6 12 ,,
16	38.394	21.61	80.0	21.30	80.2 80.3	C	7 12 ,,
17	36.88 5	21.80	79.4	21.40	79.7	C	8 12 ,, 9 12 ,,
18	35.650	21.88	79.1	21.26	79.7 79.5	B B	10.10
19	33.935	21.92	79.8	21.20	79.8	В	10 12 ,,
20	33.592	22.00	80.1	21.18	80.0	В	Noon.
21	34.072	21.89	80.6	21.42	80.5	G	1 12 p. m.
22 23	35.719	21.75	80.5	21.60	80.5	G	2 12 ,,
23	36.885	21.65	80.5	21.55	80.5	G	3 12 ,,
Aug. 17TH-Noon.	37.091	21.67	81.3	21.40	82.9		A 10
1	37.365	21.60	80.3	21.38	82.1	C C	4 12 ,, 5 12 ,,
2	36.288	21.65	80.3	21.35	81.7	C	C 10
3	35.719	21.58	80.1	21.40	81:2	c	7 10
4	35.993	21.55	79-8	21.42	80.8	C	0.10
5	36.679	21.45	79.6	21.45	80. 5	В	9 12 ,,
. 6	36.816	21.43	79.5	21.45	80.1	В	10 12 ,,
7	36.954	21.56	79.9	21.55	80.1	В	11 12 ,,
8	37-159	21.55	80.0	21.55	80.3	В	Midnight.
. 9	37.159	21.55	80.0	21.50	80.3	G	l 12 a. m.
10	37.159	21.52	80.2	21.52	80.1	G	2 12 "
11	37.640	21.50	80-3	21.46	80.4	G	3 12 ,,

	DAILY	OBSERVATI	ONS, FROM	17тн то 19тн	AUGUST 18	364.	
DATE.	Bastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Göttingen	Declination.		Force Magne-		Force Magne-	Se	Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tomoter.	Scale Readings Uncorrected.	tometer.	õ	1864.
h.							h. m.
Aug. 17TH-12	38:188	21.45	80:1	21.30	80°4	G	4 12 a.m.
13	38.531	21.50	80.1	21.28	80.4	c	5 10
14	39.835	21.47	80.1	21.36	80.4	С	6 19
15	40.315	21.58	80.1	21.33	80.6	c	
16	39.423	21.74	80.4	21.15	80.9	1	,,
17	37.365	22.09	81.2	20.86		C	8 12 ,,
18					81.0	В	9 12 ,,
	35.925	22.01	, 82.0	20.80	81.8	В	10 12 ,,
19	34.553	21.97	82.8	20.60	82.4	В	11 12 ,
20	33.729	22.00	83.5	20.20	83.1	В	Noon.
21	33.935	21.86	83.5	20.26	83.2	G	1 12 p. m.
22	34.896	21.80	83.8	20.46	83.5	G	ดาด
23	36.679	21.46	84.0	20.70	83-8	G	3 12 ,,
A 10 N	00.100	01.10	22.2	20.50			
Aug. 18TH-Noon.	38.188	21.18	83.8	20.70	83.9	G	4 12 "
1	38.188	21.12	83.3	2 0.56	83.8	C	5 19 "
2	37.434	21.19	81.4	20.50	82.5	c	6 19 "
3	36.748	21.28	80.5	20.59	81.7	c	7 19 ′
4	36.473	21.44	80.4	20.77	81.2	C	• ,,
5	36.542	21.45	80.5	20.85		1	8 12 ,,
6	36.542	21.45			81.2	В	9 12 ,,
- 1			80.5	20.88	81.2	В	10 12 ,,
7	36.816	21.58	80.6	20.95	81.3	. В	11 12 ,,
8	36.816	21.65	80.8	20.95	81.3	В	Midnight.
9	36.885	21.60	80.8	21.00	81.1	G	1 12 a. m.
10	37.159	21.40	80.5	21.00	80.9	G	9 19
11	37.365	21.35	80.5	21.00	80.9	G	• • • • • • • • • • • • • • • • • • • •
. 12	37.434	21.47	80.5	21.00	80.9	-	3 12 ,,
13	37.984	21.52	80.4			G	4 12 ,,
1				21.02	80.9	C	5 12 ,,
14	39.83 5	21.55	80.2	21.04	80.8	C	6 12 ,,
15	39.903	21.64	80.3	21.06	80.9	c	7 19
16	39.903	21.78	81.1	21.09	81.3	c	9 19
17	37.159	21.91	81.9	20.50	81.6	В	0 19 "
18	34.141	21.85	82.9	20.35	82.3	В	"
19	33.455	21.80	83.6	20.38	82.9	1	10 12 ,,
1	32.838	21.79				В	11 12 ,,
20			84.0	20.42	83.4	В	Noon.
21	33.249	21.56	84.3	20.48	84.0	G	1 12 p. m.
22	34.347	21.62	84.4	20.50	84.1	G	2 12',,
23	36.130	21.42	84.8	20.58	84.7	G	3 12 ",
Aug. 19TH-Noon.	36.679	21.55	947	90.60	040		
100. 13111-110011.	36.542	21.76	84.7	20.60	84.8	G	4 12 ,,
1			83.9	20.56	84.8	C	5 12 ,,
2	35.993	21.76	83.2	20.51	84.3	C	6 12 ,,
3	34.896	21.64	82.4	20.52	83.9	C	7 10 "
4	35.513	21.31	82.2	20.74	83.3	c	Q 19 ´´
5	35. 993	21.40	82.2	20.75	82.9	В	0.10
6	36.288	21.25	82.0	20.70	82.9		10 10
7	36.611	20.95	82.0			В	10 12 ,,
8	37.297	20.72	82.0	20.75	82.7	В	11 12 ,,
ı				20.72	82.6	В	Midnight.
9	37.640	20.90	81.8	20.70	82.3	G	1 12 a.m.
10	36.748	21.18	81.5	20.75	82.0	G	2 12 ,,
11	37.022	21.12	81.3	20.80	82.0	G	2 19 ~
12	37.708	21.10	81.2	20.84	82.0	G	4 10 °
13	37.983	21.25	81.0	20.88	81.9	I	r 10 ''
14	40.452	21.24	80.9			C	5 12 ,,
		21.21		20.99	81.7	C	6 12 ,,
15	41.070		81.2	21.05	81.8	c	7 12 ,,
16	41.001	21.24	81.9	21-17	82.1	c	8 12 ,,
17	39.286	21.25	82.3	20.50	82.0	В	9 12 ",
18	36.748	21.43	82.6	20.10	82.4	В	10 19
19	35.101	21.49	83.6	20.05	83.1		11 10
20	34.141	21.47	84.0	19.95		В	Noon
21	34.827	20.95			83.5	В	Noon.
			84.7	20.00	84.0	G	1 12 p. m.
22 23	35.582	20.65	84.7	20.30	84.0	G	2 12 ,,
	36.816	21.00	84.5	20.40	84.5	G I	3 12 ,

	DAILY	OBSERVATION OF THE OBSERVATION O	ONS, FROM	21st to 23rd	AUGUST 186	64.	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizonal Force Magneto- meter. Beale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Porce Magneto- ineter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Орвегуега.	DATE. Bombay Civil Time. 1864.
1864.							h. m.
Aug. 21st-Noon.	37:091	20.71	85:0	19.70	85.5	В	4 12 p. m.
1	37.434	20.73	83.8	19.75	84.7	В	5 l2 ['] ,,
2	37.640	20.75	83.2	19.84	84.4	c	6 12 ,,
3	36.954	21.05	82.4	19.84	83.8	c	7 12 ,,
4	36.679	21.15	82.3	19.89	83.4	C	8 12 ,,
5	36.885	21.20	82.3	19.95	83.1	В	9 12 ,,
6	36.679	21.15	82.1	20.05	83.0	В	10 12 ,,
7	36.679	21.21 21.29	82.1	20.10 20.10	83.0 82.8	В	11 12 ,, Midminus
8 9	36.885 37.1 <i>5</i> 9	21.24	82.0 82.0	20.10	82.6	В	Midnight. 1 12 a.m.
10	37.159 36.954	21.25	81.9	20.12	82.5	G	0.10
11	36.88 <i>5</i>	21.29	81.8	20.20	82.4	G	2 10 "
12	36.679	21.35	81.7	20.20	82.3	G	4 19 ´
13	37.159	21.41	81.4	20.10	82.3	C	5 12 ,,
14	38.737	21.39	81.2	20.17	82.1	C	6 12 ",
15	40.178	21.47	81.4	20.32	82.2	C	7 12 ,,
16	39.423	21.69	81.9	20.18	82.3	C	8 12 ,,
17	36.199	21.75	83.0	19.85	82.6	В	9 12 ",
18	34.141	21.60	83.5	19.78	83.1	В	10 12 ,,
19	33.249	21.59	84.0	19.78	83.5	В	11 12 ,,
20	33.542	21.45	84.5	19.80	84.1	В	Noon.
21	35.101	21.15	84.8	19.86	84.5	G	1 12 p. m.
22	36.062	20.71	85.0	19.85	85.0	G	2 12 ,,
. 23	36.679	20.44	85.2	19.90	85.4	G	3 12 ,,
Aug. 22nd-Noon.	37.777	20.75	84.9	19.94	85.7	G	4 12 ,,
1	37.708	20.67	84.6	20.00	85.7.	C	5 12 ,,
2	37.708	20.56	84.0	19.98	85.5	C	6 12 ",
3	37.159	20.67	83.5	19.99	85.2	C	7 12 ,,
4	36.885	20.74	83.1	19.97	84.9	C	8 12 ,,
5	36.405	21.02	82.9	19.90	84.5	В	9 12 ,,
6	36.748	21.00	· 82.6	20.00	84.3	В	10 12 "
7	36.405	21.10	82.4	20.00	84.0	В	11 12 ,,
8	36.473	21.05	82.0	20.00	83.5	В	Midnight.
9	35.993	21.20	82.0	20.00	83.1	G	l 12 a. m.
10	36.473	21.42	82.0	20.00	83.0	G	2 12 ,,
11	36.885	21.29	81.9	20.08	82.9	G	3 12 ,,
12 13	36.954 37.708	21.31 21.28	81.9 81.7	20.00 20.05	82.8 82.7	G	4 12 ,, 5 12 ,,
13	38.737	21.32	81.4	20.09	82.5	C	<i>e</i> 10
15	39.766	21.32	81.3	20.12	82.3	C	7 19
16	39.217	21.48	81.8	20.10	82.5	C	0 10
17	37.571	21.40	82.5	19.90	82.5	C B	9 12 ,,
18	36.288	21.35	83.2	19.90	82.9	В	10 12 ,,
19	35.650	21.10	83.4	19.70	83.2	B	11 12 ,,
20	34.827	21.25	83.5	19.60	83.5	B	Noon.
21	34.141	21.25	83.9	19.60	84.0	G	l 12 p. m.
22	34.827	21.17	84.3	19.65	84.7	G	2 12 ,,
23	35.650	21.23	84.6	19.70	85.2	G	3 12 ",
Aug. 23rd-Noon.	36.405	21.28	84.7	19.65	85.6	G	4 12 ,,
1	36.816	21.11	84.7	19.80	85.9	o	5 12 ,,
2	36.679	21.08	83.9	19.76	85.3	C	6 12 ,,
3	36.405	21.08	83.3	19.73	84.9	C	7 12 ,,
4	36.405	21.04	83.0	19.75	84.4	C	8 12 ,,
5	36.542	20.95	82.7	19.80	83.8	v	9 12 "
. 6	36.542	21.05	82.5	19.80	83.5	v	10 12 ,,
7	36.611	21.10	82.4	19.70	83.5	V	11 12 ,,
8	36.679	21.15	82.2	19.60	83.5	v	Midnight.
. 9	36.679	21.25	82.1	19.72	83.0	G	1 12 a. m.
10	37.022	21.35	82.0	19.70	82.9	G	2 12 ,,
11	37.1 <i>5</i> 9	21.38	82.0	19.72	82.9	l G	3 12 ,,

	DAILY	OBSERVATIO	ONS, FROM	23RD TO 25TH	AUGUST 186	4.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Unorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne - tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h,	001001	01.40	0190	10.79	82*8		h. m. 4 12 a. m.
Aug. 23RD—12	37:091	21.43	81.9	19. 72 19. 7 9	82.6	G	5 19
13	37.228	21.43	81.6 81.2	19.79	82.5	C C	6 19 "
15	38.73 7 39.080	21.52 21.60	81.2	19.75	82.3	C	7 19 "
16	39.423	21.60	81.9	19.75	82.5	C	8 12 ,,
17	37.571	21.80	82.4	19.70	82.5	v	9 12 ,,
18	36.679	21.82	82.8	19.74	83.0	v	10 12 ,,
19	35.444	21.92	83-6	19.56	83. 4	v	11 12 ,,
20	34141	21.90	83.8	19-60	83.7	v	Noon.
21	33.867	21.80	84.4	19.70	84.5	G	1 12 p. m.
22	34.964	21.60	84.5	19.80	84.8	G	2 12 ,,
23	36.405	21.40	84.6	19.90	85-0	G	3 12 "
Aug. 24TH-Noon.	37.365	21.15	84.5	19.80	85.5	V	4 12 ,,
1	37.434	21.20	84-0	19.75	85.5 85.1	C	5 12 ,,
2	36.885	21.23	83.4	1970	85.1 84.3	C	6 12 ,,
3	36.199	21.31	83.0	19.75 19.7 7	84.3 84.1	C	7 12 ,, 8 12
4	36-199 36-100	21.38	82.6 82.5	19.77	83.9	C V	0.12
5	36.199	21.65 21.45	82.3	19.80	83.5	v	10 19 "
7	36·473 36.542	21.45	82.3	19.80	83.0	v	11 12 ,,
8	36.748	21.35	82.0	19.80	83.0	v	Midnight.
9	36.679	21.55	82.0	19-80	83.0	G	1 12 a.m.
10	36.679	21.51	81.8	19.82	82.9	G	2 12 ,,
11	36.405	21.70	81.7	19-82	82.5	G	3 12 ,,
12	36.885	21.79	81.5	19.75	82.2	G	4 12 ,,
13	36.288	21.45	81.2	19.79	82.1	C	5 12 ,,
14	38.120	21.55	81.0	19.85	82.0 82.0	C	6 12 ,,
15	38.120	21.29	81.1 81.9	19.87 19.8 7	82.0 82.3	C	7 12 ,, 8 12 ,,
16	38.188	21.28	82.5	19.20	82.7	v	0.19 "
17 18	36.542 35.513	21.00 21.05	83.2	19.00	83.2	v	10 19 "
19	34.690	21.35	83.8	18.90	83.8	v	11 12 ,,
20	34.030	20.90	84.2	18.80	84.2	v	Noon."
21	34.141	20.95	84.7	18-85	84.5	G	1 12 p. m.
22	35.239	20.39	84.7	18.80	84.9	G	2 12 ,,
23	35.925	20.35	84.9	18.76	85.4	G	3 12 "
Aug. 25th-Noon.	37.091	20.55	84.8	18.70	85.6	G	4 12 ,,
1	38.600	20.39	84.8	18.75	85.9	C	5 12 ,,
2	38.188	20.19	83.8	18.62	85.4	C	6 12 ,,
3	37.571	20.19	83.1	18.55	84.9	C	7 12 ,,
4	37.502	20.59	82-8	18.52	84.4 83.9	C	8 12 ,,
5	36.954 37.228	21.10 20.80	82.6 82.5	18-50 18.50	83.9 84.0	v v	9 12 ,, 10 12 ,,
6 7	37.228 36.885	21.15	82.3	18.50 18.40	84.0 83-3	V	10 12 ,,
8	36.816	21.20	82.2	18.40	83.0	v	Midnight.
9	36.473	21.25	82.1	18.40	83.0	G	1 12 a.m.
10	36.954	21.30	82.0	18.44	82.9	G	2 12 ,,
11	37.845	21-19	81.9	18.40	82.8	G	3 12 ,,
12	37.365	21.25	81.8	18.10	82.7	G	4 12 ,,
13	37.502	21.09	81.6	17.96	82.6	C	5 12 ,,
14	38-737	21.66	81.6	17.84	82.4	C	6 12 ,,
15	39.080	21.43	81.4	17.72	82.4	C	7 12 ,,
16	38.531	21.57	81.3	17·58	82.4	C	8 12 ,,
. 17	36.816 36.542	21.55 21.70	80.9 80.5	17.40 17.40	81.5 81.5	v v	9 12 ,, 10 12 ,,
18 19	<i>3</i> 0. <i>5</i> 42 35.856	21.45	80.8	17.40	81.3	v	11 10
20	35.513	21.70	80.4	17.20	81.0	v	Noon.
21	34.827	21.85	80.4	17.20	81.0	G	1 12 p. m.
22	35.787	21.55	80.3	17.40	81.0	G	2 12 ,,
	37.022	21.20	79.8	17.29	80 <i>.</i> 5	G	3 12 ,

	DAILY	OBSERVATIO	ONS, FROM	26тн то 29тн	AUGUST 18	6 4.	
DATE. Göttingen Mean Time. 1864.	Bastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
Aug. 26TH-Noon.	37:502	21.05	79*0	17.10	80•3	G	4 12 p. m.
1	37.708	21.06	79.0	17.08	80.2	c	5 12,
. 2	37.571	21.06	79.0	17.00	80.1	c	6 12 ,
3	37.571	21.12	79.0	17.00	80.1	c	7 12 "
4	37.022	21.26	79.1	17.00	80.1	c	8 12 ,,
5	37.571	21.33	79.4	17.00	80.0	v	9 12 ,,
6	36.542	21.55	79.6	17.00	80.2	v	· 10 12 ,,
7	36.542	21.55	79.8	17.00	80.0	v	11 12
8	36.199	21.65	79.9	17.10	80.5	v	Midnight.
9	35.856	22.01	79.9	17.00	80.4	G	1 12 a. m.
10	36.199	21.79	79.8	17.00	80.0	G	2 12 ,,
11	36.679	21.65	79.8	17.10	80.0	G	3 12 ,,
12	36.611	21.55	79.8	17.10	80.0	G	4 12 ,,
13	37.159	21.59	7 9.5	17.07	80.0	c	5 12 ,,
14	38.326	21.69	79.2	17.09	80.0	c	6 12 ,,
15	38.669	21.75	79.3	17.12	80.1	C	7 12 ,,
16	38.326	21.90	79.4	17.01	80.3	c	8 12 ,,
17	36.542	22.10	80.0	17.00	80.2	v	9 12 ,,
18	35.650	22.00	80.4	17.00	80-6	v	10 lż "
19	34.827	22.00	80.5	17.00	80.8	v	11 10 "
20	34.484	21.50	80.8	17.00	81.3	v	Noon.
21	34.553	21.45	81.0	17.00	81.5	G	1 12 p. m.
22	35. 856	21.33	80.8	17.14	81.2	G	2 12
23	37.571	20.74	80.0	17.22	80.7	G	3 12 ,,
Aug. 27th-Noon.	38.669	20.70	79.3	17.20	80.2	G	4 12
1	38.669	20.99	78.4	17.19	79.9	c	5 10 °
2	38.120	21.20	78.2	17.19	79.3	c	6 10
3	36.473	21.58	78.2 78.3	17.19	79.3 79.3	c	7 19
4	36.542	21.33	78.5	17.19	79.5 79.5	- 1	0 10 "
5	36.199	21.95	78.8	17.30	79.8	C	0.19
6	36.228	21.60	79.0	17.30	79.8 79.8		10 19
7	36.199	21.85	79.0	17.35	79.8 79.9	v	10 12 ,,
8	36.228	21.75	79.1	17.40	79.9 79.9	v	Midnight.
9	36.336	21.70			79.9 79.9	v	niungit.
10	36.288	21.84	79.2	17.40	79.9 79.8	G	1 12 a. m. 2 12 "
11	36.611	21.73	79.2	17.40		G	9 10
12	37.228		79.2	17:40	79.8	G	4 10
13	37.228 37.502	21.65 21.56	79.2	17.42	79.7	G	4 12 ,,
14	37.502 39.012		79.2	17.40	79.6	C	5 12 "
14	39.629	21.59 21.61	79.2	17.41	79.5	C	6 12 ,, 7 12 ,,
16	39.029 38.394	21.61	79.3	17.41 17.41	79.8	C	0.10
17	36.748	21.72	79.7		80.1	C	8 12 ,,
18	34.690	21.90 21.90	80.5	17.30	80.2	v	9 12 ,,
			81.0	17.30	80.8	v	10 12 ,,
19	33-249	21.85	82.0	17.20	81.5	v	11 12 ,,
20	33.181	21.80	82.5	17.30	82.0	v	Noon,
21	34.347	21.60	82.8	17.35	82.7	G	1 12 p. m.
22	35.101	21.50	83.0	17.40	83.0	G	2 12 ,,
23	36.816	21.30	83.2	17:40	83.2	G	3 12 "
Aug. 29TH-Noon.	37.434	21.45	80.8	17.46	81.6	c	4 12 "
1	37.091	21.54	80.4	17.48	81.4	c	5 12 ,,
2	36.405	21.58	80.3	17.49	81.2	C	6 12 ,,
3	36.130	21.39	80.3	17.50	81.2	C	7 12 ,,
4	35.925	21.35	80.3	17.50	81.1	C	8 12 "
5	36.199	21.50	80.4	17.50	81.1	v	9 12 ,,
6	36.130	21.65	80.3	17.50	81.0	v	10 12 ,,
7	36.336	21.65	80.3	17.50	81.0	v	11 12
8	36.542	21.65	80.1	17.50	81.0	v	Midnight.
9	36.542	21.65	80.0	17.54	80.8	G	1 12 a. m.
10	36.748	21.75	79.4	17.54	80-5	G	2 12 ,,
11	36.885	21.72	79.2	17.50	80.0	G	3 12 ",

DAILY OBSERVATIONS, FROM 29th to 31st AUGUST 1864.											
DATE. Göttingen	Rastern	Horizontal Force Mugneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay				
- 1	Declination.		Force Mague-		Force Magne-	ģ	Civil Time.				
Mean Time. 1864.	2 001	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Ö	1864.				
h.		01.00			0000		h. m.				
Aug. 29TH—12	36′954	21.76	79:2	17.50	80.0	G	4 12 a. m.				
13	37.022	21.76	79.2	17.50	80.0	C	5 l2 "				
14	38.806	21.85	79-1	17.50	80-0	C	6 12 ,,				
15	39.423	21.95	79.1	17.50	80-0	c	7 12 ,,				
16	39.560	22.19	79.2	17.50	80.0	c	8 12 ,,				
17	36.199	22.40	79.5	17.40	80.0	v	0.10				
18	34.827	22.60	80.0	17.41	80.3	v	10 10 "				
	33.592	22.60		1			11 10 "				
19			81.0	17.43	81.0	v					
20	33.798	22.25	80.5	17.42	80-5	v	Noon.				
21	34.827	22.00	79.2	17.47	79.7	G	1 12 p. m.				
22	36.542	21.90	78.8	17.49	79.5	G	2 12 ,,				
23	37.640	21.75	78.8	17-50	79.2	G	3 12 ,,				
UG. 30TH-Noon.	27.014	91.06	5 0.1	15.40	60.0	_	4 10				
rog. ooth-Hoon.	37.914	21.95	78.1	17.40	79.0	G	4 12 ,,				
, 1	38.600	21.75	77.9	17.48	79.0	C	5 12 ,,				
2	37.640	21.65	78.0	17.49	79.0	c	6 12 ,,				
3	36.816	21.57	78.2	17.50	79.1	c	7 12 ,,				
4	36.473	21.62	78.9	17.50	79.5	c	0 10 "				
5	36.199	21.70	79.2	17.50	79.5	v	0.19				
6	36.130	21.70	79.2 78.9	17.50 17.50	79.5 79.5		10.19 "				
7		21.70				v					
- 1	36.199	1	78.9	17.50	79.2	v	11 12 ,,				
8	36.405	21.60	78.8	17.50	7 9 <i>5</i>	v	Midnight.				
9	36.336	21.95	78.9	17.54	79-3	G	1 12 a. m.				
10	37.159	21.35	78.9	17.50	79.3	G	2 12 ,,				
11	37.297	21.55	78.9	17.50	79.3	G	2 10 "				
12	36.679	21.72	78.9	17.52	79.3		4 10 °				
13	37.091	21.69			79.6	G					
1			79.0	17.57		C	5 12 ,,				
14	38.737	21.75	79-0	17.59	79.6	C	6 12 ,,				
15	39.012	21.88	79.3	17.60	80.1	C	7 12 ,,				
16	38.051	21.91	79.8	17.60	80.3	c	8 12 ,,				
17	35 .513	22.40	80.3	17.50	80.5	v	0.10				
18	34.278	21.95	80.8	17.50	80.8	v	10.10				
19	32.769	21.40	81.7		81.2		- //				
- 1				17.50		V	11 12 ,,				
20	31.877	21.70	82.2	17.55	81.9	v	Noon.				
21	32.838	21.00	82.4	17.62	82.4	G	1 12 p.m.				
22	34.621	20.15	82.6	17.64	82.7	G	2 12 ,,				
23	36.199	20.00	82.7	17.70	83.0	G	3 12 ,,				
21 21 21	0.5.500	00.00	22.0		00.4						
lug. 31st-Noon.	35.582	20.09	82 .8	17.62	83.4	G	4 12 ,,				
1	36.062	20.69	82.3	17.54	82.8	c	5 12 ,,				
2	36.885	20.70	82.0	17.60	82.7	C	6 10 °				
3	37.297	20.08	81.6	17.60	82.6	C	7 10				
4	37.091	19.92	81.3	17.58	82.4	c	0 10				
5	37.022	20.25	81.1		82.0		0.10				
. 6				17.60		v	9 12 ,,				
	36.228	20.50	81.0	17.60	82.0	V	10 12 ,,				
7	36.473	20.70	80.9	17.60	82.0	v	11 12				
8	36.611	20.90	80.8	17.70	82.0	v	Midnight.				
9	36.611	20.94	80.7	17.72	81.8	G	1 12 a. m.				
10	37.091	20.67	80.6	17.70	81.7	G	0 10				
11	36.611	21.05	80.5	17.64	81.4	1	2 10 "				
12	37.1 <i>5</i> 9	21.05	80.3		81.0	G					
				17.60		G	4 12 ,,				
13	37.571	21.11	80.1	17.57	81.0	C	5 12 ,,				
14	39.766	21.16	79.8	17.55	80.9	C	6 12 ,,				
15	40.521	21.08	80.0	17.53	81.0	c	7 12 ,,				
16	39.698	21.29	80.3	17.53	81.1	c	0 19				
17	37.571	21.55	80.2	17.40	80.5		0.10 "				
18	35.513	21.55			80.9	v					
			80.9	17.40		v	10 12 ,,				
19	33.798	21.40	81.6	17.45	81.2	v	11 12 ,,				
20	32.769	21.05	82.5	17.50	82.0	v	Noon.				
. 21	33.455	20.65	82.7	17.50	82.5	G	1 12 p. m.				
22	35.101	20.61	81.6	17.55	82.1	G	0 10				
23	36.288	20.75	82.2	17.44	82.5	G	3 12 ,,				

DAILY OBSERVATIONS, FROM 1st to 4th SEPTEMBER 1864.										
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.			
h.							h. m.			
SEPT. 1st-Noon.	37:228	20.64	82:7	17.50	83*2	G	4 12 p. m.			
1	39.286	20.39	82.6	17.50	83.5	G	5 12,			
2	37.914	20.35	82.1	17.50	83.3	G	6 12 ,,			
3	36.816	20.65	81.2	17.50	82.4	G	7 12 ,,			
4	37.022	20.90	80.5	17.50	81.7	G	8 12 ,,			
5	36.288	21.09	80.2	17.50	81.7	C	9 12 ,,			
6	36.542	20.90	80.1	17.48	81.5	c	10 12 ,,			
7	36.885	21.10	80.0	17.45	81.2	C	11 12			
8	36.542	21.34	80.0	17.45	81.0	C	Midnight.			
9	36.748	21.30	80.0	17.50	81.0	v	1 12 a.m.			
10	36.748 36.679	21.30	80.0	17.50	81.0	1	0 10			
1		21.35	79-8	17.70		V	2 19 "			
11	36.954	1	I .	1	80.9	v	A 19 "			
12	37.023	21.40	80.0	17.70	81.0	v	£ 10 "			
13	37.571	21.45	79.8	17.72	80.8	G				
14	38.806	21.45	79.8	17.78	80.5	G	6 12 ,,			
15	39.766	21.15	97.9	17.80	80.3	G	7 12 ,,			
16	39.972	21.05	80.0	17.72	80.1	G	8 12 ,,			
17	37.708	21.08	79.9	17.70	80.1	c	9 12 ,,			
18	35-513	21.22	79.6	17.61	80-1	C	10 12 ,,			
19	33.249	21.47	80.0	17.54	80-3	c	11 12 ",			
20	33.112	21.71	80.1	17-50	80-5	c	Noon."			
21	33.935	21.50	80.5	17.70	80.5	v	1 12 p. m.			
	34.827	21.45	80.3	17.70	81.0		0.10			
22		21.30	80.0	17.70	80.0	V	2 10 "			
23	35.993	21.50	80.0	17.70	80.0	v	3 12 ,,			
SEPT. 2ND-Noon.	37.295	21.30	79.8	17-80	80.0	v	4 12 ,,			
1	35.513	21.24	79.8	17.70	80.0	G	5 12 ,,			
2	36.542	21.35	79.7	17.70	80.0	G	6 12 ,,			
3	36.816	21.22	79.7	17.70	80.0	G	7 12 ,,			
4	36.885	21.55	79.0	17.72	79.5	G	8 12 ,,			
5	36.611	21.47	79.0	17.74	79.5	c	9 12 ,,			
6	36.611	21.55	78.6	17.68	79.4	c	10 19 "			
7	36.130	21.69	78.7	17.67	79.4	c	11 19 "			
· 1	36.062		78.5	17.67	79.3	1	Midnight.			
8		21.69				C				
9	35.993	21.80	78.6	17.70	79.0	v	1 12 a. m.			
10	36.336	21.70	79.0	17.70	79.2	v	2 12 ,,			
11	36.885	21.65	79.1	17.70	79.3	v	3 12 ,,			
12	37.091	21.70	79.1	17.70	79.5	V	4 12 ,,			
13	37-365	21.71	79.1	17.78	79.8	G	5 12 ,,			
14	38.943	21.71	79.1	17.80	79.8	G	6 12 ,,			
15	40.452	21.70	79.2	17.84	79.8	G	7 12 ,,			
16	40.178	21.63	80.2	17.80	80.0	G	8 12 ,,			
17	38.669	21.69	81.2	17.57	81.0	c	9 12 ",			
18	36.542	21.76	81.0	17.50	80.8	c	10 12 ,,			
19	34.690	21.94	81.7	17.47	81.7	C	11 10 "			
20	34.004	21.89	82.2	17.47	82.2	c	Noon.			
	34.484	21.89	82.5	17.60	82.2	v	1 12 p. m.			
21			82.7	17.50	82.5		กาก			
22	36.199 37.229	21.75	82.8	17.70	82.8	v	2 12 ,, 3 12 ,,			
23	37.228	21.50	02.0	17.70	02.0	v	3 12 ,,			
Берт. 4тн-Noon.	36.885	21-11	84.4	17.80	85.0	G	4 12 ,,			
1	37.22 8	21.04	84.0	17.72	85.1	G	5 12 ,,			
2	36.679	20.94	83.6	17.72	84.8	G	6 12 ,,			
3	36.288	20.85	83.2	17.80	84.1	G	# 10			
4	37.0 2 2	20.70	82.8	17.74	83.7		0 10			
5			82.3	17.70	83.3	G	0.10			
6	3 6.679	20.79				C	9 12 ,,			
	36.611	20.82	82.1	17.74	83.2	C	10 12 "			
7	36.405	21.10	81.9	17.75	83.0	C	11 12 ,,			
8	36.679	21.29	81.7	17.87	82.8	C	Midnight.			
9	36.885	21.30	81.8	17.87	82.5	v	1 12 a.m.			
10	37.297	21.30	81.8	17.80	82.5	v	2 12 ,,			
11	37.434	21.25	81.6	17.85	82.7	v	3 12 ,,			

,	DAILY	OBSERVATIO	NS, FROM 4	ти то 6ти SE	PTEMBER 18	364.	
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time.
1864.		Uncorrected.		Uncorrected.		0	1864.
h.	05/3/5	01.20	0105	17.05	0000		h. m.
Sврт. 4тн—12	37/845	21.30	81:5	17.85	82.5	v	4 12 a. m.
13	37.845	21.45	81.4	17.88	82.3	G	5 12 ,,
14	39.012	21.45	81.0	17.90	82.0	G	6 12 ,,
15	39.629	21.35	81.4	17.86	81.8	G	7 12 ,,
16	38.120	21.55	81.8	17.78	82.0	G	8 12 ,,
17	35.719	21.75	82.8	17.86	82.5	C	9 12 ,,
18	34.278	21.75	83.1	17.70	82.7	C	10 12 ,,
19	33.798	21.75	83.8	17.70	83. 4	C	11 12 "
20	34.004	21.62	84.4	17.64	84.1	C	Noon.
21	34.891	21.40	84.8	17.80	84.2	v	1 12 p. m.
22	35.787	21.40	85.0	17.80	85.0	v	2 12,
23	36.473	21.35	85.1	17-80	85.5	v	3 12 ,,
SEPT. 5TH-Noon.	37.022	21.25	85.0	17.80	86.0	v	4 12 ,,
1	37.228	21.31	84.8	17.72	85.8	G	5 12 ,,
2	36.885	21.25	84.0	17.75	85.1	G	6 12 ,,
3	36.473	21.20	83.5	17.70	84.6	G	7 12 ",
4	36.473	21.15	83.0	17.70	84.1	G	8 12 ,,
5	36.611	21.19	83.0	17-68	84.1	С	9 12 ,,
6	36.748	21.19	82.9	17.64	84.0	C	10 12 ",
7	36.954	21.17	82.7	17.70	83.8	С	11 12 ,,
8	37.091	21.18	82.5	17.72	83.5	С	Midnight.
9	37.502	21.25	82-2	17.70	83.0	v	l 12 a. m.
10	37.297	21.55	81.9	17.75	82.8	v	0.10
ii	37.571	21.45	81.9	17.80	82.5	v	2 19 "
12	38-120	21.40	81.6	17.80	82.3	v	4 10 "
i3	38.257	21.49	81.7	17.72	82.5	G	£ 10 "
14	39.149	21.45	81.7	17.70	82.4	G	£ 19 "
15	39.629	21.40	81.7	17.70	82.1	G	7 19 "
16	39.217	21.68	82.2	17.66	82.4	G	0 10 "
17	37.845	21.84	83.0	17.60	83.0	C	0.19
18	36.542	22.18	83.6	17.60	83.5	C	10 19 "
19	35.444	22.21	84.0	17.53	84.0	C	11 12
20	33.661	22.17	84.3	17.50	84.3	-	Noon.
		21.95	84.5	17.70	84.5	C	
21	34.004			17.70		v	1 12 p. m.
22 23	35.033 37.091	21.50 21.00	84.7 84.7	17.70	84.9 85.0	v v	2 12 ,, 3 12 ,,
							,
SEPT. 6TH-NOON.	38.326	21.10	84.2	17.70	84-9	v	4 12 ,,
1	38.669	21.15	83.9	17.65	84.9	G	5 12 ,,
2	37.914	20-85	83.3	17.60	84.2	G	6 12 ,,
3	37.983	20.90	83-0	17.60	84.0	G	7 12 ,,
4	37.159	20.87	82.8	17.60	83.5	G	8 12 ,,
5	37.297	20.90	82.5	17.62	83.4	C	9 12 ,,
6	37.365	21.11	82.3	17.63	83.3	C	10 12 ,,
7	37.091	21.48	82.2	17.65	83.2	C	11 12 ,,
8	37.365	21.26	82.1	17.61	83.1	C	Midnight.
. 9	37.365	21.30	82.0	17.70	82.8	v	1 12 a. m.
10	37.57 l	21.20	81.8	17.70	82.5	v	2 12 ,,
11	37.434	21.25	81.6	17.70	82.3	v	2 10
12	37.43 4 37.914	21.45	81.0	17.70	82.0	v	4 10 "
13	38.257	21.40	81.0	17.72	82.0		4 12 ,, 5 12 ,,
	39.286	21.40	80.8	17.70	82.0 82.0	G	6 10
14		21.44	80.8	17.70	81.8	G	7 10
15	39.012	21.45		17.64	81.7	G	7 12 ,,
16	38.257		81.2			G	8 12 ,,
17	36.473	21.79	81.3	17.50	82.0	C	9 12 ,,
18	34.964	21.89	81.6	17.47	82.1	C	10 12 ,,
19	33.445	22.06	81.9	17.45	82.2	C	11,12 ,,
20	32.769	22.07	81.8	17.45	82.2	С	Noon.
21	33.386	22.00	81.9	17.60	81.8	v	1 12 p. m.
22	34.415	21.90	81.5	17.65	81.5	v	2 12 ,,
23	35.856	21.70	81.5	17.70	82.0	v	3 12 ,,

	DAILY (DBSERVATION	IS, FROM 77	гн то 9тн SEI	TEMBER 18	64.	
DATE. Göttingen Mean Time. 1804.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
SEPT. 7TH-Noon.	37/571	21.70	81 : 9	17.70	82°3	v	4 12 p. m.
1	37.983	21.62	82.0	17.70	82.8	G	5 12,
2	37.159	21.47	81.8	17.66	82.6	G	6 12 ",
3	36.885	21.22	81.5	17.60	82.5	G	7 12 ",
4	36.885	21.20	81.2	17.58	82.3	G	8 12 ",
5	36.679	21.29	81.1	17.80	82.2	C	9 12 ,,
6	36.954	21.25	81.0	17.76	82.1	c	10 12 ,,
7	37.434	21.44	81.0	17.72	82.1	c	11 12
8	37.502	21.55	81.0	17.71	82.0	c	Midnight.
9	37.777	21.50	80.9	17.80	82.0	v	l 12 a.m.
10	37.845	21.50	80.8	17.80	81.5	v	2 12 ,,
11	37.845	21.55	80.6	17.80	81.5	v	3 12 ,,
12	37.640	21.80	80.5	17.80	81.2	v	4 12 ,,
13	37.777	21.65	80.5	17.80	81.4	G	5 12 ,,
14	39.012	21.65	80.5	17.80	81.4	G	6 12 ,,
15	40.315	21.35	80.8	17.82	81.3	G	7 12 ,,
16	39.492	21.34	81.3	17.82	81.5	G	8 12 ,,
17	38.188	21.65	82.2	17.70	82.0	C	9 12 ,,
18	36.679	21.49	83.0	17.66	82.8	C	10 12 ,,
19	35.239	21.43	83.8	17.61	83.6	C	11 12 ,,
20	34.247	21.29	84.1	17.65	83.9	C	Noon.
21	33.935	21.39	84.5	17.70	84.2	v	1 12 p. m.
22	34.896	21.35	84.9	17.70	85.0	v	2 12',,
23	36.199	21.32	84.8	17.75	85.2	v	3 12 ,,
Sept. 8th-Noon.	37.022	21.32	83.9	17.80	84.8	v	4 12 ,,
1	36.611	21.35	83.9	17.70	84.9	G	5 12 ,,
2	37.228	21.18	83.2	17.70	84.5	G	6 19 "
3	36.885	21.05	82.9	17.70	84.0	G	7 19 "
4	36.885	21.15	82.5	17.72	83.6	G	8 19 "
5	37.159	20.95	82.2	17.70	83.3	_	9 12
6	36.954	21.08	82.1	17.75	83.2	C	10 19 "
7	37.297	21.15	82.1	17.86	83.1	C	11 19 "
8	37.434	21.25	82.0	17.89	83.1	C	Midnight.
ğ	37.502	21.27	81.8	17.80	82.8	C	1 12 a. m.
10	37.365	21.65	81.6	17.75	82.5	v	2 12 ,,
ii	37.845	21.50	81.5	17.60	82.C	v	0 10
12	37.502	21.55	81.4	17.50	82.0	v v	4 10 "
13	37.708	21.60	81.4	17.46	81.9		f 10 "
14	38.669	21.50	81.3	17.40	82.0	G	C 10
15	39.149	21.59	81.6	17.30	82.2	G	C 10
16	38.806	21.64	82.5	17.24	82.5	G	0.10
17	37.365	21.73	83.4	17.20	83.3	C	9 12 ,,
18	35.376	21.71	84.1	17.12	84.0	C	10 10 "
19	34.484	21.65	84.9	17.08	84.5		10 12 ,,
20	33.798	21.63	85.1	17.03	85.I	C	Noon.
21	34.484	21.55	85.3	16.90	85.2	C	1 12 p.m.
22	35.444	21.45	85.5	16.80	85.8	v v	2 12 ,,
23	36.954	21.35	85.4	16-80	85.9	v	3 12 ,,
S 0 NT	25 640	21.30	85.2	16.00	00.0		
Sерт. 9тн-Noon.	37.640 37.640	21.30 21.23	85.2 84.9	16.90	86.0	v	4 12 ,,
1	37.640			16.86	86.1	G	5 12 ,,
2	37.091	21.25	84.0	16.94	85.6	G	6 12 ,,
3	36.816	21.20	83.7	17.00	85.1	G	7 12 ,,
4	36.885	21.30	83.4	17.00	84.5	G	8 12 ,,
5	37.159	21.24	83.1	17.00	84.4	C	9 12 ,,
6	37.159	21.21	83.0	17.00	84.2	C	10 12 ,,
7	37.365	21.39	82.8	17.00	84.1	C	11 12 ,,
8	37-571	21.33	82.6	17.00	84.0	C	Midnight.
. 9	37.708	21.35	82.4	16.95	83.7	v	1 12 a. m.
10	37.640	21.40	82.3	16.95	83.3	v	2 12 ,,
11	37.365	21.50	82.2	16.95	83.0	v	3 12 ,,

	'DAILY (OBSERVATION	NS, FROM 9	гн то 12тн SI	EPTEMBER	1864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.	25/5/0	01.50	0.100	15.00	งถ•ง		h. m.
SEPT. 9TH-12	37/640	21.50	81:7	17.00	82.8	v	4 12 a.m.
13	37.914	21.59	81.8	17.00	82.7	G	5 12 ,,
14	38.600	21.61	81.8	17.00	82.5	G	6 12 ,,
15	39.698	21.49	82.0	17.00	82.5	G	7 12 ,,
16	40.246	21.70	82.3	17.06	82.7	G	8 12 ,,
17	38.806	21.83	82.4	17.04	82.8	С	9 12 ,,
18	36.885	21.99	83.5	17.00	83.4	c	10 12 ,,
19	34.415	22.15	84.2	16.97	84.0	С	11 12 .,
20	33.043	22.13	84.7	16.94	84.7	С	Noon.
21	33.798	21.90	85.0	17.00	85-0	v	1 12 p. m.
22	35.239	21.65	85.2	17.00	85-3	v	2 12 ,,
23	36.816	21.45	85.3	17-00	85.8	v	3 12 ,,
SEPT. llTH-Noon.	37.571	21.40	85.8	17.80	86.8	v	4 12 ,,
1	37.297	21.40	85.0	17.80	86.2	v	5 12 ,,
2	36.679	21.45	84.2	17.94	85.8	G	6 12 ",
3	36.542	21.45	84.0	18.00	85.1	G	7 12 ",
4	36.816	21.41	83.6	18.00	84.8	G	8 12 ,,
5	36.748	21.42	83.2	18.00	84.5	C	9 12 ,,
6	37.228	21.40	82.9	17.96	84.2	C	10 12 ,,
7	37.022	21.46	82.6	17.96	84.0	C	11 12
8	37.502	21.43	82.5	18.10	84.0	C	Midnight.
9	37.434	21.50	82.3	18.10	83.0	v	1 12 a. m.
10	37.777	21.45	82.1	18.30	83.0	v	9 19
11	37.434	21.55	82.0	18.40	82.8	v	2 10 "
12	37.983	21.60	81.9	18.50	82.7	v	4 19 °
13	37.777	21.59	81.8	18.56	82.6	G	5 19
14	38.737	21.65	81.8	18.56	82.6	G	6 10
15	39.560	21.65	82.0	18.60	82.7	G	7 19 "
16	39.286	21.82	82.6	18.52	83.0	G	9 19 "
17	37.434	21.93	83.0	18.41	83.4	C	0 19 "
18	36.130	22.09	83-7	18.34	83.8	C	10 19 "
19	34.278	22.12	84.4	18.27	84.4	C	11 19 "
i i	33.386	22.14	85.0	18.24	85.0		l " "
20 21	34.141	21.80	84.0	18.30	84.2	C	Noon. 1 12 p. m.
21 22	35.444	21.50	84.3	18.40	84.3	v	2 12 ,,
23	37.228	20.90	83-8	18-40	84.2	v	3 12 ,,
SEPT. 12TH-Noon	38.257	20.90	83.5	18.40	84.0	v	4 12 ,,
1	37.914	20.97	83.5	18.40	84.4	G	£ 19
$\begin{array}{c c} \cdot & \cdot \\ 2 & \end{array}$	36.748	21.15	83.0	18.36	83.8	G	6 10
3	36.885	21.05	83.0	18.30	83.5	G	7 12 ,,
4	36.954	21.15	82.8	18.25	83.4	C	8 12 ,,
5	37.091	21.23	82.2	18.25	83.3	C	9 12 ,,
6	37.365	21.23	82.1	18.21	83.2	C	10 12 ,,
7	37.434	21.35	82.0	18.24	83.1	C	11 12 ,,
8	37.502	21.35	81.9	18.26	83.0	C	Midnight.
9	37.571	21.45	80.8	18.30	82.5	v	1 12 a. m.
10	37.914	21.55	80.9	18.30	82.0	v	0.10
11	37.914	21.55	80.9	18.35	81.8	v	3 12 ,,
12	37.914	21.55	80.8	18.40	81.5	v	4 12 ,,
13	38.257	21.55	80.8	18.48	81.7	G	5 12 ,,
14	39.012	21.55	80.7	18.65	81.6	G	6 12 ,,
15	39.560	21.64	81.0	18.60	81.6	G	7 12 ,,
16	39.012	21.70	81.9	18.54	82.0	G	0.10
17	39.355	21.85	82.7	13.50	83.0	C	0.10
18	36.199	21.95	83.4	18.36	83.3	C	10 10
19	35.307	21.85	84.1	18.25	83.8	C	11 10
20	34.278	21.86	83.1	18.23	83.1	C	Noon.
ا ∨نـ		21.75	83.6	18.40	83.0	1	1 10
	34.484	21.111					
21 22	34.484 35.856	21.65	84.3	i8.40	83.8	v	1 12 p. m. 2 12 "

	DAILY O	BSERVATIONS	S, FROM 131	н то 15тн SE	PTEMBER 18	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Porce Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetonneter.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
SEPT.13TH-Noon.	37/640	21.45	84:0	18.40	84°5	v	4 12 p. m.
1	36.954	21.54	83.2	18.45	84.0	G	5 12 ,,
2	36.336	21.65	82.8	18.50	83.6	G	6 12 ,,
3	36.816	21.75	82.1	18.46	83.0	G	7 12 ,,
4	36.542	21.79	82.0	18.41	82.8	G	8 12 ,,
5	36.816	21.64	81.7	18.33	82.6	C	9 12 ,,
6 7	36.679	21.70 21.69	81.3 81.2	18.34 18.39	82.3 82.2	C	10 12 ,, 11 12 ,,
8	36 .88 5 36.88 5	21.68	80.8	18.39	82.2 82.0	C C	Midnight.
9	37.571	21.75	80.9	18.40	82.0 82.0	v	1 12 a. m.
10	37.571	21.80	81.0	18.40	81.8	v	2 12 ,,
ii	37 . 571	21.70	81.1	18.40	81.8	v	3 12 ,,
12	37.434	21.85	81.0	18.40	81.2	v	4 12 ,,
13	37.708	21.85	81.0	18.48	81.0	G	5 12 ,,
14	38.943	21.88	80.9	18.50	81.0	G	6 12 ,,
15	39.972	21.85	80.9	18.44	81.0	G	7 12 ,,
16	39.629	22.00	81.0	18.40	81.2	G	8 12 ,,
17	37.502	22.19	81.8	18.36	81.8	C	9 12 ,,
18	35.78 7	22.19	82.7	18.28	82.4	C	10 12 ,,
19	34.347	22.20	83.2	18.27	82.8	C	11 12 ,,
20	33. 86 7	22.12	82.9	18.25	83.0	C	Noon.
21	34.690	22.05	82.0	18-40	82.0	V	1 12 p. m.
22	36.199	21.90	81.9	18.48	82.1	v	2 12 ,,
23	37.983	21.80	82.1	18.52	82.3	v	3 12 ,,
Sept.14th-Noon.	38.669	21.60	82.5	18.50	82.8	v	 4 12 ,,
1	37.708	21.55	82,5	18.50	83.0	G	5 12 ,,
2	36.679	21.65	82.0	18.50	82.7	G	6 12 ,,
3	36.748	21.55	81.7	18.42	82.5	G	7 12 ,,
4	37.022	21.65 21.72	81.5 81-2	18.50	82.3	G	8 12 ,,
5 6	37.022 37.297	21.67	81.2	18.49 18.48	82.1 82.1	C	9 12 ,, 10 12
7	37.297 37.571	21.63	81.0	18.54	82.0	C C	11 19 "
8	37.365	21.89	80.8	18.55	82.0	C	Midnight.
9	37.571	21.90	80-7	18.55	81.7	v	1 12 a. m.
10	37-571	21.95	80.6	18.55	81.4	v	2 12 ,,
11	37.571	21.95	80.8	18.50	81.2	v	3 12 ,,
12	37.777	21.90	81.0	18.55	81.1	v	4 12 ,,
13	38.051	21.91	81.0	18.60	81.0	G	5 12 ,,
14	38.943	21.85	80.7	18.58	81.0	G	6 12 ,,
15	40-589	21.70	81.0	18.50	81.0	G	7 12 ,,,
16	39.012	21.95	81.8	18.50	81.4	G	8 12 ,,
17	35,993	22.38 22.31	82.3 83.0	18.45	81.8	C	9 12 ,,
18	33.935	22.31	83.0	18.37	82.6 82.9	C	10 12 ,,
19 20	32.975 32.973	22.23	84.3	18.40 18.42	82.9 83.8	C	11 12 ,, Noon.,,
20 21	32.973 33.798	21.95	84.9	18.42	84·1	C V	1 12 p. m.
22	35.170	21.70	85.1	18.50	84.6	v V	
23	37.228	21.50	85.0	18.45	85.0	v	3 12 ,,
SEPT.15TH-Noon.	37.640	21.30	85.0	. 18.61	85.3		4 12 ,,
2RL'12LH-MOOU	37 . 502	21.25	84.4	18.65	85.0	V G	5 19 °
2	36.679	21.35	83-5	18.51	84.2	G	4 10
3	36.611	21.25	83-0	18.41	83.7	G	
4	36.611	21.45	82.5	18.40	83.3	G	7 12 ,, 8 12 ,,
5	36.748	21.44	82.3	18.33	83.2	c	9 12 ,,
6	37.091	21.53	82.1	18.36	83.0	C	10 12 ,,
7	36.885	21.55	82.1	18.34	83.0	C	11 12 ,,
8	37.159	21.53	82.0	18.34	82.9	C	Midnight.
9	37.091	21.55	82.0	18.33	82.7	V	l 12 a. m.
10	37.159	21.65	82.0	18.38	82.5	v	2 12 ,,
11	37.365	21.70	81.6	18.37	82.2	v	3 12 ,,

	DAILY (OBSERVATION	S, FROM 15	тн то 17тн SI	EPTEMBER 1	1864.	
DATS. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Unorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
SEPT. 15TH—12	37:228	21.75	81:5	18.36	82.0	v	4 12 a. m.
13	37.502	21.75	81.4	18.36	82.0	G	5 12 ,,
14	39.149	21.70	81.6	18.35	81.6	G	6 12 ,,
15	39.355	21.70	81.6	18.34	81.4	G	7 12 ,,
16	38.394	22.00	81.6	18.26	81.4	G	8 12 ,,
17	37.159	22-13	82.6	18.17	82.0	C	9 12 ,,
18	35.30 7	22.19	83.1	18.16	82.8	C	10 12 ,,
19	33.455	22.15	84.0	18.16	83.2	C	11 12 ,,
20	32 ·9 7 5	21.86	84.8	18-16	83.8	c	Noon.
21	33.867	21.80	84.3	18.25	83.9	v	1 12 p. m.
22	34.964	21.65	84.9	18.30	84.1	v	2 12',
23	36.336	21.48	85.0	18.45	845	v	3 12 ",
SEPT. 16TH-Noon.	36.748	21.43	85.0	18.45	84.9	v	4 12 "
1	36.473	21.28	84.9	18.50	85.0	G	5 12 ",
2	36.199	21.25	84.1	18-50	85.0	G	6 12 ,,
3	35.856	21.35	83.8	18.46	84.5	G	7 12 ,,
4	36.062	21.40	83.3	18.50	84.0	G	8 12 ,,
5	35.925	21.75	82.2	18.48	83.3	C	9 12 ,,
6	36.473	22.04	82.2	18.47	83.2	С	10 12 ,,
7	37.228	21.55	82. 2	18.48	83.2	c	11 12
8	36.885	21.71	82.2	18.52	83.2	c	Midnight.
9	37. 1 <i>5</i> 9	21.75	82.0	18-55	82.8	v	1 12 a.m.
10	37.571	21.50	81.9	18.60	82.5	v	2 12 ,,
n	37.091	21.80	81.6	18-60	82.3	v	3 12 ,,
12	37.365	21.60	81.4	18.60	82.0	v	4 12 ",
13	37.502	21.75	81.4	18.70	82.0	G	5 12 ,,
14	38.326	21.75	81.0	18.72	81.7	G	6 12 ,
15	39.080	21.50	81.1	18.80	81.7	G	7 12 ,
16	38.737	21.69	81.8	18.80	81.8	G	8 12 ,,
17	37.297	21.72	82.8	18.70	82.6	c	9 12 ",
18	35.239	21.72	83.2	18-62	83.0	c	10 12 ,,
19	33.661	21.93	83.2	18.64	83.0	c	11 12 ,,
20	33-455	21.68	84.0	18.64	83.6	C	Noon."
21	35.101	20.25	84.3	18-80	83.9	v	1 12 p. m.
22	36.199	20.70	84.0	18.80	83.7	v	0.10
23	37.228	20.10	84.4	18.55	84.4	Y	3 12 ,,
EPT. 17TH-Noon.	38.943	19.65	84.8	18.40	85.0	v	4 12 "
1	38.326	19.97	83.8	18-40	84.7	G	5 12 ,,
2	38.737	19.94	82.7	18.40	84.0	G	6 12 ,,
3	37.777	19.85	82.6	18.40	83.5	G	7 12 ,,
4	37.365	20.40	82.5	18.40	83.4	G	8 12 ,, `
5	37.434	20.26	82.3	18.38	83.3	С	9 12 ,,
6	38.806	20.53	82.1	18.47	83.2	C	10 12 ,,
7	37.022	20.71	81.8	18.44	83-0	C	11 12
8	37.7 08	21.61	81.7	18.40	82.8	C	Midnight.
9	37.297	21.00	81.5	18.40	82.6	v	1 12 a.m.
10	38.463	20-95	81.1	18.40	82.2	v	2 12 ,,
11	37.571	21.10	81.0	18.40	82.0	v	3 12 ,,
12	37.983	21.10	81.5	18.40	- 82.0	v	4 12 ,,
13	37.776	21.05	81.5	18-40	82.0	G	5 12 ,,
14	38.669	21.15	81.6	18.48	82.0	G	6 12 ,,
15	39.217	20.95	81.8	18.40	82.1	G	7 12 ,,
16	38.326	20.85	82.5	18-30	82.4	G	8 12 ,,
17	36.679	21.04	83.4	18.18	83.0	С	9 12 ",
18	35.101	21.01	84.0	18.16	83.8	С	10 12 ,,
19	34.347	21.09	84.5	18.07	84.1	c	11 12 ,,
20	34.004	21.05	84.9	18.14	. 84.7	c	Noon."
21	34.827	21.05	85.0	18.00	85.0	v	1 12 p. m.
22	35.856	20.90	85.4	18.05	85.5	v	2 12 ,,
23	37.571	20.30	85.4	18.10	85.9	v	3 12 ,,

DAILY OBSERVATIONS, FROM 19TH TO 21ST SEPTEMBER 1864.										
DATS. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.			
h.							h. m.			
SEPT. 19TH-Noon.	394217	20.44	85°5	17.90	86*2	G	4 12 p. m.			
1	38.943	20.40	85.0	17.82	86.0	G	5 12,			
2	37.640	20.48	84.3	17.80	85.7	G	6 12 ,,			
3	37.283	20.43	84.0	17.80	85.5	G	7 12 ,,			
4	37.502	20.58	83.9	17.80	85.0	G	8 12 ,,			
. 5	37.228	20.74	83.4	17.84	85.0	c	9 12 ,,			
6	37. 1 <i>5</i> 9	20.80	83.2	17.94	84.9	C	10 12 ,,			
7	37.159	20.89	83.1	17.98	84.8	C	11 12			
8	37.228	20-89	83.1	17.98	84.6	c	Midnight.			
9	37.1<i>5</i>9	20.90	83.1	17.90	84.3	v	1 12 a. m.			
10	37.091	21.10	83.0	17.90	83.8	v	2 12 ,,			
11	37.022	21.10	83.0	17.85	84.0	v	3 12 ,,			
12	37.228	21.10	82.9	17.85	83.9	v	4 19 "			
13	37.434	21.10	82.7	17.90	84.0	G	£ 10 "			
14	38.588	21.10	82.7 82.7	17.90	83.7	1	6 19 "			
15	38.588 39.012	21.10		17.90	83.7 83.5	G	# 10 ″			
The state of the s			83.0			G	, ,			
16	38.874	21.15	83.3	17.94	83.7	G	8 12 ,,			
17	37.640	21.46	82.3	17.84	83.5	C	9 12 ,,			
18	35.513	21.70	82.3	17.70	83-5	C	10 12 ,,			
19	34.758	21.87	82.2	17.72	83-3	C	11 12 ,,			
20	34.621	21.63	82.3	17.72	83.3	C	Noon.			
21	34.827	21.50	83.3	17.80	83.7	v	1 12 p. m.			
22	36.542	21.15	84.1	17.80	84.0	v	2 12 ,,			
23	37.914	20.90	84.3	17.85	84.0	v	3 12 ,,			
SEPT. 20TH-Noon.	38-600	20.80	84.6	17.80	85.0	v	4 12 .,			
1	38.737	20.75	84.0	17.80	85.0	G	5 10 "			
2	37.708	20.85	83.6	17.82	84.9	G	6 19 "			
3	37.091	21.00	83.2	17.74	84.5	G	7 19			
4	36.954	21.05	83.0	17.70	84.4	G	0 10 " *			
5	37.708	21.20	82.9	17.75	84.2	c	0.19			
6			1	17.76	84.1		10 19 "			
7	37.159	21.16	82.9 82.6	17.73	83.9	C	10 12 ,,			
· •	37.297	21.06				C				
8	37.091	21.44	82.4	17.73	83.7	C	Midnight.			
9	36.679	21.40	82-1	17.70	83.4	V	1 12 a. m.			
10	36.885	21.70	82.0	17.75	83.0	v	2 12 ,,			
11	37.571	21.45	81.9	17.75	82.7	V	3 12 ,,			
12	37.914	21.05	81.9	17.80	82.4	v	4 12 ,,			
13	38.600	20.87	81.8	17.90	82.2	G	5 12 ,,			
14	37.778	21.10	80.9	17.84	81.5	G	6 12 ,,			
15	38.737	20.65	80,8	17.90	81.2	G	7 12 "			
16	40.109	20.37	81.0	17.82	81.4	G	8 12 "			
17	39.080	20.60	81.9	17.80	81.4	c	9 12 ,,			
18	37.983	20.44	82.9	17.74	82.0	C	10 12 ,,			
19	36.130	20.45	83.7	17.47	83.1	c	11 12 ,,			
20	34.690	20.39	83.6	17.30	83.4	C	Noon.			
21	35.856	20.30	83.8	16.75	83.7	v	1 12 p. m.			
22	36.179	19.90	84.6	16.60	84.8	v	2 12 ,,			
23	37.914	19.90	84.5	16.30	85.0	Ÿ	3 12 ",			
Oles Need	20 G <i>E</i> #	00.00	02.4	16.20	84.0	_	4 12 "			
EPT. 21sT-Noon.	38.257	20.30	83.4			v	r 10			
1	38.737	20.70	83.5	16.00	84.7	G	C 10			
2	37.571	20.15	83.3	16.00	847	G	6 12 ,,			
3	37.159	20.44	83.0	15.92	84.2	G	7 12 ,,			
4	37.365	20.89	82.9	15.74	83.8	G	8 12 ,,			
5	37.914	20.39	82.5	15.88	83. 7	C	9 12 ,,			
6	37.502	20.54	82.0	15.89	83.3	C	10 12 ,,			
7	37.365	21.03	81.9	15.94	83.1	C	11 12 ,,			
8	36.748	21.15	81.6	15.94	83.0	c	Midnight.			
9	37.914	21.00	81.3	16.00	82.7	v	1 12 a. m.			
10	37.571	20.95	81.0	15.90	82-4	v	2 12 ,,			
ii	36.954	21.20	80.9	15.94	81.9	v	3 12 ,,			

DAILY OBSERVATIONS, FROM 21st to 23rd SEPTEMBER 1864.											
DATE.	Rastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Obeervers.	DATE. Bombay				
Göttingen	5 3	meter.	Force Magne-	meter.	Force Magne-		Civil Time.				
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	اق	1864.				
1964.		Uncorrected.		Uncorrected.			1004.				
h.	05014	01.25	0.140	10.00	0010		h. m. 4 12 a. m.				
SEPT. 21sT—12	37/914	21.35	81:0	16.00	8290	V					
13	37.98 3	21.30	81.0	15.98	82.0	G	5 12 ,,				
14	39.286	21.20	81.0	16.00	82.0	G	6 12 ,,				
15	39.903	21.12	81.0	16.00	81.8	G	7 12 ,,				
16	39.423	20.99	81.5	15.84	82.0	G	8 12 ,,				
17	38.394	20.45	82.3	15.60	82.8	N	9 12 ,,				
18	37.29 7	20.67	83.0	15.50	83.0	N	10 19				
		20.65				1	11 10 "				
19	35-170	1	84.2	15.40	84.0	N					
20	33.621	20.56	84.4	15.45	84.3	N	Noon.				
21	36.130	20.30	84.8	15.50	84.9	₩	1 12 p. m.				
22	36.885	20.15	85.0	. 15.55	85.4	v	2 12 ,,				
23	38.257	20.20	85.2	15-57	86.0	v	3 12 "				
EPT. 22nd-Noon.	20.042	90.55	05.0	15.00	00.0		4 12				
PLI. TOWN.	38.943	20.55	85.0	15.60	86.0	v					
1	38.600	20.32	84.5	15.50	86.0	G	5 12 ,,				
2	39-286	20.63	84.1	15.56	85.8	G	6 12 ,,				
3	37.434	20.25	83.8	15.60	85.2	G	7 12 ,,				
4	37.297	20.25	83.5	15.60	85.0	G	8 12 ,,				
5	38.257	20.51	83.1	15.62	84. 4	K	0.19				
6	37.022	20.74				i 1	10 19 ´´				
- 1		1	82.8	15.62	84.3	K	11 10 "				
7	37.502	20.74	82.6	15.69	83.9	K	11 12 ,,				
8	36.885	20.72	82.5	15.74	83.7	K	Midnight.				
9	37.228	21.45	82.3	15.80	83-5	v	1 12 a. m.				
10	38.051	21.00	82.2	15.84	83.5	l v l	2 12 ,,				
11	37.228	21.20	82.0	15.80	83.2	v	2 10				
12	36.885	21.15				v	4 10				
		1	82.0	15.80	83.0	1 1					
13	37.365	21.10	81.9	15.86	83.0	G	5 12 ,,				
14	38.531	21.25	81.7	15.90	82.7	G	6 12 ,,				
15	39.217	20.90	82.0	1 <i>5</i> .90	82.8	G	7 12 ,,				
' 16	38.943	20.90	82.8	15.75	83.0	G	8 12 ,,				
17	37.914	20.63	83.7	15.65	83.3	N	9 12 ,,				
18	36.199	21.15	84.5		84.0	N	10 10 °				
		1		15.55			11 10 "				
19	35.307	21.07	84.7	15.52	, 84.6	K	11 12 ,,				
20	35.101	20.85	85.0	15,50	85.0	, K	Noon.				
21	35.993	20.50	85.2	15.55	85.3	v	l 12 p.m.				
22	37.365	20.35	85.3	15.60	85.7	v	2 12,				
23	38.737	20.30	85.0	15.60	86.0	v	3 12 ,,				
00 N	. 00 400	20.25					4 10				
врт. 23 Rd-Noon.	38.463	20.75	85.0	1 <i>5</i> .55	86.0	▼	4 12 ,,				
1	37.77 7	20.67	84.4	15.50	86.2	G	5 12 ,,				
2	37.571	20.75	83.9	15.50	85.6	G	6 12 ,,				
3	37.640	20.57	83.5	15.50	85.0	G	7 12 ,,				
4	38.051	20.35	83.4	15.50	84.7	G	0.10				
5		20.60					0.10				
	37.571		83.0	15.50	84.3	K	10.10				
6	37.228	21.05	82.7	15.50	84.0	K	10 12 ,,				
7	37.845	20.85	82.4	15.52	83.8	K	11 12 ,,				
8	37-708	20-85	82.0	15.56	83.3	K	Midnight.				
9	37.571	21.05	81.8	15.60	83.0	v	l 12 a.m.				
10	36.199	21.30	81.5	15.60	82.7	V	2 12 ,,				
ii	37.57 l	21.15			82.6	v	2 10				
			81.8	15.62		i i	4 10 "				
12	36.885	21.30	82.0	15.64	82.8	v	E 10				
13	36.954	21.22	82.0	15.66	82.7	G	5 12 ,,				
14	38.600	21.05	81.7	15.68	82.5	G	6 12 ,,				
15	39.972	20.85	82.0	15.66	82.5	G	7 12 ,,				
16	39.149	21.10	82.7	15.54	82.8	G	A 10				
		20.95				1	A 10 "				
17	37.983		83.5	15.51	83.6	C	10.10				
18	36.679	20.99	84.2	15.49	84.0	C	10 12 ,,				
19	35.650	20.90	84.6	15.47	84.5	C	11 12 ,,				
20	35.17 0	21.01	84.6	15-47	85.0	0	Noon.				
21	35.513	21.00	84.5	15.48	85.0	v	1 12 p. m.				
22	36.473	20.80	85-1	15.25	85.5	v	0.10				
		40.00	l cont	10.20	86.0	. •	3 12 ,,				

	DAILY O	BSERVATION	S, FROM 25	тн то 27тн Sl	EPTEMBER	1864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings- Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetorneter.	Observers.	DATE. Bombay Civil Time. 1864.
h.		20.00	0.500	34.50	0.00.5		h. m. 4 12 p. m.
SEPT. 25TH-Noon.	36′954	20.80 20.85	85*6 85.2	14.50 14.56	86.5 86.7	K	5 19
2	37.159 37.571	20.85	85.2 84.9	14.44	86.1	G G	6 12 ,,
3	37.640	20.73	84.8	14.44	85.6	G	• 7 12 ",
4	37.571	20.75	84.7	14.40	85.4	G	8 12 ,,
5	37.502	20.69	84.5	14.38	85.4	C	9 12 ,,
6	37.434	20.83	84.3	14.36	85.3	C	10 12 ,,
7	37.434	21.00	83.8	14.32	85.1	C	11 12 ,, Midnight.
8	36.954	21.08	83.6	14.37	84.9	C	1 12 a. m.
9 10	3 7 .228 3 7 .159	21.10 21.00	83.5 83.5	14.40 14.40	84·5 84.3	V	2 12 ,,
11	37.139 37.091	21.00	83.3	14.40	84.2	v	3 12 ,,
12	36.954	21.00	83.1	14.40	84.0	v	4 12 ",
13	37.1 <i>5</i> 9	21.05	83.0	14.36	84.0	G	5 12 ,,
14	37.845	21.10	82.7	14.34	83.8	G	6 12 ,,.
15	38.874	21.15	82.8	14.40	83.5	G	7 12 ,,
16	39.217	21.33	83.7	14.48	84.0	G	8 12 ,, 9 12
17 18	38.257 37.845	21.57 21.61	84.4 85.0	14.38 14.30	85.0 85.4	C	10 19 "
18	36.542	21.55	86.0	14.30	85-4 86-0	C	11 12 ,,
20	35.650	21.24	86.3	14.25	86-6	c	Noon."
21	35.856	21.05	87.1	14.30	87.0	v	1 12 p. m.
22	36.473	20.90	87.3	14.35	87-5	v	2 12 ,,
23	37.571	20.55	87.8	14.40	88.0	v	3 12 ,,
Sept. 26th-Noon.	38.257	20.20	87.5	00.00	00.0	¥	4 12 ,,
	37.914	20.15	87.0	33.20	88.0	G	5 12 ,, 6 12 ,,
2 3	37.914 38.051	20.25 20.18	86.3 86.0	33.47 33.50	87.6 87.1	G	7 19 "
4	37.845	20.14	85.9	33.00	87.0	G	8 12 ,,
5	37,434	20.42	85.5	33.01	87.0	C	9 12 ",
6	37.297	20.57	85.0	33.03	86.6	e	10 12 ,,
7	37.502	20.73	84.6	32.90	86.3	C	11 12 ,,
8	37.502	20.87	84.3 83.9	32.84	86.2	C	Midnight. 1-12 a. m.
9 10	37.571 36.885	20.93 21.05	83.8	32.55 32.53	85.9 85.4	V	2 12 ,,
11	37.228	21.05	83.6	32.35	85.0	v	3 12 ,,
12	36.542	21.20	83.5	32.30	84.7	v	4 12 ,,
13	36.985	21.25	83.3	32.29	84.6	G	5 12 ,,
14	38.326	21.10	82.8	32.48	84.2	G	6 12 ,,
15	39.286	21.00	82.8	32.52	83.8	G	7 12 ,, 8 12 ,,
16 17	39.766 38.257	21.15 21.01	83.0 84.2	32.30 31.75	84.2 85.2	G	0.10 "
17	37.228	21.15	85.7	31.64	86.0	C	10 12 ,,
19	36 .130	20.93	86.8	31.59	87.0	c	11 12
20	35.033	20.90	87.3	31.75	87.6	С	Noon.
21	35.513	20.95	87.9	31.85	87.6	v	1 12 p. m.
22 2 3	36.199 37.571	20.55 20.35	88.0 88.1	31.90 31 . 90	87.8 88.5	v v	2 12 ,, 3 12 ,,
Sept. 27th-Noon.	o=	22.5-	200				
р <i>вет. 21</i> тн-1400П. 1	37.434 37.150	20.35	88.0	31.80	89.0	▼ ~	4 12 ,,
2	37.159 37.297	20.42 20.40	87.7 87.1	31.84 32.10	89.2 88.0	G	5 12 ,, 6 12 ,,
3	37.228	20.40	86.6	32.20	87.9	G G	7 19
4	37.365	20.54	86.0	32.28	87.0	6	8 12 ,,
5	37.708	20.75	85.5	32.29	86.9	c	9 12 ,,
6	37.708	20.84	85.2	32.30	86.7	C	10 12 ,,
7 8	37.571	20.71	85.2	32.32	86.5	C	11 12 ,,
9	37.571	20.83	85-1	32.35	86.4	C	Midnight.
10	38.051 37.571	20.90 21.15	84.0 83.8	32.35 32.30	86.0 85.4	v	1 12 a.m. 2 12 ,,
11	37.228	21.15	83.2	32.25	84.8	v	3 12 ,,

	DAILY (DBSERVATION	S, FROM 27	тн то 29тн 81	EPTEMBER	1864.	,
DATE. Göttingen	Bastern	Horizontal Force Magneto- meter.	Thermometer of Horizoutal	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	tometer.	0 pee	Civil Time. 1864.
h. Sept. 27тн—12	36′885	21.30	82:8	32.20	84*0	v	h. m. 4 12 a. m.
13	37.571	21.36	82.3	32.30	84.0	G	5 19
14	37.640	21.80	82.4	32.38	83.8	G	6 19 "
15	38.463	21.41	82.8	31.95	84.0	G	7 12 ,,
16	37.914	21.81	83.7	31.34	84.2	G	8 12 ,,
17	36.542	22.07	84.8	30.96	85.1	C	9 12 ,,
18	35.719	22.05	85.5	30.95	85.6	C	10 12 ,,
19	35.170	21.95	86.4	30.75	86-4	C	11 12 ,,
20	34.827	21.49	87.0	30.64	87.0	C	Noon.
21	35.78 7	20.55	87.5	30.80	87.2	v	1 12 p. m.
22	37.159	20.05	87-8	30.75	87.9	v	2 12 ,,
23	37.365	19.95	1.88	30.55	88.2	v	3 12 ,,
BEPT. 28TH-Noon.	38.257	19.75	88.0	30-40	88.9	v	4 12 ,,
1	37.434	20.04	87.6	30.40	88.5	G	5 12 ,,
2	37.571	20.19	87.1	30.46	88.0	G	6 12 ,,
3	37.434	20.25	86.8	30.48	87.7	G	7 12 ,,
4	37.159	20.24	86.5	30.50	87.3	G	8 12 ,,
5	37.434	20.36	86.3	30.48	87.3	C	9 12 ,,
6	37.434	20.55	86.1	30.55	87.1	C	10 12 ,,
7	37.228	20.62	85.8	30.56	87.0	C	11 12 ,,
8	36.954	20.69	85.8	30-59	86.9	C	Midnight.
9	37.228	20.80	85.5	30.62	86.8	v	l 12 a.m.
10	37.434	20.90	85.0	30.60	86.3	v	2 12 ,,
11	37.022	21.00	85.0	30.55	86.0	v	3 12 ,,
12	36.885	21.00	85.1	30.50	85.9 85.8	v	4 12 ,,
13	37.159	21.00 20.85	85.0	30.50 30.58	85.8	G	5 12 ,, 6 12
15	37.914	20.83	84.7	30.50	85.8	G	7 12
16	39.217 39.629	20.85	84.8 85.6	30.50	86.0	G C	8 12 ,,
17	39.029 38.943	21.00	86.3	30.37	86.5	G	9 12 "
18	38.05 1	20.94	87.0	30.06	87.0	C	10.19
19	36.748	20.93	87.4	29.88	87.5	C	10 12 ,,
20	36.062	20.97	88.0	29.86	87.9	C	Noon.
21	37.571	20.75	88.5	29.85	88.0	₩	1 12 p. m.
22	37.571	20.70	89.0	29.90	88.6	v	0.10
23	38.257	20.30	89-3	29.80	89.5	v	3 12 ,,
ерт. 29тн-Noon.	38.257	20-40	89.2	31.85	89.9	v	4 12 ,,
1	37 . 57 l	20.45	89.0	31.85	90.0	G	5.19
2	37.502	20.50	88-4	32.05	89.1	G	6 10
3	37.502	20.42	88.0	32.19	88.5	G	7 19
4	37.571	20.40	87-4	32.24	88-1	G	8 12 ,,
5	37.640	20.45	87.0	32.38	87.6	c	9 12 ,,
6	37.708	20.57	86.6	32.39	87.3	C	10 12 ,,
7	37.434	20.70	86.3	32.46	87.0	C	11 12 ,,
8	37.777	20.79	86.1	32.47	86.8	C	Midnight.
9	3 7. 571	20.80	86.0	32-50	86.5	v	1 12 a. m.
10	37.571	20.85	85.7	32.30	86.2	v	2 12 ,,
11	37.571	20-85	85.3	32.25	86.0	v	3 12 ,,
12	37.434	21.05	85.0	32.20	86.0	v	4 12 ,,
13	37-228	21.05	85.0	32.22	85.6	G	5 12 ,,
14	37.571	21.00	84.8	32.39	85.5	G	6 12 ,
15	38.531	21.00	85.0	32.44	86.0	G	7 12 ,
16	39-355	20.97	85.9	32.30	86.1	G	8 12 "
17	39.286	21.07	86.7	32.00	86.8	C	9 12 ,,
18	37.983	21.09	87.2	31.78	87.1	C	10 12 ,,
19	36.542	20.99	87.9	31.25	87.6	C	11 12 ,,
20	35.925	20.69	88.3	31.31	88.2	C	Noon.
21	36-611	20.35	88.8	31.65	88.5	v	l 12 p. m.
22	37.708	20.15	89.0	31.80	88.9	V	2 12 ,,
23	38.737	20.10	89.0	31.80	89.3	v	3 12 ,,

	DAILY OBSE	RVATIONS, F	ROM 30TH S	EPTEMBER TO	3RD OCTO	BER 1	864.
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer	Observers.	DATE.
Göttingen	Lastern	meter.	Force Magne-	meter.	of Vertical Force Magne-	rve	Bombay
Mean Time.	Declination.	Scale Readings	tometer	Scale Readings	tometer.	980	Civil Time.
1864.		Uncorrected.		Uncorrected.		ō	1864.
h.							
SEPT. 30TH-Noon.	004000	10.00	0000	01.00			h. m.
1	38:600	19.90	889	31.60	89*8	v	4 12 p. m.
2	37.914	20.05	88.0	31.64	89.8	G	5 12',
3	37.365	20.15	87.4	31.64	89-1	G	6 12 ,,
	37.914	20.00	86.7	31.80	88.8	G	7 12 "
4	37.502	20.00	86.6	31.92	88.2	G	8 12 "
5	37.845	20.09	86-6	31.96	88.0	C	9 12 "
6	38.120 '	20.11	86.5	31.98	87.9	c	10 12 ,,
7	38.326	20.57	86.0	32.00	87.4	c	11 12 ,,
8	38.120	20.74	85.5	32.04	87.1	С	Midnight.
9	37.914	20.75	85.3	32.10	86.8	v	1 12 a. mr.
10	37.571	20.85	85.2	32.00	86.7	v	6 TO
11	ł	20.95				1	2 10 "
12	37-571		85.0	32.00	86-4	•	4 10 "
	38.257	20-85	84.8	32.05	· 86 .0	V	
13	37.228	20.95	84-6	32.10	86.0	G	5 12 ,,
14	37.914	21.11	84.5	32.10	85.6	G	6 12 "
15	39.560	21.30	84.4	32.00	85.0	G	7 12 ,,
16	37.983	21.50	85.0	31.80	85.7	G	8 12 ,,
17	37.502	21.70	86.0	31.60	86.5	c	9 12 ,,
18	36.542	21.55	87.0	31.30	87.0		10 19 "
19	35.376	21.34	88.0	31.06		C	11 10 "
20	34.876	21.32	88.1	31.00	87.5 87.0	C	Noon.
21					87.8	C	1,10
	35.170	21.15	88.6	31.20	88.0	v	1 12 p. m.
22	36.288	21.00	88.6	31.40	88.5	V	2 12 ,,
2 3	37.159	20.90	89.0	31.30	89.0	v	3 12 ,,
Oct. 2nd-Noon.	37.571	20.90	88.5	31.25	89.4		4.12 ,,
. 1	37.434	20.80	87.5	31.20		v	£ 10 "
2					89.0	V	
3	37.297	20.65	87.0	31.35	88.5	v	6 12 ,,
4	37.159	20.50	86.8	31.40	87.9	v	7 12 "
_	37.365	20.55	86.5	31.45	87.5	V	8 12 ,,
5	37.434	20.67	86.2	31.50	87.2	G	9 12 ,,
6	37.914	21.00	86.2	31.50	87.0	G	10 12 ,,
7	37.983	20.90	85.7	31.74	86.9	G	11 12 ,,
8	38.326	20.90	85.0	31.74	86-8	G	Midnight.
9	37.297	21.15	84.9	31.67	86.7	¢	1 12 a. m.
10	37.845	21.10	84.7	31.65	86.3		2 12 ,,
11	38.051	21.16	84.9			0	2 10
12				31.75	86.3	C	4 10
13	38.051	21.05	84.7	31.78	86.1	C	4 12 ,,
14	37.434	21.15	84.2	31.80	85. 7	V	5 12 ,,
15	39.080	21.25	83.5	31.75	85.1	v	6 12 ,,
	38.531	21.35	83.8	31.80	84.7	v	7 12 ,,
16	38.326	21.60	84.2	31.50	84.9	v	8 12 "
17	37.159 .	21.50	85.2	31.38	85.2	G	9 12 ,,
18	36.405	21.45	86.2	31.40	86.0	G	10 12
19	35.993	21.50	87.0	31.30	86.8	G	11 12 ,,
20	35.513	21.44	87.8	31.18	87.0	G	Noon.
21	35.787	21.29	88.2	31.04	88.0		1 12 p. m.
22	36.199	21.26	88-3			C	1 14 p. III.
23	36.748	21.26	88.3	31.00 31.03	88.8 89.0	C	2 12 ,, 3 12 ,,
							-
Oct. 3RD-Noon.	37.571	20.89	88.2	31.07	89.0	С	4 12 ,,
1	37.571	20.90	87.0	31.20	88.5	v	£ 10 "
2	37.091	21.00	86.2	31.30			6 10
					87.5	v	6 12 ,,
3	37.091	20.85	85.9	31.40	87.0	v	7 12 ,,
4	37.228	20.90	85.7	31.50	87.0	v	8 12 ,,
5	37.297	20.85	85.6	31.50	87.0	G	9 12 "
6	37.914	20-80	85.0	31.48	86.8	G	10 12 ,,
7	38.257	20.80	84.7	31.40	86.2	G	11 12
8	37.845	21.00	84.5	31.32	86.0	G	Midnight.
9	37.914	21.00	84.1	31.38	85.7	1 I	1 12 a.m.
10						0	1 12 a.m.
10	38.463 38.326	21.06	83.7	31.47	85.3	C	2 12 ,,
	. 38.37%	21.19	83-4	31.46	85.1	' c l	3 12 ,,

	DAILY	OBSERVATIO	ONS, FROM	3RD TO 5TH O	CTOBER 186	4.	
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE. Rombay
Göttingen		meter.	Force Magne-	meter.	Force Maune-	is l	•
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	ő	Civil Time. 1864.
h.							h. m.
Oct. 3rd—12	37:983	21.20	83:1	31.44	84.8	c	4 12 a.m.
13	38.257	21.30	82.5	31.50	84.3	v	5 12 ,,
14	38.257	21.40	82.4	31.55	84.0	v	6 12 ,,
15	38.943	21.40	82 .8	31.55	83.8	v	7 19
16	38.943	21.70	83.8	31.30	84.2	v	9 19 ″
17	38.600	21.80	84.8	31.00	84.8	v	,,
18	38-326	21.80	85.8	30.90	85.7	v	,,
19	38.051	21.75		30.70	I	v	10 12 ,,
20		21.60	86-7		86.3		11 12 ,
	36.748		87.3	30.30	87.0	V	Noon.
21	36.288	21.42	87.9	30.47	87.7	C	1 12 p. m.
22	3 6.88 5	21.22	88.1	30. <i>5</i> 6	88.1	C	2 12 ,,
23	37.297	21.09	88.1	30.67	88-6	C	3 12 ,,
Эст. 4тн-Noon.	37.365	21.06	87.9	3 0.69	88.8	c	4 12 .,
1	37.228	21.00	87.0	30.70	88.3	v	5 19 "
2	36.885	21.00	86.3	30.90	87.5	v	,,
3	36.954	21.00	86.0	30.90	87.0	v	,,
4	i '	21.00					7 12 ,,
	36.885	1	86.0	31.00	87.0	V	8 12 ,,
5	37.159	21.00	85.8	30.90	86.8	D	9 12 ,,
6	37.297	21.00	85.7	31.00	86.7	D	10 12 ,,
7	38.054	20.95	85.2	31.00	86.5	D	11 12
8	37.914	21.10	84.6	31.00	86.3	D	Midnight.
9	37.914	21.23	84.4	31.18	86.0	C	l 12 a. m.
10	37.914	21.31	84.l	31.29	85.8	. с	2 12 ,,
11	37.640	21.39	83.9	31.31	85.6	c	3 12 ,,
12	37.571	21.35	84.1	31.39	85.6	c	4 19 "
13	37.708	21.40	83.9	31.35	85.3	В	5 19 ´´
14	37.914	21.60	83.4	31.30	84.8	В	6 19 "
15	38.326	21.75	83.6	31.50	84.6	В	7 19 "
16	38.531	21.80	84.5	31.15	85.0	В	Q 19 ″
17	37.914	21.85	85.7	30.80	85.8	D	9 12
18	37.845	22.00	86-4	30.80	86.7	D	10 12 "
19	37.571	21.95	87.1	30.90	87.1	D	11 12 ,,
20	36.611	21.90	87.7	30.30	87.4		Noon."
21	36.542	21.76	87.9	30.46		D	
		21.70			87.9	C	1 12 p. m.
22 23	37.091 37.845	21.33	88.1 88.2	30.59 30.68	88.1 88.6	o o	2 12 ,, 3 12 ,,
от. 5тн-Noon.	37.983	21.07	88.3	30.60	88.8	c	4 12 ,,
1	37.502	20.86	87.5	30.50	88.6	В	5 12 ,,
2	37.091	2 0.88	86.6	30.70	88.0	В	£ 10
3	37.159	20.71	86.3	30.78	87.5	В	# 10 °
4	37.091	20.72	. 86.2	30.90	87.2	В	0 10
5	37.228	20.81	86.1	30.95	87.1	D	0.19
6	37.297	21.06	85.2	31.00	86.9	D	10 10
7	37.571	21.20	84.4	31.10	86.3	ם	11 10 "
8	37.914	21.30	84.8	31.10	86.1		II IZ ,, Midniaha
9	37.983	21.26	84.3	31.28	85.8	D	Midnight.
· 10	37. 983	21.36	83.9	31.39		C	1 12 a. m.
11	38.188	21.36	83.4		85.5	C	2 12 ,,
12	37.845	21.48		31.40	85.1	C	3 12 ,,
13			82.8 93.7	31.47	84.7	C	4 12 ,,
	37.640	21.62	82.7	31.30	84.3	В	5 12 ,,
14	37.983	21.67	82.3	31.45	83.9	В	6 12 "
15	38.120	21.80	82.7	31.45	83.7	В	7 12 ,,
16	38 600	21.75	83.6	31-30	84.2	В	8 12 ,,
17	38-326	21-85	84.4	31.30	84.8	D	9 12 ,,
18	37.914	21.95	85. 5	30.90	85.3	α	10 12 ,,
19	36.88 <i>5</i>	21.85	86.4	30.70	86.1	D	11 12 ,,
20	35.856	21.70	86.8	30.58	86.7	a	Noon."
. 21	36.199	21.54	87.2	30.60	87.2	0	1 12 p. m.
22	37.022	21.34	87.8	30.62	87.7	o l	2 12 ,

DAILY OBSERVATIONS, FROM 6TH TO 9TH OCTOBER 1864.										
Gö	OATE. Stringen an Time.	Eastern Declination.	Horizonal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.		
	h.							h. m.		
Ост.	6тн-Noon.	384326	21.14	88:2	30.67	88*8	c	4 12 p. m.		
	1	37.640	21.05	87.5	30.50	88.5	В	5 12',,		
	2	37.159	21.08	86.5	30.70	87.6	В	6 12 ",		
	3	37.022	21.09	863	30.90	87.3	В	7.12 ,,		
	4	37.159	21.14	86.0	31.10	87.1	В	0 10 "		
	5	37.571	21.25	85.7	31.10	86.5	D	0.19		
	6	37.571	21.45	84.9	31.20	86 1	D	10 19 "		
	7	37.640	21.55	84.1	31.35	85.8	D	11 10 "		
	8	37.708	21.70	83.8	31.30	85.3	D	Midnight.		
	9	37.57 l	21.75	83.2	31.30	85.0	c	1 12 a. m.		
	10		21.80	83.0	31.32	84.8	1			
	11	37.502	21.79		31.38	84.8	C	2 12 ,,		
	i i	37.845		83.5		l .	C	3 12 ,,		
	12	37.914	21.75	82.9	31.39	84.2	C	4 12 ,,		
	13	37.777	21.80	82.9	31.35	83.8	В	5 12 ,,		
	14	37.919	21.75	82.5	31.50	83.6	В	6 12 ,,,		
	15	37.919	21.75	82.6	31.50	83.3	В	7 12 ,,		
	16	38.394	22.00	83.5	31.25	83.7	В	8 12 ,,		
	17	37.984	22.25	84.3	31.20	′ 84.1	D	9 12 ,,		
	18	38.257	22.60	84.9	31.08	84.9	D	10 12 ,,		
	19	36.199	22.50	86.0	30.50	85.8	D	11 12 "		
	20	36.130	22.34	86.8	30.50	86.5	D	Noon.		
	21	36.679	22.02	87.1	30.69	87.1	c c	1 12 p. m.		
	22	37.571	21.79	87.2	30.98	87.5	C	ຄາຄ່		
	23	38.120	21.59	87.3	30.96	88.0	c	3 12 ,,		
JCT.	7TH-Noon. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	38.257 37.571 37.091 37.159 36.954 37.228 37.434 37.571 37.228 37.571 37.845 37.983 37.502 37.297 36.885 37.297 37.228 36.816 36.474 34.758 34.827 36.130	21.49 21.45 21.49 21.50 21.53 21.55 21.51 21.65 21.68 21.69 21.78 21.75 21.86 22.00 22.05 22.18 22.40 22.60 22.65 22.81 22.89 22.77 22.48	87.0 86.5 85.6 85.2 85.0 84.7 84.4 84.1 83.9 83.8 83.4 83.0 82.6 82.4 82.1 82.5 83.3 84.0 85.0 85.7 85.9 86.9	30.96 30.70 30.80 30.95 31.00 31.10 31.20 31.25 31.28 31.33 31.34 31.38 31.30 31.40 31.50 31.50 31.60 30.80 30.60 30.50 30.78 30.85	88.0 87.6 87.0 86.6 86.5 85.8 85.7 85.2 85.0 84.9 84.6 84.1 83.6 83.3 83.5 83.9 84.6 85.1 85.6 85.9 86.4	C B B B D D C C C C C C C C C C C C C C	4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 10 12 " 11 12 " Miduight. 1 12 a. m. 2 12 " 3 12 " 4 12 " 5 12 " 6 12 " 7 12 " 8 12 " 9 12 " 10 12 " 11 12 " Noon. 1 12 p. m. 2 12 "		
Ост.	23 9TH-Noon. 1 2 3 4 5 6 7 8 9	37.091 37.297 37.297 36.748 37.297 36.748 37.571 37.571 37.571 37.708	22.28 21,69 21.62 21.65 21.53 21.51 21.55 21.59 21.59 21.65 21.70	87.0 87.1 86.2 85.5 85.1 85.0 85.0 84.8 84.5 84.2 83.8	30.87 30.99 30.95 31.20 31.22 31.25 31.25 31.20 31.20 31.30 31.28	87.8 88.0 87.5 86.6 86.5 86.3 86.1 85.9 85.5 85.3	C B D D D D D C C	3 12 ", 4 12 ", 5 12 ", 6 12 ", 7 12 ", 8 12 ", 9 12 ", 10 12 ", 11 12 ", Midnight, 1 12 a. m.		
	10	37.297	22.00	83.5	31.33	84.9	c	0.10		
	11	37.297 36.885	22.00 22.08	83.3	31.35	84.9	c	2 12 ,, 3 12 ,,		

	DAILY	OBSERVATIO	ONS, FROM	9ти то 11ти C	CTOBER 18	64.	
DATE. Göttingen Mean Time. 1864.	Bastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
Ост. 9тн—12	36/611	21.94	82.9	31.39	84:4	C	4 12 a. m.
13	37.228	21.85	82.5	31.35	83.9	В	5 12 ,,
14	37.297	21.65	82.4	31.45	83.6	В	6 12 ,,
15	37.571	21.65	8 2. 5	31.48	83.5	В	7 12 ,,
16	38.806	21.80	83.0	31.25	83.8	В	8 12 ",
17	37.914	22.00	83.8	30.70	84.3	D	9 12 ,,
18	36.611	22.05	84.9	30.50	85.2	D	10 12 ,,
19	35.856	21.91	85.7	30-35	85.7	D	11 12 ,,
20	35.856	21.84	86.1	30.38	86.2	D	Noon.
21	35.856	21.59	86-9	30.42	86.7	c	1 12 p. m.
22	36.473	21.28	87.3	30.47	87.2	c	a 10°
23	37.777	20.69	87.4	30.57	87.9	c	3 12 ,,
Ост. 10тн-Noon.	37.502	20.62	87.1	30.59	88.0	c	4 12 ,,
1	37.091	20.72	86.5	30.70	87.4	B	5 12 ,,
2	37.43 4	20.60	85-6	30.90	86.7	В	6 12 ,,
3	37.502	20.73	85.5	30.95	86.6	В	7 12 ,,
4	37.777	20.88	85.5	30.98	86.4	В	8 12 ,,
5	37.845	21.11	85.0	31.00	86.0	D	9 12 ,,
6	38.257	21.30	84.2	31.00	85.7	D.	10 19 "
7	38.188	21.45	83.4	31.10	85.2	D	10 12 ,,
8	38.257	21.55	83.1	31.20	85.0	ם	Midnight.
9	38.257	21.66	83-0	31.29	84.7	c	l 12 a. m.
- 1	37.914	21.61	83.2	31.32	84.7	· 1	0 10
10 11	37.914 38.051	21.56	82.9	31.39	84.4	C	2 10
			82.9		84.2	C	
12	37.777		82.6	31.45	83.7	С	4 12 ,,
13	37.228	21.55		31.40		В	5 12 ,,
14	37.708	21.70	82.0	31.55	83.1	В	6 12 ,,
15	38.600	21.70	81.8	31.65	83.0	В	7 12 ,,
16	39.423	21.95	82.7	31.50	83.5	В	8 12 ,,
17	37.914	22.20	84.0	31.50	84.1	D	9 12 "
18	37.228	22.45	85.2	31.35	85.0	D	10 12 ,,
. 19	36.542	22.31	86.3	30.60	85.6	D	11 12 ,,
20	36.199	22.20	86.5	30.50	86.1	D	Noon.
21	36.473	21.87	87.0	30.87	86.8	c	1 12 p. m.
22	37.091	21.62	87.2	30.89	87.4	c	2 12',,
23	37.571	21.53	87.7	30.91	87.8	C	3 12 ",
Ост. 11тн-Noon.	37.777	21.34	87.6	30.88	. 88.1	c	4 12 "
1	37.845	21.35	86.7	30.88	87.8	В	5 12 ,,
2	37.502	21.35	86.0	31-10	87.0	В	6 12 ,,
3	37.502	21.29	85-5	31.18	86.5	В	7 12 "
4	37.571	21.34	85.1	31.20	86.3	В	8 12 ,,
5	37.914	21.30	84.8	31.30	85.9	D	9 12 ,,
6	37.845	21.40	84.7	31.30	85.4	D	10 12 ,,
7	37.571	21.45	84.3	31.40	85.2	D	11 12 .,
8	37.914	21.55	84.1	31.45	85.1	D	Midnight.
9	37.914	21.59	84.0	31.42	85.0	c	1 12 a. m.
10	37.708	21.56	83.8	31.40	84.8	c	0.10
11	37.434	21.75	83.5	31-40	84.7	c	2 10
12	37.708	21.74	83.4	31.44	84.6	c	4 10
13	38.463	21.75	83.2	31.45	84.2	В	* 10
	36.403 37.983	21.80	82.7	31.50	83.8		<i>C</i> 10
14				30.70	83.6	В	e 10
15	38.806	21.88	82.9			В	7 12 ,,
16	39.423	22.02	83.5	31.40	83.9	В	8 12 ,,
· 17	39.286	22.35	84.7	31.00	84.7	D	9 12 ,,
18	38.257	22.40	85.5	30.70	85.1	D	10 12 ,,
19	37.571	22.45	85.6	30-50	85.8	D	11 12 ,,
20	36.856	22.35	86.0	30.50	86.0	D	Noon.
21	36.954	22.09	86.8	30.86	86.6	c	1 12p.m.
		1 0150	1 001	20.00	07.0		0 10 ⁻
22	37.914	21.76	87.1	30.97	87.2	C	2 12,

	DAILY	OBSERVATION	NS, FROM 1:	2тн то 14тн О	CTOBER 18	64.	
DATE. Göttingen Mean Time. 1804.	Bastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
Oct. 12TH-Noon.	38/257	21.53	86*8	30.96	87.9	C:	4 12 p. m.
1	37.502	21.51	86.0	30.85	87.0	В	5 12 ,,
2	37.571	21.52	85.2	31.15	86.6	В.	6 12 ",
3	37.5 02	21.49	85.1	31.15	86.3	B	7 12 ,,
4	37.365	21.52	84.7	31.15	86.0	B	8 12 ,,
5	37.914	21.50	84.5	31.45	85.6	D	9 12 ",
6	37.914	21.50	84.2	31.50	85.2	D.	10 12 ,,
7	38.600	21.10	83.9	31.60	85.1	D	11 12
• 8	38.600	21.05	83.7	31.50	85.0	D.	Midnight.
9	38.463	21.65	83.4	31.57	84.9	C	1 12 a.m.
10	38.257	21.62	83.2	31.59	84.7	C	2 12 "
11	37. 983	21.87	83.0	31.61	84.3	С	3 12 ,,
12	37.914	21.95	82.7	31.65	84.1	C	4 12 ,,
13	37.571	21.90	82.4	31.60	83.9	В	5 12 ,,
14	37.571	22.15	82.2	31.75	83.4	В	6 12 ",
15	38.051	22.40	82.2	31.70	83.1	В	7 12 ,,
16	37.914	22.45	83.3	31.70	83.5	В	8 12 ,,
17	37.914	22.30	84.7	31 <i>.5</i> 0	84.1	D	9 12 ",
18	37.571	22.31	85.1	31.20	84.7	D	10 12 ,,
19	36.542	22.55	85.0	30.90	85.2	D	11 12 ,,
20	36.885	22.30	85.8	31.00	85.4	D	Noon.
21	37.365	21.90	86.1	31.28	86.0	C.	1 12 p. m.
22	38.806	21.59	86.3	31.32	86.7	C	2 12',,
23	39.217	21.33	86.3	31.27	87.0	C	3 12 "
Oct. 13тн-Noon.	39.698	21.06	86.1	31.29	87.1	c	4 12 ,,
1	41.481	18.90	85.5	31.30	86.5	В	5 12 ",
2	40.178	18.41	84.6	31.40	85.9	В	6 12 ",
3	38.874	20.10	84.3	31.46	85.6	В	7 12 ",
4	39.355	19.55	84.0	31.80	85.2	В	8 12 ",
5	39.629	19.50	83.7	31.95	84.9	D	9 12 ,,
6	38.943	20.90	83.6	31.90	84.7	D	10 12 ,,
7	38.600	20.50	83.2	31.80	84.5	D	11 12 ,,
8	39.286	20.40	82.9	31.80	84.0	D	Midnight.
9	38.531	20.97	82.5	31.69	83.7	C	1 12 a. m.
10	38.257	21.78	82.1	31.68	83.3	С	2 12 "
11	37.571	21.37	81.8	31.62	83.2	C	3 12 ,,
12	37.777	21.27	81.4	31.83	83.0	C	4 12 ,,
13	38.257	21.25	81.0	31.86	82.6	В	5 12 "
14	37. 983	21.40	80.5	31.92	82.1	В	6 12 ,,
15	38.257	21.45	80.9	32.05	81.8	В	7 12 ,,
16	38.394	21.55	82.2	31.85	82.3	В	8 12 "
17	37.914	21.45	83.2	31.80	83.0	D	9 12 ",
18	37.228	21.30	84.2	31.70	83.5	D	10 12
19	36.542	21.31	84.8	31.90	83.8	D	11 12 ,,
20	36.5 42	21.10	84.9	31.30	84.2	D	Noon.
21	37.228	20.95	85.2	31.49	85.0	C	1 12 p. m.
22	38.188	20.89	85.3	31.51	85.6	Ċ	2 12°,,
23	38.943	20.71	85.4	31.54	86.2	C	3 12 ,,
Ост. 14тн-Noon.	38.600	20.93	85. 2	31.54	86.3	С	4 12 ,,
1	38.806	20.55	84.2	31.50	85.3	В	5 12 ,,
2	39.080	20.83	83.6	31.56	84.8	В	6 12 ,,
3	38.806	20.91	83.4	31.68	84.6	В	7 12 ,,
4	38.669	20.95	83.3	31.75	84.3	В	8 12 ,,
5	38.326	21.30	83.1	31.76	84.0	מ	9 12 ',,
6	38.669	21.20	83.0	31.96	83.9	D	10 12 ,,
7	38.669	21.14	82.9	32.08	83.9	Q	11 12 ,,
. 8	39.080	21.24	82.8	32.10	83.8	D	Midnight.
9	39.629	21.19	82.3	32.15	83.6	C	l 12 a. m.
10	38.600	21.35	82.2	32.05	83.2	C.	2 12 ,,
11	38.188	21.30	81.9	31.90	82.8	C	3 12 ,,

	DAILY (OBSERVATION	is, from 1	4тн то 17тн С	CTOBER 18	64.	
DATE. Göttingen Mean Time. 1884.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay · Civil Time. · 1864.
h.	05500	01.40	0.00	20.00	82*8		h. m.
Ост. 14тн-12	37 / 983	21.40	81.9	32.00	82.7	C	4 12 a. m.
13	38.669	21.28	81.7	32.15		В	5 12 ,,
.14	38.737	21.35	81.3	32.35	82.5	В	6 12 ,,
15	38.257	• 21.33	81.5	32.25	82.3	В	7 12 ,,
16	38.943	21.34	82.1	32.12	82.5	В	8 12 ,,
17	38.326	21.45	83.0	31.70	83.2	D	9 12 ,,
18	37.914	21.45	83.9	31.60	83.7	D	10 12 ,,
19	37.571	21.70	84.2	31.70	83.9	D	11 12 ,,
20	3 6.885	21.55	84.5	31.90	84.1	D	Noon.
21	37.914	21.28	84.7	31.98	84.9	C	1 12 p. m.
22	38.943	21.11	84.7	32.02	85.4	C	2 12 ,,
23	39.080	21.05	84.7	32-08	85.6	С	3 12 ,,
Oct. 16тн-Noon.	39.903	20.55	85 .8	31.60	86.5	D	4 12 ,,
1	39.149	20.50	84.8	31.65	86.1	D	5 12 ,,
2	38.806	20.75	84.2	31.95	85.5	В	6 12 ,,
3	38.806	20.75	84.0	31.95	84.9	В	7 12 ,,
4	38.463	21.15	83.6	31.88	84.6	В	8 12 ,,
5	38.531	21.10	83.4	31.90	84.4	D.	9 12 ,,
6	39.600	21.15	83.1	32.00	84.2 ·	מ	10 12 ,,
7	37.914	21.70	83.4	32.10	84.0	D	11 12
8	38.531	21.40	83.2	32.20	83.8	D	Midnight.
9	38.669	21.35	83.3	32.24	83.8	C.	l 12 a.m.
10	38.669	21.40	83.1	32.24	83.8	C	2 12 ,,
11	38.463	21.45	82.9	32.21	83.7	C	3 12 ,,
12	38.120	21.54	82.6	32.90	83.4	C	4 12 ,,
13	38.257	21.65	82.0	32.30	83.0	В	5 12 ,,
14	38.874	21.51	81.0	32.45	82.5	В	6 12 ,,
15	39.286	21.61	81.2	32.42	82.5	В	7 12 ,,
16	39.080	21.75	82.4	32.15	82.7	В	8 12 ,,
17	38.874	21.75	83.5	32.10	83.4	D:	9 12 ,,
18	37.845	21.85	84.7	31.30	84.0	D.	10 12 ,,
19	36.611	21.90	85.4	31.10	85.2	D.	11 12 ,,
20	36.611	21.70	86.4	31.00	85.9	D	Noon.
21	37.777	21.25	87.3	31.40	87.0	C	1 12 p. m.
22	38.394	20.98	88.1	31.38	87.8	C	2 12',,
23	39.080	20.83	88.5	31.32	88.4	c	3 12 ,,
Oct. 17th-Noon	39.149	20.64	87.9	31.27	88.3	C.	4 12 ,,
1	38.806	20.85	86.5	31.40	87.4	В	5 12 ,,
2	38.188	20.91	85.2	31.45	86.2	В	6 12 ,,
3	38.257	21.00	85.0	31.65	1.68	В	7 12 ,,
4	38.257	21.03	84.6	31.85	85.9	B	8 12 ,,
5	38.600	21.10	84.3	31.90	85.3	D	9 12 ,,
6	38.463	21.35	83.7	31.90	85.1	D	10 12 ,,
7	38.531	21.30	83.9	32.00	84.8	D	11 12
8	38.463	21.30	83.7	32.10	84.7	D	Midnight.
9	38.669	21.34	83.3	32.07	84.7	C	1 12 a. m.
10	38.120	21.42	82.9	32.04	84.4	C	2 12 ,,
ii	38.394	21.60	82.4	32.06	84.1	C	3 12 ,,
12	37.159	21.69	81.9	32.12	83.7	C.	4 12 ,,
13	37.914	21.80	81.6	32.15	83.3	В	5 12 ,,
14	37.777	21.85	81.5	32.30	83.0	В	6 12 ,,
15	38.051	21.95	82.0	32.30	82.7	В	7 12 ,,
16	38.600	22.00	82.5	32.10	83.0	В	8 12 ,,
17	38.326	2 2.05	83.8	31.60	84.3	D	9 12 ,,
18	37 . 777	22.00	85.1	31.30	85.1	D	10 12 ,,
18	36.885	21.80	85.8	31.15	86.0	D	11 12 ,,
	36.885	21.60	86.8	31.10	86.7	D	Noon.
20		21.26	87. 7	31.24	87.8	C	1 12 p. m.
21	37.640 38.120	21.20 21.05	87.7 88.6	31.25	88.4	C	2 12 ,,
22		20.93	88.8	31.17	89.2	C	9 10
23	38,943	40.30	00.0	31.17	03.2	Ü	3 12 ,,

	DAILI	OBSERVATIO	Mo, Floor	TOTA TO ZUTA	OCTOBER 1		
1)ATE. Göttingen Mean Time. 1864.	Bastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Porce Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
Oct. 18TH-Noon.	39/012	20.84	88:6	31.17	89*2	C	4 12 p. m.
1	38.394	20.65	87.6	31.35	88. 8	В	5 12 ,,
2	38.737	20.62	86.8	31.60	87.8	В	6 12 ,,
3	39.080	20.56	86.2	31.70	. 87.1	ь	7 12 ,,
4	38.669	20.75	85.7	31.70	86.7	В	8 12 ,,
5	38.394	21.10	84.5	31.95	86. 2	D	9 12 "
6	39.012	21.30	84.0	31.90	85.8	D	10 12 ,,
7	38.806	21.40	84.5	31.95	85.7	D	11 12 ,,
8	38.787	21.35	83.8	32.00	85.3	D.	Midnight.
9	38.257	21.47	83.8	32.00	85.1	C	1 12 a. m.
10	38-6 00	21.52	83.4	32.02	84.8	С	2 12 ,,
11	38.531	21.52	82.7	32.04	84.4	С	3 12 "
12	37.845	21.73	82.4	32.08	84. i	C	4 12 ,,
13	36.885	21.85	82.4	32.00	83.6	В	5 12 ,,
14	3 6.885	21.90	82.1	32.20	83.5	В	6 12 ,,
15	38. 531	21.80	82.1	32.35	83.2	В	7 12 ,,
16	39.423	21.60	83.2	32.20	83.8	В	8 12 "
17	39.629	21.55	84.4	31.80	84.5	D	9 12 ,,
18	38.257	21.70	85.8	31.30	85.8	D	10 12 ,,
19	36.679	21.75	86.9	31.00	86.7	D	11 12 ,,
20	35.993	21.65	87.8	30.90	87.3	D	Noon.
21	36.405	21.24	88.9	30.98	88.9	C	1 12 p. m.
22	37.2 97	20.95	89.7	31.00	89.5	O.	2 12 ,,
23	38.257	20.71	89.7	31.09	89.9	С	3 12 "
Oct. 19th-Noon.	38.943	20.47	88.9	31.12	89.9	c c	4 12 ,,
1	38.874	20.35	87.5	31.45	88.9	В	5 12 ,,
2	38.669	20.46	86.8	31.70	88.0	В	6 12 "
3	38.943	20.62	86.3	31.85	87.5	В	7 12 "
4	39.629	20.20	85.7	31.95	87.1	В	8 12 ,,
5	39.629	20.50	85.3	31.90	86.3	D	9 12 ,,
6	39.217	21.20	84.8	32.00	86.1	D	10 12 ,,
7	39 .286	21.15	84.4	32.00	85.8	D	11 12 ,,
8	38.943	2∳.20	83.9	32.00	85.3	D	Midnight.
9	38.257	21.32	84.2	31.94	85.4	C	1 12 a. m.
10	37.845	21.25	83.9	31.98	85.1	C	2 12 ,,
11	38.051	21.40	83.4	32.10	84.6	В	3 12 ,,
12	37.914	21.44	83.1	32.08	84.3	В	4 12 ,,
13	37.571	21.60	82.8	32.30	83.8	D	5 12 ,,
14	38.943	21.45	82.7	32.50	83.8	D	6 12 ,,
15	38.874	21.19	82.9	32.52	83.8	C	7 12 ,,
16	39.835	21.39	84.7	32.47	84.2	C	8 12 ,, 9 12 ,,
17	39.080	21.60	85.0	32.04	84.5	В	10.10
18	38.257	21.71	86.0	31.60	85.2	В	10 12 ,,
19	37.571	21.30	87.0	31.35	85.5 97.0	D	11 12 ,,
20	37.845	20.70	87.9	31-30	87.0	D	Noon. ,,
21	37.159	20.69	88.0	31.44	87.5	C	1 12 p. m. 2 12
22 23	38.806 40.658	20.50 19.86	88.2 88.5	31.51 31.60	88.1 88.3	C B	2 12 ,, 3 12 ,,
							4.30
Ост. 20тн-Noon	39.698	19.91	88.1	31.38	88.5	В	4 12 ,,
1	38.257	19.95	87.1	31.35	88.3	D	5 12 ,,
2	39.012	20.45	86.8	31.45	87.5	D	6 12 ,,
3	39.149	20.34	86.2	31.79	87.1	C	7 12 ,,
4	39.149	20.22	85.4	31.99	86.9	C	8 12 ,,
5	38.806	20.62	85.3	31.98	86.6	В	9 12 ,,
6	38.874	21.15	85.3	31.90	86.5	В	10 12 ,,
7	38.326	21.00	84.8	31.92	85.9	D	11 12 ,,
8	38.874	21.04	84.9	32.05	85.8	D	Midnight.
9	37.845	21.19	84.6	32.06	85.5	C	1 12 a. m.
10	37.571	21.36	84.3	32.07	85.4	С	2 12 ,,
11	38.257	21.36	84.0	32.09	85.0	C	3 12 ,,

•	DAILY	OBSERVATIO	NS, FROM 2	20тн то 23RD	OCTOBER 1	364.	
DATE. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magneton.	Vertical Force Magneto- meter. Scale Resdings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
Ост. 20тн—12	38/051	21.39	83:8	32.08	84.9	C	4 12 a. m.
13	37.914	21-42	83.8	32.20	84.6	В	5 12 "
14	38.806	21.60	83.5	32.30	84.5	В	6 12 "
15	38.943	21.25	83.1	32.35	84.0	В	7 12 ,,
16	38.188	21.45	83.3	32.20	83.9	В	8 12 "
17	38.600	21.40	83.8	32.10	84.1	D	9 12 ,,
18	37.708	21.41	84.8	31.80	84.7	D	10 12 ,,
19 20	37.571	21.05	85.7	31.60 31.60	85.3 86.2	D	11 12 ,, Noon.
20 21	37.571	21.14 20.88	87.0	31.68	87.2	D	1 12 p. m.
22	38.394	20.75	87.4 88.0	31.71	87.7	C	0.10
23	38.600 39.012	20.69	88.1	31.66	88.1	c	3 12 ,,
Oct. 21st-Noon.	39.286	20.49	87.7	31,58	88-1	c	4 12 "
1]	39.355	20.55	87.0	31.62	88.0	В	5 12 ,,
2	39.698	20.80	86.3	31.70	87.3	В	6 12 ,,
3	39.217	20.80	85.6	31.90	86.9	В	7 12 ,,
4	38.669	20.92	85.2	31.90	86.5	В	8 12 ,,
5	38.257	21.30	84.8	31.95	86.1	D	9 12 ,,
6	38.257	21.40	84.3	32.10 32.15	85.4 85.1	D	10 12 ,,
7	38.600	21.35	83.8	32.13 32.10	84.9	D	11 12 ,,
8 9	38.257	21.65 21.40	83.9 83.7	32.10 32.07	84.9	D C	Midnight. 1 12 a.m.
10	38.737	21.40	83.7	32.16	84.8	O	0.10
11	38.326 38.257	21.45	83.6	32.18	84.7	C	2 10 "
12	36.257 37.640	21.68	83.6	32.22	84.7	C	A 19 "
13	37.845	21.55	83.4	32.25	84.6	В	5 12 ,,
14	38.120	21.53	83.0	32.55	84.0	В	6 12 ,,
15	38.669	21.63	83.1	32.40	84.0	В	7 12 ,,
16	39.355	21.70	84.4	32.15	84.7	В	8 12 ,,
17	38.531	21.71	85.3	31.75	85.3	D	9 12 ,,
18	37.571	21.61	86.1	31.60	86.0	D	10 12 ,,
19	37.1 <i>5</i> 9	21.65	86.8	31.60	86.3	D	11 12 ,,
20	37.502	21.35	.87.1	31.80	86.8	D	Noon."
21	37.777	21.19	87.1	31.75	87.3	C	1 12 p. m.
22 23	38.394 39.766	21.04 20.74	87.1 86- <i>5</i>	31.71 31.74	87.8 87.8	C	2 12 ,, 3 12 ,,
Oct. 23nd-Noon.	38.463	20.75	88.2	31.38	89.0	В	4 12 "
1	37.983	20.84	87.0	31.45	88.4	В	5 12 ,,
2	37.983	20.90	86.1	31.78	87.6	В	6 12 ,,
3	38.668	21.30	85.5	31.88	87.0	В	7 12 ,,
4	38.643	21.16	85.3	31.95	86.6	В	8 12 ,,
5	38.600	21.35	84.8	32.00	86.0	D	9 12 ,,
6	38.257	21.40	84.3	32.10	85.7	D	10 12 ,,
7	38.600	21.60	83.9	32.20	85.3	D	11 12 ,,
8	38.943	21.85	83.8	32.20 32.26	84.8 84.7	D	Midnight.
9	39.080 39.660	21.83 21.71	83.7 83.3	32.28	84.7 84.6	C C	l 12 a. m. 2 12 ,,
10 11	38.669 38.600	21.71	83.0	32.29	84.3	C	2 10 "
11	38.463	21.78	82.8	32.29	84.1	C	4 10 "
13	38.600	21.70	82.6	32.35	83.6	В	5 12 ,,
14	38.600	21.79	82.7	32.25	83.6	В	6 12 ,
15	38.874	21.75	83.1	32.25	83.8	В	7 12 .
16	38-806	21.95	84.0	32.00	84.0	В	8 12 ,,
17	38.806	21.91	85.2	31.50	84.9	D	9 12 ,,
18	37.914	21.91	86-1	31.30	85.3	D	10 12 ,,
19	37.297	21.85	86.2	31.40	86.1	D	11 12 ,,
20	37.159	21.75	86.2	31.30	86.5	D	Noon.
21	38-394	21.47	86.3	31.58	86.9	C	1 12 p. m.
22	39.492	20.98	864	31.69	`87.]	C	2 12 ,,
23	39-560	20.92	86.7	31.61	87.5	C	3 12 ,,

	DAILY	OBSERVATIO	NS, FROM	24тн то 26тн	OCTOBER 18	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal ForceMagneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
b.		22.55					h. m.
Oct. 24тн-Noon.	39:286	20.77	86°3	31.58	87:7	C	4 12 p. m.
2	38.669	20.81 20.95	85.2	31.60	87.0	В	5 12 ,, 6 12
3	38.326 38.463	20.95	84.5 84.1	31.75 31.75	86 - 3	В	7 10
4	38.600	21.26	83.6	31.75	85.8 85.3	В	0 10 "
5	38.943	21.35	83.5	31.90	85.3 84.8	B	0.19
. 6	39.01 2	21.45	83.1	32.00	84.5	D	10 12 ,,
7	39.286	21.25	83.0	32.10	84.2	D	11 12 ,,
8	38.943	21.90	82.8	32.10	83.8	D	Midnight.
9	39.217	21.68	82.5	32.09	83.5	C	l 12 a.m.
10	39.080	21.71	82.2	32.06	83.3	C	2 12 ,,
11	38.463	21.63	81.7	32.13	82.9	С	3 12 "
12	38.326	21.86	81.2	32.16	82.4	, C	4 12 ,,
13 14	37.914	21.98	81.1	32.30	82.2	В	5 12 ,,
14	38.188	22.10 22.20	80.4	32.40	81.7	В	6 12 ,,
16	38.600 38.257	22.20 22.15	80.7 82.0	32.60 32.40	81.8	В	7 12 ,, 8 12 ,,
17	36.257 37.571	22.10	82.0 83.1	32.40 32.30	82.2	В	0.19
18	37.228	22.10	84.1	32.30	82.7 83.4	D D	10 10 "
19	36.542	22.05	85.0	31.85	84.2	ע	11 10 "
20	36.885	21.90	85.0	32.00	84.7	D	Noon.
′ 21	37.502	21.75	85.1	32.08	84.8	C	1 12 p. m.
22	37.983	21.67	85.6	31.96	85.6	C	2 12 ,,
23	38.600	21.60	85.4	31.97	86.0	C	3 12 ,,
Ост, 25тн-Noon.	38.874	21.46	84.6	31.98	86.0		4 12 ,,
1	38.394	21.40	83.9	31.70	85.0	C	5 10 "
2	38.463	21.40	83.0	31.90	84.1	B B	6 19
3	38.463	21.40	83.0	32.10	84.0	B	7 10 "
4	38.806	21.50	82.6	32.00	83.9	В	8 12 ,,
5	38.463	21.65	82.0	32.10	83.2	D	9 12 ,,
6	38.669	21.80	81.8	32.10	82.9	D	10 12 ,,
7	38.737	21.85	81.6	32.20	82.6	D	11 12 "
8 9	38.463	21.80	80.7	32.30	82.0	D	Midnight.
10	38.257	22-25	80.3	32.38	82.0	C	1 12 a. m.
11	38.531	22.25	80.0	32.50	81.6	C	2 12 ,,
12	38.394	22.35	79.8	32.52	81.2	C	3 12 ,,
13	38.94 3 38.326	22.27 22.20	79.6 79.7	32.52 32.60	80.9 80.6	C	4 12 ,,
14	38.874	22.20	79.7 79.6	32.65	80.5	В	5 12 ,, 6 12 ,,
15	39.629	22.30	79.5	32.80	80.1	B B	W 10
16	39.972	22.30	80.5	32.60	80.5	В	7 12 ,, 8 12 ,,
17	39.629	22.35	81.7	32.15	81.4	D	9 12 ,,
18	38.25 7	22.39	82.8	31.85	82.0	D	10 12 ,,
19	37.228	22.35	83.7	31.70	82.8	D	11 12 ,,
20	37.159	22.21	84.0	31.80	83.2	D	Noon.
21 22	37.571	22.05	84.1	31.96	83.8	С	1 12 p. m.
23	38 . 25 7 38.669	21.81 21.76	84.3 84.4	31.98 31.95	84.3 84.9	C	2 12 ,, 3 12 ,,
		,					
Ост. 26тн-Noon.	38.669	21.75	84.2	31.95	85.0	C	4 12 ,,
1	37.983	21.85	83.0	32.05	84.2	В	5 12 ,,
2	38.120	21.75	82.3	32.15	83.4	В	6 12 ,,
3	38.600	21.65	82.1	32.30	83.2	В	7 12 ,,
4	38.600	21.65	82.1	32.35	83.0	В	8 12 ,,
5	38.257	21.60	82.0 81.8	32.30	82.6	D	9 12 ",
6 7	38.326 38.669	21.65 21.75	81.1	32.40 32.40	82.2 81.8	D	10 12 ",
8	38.943	21.75	80.9	32.45	81.5	D D	11 12 ,, Midnight
. 9	38.600	21.86	80.5	32.50	81.4	C	Midnight. 1 12 a. m.
10	38.600	22.48	80.0	32.51	81.0	C	2 12 a.m.
	38.326	22.16	79.5	32.54	80.8	C	3 12 ,,

	DAILY	OBSERVATIO	NS, FROM 2	6тн то 28тн (OCTOBER 18	64.	
DATE. Göttingen Mean Time.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Porce Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
1864.		Oncorrected.		Oncorrected.			
Ост. 26тн—12	38463	22.21	79°1	32.66	80*3	С	h. m.
13	38.257	22.35	79.0	32.60	79.9	В	4 12 a.m. 5 12
14	38.326	22.40	78.5	32.75	79.5	В	6 12
15	39.080	22.47	78.5	32.88	79.4	В	7 19
16	38.874	22.50	79.4	32.70	79.7	В	9 19
17	39.2 86	22.70	80.5	32.20	80.5	D	9 12 "
18	38.463	22.55	82.1	31.85	81.2	D	10 19 "
19	38 .2 57	22.30	83.8	31.50	82.3	D	11 12 ,,
20	37.228	22.21	84.4	31.50	83.0	D	Noon.
21	38.120	21.95	85.0	31.68	83.9	C	1 12 p. m.
22	39.423	21.45	85.2	31.72	84.8	C	2 12,
23	39.972	21.15	85.2	31.75	85.3	C	3 12 ,,
OCT. 27TH-Noon.	39.149	20.98	84.8	31.74	85.0	c	4 12
1	38.394	21.01	84.2	31.65	84.6	В	5 12 ,,
2	38.531	21.24	83.6	31.91	84.5	В	6 12 ",
3	38.531	21.38	83.5	32.00	84.2	В	7 12 ,,
4	39.286	21.31	83.6	32.15	84.1	В	8 12 ,,
5	38.874	21.25 21.55	83.1	32.00	83.8	D	9 12 ,,
6 7	38.600 38.669	21.55 21.60	82.9 82.8	32.15 32.20	83.5	D	10 12 ,,
8	38.600	21.69	82.5	32.20 32.15	83.2	D	11 12 ,,
9	38.326	21.84	82.3	32.13 32.21	83.1 83.1	D C	Midnight.
10	38.600	21.85	82.0	32.33	83.0	C	1 12 a. m.
ii	38.531	21.90	81.7	32.35	82.9	c	2 12 ,, 3 12
12	38.394	21.92	81.5	32.39	82.8	c	3 12 ,, 4 12
13	38.051	21.95	81.2	32.35	82.4	В	5 19 "
14	38.257	22.06	80.9	32.40	82.0	В	6 19 "
15	38.257	22.06	81.6	32,40	82.1	В	7 12 ",
16	38.188	22.20	83.0	32.20	82.6	В	8 12 ,,
17	38.257	22.35 22.35	84.2	32.00	83.2	D	9 12 ,,
18 19	38.531 37.571	22.35 22.31	85. 7 86.2	31.70 31.25	84.1	D	10 12 ,,
20	36.611	21.96	87.3	31.25	85.2 86.5	D	11 12 "
21	37.297	21.68	87.9	31.28	87.1	D C	Noon."
22	37.502	21.55	88.1	31.30	87.8	C	1 12 p. m. 2 12
23	37.914	21.31	88.1	31.39	88.1	c	3 12 ,,
Oct. 28TH-Noon.	38.188	21.29	87.3	31.39	88.0		4 10
1	38 .257	21.34	86.3	31.70	87.2	C B	4 12 ,, 5 12 ,,
2	38.531	21.29	85.6	31.90	86.6	В	6 10
3	38-463	21.27	85.5	31.90	86.3	В	7 19
4	38.463	21.25	85.1	31.90	86.0	В	8 12 ,,
5	38.188	21.59	84.7	32.00	85.3	D	9 12 ",
6	38.25 7	21.61	84.5	32.05	85.1	D	10 12 ,,
7 8	38.2 <i>5</i> 7 38.188	21.70 21.79	84.2	32.05	85.0	D	11 12
9	38.051	21.79 21.79	84.1 84.1	32.00 31.96	84.9 84.8	D	Midnight.
10	38.326	21.79	84.0	31.98	84.8 84.7	C	1 12 a. m.
ii	37.777	2 2.10	83.6	32.00	84.7	C	2 12 ,,
12	37.571	22.15	83.2	32.00	84.4	c c	3 12 ,, 4 12 ,,
13	37.571	22.25	83.0	32.10	83.8	В	£ 19
14	37.914	22.4 0	82.7	32.15	83.6	В	6 19 ´´
15	38.394	22.35	83.0	32.35	83.2	В	7 12 ",
16	39.286	22.50	83.6	32.20	83.5	В	8 12 ,,
17	39.698	22.62	84.3	32.08	84.1	c	9 12 ,,
18	39.286	22.48	85.5	31.70	85.0	c	10 12 ,,
19 20	37.983 37.365	22.27	86.4	31.25	86.0	c	11 12
20 21	37.502	21.99 21.75	87. 4 87.8	31.24 31.20	86.8	c	Noon.
22	37.914	21.75	88.5	31.20	87.0 87.7	D	1 12 p. m.
23	37.914	21.39	88. 4	31.20	88.1	D D	2 12 ,, 3 12 ,,
				J	30.1	ע	3 12 ,,

	DAILY OBSE	RVATIONS, F.	ROM 31sr O	CTOBER TO 21	ND NOVEMB	ER 18	664.
DATE.	Bastern	Horizonal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	Observers.	DATE.
Göttingen		meter.	Force Magne-	meter.	Force Magne-	198	Bombay
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	Ö	Civil Time.
1864.		Uncorrected.		Uncorrected.			1864.
h.							h. m.
Oct. 31st-Noon.	38/943	21.61	87*2	31.48	87.9	C	4 12 p. m.
1	38.463	21.72	85.6	31.46	87.2	C	5 12 ,,
2	38,257	21.75	84.9	31.75	86.0	В	6 19 "
3	38.188	21.80	84.3	32.00	85.3	В	7 12 "
4	38.257	21.85	84.0	32.05	84.9		
5		21.89		32.10	84.2	В	8 12 ,,
6	38.669	22.05	83.0	32.20		D	9 12 ,,
	37.914		82.8		83.7	D	10 12 ,,
7	38.600	22.20	82.4	32.20	83.4	D	11 12 ,,
8	37.983	22.15	81.8	32. 30	82.9	D	Midnight.
9	38.463	22.34	81.7	32.39	82.9	C	l 12 a. m.
10	38.463	22.36	81.5	32.37	82.7	C	2 12 ,,
11	39.217	22.28	81.0	32.46	82.3	C	2 19 "
12	39.149	22.35	81.0	32.55	82.2	c	4 10 "
13	38.669	22.40	80.9	32.55	81.8	B	5 19 ″
14	38.051	22.35	80.5	32.50	81.5	-	6 19 "
15	38.737	22.18	80.5	32.75	81.0	В	
16	38.874	22.16		32.60		В	7 12 ,,
			81.4		81.4	В	8 12 ,,
17	38.257	22.46	82.6	32.15	82.2	D	9 12 ,,
· 18	37.228	22.59	83.7	32.00	82.9	D	10 12 ,,
19	36.611	22.66	84.8	31.78	83.9	D	11 12 ,,
20	36.611	22.49	85.0	31.65	84.6	D	Noon.
21	. 36.542	22.21	85.7	31.50	84.9	C	1 12 p. m.
22	36.954	21.85	85.8	31.65	85.2	c	2 12 ,,
23	37.640	21.61	85.8	31.60	85.9	C	3 12 ,,
			1				, ,,
NT - 1 - NT			1				
Nov. 1st-Noon.	38.531	21.49	85.8	31.85	85.8	D	4 12 ,,
1	38.394	21.57	84.7	31.94	85.8	c	5 19 ´
2	37.845	21.56	83.9	32.20	85.1	o	6 19 "
3	38.120	21.77	83.1	32.28	84.3	C	7 19 "
4	38.120	21.85	82.9	32.29	83.9	_	Q 19 ″
5	38.188	21.85	82.6	32.45	83.5	0	0.19
6	38.257	21.90	82.6	32.40	83.1	В	9 12 ,,
7	38.257		82.0	32.40 32.35		В	10 12 ,,
8		21.89			83.0	В	11 12 ,,
9	38.600	21.85	82.0	32.45	82.7	В	Midnight.
	38.943	21.90	81.9	32.30	82.5	D	1 12 a. m.
10	38.874	22.10	80.9	32.40	82.1	D	2 12 ,,
11	37.914	22.30	80. <i>5</i>	32.40	81.7	D	3 12 ,,
12	38.257	22.50	80.9	32.40	81.3	D	4 12
13	38.257	22.40	80.3	32.48	81.3	C	5 12 ",
14	37.845	22.46	80.0	32.49	81.2	C	<i>Q</i> 10
15	37.983	22.50	79.7	32.57	81.0		# 10
16	39.080	22.53	80.6	32.57	81.0	C	0.10
17	37.708	22.70	81.8	32.10	81.4	C	0 12 ,,
18	36.748	22.80	83.0	31.65	82.1	В	9 12 ,,
19				31.45		В	10 12 ,,
	35.856	22.70	84.0		82.9	В	11 12 ,,
20	36.405	22.12	84.5	31.72	83.5	В	Noon.
21	36.885	21.75	85.0	31.60	83.9	D	1 12 p. m.
22	37.571	21.35	85.6	31.50	84.8	D	2 12
23	37.845	21.41	85.2	31.60	85.2	D	3 12 ",
		1					
Nov 2'nd-Noon.	38.257	21.34	85.0	31.60	85.3		A 10
_	00.20/			31.86		D	4 12 ,,
l o	38.394	21.54	84.3		85.1	C	5 12 ,,
2	38.051	21.73	83.5	31.98	84.9	C	6 12 "
3	38.257	21.75	83.4	31.98	84.5	C	7 12 ,,
4	38.326	21.58	83.4	32.07	84.2	C	8 12 ,,
- 1	38.463	21.63	83.4	32.05	84.0	В	9 12
5		21.55	83.4	32.15	83.7	В	10 12 ,,
	00.094					_	>>
5	38.394 38.669		83.4	32.15	83.6	R	11 12
5 6 7	38.669	21.61	83.4 83.4	32.15 32,25	83.6 83.5	B	11 12 ,, Midnight
5 6 7 8	38.669 38.806	21.61 21.82	83.4	32.25	83.5	В	Midnight.
5 6 7	38.669	21.61					11 12 ,, Midnight. 1 12 a. m. 2 12 ,,

	DAILY	OBSERVATIO	NS, FROM 2	2ND TO 4TH NO	OVEMBER 18	364.	
DATE. Göttingen	Bastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne -	Observers.	DATE. Bombay
Mean Time.	Declination.	Scale Readings Unorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	tometer.	Obse	Civil Time. 1864.
h. Nov. 2nd12	38′874	22.11	82:4	32.30	82*9	D	h. m. 4 12 a. m.
13	38.120	22.11	82.3	32.70	82.9	C	5 12 ,,
14	38.120	22.05	81.8	32.07	82.6	c	6 12 ,,
15	38.874	22.17	81.8	32.28	82.6	С	7 12 ,,
16	39.012	22.45	82.5	32.50	83.0	c	8 12 ,,
17	39.492	22.61	83.7	32.15	83.2	В	9 12 ,,
18	39.080	22.59	84.8	31.70	83.9	В	10 12 ,,
19	38.188	22.58	85.7	31.50	84.9	В	11 12 ,,
20	39.394	22.19	86.6	31-55	85.6	В	Noon.
21	38.874	21.79	87.1	31.50	85.9	D	l 12 p.m.
22	38.943	21.71	85.9	31.65	86.1	Ď.	2 12 ,,
23	38.531	21.81	85.2	31.60	86.3	D	3 12 ,,
Nov. 3rd-Noon.	38.600	21.75	85.1	31.75	85.3	D	4 12 ,,
1	38. 257	21.76	85-3	31.76	86.0	С	5 12 ,,
2	37.845	21.73	85.1	31.79	85.8	С	6 12 ,,
3	38.120	21.69	84.5	31.96	85.4	C	7 12 ,,
4	38-188	21.65	, 84.1	31.98	85.0	С	8 12 ,,
. 5	38.826	21.61	83.9	32.10	84.6	В	9 12 ,,
6	38.669	22.75	83.5	32.15	84.3	В	10 12 ,,
7	38.874	21.81	83.5	32.20	84.0	В	11 12
8	38.943	21.93	83.5	32.25	83.8	В	Midnight.
9	38.600	22.11	83.4	32.30	83.5	D	1 12 a.m.
10	38.943	21.95	83.2	32.20	83.4	D	2 12 "
11	38.257	22.09	82.9	32.20	83.2	D	3 12 ,,
12	38.394	22.29	82.6	32.20	83.0	D	4 12 ,,
13	37.983	22.24	82.2	32.20	83.0	C	5 12 ,,
14	37.571	22.25	82.1	32.21	82.8 82.6	C	6 12 ,,
15	37.571	22.40	82.1	32.29		C	7 12 ,,
16	38.394	22.62	82.6	32.29	82.8 82.8	C	8 12 ,,
17	38.394	22.62	83.0	32.25	83.4	В	9 12 ,,
18	38.120	22.73	84.4	31.90	84.5	В	10 12 ,,
19	37.914	22.71	85.8	31.75		В	11 12 ,,
20	38.806	22.35	86.5	31.81	85.3 86.2	В	Noon.
21	39.286	22.05	87.4	31.60	86.2 86.9	D	1 12 p. m.
22 23	38.73 7 38.326	21.95 21.51	87.9 88.1	31.35 31.40	87.6	D D	2 12 ,, 3 12 ,,
Nov. 4mm Noon	38.463	21.51	87.9	31.40	87.8	D	4 12 "
Nov. 4TH-Noon.	37.983	21.48	87.3	31.50	87.7	C	5 12 ,,
2	38.120	21.13	86.3	31.68	87.2	C	6 12 ,,
3	37.914	21.20	85.8	31.69	86.5	U	7 12 ,,
4	38.188	21.36	85.1	31.88	86.0	С	8 12 ,,
5	38.257	21.51	85.0	32.00	85.6	В	9 12 ,,
6	38.257	21.61	84.7	32.22	85.3	В	10 12 ,,
7	38.326	21.75	84.3	32.30	85. I	В	11 12
8	38.394	21.82	84.2	32.30	84.9	В	Midnight.
9	38.326	21.89	84.2	32.20	84.6	D	l 12 a.m.
10	38.257	21.75	84.2	32.20	84.5	D	2 12 ,,
ii	38.120	21.71	84.1	32.20	84.3	D	3 12 ,,
12	37.914	21.94	82.0	32.20	84.1	D	4 12 ,,
13	37.914	21.85	83.7	32.24	84.1	C	5 12 ,,
14	37.708	21.79	83.1	32.36	84.0	C	6 12 "
15	37.777	22.13	82.4	32.29	83.5	C	7 12 ,,
16	38.365	22.45	82.7	32.31	83.5	c	8 12 ,,
17	38.051	22.60	83.0	32.30	83.2	В	9 12 "
18	37.914	22.65	83.5	32.15	83.5	в	10 12 ,,
19	37.502	22.82	84.0	32.05	84.0	В	11_12 ,,
20	37.571	22.65	84.2	32.10	84.1	В	Noon.
21	38.188	22.33	84.2	32.10	84 -6	D	1 12 p. m.
22	37.914	22.05	84.8	32.00	85.0	D	2 12 ,,
23	38.188	21.89	85.0	31.90	85.2	D	3 12 ,,

27-1864.

	DAILY (DBSERVATION	is, from 61	тн то 8тн NO	VEMBER 186	64.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							, h. m.
Nov. 6TH-Noon.	37!983	21.17	88*1	31.60	88*5	В	4 12 p. m.
1	38.120	21.61	87.0	31.80	87.8	В	5 12 ,,
2	38.257	21.68	86.1	31.86	87.2	C	6 12 ,,
3 4	37.914	21.68	85.6	31.87	86.6	В	7 12 ,,
5	37.914	21.73 21.70	85.1	31.96 32.00	86. 3 86.0	C	8 12 ,, 9 12 ,,
6	38.051 38.394	21.70 21.45	84.7 84.7	32.00 32.05	85.9	B B	10 19
7	38.943	21.20	84. <i>5</i>	32.18	85.7	В	11 19
8	38.669	21.44	84.3	32.10	85.4	В	Midnight.
9	38.943	21.69	84.0	32.20	85.1	D	l 12 a. m.
10	38.600	21.75	83.7	32.50	84.9	D	2 12 ,,
11	38.257	21.94	83.2	32.40	84.3	D	3 12 ,,
12	37.983	22.05	83.4	32.40	84.1	D	4 12 ,,
13	38.257	22.15	83.3	32,50	84.1	C	5 12 ,,
14	37.434	22.29	82.9	32.48	84.0	C	6 12 ,,
15 16	37.434	21.90	83.0	32.44	83.8	C	7 12 ,,
17	37.640	22-54	83.8	32.28	84.2	C	8 12 ,,
17	37.914 37.571	22.60 22.60	85.0 86.3	32.20 32.00	84.6 85.3	В	9 12 ,, 10 12
19	37.571 37.159	22.40	86.3 86.6	32.00 31.85	85.8	B	11 19 "
20	37.139 37.02 2	22.30	87.0	31.95	86.1	В	Noon.
21	38.394	22.01	87.2	31.90	86.4	D	1 12 p. m.
22	38.257	21.70	87.8	31.80	87.0	D	2 12 ,,
23	38.257	21.51	87.2	31.80	87.3	D	3 12 ",
Nov. 7TH-Noon.	38.051	21.54	87.0	31.70	87.0	D	4 12 ,,
1	37.983	21.59	86.3	31.88	87.0	С	5 12 ,,
2	38.120	21.48	85.9	31.99	86.6	С	6 12 ,,
3	38.051	21.29	85.6	31.97	86.5	C	7 12 ,,
4 5	37.983 38.25 7	21.29 21.41	85.4 85.3	31.84 31.85	86.3 86.0	C	8 12 ,, 9 12 ,,
6	37.845	21.55	85.1	31.65	85.8	B B	10 10 "
7	37.983	21.68	84.8	31.55	85.5	В	11 19 "
8	37.983	21.71	84.6	31.60	85.5	В	Midnight.
9	37.983	21.81	84.5	31.60	85.3	D	1 12 a. m.
10	37.914	21.75	84.2	32.00	85.1	D	2 12 ,,
11	38. 257	21.79	84.2	31.75	85.0	Q	3 12 ,,
12	37.571	21.89	83.9	32.20	84.8	D	4 12 ,,
13	37.983	21.91	83.4	32.44	84.7	C	5 12 ,,
14	37.777	21.85	83.4	32.46	84.5	C	6 12 ,,
15	3 7. 571	21.86	83.5	32.46	84.5	C	7 12 ,,
16	37.914	21.91 22.01	84.4	32.27 32.10	84.9 85.0	C	8 12 ,,
17 18	38.257 38.531	22.01	85.4 86.5	32.10 31.90	85.7	В	9 12 ,, 10 12 ,,
19	37.159	22.12	86.5	31.65	86.1	ВВ	11 10
20	37.159	21.85	86.8	31.95	86.4	В	Noon.
21	37.57 l	21.75	87.2	31.80	87.0	D	1 12 p. m.
22	37.571	21.61	87.5	31.65	87.3	D	2 12 ,,
23	37.297	21.49	87.5	31.60	87-8	D	3 12 ",
Nov. 8TH-Noon.	37.571	21.31	87.1	31.70	87.8	D	4 12 "
1	37.777	21.28	86.4	31.71	87.7	C	5 12 ,,
2	37.845	21.38	85.9	31.89	87.4	c	6 12 ,,
3	37.845	21.56	85.7	31.97	87.0	C	7 12 ,,
4	37.914	21.62	85.4	32.00	86.8	C	8 12 ,,
5	37.571	21.61	85.4	32.00	86.5	В	9 12 ,,
6	38.257	21.58	85.2	32.10	86.3	В	10 12 ,,
7 8	38.188	21.59	85.0	32.20	86.0	В	11 12 ,, Midnight
8	37.914	21.64	84.6	32.15 32.20	85.8 85.3	B D	Midnight. 1 12 a. m.
	37 014						
9 10	37.914 37.914	21.65 21.80	84.5 84.3	32.20	85.1	D	2 12 ,,

	DAILY	OBSERVATIO	NS, FROM 8	Вти то 10ти N	OVEMBER	1864.	
DATE. Göttingen	Eastern Declination.	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay Civil Time.
Mean Time.	20011112110111	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.'	8	1864.
h.		01.05					h. m.
Nov. 8TH-12	37/571	21.85	83:9	32.30	84.7	D	4 12 a. m.
13	37.571	21.96	83. 3	32.30	84.6	C	5 12 ,,
14	37.365	22.20	83.2	32.27	84.5	С	6 12 ,,
15	37.228	22.26	83.4	32.22	84.5	C	7 12 ,,
16	37.77 7	22.41	84.3	32.20	84.9	C	8 12 ,,
17	37.77 7	2 2.55	85.1	32.10	85.1	В	9 12 ,,
18	37.571	22.64	86.4	31.90	85.7	В	10 12 ,,
19	37.091	22.53	87.4	31.65	86.7	В	11 12 ,,
20	37.159	22.17	88.7	31.60	87.8	В	Noon.
21	38.051	21.71	87.9	31.75	87.9	D	1 12 p. m.
22	37,571	21.69	87.8	31.65	88.0	D	2 12,
23	38.188	21.51	87.5	31.60	88.1	D	3 12 ,,
Nov. 9TH-Noon.	3 7.777	21.49	87.2	31.50	87.9	D	4 12
1	37.845	21.65	86.3	31.67	87.9	C	£ 10 "
2	37.914	21.61	86.2	31.88	87.5	0	6 19 ´
3	37.777	21.62	86.1		87.2	o	7 10 "
4	37.777 38.051	21.62		31.99			9 19 "
5		1	85.3 95.3	32.01	86.8	0	0.10 "
6	38.257	21.55	85.3	32.00	86.5	В	9 12 ,,
- 1	38.257	21.50	84.4	32.05	85.7	В	10 12 ,,
7	38.257	21.55	83.2	32.10	84.7	В	11 12 ,,
8	38.531	21.80	82.6	32.00	84.2	В	Midnight.
9	38.600	21.95	82.7	32.20	83.7	D	l 12 a.m.
10	37.914	22.20	82.4	32.10	83. 2	D	2 12 ,,
11	37.091	22.40	82.0	32.20	83.1	ם	3 12 ,,
12	37.228	22.20	81.9	32.30	82.8	D	4 12 ,,
13	36.748	22.51	81.8	32.46	82.8	c	5 12 ,,
14	36.199	22.53	81-8	32.38	82.8	c	6 12 ,,
15	36.611	22.57	82.0	32.36	83.0	c	7 12 ,,
16	36.954	22.61	82.8	32.32	83.2	c	0.10
17	36.885	22.80	84.0	32.10	83. 5	В	0.10
18	36.748	22.84	85.4	31.80	84.4	В	10 10
19	36.748	22.88	86.4	31.65	85.5	В	11 10 "
t e	37.751	22.30					
20			87.4	31.70	86.3	В	Noon.
21	38.257	21.71	87.9	31.40	87.2	D	1 12 p.m.
22 23	37.777 37.571	21.29 20.75	88.2 89.0	31.35 31.30	87.8 88.3	D D	2 12 ,, 3 12 ,,
. 10 N							
lov. 10тн-Noon.	37.571	20.81	88.9	31.40	88.2	D	4 12 ,,
1	37.640	21.02	87.9	31.68	88.0	C	5 12 ,,
2	37.571	21.33	87.1	31.88	87.4	C	6 12 ,,
3	37.434	21.52	86.3	31.96	87.2	C	7 12 ,,
4	37.708	21.39	85.8	32.05	86.9	С	8 12 ,,
5	38.051	21.25	85. 5	32.05	86.5	В	9 12 ,,
6	38.257	21.35	85.0	32.00	86.1	В	10 12 "
7	38.326	21.48	84.6	32.12	85.7	В	11 12
8	38-600	21.45	84.3	32.20	85.5	В	Midnight.
9	38.943	21.55	83.8	32.20	84.7	D	1 12 a.m.
10	38.600	21.70	83.7	32.20	84.3	D	0.10
ii	38.600	21.70	83.2	32.30	84.0	D	2 10
12	38.257	21.65	83.0	32.30	83.9	D	4 10
13	37.571 ·	21.67	83.0	32.20	83.9	C	5 10 °
14	37.571	21.71	82.8	32.26	83 .9	c	6 10
15	37.297	21.98	82.5	32.25	83.6	o	770
16	37.502	21.96 22.22		20.00			
			83.2	32.22	84.0	C	8 12 ,,
17	37.914	22.20	84.3	32.15	84.4	В	9 12 ,,
18	38.188	22.20	85.7	31.80	85.1	В	10 12 ,,
19	37.708	22.18	86.9	31.60	86.2	В	11 12 ,,
20	37.914	22.01	87.3	31.60	86.8	В	Noon.
21	38.257	21.65	87.9	31.60	87.2	D	1 12 p. m.
22	39.286	21.05	88-2	31.75	87.8	D	2 12 ,,
23	38.943	20.91	87.7	31.70	87.7	. D	3 12 ,,

	DAILY (DBSERVATION	IS, FROM 11	тн то 14тн N	OVEMBER	1864.	
DATE. Göttingen Mean Time. 1864.	Rastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h. Nov. 11TH-Noon. 1 2 3	38/943 38-600 39.217 39.972	20.69 20.55 19.95 19.60	87*0 86.2 85.8 85.2	31.90 32.16 32.19 32.41	87:3 87.1 86.7 86.2	D C C	h. m. 4 12 p. m. 5 12 ,, 6 12 ,, 7 12 ,,
4 5 6 7 8 9	39.286 38.600 38.737 38.943 38.943 39.355	19.56 19.92 20.40 20.80 21.15 21.13	85.0 85.0 84.5 84.2 83.7 83.5	32.29 32.45 32.36 32.45 32.32 32.30	86.0 85.6 85.2 85.1 84.8 84.6	C B B B	8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,, Midnight. 1 12 a.m.
10 11 12 13 14	38.943 39.080 38.051 37.228 36.542	21.20 21.35 21.47 21.61 21.75	83.5 83.4 83.0 82.8 82.8	32.30 32.30 32.30 32.30 32.25	84.5 84.1 84.0 83.9 83.7	D D C C	2 12 ,, 3 12 ,, 4 12 ,, 5 12 ,, 6 12 ,,
15 16 17 18 19 20	36.679 37.159 37.914 38.326 37.777 38.257	21.95 21.96 21.91 21.83 21.72 21.56	83.0 83.8 85.0 86.4 87.5 88.0	32.36 32.37 32.15 31.81 31.55	83.9 84.2 84.7 85.6 86.4 87.2	C C B B	7 12 ,, 8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,, Noon.
21 21 22 23	39.355 39.355 39.766	21.01 21.39 21.45	88.6 88.9 88.5	31.50 31.30 31.50	87.8 87.8 88.0	D D D	1 12 p. m. 2 12 ,, 3 12 ,,
Nov. 13TH-Noon. 1 2 3 4	38.326 38.188 37.983 38.463 38.600	20.96 21.19 21.21 21.25 21.15	87.2 86.2 85.3 84.8 84.3	31.67 31.87 31.90 32.00 32.06	87.8 87.2 86.3 85.9 85.4	C C C C	4 12 ,, 5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,,
5 6 7 8 9	38.463 38.943 38.257 38.600 38.943 38.600	21.25 21.50 21.65 21.55 21.50 21.65	83.9 83.6 82.7 82.5 82.6 82.0	32.05 32.10 32.25 32.35 32.20 32.20	85.0 84.6 83.9 83.6 83.2 83.1	B B B D	9 12 ,, 10 12 ,, 11 12 ,, Midnight. 1 12 a. m. 2 12 ,,
11 12 13 14 15	37.914 37.914 37.365 37.571 37.571	21.70 21.65 21.86 21.90 21.96	81.8 81.8 81.6 81.2 81.0	32.10 32.40 32.44 32.45 32.48	82.7 82.6 82.5 82.5 82.2	D C C	3 12 ,, 4 12 ,, 5 12 ,, 6 12 ,, 7 12 ,,
16 17 18 19 20 21	37.571 38.051 37 914 37.228 37.914 39.217	22,43 22,31 22,15 22,41 21,95 21,55	81.2 82.5 84.0 85.5 86.5 87.1	32.48 32.30 31.90 31.60 31.70 31.50	82.3 82.4 83.4 84.5 85.5 86.4	B B B	8 12 ,, 9 12 ,, 10 12 ,, 11 12 ,, Noon. 1 12 p. m.
22 23 Nov. 14тн-Noon.	39.286 39.629 39.355	20.85 20.55 20.45	87.0 86.7 85.8	31.50 31.60 31.70	86.3 86.5 86.2	C C	2 12 ,, 3 12 ,, 4 12 ,,
1 2 3 4 5 6	40.041 39.286 38.943 38.737 38.600 38.531	21.04 21.06 21.04 21.19 21.30 21.60	84.3 83.5 83.3 83.1 83.0 82.5	31.98 32.15 32.16 32.26 32.25 32.30	85.9 85.0 84.2 84.0 83.5 83.2	C C C B	5 12 ,, 6 12 ,, 7 12 ,, 8 12 ,, 9 12 ,,
7 8 9 10 11	38.120 38.326 38.326 38.257 38.257	21.95 22.01 22.00 22.10 21.95	82.1 81.5 81.3 81.0 80.9	32.30 32.38 32.40 32.30 32.35 32.40	82.6 82.5 82.5 82.5 82.2 81.8	B B D D	10 12 ,, 11 12 ,, Midnight. 1 12 a. m. 2 12 ,, 3 12 ,,

	DAILY	OBSERVATIO:	NS, FROM 1	4тн то 16тн I	NOVEMBER	1864.	
DATE.	Eastern	Horizontal Force Magneto-	Thermometer of Horizontal	Vertical Force Magneto-	Thermometer of Vertical	378.	DATE.
Göttingen	Lastern	meter.	Force Magne-	meter.	Force Magne-	l v	Bombay
Mean Time.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Observers.	Civil Time. 1864.
h.		-					h. m.
Nov. 14тн—12	37/914	22.00	80°8	32.4 0	81:4	D	4 12 a. m.
13	37. 022	22.18	80.4	32.48	81.3	c	5 12 ,,
14	37.777	22.28	79.7	32.70	81.0	C	6 12 ,,
15	37.434	22.26	79.8	32.90	80.9	C	7 10 "
16	37.571	22.30	80.5	32.91	80.9	C	9 10 "
17	37.708	22.40	81.5	32.75	81.0	В	0.10
18	37.845	22.25	82.4	32.40	81.6	В	10 19 "
19	37.571	22.14	83.5	32. 30	8 2 .6	В	11 10 "
20	38.25 7	21.95	84.5	33.30	83.8	В	Noon.
21	39.012	21.75	85-5	33.20	84.8		
22	39.629	21.25	86.0	33.00	85.4	D	1 12 p. m.
23	39.972	21.09	87.4	32.80	86.2	D	2 12 ,,
20	U3.312	21.09	07.1	132.00	60.2	D	3 12 ,,
Nov. 15TH-Noon.	38.874	21.05	87.0	32.90	86.2	D	4 12 ,,
1	38.943	21.09	86.3	33.18	86.0	c	5 10 "
2	39.355	21.59	84.4	33.30	84.9	c	6 19 °
3	39.149	21.40	83.7	33.45	84.2	c	7 19
4	38.874	21.37	83.1	33.58	83.7	c	9 19
5	38.806	21.50	82.5	33.55	83.2	- 1	0.19
6	38.051	21.90	81.8	33.75	82.6	В	
L	38.394	22.00	81.1	33.75	1	В	10 12 ,,
7			81.1		82.1	В	11 12 ,,
8	38.600	22.00	1	33.85	81.9	В	Midnight.
9	37.777	22.50	80.4	33.90	81.5	D	1 12 a.m.
10	37.571	, 22.45	80.5	33.90	81.3	D	2 12 ,,
11	37.914	22.30	80.4	34.00	81.2	D	3 12 ,,
12	36.885	22.30	80.1	34.00	80.7	D	4 12 ,,
13	37.228	22.41	79.8	34.00	80.4	c	5 12 ,,
14	36.885	22.46	79.4	34.08	80.2	c	6 12 ,,
15	36.816	22.52	79.3	34.14	79.8	c	7 12 ,,
. 16	37.297	22.62	79.8	34.16	79.8	c	8 12 ,,
17	37.571	22.65	80.7	33.78	80.1	В	0.19
18	37.708	22.70	82.2	33.50	81.0	В	10 19 "
19	37.228	22.65	83.4	33.22	82.1	В	11 12 ,,
20	37.571	22.35	84.5	33.15	83.2	В	Noon.
21	37.983	21.95	85.8	33.00	84.3	D	1 12 p. m.
22	38.943	21.50	86.8	33.00	85.7		2 12 ,,
23	38.326	21.30	87.7	32.70	86.5	D D	3 12 ",
Nov. 16TH-Noon.	38.326	20.95	87.4	32.80	87.0	D	4 12 ,,
1	39.149	20.89	86.3	32.98	86.3	c	5 12 ,,
2	38.943	21.28	85.1	33.15	85.3	c	6 12 ,,
3	38.737	21.49	84.3	33.21	84.8	c	7 12 ,,
4	38.257	21.45	84.0	33.47	84.6	c	8 12 ,,
5	38.326	21.60	83.2	33.40	84.0	В	0.10 "
6	38.188	21.85	82.2	33.75	83.1	В	10 10
7	38.326	21.91	82.1	33.65	82.7	В	11 10
8	38.531	21.95	81.8	33.75	82.6		Midnight.
9	37.914	22.10	81.3	33.90	82.3	В	minnight.
10	37.845	22.31	81.0	33.95		D	1 12 a. m.
			80.5		81.9	D	2 12 ,,
11	38.257	22.45		34.00	81.3	D	3 12 ,,
12	38.257	22.15	80.2	34.10	80.9	D	4 12 ,,
13	38.600	22.14	80.2	34.00	80.9	C	5 12 ,,
14	37.914	22.20	80.0	33.97	80.8	c	6 12 ,,
15	37.777	22.39	80.0	33.96	80.5	C	7 12 ,,
16	37.983	22.70	80.3	33.94	80.8	c	8 12 ,,
17	38.326	22.84	81.6	33.72	81.4	В	9 12 ,,
18	37.297	22.91	83.2	33.30	82.4	В	10 12 ,,
19	36.954	22.51	84.8	33.35	83.3	В	11 12 ,,
20	36.885	22.09	86.0	33.25	84.5	В	Noon.
21	37.571	21.65	86.9	33.10	85.8	D	1 12 p. m.
22	38.874	21.31	87.9	33.20	86.3	D	2 12 ,,
					00.0	ועו	<i>u .u</i> .,

28—1864.

	DAILY (OBSERVATION	NS, FROM 1	7тн то 20тн N	OVEMBER	1864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.					0.000		h. m.
Nov. 17TH-Noon.	39/012	21.15	86.8	33.00	86.8	D	4 12 p. m.
1	38.600	21.28	85.6	33.18	86.1 85.4	C	5 12 ,, 6 12
2	38.874	21.26	85.0 84.4	33.37 33.48	84.9	C	7 19 "
3	38.737	21.25 21.39	83.9	33.49	84.1	C	9 19
5	38.188 38.120	21.45	83.5	33.55	83.6	В	0.19
6	38.257	21.60	82.6	33.75	83.3	В	10 12 ,,
7	38.394	21.80	81.8	33.75	82.7	В	11 12 ",
8	38.257	22.00	81.8	33.75	82.7	В	Midnight.
9	38.669	21.90	81.5	33.90	82.4	D	l 12 a.m.
10	38.943	21.90	80.9	34.00	81.8	D	2 12 "
11	38.806	21.80	80.3	34.20	81.1	D	3 12 ,,
12	37.983	21.90	80.0	34.30	80.9	D	4 12 ,,
13	37.571	22.15	79.9	34.26	80.8	C	5 12 ,,
14	37.914	22.15	79. 7	34.25	80.5 80.4	C	6 12 ,, 7 12
15	38.326	22.15	79.8 80.4	34.24 34.06	80.4 80.9	C	9 19
16	38.394 38.531	22.28 22.50	80.4 82.0	33.70	81.2	C B	0.19
17	38.531 37.845	22.50 22.55	82.0 82.6	33.40	82.0	В	10 19 "
18 19	37.914	22.42	83.6	33.25	82.7	B	11 12 ,,
20	37.640	22.39	84.9	33.15	83.8	в	Noon."
21	38.326	22.15	86.0	33.00	85.1	D Q	1 12 p. m.
22	39.012	21.75	87.2	33.00	86. 2	D	2 12',,
23	39.149	21.45	87.8	3 2.80	86.8	D	3 12 "
Nov. 18th-Noon.	39.012	21.39	87.5	32.80	87.3	D	4 12 ,,
1	38.737	21.30	86.4	32.95	87.3	C	5 12 ,,
2	38.874	21.34	85.3	33.00	86.4	C	6 12 ,,
3	38.737	21.36	84.3	33.15	85.6	C	7 12 ,,
4	38.737	21.50	83.5	33.26	8 4.8 83.8	C	8 12 ,,
5	38.943	21.55 21.80	82.5	33.40 33.55	83.2	В	9 12 ,, 10 12 ,,
6 7	38.394 38.600	21.88	81.8 81.6	33.75	82.8	B	11 19 "
8	38.257	21.80	81.8	33.85	82.6	В	Midnight.
9	38.394	22.15	81.7	33.90	82.1	D	1 12 a. m.
10	38.188	22.10	81.7	34.00	81.7	D	2 12 ,,
ii	37.983	22.20	81.1	34.10	81.3	D	· 3 12 ,,
12	38.257	22.35	80.7	34.20	81.1	D	4 12 ,,
13	37.845	22.50	80.5	34.04	81.I	c	5 12 ,,
14	38.188	22.51	80.1	34.00	80.9	c	6 12 ,,
15	38.326	22.59	79.6	33.98	80.5	C	7 12 ,,
16	37.983	22.50	80.8	33.99	80.9	C	8 12 ,,
17	38.257	22.70	81.9	33.95	81.0 81.9	В	9 12 ,,
18	38.257 37.509	22.55 22.35	83.2	33.50 33.10	83.0	В	10 12 ,, 11 12 ,,
19	37.502 37.914	22.35 22.10	84. 5 85.9	33.10	84.0	В	Noon.
20 21	38.600	22.10 21.65	85.9 87.0	33.00	85.2	B D	1 12 p. m.
21 22	38.874	21.41	87.7	33.00	86.2	D	2 12 ,,
23	38.806	21.41	87.4	32.80	86.8	D	3 12 ,,
Nov. 20th-Noon.	38.257	21.05	86.8	33.10	86.7	D	4 12 ,,
1	38.669	21.11	85.8	33.10	85.9	C	5 12 ,,
2	38.874	21.39	84.8	33.37	85.2	С	6 12 ,,
3	38.737	21.44	84.1	33.46	84.8	c	7 12 ,,
4	38.874	21.45	83.8	33.49	84.3	c	8 12 ,,
5	38.806	21.65	83.6	33.55	83.7	В	9 12 ,,
6	38.463	21.85	83.5	33.50	83.6	В	10 12 ,,
7	38.326	21.93	83.1	33.52	83.3 83.0	В	11 12 ,,
8	38.463	22.03	82.5	33.70	83.0 82.7	В	Midnight. 1 12 a. m.
9	38.18 8 37.983	22.10 22.15	82.8 82.5	33.70 33.80	82.6	D D	
10 1	J1. J 0J	22.13	82.5 82.7	33.80	82.7	ע	2 12 ,, 3 12 ,,

D:		Horizontal		Vertical		,	DATE.
DATE.	Dostono	Force Magneto-	Thermometer	Force Magneto-	Thermometer of Vertical	ers	
Göttingen	Eastern	meter.	of Horizontal Force Magne-	meter.	Force Magne-	erv	Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	Observers.	Civil Time. 1864.
h.							b. m.
Nov. 20TH-12	37/571	22.05	8 2 °6	33.90	82°7	D	4 12 a.m.
13	37.228	22.14	82.4	33.85	82.7	c	5 12 ,,
14	37.159	22.24	82.2	33.6 7	82.6	c	6 12 ,,
· ·	37.091	22.29	82.2	33.67	82.7	c	7 19 "
15	37.571	22.48		33.76	83.0	c	9 19
16			82.9		83.3	1	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
17	37.737	22.51	84.5	33.50	1	В	
18	38.188	22.45	86.1	33.10	84.5	В	10 12 ,,
19	37.708	22.32	87.4	32.80	85.5	В	11 12 ,,
20	37.365	22.03	88.0	32.85	86.1	В	Noon."
21	37.571	21.85	87.9	33.00	86.5	D	l 12 p. m.
22	37.708	21.65	87.5	32.90	86.8	ъ	2 12',
1	37.571	21.51	87.5	32.70	87.1	D	2 10 "
23	07.071	21.01	07.0	02.70			3 12 ,,
Nov. 21st-Noon.	37.708	21.25	87.5	32.90	87.1	D	4 12 ,,
1	37.914	21.25	86.4	33.00	86.5	c	5 12 ,,
2	38.051	21.29	85. 5	33.06	86.0	c	6 19 "
3	38.806	21.30	84.8	33.18	85. 5	-	7 19 "
3					84.9	C	,,
4	38.874	21.16	84.2	33.20		C	8 12 ,,
5	38.463	21.35	84.1	33.35	84.4	В	9 12 ,,
6	38.600	21.55	83.0	33.45	83.5	В	10 12 ,,
7	38.188	21.85	83.0	33.54	83.5	В	11 12
8	38.463	22.00	83.0	33.52	83.5	В	Midnight.
	38.669	21.85	82.9	33.60	83.1		1 12 a. m.
9					83.0	D	
10	37.914	22.20	82.9	33.60	83.0	D	
11	38.600	22.00	82.8	33.60		D	3 12 ,,
12	37.914	22.05	82.3	33.60	82.8	D	4 12 ,,
13	37 . 77 7	22.00	82.4	33.67	82.8	c	5 12 ,,
14	37.777	22.10	82.4	33.88	82.7	c	6 12 ",
	37.502	22.21	82.2	33.99	82.7	c	7 19 "
15	38.188	22.45	82. 8	34.04	83.1	1	8 12
16					83.1	C	17
17	38.600	22.51	83.6	34.00		В	9 12 "
18	38- 943	22.44	84.1	33.85	83.5	В.	10 12 ,,
19	38.051	22.43	84.4	33.6 0	83.8	В	11 12 ,,
20	38.257	22.34	84.3	33.75	83.7	В	Noon.
	38.257	22.09	85.7	33.60	84.8	D	1 12 p. m.
21				3 3.9 0	85.7	1	0 10
22	37.708	21.85	86.2		86.2	D.	2 12 ,,
23	38.120	21.69	86.9	33.20	00.2	D	3 12 ,,
Nov. 22nd-Noon	38.5 31	21.45	87.1	33.30	86.8	D	4 12 ,,
1011-UN201100D	38.120	21.45	86.1	33.38	86.4	1	z 10
1				33.45	86.0	C	6 19
. 2	38.120	21.61	85.3		85.5	C	6 12 ,,
3	38.188	21.58	85.0	33.45		C	7 12 ,,
4	38.463	21.59	84.9	33.48	85.4	c	8 12 ,,
5	38.737	21.57	84.5	33.60	85.0	в	9 12 ,,
. 6	38.394	21.61	84.1	33.55	84.6	В	10 12 ,,
7	38.531	21.69	84.0	33.60	84.6	В	11 12 ,,
	38.531	21.79	83.6	33.65	84.4	В	Midnight.
8					84.2		1 10
9	38.463	21.80	83.8	33.70	83.9	D	1 12 a, m.
10	38.051	21.85	83.5	33.60		D	2 12 ,,
11	38.051	21.89	83.4	33.60	83.7	D	3 12 ,,
12	37.914	21.85	83.0	33.80	83-5	D	4 12 ,,
13	37.708	21.98	82.8	33.75	83.4	C	5 12 ",
	37.640	22.04	82.4	33.86	83.2	o l	6 19 .
14					83.1		
15	37.914	22.04	82.4	33.98		C	7 12 ,,
16	38.669	22.19	83.2	34.00	83.2	c	8 12 ,,
17	39.2 86	22.24	84.6	33.70	83.9	В	9 12 ,,
18	39.2 86	22.28	86.0	33.30	84.6	В	10 12 ,,
19	38.6 69	22.24	86.8	33.00	85.4	В	11 10
	38.257	21.91	88.0	32.85	86.4	i i	Noon.
20					87.1	В	110011
21	38.600	21.69	88.8	32.90		D	1 12 p. m.
22	38.600	21.65	88.0	33.00	87.3	D	2 12 ,,
23	38.394	21.49	87.8	33.00	87.5	D	3 12 ,,

	DAILY	OBSERVATION	NS, FROM 23	BRD TO 25TH N	OVEMBER 1	864.	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	Force Magne- tometer.	Obset	Civil Time. 1864.
h. Nov. 23rd-Noon.	38/257	21.41	87:1	33.10	87:8	D	h. m. 4 12 p. m.
1	37.983	21.55	86.0	33.20	87.3	C	5 12,
2	37.914	21.47	85.3	33.38	86.5	C	6 19
3	38.051	21.59	84.9	33.46	85.9	c	7 19
4	37.914	21.67	84.4	33.47	85.6	c	Q 19 ″
5	38.051	21.78	84.4	33.50	85.3	В	0.19 "
6	38.051	21.81	84.0	33.55	85.0	В	10 19
7	38.188	21.85	83.5	33.55	84.5	ь	11 19 "
8	37.983	21.90	83.2	33.55	84.1	В	Midnight.
9	37.983	21.95	83.1	33.60	83.8	D	1 12 a. m.
10	38.257	22.00	82.8	33.70	83.2	D	9 19
' ii l	37.845	22.00	82.8	33.80	83.1	D	າ າ າ ິ
12	38.257	22.15	82.3	33.80	83.1	D	4 19 "
13	37.502	22.28	82.3	33.76	83.1	c	5 19 "
14	37.297	22.30	82.3	33.78	83.1	c	6 19 "
15	37.365	22.41	82.6	33.95	83.2	c	7 19
16	38.531	22.45	83. 2	33.96	83.4	c	o 19 ″
17	39 . 355	22.54	84.4	33.50	83.5	В	0.19 "
18	39.149	22.71	85.5	33.24	84.4	В	10 19 "
19	39.149 38.806	22.58	86.5	32.95	85.5	В	11 10 "
20	38.326	22.31	80.5	32.75	86.3	В	Noon.
20 21		21.85	88.8	32.70	87.2		1 12 p. m.
	38.737	21.75		32.75	87.2 87.3	D	0.10
22	38.669	21.61	88.3		87.5	D	2 12 ,,
23	38.669	21.01	87.8	32.90	67.5	D	3 12 ".
Nov. 24TH-Noon.	38.394	21.49	87.0	33.00	87.4	D	4 12 ,,
1	38.943	21.51	86.1	33.10	87.2	С	5 12 ,,
2	38.463	21.65	85.3	3 3.36	86.6	C	6 12 ,,
3	3 8.18 8	21.61	85.0	33.48	86.1	C	7 12 ,,
4	38.463	21.60	84.7	3 3.50	85.7	C	8 12 "
5	38.531	21.75	84.5	33.55	85.2	В	9 12 ,,
6	3 8.01 2	21.73	84.0	33.55	84.8	В	10 12 "
7	3 8.9 43	21.90	83.2	33.75	84.5	В	11 12 ,,
8	38.25 7	22.00	83.4	33.75	84.4	В	Midnight.
9	38.943	21.90	83.1	33.80	84.3	D	1 12 a.m.
10	38.257	22.05	82.8	33.80	84.0	D	2 12 ,,
11	37.983	22.55	82.1	33.90	83.4	D	3 12 ,
12	37.640	22.50	82.0	33.90	82.9	n	4 12 ,,
13	37.434	22.50	82.1	33.98	83.0	C	5 12 ,,
14	37.708	22.48	82.0	33.99	83.0	C	6 12 ,,
15	37.571	22.56	82.0	34.00	82.9	c	7 12 ,,
16	38.188	22.56	82.7	34.02	83.3	C	8 12 ,,
17	37.983	22.65	83.8	33.70	83.3	В	9 12 ,,
18	37.297	22.54	85.1	33.20	83.9	В	10 12 ,,
19	37.159	22.46	86.1	33.00	84.8	В	11 12 ,,
20	37.297	22.49	86.5	33.22	85.5	В	Noon.,,
21	37.845	22.31	87.1	33.30	86.0	D	1 12 p. m.
22	37.914	22.30	87.2	33.20	86.3	D	2 12 ,,
23	37.983	22.21	87.2	33.10	86-8	D	3 12 ,,
Nov. 25TH-Noon.	37.983	21.91	86.8	33.20	87. 2	а	4 12 "
1	38.257	21.81	85.7	33.30	86.7	c	5 12 ,,
2	38.669	21.49	84.9	33.47	85.7	c	6 12 ",
3	38.669	21.37	84.1	33.49	85 .2	C	7 12 ,,
4	38.600	21.45	83.7	33.51	84.8	c	8 12 ,,
5	38.257	21.60	83.2	33.55	84.3	В	0.19
6	38.394	21.70	82.6	33.68	83.7	В	10 10 "
7	38.669	21.50	82.2	33.85	83.0	В	10 12 ,,
8	3 9 2 86	21.65	81.6	34.00	82.5	В	Midnight.
9	39.286	22.15	81.6	33.90	82.3	D	1 12 a. m.
10	39.217	22.05	81.2	34.10	82.1	D	0.10
ii	38.943	22.10	80.6	34.16	81.9	c	2 12 ,, 3 12 ,,

	DAILY O	BSERVATION	S, FROM 251	гн то 28тн NC	OVEMBER 18	864.	
DATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay
Mean Time.	Declination.	Scale Readings Uncorrected.	Force Magne- tometer.	Scale Readings Uncorrected.	tometer.	Obse	Civil Time. 1864.
h. Nov. 25тн—12	38/394	22.23	79*9	34.22	81:2	С	h. m. 4 12 a. m.
13	38.051	22-40	79.6	33.80	80.6	В	5 19
14	37.983	22.55	79.5	33.80	80 <i>5</i>	В	6 19 "
15	37.502	22.55	79.6	33.90	80.6	D	7 10 "
16	38.2 <i>5</i> 7	22.80	79.8	34.00	80.7	D	0 10 "
17	37.571	22.86	81.2	33.88	81.1	c	9 12 ,,
18	37.571	22.73	82.9	33.49	82.1	C	10 12 ,,
19	37.434	22.56	84.0	33.14	82.8	В	11 12 "
20	37.640	22.42	84.3	33.10	83.3	В	Noon."
21	38.394	22.24	85.1	33.10	83.8	D	1 12 p. m.
22	38.669	22.01	85 .2	33.00	84.5	D	2 12 ,,
23	38.394	21.87	85.2	32.94	85.2	С	3 12 ,,
Nov. 26TH-Noon.	37.914	21.81	85.0	32.91	85-3	c	4 12 "
L	38.257	21.91	83.6	33.05	84.5	В	5 12 ,,
2	38.806	22.05	83.0	33.25	83.7	В	6 12 ,,
3	38.669	22.05	82.7	33.10	83.1	D	7 12
4	38.463	22.00	82.3	33.15	82.8	Ø	8 12 ,
5	38.874	21.99	81.9	33.18	82.7	C	9 12
6	38. 669	22.16	81.0	33.28	82.2	C	10 12 ,,
7	38.669	22.35	80.6	33.42	81.6	В	11 12 ,
8	38.669	22.26	80.5	33.52	81.3	• В	Midnight.
9	38.943	22.70	80.0	33.52	81.2	D	l 12 a.m.
10	38.600	22.70	79.4	33.60	80.7	D	2 12 ,,
11	38.257	22.70	79.1	33.60	. 80.1	D	3 12 ,,
12	37.914	22.75	78.4	33.70	79.6	D	4 12 ,,
13	37.983	22.95	78.3	33.71	79.4	C	5 12 ,,
14	38.188	23.11	78.0	33.79	79.2	C	6 12 ,,
15	37.434	23.06	79.0	33.88	79.5	C	7 12 ,,
16	38.257	22.95	80.1	33.96	80.0	C	8 12 ,,
17	39.080	23.00	81.3	•33.55	80.2	В	9 12 ,,
18	38.943	22.83	82.6	33.35	81.2	В	10 12 ,,
19	38.737	22.65	83.8	33.10	81.8	В	11 12 ,,
20	38.806	22.51	84.9	33.00	83.0	В	Noon.
21	39.766	22.09	85.2	33.00	83.7	D	1 12 p. m.
22 23	39.629 38.600	21.91 21.74	85.8 86·0	32.65 32.50	84.3 85.1	D D	2 12 ", 3 12 ",
Nov. 28TH-Noon.	38.120	22.01	86.1	32.70	85.6	в	4 12 "
1	37.914	21.97	85.4	32.97	85.2	c	5 19
2	38.051	22.06	84.6	33.08	84.7	c	6 12 ,,
3	38.188	22.10	83.6	33.11	84.2	c	7 12 "
4	38.188	22.15	83.1	33.11	83.8	c	8 12 ,,
. 5	38.463	22.15	82.2	33.25	83.3	В	9 12 ,,
6	38.188	22.25	81.5	33.25	82.7	В	10 12 ,,
7	37.914	22.26	81.4	33.40	82.5	В	11 12
8	38.326	22.40	81.4	33.75	82.3	В	Midnight.
9	3 8.9 4 3	22.15	81.4	33.70	82.1	D	l 12 a. m.
10	38.600	22.45	81.8	33.80	81.8	D	2 12 ,,
11	38.257	22.35	81.8	33.90	81.5	D	3 12 ,,
12	37.914	22.40	81.8	33.80	81.2	D	4 12 ,,
13	37.640	22.55	81.8	33.75	81.4	c	5 12 ,,
14	37.571	22.60	81.3	33.80	81.3	c	6 12 ,
15	36.954	22.66	8!.2	33.90	81.3	c	7 12 ,
16	37.297	22.84	81.2	33.92	81.3	C	8 12 ,,
17	38.257	22.94	82.2	33.75	81.5	В	9 12 ,,
18	38.943	22.89	82.5	33.50	81.9	в	10 12 ,,
19	38.531	22.75	82.7	33.38	82.3	В	11 12 ,,
20	38.188	22.54	83.1	33.40	82.5	В	Noon.
21	37.914	22.35	83.2	33.20	82.8	D	1 12 p.m.
22	37.228	22.35	83.0	33.20	83.1	D	2 12 ,,
23	36. 885	22.29	83.2	33.40	83.1	· D	3 12 ,,

DAILY OBSERVATIONS, FROM 29TH NOVEMBER TO 1ST DECEMBER 1864.											
DATE.	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay				
Göttingen	D. W. M.		Force Magne-		Force Magne-	5	Civil Time.				
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer	Scale Readings Uncorrected.	tometer.	,Obs	1864.				
h.							h. m.				
Nov. 29TH-Noon.	37 :297	22,23	834	33.30	83*4	D	4 12 թ. ու.				
1	37.571	22.19	82.7	33.39	83.3	C	5 l2 ['] ,,				
2	37.434	22.35	82.2	33.46	83-2	C	6 12 ,,				
3	37.571	22.37	81.4	33,64	82.2		7 19				
` 4	37.365	22.39	81.2	33.69		C	0 10				
5		·			82.0	C	, ,,				
6	37.77 7	22.41	81.1	33.75	81.6	В	9 12 ,,				
	37.571	22.49	81.0	33.75 ·	81.5	В	10 12 ,,				
7	37.434	22.53	80.6	33.90	81.4	В	11 12 ,,				
8	37.77 <i>7</i>	22.55	80.7	33.95	81.4	В	Midnight.				
9	37.571	2 2.59	80.8	, 34.00	81.2	D	1 12 a. m.				
10	37.640	22.60	80.8	34.00	81.0		0.10				
11	37-571	22.65	80.5	34.00		D					
12		1			81.0	D	77				
	37.571	22.65	80.3	34.10	80.8	D	4 12 ,,				
13	37.022	22.71	80.3	33.91	80. 7	c	5 12 ,,				
14	36.954	22.75	80.2	33.90	80.6	c	6 12 ,,				
15	37.365	22.86	79.7	33.98	80.5	c	7 12 ",				
16	37.705	23.10	79.2	34.01	80.2		9 10				
17	38.531	23.20	80.0	34.00		C	0.12				
18			1	ĭ	80.2	В	• • • • • • • • • • • • • • • • • • • •				
	38-874	23.30	80.8	33.40	80.7	В	10 12 "				
19	38.257	23.20	81.9	33.25	81.3	В	11 12 ,,				
20	38.188	22.97	82.5	33.35	81.8	В	Noon.				
21	38.806	22.75	83.0	33.30	82.3	D	1 12 p. m.				
22	37.571	22.55	83.0	33.20	82.5	D	2 12 ,,				
23	37.571	22.45	82.9	33.30	82.8		2 10				
	0			00.00	02.0	D	3 12 ,,				
Nov. 30тн-Noon.	7 07 640	.00.00	00.7	20.50							
1	37.640	22.39	82.7	33.50	82.8	D	4 12 ,,				
1	37.777	22.56	82.4	33.50	82.8	c	5 12 ,,				
2	37.914	22.56	82.0	33.55	82.4	c	6 12 ,,				
3	37.845	22.51	81.8	33.62	82.2	c	7 19				
4	37-845	22.59	81.2	33.67	82.0	c	Q 10 "				
5	37.983	22 31	80.5	33.90	81.6		0.19				
` 6	38.600	22.15	80.5			В	,,				
7		1	1	33.94	81.4	В	10 12 ,,				
, 8	38.943	21-55	80.5	33.95	81.2	В	11 12 ,,				
U	39.149	21.90	80.1	34.00	80.8	В	Midnight.				
9	39.286	21.80	79.9	34.00	80.3	D	1 12 a. m.				
10	38,806	22.25	79.8	34.10	80.1	D	2 12 ,,				
11	38.394	22.45	79.4	34.10	80.0		0.10				
12	37.571	22.40 22.40	79.2	34.10		D	4 10 "				
13					79.8	D	4 12 ,,				
14	37.297	22.48	79.0	34.06	79.5	C	5 12 ,,				
	37.159	22.57	78.8	34.02	79.4	C	6 12 ,,				
15	36.816	22.95	78.2	34.08	79.0	C	7 12 ,,				
16	37.571	23.05	78.8	34.19	79.0	C	0.10				
17	37.571	23.11	80.2	34.20	79.5		0.10				
18	37.983	23.05	81.5	33.95		В	9 12 ,,				
19					80.5	В	10 12 ,,				
20	37.983	22.88	82.6	33.75	81.1	В	11 12 ,,				
	38.394	22.63	83.6	33.70	81.9	В	Noon.				
21	39.149	22.35	84.8	33.50	82.7	D	l 12 p. m.				
22	39.903	22.05	84.8	33.20	83.2	D	2 12 ,,				
23	39.423	21.91	84.4	33.20	83.4	D	3 12 ,,				
DEC. lsr-Noon.	38.257	21.79	84.2	33.10	83.8	D	4 12 ,,				
l	37.914	21.85	83.1	33,40	83.2	D	£ 10				
2	38.188	21.89	82.6	33.50	82.8		£ 10				
3			82.0			D	6 12 ,,				
	38.257	21.90		33.70	82.3	D	7 12 ,,				
. 4	37.983	21.75	81.7	33.70	81.9	D	, 8 12 ,,				
5	37.983	21.84	81.2	33.75	81.8	c	9 12 ,,				
6	38.257	21.85	80.6	33.77	81.4	C	10 12 ,,				
7	37.640	22.06	80.2	33.84	81.2	o	11 12 ,,				
8	38-257	22.18	80.0	33.90	. 81.0	I	11 14 ,, Milani 14				
						C	Midnight.				
9	38.257	22.35	79.8	33.95	80.6	В	1 12 a.m.				
10	37.983	22.45	79.5	33.95	80.3	В	2 12 .,				
11	38.120	22.65	79.7	33.90	80.3	В	3 12 ,,				

DAILY OBSERVATIONS, FROM 1st to 4th DECEMBER 1864.											
DATE. Göttingen '	Rastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal	Vertical Force Magneto- meter.	Thermometer of Vertical	Observers.	DATE. Bombay				
Mean Time.	Declination.	Scale Resdings	Force Magne- tometer.		Force Magne- tometer.	9	Civil Time.				
1864.	Docimation.	Uncorrected.	tomerar.	Scale Readings Uncorrected.	tonieter.	ō	1864.				
h.							h. m.				
DEC. lsT-12	37:640	22.60	79:9	33.92	80°3	В	4 12 a. m.				
13	37.502	22.70	79.3	34.00	80.0	D	£ 10				
14	36.288	23.05	79.0	34.00	79.9	D	6 19				
15	36.130	23.10	78.8	34.10	79.3	D	77 10 "				
16	36.542	23.25	79.8	34.30	79.8	D					
17	37.091	23.18	81.0	33.90	80.4		77				
18		23.00				0	9 12 ,,				
,	37.571		82.0	33.82	81.2	C	10 12 ,,				
19	37.228	23.00	83.0	33.66	82.0	C	11 12 ,,				
. 20	37.640	22.69	84.4	33.39	83.0	C	Noon.				
21	38.394	22.22	85.1	33.25	83.5	В	1 12 p. m.				
22	38.531	21.93	85.1	33.10	83.9	В	9 19				
23	38.188	21.81	84.9	33.00	84.3	В	3 12 ,,				
DEC. 2ND-Noon.	37.640	21.86	84.5	33.12	84.5	В	4 12				
1	38.051	21.96	83.1	33.30	84.3	D	,,				
2	38.188	21.90	82.8	33.50	83.4		,,				
3	37.77 7	21.85	82.2	33.70		D	6 12 ,,				
					82.8	D	7 12 ,,				
4	37.983	21.70	81.9	33.80	82.2	D	8 12 ,,				
5	38.531	22.25	81.5	33.96	82.1	C	9 12 ",				
6	38.257	22.03	81.1	33.99	81.9	c	10 12 ,,				
7	38.25 7	22.04	80.9	34.01	81.7	C	11 12 "				
8	37.983	22.45	80.4	34.02	81.3	c	Midnight.				
9	38.394	22.50	80.0	33.95	80.8	В	1 12 a. m.				
10	38.600	22.40	80.2	33.90	80.8	_	1 12 a. m.				
11	38.531	22.44	80.1	33.90		В	2 12 ,,				
I I					80.6	В	3 12 ,,				
12	38.188	22.40	80.0	33.90	80.6	В	4 12 ,,				
13	37.845	22.60	79.7	34.10	80.3	D	5 12 ,,				
14	37.914	22.65	79.6	34.20	80.1	D	6 12 ,,				
15	37.228	22.75	79.8	34.15	79.8	р	7 19 "				
16	37.43 4	22.70	80.3	34.25	80.1	D	Q 10 "				
17	37.640	22.86	81.2	34.19	80.8	c	9 12				
18	37.845	22.88	82.5	34.08	82.0	- 1					
19	37.502	23.04	83.7	33.65	82.6	C	10 12 ,,				
		T	(4		C	11_12 "				
20	37.777	22.59	84.7	33.44	83.2	C	Noon."				
21	38.120	22.28	85.4	33.30	83.6	В	1 12 p. m.				
22	38.669	22.23	85.7	33.25	84.5	в	2 12',,				
23	38.874	21.94	85.6	33.20	85.0	В	3 12 ",				
DEC. 4TH-Noon.	37. 91 4	22.01	86-1	33.20	86.2	c	4 12 ,,				
1	38.051	21.96	84.8	33.28	85.6	c	5 19 ´				
2	38.257	21.97	84.0	33.50	85.0	1	6 19 ["]				
3	38.257	21.95	83.4	33.68	84.2	D	6 12 ,,				
4		21.95	83.0			D	7 12 ,,				
	38.669			33.88	83.7	D	8 12 ,,				
5	38.463	21.60	82.8	33.85	82.9	C	9 12 ,,				
6	38.531	21.75	81.9	33.90	82.5	C	10 12 ,,				
7	38.394	22.65	81.2	34.00	82.1	c	11 12 ,,				
8	38.531	22.25	81.4	34.00	81.8	c	Midnighť.				
9	38.326	22.35	81.4	33.95	81.8	В	l 12 a. m.				
10	38.120	22.45	81.2	34.00	81.8	В	9 19				
11	37.914	22.50	81.1	34.00	81.5	В	3 19 "				
12	37.777	22.40	81.1	34.00	81.5	В	4 19 "				
13	37.571	22.50	80.8	34.10	81.2	1					
14	36.611	22.50	80.2	34.15		D	5 12 ,,				
15					80.8	D	6 12 ,,				
	37.365	22.60	80.1	34.30	80.7	D	7 12 ,,				
. 16	37.571	22.55	81.0	34.10	80.8	D	8 12 ,,				
17	38.188	22-58	82.3	33.89	82.0	c	9 12 ,,				
18	38.051	22.45	83.3	33.62	82.5	c	10 19 "				
19	. 37.434	22.43	84.3	33.45	83.2	c	11 10 "				
20	38.120	22.29	85.2	33.32	84.2	c	Noon."				
21	38.669	22.21	85.9	33.10	84.5	1					
22	38.120	22.21	86.0			В	1 12 p. m.				
23	37. 6 45	22.21 22.20	86.0	33.00 33.00	85.0 85.4	В	2 12 ,,				
	21 A 7 A	. *************************************	NA II	. 33.00	OF 4	В '	3 12 ,				

	DAILY	OBSERVATIO	ONS, FROM	5тн то 7тн Dl	ECEMBER 18	864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizonal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
DEC. 5TH-Noon.	37:983	21.98	85.7	33.20	85.4	В	4 12 p. m.
1	37.983	22.01	84.4	33.30	84.9	D	5 19
2	37.91 4	22.05	84.0	33.40	84.1	D	6 19
3	37.914 37.914	22.10	83.5	33.40	83.7	D	7 19 "
4	37.914 37.914	22.15	83.0	33.60	83.2		8 12 ,,
5		21.96	1	33.75	83.1	D	9 12 ,,
6	38.600	21.90	82.4	33.90	82.8	C	
- 1	39.012	21.85	81.8	33.90		C	10 12 ,,
7	38.257	i .	81.3		82.2	C	11 12 ,,
8	38.806	22.03	81.0	33.94	81.9	C	Midnight.
9	38.600	22.11	81.0	33.95	81.6	В.	1 12 a. m.
10	38.257	22.21	80.9	33.90	81.5	В	2 12 ,,
11	37.777	22.30	80.9	33.85	81.5	В	3 12 ,,
12	37.777	22.41	80.5	33.80	81.2	В	4 12 ,,
13	37.159	22.65	80.1	33.85	80.9	D	5 12 ,,
14	36.954	22.65	80.0	33.90	80.4	D	6 12 ,,
15	36.885	23.00	79.8	34.00	80.0	D	7 12 ,,
16	36.473	22.95	80.7	34.00	80.5	D	8 12 "
17	37.845	23.00	81.8	33.95	81.4	C	9 12 ,,
18	38.463	22.69	83.2	33.88	82.3	С	10 12 ,,
19	38.394	22.60	84.1	33.59	83.0	C	11 12 ,,
20	37.571	22.45	85.0	33.33	83.8	C	Noon.
21	37.983	22.21	85.6	33.10	84.3	В	1 12 p. m.
22	37.983	22.19	87.0	33.00	85.3		9 19
23	37.845	21.97	86.6	32.92	85.5	В	2 10 "
20	37.040	21.37	30.0	02.02	00.0	В	3 12 ,,
DEC. 6TH-Noon.	37.845	21.91	86.2	33.00	85.6		4 12
DEC. CIA-MOON.		21.91	85.0	33.30	85.1	В	
2	38.257		1	33.35		D	5 12 ,,
-	38.188	21.85	84.2		84.3	D	6 12 ,,
3	38.120	21.80	83.4	33.50	83.7	Ð	7 12 ,,
4	37.914	22.05	82.9	33.60	83.2	D	8 12 ,,
5	3 7. 845	22.13	82.4	33.68	83.0	С	9 12 ,,
6	38.257	22.25	81.6	33.88	82.5	C	10 12 ,,
7	37.845	22.30	81.0	33.97	82.0	C	11 12 ,,
8	37.777	22.45	81.0	33.99	81.9	С	Midnight.
9	38.531	22.50	81.0	33.95	81.5	В	l 12a.m.
10	38.051	22.53	80.7	33.95	81.5	В	2 12 ,,
11	37.914	22.48	80.5	33.92	81.5	В	3 12 ,,
12	37.640	22.60	80.4	33.95	81.4	В	4 12 ,,
13	37.571	23.00	80.1	34.00	80.6	D	5 12 ,,
14	37.228	23.00	80.0	34.10	80.4	D	1 010
15	36.816	23.05	79.9	34.15	80.3	1	e 10
16	36.542	23.00	80.7	34.15	80.7	D	1 212 "
17	36.885	23.05	81.8	33.97	81.3	D	8 12 ,, 9 12 ,,
18	36.885	22.76	83.1	33.70	82.0	C	10 19
				33.57	83.0	С	10 12 ,,
19	36.954	22.56	84.5	33.57	83.7	С	11 12 ,,
20	37.502	22.42	85.1			C	Noon.
21	37.434	22.41	85.6	33.40	84.2	В	1 12 p. m.
22	37.571	22.28	86.4	33.15	85.1	В	2 12',,
23	37.297	22.02	87.3	33.00	85.7	В	3 12 ,,
DEC. 7TH-Noon.	37.434	22.01	86.5	33.25	85.6	В	4 12 ,,
1	37.845	22.16	85.5	33.50	85.2	D	5 12 ,,
2	38.188	22.19	84.7	33.50	84.5	D	6 12 ,,
3	38.257	22.11	84.0	33.60	83.8	D	7 12 ,,
4	38.051	22.20	83.3	33.70	83.4	D	8 12 ,,
5	38.051	22.28	82.6	33.78	83.2	C	9 12 ,,
6	38.188	22.30	81.7	33.85	82.6	c	10 12 ,,
7	38.051	22.36	81.3	33.85	82.2	C	11 12 ",
8	38.257	22.48	81.3	33.88	82.2	c	Midnight.
		22.48	81.1	33.85	80.7	В	1 12 a. m.
-			. 01.1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, PS	اللمائة شللا
9 10	38.188 37.571	22.60	81.1	33.85	80.5	В	2 12 ,,

Date	ONS, FROM	7ти то 8ти D	ECEMBER 18	364.	
Dec. 7th- 2 37/502 22.85	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magne- tometer.	Observers.	DATE. Bombay Civil Time. 1864.
Dec. 7th—12 37/502 22.85 13 37.571 23.00 14 37.228 22.95 15 36.954 23.35 16 36.542 23.25 17 37.434 22.94 18 37.777 22.85 20 38.188 21.69 21 38.120 21.64 22 37.983 21.62 23 38.257 21.51 Dec. 8th-Noon. 39.012 21.31 1 38.326 21.40 3 38.669 21.40 4 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.92 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 12 37.640	<u> </u>				
13	80:3	33.95	8098	В	ь. m. 4 12 a. m.
14 37.228 22.95 15 36.954 23.35 16 36.542 23.25 17 37.434 22.94 18 37.777 22.85 19 37.708 22.45 20 38.188 21.69 21 38.120 21.64 22 37.983 21.62 23 38.257 21.51 2 38.326 21.15 2 38.326 21.40 3 38.669 21.40 3 38.669 21.40 3 38.669 21.40 3 38.669 21.40 3 38.669 21.40 3 38.600 21.95 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.228 22.60 22.45 17 38.257 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.29 19 38.394 22.29 19 38.394 22.20 12 38.669 21.77 23 38.257 21.68 22 38.669 21.77 23 38.257 21.68 22 38.669 21.77 23 38.257 21.68 22 38.669 21.77 23 38.257 21.68 22 38.660 21.70 6 39.766 21.30 7 38.806 21.89 21.90 10 37.845 22.15 11 37.640 22.25 12.90 10 37.845 22.15 11 37.640 22.35 12.59 38.061 21.90 10 37.845 22.15 11 37.640 22.35 12.81 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 36.600 22.47 18 38.531 22.37 22.47 18 38.531 22.37 22.47 22.37 22.40 22.45	80.2	34.00	80.4	D	5 12 ,,
15	80.0	34.20	80.2	D	6 12 ,,
17	80.1	34.20	80.1	D	7 12 ,,
18 37.777 22.85 19 37.708 22.45 20 38.188 21.69 21 38.120 21.64 22 37.983 21.62 23 38.257 21.51 Dec. 8th-Noon. 39.012 21.31 2 38.326 21.40 3 38.669 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.15 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.63 Dec. 9th-Noon. 38.531 21.69 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.63 Dec. 9th-Noon. 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.394 22.16 10 37.845 22.15 11 37.640 22.35 12 37.571 22.30 13 38.257 21.81 2 38.257 21.70 3 38.806 21.70 8 38.306 22.45 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.531 22.37	80.6	34.15	80.7	D	8 12 ,,
19	82.2	33.96	81.6	С	9 12 ,,
20	84.0	33.74	82.6	c	10 12 ,,
21	85.6	33.46	83.7	c	11 12 ,,
22 37.983 21.62 23 38.257 21.51 Dec. 8th-Noon. 39.012 21.31 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.271 22.30 16 37.228 22.60 21.95 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.29 19 38.394 22.29 19 38.394 22.20 22.01 21 38.806 21.77 23 38.257 21.68 22 38.669 21.77 23 38.257 21.68 21.60 5 38.257 21.68 21.75 3 38.257 21.68 21.75 3 38.257 21.68 21.75 3 38.257 21.68 21.75 3 38.257 21.68 21.75 3 38.257 21.68 21.75 3 38.257 21.60 22.20 22.01	86.5	33.49	84.8	C	Noon.
23 38.257 21.51 Dec. 8th-Noon. 39.012 21.31 38.326 21.15 2 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.394 22.29 19 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 3 38.257 21.75 3 38.257 21.75 3 38.257 21.75 3 38.257 21.70 6 39.766 21.30 7 38.806 21.39 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45	86-9	33.30	85. 2	В	1 12 p. m.
Dec. 8th-Noon. 1 38.326 21.15 2 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.69 4 38.531 21.60 5 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.35 15 37.914 22.35 16 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45 17 38.600 22.45	87.5	33.15	86.1	В	2 12 "
1 38.326 21.15 2 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.216 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.69 2 38.257 21.68 Dec. 9th-Noon. 38.531 21.69 3 38.257 21.75 3 38.257 21.68	88.0	33.05	86.9	В	3 12 "
2 38.326 21.40 3 38.669 21.40 4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 4 38.531 21.60 5 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.45 17 38.600 22.47 18 38.531 22.37	88.0	33.25	86.9	В	4 12 "
3	86.9	33.30	86.8	D	5 12 ,,
4 38.394 21.35 5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 4 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 4 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	85.7	33.40	85.7	D ·	6 12 "
5 39.492 21.65 6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.69 2 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 3 38.874 21.05 4 38.531 21.60 5 38.257 21.75 3 38.874 21.05 4 38.531 21.60 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.531 22.37	84.8	33.65	84.8	D	7 12 ,,
6 39.012 21.91 7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.75 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.600 22.47 18 38.600 22.47 18 38.600 22.47	83.8	33.75	84.3	Œ	8 12 "
7 38.600 21.95 8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 20 39.052 21.68 20 39.052 21.68 20 39.052 21.77 23 38.257 21.68 20 39.052 21.77 23 38.257 21.68 21.60 39.766 21.30 7 38.806 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.531 22.37 22.37 22.47 18 38.531 22.37 22.47 18 38.531 22.37 22.47 18 38.531 22.37 22.47 18 38.531 22.37 22.47 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.47 23.8531 22.37 22.37 23.45 23.37	83.2	33.90	84.0	C	9 12 "
8 38.120 22.15 9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.60 5 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.4	33.78	83.2	c	10 12 ,,
9 38.051 22.30 10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.0	33.84	83.0	C	11 12 ,,
10 38.257 22.15 11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.2	33.90	83.0	C	Midnight.
11 37.914 22.35 12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.2 82.2	33.85 33.95	82.6	В	1 12 a. m.
12 37.640 22.20 13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.75 3 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.600 22.47 18 38.600 22.47	82.2 82.1	33.95	82.5 82.5	В	2 12 ,,
13 37.571 22.30 14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	81.9	33.85	82.5 82.4	В	3 12 ,,
14 37.297 22.45 15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 3 38.257 21.75 3 38.257 21.75 3 38.257 21.75 3 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	81.8	33.90	82.1	В	4 12 ,,
15 37.228 22.60 16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	81.2	33.80	81.8	D	5 12 ,,
16 37.708 22.45 17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.75 3 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.47 18 38.531 22.37	81.1	33.95	81.9	D	6 12 ,, 7 12
17 38.257 22.36 18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.257 21.75 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.0	34.00	82.1	D D	0 10 "
18 38.394 22.29 19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	83.0	33.91	82.6	C	0.19 "
19 38.394 22.16 20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 2 38.257 21.75 3 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	84.1	33.70	83.3	c	10 19 "
20 39.012 22.01 21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	85.2	33.50	84.0	c	11 19 "
21 38.806 21.89 22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	86.6	33.37	85.0	c	Noon.
22 38.669 21.77 23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	86.9	33.30	85.4	В	1 12 p. m.
23 38.257 21.68 Dec. 9th-Noon. 38.531 21.59 1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	87.5	33.15	85.8	В	2 12 ,,
1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	87.4	33.12	86.5	В	3 12 ",
1 38.257 21.81 2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	86.6	33.25	86.4	В	4 12 "
2 38.257 21.75 3 38.874 21.05 4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	85.8	33.30	86. 2	D	5 12 . ",
4 38.531 21.60 5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	85.0	33.50	85.7	D	6 12 ,,
5 38.257 21.70 6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	84.3	33.80	84.6	D	7 12 ,,
6 39.766 21.30 7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	83.7	33.70	84.1	D	8 12 ,,
7 38.806 21.70 8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	83.0	33.68	83.7	c	9 12 ,,
8 38.326 21.98 9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.6	33.79	83.2	С	10 12 ,,
9 38.051 21.90 10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	82.0	33.85	83.0	С	11 12 ,,
10 37.845 22.15 11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	81.3	33.92	82.4	C	Midnight.
11 37.640 22.35 12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	81.0	33.95	82.0	В	1 12 a. m.
12 37.571 22.18 13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	80.5	33.95	81.6	В	2 12 ,,
13 37.297 22.40 14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	80.5	33.90	81.5	В	3 12 ,,
14 37.228 22.30 15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	80.4 80.1	33.92 34.00	81.2	В	4 12 ,,
15 37.914 22.55 16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	80.1	34.10	80.9 80.9	D	5 12 ,,
16 38.600 22.45 17 38.600 22.47 18 38.531 22.37	80.0	34.10 34.30	80.9 80.8	D	6 12 ,,
17 38.600 22.47 18 38.531 22.37	81.0	34.10	80.8 81.1	D	7 12 ,, 8 12 ,,
18 38.531 22.37	82.1	33.97	81.1 82.1	D C	0.10
	83.8	33.95	82.1 83.1	C	10.10
19 38-188 22.25	85.1	33.50	83.8	C	10 12 ,,
20 38.394 21.99	86.1	33.27	84.6	c	Noon.
21 38.804 21.81	86.6	32.80	85.0	В	1 12 p. m.
22 38.669 21.69	87.5	32.75	86.0	В	2 12 p. m.
23 38.394 21.36	87.5	32.95	86.4	В	3 12 "

30-1864.

DATE. Göttingen Mean Time.		Horizontal			,	1	
Mean Time. 1864.	Eastern Declination.	Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magne- tometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
DEC. 11TH-Noon.	384943	21.75	8 5 °1	33.30	85.7	D	4 12 p. m.
1	39.012	21.71	84.0	33.50	84.3	D	5 12 ,,
2	38.600	21.81	83.3	33.65	83.8	D	6 19 "
3	38.669	21.84	82.8	33.70	83.1	D	7 19
4	38.600	21.90	82.4	33.80	82.8	D	ຊ 19 ້
5	38.806	22.05	81.2	33.88	82.3	c	0 19 ″
6	38.669	22.12	80.5	33.96	82.0	c	10 19 "
7	38.051	22.51	80.4	33.97	81.4	c	11 12 "
8	38.463	22.17	80.6	34.02	81.4	c	Midnight.
9	38.188	22.24	80.5	34.00	81.0	В	1 12 a.m.
10	37.983	22.80	80.5	34.00	81.0	В	9 19
11	38.326	22.36	80.3	34.00	80.9	В	3 19 "
11	37.845	22. 50	80.0	34.10	80.6	В	4 19 "
13	37.843 37.022	22.50 22.70	79.8	34.24	80.2	G	5 19 ~
1	37.02 <i>2</i> 36.885	22.70 22.70	79.5 79.5	34.38	80.0	G	6 19 "
14	36.542	22.70 22.89	79.5 79.6	34.36	79.8	1	7 12
15		22.89 22.90	79.0	34.36	80.0	G	8 19
16	37.091 37.434	23.15	79.9 81.0	34.07	80.0	G	0 19 "
17	37.434	23.15	81.0	34.07	81.2	C	,,
18	37.914	22.85 22.88	82.1 83.5	33.86	82.0	C	11 10
19	37.365	22.88 22.48	83.5 84.7	33.80	83.0	C	Noon.
20	38.257				83.6	С	
21	38.943	21.90	85.6	33.50	84.9	В	1 12 p. m.
22	39.560	21.45	86.5	33.30	85.9	В	2 12,
23	38.943	21.05	87.8	33.00	80.9	В	3 12 "
DEC. 12TH-Noon.	39.012	21.03	87.4	33.20	86.0	В	4 12 "
1	40.109	21.15	85.8	33.48	85.7	G	5 12 ,
. 2	39.629	21,45	85.0	33.50	85.0	G	6 12 ",
3	38.737	21.62	84.2	33.50	84.0	G	7 12 ,,
4	38.806	21.60	83.5	33.64	83.5	G	8 12 ,,
5	39.012	21.50	83.0	33.96	83.1	c	9 12 ,
6	38.737	21.54	82.5	33.96	83.0	c	10 12 ,,
7	38.463	22.00	81.0	33.92	82.3	c	11 12
8	38.874	21.96	80.2	33.98	81.4	c	Midnight.
9	38.600	22.15	80.2	33.90	80.9	В	1 12 a. m.
10	37.914	22.52	80.2	33.92	80.6	В	2 12 ,,
11	37.434	22.58	80.3	33.95	80.7	В	3 12 ,,
12	37.914	22.42	80.1	33.95	80.6	В	4 12 ,,
13	37-365	2 2.45	79.7	34.00	80.0	G	5 12 ,,
14	37.228	22.55	79.1	34.00	79.8	G	6 12 ",
15	37.365	22.65	79.0	34.38	79.4	G	7 12 ,,
16	37.228	22.80	79.7	34.36	79.5	G	8 12 ,,
17	37.571	22.75	81.0	34.18	80.2	c	9 12 ,,
18	37.297	22.75	82.3	33.78	81.2	C	10 12 .,
19	37.228	22.47	83.8	33.44	82.3	c	11 12
20	38.394	2 2.21	85.0	33.40	83.3	c	Noon.
21	39.149	22.01	85.5	33.40	84.0	в	1 12 p. m.
22	39.560	21.91	86.5	33.10	85.4	В	2 12 ,,
23	39.217	21.60	87.3	33.00	85.9	В	3 12 ,,
Dec. 13th-Noon.	39.080	21.38	86.9	33.00	86.0	_	4 12 "
DEC. ISTH-NOON.	39.286	21.56	86.0	33.28	85.4	В	£ 10
2	39.012	21.46	85.2	33.50	85.0	G	£ 10
3	38.943	21.60	84.4	33.55	84.2		# 10
4	38.737	21.90	83.6	33.64	83.5	G G	0 10
5	38.806	21.85	83.0	33.68	82.4	C	0.10
6	38.600	22.40	81.8	33.70	82.0	C	10 10
7	38.737	22.10	80.8	33.70	81.8	C	10 12 ,,
8	38 . 943	22.10	80.0	33.60	81.4	C	Midnight.
9	38.463	22.50	80.0	33.80	81.0	В	1 12 a. m.
	38.394	22.55 22.55	79.8	33.85	80.6	В	
10	UUIUU T			, 55.55	80.4	ا س	2 12 ,, 3 12 ,,

	DAILY (OBSERVATION	s, from 1	Втн то 15тн D	ECEMBER	1864.	
DATE.	D	Horizontal Force Magneto-	Thermometer	Vertical Force Magneto-	Thermometer	Observers.	DATE.
Göttingen	Eastern	meter.	of Horizontal Force Magne-	meter.	of Vertical Force Magne-	À	Bombay
Mean Time.	Declination.	Scale Readings	tometer.	Scale Readings	tometer.	g	Civil Time.
1864.		Uncorrected.		Uncorrected.		•	1864.
h. Dec. 13TH-12	37/571	22.40	79°5	33.92	80:1	В	h. m. 4 12 a. m.
	37.640	22.66	79.3 79.2	34.00	80.0	G a	5 19
13	38.120	22.20	79.2 79.0	34.24	79.6	G	6 12
14	37.297	22.78	79.0 78. 7	34.20	79.1	G	7 12 "
15	37.640	22.76 22.65		34.20 34.20	79.0		8 12
16	38.120	22.57	79.0	34.20 34.04	79.6	G	9 12
17	38.257		80.3		80.5	C	1 ""
18		22.55	81.7	33.88	81.8	C	10 12 ,,
19	38.531	22.37	83.2	33.69	82.5	C	11 12 ,,
20	37.297	22.29	84.1	33.56	83.2	C	Noon.
21	37.914	22.22	85.2	33.25	84.5	В	. 1 12 p. m.
22	38.394	21.85	86.4	33.00	85.1	В	2 12 ,,
23	39.080	21.45	86.9	32.90	65.1	В	3 12 ,,
DEC. 14TH-Noon.	39.149	21.44	86.5	32.95	85.5	В	4 12 ,,
1	40.109	21.26	85. 4	33.16	85.0	G	5 12 ,,
2	40.315	21.38	84.3	33.32	84.6	G	6 12 ,,
3	38.600	21.75	83.6	33.40	83 .5	G	7 19 "
4	38.874	21.65	83.0	33.44	83.1	G	8 19 "
5	38.257	21.90	81.3	33.65	82.4	c	0 19 "
	39.874	22.31	80.4	33.90	81.9	C	10 19
6	38.874	22.45	80.5	33.98	81.6	C	10 12 "
7	38.326	22.25	80.3	34.04	81.2		Midnight.
8	38.051	22.40	80.3 80.0	33.95	80.6	C B	1 12 a. m.
9	38.257	22.55		34.10	80.0		2 12 a. m.
10	37.914	22.65 22.65	79.3	34.10 34.20	79.5	В	3 12
11	37.228	22.85	79.1	34.25	79.5	В	· //
12	37.228	22.65 22.90	79.1	33.95	79.5	В	4 12 ,, 5 12
13	37.228		79.0		79.0	G	1 >>
14		22.86	78.6	33.74	79.0 78.7	G	6 12 ,,
15	35.993	22.82	78.5	33.96	78.7 78.7	G	7 12 ,,
16	37.297	22.95	78.8	34.01		G	8 12 ,,
17	38.120	22.99	79.7	33.92	79.0	C	9 12 ,,
18	38-394	22.90	81.3	33.59	80.2	C	10 12 ,,
19	38.669	22.74	82.8	33.26	81.2	C	11 12 ,,
20	38.188	22.48	83.8	33.12	82.2	С	Noon."
21	38.943	22.02	85.2	33.00	83.0	В	1 12 p. m.
22	39.766	21.45	86.0	32.80	83.8	В	2 12 ,,
23	40.246	21.55	· 86.3	32.85	84.5	В	3 12 ,,
Dec. 15TH-Noon	39.972	21.25	86.0	32.75	84.8	В	4 12 ,,
1	41.001	21.32	85.2	32.90	84.5	G	F 10
$\frac{1}{2}$	39.766	21.16	83.8	33.07	83.4	G	6 10
3	40.041	21.95	83.0	33.34	83.0	G	7 10
4	39.560	21.74	82.5	33.46	82.4	G	0 10
5	38.806	21.70	82.5 81.4	33.44	82.1	C	0.19 "
6	39.149	22.13	80.5	33.60	81.4	. C	10.10
	37.914	22.60	80.0	33.90	81.0	. C	11 10
7	38.600	22.31		33.9 7	80.5		Midnight.
8		22.43	7 9. 5	33.98		C	1 12 a. m.
9	38.257	22.43 22.63	79.3		80.0 50.5	В	0 10
10	37.57 l	22.03 22.92	79.0	33.95	79.5	В	1 919
11	36.954	22.92 22.85	78.6	33.98 24.15	79.4	В	4 10 "
12	37.228		7 8.3	34.15	79.2	В	4 12 ,,
13	38.600	22.75	78.0	34.20	79.0	G	5 12 ,,
14	36.679	22.94	77.6	34.42	78.4	G	6 12 ,,
15	36.542	22.95	77.5	34.50	78.0	G	7 12 ,,
16	36.954	23.00	77.7	34.50	78.0	G	8 12 ,,
17	37.571	22.86	79.0	34.30	78.7	C	9 12 "
18	37.640	23.06	80.6	34.04	79.2	C	10 12 ,,
19	37.571	22.81	82.2	33.77	80.5	C	11 12 ,,
20	38.326	22.63	83.6	33.60	81.8	C	Noon.
21	39.423	22.25	84.5	33.45	82.9	В	1 12 p. m.
22	40.315	21.85	85.5	33.15	83.8	В	2 12 ,,
23	40.315	21.75	86.3	33.05	84.8	В	3 12 ,,

	DAILY (DBSERVATION	S, FROM 16	тн то 19тн D	ECEMBER 18	864.	,
l'ATE. Göttingen	Eastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay Civil Time.
Mean Time. 1864.	Declination.	Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	ō	1864.
h. Dec. 16th-Noon.	39/492	21.73	86°2	33.00	85°2	В	h. m. 4 12 p. m.
1	38.806	21.65	85.0	33.00	85.0	G	5 12 ,,
2	39.149	21.80	84.4	33.18	84.2	G	6 12 ,,
3	39.149	21.61	83.7	33.40	83.7	G	7 12 ,,
4	39.080	22.00	83.0	33.56	83.0	G	8 12 ,,
5	39.080	22.07	82.2	33.78	82.6	C	9 12 ,,
6	38.943	22.04	81.8	33.86	82.1	C	10 12 ,,
7	38.806	21.97	81.4	33.98	82.0	C	11 12 ,,
8	3 8.051	22.40	81.0	34.00	81.3	C	Midnight.
9	38.531	22.30	80.5	34.00	80.7	В	1 12 a. m.
10	38.257	22.29	80.1	33.95	80.6	В	2 12 ,,
11	38-531	22.35	79.5	33.95	80.2	В	3 12 ,,
12	38.188	22.56	78.9	33.98	79.6	В	4 12 ,,
13	37.708	22.75	78.5	34.00	79.0	G	5 12 ,,
14	37.297	22.83	78.0	34.14	78.8	G	6 12 ,,
15	37.502	22.75	77.5	34.30	78.0	G	7 12 ,,
16	38.188	23.05	78.0	34.46	78.0	G	8 12 ,,
17	38-120	22.95	79.4	34.15	78.5	C	9 12 ,,
18	37.228	23.06	81.0	33.75	79.5	C	10 12 ,,
19	36.542	22.95	82.4	33.45	80.4	C	11 12 ,,
20	36.473	22.57	83.7	33.42	81.5	C	Noon.
21	37.228	22.37	84.8	33.20	82.8	В	1 12 p. m.
22	38.531	22.14	85.0	33.25	83.4	В	2 12 ,,
23	38.943	21.96	85.2	33.16	84.2	В	3 12 ,,
Dec. 18th-Noon.	39.012	22.40	84.0	33.20	84.0	Œ	 4 12 ,,
1	38.737	22.31	83.4	33.50	83-5	G	5 12 ,,
. 2	38.463	22.35	83.0	33.50	83.0	G	6 12 ,,
3	37. 29 7	22.35	82.5	33.50	82.5	G	7 12 ,,
4	37.297	22.40	82.0	33.50	82.1	G	8 12 ,,
5	38.394	22.35	81.2	33.86	81.7	C	9 12 ,,
6	38.737	22.42	80.5	33.90	81.4	C	10 12 ,,
7	38.394	22.54	79.7	33.90	80.6	C	11 12 ,,
8	38.394	22.65	79.3	33.94	80-1	C	Midnight.
9	38.051	22.76	79.1	34.10	79.5	В	1 12 a. m.
10	38.188	22.81	78.6	34.15	79.4	В	2 12 ,,
11	37.983	22.91	78.4	34.25	79.0	В	3 12 "
12	37.777	23.00	78.0	34.30	78.7	В	4 12 ,,
13	. 37.845	23.03	77.6	34.36	78.3	G	5 12 ,,
14	37.571	23.20	77.0	34.42	78.0	G	6 12 ,,
]5	38.257	23.05	77.2	34.50	77.8	G	7 12 ,,
16	39.286	23.04	77.8	34.50 34.28	77.7	G	8 12 ,,
17	39.149	23.08	79.0	34.28 34.04	78.4	C	9 12 ,,
18	38.943	23.09 22.95	80.2	34.04 33.67	79.0	C	10 12 ,,
19	38.463	22.95	81.5	33.67	80.0	C	11 12 ,,
20	38.051	22.76	83.0 83.6	33.25	81.1	C	Noon.,,
21	38.120	22.55 22.41	83.9	33.25 33.35	81.2 82.0	В	1 12 p. m. 2 12 ,,
22 23	38.326 38.943	22.22	84.3	33.30	82.5	B B	3 12 ,,
	001020					_	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DEC. 19TH-Noon.	38.737	22.01	84.5	33.20	83.0	В	4 12 ,,
1	38.057	22.00	83.8	33.39	82.8	G	5 12 ,,
2	38.188	22.15	82.7	33.76	82.2	G	6 12 ,,
3	38.257	22.17	82.0	33.70	81.9	G	7 12 ,,
4	38.257	22.22	81.5	33.65	81.4	G	8 12 ,,
5	38.326	22.33	81.1	33.86	81.1	C	9 12 ,,
6	38.257	22.39	80.3	33.88	80.7	C	10 12 ,,
7	38.257	22.50	79.6	33.96	80.2	C	11 12 ,,
8	38.257	22.60	79.1	34.00	79.8	C	Midnigth.
9	38.257	22.70	79.5	33.95	79.4	В	1 12 a. m.
10	37.983	22.85	78.4	34.10	79.1 '	В	2 12 ,,
11	37.914	22.80	78.0	34.20	78.7	В	3 12 ,,

DATE. Göttingen	Bastern	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne -	Observers.	Date. Bombay
Mean Time. 1864.	Declination.	Scale Readings Unorrected.	tometer.	Scale Readings Uncorrected.	tometer.	å O	Civil Time. 1864.
h. Dec. 19тн-—12	38:120	22.95	77:6	34.25	78*2	В	h. m. 4 12 a. m.
13	37.983	23.00	77.4	34.36	78.0	G	5 12 ,,
14	37.914	23.15	77.8	34.44	78.0	G	6 19 "
15	38.531	23.05	78.0	34.60	78.2	G	7 12 ,,
16	39.835	23.04	78.0	34.60	78.2	G	8 12 ,,
17	39.286	23.02	78.4	34.30	78.4	C	9 12 ,,
18	38.326	23.26	79.4	33.8 5	79.0	c	10 12 ,,
19	37.022	23.21	80.8	33.54	79.8	c	11 12 ,,
20	36.199	23.09	81.8	33.50	80.2	c	Noon.
20 21	36.611	22.81	82.8	33.35	80.6	В	1 12 p. m.
	37.571	22.61	83.5	33.50	81.4	В	0 10
22 23	38.531	22.38	84.0	33.35	82.1	В	3 12 ,,
DEC .20TH-Noon.	38.531	22.23	84.0	33.35	82.6	В	4 12 ,,
1	38.257	22.25	83-3	33.50	82 .5	G	5 12 ",
2	38. 257	22.30	82.8	33.55	82.3	G	6 12 ,,
3	38.257	22.36	82.0	33.50	82.0	G	7 12 ",
4	38-188	22.27	81.6	33.58	81.8	G	8 12 ,,
5	38.120	22.35	81.0	33.90	81.5	c	9 12 ",
6	38.120	22.48	80.3	33.98	81.1	c	10 12 ,,
7	37.983	22.56	79.6	33.90	80.4	c	11 12
8	37.708	22.76	79.0	33.77	80.0	c	Midnight.
9	37.777	22.90	78.5	33.85	79.5	В	l 12 a.m.
10	37.571	23.20	78.5	33.95	79.4	В	2 12 ,,
ii	37.845	23.25	78.2	33.95	79.1	В	3 12 ",
12	37.228	23.40	78.0	33.80	78.7	в	4 12 ,,
13	37.571	23.35	78.2	33.95	78.5	G	5 12 ,,
13	37.845	23.00	78.0	34.10	78.3	G	6 12 ",
15	37.708	23.05	78.1	34.25	78.4	G	7 12 ",
16	37.914	23.05	78.8	34.29	78. 5	G	8 12 ",
17	38.188	23.16	80.0	33.96	79.0	c	9 12 ",
18	37.502	23.29	81.1	33.66	80.0	c	10 12 ,,
19	37.502	23.29	82.4	33.28	81.0	C	11 12 ,,
20	37.914	23.13	83.7	32.35	82.2	O	Noon."
	38.600	22.70	84.6	32.65	82.7	В	1 12 p. m.
21	39.492	22.31	85.0	32.50	83 .2	В	2 12 ,,
22 23	39.217	21.94	85.0	32.25	82.7	В	3 12 ",
DEC. 21st-Noon.	38.669	21.47	84.9	32.25	84.0	В	4 12 "
/BC. 2181-1100II.	38.608	21.18	84.0	32.44	83.5	G	5 12 ,,
2	38.669	21.15	83.5	32.66	83.0	G	6 12 ,,
3	38.737	21.35	82.9	32.70	82.7	G	7 12 ,,
4	38.394	21.70	82.1	32.76	82.2	G	8 12 ,,
5	38.257	21.90	81.4	32.78	82.0	C	9 12 ,,
6	38.600	22.14	80.2	32.75	81.4	С	10 12 ,,
7	38.531	22.25	80.4	32.80	81.1	C	11 12 ,,
8	38.874	22.08	80.2	32.99	80.9	C	Midnight.
9	38.463	22.40	80.1	32.95	80.6	В	l 12 a.m.
. 10	38.669	22.25	79.3	33.00	80.0	В	2 12 ,,
11	39.012	22.35	78.8	33.10	79.6	G	3 12 ,,
12	38.326	22.48	78.2	33.18	79.0	G	4 12 ,,
13	38.531	22.69	77.8	33.35	78.8	c	5 12 ,,
14	38.326	22.78	78.0	33.39	78.8	c	6 12 ,,
15	38.600	22.90	78.0	33.35	78.4	В	7 12 ,,
16	39.012	22.95	78.6	33.32	78.5	В	8 12 ,,
17	38.600	22.90	80.2	32.92	79.0	G	9 12 ,,
18	37.228	22.75	81.9	32.22	79.9	G	10 12 ,,
19	36.611	22.74	82.5	31.97	81.0	o l	11 12 ,,
20	36.885	22.59	83.7	32.21	81.8	c	Noon.
20 21	37.708	22.44	84.1	32.35	82.0	В	1 12 p. m.
	01.100						0 10
22	38.737	22.02	84.1	32.45	82.4	В	2 12,

DAILY OBSERVATIONS, FROM 22ND TO 26TH DECEMBER 1864.												
DATE, Göttingen Mean Time,	Eastern Declination.	Horizontal Force Magneto- meter.	Thermometer of Horizontal Force Magne-	Vertical Force Magneto- meter.	Thermometer of Vertical Force Magne-	Observers.	DATE. Bombay Civil Time.					
1864.		Scale Readings Uncorrected.	tometer.	Scale Readings Uncorrected.	tometer.	စ	1864.					
h.							h. m.					
DEC. 22nd-Noon.	38'874	22.91	83:8	32.10	83.4	G	4 12 p. m.					
1	38.326	22.08	82.8	32.06	83.0	С	5 12,					
2	38.051	22.04	82.1	32.41	82.5	C	6 12 ,,					
3	38.531	22.10	81.6	32.38	82.0	В	7 12 ,,					
4	38.257	22.19	81.1	32.50	81.6	В	8 12 ,,					
5 `6	38.806	22.10	80.8	32.60	81.2	G	9 12 ,,					
7	38.463	22.20 22.34	80.0	32.60	80.6 80.3	G	10 12 ,, 11 12					
8	38.669 38.394	22.47	79.8 79.4	32.76 32.81	1.08	C	Midnight.					
9	38.600	22.50	79.0	32.95	79.6	В	1 12 a. m.					
10	38.120	22.82	78.4	32.94	79.2	В	2 12 ,,					
11	37.983	22.80	78.3	32.90	79.1	В	3 12 ,,					
12	37.914	22.90	78.3	33.00	78.8	В	4 12 ",					
13	37.845	22.85	78.0	33.00	78.5	G	5 12 ,,					
14	37.502	23.55	77.0	33.18	78.0	G	6 12 ,,					
15 16	37.022	23.40	77.0	33.20	77.8	G	7 12 ,,					
16	37.914 37.014	23-25	77.8	33.20	77.9	G	8 12 ,,					
18	37.914 37.297	23.35 23.29	79.3 80.8	33.00 32.76	78.8 79.2	C	9 12 ,,					
19	36.130	23.29	80.8	32.76 32.57	80.3	C	10 12 ,, 11 12					
20	37.022	22.97	83.2	32.51	81.4	C	Noon.					
21	38.806	22.56	84.1	32.50	82.4	В	1 12 p. m.					
22	39.629	22.45	84.2	32.25	82.9	В	2 12 ,,					
23	39.462	22.05	84.4	32.05	83.4	В	3 12 ",					
							•					
D 00 N					20.0							
DEC. 23RD-Noon.	39.080	21.86	84.5	32.00	83.6	В	4 12 ,,					
2	38.806 38.531	21.71 21.95	83.6 83.0	32.18 32.26	83.5 83.6	G	5 12 ,, 6 12					
3	38.943	21.93	82.6	32.40	82.2	G	7 19					
4	40.109	21.70	81.8	32.48	82.0	G	Q 19					
5	38.806	22.10	80.9	32.50	81.4	c	9 12 ,,					
6	38.806	21.80	80.4	32.54	81.2	c	10 12 ,,					
7	38.257	· 22.25	80.3	32.67	81.0	c	11 12 ,,					
8	39.080	21.96	80.2	32.84	80.7	С	Midnight.					
9	39.149	22.10	79.9	32.82	80.2	В	1 12 a.m.					
10	39.149	22.45	79.5	32.92	80.2 80.1	В	2 12 ,,					
11 12	38.73 7 38 . 25 7	22.35 22.45	79.5 79.1	32.95 32.95	79.6	В	3 12 ,,					
13	37.983	22.45	79.1	33.00	79.1	B	4 12 ,, 5 12 ,,					
14	3 7. 365	22.54	78.7	33.00	79.0	G	6 10					
15	37.845	22.60	78.4	33.10	78.6	G	7 10					
16	39.012	22.80	79.0	33.12	78.8	G	8 12 ,,					
17	38.669	22.70	80.5	32.70	80.0	C	9 12 ,,					
18	36-611	22.56	82.0	32.46	81.0	C	10 12 ,,					
19	36.542	22.47	83.7	32.38	82.3	c	11 12 ,,					
20	37.091	22.39	84.7	32.31	83.0	c	Noon.					
21 22	38.257 39.286	22.10 21.88	85.5	32.35	83.7 84.1	В	1 12 p. m.					
22 23	39.286 39.149	21.88	86.0 85.8	32.10 31.90	84.1 84.6	В	2 12 ,, 3 12 ,,					
20	UJ. 173	2120	00.0	31.30	03.0	В	3 12 "					
			1									
DEC. 26TH-Noon.	38.737	22.00	86.1	31.80	85.0	G	4 12 ,,					
1	37.845	22.06	85.6	31.94	85.1	G	5 12 ",					
2	37.983	22.09	84.5	32.12	84.0	G	6 12 ,,					
3	38.257	22.20	84.0	32.20	83.5	G	7 12 "					
4	38.531	22.17	82.8	32.36	83.0	G	8 12 ,,					
5	38.669	22.28	82.3	32.25	82.8	C	9 12 ,,					
6	38.669	22.37	81.5	32.37	82.5	C	10 12 ,,					
7 8	38.806 38.874	22.51	80.8	32.75	82.0 81.6	C	11 12 ,, Midwight					
9	38.874 38.600	22.51 22.55	80.3 80.3	32.70 32.80	81.6 81.4	C	Midnight. 1 12 a. m.					
10	38.737	22.70	79.9	32.90	80.9	B B	2 12 "					
ii	39.149	22.68	79.5 79.6	32.80	80.5	В	3 12 ,,					

_	DAILY (OBSERVATION	NS, FROM 20	этн то 28тн D	ECEMBER	1864.	
DATE. Göttingen Mean Time. 1864.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.
h.							h. m.
DEC. 26TH—12	38/463	22.90	79°1	32.95	80:0	В	4 12 a. m.
13	37.845	23.05	79.2	32.96	79.9	G	5 12 ,,
14	37.571	23.15	79.0	33.00	79.5	g	6 10
15	36.611	23.39	78.8	33.00	79.2	G	7 10 "
16	37.914	23.50					0 10 "
			79.0	33.18	79.0	G	
17	39.355	23.51	80.1	33.00	80.0	C	9 12 ,,
18	38.943	23.34	82.0	32.78	0.18	C	10 12 ,,
19	38.6 00	23.12	83.1	32.57	81.8	C	11 12 "
20	38.326	22.96	84.3	32.35	82.8	C	Noon.
21	38.531	22.55	85.8	32.00	83.5	В	1 12 p. m.
22	38.737	22.25	87.0	31.95	84.7	в	2 12',,
23	39.217	22.02	87.2	32.00	85.5	В	3 12 ",
DEC. 27TH-Noon.	38.326	22.01	86.7	31.90	85.5	В	4 12
1	38.051	22.10	85.6	31.94	85.0	G	5 19 "
2	37.983	22.24	84.9	32.16	84.5	G	£ 19
3	38,051	22.15				1	# 10 °
4			84.0	32.40	83.9	G	
-	37.914	22.15	83.5	32.46	83.2	G	8 12 ,,
5	37.983	22.20	82.9	32.50	83.0	C	9 12 ,,
6	38.25 7	22.18	82.0	32.88	82.8	C	10 12 ,,
7	38.531	22.36	81.2	32.62	82.4	C	11 12 ,,
8	38.600	22.28	81.2	32.70	82.3	c	Midnight.
9	38.737	22.20	81.2	32.70	81.7	В	1 12 a. m.
10	38.943	22.40	80.8	32.75	81.5	В	0.10
11	38.737	22.45				1 1	2 10
12	38.120	22.65	80.8	32.80	81.4	В	• • • • • • • • • • • • • • • • • • • •
			80.4	32.76	81.0	В	4 12 ,,
, 13	37.571	23.03	80.1	32.70	80.8	G	5 12 ,,
14	37.571	22.81	80.0	32.82	80.6	G	6 12 ,,
15	37.022	22.81	79.7	32.90	80.1	G	7 12 ,,
16	37.983	23.00	80.0	33.00	80.0	G	8 12 ,,
17	38.394	23.05	81.8	32.75	81.0	c	9 12 ,,
18	38.257	23.00	83.1	32.56	82.1	c	10 12 ,,
19	37.571	22.67	84.2	32.52	82.7	c	11 10
20	37.571	22.50	85.0	32.50	83.2	c	Noon.
21	38.120	22.22				1 1	
			85.5	32.45	83.5	В	1 12 p.m.
22 23	38.463 38.669	22.01 21.81	85.6 85.9	32.35 32.10	84.2 84.7	B	2 12 ,, 3 12 ,,
Dec. 28th-Noon.	00.000						
JEC. ZOTH-NOON.	37.983	21.83	85.7	31.92	84.9	В	4 12 ,,
1	37.022	22.00	85.0	32.00	85.0	G	5 12 ,,
2	37.708	22.10	83.9	32.22	84.4	G	6 12 ,,
3	37.845	22.10	83.0	32.40	83.5	0	7 12 ",
4	37.845	22.05	83.0	32.48	83.0	a	8 12 ,,
5	38.120	22.00	83.0	32.60	83.0	C	0.10
6	38.120	21.92	82.2	32.62	82.4	c	10 10
7	38.531	22.23	81.4		82.2	c	10 12 ,,
8	38.806	22.35		32.64		1 1	M:3
9			81.0	32.69	81.9	C	Midnight.
	38.463	22.40	81.0	32.70	81.5	В	l 12 a.m.
10	38.531	22.60	80.5	32.80	81.4	В	2 12 ,,
11	38.463	22.65	79.7	32.90	80.7	В	3 12 ,,
12	38.394	22.75	79.3	32.95	80.3	В	4 12 ,,
13	38.326	22.90	78.9	32.98	80.0	a	5 12 ,,
14	38.257	22.95	78.8	32.98	79.5	G	6 12 ,,
15	38.257	22-85	79.0	33.00	79.5	G	7 19
16	38.669	22.85	79.8	33.00	79.8	a	0.10
17	38.257	22.90 22.90		32.80	80.3	c	0.10
18	37.777		81.0			1 I	10 10 "
19		22.76	82.6	32.45	81.2	C	10 12 ,,
	37.297	22.78	83.2	32.18	82.0	C	11 12 ,,
20	37.914	22.87	83.9	32.27	82.6	C	Noon.
21	38.600	22,72	84.5	32.40	82.7	В	1 12 p.m.
22	39.012	22.61	84.9	32.25	83.2	В	2 12',
23	38.531	22.45	85.0	32.05	83.9	В	3 12 ",

DAILY OBSERVATIONS, FROM 29th to 30th DECEMBER 1864.											
DATE. Göttingen Mean Time.	Eastern Declination.	Horizontal Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Horizontal Force Magnetometer.	Vertical Force Magneto- meter. Scale Readings Uncorrected.	Thermometer of Vertical Force Magnetometer.	Observers.	DATE. Bombay Civil Time. 1864.				
1864.					· · · · · · · · · · · · · · · · · · ·		h. m.				
DEC. 29TH-Noon.	38:257	22.31	84.5	31.92	84.9	В	4 12 p. m.				
1	37.914	22.30	84.0	32.00	84.0	G	5 12 ,,				
2	3 7.777	22.35	83.4	32.30	83.2	G	6 12 ,,				
3	38.051	22.15	82.6	32.44	82.9	G	7 12 ,,				
4	37.640	22.30	82.0	32.50	82.2	G	8 12 ,, 9 12 ,,				
5	37.914	22.49	81.3	32.57	81.9	C	10 19 "				
6	38.051	22.52	81.0	32.59	81.7	C	11 19				
7	38.531	22.40 22.36	80.5	32.75	81.2	C	Midnight.				
8	38.600	22.52	80.1	32.80 32.90	81.0 80.4	C	1 12 a. m.				
9	38.600	22.70	79.4	32.90	79.9	В	0 10				
10	38.257	22.90	78.9	32.95	79.9 79.5	В	2 10 "				
11	37.914	22.90	78.6	32.95	79.5 79.4	В	A 19 "				
12	37.914	23.00	78.5	33.00	ì	В	£ 10 "				
13	37.297	23.05	78.6	33.00	79.0 78.8	G	6 19				
14	36.885	23.10	78.6	33.00	78.8 78.8	G	7 10				
15	37.228 37.228	23.10	78.8	32.90	78.8 79.0	G	0 10 "				
· 16	37.228 36.611	23.18	79.0 80.0	32.82	79.0	G	0.19 "				
18	36.611	23.10	81.7	32.46	81.0	C	10 19 "				
19	37.091	22.89	83.1	32.40	81.6	C	11 10 "				
20	37.708	22.62	84.0	32.27	82.6	C	Noon.				
20 21	38.600	22.42	84.8	32.30	82.6	B	1 12 p. m.				
22	38.943	22.33	85.0	32.25	83.1	В	0.10				
23	39.492	22.19	84.6	32.15	83.5	В	2 10 "				
23	030132		04.0	02.10	00.0		3 12 ,,				
DEC. 30TH-Noon.	38.943	22.16	84.5	32.20	83.2	В	4 12 ,,				
I	37.914	22.31	83.8	32.24	83.0	.G	5 12 ,,				
2	38.257	22.35	82.7	32.40	82.8	G	6 12 ,,				
3	38.120	22.29	82.5	32.48	82.4	G	7 12 ,,				
4	37.983	22.30	82.1	32.50	82.0	G	8 12 ,, 9 12				
5	38.326	22.44	81.7	32.62	81.6	G	9 12 ,, 10 12 				
6	38.600	22.53 22.70	80.4 79.8	32.65 32.75	81.2 80.8	R	10 12 ,,				
7	38.53 1 38.600	22.74	79.8	32.76	80.4	R	Midnight.				
8 9	38.257	22.69	79.9	32.85	80.4	K B	1 12 a. m.				
10	38.607	22.70	79.9	32.90	80. 2	В	0.10				
10	38.737	22.90	79.5	32.80	80.1	В	2 10 "				
12	38. <i>5</i> 31	22.90	79.5	32.85	80.0	В	A 19 "				
13	38.326	22.90	79.5	32.90	79.8	G	5 19 "				
. 14	38.051	22.95	79.4	33.00	79.6	G	6 10				
15	38.600	22.95	79.6	32.94	79.5	G	7 10				
16	38.394	22,95	80.0	32.82	79.6	G	9 19				
17	38.257	22.98	80.2	32.62	79.6	В	0.19				
18	37.777	22.96	81.9	32.30	80.5	В	10 12 ,,				
19	37.640	32.75	83.4	32.10	81.4	В	11 12 ",				
20	38.669	22.58	83.7	32.25	82.0	В	Noon."				
21	39.012	22.52	84.4	32.20	82.5	K	1 12 p.m.				
22	38.737	22.41	85.0	32.25	82.8	ĸ	2 12 ,,				
23	37.737	22.32	84.9	32.30	83 .2	ĸ	3 12 ",				
							"				
				İ							
		!									
į											
l											
		1									
	•										
				ļ							
		1									

REGISTER OF DISTURBANCE OBSERVATIONS.

			DISTURI	BANCE OBS	ERVATIONS	8, 1864.			*	
DATE		Dвсыя	ATION.	Нов	RIZONTAL FORCE M	VERTICAL FORCE				
Götting	en	Large.	Small.	Large.	Small.	Thermo	meters.	Magnetoneter.		
Mean Ti	me.	At Full Time.	5 min. after Full Time.	2 min. after Full Time.	4 min. after Full Time.	Large. H. P. M.	8mall. H. P. M.	2 min. before Full Time.	Thermometer.	
	н. м.			Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.		
JUNE 7TH.	21 00	36747	33'48	18.85	14.55	88°5	86.9	20.85	88*8	
	21 15	36.816	33.80	18.68	14.20	88.7	87.0	20.85	88.8	
	21 30	37.365	34.33	18.45	13.50	89.0	87.1	20.95	89.0	
	21 45	3 7 .433	34.33	18.28	13.00	89.3	87.3	20.98	89.3	
	22 00	36.747	33.28	18.11	12.50	89.5	87.6	21.05	89.5	
	22 15	36.404	32.86	17.91	12.00	89.5	87. 9	21.10	89.7	
	22 30	36.199	32.76	18.06	12.10	89.5	88.1	21.02	89.8	
	22 45	36.885	33.80	17.63	11.50	. 89.5	88.5	21.00	90.1	
	23 00	37.090	33.80	17.35	11.30	89.6	88.9	21.00	90.2	
	23 15	37.770	34.33	17.82	11.60	89.7	89.0	21.05	90.3	
	23 30	37.433	34.01	17.38	11.25	89.7	89.0	21.10	90.5	
	23 45	37.433	33.90	17.00	11.00	89.8	89.0	21.10	90.5	
June 8th.	0 00	36.747	33.80	16.92	10.40	89.9	89.0	21.00	90-6	
	0 15	36.816	33.86	16.55	9.92	90.0	89.0	20.98	90.6	
	0 30	37.914	35.38	16.86	10.74	89.8	88.2	21.10	90.8	
	0 45	37.914	35.38	16.80	10.50	89.6	88.0	21.28	90.8	
	1 00	40.040	36.68	16.85	10.70	89.5	88. 0	21.36	90.6	
	1 15	39.080	37.93	16.98	10.84	89.0	87.7	21.24	90.5	
	1 30	39.217	36.42	17.35	11.00	89-0	87.5	21.20	90.2	
	1 45	38.668	35.43	17.50	11.26	88.9	87. 3	21.20	90.0	
	2 00	37.502	33.96	17.62	11.50	88.8	87. 3	21.20	90.0	
	2 15	37.022	32.70	17.75	11.74	88.5	87.2	21.18	90.0	
	2 30	37.542	32.65	17.80	11.87	88.5	87. 0	21.09	89.8	
	2 45	35.787	32.44	17.95	12.00	88.4	87.0	21.10	89.7	
	3 00	34.758	31.76	18.00	12.48	88.4	87.0	21.10	89. 6	
	3 15	34.895	31.76	18.05	12.50	88.4	87.0	21.17	89 .5	
	3 30	35 .5 81	32.24	18.04	12.14	88.1	86.9	21.30	89.5	
	3 45	36.061	32.70	17.98	11.86	88.0	86.9	21.38	89.4	
	4 00	36.267	32.70	17.95	11.50	88.0	86.9	21.50	85.4	
	4 15	35.513	32.24	18.10	12.50	88.0	86.8	21.40	89.3	
	4 30	34.484	31.34	18.08	12.48	87.6	86.4	21.50	89 .2	
	4 45	35.101	31.71	18.25	12.69	87.3	86.2	21.10	89.0	
	5 00	35.238	31.97	18.45	12.72	87.2	86.1	21.02	88.9	
	5 15	35.650	32.17	18.65	12.94	87-2	86.1	21.13	88.9	
	5 30	36.542	32.70	18.58	12.86	87.1	86.1	21.56	88.8	
	5 45	35.924	32.34	18.72	12.92	87.0	86.0	21.57	88.8	
	6 00	35.650	32.34	18.90	12.92	87.1	86.0	21.55	88.7	
	6 15	35.513	32.29	19.05	13.00	87.1	86.0	21.59	88.7	
	6 30	35.375	32.24	19.20	13.07	87.1	86.0	21.71	88.7	
	6 45	35.513	32,50	18.75	13.05	87.1	86.0	21.68	88.7	
	7 00	35.787	32.70	19.27	13.21	87.2	86.0	21.70	88.7	
	7 15	3 5.37 <i>5</i>	32.24	19.05	13.00	87.2	86.0	21.47	88.7	

			DISTU	RBANCE OF	BSERVATIO	NS, 1864.		,	
DATE.		DECLIN	ATION.	` Нови	CONTAL PORCE MA	AGN ETOM ETERS.		VBRTICA	
Göttinge	n	Large.	Small.	Large.	Small.	Thermo	meters.	Magnet	ometer.
Mean Tin	ne.	At Full Time.	5 min. after Full Time.	9 min. after Full Time.	4 min, after Full Time,	Large. H. P. M.	Small, H. F. M.	2 min. before Full Time.	Thermometer.
	н. м.			Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.	
June 8TH.	7 30	35/650	32'70	19.18	13.11	87:2	96° 0	21-33	88*7
	7 45	35.513	32.70	19.42	13.57	87.2	85.9	21.59	88.6
	8 00	35.856	32.76	19.40	13.54	87.4	85.9	21.21	88.6
	8 15 8 30	35.924 35.513	32.86 32.50	19.45	13.55	87.4	85.8	21.24	88.6
	8 45	35.650	32.60	19.44 19 . 50	13.55	87.4 87.4	85.8 85.8	21.28 21.30	88-5 88-5
•	9 00	35.787	32.76	19.45	13.60	87.4	85.8	21.40	88.4
	9 15	35.993	32.96	19.42	13.60	87.4	85.8	21.46	88.4
	9 30	36.199	33.28	19.36	13.58	87.4	85-8	21.52	88.4
	9 45	36.336	33.33	19.35	13.58	87.4	85-6	21.56	88.4
	10 00	36.542	33.38	19.40	13.70	87.2	85.4	21.60	88.2
	10 15	36.610	33.38	19.46	13.82	87.0	85-2	21.64	88.1
	10 30	36.336	33.28	19.54	13.96	86.9	85.1	21.68	88.0
	10 45 11 00	36.199 36.366	32.28 33.28	19.65 19.75	14.15	86.9	85-1	21.74	88.0
	11 15	36.473	33.28	19.75	14.36 14.36	86.9 86.9	85.1 85.1	21.75 21.75	88.0 88.0
	11 30	36.542	33.48	19.70	14.36	86.9	85 1	21.78	87.9
	11 45	36.542	33.38	19.73	14.36	87.0	85.1	21.78	87.9
	12 00	36.679	33.54	19.67	14.35	87.0	85.1	21.76	87.9
	12 15	36.610	33.28	19.65	14.30	87.0	85-0	21.70	87.9
	12 30	3 6.885	33.54	19.74	14.46	86-9	85.0	21.70	87.8
	12 45	36.885	3 3.64	19.85	14.54	86.7	84.8	21.76	87.8
	13 00	37.022	33.71	19.87	14.70	86-5	84.6	21.80	87.7
	13 15 13 3 0	37.022	33.71	19.85	14.70	86-4	84.5	21.84	87.7
	13 45	37.159 37.433	34.59 34.74	19.94	14.92	86.2	84.2	21.90	87.4
	14 00	38.051	34.85	20.07 20.24	15.09 15.20	86.0 86.0	84.0 84.0	21.98 22.00	87.2 87.2
	14 15	38.051	34.85	20.28	15.30	86.1	84.1	22.00 22.00	87.2
	14 30	38.257	35.26	20.30	15.38	86.3	84.1	22.00	87.3
	14 4 5	38.257	35.26	20.41	15.50	86.5	84.1	22.00	87.3
	15 00	38.325	35.38	20.45	15.55	86.7	84.2	22.00	87.5
	15 15	38.325	35.38	20.52	15.64	86⋅8	84.4	21.96	87.5
	15 30 15 45	38.668	35.48	20.60	15.92	87-0	84.8	21.84	87.6
	16 00	38.7 07 38.6 80	35.48 35.38	20.60 20.80	15.92	87.1	85.0	21.80	87.8
	16 15	38.600	35.26	20.80 20.94	16.02 16.40	87.4 87.6	85.1 85.5	21.72 21.63	88.0 88.2
	16 30	38.805	35.31	20.85	16.40	87.9	85.7	21.53	88.3
	16 45	38.325	34.85	20.90	16.34	88.2	85.9	21.36	88.4
	17 00	38.188	34.85	20.94	16.46	88.4	86.2	21.41	88.6
	17 15	37.914	34.38	20.88	16.40	88.7	86.4	21.50	88.7
	17 30	37.845	34.33	20.85	16.38	89.0	86.5	21.31	88.9
	17 45 18 00	37.571	34.33	20.84	16.38	89-1	86.8	21.29	89.0
 -	18 15	37.433 36.816	34.01 33.54	20.83	16.36	89.2	87.1	21.13	89.2
	18 30	36.679	33.54	20.97 21.01	16.60 16.91	89.4 89.7	87.5 87.9	20.96 20.90	89.2 89.3
	18 45	36.267	32.70	21.07	16.91	89.7 89.8	87.9 88.2	$20.90 \\ 20.72$	89.5
	19 00	35.856	32.39	21.05	16.70	89.9	88.5	20.70	89.8
	19 15	35.307	32.24	20.82	16.40	90.0	88.8	20.65	89.8
	19 30	35.375	32.24	20.40	16.00	90.1	88.8	20.58	89.8
	19 45	35.787	32.29	19.70	15.08	90.2	88.8	20.60	90.0
	20 00	35.581	32.29	19.53	14.50	90.2	88.9	20.66	90.2
	20 15 20 30	35.787 25.512	32.44	19.56	14.50	90-3	89.1	20.67	90.3
	20 45	35.513 35.650	32.24 32.34	19.55 19.50	14.50	90.4	89.1	20.65	90,3
	21 00	35.581	32.34 32.24	19.50	14.50 14.20	90.5 90.5	89.2 89.4	20.68 20.66	90.4 90.5
	21 15	35.513	32.24	19.31	14.20	90.5	89.4 89.5	20.66 20.66	90.5
	21 30	35.718	32.24	19.12	14.10	90.5 90.5	89.5	20.68 20.68	90.5
	21 45	35.856	32.44	18.82	13.60	90.5	89.5	20.68	90.5
	22 00	35.650	32.34	18.61	13.35	90.5	89.5	20.72	90-6
	22 15	35.718	32.34	18.68	13.40	90.5	89.5	20.78	90-6

DISTURBANCE OBSERVATIONS, 1864.												
DATE.		DECTIN	ATION.	Hom	ZOWTAL FORCE M	AGNETOMETERS			L Force			
Göttinge	en	Large.	Small.	Large.	Small.	Thermo	meters,	Magher	om eter.			
Mean Tiu	ne.	At Full Time.	5 min. after Full Time.	2 min. after Full Time.	4 min. after Full Time.	Large. H. F. M.	Small. H .P. M.	2 min. before Full Time.	Thermometer.			
	н. м.			Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.				
JUNE 8TH.	22 30	35/650	32'44	18.35	13.05	90:5	89:5	20.84	90°6			
	22 45	35.513	32.44	18.36	13.05	90.5	89.5	20.86	90.6			
	23 00	35.856	32.76	18.18	12.66	90.5	89.4	20.92	90.8			
	23 15 23 30	36.130 36.816	33.38 34.01	18.00 17.90	12.35 12.20	90.5 90.5	89.3 89.3	20.95 20.96	90.8 90.9			
	23 45	37.228	34.33	17.85	12.15	90.5	89.2	21.02	90.9			
	20 40	07.220	01.00	17.50	12.10	00.0	00.2	21.02	50.5			
JUNE 9TH.	0 00	37.228	34.33	17.68	11.80	90.3	89.1	21.10	91.0			
	0 15 0 30	37.159 37.022	34.12 33.91	17.75 17.85	12.00 12.14	90.3 90.2	89.1 88.9	21.17 21.20	91.0 91.0			
	0 30 0 45	37.022	34.07	17.85	11.96	90.2	88.6	21.20	91.0			
	1 00	36.679	33.48	17.74	11.00	89.9	88.2	21,17	90.9			
	1 15	36.679	33.48	17.86	10.86	89.8	88.2	21.20	90.8			
	1 30	37.914	34.85	17.95	11.00	89.7	88.0	21.20	90.7			
	1 45	37-945	34.33	18.07	11-50	89.6	88.0	21.26	90.6			
	2 00	37.159	34.07	18.36	12.00	89.4	87.9	21.26	90.5			
	2 15	36-510	32.91	18.45	12.28	89.2 89.0	87.6	21.20	90.5			
	2 30 2 45	36.130 35.993	32.70 32.70	18.50 18.60	12.50 13.07	88.9	87.5 87.4	21.14 21.16	90.4 90.2			
	3 00	35.993	32.70	18.59	13.00	88.9	87.3	21.18	90.2			
	3 15	. 35.856	32.65	18.56	13.00	88.8	87.3	21.20	90.0			
	3 30	35.856	32.65	18.55	12-80	88.8	87.1	21.28	90.0			
	3 45	36.130	32.70	18.80	12.97	88.8	87.0	21.30	90.0			
	4 00	35.787	32.50	18.96	13.26	88.8	87.0	21.30	90.0			
	4 15	35.101	31.71 31.60	19.06	13.57 13.80	88.6 88.6	87.0 87.0	21.30	90.0			
	4 30 4 45	34.89 5 34.895	31.60	19.10 19.15	13.83	88.5	87.0 87.0	21.32 21.37	90.0 89.9			
	5 00	35.032	32.07	19.02	13.80	88.4	87.0	21.33	89.8			
	5 15	35.856	32.29	19.00	13.71	88.3	87.0	21.39	89.7			
	5 30	35.513	32-24	19.00	13.74	88.2	87.0	21.68	89.5			
	5 45	35-581	32.24	19.00	13.74	88.2	86-9	21.94	89.4			
	6 00	36.610	32.86	18.85	13.60	88.0	86.6	22.30	89.2			
	6 15	36.473	32.86	18.97	13-71	87.9 87.8	8 6. 5	22.28	89.1			
	6 30 6 45	37.228 36.816	33.81 33.54	19.20 19.48	13.96 14.10	87.5	86.3 86.1	22.40 22.40	89.0 88.7			
•	7 00	36.6i0	33.54	19.46	14.10	87.3	86.0	22.40 22.44	88.5			
	7 15	36.610	33.54	19.60	14.31	87.1	86.0	22.40	88.3			
	7 30	37.022	33.91	19.64	14.40	87.0	85.9	22.50	88.1			
	7 45	37.159	33.96	19.70	14.45	87.0	85.7	22.50	88.0			
	8 00	37.159	34.01	19.95	14.86	86.9	85.5	22.46	88.0			
	8 15	37.159 37.022	34.11 34.01	19.82	14.70 14.76	86.9 86.9	85.3 85.2	22.45 22.45	88.0 87.0			
	8 30 8 45	37.022 36.953	33.80	19.88 19.95	14.76	86.7	85.2 85.1	22.45 22.45	87.9 87.7			
	9 00	37.090	34.01	19.90	14.90	86.5	85.0	22.45	87.5			
	9 15	37.090	34.01	19.93	14.95	86.5	85.0	22.45	87.4			
	9 30	37.02 2	34.01	19.95	14,96	86.5	85.0	22.46	87.2			
	9 45	37.365	34.33	19.96	14.98	86.4	85.0	22.48	87.2			
	10 00	37.571	34.33	19.95	14.90	86.4 86.4	84.8	22.48	87.2			
	10 15	37.502 37.502	34.33	19.92	14.85	86.4 86.4	84.7 84.6	22.48	87.2 87.2			
	10 30 10 45	37.50 2 3 7. 708	34.33 34.33	19.90 19.94	14.80 14.81	86.4 86.4	84.6 84.5	22.50 22.52	87.2 87.1			
	11 00	37.433	34.33	19.99	14.90	86.4	84.4	22.55	87.0			
	11 15	37.502	34.33	20.04	14.94	86.4	84.3	22.58	87.0			
	11 30	37.228	34.01	20.10	14.99	86.4	84.3	22.60	86.9			
	11 45	37.433	34.11	20.05	14.95	86.4	84.2	22.64	86.9			
	12 00	37.776	34.33	20.10	15-10	86.4	84.1	22-60	86.9			
	12 15	38.051	34.33	20.18	15.24	86.4	84.0	22.60	86.9			
	12 30	37.914 37.014	34.27	20.35	15.40	86.2	84.0	22.58	86.9			
	12 45	37.914	34.27	20.40	15.48	86.2	84.0	22.60	86.8			

			DISTUR	BANCE OB	SERVATION	IS, 1864.			
DATE.		DROLIN	ATION.	Нов	IZONTAL PORCE M	AGNETONETER	s.		al Force
Göttinge		Large.	Smail.	Large.	Small.	Thermo	meters.	Magnet	TOMETER.
Mean Tim	ie.	At. Full Time.	5 min. after Full Time.	2 min. after Full Time.	4 min. after Full Time.	Large. H. F. M.	Small. H. F. M.	2 min. before Full Time.	Thermometer.
	н. м.			Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.	
June 9th.	13 00	38/051	34/79	20.48	15.48	86:1	83°5	22.60	86*8
	13 15	37.914	34.85	20.55	15.58	86.0	83.5	22.60	86.8
	13 30	38.680	35.38	20.75	15.90	86.0	83.5	22.68	86.8
	13 45 14 00	39.017 38 . 531	35.58 35.43	20.84	16.09	86.0	83.4	22.70	86.7 86.7
	14 15	38.874	35.90	20.80 20.95	16.00 16.18	85.9 85.9	83.3 83.3	22.78 22.80	86.7
	14 30	39.217	35.90	20.93 20.97	16.13	86.0	83.5	22.80 22.84	86.8
	14 45	39,491	36.10	21.10	16.46	86.0	83.5	22.70	86.8
	15 00	39.491	36.10	20.85	16.10	86.1	83.7	23.70	86.8
	15 15	39.972	36.42	20.86	16.22	86.2	83.7	22.55	86.8
	15 30	39.766	36.42	20.62	15.80	86.3	83.7	22.50	86.8
	15 45	39. 629	36.42	20.44	15.50	86.5	83.7	22.50	8 6.8
	16 00	39.560	36.31	20.20	15.35	86.7	83.8	22.44	86:9
	16 15	39.491	33.91	20.44	1 <i>5.</i> 56	86.9	84.0	22.14	87.1
	16 30	39.148	33.91	20.53	1 5. 80	87.1	84.0	22.06	87.2
	16 45	38.874	33.81	20.60	15.88	87.3	84.0	22.00	87.4
	17 00 17 15	38.119	33.81	20.66	16.04	87.5	84 l	21.76	87.7
	17 13	37.708 37.159	33.54 33.48	20.71	16.27 16.29	87.8	84.3	21.63	87.9 88.1
	17 45	37.139 36.885	33.38	20.73 20.75	16.29 16.29	88.2	84.4	21.52	88.3
	18 00	36.679	33.17	20.73 20.57	16.00	88.4 88.8	84.5 84.8	21.47 21.44	88.5
	18 15	36.199	32.86	20.53	15.94	89.0	85.0	21.44	88.8
	18 30	35.581	32.34	20.71	16.31	89.0	85.1	21.36	88.9
	18 45	35.444	32.02	20.82	16.53	89.0	85.3	21.30	88.9
	19 00	34.964	31.71	20.95	16.81	89.2	85.8	21.20	89.0
	19 15	34.689	31.03	20.88	16.75	89.4	86.1	21.10	89.0
	19 30	34.209	30.93	20.91	16.75	89.5	86.3	21.10	89.1
	19 45	33.798	30.15	20 .93	16.79	89.5	86.4	21.10	89. 2
	20 00	33.386	30.08	20.91	16.78	89.7	86.4	21.12	89.4
	20 15 20 30	33.112	29.93	20.87	16.70	89.8	86.6	21.13	89.4
	20 30 20 45	32.974	29.62	20.83	16.65	89.9	86.8	21.17	89.5
	21 00	33.112 33.455	29.62 30.15	20.72 20.41	16.45 16.10	90.0	87.0	21.20	89.5
	21 15	33.433 33.7 98	30.13	20.41	15.10	90.2 90.3	87.1 87.3	21.28	89 . 6 89.7
•	21 30	33.935	30.56	20.32	15.90	90.3	87.6	21.34 21.40	89.9
	21 45	33.866	30.46	20.15	15.60	90.5	87.8	21.40 21.44	90.1
	22 00	34.209	30.56	19.96	15.50	90.5	88.0	21.50	90.3
	22 15	34.415	30.67	19.93	15.45	90.5	88.2	21.48	90.5
	22 30	34.278	30.67	19.85	15.35	90.5	88.5	21.50	90.5
	22 45	34.484	30.77	19.74	15.20	90.5	88.7	21.54	90.6
	23 00	34.484	30.87	19.81	15.25	90-5	88.8	21.52	90.6
	23 15	34.484	30.87	19.78	15.22	90.5	88.8	21.52	90.7
	23 30	34.484	30.87	19.71	15.15	90.5	88.7	21.52	90-8
June 10th.	23 45 00 00	34.621 34.758	30.87 31.34	19.61 19.59	15.02 15.90	90.5 90.5	88.7 88.4	21.55 21.55	90.8 90.8
Sврт. 16тн.	23 00	37.288	36.94	20.10	14.80	84.4	81.3	18.55	84.4
	23 30	38.943	37.99	19.65	13.95	84.6	81.8	18.50	84.9
	23 45	38.737	37.99	19.50	13.90	84.6	81.8	18.50	84.9
SEPT. 17TH.	0 00	38.94 3	37.99	19.65	14.10	84.7	81.9	18.40	85.0
	0 15	38.600	38.14	19.84	14.28	84.6	81.9	18.40	85.1
	0 30	38.463	38.04	20.04	14.46	84.2	81.6	18.36	85.0
	0 45	38.257	37.99	20.04	14.50	84.0	81.5	18.36	84.9
	1 00	38.326	37.98	19.97	14.50	83.8	81.4	18.40	84.7
	1 15	38.257	37.89	20.00	14.54	. 83.2	81.3	18.40	84.5
	1 30	38.257	37.99	19.88	14.25	83.0	81.0	18.40	84.2
	1 45 2 00	38.463 38.737	38.1 4 38.41	19.82 19.94	14.20	82.9	81.0	18.40	84.0
	2 00 2 15	38.737 38.6 00	37.99	20.00	14.60 14.66	82.9 82.8	81.0 81.0	18.40 18.40	84.0 84.0

		DISTURB	ANCE OBSI	ERVATIONS	8, 1864.			
DATE.	DECLE	ATION.	Hon	EZONTAL PORCE D	LAGRETONETER	s.		L PORCE
Göttingen	Large.	Small.	Large.	Small.	Thermo	ome ters ,	MAGNET	OMETER.
Mean Time.	At Full Time.	5 min. after Full Time.	2 min. after Full Time.	4 min. after Pull Time.	Large. H. F. M.	Small H .F. M.	2 min. before Full Time.	Thermometer.
H. W			Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.	
SEPT. 17TH. 2 30	38/394	37!73	20.08	14.80	82 * 7	809	18.38	83*9
2 45		37.63	19.92	14.62	82.7	80.9	18.40	83.7
3 00		37.47	19.85	14.47	826	80.9	18.40	83.5
3 15		37.47	20.18	14.68	82.6	80.8	18.38	83.5
3 30	37.845 37.571	37.47 37.31	20.26	14.82 15.10	82.6 82.5	80.8 80.6	18.34 18.40	83.4 83.4
3 45 4 00	37.365	36.94	20.38 20.40	15.10 15.30	82.5	80.5	18.40	83.4
4 15	37.571	37.47	20.40	15.38	82.4	80.4	18.40	83.3
4 30	36.954	36 94	20.35	15.30	82.3	80.4	18.40	83.3
4 45	36-885	36.68	20.33	15.10	82.3	80.4	18.40	83.3
5 00	37.434	37.05	20.26	14.90	82.3	. 80.3	18.38	83.3
5 15	37.777	37.47	20.25	14.64	82.2	80.3	18.38	83.3
5 30	38.257	37.47	20.10	14 40	82.2	80.3	18.41	83.3
. 5 45	38.257	37 4 7	20.09	14.40	82.2	80.3	18.44	83.3
6 00	38.806	37.47	20.53	15-18	82.1 82.1	80.2 80.2	18.47	83.2
6 15	38.906	38.14 37. 63	20.58 20.66	15.24 15.29	82.1 82.1	80.2 80.2	18.49 18.52	83.2 83.1
6 30 6 45	37.777 37.228	37.03 36.84	20.06	15.29	81.9	80.1	18.47	83. 0
7 00	37.022	36.68	20.70	15.18	81.8	80.0	18.44	83.0
7 15	36.954	36.68	20.73	15.18	81.8	80.0	18.42	82.9
7.30	36 679	36.58	20.78	15.20	81.7	80.0	18.40	82.9
7 45	36 542	36.37	20.84	15.25	81.7	. 80.0	18.39	82.8
8 00	37.708	36.94	20.61	15.18	81.7	80.0	18.40	82.8
8 15	36.885	36 42	21.50	16.50	81.7	80.0	18.40	82.8
8 30	36.885	36.42	21 50	16-50	81.6	0.08	18.38	82.8
8 45	36,954	36 42	21.35	16.40	81.6	80.0	18.40	82.7
9 00	37.297	36 94 26 04	21.00	15.60	81.5 81.4	80.0 80.0	18.40	82.6 82.5
9 15 9 30	37.708 37 . 571	36.94 37.47	20.95 20.95	15.55 15.60	81.3	79.8	18.40 18.40	82. 3
9 30 9 45	37.777	37.47 37.47	20.93	15.60	81.2	79.7	18.40	82.3
10 00	38.463	37.99	20.95	15.60	81.1	79.7	18.40	82.2
10 15	38.600	37.99	21.00	15.60	81.0	79.5	18.40	82.0
10 30	37 983	36.94	20.90	15.50	81.0	7 9. 5	18.40	82.0
10 45	38.120	37.99	21.00	15.60	81.0	79.5	18.40	82.0
11 00	37.571	37.47	21.10	15.70	81.0	7 9. 5	18.40	82-0
11 15	37.502	37.47	21.15	15.70	81.1	79.5	18.40	82.0
11 30	37.777	37.99	21.15	15.70	81.2	79.7	18.40	82.0
11 45	37.640	37.47	21.10	15.65	81.4	79.5	18.40	81.9 82.0
12 00 12 15	37.983 37.845	37.99 37.68	21.10 21.00	15.60 15.54	81.5 81.5	79.4 79.4	18.40 18.40	82.0 82.0
12 15	37.571	37.08 37.47	20.95	15.54 15.50	81.5	79.4 79.4	18.40	82.0
12 30	37.640	37.63	21.00	15.62	81.5	79.4	18.40	82.0
13 00	37.776	37.47	21.05	15.70	81.5	79.3	18.40	82.0
13 15	37.776	37.47	21.08	15.76	81.5	79.3	18.42	82.0
13 30	37.640	37.47	21.10	15.80	81.5	79.3	18.42	82.0
13 45	37.640	37.47	21.22	15.94	81.5	79.3	18.44	81.9
14 00	38.669	38.51	21.15	15.98	81.6	79.2	18.48	82.0
14 15	38.943	38.56	21.12	15.80	81.6	79.2	18.46	82.0
14 30	39.012	38.72	21.00	15.74	81.6	79.2	18.44	82.0
14 45	39.286	38.77	21.00	15.74	81.7	79.3	18,44	82.1
15 00	39.21 7 38.87 4	38.56	20.95	15.60 15.56	81.8 81.8	79.3 79.4	18.40 18.38	82.1 82 . 2
15 15 1 5 30	38.874 39 . 012	38.46 38.77	20.80 20.88	15.56 15.60	81.8	79.4 79.4	18.30	82.2 82.2
15 30 15 45	38.600	38.77 38.56	20.88	15.60	82.0 82.3	79. 4 79.5	18.30	82.3
16 00	38.326	38.20	20.85	15.58	82.5	79.6	18.30	82.4
16 15	38.326	38.20	20.82	15.54	82.6	79.7	18.30	82.5
16 30	37.434	36.68	20.95	15.80	82.9	79.8	18.24	82.8
16 45	37.091	36.06	20.99	15.82	83.1	79.9	18.20	82.9
17 00	36.679	35.58	21.04	15.84	83.4	80.0	18.18	83.0
17 15	36,473	35.38	21.10	15.93	83-5	80.1	18.17	83.1

33-1864

		,	DISTURE	BANCE OBS	ERVATIONS	8, 1864.			
DATE.		DECLIN	ATIOF.	Ноя	IZONTAL FORCE M	agn etometers	J.		L PORCE
Göttinge	n	Large.	Small.	Large.	Small.	Thermo	meters.	. МАСИЯТ	ometer.
Mean Tim	ie.	At Pull Time.	5 min. after Fuil Time.	2 min after Full Time.	4 min. after Full Time.	Large. H. P. M.	Small. H. F. M.	2 min. before Full Time.	Thermometer.
	н. м.			Sc. Read. Uncorrected.	Sc. Read.			Sc. Read. Uncorrected.	
Ѕврт 17тн.	17 30	364062	34/33	21.08	15.93	83°7	80°1	18.17	83:3
	17 45	35 .513	34.33	21.02	15.90	83.9	80.3	18.17	83.5
	18 00	35 101	34.33	21.01	15.90	84.0	80.5	18.16	83.8
	18 15	34.896	34.33	21.01	15.90	84.1	80.6	18.14	83.9 83.9
	18 30 18 45	34.621 34.553	34.28 34.28	21 06 21.07	16.00 16.04	84.3 84.4	80.8 80.9	18.08 18.00	83.9
	19 00	34.347	33.44	21.09	16.18	84.5	81.6	18.07	84.1
	19 15	34.141	33.28	21.09	16.19	84.7	81.8	18.09	84.2
	19 30	34.141	3 3. 2 8	21.11	16.20	84.8	81.9	18.12	84.3
	19 45	34.004	33.23	21.11	16.20	. 84.9	82.0	18.14	84.4
	20 00	31.004	33.18	21.05	16.00	84.9	82.0	18.14	84.7
	20 15	34.827	34.33	20.80	15.90	84.9	82.0	18.10	84.8 84.8
	20 30	34.690 34.758	33.81 33.33	21.00	16.00	85.0 85.0	82.0 82.2	18.05 18.00	84.8 84.9
	20 45 21 00	34.758 34.827	33.81	21.05 21.05	16.05 16.20	85.0	82.5	18.00	85.0
	21 15	34.827 34.82 7	33.81	21.05	16.20	85.1	82.5	18.00	85.0
	21 30	34.496	33.81	21.05	16.20	85.2	82.6	18.05	85.1
	21 45	35.170	33.81	21.10	16.25	85.4	82.6	18.05	85.2
	22 00	35.856	35.3 7	20.90	15.90	85.4	82.9	18.05	85.5
	22 15	36.199	35.90	20.70	15.70	85.5	83.1	18.07	85.6
	22 30	36.542	36.42	20.55	15.50	85.6	83.3	18.08	85.7
	22 45	37.228	36.42	20.20	15.20	85.7	83.4	18.08	85.9
	23 00	37.571	36.94	20.30	15 20	85.4	83.3	18.10 18.10	85.9 86.0
	23 15 23 30	38.25 7 33.600	3 6.99 3 6.99	20.60 20.40	15.50 15.40	85 3 85.2	83.2 83.1	18.05	86.1
	23 45	38.943	3 6.99	20.30	15.20	85.2	83.0	18.05	86.1
0 10		41 401	40.60	10.00	10.05	8 <i>5</i> .5	83.2	31.30	86.5
Ост. 13тн.	1 00 1 15	41.481 40.932	40.60 40.39	18.90 18.93	12.05 12.00	85.1	83.2 83.0	31.30	86.2
	1 15 1 30	40.952	39. 04	18.90	12.00	85.0	83.0	31.30	86.1
	1 45	40.315	39.56	18.72	11.72	84.8	83.0	31.32	86.0
	2 00	40.178	39.04	18.41	11.20	84.6	82.9	31.40	85.9
	2 15	40.521	39.81	18.49	11.34	84.5	82.7	, 31.46	85.8
	2 30	40.795	3 9.86	19.00	12.30	84.4	82.6	31.50	85-8
	2 45	39.629	38.15	19.85	13.60	844	82.4	31.45	85.7
	3 00	38.874	37.47	20.10	13.95	84.3	82.3	31.46 31.46	85.6 85 . 5
	3 15 3 30	38.600 38.874	37.25 37.47	19.90 19.80	13.70	84.3 84.2	82.3 82.2	31.40 31.60	85.5 85.5
	3 45	35.574 39.149	37.47 37.73	19.80 19.65	13.56 13.20	84.2 84.1	82.2 82.1	31.68	85.4
	4 (0)	39.355	37.73 37.99	19.55	13.20	84.0	82.1	31.80	85.2
	4 15	39.972	38.15	19.55	12.79	83.8	82.1	31.80	85.1
	4 30	39 972	38.25	19.59	12.85	83.8	82-0	31.90	85.1
	4 45	40.246	38.30	19.60	12.80	83.8	82.0	31.92	85.0
	5 00	39 629	38.10	19.50	12.80	83.7	82.0	31.95	84.9
	5 15	40.246	38.25	19.52	12.85	83.7	82-0	31.95	84.9
	5 30	39.972	38.05	21.15	14.80	83. 7	81.9 81.9	31.92 31.90	84.8 84.8
	5 45 6 00	40.04i 38.942	37.84 37.73	21.35 20.90	15.60 15.25	83.6 83.6	81.8	31.90	84.7
	6 15	36.942 39.550	37.73 37.79	20.90	15.25	83.4	81.7	31.90	84.6
	6 30	38.943	37.42	20.85	15.35	83.3	81.6	31.90	84.5
	6 45	39.286	37.84	20.81	15.72	83.3	81.6	31.85	84.5
	7 00	38.600	37.84	20 50	15.29	83.2	81-5	31.80	84.5
	7 15	3 8.737	37.78	20 35	15.10	83.1	81.4	31.80	84.4
	7 30	3 8.60 0	37.73	20.21	15.01	83.1	81.2	31.80	84.4
	7 45	39.012	38.10	20.40	15.32	83.0	80.8	31.80	84.3
	8 00	39.286	37.84	20.40	15.70	829	80 5	31.80	84.0
•	8 15	39.012	37.63	20.50	15.69	82.8 82.7	80.3 80.2	31.80 31.81	83.9 83.8
	8 30 8 45	38.051 33.806	37.68 38.1 <i>5</i>	20.73 20 40	15.70 14.50	82.7 82 7	80.2 80.1	31.83	83. 7

		DISTU	RBANCE O	BSERVATIO	NS, 1864.			
DATE.	DECL	MATION.	Hon	SONTAL FORCE M	AGNETON ELEK			L Force
Göttingen	Large.	Small.	Large.	Small.	Thermo	meters.	MAGRET	OMETER.
Mean Time.	At Pull Time.	5 min. after Full Time.	2 min. after Full Time.	4 min. after Full Time.	Large. H. F. M.	Small. H. F. M.	2 min. before Full Time.	Thermometer.
н. Ъ	ı.		Sc. Read. Uncorrected.	Sc. Read. Uncorrected.			Sc. Read. Uncorrected.	
Ост. 13тн. 90	•	37:52	20.97	14.90	82°5	80:1	31.69	83 ° 7
9 14		37.25	21.04	15.00	82.4	80.0	31.58	83.6
9 30 9 48		36.94 36.68	21.40 21.54	15.48 15.60	82·3 82·2	79.9 79.9	31.50 31.48	83.5 83.4
10 00		36.94	21.78	15.70	82.1	79.9	31.68	83.3
10 13		36.73	21.64	15.60	82.0	79.9	31.69	83.3
10 30		36.73	21.53	15-44	81.9	79.8	31.69	83-3
10 4		36.42	21.50	15.40	81.9	79.8	31.74	83.2
11 00		36.42	21.37	15.15	81.8	79.6	31.62	83.2
11 1a 11 30		36.37 36.37	21.31 21.28	15.10 15.03	81.7 81.6	79.5 79.4	31.60 31.60	83.2 83.2
11 4		36.73	21.28	15.00	81·5	79.4 79.3	31.77	83.1
12 00		36.47	21.27	14.96	81.4	79.1	31.83	83.0
12 13		36.47	21.25	14.95	81.3	79.0	31.85	83.0
12 30		36.73	21.29	14 95	81.2	78.9	31.88	82.9
12 43		36 73	21.32	14.98	81-1	78.9	31.88	82.8
13 00 13 18		36.94 37.10	21.25 21.26	14.85 14.85	81-0 80-9	78. 8 78.8	31.86 31.85	82.6 82.5
13 30		36.94	21.20	14.89	80·9	78.7	31.85	82.4
13 4		36.94	21.35	14.92	80-6	78.5	31.88	82.3
14 00	37.983	36.68	21.40	15.10	80.5	78.2	31.92	82.1
14 18	1	36.73	21.46	15.18	80.3	78.0	31.95	82.0
14 30		36.73	21.50	15.20	80.3	78.0	32-02	81.9
14 45 15 00		36.78 36.94	21.52	15.20	80.5	78.0	32.10	81.8
15 16		37.47	21.45 21.47	15.20 15.30	80.9 81.5	78.0 78.3	32.05 32.08	81.8 81 . 9
15 30		37.47	21.55	15.45	81.5	78.6	32.06	82.1
15 48		37.47	21.53	15.42	81.8	78.9	31.95	82.1
16 00	38.394	37.36	21.55	15.50	82.2	79.2	31.85	82.3
16 18		37.36	21.59	15.50	82.8	80.0	31.82	82.4
16 30		38.15	21.65	15.62	82.9	80-0	31.80	82.5
16 4		38.10	21.60	15.58	83.0	80.1	31.80	82.7
17 00		37.74	21.45	15.45	83.2	80.1	31.80	83.0
17 18 17 30		37.68 37.63	21.62 21.60	15.40 15.45	83.3 83.6	80.2 80.5	31.80 31.78	83.2 83.4
17 4:		37.52	21.38	15.32	83.8	80.7	31.75	83.4
18 00		35.90	21.30	15.35	84.2	81.8	31.70	83.5
18 18 18 30		35.73	21.25	15.31	84.3	81.9	31.78	83.7
18 30 18 4		35.48 35.11	21.35 21.41	15.30 15.45	84.4 84.5	82.0 82.0	31.90 31.90	83.9 83.9
19 00		35.37	21.31	15.40	84.8	82.0	31.90	83.8
19 13		35.11	21.21	15 35	84.9	82.1	31.90	84.1
19 34 19 44		34.90 34. 70	21.10 21.10	15 23 15.20	84.9 84.9	82.2 82.2	31.45 31. 2 9	84.1 84.2
20 00	36.542	35.06	21.10	15.01	84.5	82.2	31.30	84.2
20 13	36.473	35.06	21 07	14.96	85.0	82 5	31.3 <i>5</i>	84.4
20 30		35.37	. 21.03	14.92	85 .0	82.6	31.42	84.6
20 4		35.90	20.99	14.90	85.1	82.6	31.48	84.8
21 00 21 30		36.21 36.42	20.95 20.88	14.90 14.84	85.2 85.2	83.0 83.3	31.49 31.50	85.0 85.3
22 00	38.188	36.94	20.89	14.84	85.3	83.5	31.51	8 <i>5</i> .6
22 30		37.36	20.84	14.79	85.4	83.6	31.51	86.0
23 0	38.943	37.94	20.71	14.76	85.4	83.6	31.54	86.2

OBSERVATIONS OF INCLINATION,

1864.

Note-These Observations were taken with a Dip Circle of an old pattern by Henry Barrow of London.

					S OF INC		·			
		POLES I	OIRECT.	,	İ	POLES RE	VERSED.			
Date.		Pace of	Needle.			Face of	Needle.			Monthly
Date.	Dir	ect.	Reve	orsed.	Dia	rect.	Reve	rsed.	Mean.	Mean.
	а	a'	a*	a**	ь	b '	<i>b</i> *	b "'		
Jan. 5	18*5540	19 ° 1 <i>5</i> ′0	20°10′0	18°22′5	19:10:0	18:47:5	18:42:5	20°55′0	19°17′2	
8	18.35.0	19.25.0	20.00.0	18.15.0	20.10.0	18.55.0	17.10.0	22.10.0	19.35.0	
12	18.40.0	19.20,0	19.37.5	18.37.5	20.45.0	18.42.5	17.42.5	21.20.0	19.20.6	
15	18.45.0	19.15.0	19.35.0	18.12.5	20.37.5	18.30.0	17.27.5	21.20.0	19.12.8	19.16
19	18.20.0	19.25.0	19.20.0	18.32.5	20.42.5	17.55.0	17.12.5	21.30.0	19.07.2	
22	18.22.5	19.25.0	20.05.0	18.17.5	21.20.0	17.35.0	17.02.5	21.55.0	19.15.3	
26	18.15.0 18.22.5	19.30.0 19.20.0	20.17.5 19.47.5	18.07.5 18.17.5	20.30.0 20.17.5	17.52.5 18.30.0	17.40.0 18.05.0	21.15.0	19.10.9 19.10.6	
29	10.22.0	19.20.0	19.47-0	10.17.0	20.17.5	10.00.0	10.00.0	20.45.0	19.10.0	
FEB. 2	18.37.5	19.35.0	19.57.5	18.02.5	19.45.0	19.02.5	18.02.5	19.55.0	19.07.2	
5	18.35.0	19.32.5	20.30.0	18.07.5	19.42.5	18.42.5	18.00.0	20.30.0	19.12.5	
12	17.47.5	19.27.5	19.55.0	18.32.0	20.12.5	18.17.5	18.17.5	22.20.0	19.21.2	
16	18.17.5	19.27.5	20.10.0	17.37.5	20.35.0	17.30.0	19.25.0	21.15.0	19.17.2	19.15.5
19	18.32.5	20.32.5	19.45.0	13.22.5	18.57.5	18.42.5	18.42.5	20.35.0	19.16.2	
23	18.30.0	20.17.5	19.15.0	18.55.0	19.47.5	19.05.0	18.45.0	20.27.5	19.22.8	
26	19.05.0	19.37.5	20.02.5	18.45.0	19.55.0	18.12.5	18.07.5	19.45.0	19.11.2	
MAR. 1	18.57.5	19.25.0	19.32.5	18.47.5	19.37.5	18.37.5	17.57.5	20.45.0	19.12.5	
4	18.22.5	19.12.5	20.10.0	18.27.5	21.02.5	19.32.5	18.22.5	21.20.0	19.33.8	•
8	18.27.5	19.20.0	20.15.0	18.02.5	21.07.5	18.27.5	18.00.0	20.02.5	19.12.8	
11	18.27.5	17.37.5	20.17.5	18.12.5	19.55.0	18.37.5	18.45.0	20.07.5	19.15.0	19.16.1
15	18.40.0	19.45.0	19.45.0	18.47.5	20.37.5	18.22.5	18.02.5	20.07.5	19.15.9	
18	18.20.0	19.37.5	19.45.0	18.12.5	20.15.0	18.22.5	18.00.0	20.35.0	19.08.4	
22	17.57.5	20.25.0	20.15.0	18.02.5	20.00.0	18.37.5	18.42.5	20.05.0	19.15.6	
29	18.27.5	19.30.0	20.35.0	18.32.5	19.35.0	18.52.5	17.52.5	20.35.0	19.15.0	

34—1864.

OBSERVATIONS OF INCLINATION, 1864.

Made at Bombay about 1 hour before Noon.

		POLES I	DIRECT.			POLES RI	EVERSED.			
Date.		Face of	Needle.			Face o	f Needle.			Monthly
	Dire	ect.	Reve	rsed.	Dir	ect.	Reve	rsed.	Mean.	Mean.
	a	a'	a*	a"	ь	b'	b"	b"		
Apr. 1	18:27:5	19*25/0	20*05/0	18*17/5	19:50/0	18*27:5	18:07:5	20:25/0	19:08/1	
8	18.02.5	19.25.0	20.17.5	18.02.5	19.57.5	19.02.5	18.22.5	19.45.0	19.06.9	
, 5	18.22.5	20.30.0	20.42.5	18.05.0	19.37.5	19.10-0	18.57.5	19.45.0	19.23.8	
12	18.32.5	19.55.0	20.02.5	18.25.0	19.22.5	18.55.0	18.42.5	20.20.0	19.16.9	
15	18.05.0	19.50.0	20.12.5	18.05.0	19.25.0	19.07.5	18.22.5	19.10.0	19.02.2	19:12/3
19	18.22.5	19.57.5	20.25.0	18.15.0	19.35.0	18.52.5	17.42.5	20.50.0	19.15.0	
22	18.37.5	19.35.0	19.40.0	18.42.5	20.25.0	18.45.0	17.27.5	20.22.5	19.11.9	
2 6	17.45.0	18.30.0	18.45.0	17.35.0	20.55.0	19.30.0	19.47.5	21.52.5	19.20.0	
29	17.12.5	19.10.0	18.10.0	16.52.5	21.07.5	19.32.5	19.42.5	21.02.5	19.06.2	
May 3	16.47.5	18.17.5	18·30.0	17.07.5	21.55.0	19.30.0	19.42.5	22.05.0	19.14.4	
6	16.52.5	18.05.0	18.05.0	17.07.5	21.25.0	19.47.5	19.57.5	21.35.0	19.06.9	
10	17.07.5	18.35.0	18.00.0	16.37.5	21.30.0	20.02.5	19.32.5	22.20.0	19.13.1	
13	16.47.5	18.50.0	18.00.0	16.37.5	21.22.5	20.22.5	19.32.5	21.50.0	19.10.3	
17	16.32.5	18.20.0	18.15.0	17.17.5	21.52.5	20.42.5	19.52.5	22.05.0	19.22.2	19.12.8
20	16.12.5	18.22.5	17.57.5	16.37.5	21.42.5	20.35.0	20.32.5	22.00.0	19.15.0	
27	16.22.5	17.40.0	18.22.5	16.22.5	22.10.0	19.47.5	19.47.5	22.07.5	19.05.0	
31	16.22.5	17.30.0	18.07.5	16.20.0	23.42.5	19.22 5	19.37.5	23.02.5	19.15.6	
JUNE 3	16.02.5	18.05.0	18.20.0	16.02.5	22.02.5	20.10.0	20.00.0	22.10.0	19.06.6	
7	16.47.5	17.45.0	18.15.0	16.22.5	21.37.5	20.05.0	20.07.5	22.25.0	19.10.6	
10	17.15.0	17.32.5	18.27.5	16.12.5	21.20.0	20.05.0	20.02.5	22.05.0	19.07.5	
14	16.37.5	17.50.0	18.22.5	16.12.5	21.35.0	20.10.0	20.02.5	22.05.0	19.06.9	19.09.5
17	16.07.5	18.02.5	18.10.0	16.00.0	21.35.0	20.12.5	19.52.5	22.30.0	19.03.8	13.03.0
21	16.22.5	18.37 <i>.</i> 5	18.10.0	16.30.0	21.40.0	20.17.5	20.12.5	21.55.0	19.13.1	
24	16.12.5	18.25.0	18.05.0	16.50.0	21.35.0	20.20.0	20.17.5	21.55.0	19.12.5	
28	16.35.0	18.02.5	18.02.5	16.57.5	21.40.0	20.17.5	20.22.5	22.05.0	19.15.3	
July 1	16.22.5	18.30.0	18.40.0	16.30.0	21.25.0	20.17.5	20.05.0	22.25.0	19.16.9	
5	17.02.5	18.17.5	17.50.0	16.15.0	21.35.0	20.17.5	20.32.5	22.17.5	19.15.9	1
8	15.30.0	17.55.0	18.42.5	15.20.0	23.52.5	20.45.0	20.40.0	22.25.0	19.23.8	
. 12	15.10.0	18.17.5	17.15.0	16.20.0	24.35.0	21.12.5	20.35.0	23.50.0	19.39.4	
15	16.17.5	17.55.0	17.42.5	16.45.0	22.20.0	20.50.0	21.22.5	22.15.0	19.25.9	19.23.4
19	17.47.5	18.05.0	18.0 5.0	16.27.5	23.15.0	21.17.5	20.32.5	22.35.0	19.30.6	13.20-4
. 22	16.25.0	17:30.0	17.25.0	16.00.0	22.10.0	20.50.0	20.27.5	22.25.0	19.09.1	
26	15.55.0	17.15.0	17.52.5	16.02.5	23.02.5	20.27.5	20.47.5	22.35.0	19.09.1	
29	16.27.5	17.50.0	18.10.0	16.02.5	23.35.0	20.45.0	20.52.5	22.55.0	19.34.7	
λυα. 2	16.22.5	19.25.0	17.27.5	18.20.0	22.02.5	19.57.5	19.12.5	23.32.5	19.32.5	
5	17.42.5	17.35.0	18.35.0	16.30.0	22.00.0	20.52.5	19.17.5	22.50.0	19.25.3	
9	15.57.5	19.05.0	17.15.0	17.45.0	21.37.5	21.57.5	19.10.0	23.15.0	19.25.5	
12	16.10.0	17.52.5	18.42.5	16.30.0	21.27.5	19.45.0	20.12.5	23.15.0 22.45.0	19.10.6	
16	15.57.5	18.52.5	17.40.0	16.20.0	22.02.5	19.37.5	19.42.5	22.45.0 22.35.0	19.10.0	19.21.9
19	17.17.5	18.32.5	18.15.0	18.35.0	21.25.0	19.55.0	18.57.5	21.32.5		
23	17.45.0	17.37.5	17.55.0	17.55.0	20.40.0	19.55.0	ı		19.18.8	
2 6	17.17.5	18.07.5	18.15.0	17.33.0	21.15.0	20.10.0	19.40.0 20.1 7. 5	22.20.0	19.11.6	
30	18.35.0	17.35.0	18.32.5	18.00.0	21.15.0	20.10.0	20.17.5	22.35.0 22.02.5	19.28.1 19.34.4	
SEPT. 2	19.32.5	18.07.5	18.40.0	18.42.5	21.52.5	20.25.0	19.40.0	21.47.5	19.50.9	
6	18.37.5	19.25.0	18.05.0	18.17.5	22.00.0	20.02.5	18.12.5	21.47.5 22.10.0	19.36.2	
9	19.05.0	18.57.5	19.00.0	17.12.5	21.20.0	19.47.5	18.57.5			
13	18.00.0	18.20.0	19.30.0	18.20.0			1	22.57.5	19.39.7	
16	17.55.0	18.45.0	19.30.0	18.10.0	21.05.0	20.02.5	19.37.5	22.10.0	19.38.1	
					20.55.0	19.50.0	18.55.0	22.17.5	19.24.7	19.31.6
20	17.27.5	18.05.0	18.40.0	18.00.0	21.05.0	19.57.5	19-30.0	22.25.0	19.23.7	
23	17.55.0	18.10.0	18.50.0	18.37.5	20.45.0	19.45.0	19.05.0	22.10.0	19.24.7	
27	17.27.5	18.17.5	18.10.0	17.30.0	21.55.0	19.30.0	19.32.5	22.55.0	19.24.7	
30	17.25.0	18.25.0	17.55.0	18.25.0	20-55.0	20.00.0	19.25.0	22.25.0	19.21.9	

OBSERVATIONS OF INCLINATION, 1864.

Made at Bombay about 1 hour before Noon.

		POLES 1	DIRECT.			POLES R	BVERSED.					
Date.		Face of	Needle.			Pace of	Needle.			Monthly		
	Di	rect.	Rev	ersed.	Dì	rect.	Rev	ersed.	Mean.	Mean.		
	a	a'	a*	a"	ь	b '	b*	b"'				
Ост. 4	18*22*5	18:45/0	18:250	18:30%	21:35:0	20:47:5	19*55/0	21:50:0	19:46/2			
7	18.42.5	17.55.0	18.22.5	17.52.5	19.25.0	19.45.0	20.30.0	20.57.5	19.11.2			
11	17.35.0	17.45.0	18.45.0	18.52.5	21.50.0	20.10.0	20.05.0	22.00.0	19.37.8			
14	18-55.0	19.25.0	18.35.0	18.05.0	20.15.0	19.25.0	19.10.0	20.20.0	19.16.3	′		
18	19.15.0	19.25.0	18.35.0	18.20.0	20.25.0	19.40.0	18.40.0	21.05.0	19.25.6	19:27:7		
21	19.15.0	19.35.0	18.55.0	18.10.0	19.40.0	19.40.0	20.00.0	21.00.0	19.31.9			
25	17.57.5	19.05.0	18.40.0	19.95.0	20.00.0	19.55.0	18.45.0	21.25.0	19.21.6			
28	18.25.0	18-55.0	19.10.0	18.02.5	21.05.0	19.35.0	19.25.0	21.30.0	19.30.9			
Nov. 1	17.35.0	19.20.0	18.02.5	19.25.0	21.05.0	19.52.5	19.42.5	21.25.0	19.33.4			
4	17.35.0	19.02.5	19.00.0	18.07.5	21.45.0	19.12.5	19.40.0	21.52.5	19.31.9			
8	18.25.0	19.30.0	19.40.0	18.32.5	20.45.0	19.50.0	19.50.0	22.07.5	19.42.5			
11	17.25.0	18.22.5	19.15.0	18.47.5	21.17.5	19.45.0	19.35.0	21.40.0	19.30.9			
15	17.30.0	18.35.0	19.05.0	18.05.0	20.40.0	19.45.0	19.50.0	21.42.5	19.24.1	19.29.5		
18	18.55.0	19.05.0	19.00.0	17.55.0	21.25.0	19.57.5	18.30.0	21.05.0	19.29.1			
22	17.40.0	18.12.5	18.35.0	18.47.5	21.20.0	19.57.5	19.45.0	21.22.5	19.27 .5			
25	18.40.0	18.35.0	19.00.0	18.47.5	21.15.0	19-30-0	18-55-0	21-25.0	19.30.9			
29	17.35.0	18.50.0	18.25.0	18.12.5	21.00.0	19.45.0	18.05.0	22.12.5	19.1 <i>5</i> .6			
DEC. 2	18.30.0	18.45.0	18.40.0	18.10.0	20.15.0	20.15.0	19.55.0	22.05.0	19.34.4			
6	17.35.0	19.05.0	19.05.0	18.35.0	20.45.0	20.25.0	18.50.0	22.20.0	19.35.0			
9	17.30.0	19.10.0	19.20.0	18.37.5	21.10.0	17.57.5	19.10.0	21.50.0	19.20.6			
13	18.10.0	20.42.5	18.50.0	18.50.0	15.05.0	20.52.5	16.40.0	22.55.0	19.00.6	19.22.3		
16	18.05.0	19.05.0	18.55.0	· 19 .27. 5	20.20.0	20.17.5	19.50.0	21.15.0	19.39.4	13.44.3		
20	17.50.0	18.37.5	18.45.0	19.05.0	19.45.0	19.50.0	19.40.0	21.15.0	19.20.9			
2 3	18.40.0	19.40.0	19.05.0	17.55.0	18.20.0	19.45.0	19.45.0	20.57.5	19.15.9			
27	18.05.0	18.20.0	19.15.0	17.45.0	20.00.0	19.45.0	18.55.0	21.02.5	19.08.4			
30	18.15.0	19.20.0	19.15.0	18.10.0	21.05.0	19.37.5	18.15.0	21.25.0	19.25.3			
	Annual Mean											

DEFLECTION AND VIBRATION OBSERVATIONS.

		e of one Vibration f A·51 corrected for Torsion.	Coefficient of 1 (k)	Deflection Distance.			MAGNET		ean Deffection in Scale divisions.	Coefficient . 11 (k).	Mean r	ponding eading of	Value of X.		
Date.		corrio	oeffi (a Di	On Ea	st Side.	On We	st Side.	flecti	30eff		. Magne- eter.	alue	736	Monthly Mean
1864		of on or T	on C	ction		North	Pole.		Ded ale d	on Coe	55 V	Attached	te V	LM.	Value of
		Time of A	Torsion Co A·51	Defle	E.	w.	E.	w.	Mean	Torsion of I.	Scale Reading.	Thermo- meter.	Absolute		
	D.	8.		Ft.	Sea. div.	Sca. div.	Sea. div.	Sca. div.	1-4			0	E. un.		
JAN.	1	4.107		1.1 1.2	46.600 42.050	7.150 11.620	46.660 42.100	6.550 11.150	19.890 15.345		22.89	78.0	8.081	0.0815	
	8	4.109		1.1 1.2	46.270 41.730	6.910 11.400	46.410 41.810	6.250 10·960	19.880 15.295		23.64	77.1	8.083	0.0814	
	15	4.110		1.1 1.2	46.400 41.900	7.000 11.500	46.520 42.000	6.400 11.060	19.880 15.335		23.60	74.0	8.077	0.0815	
	22	4.108		1.1	46.760	7.360 11.820	46.900	6.740	19.890		23.83	74.9	8.079	0.0815	
	29	4.109	1.0021	1.2 1.1 1.2	42.260 46.920 42.380	7.480 11.960	42.320 47.040 42.440	11.400 6.960 11.540	15.340 19.855 15.330	1.0019	23.48	75.3	8.082	0.0815	8.0804
_				1.1	46.550	7.100	46.600	6.500	19.887						
Г ЕВ.	5	4.110		1.2	42.100 46.500	11.550 7.020	42.070 46.500	11.200 6.480	15.355 19.875		21.87	82.9	8.073	0.0815	
	12	4.112	•	1.2	41.950 46.520	11.530 7.100	41.920	11.160	15.295 19.850	Ī	22.38	80.7	8.078	0.0814	
	19	4.109		1.2	42.000	11.540	41.960	11.200	15.305		23.12	80.6	8. 086	0.0814	
	26	4.107	1.0021	1.1 1.2	46.580 42.050	7.150 11.650	46.620 42.090	6.600 11.250	19.862 15.310	1.0019	2 3.50	80.0	8.088	0.0815	8.0812
Marc	н 4	4.109		1.1 1.2	46.450 41.950	7.100 11.550	46.540 41.950	6.540 11.150	19.837 15.300		23.36	83.1	8.087	0.0814	
	11	4.109		1.1	46.240 41.700	6.860 11.300	46.320	6.240 10.900	19.865 15.325		22.58	80.3	8.081	0.0815	
	18	4.109		1.1	46.600 42.020	7.200 11.640	46.620 42.080	6.600 11.240	19.855 15.305		22.50	82.2	8.086	0.0814	8.0847
April	. 1	4.099		1.1 1.2	47.000 42.400	7.600 12.040	47.000 42.460	7.000 11.660	19.850 15.290		21.88	82.4	8.108	0.0816	
	8	4.097		1.1 1.2	46.600 42.100	7.340 11.760	46.700	6.680 11.340	19 820 15.285		22.63	82.9	8.115	0.0816	
	15	4.105		1.1	46.600 42.030	7.260 11.700	46.700 42.100	6.650 11.340	19.848 15.272	 	22.60	83.3	8.099	0.0814	
	22	4.101		1.1 1.2	46.100 41.600	6.800 11.260	46.150 41.620	6.250 10.940	19.800 15.255		22.53	86.1	8.114	0.0818	
	29	4.109		1.1 1.2	46.550 42.000	7.150 11.600	46.550 42.020	6.610 11.280	19.835 15 . 285		21.30	85.8	8.090	9.0814	8.1052
May	6	4.104		1.1 1.2	46.500 41.960	7.150 11.570	46.600 42.020	6.560 11.250	19.847 15.290		21.66	84.8	8.098	0.0815	
	13	4.104		1.1 1.2	46.700 42.200	7.340 11.800	46.750 42.200	6.750 11.420	19.840 15.295		22.06	85.2	8.098	0.0815	
	20	4.109		1.1 1.2	46.740 42.180	7.320 11.800	46.760 42.200	6.780 11.400	19.850 15.295		21.34	8 6.9	8.087	0.0814	
	27	4.109	1.0144	1.1 1.2	46.540 42.000	7.200 11.640	46.540 41.980	6.600	19.820 15.265	1.0017	21.18	88.6	8:095	0.0813	8.0945
June	3*	3.742		1.1	50.240	3.400	50.580	2.960	23.615		22.29	89.2	8.142	0.0975	
	10	3.776		1.1	44 .900 5 0. 2 50	8.700 3.350	45.050 50.500	8.450 2.950	18.200 23.612		20.38		8.071		
				1.2	44.850 50.460	8.750 3.600	45.050 50.750	8.450 3.210	18.175 23.600		ł	90.5		0.0966	
	17	3.774	1.0023	1.2	45.100	8.950	45.250	8.700	18.175	1.0017	21.25	88.9	8.075	0.0966	8.096

^{*} The deflecting magnet A.51 was remagnetized between May 27 and June 3.

		Time of one Vibration of A. 51 corrected for Torsion.	ient of	Distance	DEF	LECTING	MAGNET	A. 21.	on in	Coefficient 11 (k).	Mean r	onding eading of	of X.		
Dat	'	oe Vil corre	Coefficient of (K').	1	On Bas	t Side.	On We	st Side.	offecti ilvisio	Coeff 11 (2)		. Magne- neter.	Value	LM.	Monthl Mean Value o
186	4.	e of ul	Torsion (A. 6	Deflection		North	Pole.		ean Deflection Scale divisions.	Torsion of 1.	Scale	Attached Thermo-	Absolute Value		X.
		Ting to the second	Į į	Å	E.	w.	R.	W.	Ä	ļ _Š	Reading.	meter.	. å	<u> </u>	1
D.		6.		Ft.		Sca. div.	Sca. div.	Sca. div.					E. un.	j	
July	28	3.776		1·1 1·2	50.700 45.260	3.840 9.240	50.900 45.440	3.400 8.900	23.590 18.140		20-36	85.0	8.077	0.0965	8.0770
Avg.	5	3.777		1.1	<i>5</i> 0.780	3.950	51.030	3.600	23.565		21.20	85.2	8.076	0.0965	
	10	3.777		1.2 1.1	45.350 50.680	9.320 3.900	45.5 80 50.900	9.000 3.480	18.152 23.550			82.5	8 . 075	0.0965	
	17			1·2 1·1	45.350 50.800	9.200 2.950	45.480 51.000	8.950 3.550	18.170 23.575		21.98	i I			į
	19	3.779		1.2	45.450	9.300	45.550	9.050	18.175		21.45	83.9	8.067	0.0966	
	27	3 .779		l·l 1·2	50.460 45.100	3.700 9.100	50.750 45.300	3.300 8.7 <i>5</i> 0	25.552 18.137		21.57	82.8	8.074	0.0965	8.0730
Sept.	2	3.779		1·1 1·2	50.550 45.210	3.750 9.120	50.770 45-350	3.340 8.800	23.557 18.160		21.89	82.0	8.071	0.0965	
	9	3.774		1.1	50.450	3.600	50.800	3.220	23.607		22.12	84.3	8.076	0.0967	
				1.2	45.180 50.500	8.910 3.620	45.200 50.700	8.740 3.200	18.182 23.595			1			
	16	3.774		1.2 1.1	45.150 50.880	8.910 4.100	45.300 51.100	8.780 3.650	18.190 23.557		21.90	83.7	8.075	0.0967	
	23	3.778		1.2	45.550	9.410	45.660	9.150	18.162		20.96	84.6	8.073	0.0965	l
	30	3.778	1.0017	1.1 1.2	50.850 45.550	4.150 9.480	51.140 45.700	3.730 9-170	23.527 18.150	1.0016	21.35	87.8	8.077	0.0965	8.0742
Ост.	7	3.774		1.1	50.550	3.830	50.800	3.500	23.505		22.87	85.8	8.086	0-0966	
		2 7777		1.2 1.1	45.260 51.050	9.150 4.25 0	45.440 51.310	8.950 3.850	18.1 <i>5</i> 0 23. <i>5</i> 65		21.62	84.2	8.077	0.0965	
	14	3.777		1.2 1.1	45.660 50.900	9.590 4.250	45.830 51.250	9.320 3.830	18.145 23.517						
	21	3.777		1.2	45.600	9.600	45.790	9.300	18.122	,	21.63	86.4	8.083	0.0965	
	28	3.776		1.1 1.2	51.290 45.890	4.590 9.930	51.510 46.080	4.160 9.610	23.512 18.107		22.30	86.0	8.083	0.0965	8.0822
Nov.	11	3.778		1·1 1.2	51.140 45.790	4.500 9.800	51.500 46.020	3.950 9.450	23.547 18.140		21.75	87.1	8.077	0.0965	
	18	3.776		1.1	50.900	4.310	51.200	3.850	23.485		22.21	85.4	8.091	0.0964	
	25		1.0024	1.2	45.550 50.950	9.660 4.280	45.750 51.280	9.300 3.850	18.085 23.525	1.0020	22.54	83.9	8.090	0.0965	8.0860
				1.2	4 5.610	9.660	45.850	9.330	18.120						
DEC.	2	3.777		1.1 1.2	51.300 45.750	4.480 9.800	51.420 45.940	4.050 9.490	23.547 18.100		22.52	84.9	8.083	0.0965	
	9	3.777		1.1	48.000	1.490	48.190	1.100	23.400	1.0029	22:31	84.4	8.103	0.0962	
	16	3.779		1.2 1.1	42.580 50.800	6.850 4.200	42.750 51.160	6.510 3.760	17.992 23.500		22.75	83.0	8.084	0.0963	
				1.2 1.1	45.500 51.150	9.550 4.690	45.670 51.510	9.200 4.250	18.105 23.430			i i			
,	23	3.790		1.2	45.850	9.960	46-050	9.700	18-060		22.70	81.1	8.072	0.0959	
	30	3.792	1.0038	1.1 1.2	51.000 45.680	4.610 9.930	51.320 45.890	4.150 9.620	23.390 18.005	1.0015	22.88	82.5	8.077	0.0958	8.0838

• .

BOMBAY GOVERNMENT OBSERVATORY.

METEOROLOGICAL OBSERVATIONS.

1864.

			DARD (ETBR.	Тнв	RMOMET	ERS.	<u>ئ</u> ے۔	0 P	AIR.		METERS.	Wind F Osler's G		RAIN.	BLEC	TRICAL		
	Bombay					Depres-	CED	RE OI	Y 0.P	linch nd.	er 6 the					Read	ings of	5 5 5 5 E
	Civil Time.	Corrected to 82° Fahr.	for	In the	Wet Buib Thermo- meter.	wet Bulb below Thermo- meter in the Air.	DEW-POINT.	PRESSURE (MOISTURE	Номіріту	Thermometer linch in the Ground.	Thermonieter inches in th Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.		Straws of Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
I A W	2ND-Midnight	in.	in. 29.338	68.0	64.0	4.0	61:6	in. 0.553	0.81	69.0	75:4	N	lbs. 0.4	in.	+	Sc. div.	Sc. div.	m. s.
JAN.	l a. m.	.879	.316	69.1	64.7	4.4	62.2	.563	.80	69.0	75.4	NbE	0.4		*	'		Above 10m.
	2 ,,	.870	.309	68.4	64.4	4.0	62.1	-561	.81	68.9	75.3	,,	0.1					
	3 "	.866	.379	66.2	61.1	5.1	57.8	.487	.76	68.7	75.2	,,	0.1	l		ļ		
	4 "	.866	.428	65.0	59.0	6.0	54.7	-438	.71	68.6	75.1	,,_	0.1		ļ			
	5 ,, 6	.883	.355	66.8	63.0 62.0	4.5	60.3 59.0	.528	.79 .77	69.0 69.0	75.1 75.0	NNE	0.1					
	7 ,,	.923	.385	66.6	63.0	3.6	60.8	.538	.83	69.0	74.9	,,,	0.1		1		}	
	8 ,,	.947	.395	69.5	64.5	5.0	61.6	.552	.77	70.0	74.8	NEBE	0.2					
	9 ,,	-950	.434	71.4	64.0	7.4	59.6	.516	.68	72.3	74.8	,,	0.2	je je			one.	
	10 ,,	.954	.410	72.2	65.2	7.0	61.2	.544	.70 .72	72.5	74.8	,,,	0.3	None.			No	
	11 ,, Noon,	.937	.355	73.4	66.8	6.6 9.0	63.2 62.0	.582 -560	.72	72.6 73.7	74.9 75.0	ENE N b E	0.2	-			~	
	1 p. m.	.871	.350	77.8	66.4	11.4	59.9	.521	.56	75.0	75.1	NW	0.6					
	2 ,,	.856	.296	79.0	68.0	11.0	62.0	.560	.5ક	76.0	75.2	,,,	0.6		1		1	
	3 ,,	-846	.290	80.3	68.3	12.0	61.8	.556	,55	76.5	75.4	nw"bn	0.7					
	4 ,,	.845	.265	80.2	69.0	11.2	63.1	.580	.58 .70	77.0	75.5	,,	0.3				1	
	5 ,, 6	.852 .864	.204	77.8 75.9	70.2	7.6	66.5	.648	.70	76.7 76.0	75.6 75.6	NNW	0.4		1			1
	7 ,	.887	.230	75.9	69.5	5.3	66.9	.657	.77	75.1	75.6		0.2				l	
	8 ,,	.902	.283	74.2	68.2	6.0	65.1	.619	.74	75.0	75.6	"	0.2					
	9 "	.911	.296	74.0	68.0	6.0	64.9	.615	.74	74.7	75.5	,,	0.2					
	10 "	.913	.322	73.2	67.0	6.2	63.7	.591	.73	74.1	75.5	NbW	0.2					
	11 "	.907	.303	72.0	67.0	5.0	64.3	.604	.78	73.7	75.4	,,	0.4					
Jan.	4тн-Midnight		-273	71.0	67.0	4.0	64.9	.615	.82	72.1	75.6	NNW	0.0					
	la.m. 2	.874	.298	69.3	65.2	4.1	62.9	-576	.81	71.6	755), NY 1117 NY	0.1					
	3	.867	.312	63.7	64.3	4.4	61.8	•555 •563	.80 .82	70.7	75.4 75.3	NWbN	0.1	İ		1		
	4 ,,	.870	.321	67.0	63.5	35	61.4	-549	.83	70.2	75.2	NNW	0.0			İ		
	5 ,,	.891	.313	68.5	65.0	3.5	63.0	-578	.84	70.3	75.2	"	0.0					1
	6 ,,	.909	.346	68.5	64 5	4.0	62.2	-553	.82	70.3	75.2	,,	0.0					
	7 ,,	.947	.400	68.5	64.0	4.5	61.3	-547	.79	70.2	75.1	NbW	0.1			İ		
	8 ,, 9 .,	.965	.456	70.4	63.4 64.0	7.0 8.0	59.2 59.2	.509 .509	.69 .66	71.0	75.0 75.0	N	0.3			İ		
	10 "	.985	.419	74.0	66.5	7.5	62.3	.566	.68	72.2	75.0	"	0.2					
	31 ,,	.965	.438	76.1	66.0	10.1	60.2	.527	.60	73.1	75.0	w b'w	0.2	None.			None.	
	Noon.	.937	.410	76.1	66.0	10.1	60 2	.527	.60	73.7	75-1	NNW	0.6	No.			s z	
	1 թ. m.	-892	.401	77.6	65.4	12.2	58.1	.491	.53	750	75.2	,,,	0.5					
	2 ,, 3	.869 .860	.372	77.0	65.4	11.6	56.8	.497	.55 .49	75.2 75.4	75.3 75.4	NWbN	0.4			ĺ		
	λ ,,	•863	.357	78.4 78.0	66.0	12.0	56.8 59.0	-506	.54	75.4	75.5	"	0.6					
	5 ,,	.883	.374	74.8	65.0	9.8	59 2	.509	.60	74.6	75.5	,,	0.5					
	6 ,,	-893	.395	73.0	64.0	9.0	58.5	.498	.62	74.0	755	NNW	0.4			1		
	7 ,,	.913	.394	72.5	64.5	8.0	59.7	-519	.66	733	75.5	,,	0.4			1		
	8 " 9 "	.936 .940	.399	72.3	65.0	7.3	60.8 59.6	.537 .516	.69 .68	73.1	75.4 75.4	N L'W	0.4			c		
	10	.931	.388	69.5	64 2	5.3	61.1	-543	.76	71.9	75.4	į.	0.3	1	+	6 12	1	3.4
	ii "	.925	.429	68.6	62.3	6.3	58.4	.496	.71	70.7	75.3	NNE	0.3		+	10		1.11
J _{AN} .	5тн-Midnight	.922	.344	67.4	64.6	2.8	63.0	.578	.90	70.0	75.2	NNE	0.2			12		
•	l a. m.	.922	.421	67.3	62.0	5.3	58.7	.501	.75	70.0	75.1	1	0.2	1	+	24	22	1.00
	2 ,,	.916	.393	68.0	63.0	5.0	60.0	.523	.77	70.0	75.0	"	0.1		+	20	18	0.43
	3 ,,	.913	.409	67.0	62.0	5.0	58.9	-504	.77	69.8	74.9	,,	0.1	Je.	+	20	18	1.5 1.2
	4 "	.916	.407	66 5	62.0	4.5	59.2	•509	.79	69.3	74.8	"	0.3	None.	+	10	8	1.1
	5 ,, 6	.939	.512 .494	66.0	59. 9 60.3	7.0	53.9	460	.67	68.5	74.7	,,	0.0	-	+	6	1	10
	, "	.954 .932	.494	66.4	62.0	6.1 5.3	56.2 58.7	.460 .501	.71	69.0	74.6 74.5	,,	0.1		+	8	i	2.3
	8 ,,	30.008	.496	69.0	63.0	6.0	59.3	.512	.73	69.6	74.3	NEBE	0.4		+	1		0.5
	9 ,,	.024	.509	71.5	64 0	7.5	595	-515	.68	70.0	74.3	,,	0.2	1	+	2		Above 1 Above 1
	10 ,,	.024	.471	72.3	65 5	6.8	61.6	.553	.71	71.2	74.4	,,	0.2		+	1		Above I
	11 .,	.009	.502	75.0	65.0	10.0	59.0	-507	.59	72.0	74.4	NNE	0.1		1	i .	1	1

1	1		
Amount of Clouds	ł		
ē	gi	0	
6 CO	1 4 E	STATE OF THE WEATHER.	,
걸습	Observers.		REMARKS.
30	0	None Towns II at all all all all all all all all all	-
F		NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \int i cirro-cumuli; \int i cirro-strati; \int i cumuli, \int i cirro-strati; \int i cirro-strati; and \int i nm.bi.	!
·—	<u>'</u>		
O	G	Cloudless.	Mean duily temperature of ground
0	c	Cloudless and dew falling.	20 and 60 inches below its sur-
, ŭ	C		face 80:0 and 83:0. Height of
0	c	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	Barometerat 4P.M. was 29.845 in.
0	c)	least in the month, and
0	В)	about 0.046 in. lower than the
0	В	" "	Normal mean. Temperature of
' O	В	Mist around hor.	Evaporation and that of the Dew-
0	В	,, ,,	point at 6 P.M. was greatest du-
10	G	"	ring the month, the former about
0	G	" "	1's greater, and the latter 2.5
. 0	G	75. ¹⁷ ¹⁷	greater, than the respective
0	G	Mist in W hor.	Normal mean.
0	C	A few clouds in E hor.	2nd January was the 1st day on
0	C	A lew clouds in E nor.	which sky was almost cloudless.
0	C	"	
0	C G	Haze along the E hor.	
0	G	Traze along the E nor.	
0	G	Cloudless.	
o	G		
0	G))))	
0	G	,,	
0	G	Cloudless; dew falling.	
		,	
0	G	A few on around hor.; dew falling.	Mean daily temperature of ground
0	C	29 29	20 and 60 inches below its sur-
1	С	vi scattered around hor.; dew falling.	face 80:0 and 82:8.
1	C	" " "	
3	C	or scuttered about; dew falling.	
1	В	scattered in hor.; dew falling.	
3	В	" ; scattered around hor.; mist around hor.	
2	В	scattered around hor.; mist around hor.	
2 2	В	" "	
1	G	,,	
li	G	"	
2	G	" " " " " " " " " " " " " " " " " " "	
5	c	v and vi scattered about, the latter moving NE.	
6	c		
3	c),),),),),),),),),),),),),)	
3	C	"	
1.1	В	on scattered along the E hor.	
1	В	l .,,	
0	В	A few vs above E hor.	
0	B	29	
0	G	y, y,	1
0	G	,)))	
0	G))))	1
1			1
0	G	A few voi around hor.	Mean daily temperature of ground
0	C	A few vi in E hor.	20 and 60 inches below its sur-
Ö	c		face 79:9 and 82:6.
0	c	A few of above SW and E hor.	5th January.—On this day wind
0	c	1,	blew with a force of more than
0	В	Cloudless.	one pound on a square foot.
0	В	,,	
0	В	Mist around hor.	
0	В	y)))	•
0	G	, , , , , , , , , , , , , , , , , , ,	· ,
0	G	A few v in SE hor.; mist in hor.	<u> </u>
1]	G	above hor. from SE to SW; mist in W hor.	<u> </u>

			DARD METER.	Тнв	RMOM B	TBR6.	Ľ	0F 5.	AIR.	O RO THERMO	end Meters.	Osler's G		RAIN.	BLEC	TRICAL	INSTR	MENTS.
	Bombay Civil Time. 1864.	Corrected to 39° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Preseure Moisture	HUMIDITY OF	Thermometer I lach in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Poot.	By New-	Sign of Electrici- ty + or —	Strawao	Strawso	Interval of Time in recovering the same degree of tension after dis-
Jan.	5тн-Noon.	in. 29.974	in. 29.481	77:8	65.5	12:3	58:2	in. 0.493	0.53	73:8	74.5	NNE	lbs. 0.4	in.		Sc. div.	Sc. div.	m. s.
JAN.	l p. m.	.932	.454	78.5	65.3	13.2	57.3	.478	.50	75.0	74.7	NNW	0.8	ļ				ł
	2 ,,	.907	.471	78.6	64.0	14.6	54.5	·436	.46	75.4	74.8	,,	0.7		+	2		2.10
	3 "	.901	.475	77.4	63.2	14.2	5 3.9	.426	.46	75.4	74.9	"	1.0		+	2		4.16
	4 ,,	.902	.467	76.0	63.0	13.0	54.5	.435	.49	74.8	75.0	,,	1.3		+	4		3.20
	5 ,,	.912	.494	73.5	61.5	12.0	53.3	.418	.52 .58	73.8 73.0	75.0	N b W	0.6	one.	+	6		1.28
	6 " 7 "	.919 •945	.446	72.0 71.6	63.5	10.0 8.1	55.4 58.6	.499	.65	72.5	75.0 75.0	N	1.0	ž	+	4	ł	2.26
	o ″	.967	.503	70.6	62.0	8.6	56.4	.464	.63	72.0	75.0	NbE	1.0	Ì	+. +	12	10	1.00 0.50
	9 ,,	.981	.511	70.1	62.0	8.1	56.8	•470	.65	71.2	74.9	,,	0.8		+	18	16	0.22
	10 "	.962	.466	63.6	62.3	6.3	58.4	. 496	.71	70.9	74.8	,,	0.7	İ	+	16	14	0.54
	11 "	.953	.481	67.2	61.0	6.2	56.9	.472	.71	69.2	74.7	NEbN	0.6		+	10	8	1.20
Jan.	6тн-Midnight		.512	66.6	59.5	7.1	54.5	.435	.67	68.4	74.6	NEbN	0.2		+	10		1.14
	l a. m.	.942	.515	66.0	59.0	7.0	53.9	.427	.67	68.2	74.5	"	0.1		+	6		1.59
	2 "	.929	.506 .502	65.1	58.5	6.6 6.3	53.7	423	.68	68.0 67.8	74.4 74.3	,,	0.2	1	+	12	10	0.48
	3 ,,	.923 .925	.502	64.5	58.2 59.0	7.0	53.5 53.9	.421	.70 .67	67.8	74.3	ENE	0.3		++	8		2.16
	4 ,, 5	.946	.542	65.5	58.0	7.5	52.3	.404	.65	67.8	74.2	,,	0.5		~	4		4.20
	6 ,,	.976	.577	66.0	58.0	8.0	52.0	.399	.63	67.8	74.0	NE B E	0.8					1
	7 ,,	.997	.598	6 6.0	58.0	8.0	52.0	.399	.63	67.8	73.8	ENE	8.0					
	8 "	30.024	.596	68.5	60.0	8.5	54.0	.428	.62	68.5	73.6	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.8					l
	9 ,,	·037	.613 .578	70.2 71.5	60.5 62.0	9.7 9.5	53.7	.424	.58 .60	69.0 70.2	73.5 73.4	EbN	0.7 0.6		+	1		Above 10m.
	10 ,, 11 .,	.032	.557	73.6	63.0	10.6	55.7 56.2	.454 .461	.60 .57	71.9	73.4	ENE	0.6		+	1		Above 10m.
	Noon.	29.986	.562	77.0	63.0	14.0	53.7	.424	.47	73.2	73.7	,,	0.6	one.				l
	l p. m.	.956	<i>.5</i> 68	80.2	63.0	17.2	51.1	.388	.38	75.8	73.9	NĚ	0.4	ž				
	2 ,,	.933	.563	81.7	63.0	18.7	49.7	.370	.35	77.0	74.1	,,	0.3					}
	3 ,,	.922	.484	81.2	65.0	16.2	54.7	.438	.42	77.0	74.3	NNW	0.7		+	2		Above 10m.
	4 "	•919	.413	78.6	66.2	12.4	59.0	.506	.53	76-4	74.5)) NT 1, 187	0.6		+	2		5.15
	5 ,, 6	.927 .935	.367	76.0 74.5	67.0 67.2	9.0 7.3	62.0 63.2	.560 .583	.64 .70	75.5 74.7	74.7 74.7	NbW	0.4		+	2		Above 10m.
	7 "	.957	.428	73.0	65.0	8.0	60.3	.529	.66	74.0	74.7	N o E	0.6		+ +	2 10	8	Above 10m. 0-55
	8 "	.982	.448	72.5	65.0	7.5	60.6	-534	.68	73.5	74.7	,,	0.7		+	8	6	1.00
	9 "	.987	.472	71.5	64.0	7.5	59.5	-515	.63	73.0	74.6	"	0.6		+	8	6	1.26
	10 ,,	.990	.478	69-0	63.0	6.0	59.3	.512	.73	72.2	74.6	,,	0.5		+	12.	10	0.50
	11 "	.990	.478	69.0	63.0	6.0	59.3	.512	.73	72.0	74.6	NE	0.6		+	2		Above 10m.
Jan.	7тн-Midnight		-468	69.0	63.0	60	5 9.3	-512	.73	72.0	74.6	NE	0.8					
	l a. m	.970	.553 .572	69.0 69.2	59.8 59.0	9.2 10.2	53.2	.417 .392	.59	71.6	74.5 74.4	ENE ·	0.9					
	2 " 3 "	.964 .960	.591	68.7	58.0	10.2	51.4 49.6	.392 .369	.55 .53	70.5 70.0	74.4	"	1.3					
	3 ,, 4 ,,	.961	.586	68.2	58.0	10.2	50.1	.375	.55	69.6	74.3	"	1.1					l
	5 ,,	.975	.593	67.5	58.0	9.5	50.7	-382	.58	69.5	74.1	EbN	1.5					
	6 "	.994	.613	67.2	57.8	9.4	57.6	-381	.57	69.1	74.0	EbS	1.4					
	7 ,,	30.022	.634	67.0	58.0	9.0	51.1	.388	.59	69.0	74.0	EbN	1.5		+	2		3.10
	8 "	.056	.679 .669	68.0 69.8	58·0 59.5	10.0	50·3 52.0	.377 -400	.56 .56	69.1 69.9	73.8 73.8	ENE	1.0		+	1		Above 10m
	9 ,, 10 ,,	.069	•642	72.4	61.4	11.0	53.9	•400 •427	.54	70.5	73.7	E L'N	0.8	்	++	2 4		2.38
	11 ,,	•046	•577	74.3	63.5	10.8	56.7	469	.55	72.0	73.8	,,	0.6	None.	+	2		1.52 3.26
	Noon.	.009	.593	78.2	63.2	15.0	53.2	-416	.44	73.8	74.0	,,	0.5	Z	+	ī		Above 10m.
	l թ. ա.	29.977	.602	80.0	62.5	17.5	50.1	•375	.37	75.7	74.2	NEbE	0.4					
	2 "	.952	.601	82.1	62.5	19.6	48.2	-351	.33	77.1	74.4	"	0.3					
	3 ,,	.938 .934	.588	83.0	62.8 65.1	20.2 16.2	48.1 54.8	•350 •440	.32 .42	78.2 77.6	74.6 74.8	NNW	0.2		+	2		4.32
	4 », · 5 »	.934	.412	76.2	66.0	10.2	60.1	-526	.59	76.0	75.0		0.5		+	4 8	6	3.5
	6 ,,	.953	.403	74.0	66.0	8.0	61.5	•350	.67	75.0	75.0	N b W	0.6		++	16	14	1.20 0.35
	7 ,	.973	.408	732	66.2	7.0	62.3	-565	.70	74.5	75.0	N	0.5		+	12	10	1.00
	8 ,,	.992	.426	72.5	66.0	6.5	62.3	•566	.72	73.6	75.0	NbE	0.5	1	+	18	16	0.30
	9 ,,	.997	.455	71.8	65.0	6.8	61.0	-542	.71	72.3	75.0	"	0.3		+	16	14	0.41
	10 ,,	.996 .978	.489	70.6	63.4	7.2 8.0	59.0 58.0	-507 -490	.69 .65	72.0 72.0	75.0	ENE	0.2	1	+	20	18	0.12
	11 .,	1 .3/0	1 +200	, ,,,,	1 (1.1.0	1 0.0		450	, ,00	1 13.0	1 14.8	- END	1 0.0		1 +	1 16	1 12	1.20

Amount of Clouds	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \l cirri; \sqrt{i cirro-cumuli;}	Remarks.
4		oi cumuli; Li cirro-struti; Al cumulo-strati; and Al nimbi.	
1 0	G C	above hor. from SE to SW; mist in W hor.	
0	o	,,	
0	C	",	
0	C	"	·
0	В),	•
0	R	,,	
0	В	"	
0	В	,,	1
0	G	,,	
0	G	"	
	ď	,,	
0	G	Cloudless.	Mean daily temperature of ground
0	C	"	20 and 60 inches below its sur-
0	C	,,	face 79.8 and 82.5. 6th January was the 1st cloudless
ő	c	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	developments beginning of the year
ŏ	В	"	day from the beginning of the year. On this day wind blew with a
o	В) ''	force of more than one pound on
0	В	Mist in hor.	a square foot.
0	В	" "	
0	G	" ""	
0	G	, n, n	
0	G	Cloudless.	
0	G	"	
0	C)	
0	C	n,	
l o	C	,,	
ő	В	Mist along the E hor.	
	В	,, ,,	
0	В	Cloudless.	
0	в	,,	
0	G	,,	
0	G	n,	
0	G	"	
		,	
0	G	Cloudless.	Mean daily temperature of ground
0	C		Mean daily temperature of ground 20 and 60 inches below its sur-
lol	C	" "	face 79:5 and 82:5.
O	C	,,	7th January was the 2nd day on
0	C	"	which sky was almost cloudless.
0	В	"	
0	В	Mist in hor-	1
0	В		1
0	B	"	1
0	G	,,	
0	G	Cloudless.	
ŏ	G	,,	
0	C,	" "	
0	C	"	!
0	C	"	1
0	C		1
0	В	A few vi in E hor.; mist along the E hor.	
0	В	Mist along the E hor. Cloudless.	1
0	В		1
0	B	"	1
	G.	"	1
ŏ	G	,,	1
1 7 1		1 22	1

			DARD IRTER.	Тнв	RNOMBT	ERS.	o H	0 P	AIR.		UND METERS.	WIND F Osler's G		RAIN.	Breca	FRICAL		
	Bombay Civil Time. 1864.	to	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure Moisture	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Bioctrici- ty + or —	Strawsof Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
Jan	8тн-Midnight	in. 29.967	in. 29.460	70°6	63:4	7:2	59:0	in. 0-507	0.69	71:8	74:8	ENE	10s.	in.	+	Sc. div. 20	Sc. div.	m. s. 0.10
o Am.	l a. m.	.960	•459	70-0	63.0	7.0	58.7	•501	.69	71.6	74.7	EbN	0.5		+	10	8	1.20
	2 ,,	.949	.508	70.0	61.0	9.0	54.9	-441	.61	71.4	74.7	ENE	0.9		++	10	8	2.40
	3 ,,	.934	.546	69.5 69.3	59.0 59.0	10.5	51.1 51.3	•388 •391	.55 .55	71.0	74.6	E E	1.0	.	T	2		Above 10m.
	5 ,,	.949	·547 ·551	68.6	59.0	10.3	51.9	•398	.58	70.1	74.5	,,	1.3		1			
	6 ,,	.966	·580	68.5	58-5	10.0	51.0	-386	.56	69.8	74.4	E b S	1.0					
	7 "	.995	.610	68.8	58.6	10.2	50.9	-385	.55	70.0	74.3	ESE	1.0	į	1			
	8 " 9 "	30.021	.668 •680	70.2	58.0 59.1	12.2 13.0	48.3 49.2	.353	.48	70.5	74.3 74.3	"	1.0		+	4		0.00
	10 ,,	.049	.659	76.5	61.7	14.8	51.3	• 3 90	.44	73.0	74.3	SE	0.7	نه	+	4		2.28 3.9
	11 ,,	.033	.650	79.0	62.4	16.6	50.8	.383	.39	747	74.4	ESE	0.6	one.	+	2		5.14
	Noon.	29.997	.607	80.0	63.0	17.0	51.3	•390	.39	76.0	74.5	,,,	0.5	2	+	1		Above 10m.
	1 p. m.	•963 •944	•589 •585	81.4	63.0 63.0	18.4	50.0 48.8	.374 .359	.35	77.2 78.2	74.7	NE bE	0.4	ĺ				
	3	.935	•565	83.1	63.5	19.7	49.7	.370	.33	79.1	75.1	NE bE	0.3	Ì				1
	4 ,,	.942	.572	82.6	63.3	19.3	49.7	-370	.34	79.0	75.3	,,	0.2					1
	5,	.962	.505	78.1	64.5	13.6	55.9	-457	.48	77.5	75.4	NWbN	0.5		+	2		4.20
	6 ,, 7	.979 •999	.449	74.0	66.0	8.0 7.6	61.5 61.7	•550 •554	.63	75.2 74.6	75.4 75.4	NNW	0.5		+	6		3.25
	9 "	30.012	.439	72.5	66.2	6.3	62.7	-573	.73	74.0	75.4	,,	0.2	l	+	12		0.30
	9 ,,	.018	•400	71.7	67.3	4.4	65.0	-618	.81	72.3	75.4	,,	0.2		+	10		1.7
	10 ,,	.017	.451	69.6	65.0	4.6	62.3	-5 66	.79	72.0	75:4	,,,	0.2		+	12		0.35
	11 "	.009	•455	69.3	64.5	4.8	61.7	-554	.78	71.6	75.3	NbW	0.1		+	Out of8c	40	0.12
Jan.	9тн-Midnight		.446	69.3	61.5	4.8	61.7	.554	.78	71.3	75.1	NE b N	0.5		+	Out of Sc	40	0.10
	l a. m.	29.993	.451	69.0	64.0	5.0	61.0	•542 •482	.77	71.1	75.0	NE	0.5		+	18 4	16	0.46 2.20
	2 ,,	.981 .969	.499 .527	69.0 68.9	62.0 60.6	7.0	57.5 55.0	.442	.69 .63	71.1	75.0 74.9	NE b E	0.4		'	*	l	2.30
	4 ,,	.970	.538	68.2	60.0	8.2	54.3	-432	.63	70.4	74.8	ENE	0.7					
	5 ,,	.980	.625	67.5	57.0	10.5	48.5	.355	.54	70.0	74.6	,,	1.2			į	l	
	6 ,,	30.004	.638	67.0	57.2	9.8	49.4	•366 •386	.56	69.1	74.5	,,	0.8				İ	
	7 ,, 8	.025	.637 .693	67.2 69.7	58.0 58.0	9.2	51.0 48.8	-358	.58 .50	69.1 70.0	74·3 74.2	E b'N	0.0				Ì	1
	9 ,,	.071	.661	71.5	60.5	11.0	52.7	•410	.54	71.1	74.1	,,	0.6		+	2	ł	1
	10 ,,	.072	.671	74.2	61.2	13.0	52.1	401	.48	72.0	74.2	,,	0.7		+	4	1	1
	11 ,,	.062	.646	75.0	62.0	13.0	53.2	.416 .380	.49	73.1	74.3	ENE	0.6	one.	+	1	ļ	1
	Noon.	.034 29.996	.654 .650	78.2 81.2	62.0 62.0	16.2	50.5 47.8	.346	.33	74.8 77.0	74.4	NE b E	0.3	°			1	
	lp.m. 2,	.969	.655	83.2	61.7	21.5	44.9	-314	.28	78.0	74.8	,,	0.3	1				1
	3 ,,	.951	.599	84.5	63.4	21.1	48.3	-352	.31	78.5	75.0	NW	0.3					
	4.,,	.951	.534	83.0	65.0	18.0	53.2	-417	.38	78.5	75.2	NWbN	0.4					1
	5 ,, 6	.962 .978	.459	78.3 76.0	66 0	12.3	53.8 62.0	.503 -560	.53	77.5 76.0	75.3 75.3	"	0.4			1		i
	7 ,,	30.003	.438	73.2	66.2	7.0	62.3	-565	.70	75.0	75.3	N b'W	0.8		+	2		3.20
	8 ,,	.020	•475	71.5	65.0	6.5	61.2	-545	.72	74.2	75.3	"	0.7		+	2	1	2.00
	9 "	.025	.480	71.5	65.0	6.5	61.2	-545	.72	74.2	75.3	,,	0.6	İ	+	1	1	Above 10
	10 ,,	.035	.490 .527	71.5	65.0 63.0	6.5 7.0	61.2 58.7	-545 -501	.72	74.0	75.3 75.2	NNE	0.5		++	1 4		Above 10
	11 - "	.023	1:5.	/0.0	03.0	'.0	30.7		80.	12.0	10.2	MAE	0.2		*	•		1.54
Jan.	llTH-Midnight		.539	69.7	60.2	9.5	53.5	.421	.59	71.1	75.0	NNE	0.2		+	4		3.27
	1 a. m. 2	.955 .922	.536 .521	69.4	60.0 59.0	9.4 9.4	53.4 52.1	.419	•59 •58	71.0	74.9 74.9	,,	0.1				1	1
	3 ,,	.906	.545	67.0	57.0	10.0	49.0	.361	-55	70.0	74.9	,, ,,	0.1					1
	4 "	.906	.511	68.4	58.8	9.6	51.6	•395	.57	70.0	74.8	,,	0.2				1	
	5 "	.915	.514	68.4	59.0	9.4	52.1	.401	.58	70.0	74.6	,,	0.6	one.			je.	1
	6 "	.924	.537	66.6	57.8	8.8	51.0	.387	.60	68.5	74.4	,,	0.2	No			None.	1
	7 ,, 8 ,,	.962 .985	.588 .625	65.8 69.5	57.0	8.8 11.5	50·3 48.9	.360	.59 .50	68-0 69.5	74.2 74.1	"	0.2				-	1
	9 "	30.003	.638	72.2	59.2	13.0	49.3	.365	.47	70.8	74.0	,, ,,	0.4					
	10 ,,	.003	.602	74.2	61.2	13.0	52.1	.401	.48	71.9	74.1	NE	0.3		+	2		Above 10
	11 ,,	29.987	.55()	76.4	63 2	13.2	54.6	437	.49	73.0	74.3		0.2	1	<u> </u>	1	l	Above 1

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\circ\) cirro-cumuli; \(\circ\) i cumuli; \(\si\) i cirro-strati; \(\cap\) i cumulo-strati; and \(\si\) i nimbi.	Remarks.
	G C C B B G C C C B B B G G C C C C B B B C C C C	Cloudless. """ """ """ Cloudless. """ """ """ """ """ """ "" """ """	Mean daily temperature of ground 20 and 60 inches below its surface 79°4 and 82°5. 8th January was the 2nd cloudless day from the beginning of the year.
	G C C C C C C C B B B B B B B B B B B B	Cloudless. """ Mist in hor. Cloudless. """ Mist in E hor. Cloudless. """	Mean daily temperature of ground 20 and 60 inches below its surface 79:3 and 82:4. Height of Barometer at 10 A.M. was 30:072 in. greatest in the month and about 0:086 in. greater than the Normal Mean. At 3 P.M. the temperature of Air was 84:5 highest during the month and about 5:1 higher than the Normal Mean for that hour. 9th January was the 3rd cloudless day.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B B C C C C B B C C C C C C C C C C C C	Cloudless. "" "" "" "" "" "" "" Mist around hor. "" "" Mist along the W hor. Cloudless.	Mean daily temperature of ground 20 and 60 inches below its surface 79:3 and 82:3. 11th January was the fourth cloudless day from the beginning of the year.

		STANDARD BAROMETER.		THE	RNOMET	ERS.	r.	, o	AIR.	Тивамо	OUND METERS.	WIND POSLER'S G		RAIN.	ELEC	TRICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Thermo- meter in	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	UMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electricity + or —	Strawsof	ngs of	Interval of Time in recovering the same degree of tension after dis-
		in.	in.	1	1	the Air.		in.	==		=	<u> </u>	l lbs.	ia.	<u> </u>	Sc. div.	Sc. div.	
Jan.	11тн-Noon.	29.755	29.504	80:0	65.0	15.0	55.5	0.451	0.45	74:8	74:4	NE	0.2		+	1		Above 10m
	l p. m.	.918	.475	81.3	65.2	16.1	55.0	.443	.42	76.6	74.6	NW	0.2					}
	2 ,, 3	.894	.487	82.3 82.4	66.3	16.0 13.4	56.6 61.8	.467 .556	.43 .51	77.5 78.0	74.8	NW b W	0.2			į		Ì
	4 ,,	.891 .891	.335 .293	81.5	70.0	11.5	64.0	.598	.57	78.1	75.1 75.3	WNW	0.3	ļ				ĺ
	5 ,,	.906	.302	78.0	69.0	9.0	64.3	.604	.64	77.0	75.4	NW	0.3	ية ا			ي	
	6 ,,	.922	.283	75.5	69.2	6.3	66.0	.639	.74	75.8	75.4	NWbN	0.3	None.	į		None.	1
	7 ,, 8	.943	.331	74.3	68.0 67.0	6.3 6.0	64.7	.612	.73 .74	75.0 74.2	75.4	NNW	0.3		1	ł	-	1
	a "	.957 •967	.364 .431	73.0 72.1	64.9	7.2	63.8 60.7	•536	.69	73.5	75.4 75.4	N b W	0.2					
	10 ,,	.970	.446	70.6	64.0	6.6	60.0	•524	.71	73.0	75.3	,,	0.2					
	11 "	.954	.383	69.2	65.0	4.2	62.6	.571	.81	71.2	75.1	"	0.0					
Jan. 1	2тн-Midnight	.949	.437	69.0	63.0	6.0	<i>5</i> 9.3	.512	.73	70.6	74.9	NbW	0.0					
	l a. m.	.939	.416	68.0	63.0	5.0	60.0	.523	.77	70.4	74.8	,,	0.0		1			
	2 ,,	.934	.471	68.0	61.0	7.0 6.0	56.3 57.0	•463 •474	.68 .72	70.3	74.7	,,	0.1					
	3 ,, 4	.919 .914	.380	67.0	61.0	4.0	60.6	.534	.72	70.0 70.0	74.5 74.5	"	0.1		1			
	5 ,,	.921	.423	67.5	62.0	5.5	58.5	498	.75	70.0	74.4	NNE	0.1		1			
	6 "	.931	.427	67.0	62.0	5.0	58.9	-504	.77	69.3	74.4	NE	0.2					
	7 "	•954	.437	67.2	62.5	4.7	59.6	.517	.78	69.3	74.4	,,	0.2					
	8 ,, 9 .,	.988	.495	68.0	62.0	6.0	58.2	•493	.72	69.5	74.3	,,	0.1					
	10 "	30.000	.576 .501	71.5	61.0	10.5 9.2	53.7 59.0	•424 •506	.56 •62	70.0 71.9	74.2 74.3	NE b E	0.2 0.2	٠			a:	
	11 ,,	29.992	.489	74.8	64.8	10.0	58.8	· .503	.59	73.0	74.4		0.1	one.			one.	
	Noon.	.959	.478	77.9	65.2	12.7	57.5	.481	.51	73.8	74.5	"	0.2	Ž			Ž	
	1 p. m.	.924	.483	78.7	64.2	14.5	54 .9	.441	.46	75.0	74.7	NW b W	0.3					
	2 "	.910	.432	81.6	66.4	15.2	57.3	.478	.46	76.7	74.9	WNW	0.2					
	3 ,,	.900 .900	.353	81.4	68.4 69.0	13.0 12.0	61.3 62.6	.547 .571	.52 .55	77.4 77.5	75.1 75.2	NWbW	0.2 0.3					
	5	.906	.302	78.0	69.0	9.0	64.3	.604	.64	76.3	75.4	NW NW bN	0.2					
	6 "	.925	.330	75.8	68.0	7.8	639	•595	.68	75.7	75.4	NNW	0.3					
	7 "	.939	.313	74.5	68.5	6.0	65.4	•626	.75	75.0	75.4	N b W	0.3	·	·			
	8 "	.966	.397	73.3	66.5	6.8	62.5	.569	.71	74.6	75.4	NNW	0.2					
	9 ,, 10 ,,	.983	.388	72.8	67.0	5.8	63.9	•595	.75	73.5	75.3	N	0.2		+	8		1.7
	10 ,,	.979 .966	•436 •384	71.7	65.0 65.0	6.7 5.0	61.1 62.1	.543 .562	.72 .77	73.0 72.1	75.2 75.0	NbE	0.2		++	10 12		0.39 0.52
Jan. 1	Стн-Midnight	.960	.406	69.3	64.5	4.8	61.7	-554	.78	71.7	75.0	NbE	0.3		+	8		`
	la.m.	.957	.398	69.0	64.6	4.4	62.0	.5 59	-80	71.4	75.0	NEbN	0.3		+	4		2.11 2.40
	2 , ,,	.935	.356	69.6	65-4	4.2	63.0	.5 79	.81	71.4	74.8	,,	0.2					
	3 ,,	.916	.403	70.0	63.4	6.6	59.4	-513	.71	71.4	74.8	,,	0.4		1			
	4 ,, 5	.912 .923	.376 .411	69.5 69.0	64.0 63.0	5 .5 6.0	60. 7 59.3	.536 .512	.75 .73	71.3	74·7 74.7	,,	0.2		İ			
	6 "	.92.5	.460	68.5	62.0	6.5	57.8	.487	.73	70.8	74.6	NE	0.1					
	7 ,,	.976	.450	67.7	63.0	4.7	60.1	.526	.78	69.6	74.6	,,	0.1					
	8 "	30.001	.515	70.0	62.5	7.5	57.8	.486	.67	70.6	74.5	"	0.1					
	9 ,,	.018	.495	73.5	65.0	8.5	60.0	•523	.65	71.8	74.4	"	0.3					
	10 ,, 11 ,,	29 996	.446 .448	74.8	67.0 66.8	7.8 9.7	62.7 61.4	•573 •548	.63 .61	73.0 73.9	74.5 74.6	"	0.2 0.2	ا . ا				
•	Noon.	.959	.421	78.0	67.0	11.0	60.8	•538	.57	7 5.0	74.8	"	0.2	one.			None.	
	1 p. m.	.918	·376	816	683	13.3	61.0	-542	.52	76.8	75.0	NbW	0.2	Z			Ž	
	2 ,	.895	.332	81.7	69.0	12.7	62.2	•563	.53	77.5	75.2	NW	0.2					
	3 ,,	888. 988.	.310	81.5	694	12.1	63.0	·578	.55	78.0	75.4 75-6	N'N'UI	0.5 0.5					
	4 . , ,	.894 .894	.274 .286	80.1 77.6	70.0 69.0	10.1 86	64.9 64.5	•61.5 •608	.61 .66	77.7 76.5	75.6	NNW	0.5					
	6 ,,	.907	.287	750	68.5	65	65.1	-620	.73	75.7	75.6	"	0.5		+	2		2.10
	7 ,,	.919	.285	73.8	68.5	5:3	65.8	•634	.77	75.0	75.6	"	0.5	İ	+	2		2.10 1.56
	8 ,,	.938	.313	73.1	6 8.0°	51	65.4	.625	.78	74.5	75.6	"	0.4		+	ī].	Above 10
		.933	.338	72.8	670	58	63.9	.595	.75	740	75.5		()-4	1			l l	
	9 ,,	929	.311	71.7	(7.3	44	650	-618	.81	73.1	75.4	N b W	06	1	+	$\begin{bmatrix} 6 \\ 2 \end{bmatrix}$	ı	2.9

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: 'I cirri; 'Ni cirro-cumuli; Oi cumuli; 'Li cirro-strati; Li cumulo-strati; and 'Li nimbi.	Remarks.
0 0 0	G C C	Cloudless.	·
0 0	B B B	Mist in E hor. Cloudless.	
0 0	B G G	Cloudless and dew falling.	
0	G	Cloudless.	Mean daily temperature of ground
0 0	CCC	Cloudless and dew falling.	20 and 60 inches below its surface 79.3 and 82.3.
0 0 0	B B B	A few in SE hor.; mist around hor.	
0	G G	A few in E hor.; mist around hor.	
1 2 3	6 0 0 0	 scattered along the E hor.; mist in W hor. scattered along the E hor.; mist in NW hor. scattered about hor. scattered from E to S hor. 	
4 4 2 1	C B B	scattered about moving NE. scattered about moving NNE; mist along the E hor. scattered about hor.; mist along the E hor. scattered around hor.	·
0 0 0	B G G	Cloudless. Cloudless; dew falling.	
0	G C	Cloudless; dew falling.	Mean daily temperature of ground 20 and 60 inches below its sur-
0 0 0	C C B	Cloudless. " " " "	face 79*2 and 82*2.
0 0 1 2	B B B	A few win E hor. A few wabove E and SW hor.; mist around hor. scattered along the W hor.; mist around hor. scattered above W and SW hor.; mist around hor.	
2 2 0 0	G G G	A few \(\) in E and SW hor.; mist in W hor. \(\) A few \(\) above SW hor.	·
0 0 0	C C B	A few \(\) above W hor. A few \(\) above NW and W hor. A few \(\) above NW and E hor. A few \(\) above NW and E hor. A few \(\) above NW and E hor.; mist along the E hor.	
0 0 0	B B B	A few \(\sigma \text{ and mist along the E hor.} \) Cloudless.	
0 0 0	G G	Cloudless and dew falling.	

		STAN BARON		THE	THERMOMETERS.		٤	×	AIR.	Gro Tabano	UND OMETERS.	Oslek's (RAIN.	ELECT	FRICAL	Instru	MENTS.
	Bombay Civil Time.	to	Corrected for Moisture.	In the	Thermo-		DEDUCED DEW-POINT.	PRESSURE MOISTURE.	UMIDITY OF	Thermometer Hinch In the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per	By New- man's Gauge.	Sign of Electrici- ty + or —		ngs of	recovering the same degree of tension after dis-
	1864.	03-28117.			meter.	Thermo- meter in the Air.	α	40	НСК	Thermo in the	Therr		Square Foot.		1,701		Voltu 2.	Interva recov same tensio charg
Jan.	14TH-Midnight		in. 29.289	70:8	67:0	3:8	65*0	in. 0.617	0.83	72.8	75.2	NbE	lb. 0.2	in.		Sc. div.	Sc. div.	m. e.
	1 a. m.	.898	.304	70.0 68.5	66.0 64.4	4.0	63.8 62 . 0	.594 .560	.82 .81	72.3	75.1 75.0	NNE NE b N	0.3			ļ		
	3 ,,	.895	.320	67.7	64.6	3.1	62.8	.575	.85	71.0	74.9	MEDIN	0.0		+	10		0.41
	4 ,,	.899	.306	6 9.0	65.6	3.4	63.8	. 593	.84	71.0	74.9	NbW	0.4		+	6		1.30
	5 ,, 6	.915	.392	68.0	63.0	5.0	60.0	.523	.77	70.0	74.9	,, N	0.1					
	7 "	.932	.431	67.0	61.0	6.0 4.5	57.0 60.3	.528	.79	69.5 69.5	74.7 74.6	NbE	0.1					
	. ,, 8 ,,	•976	.435	70.5	64.5	6.0	61.0	.541	.73	70.5	74.5	NE	03					
	9 ,,	.978	.442	72.4	65.0	7.4	60.7	.536	.68	71.0	74.4	NEBE	0.2	١.				
	10 ,, 11	.994	.476	74.0	65.0 65.8	9.0	59.7 59.9	.518 .521	.63	72.1 73.2	74.5 74.6	ENE NNW	0.3	one.			None.	
	Noon.	.932	.405	76.9	66.3	10.6	60.2	.527	.58	74.0	74.8	,,	0.4	ž			ž	
	1 p. m.	.909	.360	77.0	67.0	10.0	61.4	.549	.60	75.0	75.0	NW"bN	1.0					
	2 ,,	.891	345	77.8	67.2	10.6	61.3	.546	.59	75.6	75.1	,,	1.0	l			ł	
	3 ,, 4	.880	.387	77.8	65.5 65.0	12.3 12.2	58.2 57.6	.493	.53	75.9 75.5	75.2 75.3	"	0.9	1.			1	
	5 ,,	.902	.405	74.8	64.5	10.3	58.4	.497	.58	74.5	75.4	NNW	1.0	•				
	6 ,,	.920	.428	73.6	64.0	9.6	58.1	.492	.60	74.0	75.4	,,	1.0	1			İ	
	7 ,,	•946	.433	71.6	64.0	7.6	59.4	.513	.68	73.1	75.3	,,,,	0.7					
	8 ,, 9	.962 .966	•484 •492	70.8 69.7	62.5 62.0	8.3 7.7	57.3 57.0	.478	.64	73.0 72.1	75.2 75.2	N b W	0.6					
	10 "	.967	.500	68.2	61.2	7.0	56.6	.467	.68	70.2	75.0	NbW	0.3		+	1		Above 10m.
	11 ",	.968	.583	67.3	58.0	9.3	50.9	.385	.58	70.0	74.8	NNE	0.2		+	2		4.24
Ian. I	l5тн-Midnight		.569	67.0	58.0	9.0	51.1	.3 §8	.59	68.4	74.6	NbE	0.2		+	1		Above 10m.
	l a. m.	.956	.511	67.0	60.0	7.0	55.2	.445	.68	6₹.4	74.6	N	0.2		1			
	3 "	.937 .931	.540	66.2	58.0 57.2	8.2 9.2	51.8 50.0	.397	.62	68.4	74.6	N b E N b W	0.3	Ì		İ		•
	4 ,,	.932	.586	65.2	55.7	9.5	47.8	.346	.56	68.0	74.4	NbE	0.6					
	5 ,,	.950	.627	64.5	54.5	10.0	45.8	.323	.54	67.0	74.2	,,	0.6					
	6 ,,	.964	.671	62.5	52.4	10.1	43.0	.293	.52	66.0	73.9	,,	06					
	8	.990 30.011	.683 .695	62.5 64.0	53.0 54.0	9.5	44.3 45.1	.307	.54 .53	65.2 65.5	73.6	,,	0.5		İ			
	9 ,,	.026	.729	66.7	54.4	12.3	43.3	.297	.46	66.5	73.1	"	0.4					
	10 ,,	.016	.712	70.2	55.2	15.0	44.0	.304	.38	67.8	73.2	NEbN	0.6	one.	ľ		je j	Ĭ
	11 ,, Noon.	29.991	.724	73.0	56.0	17.0	40.3	.267	.33	69.4	73.4	NbW	0.4	Nor			None.	
	l p. m.	.958	.665 .602	74.8 76.9	57.7 59.5	17.1	43.0 45.6	.293 .321	.32 .35	71.5	73.4 73.6	N b E NW b N	0.5	-			~	
	2 ,,	.902	.521	78.1	62.0	16.1	50.6	.381	.40	74.2	73.8	NNW	0.0					
	3 "	.888	.414	78.0	65.0	13.0	57.0	.474	.50	74.6	73.9	,,	0.8					
	4 ,,	.884	.403	76.8	64.8	12.0	57.5	.481	.53	74.6	74.0	"	0.8					
	5 ,, 6 .,	.892	·423	73.5 71.2	63.2 62.5	10.3	56.7 57.0	.469	.58	73.3 72.5	74.1	,,	0.8	•			l	
	7 ,,	.922	.487	70.5	61.0	9.5	54.5	.435	.59	72.0	74.1	"	0.7	1]	•	
	8 ′,,	.944	.594	69.5	58.0	11.5	48.9	•360	.51	71.4	74.0	n"	0.7		+	1		Above 10m
	9 ,,	.947	.592	67.5	57.0	10.5	48.5	•355	.54	70.1	73.9	,,	0.6		+	4	l	2.37
	10 ,, 11 ,,	.932	.576	66.0	57.2 56.0	9.2	50.0 47.7	•373 •345	.58 .54	68.5 68.0	73.7 73.5	"	0.5		++	2		2.40 3.21
Jan.	l6тн-Mid ni ght	.916	.600	64.0	54.0	10.0	45.1	-316	.55	67.0	73.3	NW	0.6		+	4		3.26
	la.m.	.911	.612	63.3	53.0	10.3	43.5	.299	.51	67.0	73.2	,,	0.4		+	2	1	4.20
	2 ,,	.883	.615	61.5	51.0	10.5	40.4	•268	-49	65.5	73.1	Ň	0.3		+	2		Above 10m
	3 ,, 4	.875 .876	.596 .583	61.5	51.4 52.0	10.1	41.5	•279	.51	65.1	73.0	,,	0.4					
	5 ,,	.894	.600	62.6	52.5	10.1	43.0 43.0	•293 •294	.54	64.8 65.0	73.0 72.8	NNE	0.3	.:				
	6 ,,	.909	.613	63.5	53.0	10.5	43.2	296	.50	65.3	72.5	,,	0.6	None.			None.	
	7 ,,	.933	.627	61.6	52.5	9.1	44.2	.306	.55	64.0	72.3	N	0.6	Z			Z.	
	8 ,,	.959	.614	66.0	56.0	10.0	47.7	•345	.54	66.0	72.0	NE	0.5	1	+	1		Above 10m
	9 ,, 10 .,	•984 •979	.634 .682	68.0 70.4	57.0 56.0	11.0 14.4	48.1 43.3	•350 •297	.52 .40	67.6	72.0	NNE	0.5		+	2 2		Abore 10m
	11 ,,	.954	.666	72.8	56.7	16.1	42.5	.288	.36	70.4	72.3	NE	0.4	1	+	$\begin{vmatrix} 2 \\ 2 \end{vmatrix}$		4.32 3.05

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Αm	_	Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) i cirro-strati; \(\sigma\) i cimulo-strati; and \(\sigma\) i nimbi.	·
0	G	Cloudless and dew falling.	Mean daily temperature of ground
0	C	" " "	20 and 60 inches below its sur-
0	C	" " " " " " " " " " " " " " " " " " "	face 79°2 and 8 2 °2.
0	C	2) 2) 2)	14th January was the 3rd day on
0	C	n n n	which sky was almost cloudless.
0	В	A few v in E hor.	On this day the wind blew with a force of more than 1 lb. on
0	B B	A few in E hor.; mist around hor.	square foot.
l o l	В		aduate 1000.
0	G))	
0	G	" " "	
0	G		
0	G	A few in W above hor.	
0	C C	A few v in W hor.; fresh breezes blowing from NW.	
0	C	Cloudless; fresh breezes blowing from NW.	ļ
0	Ċ	22 21 21	1
0	В	Mist along the E hor.; fresh breezes blowing from NW.]
0	В	A few \ above W hor.	
0	В	Cloudless.	
0	B G	A few vabove W hor.	
	G	" " " " " " " " " " " " " " " " " " "	
l o l	G)	
1 1		<i>"</i>	İ
	~	Cloudless.	Moon doily townsorture of mound
0	G C		Mean daily temperature of ground 20 and 60 inches below its sur-
0	o	,, , , , , , , , , , , , , , , , , , ,	face 79:0 and 82:1.
0	C	" "	1
0	C	"	
U	В	"	
	В	N scattered along the E hor.	
0	B B	No scattered along the E hor.; mist around hor. A few No in E. hor.; mist in hor.	
l i	G	∨ scattered along the E hor.; mist in hor.	ļ
1	G	,, ,, ,,	1
1	G		
0	G	A few in E hor.; mist in W hor.	
0	C	Cloudless; fresh breezes blowing from NW.	1
0	C	·	
o	c))	j
0	В	Mist along the E hor.	į l
1	В	¬ scattered in E hemisphere-	1
0	В	Cloudless.	1
	B	"	l I
	G	,	
0	G	, ,	
		•	1
1.1	_	Claudian ()	Moon doily townsenders of sure
0	G C	Cloudless.	Mean daily temperature of ground 20 and 60 inches below its sur-
	C	" "	face 79:0 and 82:0.
0	c	n n	
0	c	" "	1
0	В	,,	1
1 1	В	scattered along the E hor.	
	В	scattered along the E hore; mist in hore	į l
1	B C	" "	1
o	C	A few in E hor.; mist around hor.	1
0	C	Mist around hor.	1
· ·			

			STANDARD BARONETER.		THERMOMETERS.		e t	# E	AIR	Сво Тивимо		WIND P Osler's G		RAIN.	RLEC	TRICAL	INSTRU	1
,	CIVIL 21	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OP MOISTURE.	HUMIDITY OF	Thermometer Ifnch in the Ground.	Thermometer 6 Inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or —	Strawenf	Atraws of Volta 2	Interval of Time in recovering the sume degree of tension after disconstructions.
Jan.	16тн-Noon.	in. 29.922	in. 29.623	75.0	58°0	17:0	43°5	in. 0.299	0.35	72.0	72:4	NNE	1bs. 0.3	in.	+	Sc. div.	Sc. div.	ın. s. 7.44
	1 p.m.	.888	.579	78.3	59.5	18.8	44.5	.309	.32	72. 9	72.6	N	0.2		+	2		3.19
	2 ,,	.875 .862	.532 .398	78.8 77.8	61.0 64.6	17.8 13.2	47.5 56.4	.343	.35 .50	73.3	72.7 73.0	NNW	0.3		+	2 2		4.20
	4 ,,	.857	.410	77.6	64.0	13.6	55.3	.464	.48	73.5	73.0	"	0.2		++	4		2.39 2.12
	5 ,,	.874	.412	74.7	63.4	11.3	56.3	.462	.55	73.7	73.2	,,	0.3	one.	+	2	one.	6.10
	6 ,,	.886	.424	71.7	62.3	9.4 8.4	56.3 57.1	.462	.60	72.4	73.3 73.2	,,	0.4	No.	++		Z	Above 10m.
	8 ,,	.930	.461	70.3	62.0	8.2	56.7	•475 •469	.64	71.2	73.1	N b"W	0.6		-	•		Above 10m.
•	9 ,,	.937	.488	69.3	61.0	8.3	55.4	.449	.63	70.9	73.0	,,	0.4		١.			} }
	10 ,, 11 ,,	.935 .915	.519 .516	67.0 66.0	59.0 58.0	8.0	53.2 51.9	.416 .399	.63	70.0 69.6	72.9 72.8	N N D E	0.4		++	6 4		1.50 2.10
•	••														'			
AN. 1	8тн-Midnight la.m.	.922	.407	66.0	62.0	4.0 6.0	59.5 55.9	-515 -456	.81	67.0 66.9	72.5 72.5	NNE ENE	0.4					
	2 ,,	.908	.499	63.6	57.4	6.2	52.7	.409	.70	66.8	72.4	,,	0.1					
	3 "	.902	.606	63.4	53.0	10.4	43.4	.298	.50	66.4	72.3	NEBE	0.2	1]		
	4 ,, 5	.901	•576 •604	63.2	54.0 53.5	9.2	45.9 41.2	•325 •306	.56 .51	66.0	72.1	NNE N b W	0.0					
	6 ,,	.921	.604	61.6	53.0	8.6	45.2	.317	.58	65.0	71.8	NbE	0.3	İ	1			
	7 ,,	.952	.639	62.0	53.0	9.0	44.9	.313	.56	64.6	71.6	,,	0.1		'	1	١.	ļ
	8 ,, 9	981 30.005	.643	65.5	55.5 58.0	10.0 9.3	47.1 50.9	•338 •385	.54 .58	66.0	71.6	NE	0.2	one.	Ì		oue,	
	10 ,,	.003	.597	71.3	60.3	11.0	52.4	.406	.53	68.8	71.6	NbE	0.2	Ž	+	6	Ž	3.13
	11 ,,	29.975	.559	75.0	62.0	13.0	53.2	-416	.49	71.0	71.6	N	0.3		+	2		4.24
	Noon.	.938	.508 .469	76.8	62.8	14.0	54.1 55.0	•430 •442	.47	72.5	71.8	"	0.5		+	1		Above 10m.
	1 p.m. 2 ,,	.879	.417	77.7	64.5	13.2	56.3	.462	.50	74.3	72.2	"	0.9			1		
	3 ,,	.862	.408	77.0	60.0	13.0	55.7	-454	.50	74.5	72 4	N b W	1.0					
	4 ,,	.864	.405	76.5 73.6	63.0	12.5 10.6	56.1 56.2	•459 •461	.52	74.2	72.7 72.9	," N	0.9					
	6 ,,	.888	.406	71.7	63.0	8.7	57.5	482	.63	72.2	72.9	,,	1.0	l				
	7,,	.908	.403	71.0	63.5	7.5	58.9	•505	.67	720	72.9	,,	1.0]		
	8 ,,	.930	.406 .340	70.6 63.7	64.0	6.6	60.0	•524 •593	.71 .85	71.5	72.9 72.8	N b E	0.8					
	9 ,, ' 10 ,,	.933	.394	67.5	63 5	4.0	61.2	-544	.81	70.2	72.7	,,	0.7					1
	11 "	.922	.388	67.0	63.0	4.0	60.6	-534	.81	68.7	72.6	,,	0.3					
Jan. 1	9тн-Midnight		-400	66.0	62.0	4.0	5 9. 5	.515	.81	68.0	72.4	N	0.3					
	1 a.m. 2	.987	.416	64.7	60.0 58.6	4·7 5.6	56.8	436	.77 .73	67.6 67.3	72.4	N b E	0.0					
	3 ,,	.870	.453	64.4	58.0	6.4	54.5 53.2	.417	.69	67.0	72.3	NOE	0.1					
	4 ,,	.871	.445	63.6	58.0	5.6	53.9	•426	.73	66.6	72.2	,,	0.1					
	5 " 6 "	.887 .912	.509 .499	63.0 63.5	56.0° 57.5	7.0	50.3 52.9	•378 •413	.66	66.1 66.1	72.1	,,	0.1					
	7 ,,	932	.505	63.5	58.0	55	53.9	.427	.71	65.8	72.0	,,	0.1			1		
	8 ,,	.959	•538	66.5	59.0	7.5	535	-421	.65	67.0	71.8	"	0.1				1	
	. 9 "	.981	.567	68.5	59.5	9.0	53.0	•414	.60	68.1	71.7	,,	0.2	1.				
	10 ,, 11 ,,	.980	.577	71.4	60.2	11.2	52.2 58.6	·403	.53 .59	69.4 71.2	71.8	,,	0.2	one.			ne.	
	Noon.	.921	·456	76.0	64.0	12.0	56.5	•465	.53	72.5	72.2	NNW	0.2	ž			None.	
	1 p.m.	.886	.409	77.7	65.0	12.7	57.2	.477	.51	73.8	72.4	,,	0.4					
	2 ,, 3 .,	.863 .856	.383	78.3 78.5	65.3	13.0 11.1	57.4	•480 •546	.50	74.4	72.6 72.8	N b W	0.6					1
	3 ,, 4 ,,	.858	.300	78.0	67.6	10.4	61.9	-558	.59	75.0	73.0	N	0.5			1	1	
	5 "	.865	.302	75.7	67.0	8.7	62.2	•563	.65	74.4	73.2	,,	0.8					
	6 ,,	.878 .895	.359	725	64.5 65.0	6.7	59.7 61.1	.519	.66	73.2	73.2 73.2	N b E	0.7					
	7 ,, 8 ,,	.912	.342	70.8	65.5	5.3	62.6	•570	.77	72.2	73.2	NNE	0.0		+	1		Above 10s
	9 "	.922	.415	70.3	63.5	6.8	59.0	-507	.70	71.0	73.0	,,	0.2		+	4		3.37
	10 ,,	.924	.412	69.0	63.0	6.0	<i>5</i> 9.3	.512	.73	70.5	73.0	,,	0.1	1	+	6	1	2.26

	1		1
apn			
Amount of Clouds	Į į	STATE OF THE WEATHER.	
100	Observers		REMARKS.
nog	o		
4		NOTE.—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Ni cirro-cumuli; Ci cumulo; Li cirro-strati; Li cumulo-strati; and Ni nimbi.	
	İ		
0	C	Mist around hor.	
0	G	Mist in W. hor. Cloudless,	·
0	G		
Ŏ	a))))	
0	C	"	
0	C	"	
0	C	n	
0	C	29	
0	C	,, ,,	
lo	C)	
	Ì		
		Claudiasa	Man della desse se se s
0	G	Cloud!ess.	Mean daily temperature of ground 20 and 60 inches below its sur-
0	C	27 27	face 78% and 81%.
Ö	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	18th January was the 4th day on
0	C	"	which sky was almost cloudless. On this day wind blew with a
0	В		On this day wind blew with a
) 0	B	A few win E hor. Mist around hor.	force of more than 1 lb. on a square foot.
0	В		square 1001.
l o	G)	
0	G	,,	
0	G C	Mist in W hor.	
0	G	Cloudless.	
l o	C		
o	C); ;;	
0	C	99	
0	В	Mist in E hor.	
0	B	Cloudless.	
lő	В	?? ??	
0	G	"	
0	G	"	
0	G	n	
1			
0	G	Cloudless and dew falling.	Mean daily temperature of ground
0	С	" "	20 and 60 inches below its sur-
0	C	Cloudless.	face 78°2 and 81°9.
0	C		1
O	В	?) ?)	
1	В	v scattered along the E hor.	†
1	В	scattered along the E hor.; mist in hor.	
0	B G	A few \(\) above SE hor.; mist in hor. Mist around hor.	1
0	G	1))	1
ő	G	Cloudless.	
0	G	"	
0	C	n	
0	C C	" "	•
0	c	"	
0	В	Mist along the E hor.	į l
0	В	19 19	
0 0	B B	Cloudless.	
0	G	" "	
ő	G	Cloudless and dew falling.	
0	G	n n n	1
	-1864		

	Standard Barometer.		THERMOMETERS.				AIR.	GROUND THERMOMETERS.		WIND PROM OSLER'S GAUGE.		RAIN.	ELECTRICAL INSTR					
	01111 1111101	Corrected to \$3° Pahr .	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure of Moisture.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- nian's Gauge.	Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tenaion after dis- charge.
Jan. 2	20 тн-M idnight	in. 29.894	in. 29.350	67:5	63.5	4.0	61:2	in. 0.544	0.81	69*2	72.9	NEbN	lbs. 0.2	in.	+	Sc. div.	Sc. div.	m. s. 2.9
	1 a. m.	.885	.337	67.1	63.5	3.6	61.4	-548	.83	68.9	72.8	,,	0.1	Ì	+	8		1.20
	2 " 3 "	.865 .855	.316	66.5 66.0	63.3 62.0	3.2 4.0	61.4 59.5	.549 .515	.85 .81	68.6	72.7	,,	0.1		+	2		Above 10m.
	4 ,,	.853	.367	64.7	60.5	4.2	57.8	.486	.80	68.0	72.7	,,	0.1					
	5 ,,	.861	-364	65.0	61.0	4.0	58.4	.497	.81	67.6	72.6	ENE	0.1					
	6 " 7 "	.879	.400 .459	64.0 63.5	60·0 59.0	4.0 4.5	57.3 55.8	.479 .455	.80	67.0	72.5 72.4	"	0.1					
	8 ,,	.954	.453	67.3	62.0	5.3	58.7	-501	.75	68.0	72.3	"	0.1					}
	9 ,,	.977	-501	69.5	62.0	7.5	57.2	•476	.67	68.9	72.4	,,	0.2					İ
	10 ,, 11 ,,	.989	.497	71.4 73.6	63.2	8.2 9.1	58·1 59.0	•492 •507	.65 ⋅62	70-0	72.4 72.5	EbN	0.2			1	.:	
	Noon.	.947	.468	77.5	65.0	12.5	57.3	. 479	.52	72.8	72.6	E E	0.1	one.			one.	
	1 p. m.	.913	-408	78.1	66.0	12.1	58.9	· 5 0 5	.54	74.2	72.8	WNW	0.2	Ž]		Ž	
	2 ,, 3	•896 690	.344	79.2 80.1	67.8 69.0	11.4	61.6	.552 .581	.56 .58	75.1	73.0	NW	0.1		1			
	3 ,, 4 ,,	.889 .887	.308 .284	80.0	69.6	10.4	63.1 64.3	·603	.60	76.0 76.5	73.5	"	0.2	1				
	5 ,,	.891	.244	77.2	70.0	7.2	66.4	-647	.71	75-0	73.6	NWbN	0.5					
	6 "	.903	•261	74.5 72.8	69.0 68.0	7.5 4.8	66.2	.642 _. .628	.77 .79	74.3	73.6	NNW	0.4					
	7 ,, 8 ,,	.926 .948	.298 .359	71.3	66.3	5.0	65.5 63.5	•028 •589	.79	73.6 72.6	73.6 73.6	N b W	0.3					
	9 "	.961	.382	6 9.6	65.4	4.2	63.0	-579	.81	71.1	73-5	,,	0.1					
	10 ,,	.959	.399	68.5	64.4	4.1	62.0	•560	.81	70.2	73.4	,,	0.2					
	11 "	.950	-386	67.0	64-0	3.0	62.2	-564	.86	70-0	73.3	. "	0.1		+	2		6.2
JAN.	21sT-Midnight	I	.379	67.0	64.0	3.0	62 2	•564	.86	69.6	73.3	NEbN	0.4		+	6		2.22
	la.m. 2	.933	.378 .365	66.7 67.6	63.6 64.0	3.1 3.6	61.8 61.9	.555 -557	.85 .83	69.4 69.4	73.3 73.3	NEBE	0.1		+	4		3· 4 0
	3 ,,	.923	.418	67.5	62.2	5. 3	58.9	-505	.75	69.4	73.3	"	0.2					
	4 ,,	.928	.449	66.6	61.0	5.6	57.3	-479	.74	69.0	73.2	"	0.2					
	5 ,, 6	.936 .959	.450	64.7 64.0	60.5	4.2 4.0	57.8 57.3	.486 .479	.80 .80	68.1 67.2	73.1	"	0.1					
	7 ,,	.989	.615	63.4	56.0	7.4	50.0	.374	.64	66.7	73.0	NNE	0.2					
	8 ,,	30.017	.572	67.0	60.0	7.0	55.2	•445	.68	68.0	72.8	" _	0.1					
	9 ,, 10 ,,	.036	.595 .528	70.0 72.0	61.0	9 0 8.0	54.9 59.2	.441 .509	.61 .66	69.5 70.5	72.7 72.8	NEBE	0.1					
	10 ,,	.023	.543	75.2	64.2	11.0	57.4	·480	.56	72.0	72.8	,"	0.1	<u>.</u>			e.	
	Noon.	29-993	.543	76.8	63.8	13.0	55.5	·450	.50	72.9	73.0	NNW	0.2	None.			None.	
	1 p.m. 2	.959 .931	.477	78.8	65.5 67.2	13.3 12.5	57.5 60.1	•482 •525	•50 •53	74.8 75.6	73.1 73.3	"	0.2					
	3 ,,	.918	.400	79.8	67.0	12.5	59.7	-518	.52	76.0	73.5	"	0.3					
	4 ,,	.915	.366	80.0	68.0	12.0	61.4	•549	∙55	76.3	73.6	"	0.4	1				
	5 ,, 6 ,,	.924	.334	77.8 75.0	68.5 68.0	9.3 7.0	63.6 64.3	•590 •604	.63 .71	75.2 73.4	73.7 73.8	N b W	0.3					
	0 ,, 7 ,,	.932	.360	72.8	66.7	6.1	63.4	.586	.74	73.4	73.8	N	0.2					
	8 ,,	.964	.380	72.0	66.4	5.6	63.3	-584	.75	73.0	73.9	,,	0.3	1	1			
	9 ,, 10 ,,	.977	.432	71.5 71.5	65.0 65.0	6.5	61.2 61.2	.545 .545	.72 .72	72.5 72.5	73.9 73.9	NNW	0.5					
	11 ,,	.979	.400	69.6	65.4	4.2	63.0	-579	.81	71.2	73.8	NbE	0.0					
·	oon Midaiala	000	1	68.0	640	10	£1 £	EEO	91	70.	727	NbE						
IAN. 2	22nd-Midnight la.m.	.962 .956	.409 .455	66.2	64.0	4.0 4-6	61.6 58.7	.553	.81 .78	70.1 69.8	73.7 73.6	l	0.4					
	2 ,,	.945	.459	66.0	61.0	5.0	<i>5</i> 7.8	-4 86	.76	69.3	73.6	,, ,,	0.1					
	3 ,,	.936	.480	66.0	60.0	6.0	55.9	.456	.71	69.0	73.5	"	0.1			١.		
	4 ,,	.935 .947	.479	66.0	60.0	6.0 4.1	55.9 60.0	.456 .524	.71 .81	68.6 68.6	73.5 73.3	,,	0.2	None.	None.	None.	None.	None.
	5 ,, 6 ,,	.979	.423	66.5	62.0	4.1	59.2	.524 .509	.79	68.6	73.2	,, ,,	0.1	ž	ž	ž	ž	ž
	7 ,,	30.005	.485	65.5	62.0	3.5	59.8	.520	.83	67.8	73.0	NNE	0.3	l				
	8 ,,	.038	.485	68.0	64.0	4.0	61·6	•553 402	.81 65	68.4	72.9	"	0.2					
	9 ,, 10 ,,	.056	.564 .548	71.4 73.6	63.2 64.5	8.2 9.1	58.1 59.0	.492 .507	.65 .62	70.0 71.4	72.8 72.8	N bE	0.3 0.4			Ì '		
	11 ,,	.030	.523	75.0		10.0	59,0	•507	.59	72.2	73.0	,,	0.5			l		

	1		
Amount of Clouds.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sqrt{cirri} \); \(\sqrt{cirri} \) cirro-camuli ;	Remarks.
14		∩i cumuli; Li cirro-strati; ∩li cumulo-strati; and ∿li nimbi.	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	G C C B B B G G G C C C C C C C C C C C	Cloudless and dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 780 and 818. 20th January was the 5th day on which the sky was entirely cloudless.
0 0 0 0 0 0	B B B G G	" " " " " " " " " " " " " " " " " " "	
	GCCBBGCCBBGCCBBBGGCCBBBGGCCBBBGGCCBBBGGCCBBBGGCCCCBBBGGCCCCBBAGGCCCCBAGGCCCCCBAGGCCCCACACACA	Cloudless and dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 77.8 and 81.6. 21st January was the 6th cloudless day from the beginning of the year.
0 0 0 0 0 0 0 1 2 2 2 2	G G C C B B B G G	Cloudless; dew falling. Cloudless; dew falling. """ """ """ scattered along the E hor.; dew falling. scattered along the E hor.; mist around hor. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 77.8 and 81.6. 22nd January.—On this day wind blew with a force of more than 1 lb. on a square foot.

		STANDARD THER			THERMOMETERS.			0 F	AIR.	Gro Thermo	UND METERS.	Wind P Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected to S2º Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	below Thermo- meter in	DEDUCED DEW-POINT	Presure o Moisture.	UMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Slectrici- ty + or —	Strawsof	Straws of Volta 2.	Interval of Time in secovering the same degree of tension after disciparys.
		in.	in.		1	the Air.		ı in.	H	i fi	F	<u> </u>	lbs.	in.	1	Sc. div.	Sc. div.	m. s.
Jan.	_	30.004	29.458	76:4	66*7	9:7	61:3	0.546	0.61	73:3	73°2	N	0.7					ш. э.
	1 p. m.	29.969	.392	77.7	68.1	9.6	62.9	.577	.62	74.9	73.5	NNW	0.6					
	3 ,,	.950	.379	78.0 77.6	68.0 67.0	10.0	62.6 61.0	.571 .542	.61 .59	75.2 75.4	73.7	"	0.7					
	4 ,,	.941	.395	77.3	67.0	10.3	61.3	.546	.59	75.2	74.0	,,	0.9	one.			نو	
	5 ,,	.947	.386	74.5	66.5	8.0	62.1	.561	.67	74.0	74.0	,,	0.8	Nor			None.	
	6 " 7 "	.956	.384	72.0	66.0	6.0	62.7 62.2	.572	.74	73.0	74.0	,,	0.8					
	ν "	.975	.411	71.3	65.5 65.0	5.8 6.0	61.5	.564 .551	.74 .73	71.4	74.0	,,	0.7	1	Ì			\
	9 ,,	30.002	.495	70.3	63.5	6.8	5 9.0	.507	.70	71.0	73.9	,, .	1.0		+	6		3.15
	10 ,,	.002	.505	70.3	63.5	6.8	59.0	.507	.70	71.0	73.7	,,,	0.8		+	10		1.54
	11 "	.001	.500	70.0	63.0	7.0	<i>5</i> 8.7	.501	.69	70.7	73.6	,,	0.7		+	16		0.38
an. 2	3RD-Midnight		.442	68.5	64.4	4.1	62.0	.560	.81	70.1	73.5	NW	0.3		+	12		1.0
	1 a. m.	29.982	.411	66.4	64.0	2.4	62.6	.571	.88	69.5	73.5	NNW	0.1		+	8 2		2.16
	- "	.970	.397 .388	66.2	64·0 63.7	2.2 1.8	62.7 62.6	.573 .571	.89 .91	69.1 63.7	73.5 73.4	N b W	0.1		+	4		Above 10m
	4 ,,	•959	.384	66.0	64.0	2.0	62.8	.575	.90	68.4	73.4	,,	0.1		1			
	5 ,,	.978	.386	67.3	65.0	2.3	63.7	.592	.89	68.8	73.3	NbE	0.2	1				'
	6 ,, 7	.991	.405	66.4	64.5	1.9	63.4	•586	.91	68.2	73.1	NNE	0.3			}	1	
	٠ ,,,	30.017	.441	65·9 67.5	64.0	1.9	62.9 62.8	.576 .574	.91 .86	68.0	73.0 72.9	,, N	0.1				1	
	9 ,,	.046	•451	70.5	66.2	4.3	63.9	.595	.81	70.0	72.9	NbW	0.5				1	
	10 ,,	.045	.444	71.7	66.8	4.9	64.2	.601	.78	71.2	72.9	,,	0.5]				
	11 ,,	.030	.448	74.0	67.0	7.0	63.2	.582	.70	72.0	73.0	NNW	0.7	one.			one.	
	Noon. l p. m.	.000 29.972	.409	75.2 75.4	66.4	7.5 9.0	63.7 61.3	.591 .547	.69 .63	72.5	73.0 73.2	NbW	1.0	S Z			No	
	2,,	947	.422	74.9	65.5	9.4	60.1	.525	.62	73.4	73.4		1.1		,			1
	3 ,,	.931	.425	74.2	64.7	9.5	590	.503	.61	73.2	73.5	,,	1.3				ļ	į
	4 ,,	•929	.453	73.4	63.4	10.0	57.2	.476	.53	73.0	73.6	"	1.0			ļ	l	
	5 ,, 6	.931 .938	·481	71.9 70.3	62.0 62.0	9.9	55.5 56.6	.450	.58 .64	72.3	73.5	"	1.0				l	
	7 ,,	.949	503	69.5	61.0	8.5	55.2	.468 ⋅446	.63	70.5	73.5	N b W	0.8				1	į
	8 ,,	•966	.546	68.0	59.5	8.5	53.4	•420	.62	69.5	73.4	N	0.8		İ			
	9 ,,	979	.591	67.0	5 8.0	9.0	51.1	.388	.59	69.0	73.3	NbE	0.7				1	
	10 ,, 11 .,	.979 .975	.626	66.5	56.5	10.0	48.3	•353	.55	68.6	73.2	,,	0.6				İ	1
	,,	.575	.035	66.3	56.0	10.3	47.4	.342	.53	68.0	73.1	,,	0.5					
an. 2	5тн-Midnight		.615	64.6	55.7	8.9	48.3	.353	.58	67.4	72.2	NbE	0.1		+	6		0.40 3-19
	1 a.m. 2 ,,	.955 .934	.624 .657	63.3	54.3 52.0	9.0	46.5 41.3	.331 .277	.57 .48	66.4	72.2 72.1	"	0.1	1	+	2		2015
	3 ,,	.917	.677	62. 6	50.3	12.3	37.2	•240	.42	65.8	72.0	"	0.1		İ			
	4 ,,	.915	.654	62.2	51.0	11.2	39.6	.261	•46	65.3	71.9	N	0.1					
	5 " 6 "	.937	.656	61.5	51.5	10.0	41.7	.281	.51	64.2	71.6	NbE	0.1	1				1
	7 "	.954 .976	.664	60.7	51.5 53.0	9.2	42.7 45.9	.290	.54 .60	63.6	71.4	"	0.1					
	8 ,,	30.008	.656	65.4	56.0	9.4	48.3	.352	.56	65.4	71.0	,,	0.1		+	6		1.1.
	9 ,,	.028	.67.5	68.5	57.3	11.2	48.3	-353	.51	66.7	71.1	NNE	0.1	1	+	4		2.4
	10 ,,	.032	.700	70.4	57.3	13.1	46.6	.332	.45	68.8	71.2	NEbN	0.1	١.	+	2	.	4-1
	11 " Noon.	.017 29.994	.647 .580	73.8 76.6	60.0 62.5	13.8	49.7 53.0	.370 .414	.45 .46	70.5 72.0	71.4	NE NNW	0.1	one.			None.	
	1 p. m.	.962	.519	78.0	64.0	14.1	55.0	.414	.40	73.1	71.8	NWbN	0.3	ž			ž	
	2 ,,	.929	.466	79.6	65.2	14.4	56.3	.463	.47	74.5	72.0	,,	0.2	}				}
	3 ,,	.911	.426	79.1	65.7	13.4	57.7	.485	.5 0	75.0	72.2	,,	0.3					
	4 ,, 5 .,	.909	.411	78.2	65.8	12.4	58.5	.498	.52	75.0	72.4	NNW	0.4					
	6 "	.919	.415	75.3 71.7	65.0 63.0	10.3	58.9 57.5	.504 .482	.58 .63	74.0 72.4	72.6 72.6	N b"W	0.5	.			-	
	7 ,,	.939	.458	70.5	62.5	8.0	57.5	.481	.65	72.0	72.6	,,	0.5				1	
	8 ,,	.9 60	.461	70.2	63.0	7.2	58.6	-4 99	.68	71.5	72.6	,,	0.6	}				
	9 ,, 10 ,,	.970	.524	69-5	61.0	8.5	55.2	·446	.63	70.4	72.5	,,	0.5		+	10	1	1.1
	10 ,,	.975	.488	68.5	62.0	6.5	57.8	.4 87	.71	69.8	72.4	N	0.3	1	+	2	1	3.1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-cumuli; \(\) i cumulo-strati; and \(\) i nimble.	REMARES.
0	G	scattered along the E hor.; mist around hor.	
0	C	A few v in NE hor.	
0	C C	Cloudless.	
o	C	l	,
0	В	A few wand mist along the E hor.	
	В	∨ scattered above SE and W hor.	
0	B B	Cloudless.	
0	G	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
0	G	22	
0	G	Cloudless and dew falling.	
0	G	Cloudless and dew falling.	Mean daily temperature of ground
3 2	C C	Scattered about moving SE; dew falling. Scattered about hor.; dew falling.	20 and 60 inches below its sur- face 77.7 and 81.6.
2	C	" " " "	23rd January.—On this day wind
3	C	29 49 49	blew with a force of more than
7	В	Dense v scattered about, moving SSE; dew falling.	l lb. on a square foot.
7 7	B B	in hore and a scattered about; dew falling.	
6	В	n' and n scattered about, the former moving SSE; mist around hor.	
6	ō	vi around hor.; vi scattered about moving SE; mist in hor.	
7	G	v and v₁ scattered about moving SE; mist in hor.	
7	G	, , , , , , , , , , , , , , , , , , , ,	
6 5	G	A few vi in E hor.; vi scattered about moving SSE; mist in W hor.	
4	C C	scattered about moving SSE; fresh breezes from NW.	
3	C))	: ,
3	C	22 21	
3	В	∨ scattered about moving SE.	
5 3	B	n n	
2	В	scattered about hor.	
2	В	yy	
2	В	" "	
2	В	"	
0	N	Cloudless	Mean daily temperature of ground 20 and 60 inches below its sur-
0	C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	face 77:6 and 81:6. At 6 A. M.
o	c))))	the temperature of Air was 60°7
0	c	n	lowest in the month, & about 9:6
0	В	2)	lower than the Normal Mean; at
0	B	Mist around hor.	3 A.m. the temperature of Eva- poration and that of the Dew-
l o l	B	"" "	point also was lowest during the
0	C	n n	month—the former was about
0	C	" "	16:0 less than the Normal Mean
0	B B	" "	and the latter about 26% less than the Normal Mean.
ő	Ĉ	Mist along the E hor.	25th January was the 7th cloudless
0	C	1)	day from the beginning of the
0	O	2)	year.
0	В	"	
0	В))))	
ŏ	В	Cloudless.	
0	В	"	
0	o l	"	
	G I) 7	· I

Crit Time Crit Time Crit Time Crit	GROUND WIND PROM OSLER'S GAUGE. RAIN. ELECTRICAL INC.	UMENTS.
A.w. 267m-Midnight 1. 1. 1. 1. 1. 1. 1. 1	Depres- sion of D D A D D D D D D D D D D D D D D D D	1 3 5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		nterval of Time recovering same degree tension after debarge.
1 h. m. 939 - 500 - 648 - 503 - 583 - 554 - 449 - 73 - 67.5 - 72.1 N b E 0.1 1 1 1 1 1 1 1 1 1	in. lbs. ia. Sc. div. Sc.	
2 n 9.94		Those tom
4 "		
4 " 990		
6	8.0 47.1 -338 .61 65.4 71.9 ,, 0.1	1
7		1 1
8		
9		
10		1 1
11	14.0 45.5 322 42 69.0 71.4 NE.DN 0.2 6	
Noon. 29.976 .994 75.4 61.0 14.4 60.7 .382 .44 71.8 71.5		
1 p.m.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
2 ", 599 4.23 78.3 68.1 12.2 69.0 5.06 5.3 74.8 72.0		1
3	12.2 59.0 .506 .53 74.8 72.0 0.6	1
4 " 9.999 4.14 77.6 65.5 12.1 58.3 4.95 5.4 75.0 72.5 NW b N 0.6 6 6 " 9.19 4.10 72.0 64.0 8.0 59.2 50.9 1.69 74.0 72.6 6 ", 0.6 6 " 0.6 6 " 9.19 4.10 72.0 64.0 8.0 59.2 50.9 6.6 72.6 72.6 72.6 ", 0.6 6 " 0.7 9.14 42! 71.0 64.0 6.6 6.0 59.8 50.0 69 72.0 72.6 NN 0.2 72.6 NN 0.2 10 ", 96.4 47! 68.0 62.0 6.0 58.2 493 72 63.2 77 70.0 72.6 NN 0.2 11 ", 96.4 47! 68.0 62.0 6.0 58.2 493 72 63.2 72 5 ", 0.2 11 ", 96.5 47.7 66.0 62.0 6.0 58.2 493 72 63.2 72 5 ", 0.1 11 ", 98.9 46.7 66.3 61.3 5.0 58.1 491 76 69.0 72.4 ", 0.1 11 ", 98.9 46.7 66.3 61.3 5.0 58.1 491 76 69.0 72.4 ", 0.1 1 ", 94.1 49.1 49.1 49.1 49.1 49.1 49.1 49.1	13.0 57.7 .485 .51 75.2 72.2 NNW 0.4	1
6 6 7 919 A410 720 640 80 592 509 66 726 726 72 726 72 72 72 8 72 8 72 8		
0	10.6 58.7 .501 .59 74.0 72.6 , 0.6	
8 " 962 A.38 70.6 64.0 6.6 60.0 5.24 7.7 71.5 72.6 " 0.4 9.9 " 967 A42 692 63.5 5.7 601 5.25 7.7 70.0 72.5 " 0.2 10 " 964 A71 63.0 62.0 6.0 58.2 A93 7.2 62.2 72.5 " 0.2 11 " 9.88 A67 66.3 61.3 5.0 58.1 A91 7.6 68.0 72.4 " 0.1	8.0 59.2 .509 .66 72.6 72.6 ,, 0.6	
9 "		
9		1
11 ", 9.58 4.67 66.3 61.3 5.0 58.1 491 76 69.0 72.4 ", 0.1 JAN. 27TH-Midnight 1.943 4.57 66.0 61.0 5.0 57.8 4.86 76 68.2 72.2 N 0.1 1 a. m. 935 4.73 65.5 60.0 5.5 56.3 4.62 7.4 68.0 72.2 ", 0.1 2 ", 916 4.39 66.1 60.7 6.4 67.9 4.77 7.4 68.0 72.2 ", 0.1 3 ", 913 4.25 65.8 61.0 4.8 57.5 4.82 78 67.8 72.1 ", 0.1 4 ", 910 4.28 65.0 60.5 4.5 57.5 4.82 78 67.8 72.1 ", 0.1 5 ", 919 4.49 64.8 60.0 4.8 56.8 470 7.7 67.0 72.0 ", 0.3 6 ", 937 487 64.0 590 50.5 55.4 54.0 75.9 66.5 71.6 ", 0.1 7 ", 963 5.67 63.8 57.0 68. 51.7 386 6.7 66.0 71.6 N b E 0.2 8 ", 983 5.67 63.8 57.0 68. 51.7 386 6.7 66.0 71.6 ", 0.1 11 ", 29990 5.77 76.4 62.4 14.0 52.9 41.3 4.2 74.7 17.7 17.7 NNW 0.2 9 ", 30007 626 69.2 58.6 10.8 50.5 381 54 68.6 71.6 ", 0.1 11 ", 29990 5.77 76.4 62.4 14.0 52.9 41.3 4.2 74.7 17.7 NNW 0.2 2 ", 920 3.38 78.8 68.8 10.2 63.2 582 .81 75.5 72.7 NW 0.3 2 ", 920 3.38 78.8 68.8 10.2 63.2 582 .81 75.5 72.7 NW 0.3 2 ", 920 3.39 75.4 67.3 81.0 69.0 9.0 64.3 60.4 63.4 75.7 73.0 ", 0.5 6 ", 913 3.40 73.0 67.0 60.0 63.8 593 7.7 73.2 NW 0.3 2 ", 920 3.39 75.4 67.3 81.0 69.9 9.0 64.3 60.9 50.9 60	5.7 60.1 .525 .77 70.0 72.5 N 0.2	1
JAN. 27TH-Midnight	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1 a. m. 935	3.0 38.1 .491 .70 09.0 72.4 ,, 0.1	
2		
3 ,, 913	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4 ", 910	, , , , , , , , , , , , , , , , , , ,	}
5	, , , , , , , , , , , , , , , , , , , ,	
6)	1
7 ,	, , , , , , , , , , , , , , , , , , ,	
8 , 985 5.597 67.0 58.0 9.0 51.1 388 5.9 67.5 71.6 " 0.1	, and an area area area area area area area a	
9 ,, 30.007		1
10	, , , , , , , , , , , , , , , , , , , ,	1
Noon. 968 516 77.2 64.0 13.2 55.6 452 .50 74.0 72.2 7.0 0.5 1 p. m. 945	138 407 270 45 710 717 " 01	
1 p. m. 945	14.0 52.9 413 42 72.4 71.0 NNW 0.2 5	ان
1 p. m. 945	13.2 55.6 452 50 74.0 72.2	3
2 ;;	11.1 61.0 541 57 750 72.4 NW 0.3	4
3 ,, 905 305 78.4 69.0 9.4 64.1 600 63 75.9 72.9 NWb N 0.6 4, 906 302 78.0 69.0 9.0 64.3 604 64 75.7 73.0 73.0 73.0 65 9.0 66 33.9 75.4 67.3 8.1 62.9 577 67 74.5 73.2 70.0 66 9.0 66 9.0 67.0 60.0 63.8 593 7.4 73.5 73.2 70.0 66 9.0 9.0 64.3 604 64 75.7 73.0 70.0 66 9.0 9.0 64.3 604 64 75.7 73.0 70.0 66 9.0 9.0 66 9.0 67.0 60.0 63.8 593 7.4 73.5 73.2 70.0 66 9.0 9.0 9.0 64.3 67.0 60.0 63.8 593 7.4 73.5 73.2 70.0 66 9.0 9.0 9.0 64.3 67.0 60.0 63.8 593 7.2 72.0 73.2 NNW 0.2 9.0 9.0 971 446 69.2 63.5 5.7 60.1 525 7.7 71.1 73.1 Nb W 0.3 10 , 967 489 68.4 62.0 6.4 57.3 478 71 70.2 73.0 70.0 72.9 N 0.3 10 , 959 466 68.0 62.0 6.0 58.2 493 7.2 70.0 72.9 N 0.3 11 , 959 466 68.0 62.0 60.0 58.2 493 7.2 70.0 72.9 N 0.3 11 , 959 466 68.0 62.0 60.0 58.2 493 7.2 70.0 72.9 N 0.3 10 3.0 918 366 67.0 63.0 4.0 60.6 534 81 69.3 72.9 7.0 1 3.0 9.9 8.3 66 67.0 63.6 3.4 61.6 552 84 69.1 72.8 7.0 1 5 69.0 72.9 1 0.1 6 9.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.2 63.2 582 61 75.5 72.7	1
4 ",		1
5 ,, .916 .339 75.4 67.3 8.1 62.9 .577 .67 74.5 73.2 0.6	9.0 64.3 .604 .64 75.7 73.0 ,, 0.5	İ
6 ,, 933 .340 73.0 67.0 6.0 63.8 .593 .74 73.5 73.2 ,, 0.6 0.6 7 ,, 948 .405 71.7 65.0 6.7 61.1 .543 .71 72.5 73.2 ,, 0.6 0.6 8 ,, 969 .430 70.7 64.5 6.2 60.9 .539 .72 72.0 73.2 NNW 0.2 9 ,, 971 .446 69.2 63.5 5.7 60.1 .525 .77 71.1 73.1 N b W 0.3 10 ,, 967 .489 68.4 62.0 6.4 57.3 .478 .71 70.2 73.0 ,, 0.2 11 ,, 959 .466 68.0 62.0 6.0 58.2 .493 .72 70.0 72.9 N 0.3 + 1 1 1 1 1 1 1 1 1	8.1 62 9 .577 .67 74.5 73.2 " 0.6	1
7 , 948 .405 71.7 65.0 6.7 61.1 .543 .71 72.5 73.2 , 0.6 8 , 969 .430 70.7 64.5 6.2 60.9 .539 .72 72.0 73.2 NNW 0.2 9 , 971 .446 69.2 63.5 5.7 60.1 .525 .77 71.1 73.1 N b W 0.3 10 , 967 .489 68.4 62.0 6.4 57.3 .478 .71 70.2 73.0 , 0.2 11 , 959 .466 68.0 62.0 6.0 58.2 .493 .72 70.0 72.9 N b E 0.5 1 a. m. 946 .435 68.0 62.6 5.4 59.3 .511 .75 69.6 72.9 , 0.2 2 , 940 .406 67.0 63.0 4.0 60.6 .534 .81 69.3 72.9 , 0.1 3 , 918 .366 67.0 63.6 3.4 61.6 .552 .84 69.1 72.8 , 0.1 3 , 917 .371 66.5 63.2 3.3 61.3 .546 .84 68.9 72.7 , 0.1 5 , 931 .414 65.8 62.0 3.8 59.6 .517 .82 68.0 72.6 , 0.1 5 , 0.1 7 , 962 .462 66.0 61.5 4.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .517 .82 68.0 72.4 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 , 0.1 7 , 982 .465 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 NNE 0.3 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 NNE 0.3 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 NNE 0.3 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 NNE 0.3 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.3 NNE 0.3 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.4 99.0 99.0 .466 68.5 63.0 5.5 59.6 .500 .79 67.3 72.4 99.0 99.0 99.0 99.0 99.0 99.0 99.0 99	6.0 63.8 .593 .74 73.5 73.2 ,, 0.6	
8 ,,	6.7 61.1 .543 .71 72.5 73.2 ,, 0.6 .	
10 , 967	6.2 60.9 .539 .72 72.0 73.2 NNW 0.2	i
11 ,, .959 .466 68.0 62.0 6.0 58.2 .493 .72 70.0 72.9 N b E		
JAN. 28TH-Midnight .957 .464 68.0 62.0 6.0 58.2 .493 .72 70.0 72.9 N b E 0.5 1 a. m946 .435 68.0 62.6 5.4 59.3 .511 .75 69.6 72.9 0.2 2 940 .406 67.0 63.0 4.0 60.6 .534 .81 69.3 72.9 0.1 3 0.1 65 63.2 3.3 61.3 .546 .84 69.1 72.8 0.1 5 0.1		2.2
1 a. m. .946 .435 68.0 62.6 5.4 59.3 .511 .75 69.6 72.9 ", 0.2 2 "" .940 .406 67.0 63.0 4.0 60.6 .534 .81 69.3 72.9 ", 0.1 3 "" .918 .366 67.0 63.6 3.4 61.6 .552 .84 69.1 72.8 ", 0.1 4 "" .917 .371 66.5 63.2 3.3 61.3 .546 .84 68.9 72.7 ", 0.1 5 5 "" .931 .414 65.8 62.0 3.8 59.6 .517 .82 68.0 72.6 ", 0.1 5 6 "" .941 .491 64.0 59.0 5.0 55.5 .450 .75 67.0 72.4 ", 0.1 7 "" .962 .462 66.0 61.5 4.5 58.6 .500 .79 67.3 72.3 ", 0.1 8 "" .982 .465 68.5 63.0 5.5 59.6 .517 .75 <td>0.0 36.2 .423 .72 70.0 72.9 N 0.3 + 1</td> <td>Above 1</td>	0.0 36.2 .423 .72 70.0 72.9 N 0.3 + 1	Above 1
1 a. m. .946 .435 68.0 62.6 5.4 59.3 .511 .75 69.6 72.9 ,, 0.2 2 ,, .940 .406 67.0 63.0 4.0 60.6 .534 .81 69.3 72.9 ,, 0.1 3 ,, .918 .366 67.0 63.6 3.4 61.6 .552 .84 69.1 72.8 ,, 0.1 5 4 ,, .917 .371 665 63.2 3.3 61.3 .546 .84 68.9 72.7 ,, 0.1 5 5 ,, .931 .414 65.8 62.0 3.8 59.6 .517 .82 68.0 72.6 ,, 0.1 5 6 ,, .941 .491 64.0 59.0 5.0 55.5 .450 .75 67.0 72.4 ,, 0.1 7 ,, .962 .462 66.0 61.5 4.5 58.6 .500 .79 67.3 72.3 ,, 0.1 8 ,, .982 .465		Above
2 ,,	5.4 59.3 .511 .75 69.6 72.9 ,, 0.2	
3 ,, .918 .366 67.0 63.6 3.4 61.6 .552 .84 69.1 72.8 ,, 0.1 \$\frac{1}{9}\$.917 .371 66.5 63.2 3.3 61.3 .546 .84 68.9 72.7 ,, 0.1 \$\frac{1}{9}\$.931 .414 65.8 62.0 3.8 59.6 .517 .82 68.0 72.6 ,, 0.1 \$\frac{1}{9}\$.941 .491 64.0 59.0 5.0 55.5 .450 .75 67.0 72.4 ,, 0.1 .962 .462 66.0 61.5 4.5 59.6 .500 .79 67.3 72.3 ,, 0.1 .982 .465 68.5 63.0 5.5 59.6 .517 .75 69.0 72.3 NNE 0.3 .998 .461 70.6 64.4 6.2 60.8 .537 .73 .70 .73	4.0 60.6 .534 .81 69.3 72.9 ,, 0.1	
6 ,, .941 .491 64.0 59.0 5.0 55.5 .450 .75 67.0 72.4 ,, 0.1 7 ,, .962 .462 66.0 61.5 4.5 58.6 .500 .79 67.3 72.3 ,, 0.1 8 ,, .982 .465 68.5 63.0 5.5 59.6 .517 .75 69.0 72.3 NNE 0.3 9 ,, .998 .461 70.6 64.4 6.2 60.8 537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 .998 .998 .461 70.6 .644 .998 .547 .998 .99	3.4 61.6 .552 .84 69.1 72.8 ,, 0-1 g	<u>.</u>
6 ,, .941 .491 64.0 59.0 5.0 55.5 .450 .75 67.0 72.4 ,, 0.1 7 ,, .962 .462 66.0 61.5 4.5 58.6 .500 .79 67.3 72.3 ,, 0.1 8 ,, .982 .465 68.5 63.0 5.5 59.6 .517 .75 69.0 72.3 NNE 0.3 9 ,, .998 .461 70.6 64.4 6.2 60.8 537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 70.2 72.4 .998 .461 70.6 64.4 6.2 60.8 .537 73.3 .998 .998 .461 70.6 .644 .998 .547 .998 .99	3.3 61.3 .546 .84 68.9 72.7 ,, 0.1 5	None.
7 ,, 962 .462 66.0 61.5 4.5 58.6 .500 .79 67.3 72.3 ,, 0.1 8 ,, 982 .465 68.5 63.0 5.5 59.6 .517 .75 69.0 72.3 NNE 0.3 9 998 .461 70.6 64.4 62 60.8 537 73.3 70.3 72.4	0.0 0.0 0.0 1.01 0.0 12.0 3,	<
8 ,		
9 998 461 70.6 644 62 60.8 527 23 70.2 724 112 0.2		
7 . 1 .090 .401 /1.01 KY KY KY TO 100 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	المالية المحالية المتعادية المحالية المحالية	1
10 " 100 000 101 00 101		3.5
10 ,, 30.003 .484 72.5 64.5 8.0 59.7 .519 .66 72.0 72.5 ,, 0.2 + 6 65.0 11.4 53.1 .492 .55 74.2 72.6 NW b N 0.2 + 1	1114 62 1 402 66 64 60 1 2777 27 60	1.5

- 			T
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \(\) cirri; \(\) i cirro-cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbl.	Remarks.
000000000000000000000000000000000000000	G C C C B B G G C C C B B B G G	Cloudless and dew falling. """ Cloudless. """ Mist around hor. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 77:4 and 81:4. 26th January was the 8th cloudless day from the beginning of the year.
	G G C C C B B B G G G C C C B B B B	Cloudless. Cloudless and dew falling. """ """ Mist around hor. A few \(\text{above} \text{S} \) hor.; mist in hor. A few \(\text{above} \text{about zenith}; \) mist in hor. \(\text{along the W hor.}; \text{\sigma} \text{scattered here and there}; \) mist in E hor. \(\text{scattered along the W hor.}; \) mist in E hor. \(\text{scattered above W and N hor.}; \) mist along E hor. A few \(\text{above NW hor.}; \) mist along E hor. Mist along the E hor. \(\text{Cloudless.} \) ""	Mean daily temperature of ground 20 and 60 inches below its surface 77.3 and 81.3.
	B G G C C C B B B G G	A few win W hor.; dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 77.2 and 81.3. 28th January.—On this day fresh breezes of wind blew from NW.

		DARD METER.	Тив	RMOMET	rens.		OP B.	AIR.		CHD METERS,	Osler's G		RAIN.	ELEC	TRICAL	INSTR	UMBNTS.
Bombay					Depres-	DEDUCED DEW-POINT.	REOURE	MO 1	d.	υ Β					Read	ings of	de che
Civil Time.	Corrected	Corrected	In the		sion of WetBulb	DOC-	SSU	ITX	meter 1 inc	d.	.	Pressure in lbs.	By New-	Sign of		i -	of Time ing
1864.	32° Fahr.	for Moisture.	Air.	Thermo- meter.	Thermo- meter in	DEW	PRESSURE O	UKIDITY	mom the G	Thermometer inches in the Ground.	Direction.	Square Foot.	man's Gauge.	islectrici- ty + or	Strawso	Strawso Volta 2	시를 받아 되면
1004.					the Air.			Hu	Thermon	Į,							1 5 4 2 4
Jan. 28th-Noon.	in.	in. 29.450	78:0	66:0	10%	5000	in. 0.506	0.54	74:6	72:8	NWbN	lbs.	in.		Sc. div.	Sc. div.	
l p. m.	29.956 .924	.376	78.6	67.5	12°0 11.1	59°0 61.4	-548	.57	75.4	73.0	NWbW	0.4		ļ	1		
9 1	.899	.307	79.1	69.0	10.1	63.7	•592	.61	76.0	73.2	WNW	0.3	1	1	ĺ	l	1
3 ,,	.886	.288	79.5	69.3	10.2	64.0	-598	.61	76.4	73.4	,,	1.5	ĺ				
4 ,,	.882	.271	78.6	69.4	9.2	64.7	.611	.64	76.1	73.6	,,	0.4	ĺ			1	
5 ,,	.888	.245	76.0	69.5	6.5	66.2	.643	.73	75.0	73.7	NWbW	0.7	None.	None.	j ej	જું	ģ
6 "	.899	.269	73.2	63.2	5.0	65.6	.630	.78	73.8	73.7	,,	0.8	20	٥	None.	None.	None.
7 "	.921	.284	72.0	68.0	4.0	65.9	.637	.82	73.2	73.6))	0.7	_	-	"		-
8 "	.944	.320	71.7	67.5 66.2	4.2 4.3	65.3	•595	.81 .81	73.0 7 2.0	73.6 73.6	NW bN	0.6	İ	l	1	•	ļ
9 ,, 10 ,,	.948 .951	.359	70.3	66.0	4.3	63.9 63.7	•592	.81	71.2	73.5	NNW	0.6	1	1		l	1
11 "	.942	.337	69.0	66.0	3.0	64.4	.605	.86	71.0	73.4	l	0.4	l		İ	ĺ	
11 ,,	.522		00.0		0.0	02.1			''''		"	"					
AN. 29TH-Midnight	.934	.379	68.7	64.3	4.4	61.8	-555	.80	70.0	73.2	NNW	0.3					
l a. m.	.925	.371	68.5	64.2	4.3	61.7	-554	.80	70.0	73.2	NWbN	0.3			1	1	1
2 ,,	.903	.332	68.3	64.7	3.6	62.6	571	.83	70.0	73.2	,,	0.1					1
3 ,,	.892	.324	68.0	64.5	3.5	62.5	<i>-5</i> 68	.84	70.0	73.2	,,	0.1	l	1		}	l
4 ,,	.891	.327	67.0	64.0	3 .0	62.2	. 564	.86	69.5	73.1	NNW	0.1	l			[l
5 "	.906	.336	66.5	64.0	2.5	62.5	. 569	.88	69.0	73.0	,,	0.3	1		l]	1
6 ,,	.931	.382	65.6	63.0	2.6	61.4	• 54 9	.87	68.0	72.9	,,	0.1				l	Ì
7 ,,	.959	.477	65.0	60.5	4.5	57.5	-482	.78	67.5	72.8	,,	0.1	i	١.	١	ļ	
8 "	-978	.480	67.5	62.0	5.5	58.5	•498 400	.75	68.5	72.8	N L 137	0.3]	+	10		0,36
9 ,, 10	30.002	.503 .519	70.2	63.0 63.0	7.2 8.7	58.6	·499 ·482	.68 .63	70.0	72.8 72.8	NbW	0.2]	+	12 6	<u> </u>	1.18 2.9
11 "	.001 29.981	-496	75.6	64.5	11.1	57.5 57.7	.485	.56	72.8	72.9		0.2		~	١٠	نه	2.9
Noon.	955	428	76.9	66.3	10.6	60.2	-527	.58	74.0	73.0	n'w	0.5	None.		}	8	
l p. m.	.926	.372	78.0	67.5	10.5	61.7	-554	.59	75.0	73.2	NNW	0.4	Ž	l		Z	
2,,	.905	-313	79.1	69.0	10.1	63.7	-592	.61	76.0	73.4	,,	0.4	ľ	}	l	l	1
3 ,,	.891	.264	79.3	70.1	9.2	65.4	.627	.64	76.3	73.5	,,	0.3			1	1	Ì
4 ,,	-890	.273	79.0	69.7	9.3	65.0	.6l7	.64	76-2	73.7	,,	0.3		+	3	i	3,40
5 "	.899	-347	76.7	67,0	9.7	61.6	-552	.61	75.0	73.9	"	0.7					ł
6 "	.907	•353	73.6	66.0	7.6	61.7	,554	.63	74.0	73.9	"	0.7		١.			
7 ,,	.916	-375	72.5	65.2 65.0	7.3	61.0	-541	.69 .71	73.5 73.0	73.9 73.8	N b'w	0.6		+	2		3-5
8 " 9 "	.930	-387 -350	71.7	66.3	6.7 5.0	61.1 63.5	•543 •589	.78	73.0	73.7		0.6	l	++	1 6	ľ	Above 10m 2.21
10 "	.947	·376	69-2	65.0	4.2	62.6	-571	.81	71.3	73.6	,,	0.3		+	10	ŀ	1,11
10 ,,	.936	•365	68.3	64.7	3.6	62.1	•571	-83	70.4	73.5	"	0.2		+	4		3.38
,,						02.0					"			'			
AN. 30TH-Midnight	.923	•352	68.3	64.7	3-6	62.6	, 571	.83	70.0	73.4	NhW	0.3		+	6		3.26
l a. m	.901	.341	68.5	64.4	4.1	62.0	,560	,81	70.0	73.4	N	0.1		+	8		1.20
2 ,,	.894	.462	68.2	60.0	8.2	54.3	.432	.63	69.8	73.3	NbE	0.1	ł	+	2		Above 10m
3 ,,	.888	.375	69.2	63.1	6.1	59.4	-513	.72	69.8	73.3	,,	0.1		+	4		4.10
4 ,,	.890	.3 86	67.3	62.1	52	58.9	-504	.76	69,4	73.2	"	0.1		+	20	20	0.5
5 ,,	.902	.492	650	58.0	7.0	52.7	,410	.67	68.0	73.0	"	0.1					
6 " •	.928	.541	64.6	57.0	7.6	51.0	-387	.64	67.5	72.8	"	0.2					
7 ,, 8 ,,	.954	.567 .579	66.6 70.0	57.8 59-5	8.8 10.5	51.0 51.8	,387 .397	.60	68.2 69.5	72.7 72.7	NNE	0.2					
ο "	.976	•589	70.0	60.3	11.0	51.8 52.4	.397 -466	.55 .53	70.4	72.7		0.1		+	2		4 40
10 "	.996	•569	74.0	62.0	12.0	53.9	.427	.53 .52	70.4	72.7	"	0.1	ai	+	î		4.49
11 ,,	.972	.518	75.6	63.5	12 1	55.7	-454	.52	72.7	72.9	"	0.2	None.	+	i		Above 10s
Noon.	.947	-464	77.2	65.0	12.2	57.6	.483	.53	74.0	73.0	NW'b N	0.3	Z				
l p. m.	.920	-340	79.0	68.6	10.4	63.1	-5 80	.60	75.1	73.2	"	0.5					
2 ,,	.895	· 2 85	79.0	69.5	9.5	64 6	-610	.63	76.0	73.4	"	0.4		+	4		1.35
3,	.880	.253	79.0	70.0	9.0	65.4	.627	.65	76.2	73.6	"	0.3		+	2		Above 10
4 "	.879	•260	79.7	700	9.7	65.1	·619	.63	76.8	73.8	"	0.2		+	2		4.15
5 "	-888	•298	77.8	63.5	9.3	63.6	.590	.63	75.0	73.8	"	0.3		+	6		2.23
6 " 7 "	.891 .966	.300 .305	75.2 71.7	67.7 66.8	7.5 4.9	63·7 64.2	-591 -601	.69 .78	74.2 73.7	73.9 73.9	"	0.5 0.6		+	10 18	14	0.50 1.00
Ω ″	.918	-335	71.0	66.0	5.0	63.2	.583	.78	73.7 73.0	73.9 73.9	"	0.6		+	20	18	0,21
ο "	.945	.432	70.3	63.5	6.8	59.0	. 503	.70	73.0	73.8	N b E	0.5		++	10	10	2.11
10 ,,	.937	.424	69.2	63 1	6.1	59.4	.513	.72	71.4	73.7	NbW	0.3		+	6		2.26
11 ,,	.931	.419	690	63,0	6.0	59.3	.512	.73	70.3	73.6	NWbN	0.2		 	6		2.49

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) cumuli; \(\sigma\) i cirro-strati; \(\sigma\) i cumulo-strati; and \(\sigma\) i nimble.	REMARKS.
0	G	A few vi and mist around hor-	
0	C	A few vand mist along the E. hor.	
0	C C))	
0	C	A few varound hor.; mist along the E hor.	
0	B B		
0	В	Cloudless.	
0 0	B G	>>	
0	ā	Cloudless and dew falling.	
0	G	"	
0 0	G C	Cloudless and dew falling.	Mean daily temperature of ground 20 and 60 inches below its sur-
0	C C	"	face 77:2 and 81:3.
ő	c))	
$\begin{vmatrix} 0 \\ 1 \end{vmatrix}$	В	scattered along the E hor.; dew falling.	
i	B B	N scattered along the E hor.; mist around hor.	
0	В	A few scattered in SE hor.; mist around hor.	
0 0	G G),),),),),),),),),),),),),)	
0	G	A few where and there in hor.; mist and fog in hor.	
0 0	G C	Mist around hor.	
0	c	, , , ,	
0	C C	Mist along the E hor.	
0	в	" " " " "	
0 0	ВВ	Cloudless.	
0	В	"	
0 0	G G	Cloudless; dew falling.	
0	G	" "	·
1 1			
0	G	Cloudless.	Mean daily temperature of ground
0 0	C C	" "	20 and 60 inches below its surface 77:3 and 81:3.
0	c	,,	
0	C B	Cloudless; and dew falling.	
0	В	A few win E hor.	
1 0	B B	N scattered along the E hor. A few N above SE hor.; mist in hor.	
0	G	31 12 22	
0	G	Mist around hor.	
0	G	;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;;	
0	C	"	
0 0	C))	
0	C	Mist along the E hor.	
0 0	G),),),),),),),),),),),),),)	
0	G	Cloudless.	
0	G G	Cloudless and dew falling.	
0	G	"	
0	G 196	17 27	

			THERMOMETERS.			o i	0.F	AIR.	Тнвимо	UND MRTERS.	Wind F Osler's G		RAIN.	Errc.	FRICAL	INSTRU		
	Bombay Civil Time.		Corrected	In the	WetBulb	Depres- sion of WetBulb	DEDUCED EW-POLNT	PRESSURE 01 MOISTURE.	ITY OF	reer Hnch	Thermometer 6 inches in the Ground.	Du	Pressure in Ibs.	By New-	Sign of		ngs of	f'Time in ng the gree of Aer dis-
	1864.	to 32º Fahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- ineter in the Air.	DEV	PRE	Ilunibity	Thermometer l in the Grou	Thermo inches Grou	Direction.	per Square Foot.		ty + or —	Strawsof	Straws of Volta 2.	Interval of Time in recovering the sums degree of tension after discination.
EB.	lst-Midnight	in. 29.944	ın. 29.328	68.0	66°V	2.0	64.9	in. 0.616	0.91	7000	73°4	NbW	1bs. 0.3	in.	+	Sc. div.	Sc. div.	m. s. 2.26
	la.m.	.934	•324	68.0	65.8	2.2	64.6	.610	.90	70.0	73.3	,,	0.1		+	4		3.10
	2 ,, 3	.915	.296	68.0	66.1	1.9	65.1	.619	.91	70.0	73.3	N	0.2		+	2		Above 10m.
	3 ,, 4 ,,	.912	.294 •313	67.8	65.0	1.8	65.0 64.1	.618 .599	.91 .92	69.7 69.3	73.2 73.2	"	0.1		1			
	5 ,,	.933	•326	67.0	65.4	1.6	63.5	-607	.92	69.3	73.2	N b E	0.1			ļ		
	6 ,,	.960	•386	66.1	64-0	2.1	62.8	-574	.90	69.0	73.1	NEBE	0.1		ļ			
	7 ,, 8	30.013	.419 .427	66.5	64.1 65.2	3.2	62.7 63.4	-573 -586	.89	68.5	73.0 72.9	E b N	0.2					
	9 ,,	.034	•444	70.4	66.0	4.4	63.6	. 590	.80	70.0	73.0	ENE	0.2					
	10 ,,	.044	.439	72.5	67.2	5.3	64.4	•605	.77	71.5	73.0	EbN	0.1	one.			one.	
	11 ,, Noon.	.040	.464	74.5 76.4	67.0 68.0	7.5 8.4	62.9 63.5	.576 .589	.69 .66	72.5	73.1 73.2	NNW	0.1	No.			Š	
	1 p. m.	29.984	•402	77.0	68.0	9.0	63.2	.582	.64	74.2	73.3	NW	0.5		1	l		
	2 · "	956	•365	77.4	68.4	9.0	63.6	•591	.64	75.0	73.4	WNW	0.4					
	3 ,, [,]	.945	·355	77.8	68.5	9.3 9.6	63.7 62.9	•590 •577	.63 .62	75.1 74.5	73.5 73.5	NW	0.6				•	
	5 ,,	.957	.418	75.0	66.0	9.0	60.9	•539	.63	74.0	73.7	Nw'b w	0.6					
	6 ,,	.971	.462	72.3	64.1	8.2	59.2	•509	.65	73.4	73.8	NW	0.5					
	7 ,, 8 ,,	30.008	467	71.2	64.1 64.6	7.1	59.9	.521 .541	.69	73.0 72.2	73.9	NWbN	0.3					
	9 ,,	.032	.467	70.4	65.0	6.2 5.4	61.0	•558	.73 .76	71.2	74.0 73.8	"	0.2					Į.
	10 ,,	.032	.488	68.8	64.0	4.8	61.2	-544	.78	70.2	73.6	"	0.1					
	11 "	.025	•483	67.7	63.5	4.2	61.0	.542	.81	69.7	73.5	,,	0.0					
BB.	2nd-Midnight		.482	67.0	63.0	4.0	60.6	.534	.81	69.0	73.3	NNW	0.0					
	la.m. 2	29.997	.423	66.1 65.5	64.0	2.1	62.8	•574 •571	.90 .91	68.2	73.2	,,	0.0				1	
	3 ,,	.975	.422	65.3	63.0	1.8 2.3	62.6 61.6	.553	.89	68.0	73.1 72.9	,,	0.0					1
	4 ,,	.972	.416	65.0	63-0	2.0	61.8	•556	.90	67.7	72.8	N b'W	0.2					1
	5 ,, 6	.987	.516	64.7	60.0	4.7	56.8	.471	.77	67.6	72.8	N	0.1					
	7 "	30.012 .036	.526 .569	65.0 65.4	60.6 60.1	4.4 5.3	57.8 50.6	•486 •467	.79	67.5	72.7 72.6	N b E NNE	0.1					
	8 ,,	.071	.554	67.7	62 7	5.0	59.6	-517	.77	67.9	72.4	ENE	0.1				ļ	į
	9,,	.091	.598	69.4	62.5	6.9	58.2	•493	.69	69.2	72.6	NEBE	0.2			İ		
	10 ,,	.093	.616	72.2	63.0	9.2	57.2	-477	.61	71.0	72.6	ENE	0.3					1
	11 ,, Noon.	.073	.582	73.6 76.3	64.0	9.6 13.0	58.1 54.9	-491 -441	.60 .49	72.0	72.7 72.9	,,	0.2	None.	None.	None.	None.	None.
	1 p. m.	.027	.568	78.2	64.6	13.6	56.1	.459	.48	73.7	73.0	NW'b W	0.2	Ž	ž	Ž	ž	Ž
	2 ,,	.004	.509	79.0	66.0	13.0	58.3	-495	.51	75.0	73.1	, ,	0.4					
	3 ,, 4	29.992	.489	79.4 78.9	66.4	13.0	58.8	-503 -528	.51 .55	75.1 75.0	73.2	NW	0.5		1			
	5 ,,	.993	.454	77.1	66 7	11.9	60.3	.539	.59	75.0 75.0	73.3 73.5	NW b N	0.7					
	6,,	.999	.457	73.6	65.6	8.0	61.0	-542	.67	73.8	73.6	,,	0.2					1
	7 ,, 8 .,	30.022	.454	72.4	66.0	6.4	62.5	.568 .572	.72	73.3	73.7	NNW	0.1					
	8 ,, 9 ,,	.040	.474 .501	72.0 71.6	66.0 65.5	6.0	62.7 62.1	.551	.74	73.0 72.8	73.7 73.6	N b W	0.2				}	
	10 ,,	.062	.479	71.0	66.0	5.0	63.2	-583	.78	72.3	73.5	,,	0.2			1	İ	
	11 ,,	.054	.470	69.5	65.5	4.0	63.3	.584	.82	71.0	73.4	"	0.1					
Feb.	3RD-Midnight		.524	68.0	63.0	5.0	60.0	.523	.77	70.0	73.3	N	0.0					
	la.m. 2	.026	.484 .462	67.7 67.1	63.5	4.2	61.0	.542 .548	-81	69.5	73.2	NbE	0.0					
	3 ,,	29.998	.453	66.0	63.0	3.6	61.4	.545	.83 .85	69.0 68.2	73.1 73.0	,,	0.0 0.2				1	
	4 ,,	30 001	.513	65.8	61.0	4.8	57.9	.488	.77	68.0	72.9	"	0.2					
	5 "	.012	.468	66.1	63.0	3.1	61.2	.544	.85	67.8	72.9	"	0.1	Je.			je	
	6 ,, 7	.024	.487 .522	66.7 66.8	63.0	3.7	60.8	•537 •524	.82	67.8	72.8	»,	0.1	None.		_	None.	
	8 ,,	.063	.533	70.1	64.0	4.2 6.1	60.0 60.4	.530	.80 .73	67·5 69.4	72.8 72.8	NNE ENE	0.1 0.1	-	+	4	~	1.50
	9,,	.087	.515	72.0	66.0	6.0	62.7	.572	.74	71.0	72.9	EbN	0.1		+	4		1.27
	10 ,,	.095	.547	72.8	65.5	7.3	61.4	.548	.69	71.7	73.0	"	0.2					
	11 .,	.082	.543	75.0	66 0	7.0	60.9	• 5 39	.63	72.7	73.1	,,	0.1	<u> </u>			<u> </u>	1

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbl.	Remarks.
0 0 0 0 4 4 3 2 0 0 1 1 1 6 6 7 5 5 3 0 0		Cloudless and dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 77.5 and 81.1.
0 1 1 4 4 4 3 3 4 4 6 5 7 6 6 6 6 6 4 3 0 0 0	B G G G C C C B B B G G C C C C B B B B	Cloudless and dew falling. Cloudless and dew falling. Scattered along the E hor.; dew falling. Scattered about moving SE; dew falling. Scattered about hor.; mist around hor. Scattered about moving SE; mist in hor. Scattered about moving E; mist around hor. Scattered about moving E; mist in hor. Scattered about moving E; mist in hor. Scattered about moving NE. Cloudless. Cloudless and dew falling.	Mean daily temperature of ground 20 and 60 inches below its surface 77.5 and 81.1. Temperature of free Air at 5 A.M. was 64.7 least during the month and about 6.1 less than the Normal Mean for the hour.
0 0 0 0 0 0 3 6 6 7 7	B G G G C C C C B B	Cloudless and dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 77.6 and 81.0.

		STANDARD BAROMETER.		THE	RMOMET	ERS.		O.F.	AIR.		OUND METERS.	WIND F OSLER'S C		RAIN.	ELEC	TRICAL	Instru	MENTS.
	Bombay					Depres-	UCED	ESSURE O	40	Theb	er G		Pressure		H	Readi	ngs of	Thue in ng the gree of fter dis-
	Civil Time. 1864.	Corrected to 32° Fahr.	for	In the	WetBulb Thermo- meter.	WetBulo below Thermo- meter in the Air,	DEDUCED DEW-POINT	PRESS	HUMIDITY	Thermometer I inch in the Ground.	Thermomete inclus in Ground,	Direction.	in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty+or—	Strawsof	Strawsor Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
FEB.	3RD-Noon.	in. 30.057	in. 29.486	7890	68°0	1000	62.6	in. 0.571	0.61	74.5	73:3	NNW	1bs. 0.1	in.		Sc. div.	Sc. div.	m. s.
FEB.	l p. m.	.030	.472	79.2	68.0	11.2	61.9	-558	.57	75.0	73.4	NW	0.5					
	2 ,,	29.997	.419	79.8	68.8	11.0	63.0	.578	.58	76.0	73.5	NWbN	0.7					
	3 "	.980	.398	80.6	69.2	11.4	63.2	.582	.57	76.7	73.6	,,,	0.7				11	
	4 ,,	.986	.370	80.0 78.5	70.0	10.0	64.9 66.4	.616	.62 .68	76.6 76.5	73.8	NNW	0.7					
	5 ,, 6 ,,	.986	.339	75.2	70.4	5.2	67.4	.669	.78	75.4	73.9 74.1	,,	0.3	None.	None.	None.	None.	None.
	7	30.009	.378	74.0	68.5	5.5	65.6	.631	.76	74.6	74.3	",	0.4	Z	Z	Z	ž	Z
	8 ,,	.033	.399	73.5	68.4	5.1	65.8	.634	.78	74.2	74.2	,,	0.3					
	9 "	-065	.496	72.3	66.0	6.3	62.5	•569	.73	73.0	74.1	NbW	0.2					
	10 "	.066	.529	72.3	65.0	7.3	60.8	-537	.69	73-0	74.1	NbE	0.2		1			
	11 "	.062	.493	72.3	66.0	6.3	62.5	.569	.73	73.0	74.1	NNE	0.1					
FEB.	4тн-Midnight		.455	70.0	66.0	4.0	63.8	.594	-82	71.4	74.0	NE b N	0.0			8-3		
	l a. m.	.031	.452	69.6	65.4	4.2 3.2	63.0	.579 .593	.81	71.0	73.9	"	0.0					
	2 "	.014	.421 .424	68.7 68.5	65.5 65.0	3.5	63.8 63.0	.578	.85	70.2	73.8	,,	0.1					
	3 ,,	.002	.424	68.5	65.0	3.5	63.0	.578	.84	70.0	73.6	"	0.0					
	5 ,,	.014	.442	68.5	64.8	3.7	62.7	-572	.83	69.8	73.5	EUN	0.1		1			
	6 ,,	.029	.487	69.0	64.0	5.0	61.0	-542	.77	69.4	73.4	,,	0.1					
	7 "	•065	.519	70.0	64.5	5.5	61.3	.546	.75	69.5	7 3. 3	,,	0.2					
	8 "	.100	.571	71.6	64.5	7.1	60.3	•529	.69	70.8	73.4	E	0.2					
	9 ,,	.122	.623	73.5 76.6	64.2	9.3 10.6	58.6 59.9	•499 • 521	.61 •58	72.5 74.0	73.5 73.6	y) Trib Ni	0.5					
	10 ,, 11 ,,	.125	.599	79.4	66.6	12.8	59.2	.510	.51	76.0	73.9	EbN	0.1	one.	one.	None.	one.	Nonc.
	Noon.	.085	.614	84.0	67.0	17.0	56.8	.471	.42	79.0	74.2	'''	0.1	Ž	ž	ž	ž	ž
	1 p. m.	.050	.600	87.7	67.6	20.1	55.5	.450	.35	79.9	74.4	wsw	0.2					
	2 ,,	.012	.555	88.8	68.2	20.6	55.9	.457	.35	81.0	74.6	W	0.2		l			
	3 ,,	29.987	.494	88.0	69.0	19.0	58.2	.493	.38	81.2	74.8	WNW	0.3					
	4 ,,	.977 .988	.435	85.7 82.1	69.7 70.0	16·0 12.1	61.0 63. 7	.542 .592	.46 .55	81.0 80.0	75.0 75.2	W b N NW b W	$0.2 \\ 0.2$,			
	5 ,, 6 .,	30.011	.358	79.2	70.8	8.4	66.7	•653	.67	78.7	75.3	NNW	0.4	1	1			
	7 ,,	.043	.482	77.1	67.4	9.7	62.1	•561	.61	77.5	75.4	,,	0.4					
	8 "	.065	.531	76.6	66.4	10.2	60.6	.534	.60	77.1	75.4	n b w	0.2					
	9 ,,	.092	.585	75.0	65.0	10.0	5 9.0	.507	.59	75.6	75.3	,,	0.1					
	10 "	.099	.612	74.0	64.0	10.0	57.8	.487	.59	75.0	75.2	,,	0.0					
	11 "	.094	.628	73.7	63.2	10.5	56.5	. 466	.57	74.7	75.2	"	0.1					
FEB.	5тп-Midnight	.080	.551	73.0	65.0	8.0	60.3	.529	.66	74.3	75.1	N b W	0.0					
	l a. m.	.053	.512	72.5	65.2	7.3	61.0	.541	•69	74.0	75.0	,,	0.0		1			
	2 ,, 3 .,	.036	.495	72.5	65·2 65.0	7.3 6.7	61.0 61.1	.541 .543	.69 .71	73.7 73.0	74.9 74.8	,,	0.0					
	1	.036	.497	70.7	64.5	6.2	60.9	.539	.72	72.1	74.6	,, N	0.3					
	5 ,,	.048	.523	70.5	64.0	6.5	60.1	.525	.71	72.0	74.6	NE	0.2					
	6 ,,	.060	.535	70.5	64.0	6.5	60.1	.525	.71	72.0	74.5	E	0.2					
	7,,	.097	.584	71.6	64.0	7.6	59.4	.513	.67	72.2	74.5	,,	0.2		١,			
	8 "	.124	.637	74.0	64.0 64.5	10.0 12.0	57.8	.487	.59	73.7	74.5	,, NITO 1. TO	0.4					
	9 ,, 10 ,,	.142	.667	76.5 78.5	66.2	12.0	57.1 59.0	•475	.53	75.0 76.2	74.6 74.7	NEbE	0.3]				
	10 ,, 11 ,,	.119	.660	82.2	66.0	16.2	56.1	•459	.43	78.0	75.0	NE	0.1	نه				
	Noon.	.079	.642	87.0	67.0	20.0	54.6	.437	.35	81.0	75.3	w	0.1	one.				
	1 p. m.	.041	•592	87.4	67.5	19.9	55.4	•449	.35	81.4	75.4	NW	0.2	Z				
	2 ,,	.002	.538	87.5	68.0	19.5	56.4	•464	.37	81.5	75.5	NWbN	0.3					
	3 "	29.980	.465	86.0	69.0	17.0 12.0	59.5	.515 .612	.43	81.0	75.7	NW	0.5					
	4 ,,	.978	.366 .386	82.8 80.7	70.8 69.7	11.0	64.7 64.0	•597	.56 .59	80.2 79.6	75.9 76.0	N b W	0.4					
	5 ,, 6 ,,	.994	.403	78.0	68.6	9.4	63.7	•591	.63	78.0	76.1	NOW	0.7		+	4		1.17
	7 ,	30.017	.400	76.8	69.0	7.8	65.0	-617	.68	77.4	76.3	,,	0.5		+	12	10	0.46
	8 ,,	.045	.479	76.0	69.0	7.0	65.4	.626	.71	77.0	76.3	,,	0.6		+	20	16	0.40
	9 "	.064	.431	75.4	69.0	6.4	65.7	•633	.73	76.0	76.3	,,	0.6		+	10	8	0.44
	10 ,,	.077	.435	74.5	69.0	5.5 5.0	66.2	•642	.77	75.4	76.1	NЬW	0.4		+	8	6	1.00
	11 .,	.066	.429	73.5	68.5	5.0	65.9	•637	.78	75.0	76.0	,,	0.2	j	+	4		1.30

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Sýmbola used to denote the clouds are: \(\si\) cirro-cumuli; \(\si\) cumulo-strati; \(\si\) cumulo-strati; and \(\si\) nimbi.	Remarks.
5 6 6 6 3 3 0 0	B G G G C C C B R	scattered about moving E. scattered about moving ENE. Clouded as before; mist along the E hor. """ scattered about moving NE; mist along the E hor. Cloudless. """ "" "" "" "" "" "" "" "" "" "" ""	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	в с с с с с в в в е е е е е е е е е е е е е	Choudless and dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 77.9 and 81.0. Temperature of Air at 2 p.m. was 88.8 highest in the month and 8.0 higher than the Normal Mean. 4th February was the 5th day on which sky was almost cloudless. On this day wind blew abnormally.
	C B B B G G G C C C C B B B B G G C C C C	Cloudless. Cloudless and dew falling. """" """" Cloudless. Mist and fog in hor. """" """" Mist along the E hor. """" """" Cloudless. Cloudless. """ Cloudless. """ Cloudless. """ Cloudless and dew falling.	Mean daily temperature of ground 20 and 60 inches below its surface 78:0 and 81:0. The Height of Barometer at 9 A.M. was 30:142 in greatest in the year and about 0:174 in greater than the Normal Mean for that hour. 5th February was the 9th cloudless day from the beginning of the year.

		STAN BAROA	DARD BTBR.	Тнв	NONET	BRS.	ا ن	m.	A L R	THERN	UND METERS.	Wind P Osler's C		RAIN.	El.Ect	FRICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected 10 39° Palir.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	below	D B	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer Hach In the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in 10s. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- 15 + or —	Strawsof	ngs of Strawsof Foltu 2.	Interval of Time in recovering the same degree of tension after discharge.
Frb.	Gтн-Midnight	in. 30.055	in. 29.485	7252	66.0	6:2	62.6	in. 0.570	0.73	74°3	76.0	NbW	lb. 0.0	in.		Sc. div.	Sc. div.	m. s.
	l a. m.	.048	.476	72.0	66.0	6.0	62.7	-572	.74	74.0	759	,,	0.1					
	2 ,,	.023	.463	71.7	65.5	6.2	62.0	.560	.73	73.6	75.8	,,	0.2	İ				
	3 ,,	.010	.471	70.7	64.5	6.2	60.9	.539	.72	72.2	75 6 75. 5	NbE	0.1			10	8	0.39
	5 ,,	.007	.481	70.0	64.0	6.0	60.4	.531 .531	.73 .73	71.6	75.5	"	0.1		++	12	10	0.35
	6 ,,	.036	.506	70.4	64.1	6.3	60.4	.530	.72	71.4	75.4	,,	1.0		+	10	8	0.45
	7 ,,	.060	-5 55	71.8	63.8	8.0	58.9	.505	.66	72.4	75.4	NNE	0.2	l	+	4		4.16
	8 ,, 9	.107	.593	74.9 77.0	64.5 67.0	10.4	58-2	.493 .549	.58	74.0 75.0	75.4 75.4	NE b N NE b E	0.1					
	10 ,,	.103	.535	78.8	68.2	10.6	62.4	-568	.59	76.2	75.5	,,	0.1	نه				
	11 ,,	.084	.619	81.6	66.0	15.6	5 6. 5	-465	.44	78.0	75.6	"	0.1	None.				
	Noon.	.045	.589	85.8	67.2	18.6	55.9	.456	-38	80.0	75.8	N7327 L 327	0.1	~	١.	C		
	1 թ. m. 2	.009 29.980	.537	85.9 85.0	67.7	18.2	56.9 56.1	.472	.39	80.2 80.0	75.9 76.0	NW b W	0.2		+	6	.	1.11
	3 ,,	.953	.378	83.6	70.0	13.6	62.8	.575	.51	80.6	76.2	"	0.2		+	i		Above 10m
	4 "	.945	.328	83.0	71.0	12.0	65.0	.617	.56	80.5	76.3	NW	0.4					1
	5 " 6	.955 .969	.331	81.1	70.6 68.1	10.5	65.3	.624	.60	79.5 78.0	76.5 76.6	NW b N NNW	0.4					
	7 ,,	30.001	.408	76.0	68.0	8.0	63.1	•593	.63	77.0	76.6	NW	0.3					
	8 ,,	.017	-411	75.1	68.1	7.0	64.4	•606	.71	76.6	76.5	NWbN	0.2		+	10		2.17
	9 "	.040	.474	74.0	66.5	7.5	62.3	-566	.68	76.3	76.4	,,	0.1		+	20	20	0-6
	10 " 11 "	.040	.526 .516	71.5	64.0		59.4	.514 .520	.67	75.0	76.3 76.1	"	0.1		+	16	16	0.26
	,,	.030	.510	71.0	64.0	7.0	59.8	.520	.69	73.7	70.1	"	0.0		+	•		
Frb.	8тн-Midnight	.001	.492	72.0	64.0	8.0	59.2	.509	.66	73.3	75.6	NbW	0.1	}				
	l a. m.	29.973	.464	72.0	64.0	8.0	59.2	.509	.66	73.0	75.5	NEbN	0.2					1
	2 ,,	.965	.456	72.0	64.0	8.0	59.2	•509	.66	72.7	75-4	NE	0.1				Ì	ì
	3 ,,	.957 .960	.448	72.0	64.0	8.0	59.2	.509 .539	.66	72.0	75.4 75.3	"	0.2					
	5 ,,	.963	.482	68.5	64.5	6.2	60.9 57.5	.481	.72 .70	71.6	75.3	"	0.1					
	6 "	.975	.475	63.8	62.5	6.3	58.6	.50 0	.71	71.1	75.2	,,	0.1					1
	7 "	30.008	.570	69.1	62.6	6.5	58.5	.498	.71	71.2	75.2	ENE	0.2		ļ			
	8 " 9 "	.031	.556 .652	71.8	62.8	9.0	57.1	.475	.62	71.9	75.1 75.1	EbN	0.1				}	
	10 ,,	.059	.624	76.0	61.3 63.0	13.0	52.2 54.5	.405	.48	74.0	75.2	"	0.1	نه				
	11 ,	.044	.541	78.3	66.0	12.3	58.8	.503	.53	75.1	75.3	"	0.1	None.				
	Noon.	.013	.620	81.1	63.5	17.6	51.5	•393	.37	77.5	75.5	,,	0.1	Z				
	1 p. m. 2	29.980 .947	.582 .487	87.2 88.0	64.2	23.0	51.9	.346	.20	794	75.6	NE b E	0.2		+	8		3.16
	3 ,,	.921	.347	86.9	63.0	20.0 15.9	56.2 62.8	.574	.36 .46	80.9	75.6 75.7	NWbW		ŀ	++	10	8	2.21
	4 ,,	.910	.262	85.2	72.5	12.7	66.5	.648	.55	81.0	75.9	,,	0.3	ļ	+	14	12	0.30
	5 ,,	.916	•327	82.6	70.1	12.5	63.5	.589	.55	80.2	76.1	,,	0.2	l	+	4		5.49
	6 ,, 7	.921	.294	79.0	70.0	9.0	65.4	.627	.65	78.7	76.2	NW	0.1	ļ				
	8 "	.957	.340 .420	76.6 75.2	68·5 66.0	8.1 9.2	64.3 60.8	.603 .537	.67 .62	77.6	76.3 76.2	NNW	0.1		++	8		2.19
	9 "	.987	.411	74.5	67.0	7.5	62.9	.576	.69	75.6	76.0	"	0.1		+	10	8	1.10
	10 ,,	.988	.406	74.0	67.0	7.0	63.2	.582	.70	75.1	76.0	NbE	0.0		+	2		3.1
	11 "	.984	.353	74.0	68.5	5.5	65.6	.631	.76	75.0	76.0	"	0.0		+	2		Above 1
FRE	9тн-Midnight	.977	.383	62.5	67.6	60	000	504		EE O	-60	NbE	0.0					
- 55.	l a. m.	.941	.345	73.5	67.2 67.0	6.3 5.7	63.8 63.9	•594 •596	.73 .75	75.0 74·1	76.0 75.9	NNE	0.0					
	2,,	.929	.359	72.2	66.0	6.2	62.6	-570	.73	73.0	75.7	,,	0.3					
	3 ,,	.924	.352	72.0	66.0	6.0	62.7	-572	.74	72.6	75.6	ENE	0.4					
	4 ,, 5 ,,	.922	.379	71.7	65.0	6.7	61.1	•543	.71	72.2	75.5	,,	0.3				1 .	
	6 "	.939	.420	71.1 68.8	64.0 63.5	7.1 5.3	59.7	•519 •530	.69 .76	72.0	75.5 75.5	"	0.1	None.	1	1	one.	
	7 ,,	.976	.418	68.8	63.5	5.3	60.4	•530	.76	71.8	75.3	"	0.1	Ĭ	+	10	N.	0.4
	8 ,,	30.006	.466	72.0	65.0	7.0	60.9	•540	.70	72.4	75.2	"	0.2	1	+	2		4.1
	9 "	•034	.518	74 2	65.0	9.2	5 9.6	-516	.62	73.5	75.3	"	0.2					
	10 ,, 11 .,	.029	.507	76.5	66.0	10.5	59.9	-522	.59	75.0	75.4	"	0.4	1				
		.006	.459	78.4	67.4	11.0	61.3	•517	.57	76.1	75.5	٠,,	0.2	i .	1		1	

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i mmbi.	Remarks.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B G G G C C C C B B B G G G C C C C C C	Cloudless. Cloudless and dew falling. Cloudless. Mist around hor. """" """" Cloudless. Mist along the E hor. """" """ """ Cloudless.	Mean duily temperature of ground 20 and 60 inches below its surface 78°2 and 81°1. 6th February was the 10th day on which sky was entirely cloudless.
000000000000000000000000000000000000000	B G G C C C C B B B G G C C C C B B B B	Cloudless and dew falling. Cloudless. "Mist and fog in hor. """" Mist around hor. """" Cloudless. """ Mist along the E hor. """" """" """ Cloudless.	Mean daily temperature of ground 20 and 60 inches below its surface 78.5 and 81.0. 8th February was the 11th cloudless day from the commencement of the year.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B G G C C C B B	Cloudless. "" "" A few \(\) in E hor. \(\) scattered along the E hor.; mist around hor. \(\) scattered about hor.; mist around hor. \(\) scattered about hor. from NE to SW; mist around hor. \(\) scattered about moving ENE; mist in hor. \(\) scattered about moving ENE.	Mean daily temperature of ground 20 and 60 inches below its surface 78.8 and 80.9.

		STANDARD BARONETER.					ان	_ #	AIR	Тивимо	UFD MECERS.	Wind P Oslek's G		RAIN.	RLEC	TRICAL	L INSTRUMENTS:		
	Bombay	Correct	Corrected		Wet Bulb	Depression of	DUCED-POINT.	PRESURE Moisture.	TY OF	ieter linch	eter 6 in the 1.		Pressure	n	91 - *	Readi	ngs of	Fime in F the ree of or dis-	
	Civil Time.	to 39° Pahr.	for Moleture.	In the	Thermo- meter.	helow Thermo- meter in the Air.	DR DBW	PRI OF MC	llumidity	Thermometa in the Ga	Thermometer 6 inches in the Ground.	Direction.	in lbs. per Square Foot.		Sign of Blectrici- ty + or —	Strawsof Volta 1.	Straws of Volta 3	Interval of Time recovering same degree tension afferd charge.	
FEB.	9тн-Noon.	in. 29.974	in. 29.502	81:0	66.0	1530	56*9	in.	0.46	77:8	75:7	ELM	lbs.	in.		Sc. div.	Sc. div		
I AD.	1 p. m.	.948	.465	85.4	67.8	17.6	57.6	.472 .483	.41	80.0	75.7	E b N ENE	0.1						
	2',,	.918	.454	88.2	68.2	20.0	56.4	464	.36	81.5	75.9	WbS	0.3		ĺ				
	3 ,,	.897	.396	87.6	70.0	17.6	60.4	.531	.42	81.8	76.1	WNW	0.2						
	4 ,,	.903	.319	86.0 84.5	71.0	15.0 13.2	63.3	.584	.48	81.5	76.3 76.4	WbN	0.1		1				
	6 ,,	.918	.252	79.7	71.3	8.4	67.3	.612	.67	80.0	76.5	wnw	0.3	one	+	12		1.45	
•	7 ,,	.940	.256	780	71.3	6.7	68.1	-684	.73	79.0	76.7	,,	0.1	Ž	+	2		Above 10m	
	8 ,,	.968	.321	76.0	69.6	6.4	66.4	-647	.73	77.8	76.7	NbW	02		+	20	20	0.6	
	9 ,,	.995	.361	75.3 75.0	69.0 69.5	6.3 5.5	65.8	.634	.73	77.0 76.2	76.7 76.6	N b E	0.1		+	16 2	14	0 20	
	11 ,,	.987	.339	74.0	69.0	5.0	66.5	.654 .648	.78	75.5	76.5	"	0.0		+	2		2.18	
Feb. 1(О тн-M idnight	.972	.382	73.3	67.0	6.3	63.6	-590	.73	75.0	76.5	NbE	0.0						
	la.m.	.961	.371	73.3	67.0	6.3	63 6	.590	.73	74.6	76.3	,,	0.0						
	2 ,,	.940	.347	73.0	67.0	6.0	63.8	•593	.72	74.0	76.2	ENE	0.5						
	3 ,, 4	.931	.326	72.5	67.2 65.0	5.3 6.7	64.4	.605	.77	73.5	76.0 75.9	,,	0.4	1	1				
	5 ,,	.940	.388	69-5	64.5	5.0	61.6	.552	77	72.8	75.9	"	0.0						
	6 "	.957	.395	70.0	65.0	5.0	62.1	•562	.77	72.7	75.8	,,	0.1		1				
	7 ,,	.977	.406	70.7	65.5	5.2	62.6	-571	.77	72.0	75.7	"	0.1					1	
	8 ,, 9	30.009	.439 .538	72.2	66.0	6.2 10.0	62.6	-570	.73 .59	73.0	75.8	,,	0.1	one.			None.		
	10 ,,	.020	.503	75.6	65.5	10.0	59.6	.487 .517	.59	73.6 74.5	75·8 75·9	"	0.4	S S			l &		
	11 ,,	.003	.464	77.9	67.0	10.9	60.9	-539	.58	76.0	76.0	"	0.1		1			į	
	Noon.	29.971	.455	80.0	67.0	13.0	596	-516	.51	77.1	76.1	"	0.1	1			1		
	l թ. m.	.936	.428	82.7	67.7	15.0	59-1	-508	·47	79.2	76.2	WbN	0.1					1	
	3	.881	.381	82.9 83.4	68.0	14.9	59.6 63.0	.517 .578	.52	79.5 79.8	76.2 76.3	WNW	0.2						
	4 ,,	.881	.253	82.0	71.0	11.0	65.5	-628	•59	79.0	76.4	NW	0.3		İ			1	
	5 ,,	.891	.244	80.1	71.0	9.1	66.6	-650	.65	78.8	76.6	NWbW	0.3	l	1.		1	1	
	6 ,,	.9.17	.230	77.6	71.0	6.6	67.8	.677	.73 .77	78-0	767	,,	0.2		+	2	1	3.32	
	7 ,, 8	.929	.255 .355	76.0 73.0	70.4 67.0	5.6 6.0	67.7 63.8	•674 •593	.74	773	76.8 76.7	"	0.0						
	9 ,,	.972	.352	735		5.5	65.1	-620	.76	75.0	76.7	"	0.0		1			1	
	10 ,	.974	.347	73.5	63.2	5.3	65.4	-627	.77	75.0	76.6	NÉE	0.1					1	
	11 ,,	.962	.327	73.4	68.4	5.0	65.8	•635	.78	75.0	76.5	NE	0.2						
Fев. 11	1TH-Midnight		-324	73.0	68.0	5.0	65.4	.626	.78	74.6	76.4	NEbE	0.0						
	l a. m. 2	.920	.296 .294	71.7	67.5	4.2	65.3	624	.81	74.1	76.3	"	0.0					1	
	3 ,,	.900	.294	71.3	67.0	4.0	64.6	.609	.80 .82	73.5 73.0	76.2 76.0	"	0.3						
	4 "	.907	.292	71.0	67.0	4.0	64.9	-615	.82	72.7	75.9	"	0.2	1			1		
	5 "	.921	.347	70.0	65.4	46	62.8	•574	.79	72.4	75.9	"	0.1]		
	6 "	.941	.391	68.5	64.0	4.5	61.3	-547 500	.79	71.8	75.8	,,	01				1		
	8 ,,	.981	397	70.2	66.4	5.6	63.7	.592 .584	.81	72.0 73.0	75.7 75.9	,,	0.1			1	1		
	9 ,,	30.015	.528	74.8	64.3	10.5	57.8	•487	.58	74.2	75.9	E b's	0.3						
	10 ,,	.022	.476	77.3	67.0	10.3	61.3	•546	.59	75.5	75.9	,,	0.2	je			4:		
	11 " Noon.	•000	.438	80.3	68.5	11.8	62.1	.562	.56	77.5	76.0	,,	0.2	None.		1	None.		
	Noon. lp.m.	29 975	.301	82.6 85.0	71.6 72.0	11.0	66.3	•644 •632	.59	79.0 80.0	76.2 76.3	sw	0.1	~			Z		
	2 ,,	.900	.229	85.4		12.2	67.5	-671	.56	80.5	76.4	wsw	0.3						
	3 "	.892	.199	86.2	74.0	12.2	68.5	.693	.57	81.2	76.6	,,	0.4						
	4 "	.896	.163	86.0	75.0	11.0	70.2	.733	.61	81.0	768	w	02	1					
	5 ,, 6	.907	.183	83.6 79.5	74.0	9.6 5.5	69.9	.724 .766	.65 .78	81.0 79.0	77.0	W b N NW	0.2	1	+				
	7 ,,	.949	.194	77.2	73.0	4.2	71.2	·755	.73	78.2	77.3	NWbN	0.1		-	4	1	3.2	
	8 ,,	.959	.215	75.8	72.3	3.5	70-7	•744	.85	77.5	77 3	NNW	0.1		+	2	1	2.5	
		.975	.291	73.8	70.0	3.8	68.1	-684	.83	77.5	77.1	I	0.1	1	+	4	1		
	9 ,, 10 ,,	.983	.312	735	69.5	4.0	67.5	-671	.83	77.1	77.0	,,,	0.0	ł	+	2	i	1.5	

Amount of Clouds	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Remarks.
7 6 6 6 6 6 5 6 4 3 6 4 4	G G G C C C C	scattered about moving ENE. scattered about moving E. scattered about moving E. scattered about moving NE. scattered about moving ENE. """"""""""""""""""""""""""""""""""	,
3 3 3 3 3 3 5 5 5 8 8 8 8 8 7 7 8 8 8 8 7 4 0 0	G G G C C C C C C C C	and fleecy clouds scattered about hor. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 78.9 and 81.0.
	B B B G G C C C B B B G C C C B B B B G C C C C	Light scattered here and there. """"""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 79°0 and 81°0. Temperature of Evaporation at 4 P. M. was 75°0 greatest in the month and 4°5 greater than the Normal Mean. At 6 P. M. the temperature of Dew-point was greatest and 5°7 greater than Normal Mean.

			DARD METER.	Тне	RMOMET	ERS.		4	AIR.	Grou THERMO		WIND P OSLER'S G		RAIN.	ELEC	TRICAL	INSTR	UMENTS.
	Bombay Civil Time. 1864.	Corrected to 32° Pahr.	Corrected for Moisture,	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Afr.	DEDUCED Dew-Point.	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
EB.	12тн-Midnight	in. 29.957 .946	in. 29.290 .279	72°3 72.3	69°0 69.0	3°3 3.3	67:3 67.3	in. 0.667 .667	0.85 .85	74°5	76°8	N b E	1bs. 0.0 0.4	ín,		Se. div.	Sc. div.	m. s.
	2 ,,	.938	.268	72.0	69.0	3.0	67.5	.670	.87	73.8	76.5	,,	0.5		ļ			,
	3 ,,	•921	.320	71.7	66.8	4.9	64.2	.601	.78	73.2	76.4	NE	0.6	1	l			
	4 ,, 5	.933 .953	.872 ⋅363	71.6	65.5	6.1 4.4	62.1 63.6	.561 .590	.73 .80	73.0 73.0	76.2 76.1	"	0.5	ŀ	l			
	6 "	.975	.382	70.1	66.0	4.1	63.8	. 593	.81	73.0	76.1	,,	0.1		1			
	7 ,,	30.001	.407	70.3	66.1	4.2	63.8	.594	.81	73.3	76.0	NEBE	0.1					
	8 "	.016	.444	72.3	66.1	6.2	62.7	.572	.73	73.4	76.1	ENE	0.1		ł		,	
	9 "	.046	•498	74.2 76.6	66.0 67.4	8.2	61.4 62.4	.548 .567	.66 .63	74.0	76.1 76.1	"	0.1	1			i .	
	10 ,, 11 ,,	.048	.481	78.0	66.0	9.2 12.0	59.0	.506	.54	75.6	76.1	,,	0.1	نه	Ì		a:	
	Noon.	29.983	.423	82.0	69.0	13.0	62.0	.560	.52	77.6	76.4	,,	0.1	None.			one.	
	1 p. m.	953	.438	83.0	68.0	15.0	59.5	.515	.47	78.7	76.5	WNW	0.4	Z		1	Z	
	2 ',,	•937	.414	83.5	68.4	15.1	60.0	.523	.47	79.2	76.6	,,,,,	0.3			l		
	3 ,,	.919	.379	83.8 82.9	69.0	14.8	60.9 63.2	.540 .583	.48 .53	79.7	76.7 76.8	NWbW	0.4	1				
	4 ,, 5	.909 .924	.326	81.0	70.0	12.9 10.5	65.2	.622	.60	79.0 78.5	77.0	NNW	0.5	1	İ	İ	ĺ	
	6 "	.941	.268	78.0	71.0	7.0	67.6	.673	.72	78.0	77.1	,,	0.4	1			İ	
	7 ,,	.962	.292	76.4	70.4	6.0	67.5	.670	.75	77.4	77.2	NW b N	0.3	1	ł			
	8 "	.985	.315	75.4	70.1	5.3	67.5	.670	.77	77.0	77.1	NNW	0.2		}	ļ		
	9 ,,	30.007	.345	74.3	69.5	4.8	67.1	.662	.79	75.6	77.0	NbW	0.1	ŀ	١.		Ì	0.00
	10 ,,	.004 29.993	.365	73.3 72.3	69.5 68.0	4.8 4.3	66.0 65.8	.639 .634	.79 .81	75.0 74.5	77.0 76.9	"	0.2		+	2	l	2.28 Above 10m
	11 "	29.993	.559	72.0	03.0	4.0	00.0	.004	.01	74.0	70.9	"	0.0		T	•		
EB.	. 13тн-Midnight	.980 .963	.313	72.3 71.7	69.0 67.5	3.3 4.2	67.2 65.3	.667 .624	.85 .81	74.1 74.0	76.7 76.6	NbE	0.0		+	8		2·26
	2 ,,	.949	.330	71.2	67.2	4.0	65.1	•619	.82	73.5	76.4	"	0.0	İ	+	10		1.11
	3 ,,	.942	.371	70.7	65.5	5.2	62.6	.571	.77	73.1	76.3	",	0.0	l	+	20		0.52
	4 ,,	.943	.349	70.3	66.1	4.2	63.8	•594	.00	72.7	76.2	,,	0.2		+	18		1.07
	5 "	.961	.396	69.7 69.0	65.0 63.0	4.7	62.3 59.3	.565 .512	.79 .73	72.5	76.2 76.1	,,	0.1		+	2		Above 10m
	6 " 7 "	.979	.467 .445	71.2	65-1	6.0 6.1	61.6	.552	.73	72.0 72.5	76.0	NNE	0.1 0.1	1				
	8 ,,	30.013	.424	73.4	67.0	6.4	63.5	•589	.72	73.6	76.0	ENE	0.1					
	9 ,,	.035	.449	75.1	67.5	7.6	63.4	586	.68	74.0	76.0	,,	0.2	l	Ì			1
	10 ,,	.036	.454	77.0	68.0	9.0	63.2	.582	.64	74.9	76.0	"	0.2	٠.				}
	11 " Noon.	.004	.459 .435	80.4 81.5	68.0 68.5	12.4 13.0	61.2 61.4	•545 •549	.53 .52	76.3 77.8	76.1 76.3	nw	0.1	None.			None.	1
	l p. m.	.955	.362	82.0	70.0	12.0	63.8	•593	•56	78.0	76.4		0.7	Z			Z	
	2,,	.929	.314	83.2	71.0	12.2	64.9	-615	.5 6	79.5	76.6	NW b N	0.5	1			l	}
	3 ,,	.917	.288	83.6	71.5	12.1	65.5	•629	. 56	80.0	76.8	NNW	0.7	1	•			1
	4 "	.912	.258 .231	83.0 81.2	72.0 72.1	11.0	66.7 67.8	•654 •678	•59 •65	79.9 79.0	77.0 77.0	NWbN	0.6	1	ł _l			1
	5 ,, 6 ,,	.909	.267	78.5	72.1	9.1 8.1	66.4	•647	.68	79.0 78.1	77.1	"	0.3	1		1		
	7 ,,	.925	.274	76.8	70.0	6.8	66.6	651	.72	77.4	77.1	"	0.4	l				
	8 ,,	.942	.284	76.2	70.0	6.2	66.9	•658	.74	77.0	77.0	"	0.3					
	9,,	.957	.320	75.0	69.0	6.0	65.9	-637	.75	76.2	77.0	,,	0.2				1	1
	10 ,,	.952 .940	.313	73.3 72.3	68.5 69.0	4.8 3.3	66.0 67.3	•639 •667	.79 .85	75.4 75.0	77.0 76.9	NW	0.0					1
	11 ,,	.540	.213	2.5	09.0	0.0	01.0	-507		10.0	10.5	4, ,,	0.0					
ЕВ	. 15тн-Midnigh	.878	.208	72.0 71.6	69.0 68.2	3.0	67.5 66.5	.670 .648	.87	74.0	76.6	NW	0.0					
	la.m. 2	.857	.209 .198	71.3	68.0	3·4 3.3	66.3	.645	.85 .85	73.5 73.0	76.5 76.4	"	0.0	1			ł	
	3 ,,	.829		71.3	68.0	3.3	66.3	•645	.85	73.0	76.4	,,	0.0				[
	4 ,,	.833	.185	71.0	68.0	3.0	66.5	.648	.86	72.8	76.3	NË	0.3	ne.	je.	3e.	je	Je.
	5 ,,	.834		72.0	69.5	2.5	68.2	.687	.89	72.8	76.3	<u>,,</u>	0.2	None.	None.	None.	None.	None.
	6 "	.845		72.0 72.0	69.5	2.5	68.2	•687	.89	72.7	76.3	E	0.2	~	"			1
	7 ,, 8	.875		72.0	69.0 70.0	3.0 2.0	67.5 69.0	.670 .704	.87 .91	73.1 73.3	76.2 76.2	"	0.1	1			1	
	0 "	.935		73.6	71.0	2.6	69.7	.721	.89	74.0	76.3	ENE	0.1	1				
	10 ,,	.937		75.6	71.0	4.6	68.0	•699	.80	75.1	76.4	"	0.2					1
	11 ,,	.920		77.0		5.0	69.7	.720	.79	76.0	76.5	١ ,,	0.1	l	'		I	1

7	, ,		-, ,
Amount of Clouds.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cirro-strati; \(\) i cirro-strati; and \(\) i nimbi.	Remarks.
0	В	Cloudless and dew falling.	Mean daily temperature of ground
0	G	29 22 29	20 and 60 inches below its sur-
0	G	yy	face 79°2 and 81°3.
0	G G	" " "	1
l ŏ l	C	Cloudless.	1
0	C	, n	1
0	C	Mist and fog around hor.	
0	C B	?? ??	
0	В	Mist in hor.	1
0	В	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
0	B G	A few wabove N hor.; mist in hor. scattered along the E hor.; mist in hor.	·
i	G	scattered along the E hor.; mist in hor.	
0	G	A few varound hor.; mist along the E hor.	1
0	G	Mist along the E hor.	1
	C	" "	
0	C	Cloudless.	
0	C	"	
0	B B	,,	
ŏ	В	Cloudless and dew falling.	
0	В	Cloudless and dew falling.	Mean daily temperature of ground
ŏ	G	" "	20 and 60 inches below its sur-
0	G	"	face 79:4 and 81:2.
0	G	"	
0	G C	"	
0	C	A few valong E hor.	
0	C	Mist and fog in hor.	
0	G G))))))))))))))))))))))))))	
Ŏ	G	, , , , , , , , , , , , , , , , , , ,	
0	G	Mist along the E hor.	
0	G B	Cloudless.	
ŏ	В		
0	В	Mist along the E hor.	
0	B	"	
ő	G	, , , , , , , , , , , , , , , , , , ,	
0	G	Cloudless.	
0	G	"	
0	· G	Cloudless and dew falling.	
0	G	n , n	
0	В	Cloudless and dew falling.	Mean daily temperature of ground
0	G	" "	20 and 60 inches below its sur-
0	G	A few valong the E hor.; dew falling.	face 80°0 and 81°3.
0	G G	scattered around hor.; dew falling.	
1	C	" "	
2	C	scattered about moving E; mist and fog in hor	
6 8	C	Overcast with \(\text{moving E}; \text{mist and tog in hor} \)	
8	В	Overcast with a moving S.	
4	В	scattered about moving S.	
2	В	∾' scattered about moving SE.	1

			DARD LETER.	THEF	MOMET	ERS.	٤	0P K.	Атк.	GRO THERMO	UND METERS.	Wind P Osler's G		RAIN.	BLEC	TRICAL	Instru	MENTS.
	Bomba y					Depres-	врисвр w-Роінт	TESURE C	¥ 0 ¥	linch md.	ler 6 the		Pressure			Readi	ings of	n a a a
	Civil Time.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Wet Bulb helow Thermo- meter in the Air.	DEDUCED DEW-POINT.	Przesi Mois	HUNIDIT	Thermometer lin- in the Ground.	Thermomote inches in Ground.	Direction.	in lbs. per Square Poot.	By New- man's Gauge.	Sign of Bloctrici- ty + or —	Strawsof	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- obarge.
Feb.	15тн-Noon.	in. 29.884	in. 29.188	79:2	72:0	7:2	68:6	in. 0.696	0.71	77:2	76.6	NW b W	lbs. 0.2	in.		Sc. div.	Sc. div.	
,	1 p. m.	.847	.156	80.0	72.1	7.9	68.4	.691	.69	77.5	76.7	NNW	0.4					
	2 ,,	.824	.109	80.8	73.0	7.8	69.5	.715	.70	77.8	76.7	NW	0.7		i			
	3 ,, 4	.796	.056	80.6 80.0	73.6	7.0 6.0	70.5	.740	.73 .76	77.5	76.7	,,	0.6	6	di	6		a ³
	5 ,,	.803	.141	79.0	71.0	8.0	67.1	.662	.68	77.4	76.9	,,	0.4	one.	None.	None.	None.	None.
	6 "	.815	.157	76.2	70.0	6.2	66.9	.658	.74	77.0	77.0	,,	0.3	Ž	Z	Z	Z	Z
	7 ,, 8	.823	.199	75.2 74.7	68.7	6.5	65.6	.624	.73	76.2 76.0	77.1	NWbN	0.3					
	9 ,,	.850	.205	73.7	68.8	4.9	66.3	.630 .645	.79	75.0	76.6	"	0.0					
	10 ,,	.845	.206	71.8	68.0	3.8	66.0	.639	.83	73.6	76-5	NŅW	0.0					
	11 ,,	.842	.201	71.6	68.0	3.6	66.1	.641	.84	73.4	76.4	NbE	0.0					
Feb.	16тн-Midnight	li control de la	.207	71.8	68.0	3.8	66.0	.639	.83	73.5	76.4	N	0.1					
	la.m. 2	.839	.191	71.6	68.2	3.4	66.5	.648	.85	73.3	76.3	,,,	0.2					
	3 ,,	.833	.214	71.2	67.0	3.8	65.1 65.0	.619	.82 .83	73.0	76.2 76.1	NbE	0.1			}	1	
	4 ,,	∙802	.185	70.8	67.0	3.8	65.0	.617	.83	72.8	76.0	,,	0.5					
	5 ,, 6	.809	.148	71.0	68.4	2.6	67.1	.661	.88	72.7	76.0	"	0.6			ļ		
	7 "	.827	.150	71.4	69.0 69.2	2.4 2.5	67.8	.677	.89 .89	72.7	75.9 75.9	"	0.2					
	8 ,,	.888	.191	73.3	70.2	3.1	68.7	.697	.86	73.7	75.4	,,	0.2				1	
	9 "	.910	•222	75.0	70.5	4.5	68.3	.688	.81	75.0	76.2	NÉE	0.2		1			
	10 ,, 11	.928 .916	.232	75.9 79.4	71.0	4.9 7.6	68.5 68.2	.696 .686	.79 .70	75.5	76.2 76.3	,,	0.1	٠,	di		,	
	Noon.	.880	.229	80.0	71.0	9.0	66.6	.650	.68	77.7	76.4	," N	0.3	one.	None.	None.	None.	None.
	1 p. m.	.845	.185	80.5	71.4	9.1	67.0	.660	.65	77.9	76.5	NW	0.4	Z	Z	Z	Z	Z
	2 ,, 3	826	.154	81.4 81.8	72.0	9. 4 9.8	67.6 67.3	.670	.64 .61	78.0 78.2	76.6 76.6	,,	0.5					
	4 ,,	.806	.'30	81.0	72.0	9.0	67.8	.667	.64	78.0	76.7	"	0.4					
	5,,	.815	•149	78.6	71.0	7.6	67.3	.666	.70	77.7	76.9	WNW	0.3					
	6 ,,	.822 .842	.168	76.5 75.8	70.0	6.5 5.8	66.7 67.1	.654	.73	77.0 76.4	77.0	NWbW	0.5					
	8 ,,	.854	.185	75.8	70.0	5.6	67.4	·662	.76 .77	75.2	77.1	NW b W	0.5		l			
	9,,	868	.199	75.2	70.0	5.2	67.4	. 6 69	.78	76.0	76.8	NW	0.2					
	10 ,, 11 .,	.874 .875	.210	75.0	69.8	5.2	67.2	•664	.78	75.5	76.6	NW b W	0.2	1	l			
	,,	.675	•240	74.6	68.8	5.8	65.8	.635	.75	75.2	76.5	NWbW	0.2					
Feb.	17тн-Midnight	1	.253	74.2	68.2	6.0	65.1	.619	.74	750	76.4	NW	0.2					
	la.m. 2	.857 .848	.244	74.0	68.0 68.2	6.0 5.3	64.9 65.4	.615 .627	.74	75.0	76.4	,, NY 137 L 137	0.4					
	3 ,,	.841	.202	73.3	68.5	4.8	66.0	.639	.77 .79	74.5	76.4 76.3	NW b W	0.0					
	4 ,,	.831	.205	73.0	68.0	5.0	65.4	.626	.78	73.7	76.3	NW b N	1.0					
	5 ,, 6	.846	.246	72.4	67.0	5.4 6.2	64.1	.600 .572	.76	73.7	76.3 76.3	NNW	0.5					
	7 ,,	.883	.320	72.8	66.0	6.8	62.2	.563	.73	74.0	76.3	"	0.3					
	8 ,,	.911	.359	74.9	66.4	8.5	61.6	-552	.65	74.8	76.4	,,	0.3					
	9 ,, 10 ,,	.941	.392	77.0 78.0	67.0 66. 5	10.0	61.4	.549	.60	75.3	76.4	"	0.3					
	11 ,,	.913	.418	79.0	66.0	13.0	59.9 58.3	.522	.56 .51	76.2	76.4 76.5	N b W	0.2	ei			نه ا	
	Noon.	.876	-361	80.1	67.0	13.1	5 9.5	.515	.51	77.3	76.5	N	0.1	one.			None.	
	1 p. m.	.848	.323	80·4 81.0	67.4	13.0	60.1	525	.51	77.5	76.6	NWbN	0.4	Z			Z	
	3 ,,	.806	.261	80.9	68.0 68.2	13.0	60.8	.538	.52 .53	78.4 78.0	76.6 76.7	NW NW b N	0.6					
	4 ,,	.808	.259	80.0	68.0	12.0	61.4	.549	.55	77.7	76.7	WW ON	0.7					
	5 " 6 "	.812	.261	78.0	67.4	10.6	61.5	.551	.59	77.0	769	"	0.3	}				
	7 ,,	.827	.268 .286	74.7 73.0	66.5	8.2 7.0	62.0 62.1	.559 .561	.66	76.3 75.0	77.0	wnw	0.4					01^
	8 ,,	.869	.323	72.3	65-3	7.0	61.3	•546	.70	74-4	76.9	WNW	0.2		++	2		2.10
	9 ,,	.873	.322	71.0	65.0	6.0	61.5	.551	.73	73.0	76.6	,,	0.1		+	4		Abore 10m. 2.15
	10 " 11 "	.875 .864	.349	71.0	64.2	6.8 6.8	60.1 60.1	.526 .526	.71	72.8	76.5 76.4	NW b N NW	0.2		+	1	· .	Above 10m.

1			
Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int\(\) i cirro-cumuli;	Remarks.
¥		i cumuli; Li cirro-strati; Li cumulo-strati; and Li ninbi.	
2 0 0 0 0 0 0 0	C G G G C C C C	scattered about moving SE. scattered along the E hor. A few si in NE hor. "" A few si in W hor. Cloudless. ""	
0	N	"	
0	N	,,	
0	N	Cloudless and dew falling.	
0 1 1 1 1	N G G	A few v in N above hor.; dew falling. v scattered here and there; dew falling.	Mean daily temperature of ground 20 and 60 inches below its sur- face 80°0 and 81°4.
1	G	" "	•
2	C	" "	
2	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
5	C	and vi scattered about moving NE; mist and fog in hor.	
5	C N	A few wand wilke clouds scattered about, the latter moving E; mist and fog in hor.	
5	N	∿ scattered about moving E.	
3	N	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
1	N	scattered about moving E.	
1	G	vi scattered from N to SE hor, moving NE.	
2	G	scattered about moving NE.	
2	G	, <u>, , , , , , , , , , , , , , , , , , </u>	
6	G	va scattered about moving E.	
7 7	C	Densely clouded with va moving E.	
6	C C	"and scattered about moving ESE.	
8	c	N about zenith; N scattered about moving ESE.	
2	N	around hor.; we scattered about moving SE.	
6	N	scattered about moving SE	
6	N	"	
1 1		•	
3 6	N G	n scattered about moving SE.	Mean daily temperature of ground 20 and 60 inches below its sur-
6	G G	" "	face 80:2 and 81:4.
5	G	and scattered about, the former moving E.	i
3	C	scattered about moving E.	
2	С	scattered about hor.; a few above E hor.	
2	C	A few wabove E hor.; we scattered about hor.; mist and fog in hor.	i i
3 2	C N	A few above E hor.; vi scattered about hor.; fog along the E hor.	
2 2	N	scattered about moving SE.	j
ī	N	scattered around hor.	i
1	N	,,	·
0	G	A few clouds in hor.	1
0	G	"	
0	G	"	
0	C	A few v in SW hor.	
o l	c	A few win W and NE hor.	
ŏ	c	Cloudless.	
0	C	"	
0	и	"	
0	N	29	
0	N	19	
Λ *	1864.		

	STAN Baron		Тив	MOMBI	BRS.		Α.	AIR.	Эло Тивамо	X WTERS.	Wind F Oslbr's G		RAIN.	ELBC	TRICAL	INSTRU	MENTS.
Bombay Civil Time.	Corrected to	Corrected for	In the	Wet Bulb	Depression of Wet Bulb below	DEDUCED EW-POINT.	PRESSURE OF MOISTURE.	MIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs.	By New-	Sign of	Readi	ings of	of Time in the egree of after dis-
1864.	82º Fahr.		Air.	meter.	Thermo- meter in the Air.	n n	PRI	HUNI	Thermon in the	Therm inch Grou		Square Foot.	Gauge.	ty + or —	Volta 1.	Straws of Volta 2.	Interval of Tim recovering same degree tension after charge.
Fвв. 18тн-Midnight	in. 29.847	in. 29.311	70:7	64:4	6.3	60:7	in. 0.536	0.72	72:2	76:2	NWbW	lbs. 0.1	in.	+	Sc. div.	Sc. div.	m. s. Above 10m.
la.m.	.828	.298	70.4	64.1	6.3	60.4	.530	.72	72.2	76.1	NW	0.2		+	4		4.26
2 ,,	.816	.285	70.0	64.0	6.0	60-4	.531	.73	72.1	76.0	,,	0.4		+	1		Above 10m.
3 ,, 4	.806	.275	70.0 69.5	64.0	6.0 5.0	60.4 61.6	.531 -552	.73 .77	72.0 71.1	75.9 75.7	NW b N NNW	0.3		++	14		1.10
5 "	.819	.264	69.2	64.5	4.7	61.8	.555	.78	71.0	75.7	NbE	0.2		+	2		l·00 Above 10m.
6 ,,	.834	.279	69.2	64.5	4.7	61.8	. 555	.78	70.9	75.6	NEbN	0.2		+	ı		Above 10m.
7 "	.856 .880	.316	69.2	64.0 66.0	5.2 5.5	60.9	.540 .577	.76 .76	70.9 72.0	75.6 75.6	NE	0.5		+	4	ŀ	2.10
9 ,,	.898	.303	73.4	66.9	6.5	62.9	.585	.70	73.0	75.4	E bs	0.6	.	+	2	1	4.15
10 ,,	.900	.332	74.7	66.8	7.9	62.5	.568	.67	74.0	75.5	,,	0.1	one.			None.	
11 ,,	.896	.333	76.3	67.2	9.1	62.2	.563	.63	74.8	75.6	,,	0.1	Z			Z	
Noon. lp.m.	.869 .841	.298	78.0	68.0 68.4	10.0	62.6 63.4	.571 .587	.61 .63	75.5 75.1	75.6 75.6	NW	0.1					
2 ,,	.808	.161	78.5	70.4	8.1	66.4	.647	.68	75.2	75.7	NW b W	0.3					
3 ,,	.786	.159	79.0	70.0	9.0	65.4	.627	.65	75.5	75.8	NW	0.4					
4 ,,	.784	.245	77.9	67.0	10.9	60.9	.539	.58	75.2	75.9	NW bN	0.6					
5 ,,	.794	.344	76.0 73.0	63.5	12.5	55.5 54.7	.450 .438	.51 .55	75.0 73.8	76.1 76.2	NW	0.4					
7 ,,	.828	.377	72.1	62.1	10.0	55.5	.451	.58	73.4	76.1	NWbN	0.3		,	2		2.9
8 ,,	.844	.363	71.8	63.0	8.8	57.5	.481	.63	73.3	75.9	nw	0.2		++	2		3.22
9 ,,	.849	.344	71.5	63.7	7.8	58.9	.505	.67	72.2	75.6	NW b W	0.3		+	1		Above 10m.
10 " 11 "	.847	.305	71.8	65.0	6.8	61.0	.542	.71	72.5 72.8	75.5	,,	0.2		+	1		Above 10m.
11 ,,	.841	.301	72.0	05.0	7.0	60.9	.540	.70	72.0	75.4	NW	0.1		+	2		Above 10m.
Сев. 19тн-Midnight	.837 .825	·291 .282	72.0 71.7	65.2 65.0	6.8 6.7	61.3 61.1	.546 .543	.71 .71	72.8 72.6	75.3	NNW N	0.2		+	2		2.16
2 ,,	.810	.271	70.7	64.5	5.2	60.9	•539	.71	72.0	75.3 75.2	NbE	0.3		+	12	10	3.26
3 ,,	.796	.266	70.4	64.1	6.3	60.4	-530	.72	71.3	75.2	E	0.5	1	+	8	"	1.54 3.00
4 ,,	.796	.254	69.0	64.0	5.0	61.0	-542	.77	70.8	75.0	_,,_	0.4		+	2	l	4.16
5 ,, 6	.803	.258	69.0 68.5	64.1	4.9 5.5	61.2 59.6	-545 -517	.78	70.7	74.9	ENE	0.3		+	2	ļ	Above 10m.
7 ,,	.836	.309	69.0	63.5		60.2	.527	.75	70.8	74.9	E n	0.2		+	8		1.47
8 "	.853	.321	71.6	64.6	1	60.5	.532	.70	72.0	75.0	SEbE	0.4		+	4		2.27
9 ,, 10 ,,	.865	.295	74.0	66.6		62.6	.570	.69	73.0	75.0	,,	0.5		+	2		2.18
11 ,,	.870	.282	77.0	68.2 68.0	8.8 9.8	63.5 62.7	.588	.65 .61	75.0 76.0	75.2 75.3	wůn	0.3	one.	+	l		Above 10m.
Noon.	.838	.252	79.6	69.0		63.4	-586	.59	76.5	75-4	i	0.2	Nor	+ +	i		Above 10m.
l p. m.	.804	.219	81.2	69.5	11.7	63.3	-585	.56	77.0	75.4	w'nw	0.2	-	;	1		Above 10m.
2 ,, 3	.787	.203	81.6	69.6	1 -	63.3	.584	.56	77.4	75.5	,,	0.4		+	1		Above 10m.
3 ,, 4 ,,	.784	.180	81.0	70.0	11.0	64.3	.604	.59 .59	77.4	75.6 75.8	"	0.3	1	+			Above 10m. Above 10m.
5 ,,	.790	.163	79.0	70.0	9.0	65.4	.627	.65	77.4	75.9	NW'b W	0.5	1	+	*		⊒υυτε 1028.
6 ,,	.798	.168	76.6	69.3	7.3	65.6	•630	.70	76.8	76.0	WNW	0.4					
7 ,, 8	.813	.173	75.7 75.4	69.3	6.4	66.1	633	.73	76.2	76.0	WbN	0.3					,
9 ,,	.840	.200	74.6	69.0	5.6	65.7 66.1	.633	.73	76.1 75.2	76.0 76.0	,,	0.2					
10 ,,	.840	.194	74.2	69.0	5.2	66.4	•646	.78	75.0	75.8	,,	0.0					
11 "	.825	.170	74.6	69.4	5.2	66.8	.655	.78	75.0	75.7	,,	0.0					
Евв.20тн-Midnight		.167	73.6	69.0	4.6	66.6	.652	.80	74.8	75.7	WbN	0.0					
l a. m.	.807	.213	73.5	67.2	6.3	63.8	.594	.73	74.6	75.6	,,	0.0]		
2 ,, 3	.796	.200	72.7 72.5	67.0 67.2	5.7	63.9	.596	.75	74.2	75.5	SbE	0.3					
4 ,,	.793	.189	72.5	67.0	5.3 5.0	64.4 64.3	•605 •604	.77	74.0 73.2	75.4 75.4	"	0.4	one.	None.	None.	None.	None.
5,	.801	.164	72.0	68.0	4.0	65.9	.637	.82	73.2	75.4	"	0.3	ž	ž	ž	ž	ž
6 ,,	.810	.160	71.4	68.2	3.2	6 6.6	.650	.86	73.1	75.3	EbS	0.2					
7 ,, 8	.832 .853	.159	71.7	69.0	2.7	67.6	.673	.88	73.1	75.3	EbN	0.1			1	1	
9 ,,	.852	.174	74.0	70.0	4.0	68.0 68.9	.682 .702	.83	74.3 75.0	75.6 75.8	"	0.2					
10 ,,	.850	.167	77.5	71.1	6.4	68.1	.683	.74	76.0	76.0	E E	0.2					
11 ,,	.841	.142	78.9	72.0	6.9	68.8	.699	.72	77.2		EbS	0.1	l	}		١ .	

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are; \(\) i cirro-cumuli;	REMARKS.
٧		Ai cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbi.	
0 1 1 6 6 5	й 6 6 6	Cloudless. I scattered around hor. I scattered here and there. I scattered about moving SE. I note that the scattered around hor. I scattered about moving SE.	Mean daily temperature of ground 20 and 60 inches below its surface 80.2 and 81.3.
5 4 3 1	C C N N	Clouded as before; mist and fog in hor. Clouded as before; mist and fog in hor. on and mist around hor.	
6 3 1 1 0	N N G G	scattered about moving SE; mist in hor. scattered about hor. scattered about hor. scattered here and there.	
0	G C	Mist along the E hor.	
0 0 0	C C N	Cloudless.	
3	N	Scattered about moving SE.	
6 6 6 6 5 4 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	G G G C C C C N N	scattered about moving SE. Clouded as before. """ """ """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 80°1 and 81°2.
2 2 1 1 0 0 0 0 0	G G G C C C C	A few on above W hor. A few clouds in E and W hor. Cloudless.	
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	n G G C C C C	A few vi along the E hor. vi scattered around hor. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 80.0 and 81.1. Height of Barometer at 4 p. m. was 29.744 in. lowest in the month, and 0.106 in. lower than the normal mean. On this day wind blew abnormally.

		DARD METER.	Тнв	RMOM E	rers.		0.P B.	AIB.		OUND OMETERS,	Wind F Osler's G		RAIN.	ELEC	TRICAL	Instr	UMENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- nieter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE MOISTURE	HUMIDITY OF	Thermometer I Inch in the Ground.	Thermometer 6 in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- man's	Sign of Blectrici- ty + or —	Strawso	Strawso	Interval of Time in recovering the same degree of tension after dis- charge.
FEB. 20TH-Noon.	in. 29.818	in. 29.141	80:8	72:0	8:8	67:8	in. 0.677	0.66	78.6	76°2	E	lbs. 0.1	in.		Sc. div.	Sc. div	m. s.
l p. m. 2 .,	.785 .759	.110	82.4 83.8	72.4 72.0	10.0 11.8	67.7 66.3	.675	.62 .57	79.3 79.5	76.4 76.5	wbs w	0.2				İ	
3 ,,	.749	.114	84.7	72.0	12.7	65.8	.635	.55	80.0	76.7	,,	0.3	İ				
4 ,,	.744	.109	84.7	72.0	12.7	65.8	.635	.55	80.5	76.8	wßs	0.2					1
5 ,,	.758	.058	82.2	73.0	9.2	68.8	.700	.65	80.0	77.0	W	0.2	one.	+	2	je.	Above 10m.
6 "	.771 •787	.088	78.8 77.4	71.5 71.0	7.3 6.4	68.1 67.9	.683 .680	.71 .74	79.0	77.0 77.0	WNW	0.2	ž	+	1	None.	Above 10m.
7 ,, 8	.809	.125	77.0	71.0	6.0	68.1	.684	.75	77.5	77.0	"	0.1					
9 ,,	.821	.135	76.8	71.0	5.8	68.2	-686	.76	77.2	77.0	"	0.1					
10 ,,	.826	.135	76.4	71.0	5.4	68.4	-691	.77	77.0	76.9	NWbW	0.1					
11 "	.824	.131	76.2	71.0	5.2	68.5	.693	.78	76.8	76.8	"	0.1					
EB. 22ND-Midnight		.258	76.2	70.0	6.2	66.9	.658	.74	78.0	77.2	WbN	0.0					
1 a. m. 2	.867 .860	.227	75.7 75.4	69.3 69.0	6.4 6.4	66.1 65.7	.640 .633	.73 .73	78.1 76.4	77.2 77.1	w W	0.2			ļ		
2 ,, 3 ,,	.856	.219	75.0	69.0	6.0	65.9	.637	.75	75.9	77.1	WbN	0.2	1				
4 ,,	.852	.215	75.0	69.0	6.0	65.9	.637	.75	75.5	77.1	NNE	0.1		1			
5,	.868	.183	74.4	70.2	4.2	68.1	-685	.82	75.5	77.1	NEbn	0.1					j
6 ,,	.892	.191	73.6 73.6	70.4	3.2	68.9	.701 .721	.86	75.4	77.0 77.0	E ESE	0.2					
7 ,, 8	.950	.231	75.8	71.6	2.6 4.2	69. 7 6 9. 7	.719	.89 .82	75.0 76.0	77.2		0.1 0.2					
9 ,,	.953	.246	77.6	71.8	5.8	69.1	.707	.76	76.4	77.5	,, ,,	0.2	[}				
10 ,,	.954	.252	78.0	71.8	6.2	68.9	.702	.75	76.6	77.7	,,	0.1					
11 ,,	.949	.272	79.9	71.7	8.2	67.8	.677	.68	76.9	77.8	,, N/11/	0.1	one.			oue.	į l
Noon. 1 p. m.	·938 ·928	.271	81.0 82.2	71.4	9.6 11.7	67.3 64.5	.667 .608	.63 .57	77.1 78.4	77.6	NW	0.1	No			Š	
2 ,,	.901	-246	83.6	72.2	11.4	66.8	.655	.59	80.0	77.8	"	0.4					
3 ,,	-897	-242	83.6	72.2	11.4	66.8	.655	.5 9	80.5	77.8	,,	0.2					
4 "	·899	•237	82.9	72.2	10.7	67.1	.662	.60	80-0	77.9	"	0.2					4.10
5 ,, 6	.910 .918	.271	81.1 78.4	71.0	10.1 7.4	66.0 67.4	.639 .669	.62	79.6 78.6	78.0 78.1	NW'bN	0.2 0.2		+	2 2		Above 10m.
7 ,,	•940	.272	76.6	70.4	6.2	67.4	.668	.74	78.0	78.0		0.2		•	2		
8 "	.963	-301	75.8	70.0	5.8	66. l	-662	.76	77.4	77.9	"	0.3					1
9 ,,	.981	•328	75.0	69.5	5.5	66.7	•653	.77	77.0	77.9	"	0.2					
10 ,,	.979	.340 .355	748	69.0 68.0	5.8	66.0 64.7	•639 •611	.75	75.5	77.8	"	0.2			'		
11 "	.507	.555	74.4	06.0	6.4	04.7	•011	.73	75.5	17.0	"	0.2					
EB. 23RD-Midnight	.941	•359	74.0	67.0	7.0	63.2	•582 601	.70	75.5	77.6	NWbN	0.3					
la.m 2	.920	.319	73.8 73.5	67.5 67.0	6.3 6.5	64.2 63.4	.601 .587	.73 .72	75.0 74.8	77.5 77.4	NW NW b W	0.2 0.3]			
3 ,,	.901	.311	73.3	67.0	6.3	63.6	-59 0	.72	74.5	77.2	NW	0.3					
4 "	.898	.305	73.0	67.0	6.0	63.8	.593	.74	74.0	77.0	NNW	0.4					
5 ,, 6	.906	.340	72.5	66.0 65.1	6.5 6.1	62.3	-566 -552	.72	74.0	77.0	NW b N N b W	0.1					1.16
7 ,,	.945	.345	72.4	67.0	5.4	61.6 64.1	.600	.73 .76	73.6 73.8	76.9 76.9	NbE	0.1 0.1		+ +	4 2		4.56
8 ,,	.955	.346	74.5	68.0	6.5	64-6	.609	.73	75.0	76.9	NE b N	0.2					
9,,	.966	•314	76.7	70.0	6.7	66.6	•652	.73	75.6	77.1	ENE	0.1	_				
10 " 11 "	.969	·322 ·325	76.9 77.9	69.9 69.9	7.0	66.4	.647	.71	75.7	77.3	EbN W	0.1	None.				
Noon.	.952	.325	79.0	70.0	8.0 9.0	65.8 65.4	.636 .627	.68 .65	76.0 76.4	77.5 77.6	NW	0.0 0.0	No				
l p. m.	.890	.283	81.4	70.2	11.2	64.5	-607	.58	78.2	77.8	WNW	0.0					
2',,	.871	.273	82.2	70.2	12.0	64.0	•598	.56	78.5	77.9	,,	0.6					
3 ,,	.852	.289	81.7	69.0	12.7	62.2	•563	.53	78.0	78.0	"	0.5					
4 ,, 5	.849	.278	81.0 79.0	69.0 69.5	12.0 9.5	62.6 64.6	.571 .610	.55 .63	77.8 77.8	78.2 78.2	"	0.4 0.4				•	
6 .,	.861	293	76.5	67.4	9.1	62.5	•568	.64	77.2	78.2	,,	0.4					
7,,	.879	.274	74.3	67.8	6.5	64.4	.605	.72	76.0	78.0	"	0.4					
8 "	.890	.290	73.6	67.4	6.2	64.1	•600	.74	75.5	77.6	NW b W	0.3					
9 ,, 10 ,,	.898	.311	73.2	66.8 66.3	6.4 6.7	63.4 62.5	.587 .570	.72 .71	74.2	77.0	NW'bN	0.2		+	3		Above 10m.
10 ,,	.895	.312	72.1	66.4	5.7	63.2	.583	.75	74.0	76.7	NW BN	0.3	1	+	3 15	15	0.27

12			
S C C	. e.	STATE OF THE WEATHER.	
i c	Observers.		REMARKS.
Amount of Clouds		Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \(\) i cirro-cumuli; \(\) i cirro-cumuli; \(\) i cumulo-strati; and \(\) i nimbl.	
2 2	G	scattered around hor.; mist along the E hor.	
2 2		" "	
2	1)	
$\begin{vmatrix} 2\\2 \end{vmatrix}$	N N	" scattered about moving SE.	
1	N	" " " "	
2 4	N N	" "	
4	N)	•
2	N	79 39 19	
0 5	N. R.	Cloudless.	Mean daily temperature of ground
6	G	y, ,,	20 and 60 inches below its sur- face 800 and 810.
7 7	G	or and scattered about, the former moving E. and scattered about, the former moving ESE.	
7	C	and we scattered about, both moving SE.	,
5	C	and vi scattered about, the former moving ESE; mist and fog in hor.	
4	C	99 40 50	
3	N. R. N. R.	around fior, and on scattered about.	
2 2	N. H.	scattered about hor."	
2	N. R.	vi scattered about.	
2	G	and continued about how	
2	G	scattered about hor. scattered about moving E.	
3 6	C	or around hor, and above E hor.	
4	C	scattered about; a few \ above E hor.	`
3 2	G. L.	vi around hor.; vi scattered about E hor. vi scattered about hor. from N to S.	
2	G. L.	27 29 29	
1	н	v scattered about E hor.	
1.			
0	H G	A few ∨ in the E hor. Cloudless.	Mean daily temperature of ground 20 and 60 inches below its sur-
0	G	"	face 80°2 and 81°2.
2 4	G	scattered about hor. from N to SW.	
5	C	" "	
3	C C	scattered about moving E; mist and fog in hor.	
2	C	2) 29 29 29 29 29	
1 1	N. R. N. R.	scattered along the E hor.	
0	N R.	A few clouds along the E hor.	
0	N. R.	A few valong the E hor."	· •
0	G	" "	
0	G	, , , , , , , , , , , , , , , , , , ,	1
0	c	Cloudless.	
0	C	" "	
0	c	"	
0	G. L. G. l.,	>> >>	
0	0. L.	,,	

	STAN Baros	DARD ISTER.	Тнв	NONBT	BRS.	0 H		AIR.		UND MRTERS.	Ospru,s C		RAIN.	RLECT	TRICAL	лятик	MENTS.
Bombay	Corrected	Corrected		Was n	Depres-	Ви-Роікт.	RESEURE OI Ioisture.	TY OF	er Hnch bund.	erer 6 " the L		Premaure	Ry New-	Sign of	Readin	igh of	ine in
Civil Time.	to \$9° Fahr.	for	In the	Thermo- meter.	Wet Bulb below Thermo- meter in the Air.	DBW.	PRES Noi	Нимівітя	Thermometer I inch in the Ground.	Thermoniete inches in Ground.	Direction.	in lbs. per Square Foot.	man's	Blectrici- ty + or —		Strawsol Volta 2.	
FBB. 24TH-Midnight	in. 29.889	in. 29.367	72*2	64.5	7:7	59*9	in. 0-522	0.67	73.5	76:7	NW	10s. 0.8	in.	+	Sc. div.	Sc. div.	
l a. m.	.867	•352	72.9	64.5	8.4	59.5	.515	.65	76.6	76.6	NWbN	0.6		+	6		4.11
2 "	.850	.345	72.4	64.0	8.4	58.9	.5 05	.64	76.2	76.5	,,	0.5		+	10		1.21
3 "	.837 .836	.321 ·306	70.8	63.8	7.0 6.3	59.6 60.4	-516 -530	.69	73.5	76.4 76.3	NNW N	0.4		++	8		1.54
5 ,,	.849	-329	69.7	63.5	6.2	59.8	-520	.72	71.6	76.3		0.1		-	•		Above 10m.
6 ,,	.870	•328	69.0	64-0	5.0	61.0	-542	.77	71.3	76.2	"	0.1					
7 "	.891	.352	69.3	64.0	5.3	60.9	-539 -447	.76	71.3	76.1	"	0.2					
8 " 9 "	.909 .924	.462 .505	70.6	61.4	9.2	55.3 53.4	.447	.61 .54	71.5	76.0 76.1	N b W	0.2					1
10 ,,	.929	.532	74.0	61.0	13.0	51.8	-397	.48	71.8	761	NNW	0.2	نه			မွှဲ	
11 ,,	.919	.544	76.6	61.2	15.4	50.1	.375	.42	72.0	76.1	,,	0.4	one			None.	
Noon.	.910	.509	79.0	63.0	16.0	52 1	.401	.41	73.6	76.1	NW	1.6	2			~	1
1 p. m. 2 m	·860 ·835	·454 ·426	80.4 80.8	63.7	16.7	52.4 52.7	-109	.40	75.7 76.5	76.1 76.2	NW b W	6.6					
3 ,,	.810	•364	81.2	65.2	16.0	55.2	.446	.43	77.8	763	NWbN	1.7				İ	
4 ,,	.803	.352	80-0	65.0	15.0	55.5	.451	.45	77.0	76.4	"	1.7					
5 ,,	.805	.395	78.3	63 0	15.3	52.7	•410	.43	77.0	76.5	,,	1.5					
6 ,, 7	.809	.447	75.5	60.4	15.1	49.1	.362	.42 .46	76.1 75.6	76.6 76.6	,,	1.6		+	2		410
2 "	-816	.444	74.4	60.3	14.1	49.9	.372	.44	75.2	76.5	"	1.0		+	2		4-16 4-29
9 "	.825	•495	73.5	58.5	15.0	46.4	-330	.41	744)	76.5	,,	1.1		+	5		0.5
10 ,,	.838	.546	70.8	56.0	14.8	43.4	•292	.39	72.8	76.5	NbW	0.2		+	4		1-20
11 "	.837	•563	70.0	55.0	15.0	40.8	.274	.38	72.0	76.5	,,	0.1		+	4		0.50
EB. 25TH-Midnight	.819	.533	69.0	55.0	14.0	42.3.	.286	.34	71.0	76.2	N	0.0		+	4		0.40
1 a. m. 2	.813	.527 .505	69.0	55.0 55.0	14.0	42·3 42·6	-286 -289	.31	70.6	75·9 75.7	N b E	0.6		++	12	10.	1.20
3 ,,	.785	.485	68.2	55.2	13.0	43.6	.300	.44	70.0	75.6	N	0.4		+	8	6	2.14 1.40
4 "	.786	.478	67.0	550	12.0	44.4	-308	.47	69.7	75.4	NbW	0.5		+	8	6	1-12
5 ,	.801 .825	.493	67.0	55.0	12.0	44.4	.308 -281	.47	69.5	75.3	,,	0.1		+	4 2		3.47
9 ,, 7 .,	.860	.544	66.0 65.1	53.5	12.5	41.9 35.3	.224	.45 .35	68.8 68.0	75.2 74.9	"	0.1		+	-		Above 10m.
8 ,,	.875	.656	68.2	520		34.7	219	.32	69.0	74.7	N b E	0.1					l
9 "	.895	.648	70.2	54 0	1	38.3	•247	.34		7.5.0	,,	0.0			Ì		
10 "	.888 .872	.603	76.2 78.6	58.0		42.5	285 286	.32	74.7	75.0	NNE	0.0	.	1			•
11 ,, Noon.	.839	.586 .431	81.0	59.0 64.0	1	42.8 52.8	408	.30	75.0 76.4	75.0 75.2	NW NW b N	0.0	one.	1			1
l p. m.	.815	.398	81.6	64.5		53.4	.417	.40	77.0	75.4	NNW	0.2	Ž				1
2',,	.788	.359	82.0	65.0	17.0	54.1	.429	.40	77.7	75.5	,,	0.7					1
3 ,, .	.767 .763	.338	82.0 81.2	65.0 66.0	,	54.1 56.8	.429	.40	77.7	75.6 75.8	,,	1.0			l .		
4 » 5 »	.766	.293	78.8	67.2	15.2	60.6	.535	.45 .56	77.2	75.9	"	0.7					ļ
6 ,,	.770	.237	75.5	66.0	9.5	6.).5	-5 33	.62	76.3	76.0	"	0.5		+	4		2.4
7 "	.783	.273	74.2	64.8	9.4	59.2	-510	.6i	75.3	75.9	,,	1.0		+	2		4.54
8 " 9 "	.801 .805	.390	73.8 72.4	64.8	9.0	59.4 53.1	.514	.63 •53	74.8	75.9 75.7	N b W	0.0		++	2 2		5.19
10	.820	.390	70.2	60.0	10.2	52.7	410	.56	74.1	75.7	NbW	0.0		+	2		Above 10m. Above 10m.
10 ,,	.817	.427	69.4	59.0	10.4	51.3	.390	.55	73.9	75.7	"	0.0		+	4		0-44
7 _{вв.26тн} -Mid n ight	.806	.385	69.2	60.0	9.2	53.5	.421	.59	73.0	75.5	NbW	0.0		+	4		0.4
l a. m.	.797	.372	68.8	60.0	8.8	53.8	.425	-61	71.2	75.4	,,	0.1		+	8	6	1.16
2 ,,	.783	.378	68.0	59.0	9.0	52.4	.405	.59	70.6	75.2	,,	0.2		+	4		2.26
3 ,, 4	.773 .774	.382	67.2	58.2 58.2	9.0	51.3	.391 .391	.59 .59	69.6	75·0 74.9	"	0.1		+	1 4		Above 10m. 2-18
5 ₂ ,	.788	.412	66.6	57.4	9.2	50.2	.376	.58	69.2	74.9	"	0.1	9	+	2		Above 10m.
6 "	.816	.430	67.2	58.0	9.2	51.0	43 86	.58	69.2	74.8	,,	0.1	None.				
7 "	.850	.390	69.7	61.5	8.2	56.2	.460	.64	70.4	74.8	NELE	0.1	4			_	6.5
8 " 9 "	.880	.417	71.6	62.3 64.0	9.3 8.2	56.3 59.0	.463 .507	.61 .61	72.0 73.5	74.8 74.8	NEBE	0.1		++	8 4	6	2.45 3.70
10 ,,	.898	.402	76.4	65.0	11.4	58.4	.496	.49	74.3	74.8	sw	0.0		+	3		5.00
11 "	.882	.380	78.4	660	12.4	58.7	-502	.49	74.9	74.9	w	0.0	1	Ι .			

1.			
Amount of Clouds	Observers.	STATE OF THE WEATHE::. Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \ i cirro-cumuli;	REMARKS.
4		Al cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbi.	
0 0 0	G. L. G G	Cloudless. "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 80:3 and 81:2.
0 0 0 0 0 0	G C C C N. R. N. R.	Mist around hor. No scattered above SW hor.; mist and fog in hor. A few we above SW hor.; mist and fog in hor. A few we above SW hor.; mist in hor. Mist in hor.	•
0 0 0	N. R. G G G C	Cloudless. Mist along the E hor-; fresh breezes from NW.	
0 0 0	C C C D D	Cloudless: fresh breeze from NW. Cloudless.	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	D G G G C C C C D	Cloudless. "" "" "" "" Mist and fog in hor. "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 80°3 and 81°2. Temperature of evaporation at 7 A. M. was 50°8 lowest in the month and about 18°0 lower than the normal mean for the hour; at 8 A. M. the temperature of dewpoint was 34°7 lowest during the year and about 32°0 lower than the normal mean.
0 0 0 0 0 0 0 0 0 0 0 0 0	D D G G G C C C C D	Mist around hor. """ Mist along the E hor: """ """ """ """ Cloudless; fresh breeze from NW.	25th February was the 12th cloud-less day from the beginning of the year.
0 0 0 0 0 0 0 0	D D G G	" Cloudless. " " " " " " " " " " " " " " " " " "	Mean daily temperature of ground 20 and 60 inches below its surface 80'3 and 81'2. 26th February was the 6th day on which the sky remained almost
0 0 0 0 0 0 0	C C C D D	Mist around hor. Mist and fog in hor. "" A few clouds in E hor.; mist in hor. Mist in hor.	cloudless.

		DARD NETER.	Тнкі	RNOMET	ERS.	ċ	Ba, O ai	А1к.	GRO THERMO		WIND P		RAIN.	Ersc	TRICAL	lnarnu	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fuhr.	for	In the	Wet Buib Thermo- meter.	Depression of WetBulo below Thornometer in the Air.	DEDUCED DEW-POINT	PRESSURE O. MOISTURE.	HUMIDITY OF	Thermonieter linch in the Ground.	Thermometer 6 Inches in the Ground.	Direction.	Premure in lis. per Square Poot.	By New- man's Gauge.	Sign of Blectricity + or —	Strawsol	Straweof Volus 2.	Interval of Time in recovering the same degree of tension after dis- charge.
Fвв. 26тн-Noon.	in. 29.850	in. 29.368	80%	66.0	14:0	57:5	in. 0.482	0.38	75°2	75:0	NW b W	1bs. 0.2	io.	+	Sc. div.	Sc. div.	m. s.
l p. m.	.843	.388	81.4	65.6	15.8	55.9	455	.43	76.9	75.2	WNW	0.1		+	4		2.48
2 ,,	.814	.379	84.3	66.0	18.3	54.5	.435	.38	78.8	75.4	W	0.2		+	2		Above 10m.
3 ,, 4	.812	.361	84.6	66.6	18.0	55.5 58.0	.451	.39 .45	79.0 79.0	75.6 75.8	NW NNW	0.3		+	1 4		Above 10m 2.26
5 ,,	.818.	.326	81.3	66.7	14.6	58.1	.492	.47	78.8	75.9	NWbN	0.3	one.	+	2	نه	4.52
6 ,,	.831	.336	79.0	65.0	13.0	58.3	.435	.51	78.1	76.1	NNW	0.3	Nor	+	4	N C I	3.10
7 ,, 8	.850	.320 .327	7.5.8 74.8	66.4	9.8 8.4	60.4	.530	.61 .65	76.5 76.0	76.1 76.0	NW	0.6		+	2		5.46
9 ,,	-887	.435	73.8	66.0	7.8	61.6	-552	.67	75.7	760	,,	0.0					
10 ,, 11 .,	.896	.369	73.2	65.0	8.2 7.2	60.2	-527 -518	.65	75·2 74.5	76.0	,,	0.0					
11 ,,	.895	.377	71.2	04.0	1.2	59.7	.518	.09	74.5	75.9	,,	0.0					
Feв.27тн-Midnight		.345	71.4	65.0	6.4	61.3	.547	.72	73.5	75.7	NW b N	0.0					
l a. m. 2	.875 .868	.299	70.3	65.5	4.8	62.9	.576 -576	.78	72.0	757	SE'bs	0.3		++	6 8	_E	0.44
3 ,,	.854	.263	70.8	66.2	4.6	63.7	.591	.79	72.7	75.5	,,	0.6		+	2	6	1.16
4 "	.859	.268	70.8	66.2	4.6	63.7	.591	.79	726	75.5	,,	0.6	1	+	2		
5 ,, 6	.869	.277	70.2	66.0	4.2	63.7	-592 -594	.81	72 1	75.5	"	0.1		+	2 2		
7 ,,	.890	.296	70.0	65.6	4.0 5.4	63.8 62.6	.571	.76	71.7	75.4 75.3	"	0.4	1	+	2		
8 "	.943	.393	74.0	66.0	8.0	61.5	-550	.67	73.5	75.3	"	0.2		+	4		
9 ,,	.963	.348	77.0	69.0	8.0	64.9	-615	.63	75.1	75.4	,,	0.2	١.	+	6		
10 ,, 11 ,,	.966	.330	78.5 80.2	70.1 68.0	8.4	65.9	•636 •547	·67	76.5	75.6 75.8	w "s	0.2	one.	+	6		l
Noon.	.928	.359	81.2	69.0	12.2	62.5	.569	.5 5	77.5	76.0	W	0.0	Z	•			
l p. m.	.907	.380	82.0	68.0	14.0	60.2	-527	49	78.3	76.0	WNW	0.2	-		١.		
2 " 3 "	.882	.359	82.4 82.3	68.0 67.0	14.4	6 0.0 58.0	.523	.48	78.7	76.2 76.4	WhN	0.3		+			
4 "	.866	.367	81.5	67.0	14.5	58.6	.499	.48	79.0	765	,,	0.4	ĺ	+	2		
5 "	.869	.349	79.6	67.0	12.6	59.8	·520	.54	79.0	76.5	NWbW	0.1		+	2		i
6 " 7	.868	.340	76.0 74.8	66.0	10.0 8.4	60.3	•528 •554	.60 .65	78.9 76.2	76.5 76.5	"	0.1		+	1		
8 "	.917	.367	74.0	66.0	8.0	61.5	.550	.67	75.1	76.4	WNW	0.5		+	4		1
9 "	.921	.388	73.5	65.3	8.2	60.5	. 5 33	.66	75.0	76.4	NWbW	0.2		+	2		
10 ,, 11 ,,	.916 .889	•391 •360	73.4 73.0	65.0 65.0	8.4 8.0	60.1 59.8	.525 .529	.64 .66	74.8 74.2	76.3 76.3	'nW	0.1			2		
Feв. 28тн-Midnight	950	250	5 2.0	65.0		60.0	£30	cc	64.1	95.0	'NYTHY L NY	0.1					
EB. 25TH-Midnight I a. m.	.879 .872	.350 .350	73.0 73.6	65.0 65.0	8.0 8.6	59 8 59 9	.529 .522	.66 -64	74.1	759 759	NW b N	0.1		+	4	l	
2 "	.865	.338	73.2	65-0	8.2	60 2	.527	.65	74.0	75.9	,,	0.7		+	2		
3 ,, 4	.853 .846	.324	73.0 72.4	65.0 64.0	8.0 8.4	60.3	.529 .505	.66 .64	73.4 73.0	759 759	NNW	0.7		+	l i	1	Above 10m
5 ,,	.851	.341	72.4	65.1	7.3	58 9 60 9	.539	.69	73.0	75.9	"	0.0		++	1 2		Above 10m
6 "	.875	.335	72.0	65.0	7.0	60 9	. 540	.70	730	75.8	,,	0.5		+	6		1.46
7 ,, 8	.907 .924	.375	70.5	64.2	6.3 8.2	60.5 59.3	.532 .511	.72 .65	72.3 73 0	75.7 75.7	N N b E	0.1		+	16 10	14	1.5
9 ,,	.945	.413	74.7	63.0	11.7	55.4	.449	.53	74.0	75.8	l .	0.2		+	10	8	2.9
10 ,,	•950	.526	77.0	63.0	11.0	53.7	.424	.47	75.2	759	N b W	06		ļ			
ll " Noon.	.939	.535 .525	77.5	62.5	15.0 15.8	52.3 50.9	.3\5	.44 .41	75 7 75 9	76.0 76.1	NNW NWbN	0.7	None.				
1 p. m.	.879	•470	78.4	63.0	15.4	52.7	.409	.43	76 2	76.2	NW b W	0.7	ž	+	4		2.26
2 ' ,,	.845	.432	78.0	63.0	15.0	52.9	.413	.41	76.2	76.2	NW	0.8		+	4		2.48
3 ,, 4 .	.839 .843	.426	78.0 78.0	63.0	15.0 15.0	52.9 52.9	.413 .413	.44 .44	75.8 75.5	76.2 76.2	NW'LW	0.7		+	2		3.16
5 ,,	.849	.407	75.4	63.0	12.4	55.9 55.9	•41.5	.51	750	76.2	,,	1.4		+	2		Above 10w 6.14
6 "	.860	.407	722	62.2	10.0	55.7	.453	.5৪	744	76.3	,,	1.3		+	4		4.10
7 ,. 8 .	.876	.418	71.2 71.0	62.0 62.0	9·2 9·0	56.0 56.2	.458 .460	.61 .61	73.5 72.6	76.2 76.1	WNW	1.4		+	2		Above 10m
9 ,,	.900	.423	70.4	62.0	8.4	56.6	.400	.63	72.0	76.1 76.0	'nw	1.0		-	4		Above 10m
10 ,,	.902	.431	70.0	62.0	8.0	56.8	471	.65	72.0	7 5.9	,,	0.5					
11 ,,	.894	.453	68.7	60.5	8.2	549	.441	.64	71.0	75.7	,,	0.3	<u> </u>		<u> </u>		

Observers.		-
1 _	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumult; \(\chi\) i cirro-strati; \(\chi\) i cumulo-strati; and \(\chi\) i nimbl.	
מ	Mist in hor.	
G	Cloudless.	
) G	"	
	" ·	
C	,, ,,	
) c	"	
) c	· · ·	
) C	"	
) D D	" · · · · · · · · · · · · · · · · · · ·	
מוס	"	
-	"	
] , , , , , , , , , , , , , , , , , , ,	
α 0	Cloudless.	Mean daily temperature of ground 20 and 60 inches below its sur-
) G	"	face 80:4 and 81:3.
0 G)	lace out and orts.
	" "	
D	"	
α (,,	
) G	Mist around hor.	
) G	Mist and fog in hor.	
) c	A few voi in N above hor.	
	A few clouds in S hor.	
D	· · · · · · · · · · · · · · · · · · ·	
G	A few clouds in SE hor.	
G	A few clouds in SE hor.	
) c	A few clouds in NE and SE hor.	
C	Cloudless.	
Q 0	,	
0 D	,,	
D G	"	
0 c	33 33	
0 c	,,	
D D	A few clouds in hor.	
D D	vi scattered around hor.	Mean daily temperature of groun
5 G	scattered about moving SE.	20 and 60 inches below its sur
G	∾ scattered about moving SE	face 80 :4 a nd 8 1:3.
G	Clouded as before.	
	n n	
C))	
c	and we like clouds scattered about both moving SSE; mist and fog in hor-	
3 c	scattered about hor moving SE; mist and fog in hor.	
В	scattered around hor.; mist in hor.	
l B D B	n around hor.	
) B) B	Cloudless.	
		·
) G),),	
) G	"	
) G	"	
C	Cloudless; fresh breezes of wind from NW.	
C	A few \(\) in W hor.; fresh breezes of wind from NW. Cloudless; fresh breezes of wind from NW.	
. 1))))))))	
) c		

	STAN BAROX		THE	RMOMET	BRS.	2	0.F	AIR.	Gros Thermo		WIND P Oslbr's G		RAIN.	ELBO	TRICAL	INSTR	UMENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DRW-Point.	PRESSURE O Moisture.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or-	Straws of	Straws of Volta 2.	
Mar. 1st-Midnight	in.	in. 29.506	68:8	58:0	10.8	49.6	in. 0.368	0.53	70.6	75:4	NbW	lbs. 0.2	in.		Sc. div.	Sc. div.	m. s.
l a. m.	.843	.475	68.8	58.0	10.8	49.6	•368	.53	70.5	75.4	,,	0.1		+	6		2.36
2 "	.836	.464	67.7	57.7	10.0	49.9	.372	.56	69.4	75.2	,,	0.2		+	12		1.00
3 "	-820	.459	67.0	57.0	10.0	49.0	.361	.55	69.0	75.0	,,	0.1		+	4		3.16
4 ,,	.812	.451	67.0	57.0	10.0	49.0	.361	.55	69.0	74.8	N	0.0	İ	+	8	12	2.4
5 ,, 6	.816	.428 .415	67.0	58.0 59.0	9.0 8.4	51.1 52.9	.388 .412	.59 .62	69.0 69.0	74.7 74.6	"	0.0		+	14 12	12	1.14 1.17
7 ,,	.857	.407	69.2	61.0	8.2	55.5	450	.64	70.1	74.5	"	0.1		++	4		5.46
8 "	.886	.403	72.2	63.2	9.0	57.6	•483	.62	71.7	74.6	ENE	0.3		+	6		4.10
9 "	.898	•450	74.8	63.0	11.8	55.3	.448	.53	72.9	74.7	,,,	0.2		+	2		3.16
10 ,,	.894	.432	77.4	64.4	13.0	56-3	.462	.50	74.2	74.7	"	0.2		+	4		2.41
11 " Noon.	.882	.485	82.0 86.8	64.0	18. 0 20.0	51.8 51.9	.397 .399	·37	77.0	74.8	NE b E	0.2	one.	+	1 14	10	Above 10m. 1.2
l p. m.	.8 56	.457	84.5	68.0	16.5	58.5	.498	.43	79.6 80.0	75.0 75.2	1	0.6	ž	++	1.4	10	Above 10m.
2,,	.816	.299	84.6	68.6	16.0	59.6	.517	.44	80.2	75.4	,,	0.5		·	•		Acove rom.
3 ,,	.806	.248	85.2	70.0	15.2	61.9	.558	.47	80.7	75.7	WNW	0.3					
4 ,,	.812	.241	84.0	70.0	14.0	62.6	.571	.50	80.5	76.1	NWbW	0.5					
5 ,,	.819	.233	82.6	70.0	12.6	63.4	.586	.54	80.0	76.2)) 31187	0.3	[+	l		Above 10m.
6 ,, 7	.835	.213	78.8	69.8 69.0	9.0	65.2 64.9	.622	.65 .68	78.2	76.2	NW NW b N	0.2		+	6		2.18
9 "	.851	.236 .245	77.0 75.9	69.0	8.0 6.9	65.4	.627	.72	77.0	76.1 76.1		0.0		+	1		4.00 Above 10m.
9 ,,	.898	.267	74.0	68.5	5.5	65.6	.631	.76	75.7	76.0	"	0.0		∔	10		3.12
10 ,,	.894	.2.35	73.0	69.0	4.0	67.0	.659	.82	75-1	76.0	,,	0.0	1	+	20	20	0.5
11 "	.879	-219	72.9	69.0	3.9	67.0	.660	.83	74.9	75.9	,,	0.1		+	20	18	0.40
IAR. 2np-Midnight	1	.236	72.7	68.2	4.5	65.8	-635	.80	74.4	75.9	NWbN	0.1		+	4		<i>5</i> .52
l a. m.	.843	.206	72.0	68.0	4.0	65.9	.637	.82	74.0	75.9	,,	0.0		+	1		Above 10m.
2 ,, 3	.834 .830	.178	71.8	68.5 68.0	3.3	66.8 66.2	•656 •642	.85 .84	73.5	75.9 75.9	,,,	0.0		+	4 6		1.46
, ,,	.830	.188	72.0	69.0	3.5	67.5	-670	.87	73.2 73.5	75.9	s"	0.2		+ +	6		1.00 1.20
5 ,,	.844	.176	72.2	69.0	3.2	67.4	-668	.86	73.2	75.8	,,	0.2		+	10	8	0.58
6 "	.861	.182	72.4	69.4	3.0	67.9	-679	.87	73.2	75.7	,,	0.1		+	8		1.26
7 ,,	.882	.200	74.0	70-0	4.0	68.0	.682	.83	74.0	75.8	"	0.2		+	2		Above 10m.
8 ,,	.911	.240	76.6	70.5	6.1	67.5	-671	.71	75.0	75.9	a." ¬	0.2		+	l		Above 10m.
9 ,,	.940	.235 .222	78.4 80.0	72.0 73.0	64	69.0 69.9	.705 .724	.74 .72	76.8 78.0	76.0 76.2	S b E S	0.3		+	6 2		3.11
11 ,,	.944	.186	81.7	74.4	7.0 7.3	71.3	.758	.72	79.1	76.4		0.3	øj.				\bove 10m.
Noon.	.927	.205	83.5	74.0	9.5	69.8	.722	.65	80.2	76.5	sw	0.3	None.		·		
1 p. m.	.903	.263	84.3	72.0	12.3	66.1	-640	∙5 6	80.9	76.8	swbw	0.6	Z				
2 ,,	.886	.218	85.0	73.0	12.0	67.4	•663	.57	81.2	77.0	wsw	0.5					
3 ,,	.875	.221	85.0	726	12.4	66.7	•654 606	.56	81.2	77.1	,,	0.4				i	
4 ,, 5 .	.875	.269 .259	84.5 82.8	71.0	13.5 11.8	64.4 65 1	•606 •619	•52 .57	81.2 80.8	77.2	,,	0.4 0.2					
6 . .	.890	.233	78.8	70.8	8.0	65.9	•657	.68	78.7	77.3	"	0.2					
7 ,,	.908	.256	76.7	700	6.7	66.6	.652	.7 3	77.2	77.2	"	0.1					
8,,	.928	.268	76.0	700	6.0	67.0	-6 60	.7 5	76.6	77.l	"	0.2		+	1		Above 10m.
9 ,,	.950	.321	7.5.2	68.8	64	65.5	•629	.73	76.4	77.1	"	0.1					
10 ,, 11 ,,	.949 .942	.326 .324	74·2 73.7	68.3 68.0	5.9 5.7	65.3 65.0	.623 .618	.75 .76	76.1 75.6	77.0 77.0	"	0.0 0.0					
Iar, 3nd-Midnigh	020	000	50.0	60.0		65.0	004		a. ^	200	ssw	0.0					
l a. m.	.932	.308 .323	73 2 71.6	68.0 67.0	5.2 46	65.3 64.5	.624 .608	.77 .80	75 2 73.7	76.9 76.9		0.0 0 ·0					
2 ,,	.923	.340	71.0	66.0	5.0	63.2	.583	.ის .78	73.7	76.9	"	0.0					
3 "	.912	.324	70.5	66.0	4.5	63.5	.538	.80	72.9	76.8	. "	0.0					
4 ″,	.909	.261	71.0	68.0	3.0	66.5	648	.86	73.0	76.7	NÉ	0.0	ne.	ne.	je.	Je.	ne.
5 ,,	.915	•263	712	68.2	3.0	66 6	.652	.86	726	76-6	"	0.2	None.	None.	None.	None.	None.
6 ,,	.932	.280	71.2	68 2	3.0	66.6	.652	.86	72.5	766	,,	0.2	~	-	-	~	F
7 <i>,,</i>	.956	.304	71.2	63.2	3.0	66 6	.652 626	.86	72.5	76.4 76.2	ENE	0.1 0.2					
9 ,,	.973	.347 .355	73 0 75 0	69.0	50 60	65.4 65.9	.626 .637	.78 .75	73.0 75.0	76.2 76.3	"	0.2					
10 ,,	.990	.376	77.1	6+0	81	648	.614	.67	76.1	76.4	NE ' E	0.2			i		
ii	.962	.399	79.3	1	l iii	62.2	.563	.57	76.6	76.5	ENE	0.1		!	1	- 1	

0—8	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\frac{1}{2}\) cirro-cumuli; \(\chi\) cumuli; \(\chi\) cirro-strati; \(\chi\) cumulo-strati; and \(\chi\) i nimbi.	Remarks.
0	В	Cloudless.	Mean daily temperature of ground
1	G		20 and 60 inches below its sur-
1	G	" "	face 80.0 and 81.5. Tempera-
0	G	"	ture of free air at 5 A. M. was
_ I	G	n	67:0 lowest during the month
_	c	M:-4 11	and about 6.6 lower than the
. 1	C C	Mist around hor. Mist and fog in hor.	normal mean; at 4 A.M. the temperature of evaporation was
	c		57:0 least in the month and
0	G))))	about 12:1 lower than the nor-
- 1	G	"	mal mean for the hour.
	G	, , , , , , , , , , , , , , , , , , ,	lst March was the 7th day on
. 1	G	Mist around hor.	which the sky was almost cloud-
1 1	B B	Cloudless.	less.
_	В	n n	
0 1	В	" "	
	G		
	G	A few v in E hor.	
1 1	G	Cloudless.	
1	G C		
- 1	č	" "	
1 6	c	scattered about W hor.; dew falling.	
0		A few vi above W hor.; dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 80°0 and 81°5. 2nd March was the 8th day on which sky was almost cloudless.
) c	$, \mid$	Cloudless.	Mean daily temperature of ground
) E	3		20 and 60 inches below its sur-
) E	- 1	A few ni above SE hor.	face 80°0 and 81°5. 3rd March was the 9th day on
		A few on above SE hor.; dew falling.	which the sky was almost cloud-
) G	- 1		less.
) a		Mist around hor.	
) G	- 1	Mist and fog in hor.	
) G	1	" "	
	1	"	
	1	Mist along the E hor.	

			DARD ETER.	Тнвя	MOMET	ERS.	Ĥ	Ř.	AIR.	GRO TRBRNO	UND METERS.	WIND POSLER'S G.		RAIN.	Brec	TRICAL	Instru	•
,	Bombay Civil Time.	Corrected	Corrected	In the	Wet Bulb	Depres- sion of Wet Bulb	DEDUCED DEW-POINT	IRESURB OF Hoisturb.	ITY OF	ter 1 inch round.	neter 6 in the d.		Pressure in lbs.	By New-	Rign of	Readi	ngs of	Time in
	1804.	52º Fahr.	for Moisture.	Air.	Thermo- ineter.		DRW	PRE	HUMIDITE	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	per Square Foot.	man's	Electrici- ty + or —	Strawsof Volta 1.	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
MAR.	3RD-Noon.	in. 29.929	in. 29.379	80.5	68*2	12:3	61.5	in. 0.550	0.54	780	76*6	NW b N	lbs. 0.5	in.		Sc. div.	Sc. div.	m. s.
	l p. m.	.899	.381	81.3	67.5	13.8	59.7	.518	.50	78.8	76.6	NNW	0.8	l	ļ			
	2 ,, 3	.871	.311	82.0 82.4	69.0	13.0	62.0 65-3	.560 .624	.52	79.0 79.4	76.7 76.9	,,	0.8					
	4 "	.840	.175	82.0	72.0	10.0	67.2	.665	.62	79.6	77.1	,,	1.0	one.	je j	e e	<u>.</u>	je.
	5 ,,	.842	.178	80.5	71.5	9.0	67.2	.664	.66	78.6 78.5	77.1	"	0.8	No	None.	None.	None.	None.
	6 " 7 "	.847	.199	78.7	70.5	8.2 7.0	66.5	.648	.68	77.0	77.1	,,	0.7		' '			
	8 "	.881	.210	76.6	70.5	6.1	67.5	.671	.71	76.1	77.0	N b'W	1.0		Ì			
	9 ,, 10 ,,	.904	.313	76.2 75.5	68.0 66.2	8.2 9.3	63.7	-591	.67	76.0 76.0	77.0	,,	0.6					
	11 ,,	.901	.441	73.7	63.0	10.7	56.2	.540 .460	.56	75.2	76.9	"	0.2					
Mar.	4тн-Midnigh		.444	72.0	62.0	10.0	55.4	.449	.58	75.0	76.9	NbW	0.1					
	la.m. 2	.880	1	71.5 69.6	59.0 58·2	12.5	49.4	.366	.48 .51	73.6	76.9 76.7	,,	0.1	ľ				
	3 ,,	.860	.477	70.0	59.0	11.0	50.8	.383	.53	72.3	76.6	,,	0.1	İ				
	4 "	∙860	.365	70.5	63.0	7.5	58.3	.495	.67	72.3	76-6	ENE	0.2					
	5 ,, 6	.864	.372	70.8 70.8	63.0 63.0	7.8	58.1 58.1	.492 .492	.66	71.6	76.4 76.2	"	0.0					
	7 ,,	.915	.415	71.2	63.4	7.8	58.6	.500	.6 6	71.8	76.0	,,	0.2					
	8 "	.941	.423	74.0	65.0	9.0	59.7	.518	.63	73.0	75.9	,,	0.1					
	9 ,,	.959 .956	.401	76.2	67.0 67.0	9.2	61.9	.558 .546	.63 .59	75.0 76.0	76.0 76.2	,,	0.1					
	11 ,,	.943	.425	81.0	67.4	13-6	59.7	.518	.50	77.7	76.3	,,	0.1	je je	one.	<u>.</u>	نه	يو
	Noon.	.908	.393	83.0	63.0	15.0	59.5	.515	.47	79.1	76.5	NW	0.2	None.	No	None.	None	None.
	1 p. m.	.879 .864	.305	83 7 84.6	70.0	13.7	62.8 65.0	.574	.52	79.9 80.6	76.6	"	0.8			~		
	3 "	.853	.249	84.2	71.0	13.2	643	.604	.53	80.9	77.0	nnw	1.0					
	4 ,,	.857 .867	.251 ·250	84.0 83.0	71.0	13.0	64.1	.606	.53	80.9	77.2	NWbN	0.7					
	5 ,, 6 ,,	.881	.246	79.9	70.5	12.0 9.4	65.0	.635	.64	80.0 79.1	77.2	NNW	0.7					
	7 ,,	.894		79.3	68.2	11.1	62.2	·563	.57	78.6	77.1	,,	0.6					
	8 " 9 "	.913 .928	.348 .359	78.5 78.2	68.0 68.0	1	62.3 62.5	•565	.59	78.0 78.0	77.0	N b W NNW	0.5					
	10 ,,	.927	.316	77.4	69.0		64.7	.569 •611	.66	77.8	77.0	i	0.5					
	11 ",	.924	.293	76.8	69.4	7.4	65.6	.631	•70	77.6	77.0	N b W	0.2					,
Mar.	5тн-Midnigh		1	765	70.0		67.2	.664	.73	77.3	77.0	Nbw	0.2					
	l a. m. 2 ,,	.902	.304	75.5 73.6	68.0		64.0	•598 •586	.69 .72	76.5 75.3	77.0 77.0	,,	0.1					
	3 ,,	.892	.278	72.5	67.5	51	64.8	-614	.78	74.6	76.8	,,	0.0		1			
	4 ,, · · · · · · · · · · · · · · · · · ·	.892 .897	.264	72.8 73.0	68.0 68.0	4.8 5.0	65.5 65.4	.628	.79 .78	74.6	76.8	NNE	0.0					
	6 ,,	.914	.290	73.2	68.0	5.2	65.3	.624	.78	74.5	76.7 76.6	INNE	0.0					
	7,,	.948	.379	73.4	66 4	7.0	62.5	-569	.70	73.2	76.5	-,,	0.1					
	8 " 9 "	.967	.437 .623	75.8 79.8	66.0	9.8	60.4 49.1	-530 -362	.61	74.5	76.5 76.7	N b E	0.2			Ì		
	10 ,,	.979	.610	84 5	64.0		496	.369	.32	80.0	76.9	NNE	0.2					
	11 ,,	.958	.653	89.3	63.7	25.6	44.1	.305	.22	83.4	77.2	.,	0.2	one.	je je	ne.	je.	Je.
	Noon. 1 p. m.	.924	.332	89 6 88 4	66.0	1 -	50.2 61.9	.376 .558	.28 .43	84.2 84.6	77.5	NWbN	0.3	Noi	None.	None.	None.	None.
	2 ,,	.859	.272	89.0	720	17.0	63.4	∙5∺7	.44	84.6	77.9	NW	0.8					
	3 ,,	.843		88.0	735		66.7	.654	.51	84.2	78.1	NWbN	1.0					
	4 ,, 5	.834 .838	.265 .278	85.0 85.0	70.5	1	62.5 62.0	.569 .560	.48	83.4 83.0	78.3 78.4	NNW	1.2					
	6 "	.843	.270	82.3	69.5	12.8	62.7	-573	.53	81.4	78.4	"	1.6					
	7,,	.860	ı	80.8	69.0		62.7	-573	.56	81.2	78.3	,,	1.5					
	8 ,, 9 ,,	.879 .899	1	80.8	69.0	11.0	63.2	-573 -582	.56 .58	81.0	78.1	,,	2.0	1				
	10 ,,	.902	.280	788	69.8	9,0	652	.622	.65	79.9	78.0	N L'W	0.8					
	11 "	.898	.298	78.4	690		64-1	.600	.63		77.9	,,	0.5	İ				1

Amount of Clouds	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \infty i cirro-cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i nimbl.	Remarks.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	С В В В С С С С	Mist along the E hor. Cloudless. Mist along the E hor. """""""""""""""""""""""""""""""""""	•
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C B B B G G C C C B B B	Cloudless. "" "" "" "" "" "" "" "" "" "" "" "" "	Mean daily temperature of ground 20 and 60 inches below its surface 80°1 and 81°5.
	B G G G C C C B B B G G G G G G G G G G	Scattered from W to N hor.; a few wi in E hor.; haze in E hor. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 80°2 and 81°5. Temperature of calculated dew-point at 11 A. M. was 44°9 lowest in the month and about 24°6 lower than the normal mean. 5th March was the 10th day on which the sky was almost cloudless.

	STAN: Baron		Тнвв	NOMET	ERS.		B ₄	AIR.	Свот Тивемо:		Wind P Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
Bombay Civil Time.	Corrected to	Corrected	In the	Wet Bulb	Depression of Wet Buib	DEDUCED DEW-POINT	PRESCURE OF Moisture.	UMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs.	By New-	Sign of Blectrici-		ngs of	of Time in ring the legree of after dis-
1864.	32° Pahr.	Moisture.	Air.	meter.	Thermo- meter in the Air.	DE	P	HUMI	Thermou in the	Therm inche Orou		Square Foot.		ty + or -	Straws of Volta 1.	Volta 2.	Intervence same tensi
Лап. 7тн-Midnight	in. 29.910	in. 29.267	77:5	70.0	7:5	66:2	in. 0.643	0.70	78:2	79*0	EbN	1bs. 0.0	141.	+	Se. div.	20	m. s.
1 a. m.	.897	.237	76.0	70.0	6.0	67.0	.660	.75	77.8	78.8	>>	0.0		+	14	12	0.35
2 "	.889	.217	75.6	70.2	5.4	67.6	.672	.77	77.2	78.6	,,	0.0		+	14	12	0.48
3 "	.877	.146	76.0	72.0	4.0	70.2	.731 .676	.83 .81	77.2 76.2	78.6 78.5	,,	0.0		+	10	8	1.00 2.15
4 " 5 "	.877 .879	.201	74.5	70.0	4.5	67.8	.679	.81	76.0	78.4	ENE	0.0		++	6		3.21
6 "	.896	.228	73.4	69.4	4.0	67.4	.668	.83	75.2	78.2	EbN	0.1		+	4		3.50
7 ,,	.916	.276	74.7	69.0	5.7	66.1	.640	.76	75.4	78.1	,,	0.2		+	4		3.42
8 "	.939	.301	78.0	70.0	8.0	66.0	.638	.68	77.0	78.0	E	0.2	١.	+	2		Above 10m.
9 ,,	.948	.358	79.3	69.0 68.6	10.3	63.6	.590 .558	.60 .54	78.0 79.1	78.2 78.3	"	0.2	one.	++	2 2		Above 10m.
10 ,, 11	.950	.392	83.4	69.0	14.4	61.2	.545	.49	80.4	78.5	"	0.2	Ž	+	4		4.50
Noon.	.899	.328	88.5	71.4	17.1	62.6	-571	.44	82.8	78.7	sw	0.1		+	8		2.12
1 p.m.	.875	.213	89.0	74.0	15.0	67.1	.662	.50	84.0	78.7	swbw	0.1		+	1		Above 10m
2 ,,	.847	.118	89.9	76.0	13.9	70.1	.729	.54	84.9	79.0	WSW	0.3					
3 ,, 4	.828	.033	89.6	77.6	12.0	72.8 72.9	.795	.59 .64	85.0 84.5	79.2 79.4	WNW	0.3					
5 "	.821	28.999	85.0	77.0		73-8	.822	.70	84.0	79.5		0.4		+	10	8	0.52
6 ,,	.829	.972	81.8	77.0	1	75.1	.857	.81	82.0	79.5	"	0.2		+	12	10	1.00
7 "	.848	.999	80.2	76.6	0.0	74.8	.849	.85	80.9	79.4	,,	0.0		+	8	ļ	1.26
8 "	-882	29.033	79.0	76.0	1	74.8	.849	.88	80.0	79.4	,,	0.0		+	1		Above 10m
9 ,, . 10 ,,	.896 .896	.047	79.0		1	74.8	.849	.88	80.0	79.4 79.4	S b W	0.3		1			1
11 ,,	.888	.090	ı			72.9		.85	79.5	79.4	,,	0.2		+	2	-	4.49
AR. 8TH-Midnigh		-087	77.2			72.7		.87	79.0	79.4	ssw	0.1		+	ŀ		Above 10m
l a.m.	.868	.081	77.6					.85	79.0	79.4	797 1. 6	0.0		+	4		2.25 1.5
2 ,, 3	.864 .854	.077	77.6		1		.787 -803	.85	79.0	79.4	WbS	0.1	i	++	8 2		3.10
4 ,,	.840	.072						.87	78.0	79.3	NNW	0.1		'	-		00
5 ,,	.862	.190	75.6	1	5.4	67.6	.672	.77	77.4	79.1	SE	0.1		+	4		2.14
6 "	.866							.79		78.9	SEbS	0.1		+	10		12.1
7 ,, 8 ,,	.890							.71 .64	76.5 78.0	78.9 78.8	SSE	0.2		+	1 1		Above 10m
0 "	.926						1	.61	79.0	78.9		0.1		+	'		VOOAG 100
10 ,,	.927	.241					.686	.66		79.0	,,	0.2					
11 "	.922				8.0	71.6		.70		79.2	NEW	0.2	one.				
Noon.	-893	1				73.2		.73		79.4	,, NIVAT	0.1	Z		1		
1 թ. m. 2	.864						1	.68 .60		79.4 79.5	NW NW b N	0.5					1
3 ,,	.824	.152						.58		79.6	NW b W						
4 ,,	.824	.251	83.8	70.0	13.8	62.7	-5 73	.51	81.7	79.7	NW	0.6					
5 "	.817	.228			I .			.54		79.7	,,	0.4					
6 ,, 7	811	.227	79.8		1			.59 .60		79.6 79.6	,,	0.3					
0 "	.840	.258		1			4	.64		79.5	"	0.2			i		
9 ,,	854	.253	75.3	68.0	7.3		.601	.70	77.3	79.4	NNW	0.1		+	Outofec	24	0.4
10 ,,	-859	.262	74.1	67.5	6.6	64.0	.597	.72		79.4	NNE	0.0		+	20	18	1.17
11 "	.859	.250	74.5	68.0	6.5	64.6	.609	.73	76.5	79.3	NbW	0.1		+	8		4.11
Mar. 9тн-Midnigh la. m.	t .857	.227						.73		79.2 79.2	NNW WNW	0.2		+	2		Above 10m
2 ,,	.846			1		1	•	.83		79.1	NW	0.2					
3 ,,	.841	.159	74.0	70.0	4.0	68.0	.682	.82	76.0	78.9	,,	0.0	one.			je.	
4 ,,	.842	1						.84		78.7	,,	0.0	No			None.	i
5 ,,	.854							.85		78.5	1 "	0.0	~			~	1
6 ,, 7	.863 .894							.88		78.4	1 "	0.1		+	6		2.37
8	.917						1	.75		78.2		0.1		+	2		3.16
9 ,,	.929							.74	76.8	78.3		0.2	1	+	4	1	3.56
10 ,,	.924	.225	79.6	72.2	7.4	68.8	.699	.71	78.0	78.5	,,	0.2					
11 ,,	.908	.217	80.3	72.2	8.1	68.4	.691	.68	78.8	78.6	į ,,	0.2	1	1	1	1	1

1 1			1
Amubut of Clouds	Observers.	STATE OF THE WRATHER.	·
1 0	, se		REMARKS.
Amon	0	NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \(\)i cirri; \(\)i cirro-cumuli; \(\)i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\)\(\) i nin.bi.	
0	c	Cloudless.	Many duily tamparature of ground
0	В		Mean daily temperature of ground 20 and 60 inches below its sur-
0	В	,,	fuce 80.6 and 81.6. At 2 p. m.
0	В	A few on above E hor; slight dew falling.	the temperature of air was 89:9
0	В	" " "	greatest in the month, and about
0	G	,,	5.8 greater than the normal
1 1	G	scattered from N to SE hor.; mist around hor-	niean; at 3 P. M. the tempera-
1 1	G	2) and from N to SE have wint and for in hou	ture of evaporation was 77:6
o	G C	scattered from N to SE hor.; mist and fog in hor-	greatest in the month, and only 2.6 greater than the normal
o	c	A few v scattered in W hore; mist and fog in hor.	mean; at 6 P.M. temperature of
0	c	" " " " " " " " " " " " " " " " " " "	dew-point was 75 greatest
0	c	" "	during the month, and the nor-
0	В	Cloudless.	mal mean was 69.5.
0	В	A few wi in E hor.	7th March was the 1st day from
0	B B	along the E hor.	the beginning of the year on which lightning was seen.
0	G	19 79	william in the same same
1	G	and m scattered around hor.	
	G	27 29 39	
	G		
2 2	C	scattered about the sky.	
l i l	c	scattered about; lightning in SE.	
4	C	N and N scattered about, both moving NE; lightning in SE.	Mean daily temperature of ground
5	В	scattered about, moving NE; lightning in S hor. at intervals of 1m.	20 and 60 inches below its sur-
6 5	B B	scattered about, moving NE; lightning in S at intervals of 1 m. scattered about, moving ENE; lightning in SSE hor. at intervals of 2 m.	face 81:0 and 81:6.
4	В	n n n n n n n n	8th March was the 2nd day from beginning of the year on which
6	G	scattered about moving NE; lightning in E hor.; dew falling.	lightning was observed.—On
6	G	scattered about moving NE; slight dew on grass.	this day wind blew in a direct
5	G	and scattered about; the latter moving NE.	circular motion.
5 5	G	and scattered about, both moving NE; mist and fog in hor-	
4	c	Thank & scattered about, both moving 1112; mist and log in not.	
4	c	vu and vi scattered about, moving N; mist along the E hor."	
2	c	N and n scattered about, both moving N.	
4	В	scattered about moving ENE.	1
3	В	scattered about moving E."	i
3 4	B B	vi scattered about moving E.	I
4	G	oi along the E hor.; or scattered about moving E.	į į
5	G	along the E hore; 🕶 scattered about moving NE; lightning in E hore after 6h. 29m.	1
4	G	along the Ehor.; we scattered about moving NE; lightning in ESE hor at intervals	
4	G	Clouded as before; lightning in ESE at intervals of 1½m. [of 1½m.]	
$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	C	scattered about hor; lightning in E hor, at intervals of 21m. scattered about hor.; lightning in E hor, at intervals of 41m.	
o l	C	A few clouds along the E hor.; lightning in E hor. at intervals of 7m.	
1.1	}		·
0	C	A few clouds along the E hore; lightning in E hor.	Mean daily temperature of ground
0	B B	A few clouds along the E hor.; lightning in E hor. scattered along the E hor.; dew falling.	20 and 60 inches below its sur-
i	В		face 812 and 813. 9th March was the 3rd day from
1	В))	the beginning of the year on
1	G	,, ,,	which lightning was observed.
3	G	scattered about moving ESE; mist around hor-	
5	G	scattered about moving SE; mist and fog in hor.	1
5 3	G C	scattered about moving ESE; mist and fog in hor.	1
i	c	scattered along the E hor.; mist and fog in hor.	1
0	c	A few st above W hor.; mist along the E hor.	

		DARD METER.	Тнв	RMOME	TERS.		0.P	AIR.	THERMO	CHD METERS,	Wind F		RAIN.	BLEC	TRICAL	Instr	UM ENTS.
Bombay Civil Time. 1864.	to	Corrected for Moisture.	In the	Wet Buil Thermo- meter.		DE	PRESCURE OF MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Prossure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawso	Strawson Volta 2.	
N 0 N	in.	in.	0.99	2000	097		1n.	0.00		<u> </u>		lbs.	in.	<u> </u>	Sc. div.	Sc. div.	
MAR. 9TH-Noon.	29.882	29.177 .184	81 :7 83.0	73°0 72.6	8°7	69°0 67.8	0.705	0.67	79 * 7	78°8	NW b W	0.3					
2 ,,	.848	.127	83.6	74.0	9.6	69.7	.721	.64	80.8	78.8	,,	0.5					
3 "	.841	.231	83.6	71.0	12.6	64.6	.610	.55	81.0	78.9	>0	Q.7		′			
4 ,, 5	.848	.212	82.6 81.4	71.4	11.2	65.9 66.6	.636 .650	. 5 9	81.0	79.0 79.1	"	0.6 0.6		نه	a:		
6 ,,	.859	.166	78.1	71.6	6.5	68.5	.693	.74	78.3	79.1	27	0.5	one.	Nome.	one.	None.	None.
7 ,,	•882	.202	77.4	71.0	6.4	67.9	.680	.74	78.0	78.9	NW	0.6	Z	Z	Z	Ž	ž
8 "	.899	.250	77.0	70.0	7.0	66.5	.649 .666	.71	77.2	78.8	3 ,	0.6				!	
9 ,, 10 ,,	.923 .925	.257	77.0	70.5	6.5 5.4	67.3 68.4	.691	.73 .77	77.2	78.8 78.8	"	0.6 0.4					
11 "	.913	.218	76.0	71.0	5.0	68.6	.695	.79	77.0	78.8	nw ⁿ b n	0.4					
Mar.10тн-Midnigh	.907	.212	76.0	71.0	5.0	68.6	.695	.79	77.0	78.8	NWbN	0.4		·			
l a. m.	.898	.233	75.5	70.0	5.5	67.2	-665	.77	76.9	78.6	NNW	0.6	1	-			
2 ,,	.892	.214	74.4	70.0	4.4	67.8	-678	.81	75.9	78.5	NNE	0.1					
3 ,, 4	.898	.227	73.3	69.2 68.8	4.1 4.4	67.2 66.6	.663	.82	75.0 75.0	78.4 78.3	"	0.1					
5 ,,	.914	.288	73.0	68.0	5.0	65.4	.626	.78	74.7	78.2	NE'b N	0.1					
6 ,,	.945	.301	7.1.8	66.8	5.0	66.3	.644	.78	73.2	78.0	ود.	0.1	ŀ				
7 ,,	.971	.357	72.2	66.0	6.2	65.0	.614	.73	73.5	77.9	,,	0.1					
8 ,, 9	30.001	.463	76.0 78.3	66.0	10.0	60.3 58.8	-528 -503	.60	75.0 76.8	77.8 78.0	,, NE	0.1					
10 ,,	.002	.525	80.6	66.0	14.6	57.2	.477	.47	78.5	78.2	NEbN	0.2					
11 ",	29.991	.475	81.5	67.5	14.0	59.6	.516	.49	79.0	78.3	NWbN	0.2	يَو			je j	
Noon.	968	.410	82.2	69.0	13.2	61.9	.558	.52	80.0	78.4	NNW	0.2	one.			None.	
1 p. m.	.938	.337	82.9 83.2	70.5	12.4 12.7	64.2 64.0	.601 .597	.55 .54	80.0 80.7	78.4 78.5	WNW	0.3	Z	ļ		, F	
3 ,,	905	.386	83.2	68.2	15.0	59.7	.519	.47	80.7	78.6	"	0.4					
4 »	•906	.376	82.2	68.2	14.0	60.4	.530	.49	80-2	78.7	,,	0.6					
5 ,,	-908	.368	80.8	68.0	12.8	60.9	-540	.53	80.0	78.8	,,	0.6					
6 "	•917 •935	.348	78.2 76.8	68.0	9.0	62.5 63.0	.569 .578	.60 .64	78.2	78.8	NWbw	.0.6					1
8 ,,	-957	.397	76.0	67.0	9.0	62.0	-560	.64	77.0	78.8	"	0.5					1
9 "	.967	.391	76.0	67.5	8.5	62.9	576م	.65	76.1	78.6	NW	0.3					
10 ,,	.967	.399	74.4	66.7	7.7	62.5	-568	.68	76.0	78.6	,,	0.1					ļ ₋
11 "	.964	.385	74.3	67.0	7.3	63.0	-579	•69	75.8	78.5	NWbw	0.1		+	4		3.5
Mar.11TH-Midnigh		.373	73.3	67.0	63	63.6	590ء	.73	75.4	78.4	NW bW	0.1		+	8		2.10
la.m 2	.946	.386	72.0 72.0	65.6	6.4 5.0	62.0 64.3	.560 .604	.72 .78	74.2	78.0 78.0	NW	0.0	1	++	8 16		0.24 0.13
3 ,,	.930	.315	71.0	67.0	4.0	64.9	-615	.82	73.2	77.8	,,	0.1		+	10		0.13
4 ,,	.934	.347	70.6	66.0	4.6	63.4	-587	.79	72.5	77.6	,,	0-1		+	8		0.8
5 ,, 6	.940	.346	70.0 69.3	66.0	4.0 3.8	63.8	-594 -586	.82	71.6	77.5	NNW	0.2	ľ	+	8		1.10
7 ,,	.987	.438	71.2	65.0	6.2	63-4	549	.83	71.0	77.3	NbW	0.1	1	++	4		3.16 Above 10ss
8 ,,	30.001	.494	75.0	65-0	10.0	59-0	.507	.59	73.7	77.0	"	0.1		+	i		Above 10u
9,,	.009	•491	77.5	66.2	11.3	69.7	.518	.56	75.6	77.1	NŃW	0.2			ł	İ	}
10 ,, 11 ,,	.003 29-986	·454 ·380	80.0 81.5	68.0	12.0	61.4 61.4	.549	.55 .58	77.8 78.5	77.3 77.5	"	0.1	None.		1		
Noon.	.957	.337	82.1	70.2	11.3	65.1	.620	.58	79.1	77.7	wńw	0.3	Ž				
1 p. m.	.911	.250	82.4	72.0	10.4	67.1	-661	.62	79.7	78.0	NWbW	0.2	1				
2 ,,	.882	.269	83.4	71.0	12.4	64.8	-613	.56	80.0	78.0	,,	0.3					
3 ,, 4	.869	.217	83.2 82.0	72.0	11.2	66.6 65.5	.652	.59 .59	80.2 80.3	78.0 78.1	nw	0.5	1				
5 ,,	.869	.220	81.5	71.4	10.1	66.4	.649	.62	78.9	78.2	NWbN	0.4		+	2		3.24
6 ,	.873	.204	78.4	71.0	7.4	67.4	. 669	.70	78.0	78.2	NW	0.6		+	ī		Above 10u
7 ,	.887	.227	76.0	70.0	6.0	67.0	.660	.75	77.1	78.1	NWbN	0.5		+	4		2.26
8 ,, 9 ,,	.892	.262	75.6 75.4	69.0 69.0	6.6 6.4	65.6 65.7	.630 .633	.73	76.6 76.6	78.0 78.0	NNW	0.4	!	+	2		411
10 ,,	.909	.290	73.6	68.0	5.6	65.1	.619	.76	76.2	78.0 78.0	"	0.3		++	2 20	18	Above 10m
11 ,,	.902	.374	72.0	64.6	7.4	60.3	.528	.68	75.1	77.9	"	0.0	l	1 +	16	14	1.41

abu			`
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Amou	40	Norm—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) cumulo-strati; and \(\sigma\) nimbi.	
1 5	C N	✓ scattered above W and N hor.; mist along the E hor. ✓ above E and W hor.; ✓ scattered about, mist in E hor.	
6	N	in W, SW and S; i scattered about; mist in E hor.	
6	N	on in S; v scattered about; mist along the E hor.	
6	N	Seattered about moving E.	
5 7	G G	Clouded as before.	
7	G	, , , , , , , , , , , , , , , , , , ,	1
7	G))	
4	C	" " " " " " " " " " " " " " " " " " "	·
3	C	n n	
3	С))))	
,			
1	c	scattered above W and N hor.	Mean daily temperature of ground
i	N	scattered around hor-	20 and 60 inches below its sur-
11	N	"	face 81:2 and 81:8.
11	N	,, ,,	
0	N	Cloudless.	
0	G G	A few around hor.	
i	G	Scattered along the E hor. Scattered along the E hor.; mist around hor.	
l i l	G		
0	C	A few above E hor; mist and fog in hor.	
0	C		
10	C	A few above E hor.; mist around hor.	
	C N	A few above E hor.; mist along the E hor. Mist around hor.	
0	N N		
o	N))	
0	N	" "	
0	G	1 ,, .,	
0	G	A few v in E hor.	
0	G	" "	
0	G C	Cloudless.	
ŏ	c	"	
0	C	"	`
		Cloudless.	M 1
0	C N		Mean daily temperature of ground 20 and 60 inches below its sur-
Ö	N	"	face 81:2 and 81:8. At 9 A. M.
o	N	"	the height of barometer was
0	N	,,	30.009 in. greatest during the
0	G	A few variation and have	month and about 0.095 in. great-
0	G	A few ∨ and mist around hor.	er than the normal mean height for the hour.
0	G G	" " "	for the nout.
ŏ	C	A few above W hor.; mist in hor.	
0	C		
2	C	□ scattered about hor. moving E; mist around hor.	1
3	C	scattered about hor. moving E; mist around hor. scattered about; mist around hor.	
3	D D	scattered about; mist around nor.	
3	D D	scattered about; mist around hor.	
2	D	,, ,, ,,	
5	`G))))))	
6	G	n n n n n	_
6 5	G	N scattered about.	·
3	G	<i>n n</i>	
o	C	Cloudless. "	
0	C	"	<u> </u>
	186		

		DARD BTBR.	Тнв	RNOMBT	ERS.	ا ا		A1R.	GRO THERMO	UND METERS.	Wind F Osler's (RAIN.	El.BC1	FRICAL	INSTRU	MBKTS.
Bombay					Depres-	DEDUCED DEW-POINT.	Pressure Moisture.	Y OF	l lach	the		Pressure			Readi	ings of	i de de
Civil Time.	Corrected to	Corrected	In the	Wet Bulb Thermo-	Rion of WetBulb below	KDI W-F	101	DIT	eter 9 rou	e in	Direction.	in lbs.	By New-	Sign of Blectrici-		1	ing ing after
1864.	39° Pahr.	Moisture.	Air.	meter.	Thermo- meter in	D S	PH OF A	UMIDITY	Thermometer I in in the Ground.	Thermonieter 6 inches in the Ground.	inidento	Square Foot.		ry + or —	Strawenf	Voltu 2.	Interval of Time recovering same degree tension after charge.
	1 4	in.			the Air.			# #	<u>2</u>	T		lb.	in.	<u> </u>	'So div	Sc. div.	
MAR.12TH-Midnight	in. 29.893	29.394	70°2	63:0	7:2	58:6	in. 0.499	0.68	73:7	77:9	NNW	0.1			2		m. s. 5.19
l a. m.	.867	.396	70.0	62.0	8.0	56.8	.471	.64	73.4	77.7	,,	0.0	ļ		ļ	İ	
2 "	.855	.429	71.4	61.0	10.4	53.9	.426	.55	73.2	77.4 77.2	"	0.0	İ	١.			0.33
3 ,, 4	.850	.292 .267	70.4	65.0	5.4 4.0	61.9 63.8	.558 .594	.76 .82	73.0 72.8	77.0	,,	0.0	į	+	8 2		0.20
5 ,,	.877	.279	69.6	66.0	3.6	64.0	•598	.84	72.1	76.8	"	0.1		+	8	ŀ	1.06
6 ,,	.900	.302	69.6	66.0	3.6	64.0	.598	.84	72.0	76.7	,,	0.2	İ	+	1		Above 10m.
7,,	.918	-316	70.4	66.4	4.0	64.2	.602	.82	72.0	76.7	NbE	0.2		+	1		Above 10m.
8 ,, 9	•945	.395	74.0	66.0	8.0 9.7	61.5	.550	.67 .61	74.0 75.6	76.7 76.9	NE b N	0.1					
10 "	.961	.425	76.7 78.8	67.0	11.8	61.6	-552 -529	.55	76.8	77.1	NEDE	0.3	a;	İ		a a	1
10 ,,	.938	.402	81.2	68.0	13.2	60.7	•536	.51	78.1	77.3	NNW	0.3	one.	+	4	one.	3.23
Noon.	.915	.333	81.5	69-5	12.0	63.2	.582	.56	78.9	77.4	,,	0.5	Z	+	4	Z	3.52
1 p. m.	.887	.355	82.2	71.0	11.2	65.4	.626	.58	79.2	77.4	NW	0.8					1
2 ,, 3	.861	411	83.2	70.0	13.2	63.1	.580	.52	79.7	77.4	NWbN	0.5					
A "	.842	.260 .266	83.0 82.0	70.0	13.0 12.0	63.2	.582	.53 .56	79.7	77.4	NNW	0.2					 .
5 ,,	.861	.316	80.4	68.0	12.4	61.2	.545	.55	79.6	77.4	i	0.2					
6 ,,	.861	.357	78.2	66.0	12.2	58.9	•504	.53	79.1	77.4	"	1.0					
7 ,,	·879	.372	750	65.0	10.0	5 9.0	.507	.59	76.8	77.2	,,	0.1					1
8 "	.897	331	74.2	65.0	9.2	59.6	-516	.62	75.4	77.2	,,	0.0		ļ		i	}
9 ,, 10	.911	.396 .350	73.4 73.0	65.0 64.0	9.0	60.1	.525	.65	75.2 74.8	77.2	,,	0.0					1
11 "	.923	.387	73.0	65.0	7.4	60.7	.536	.67	74.0	77.1	,,	0.0		1			
,,			, 2	00.0	""	00.7	.000	.07	1.2.2	'''	"				ł		
Ar.14TH-Midnight	.928	.295	72.4	68.0	4.4	65.7	.633	.81	74.5	77.5	N	0.2					
l a. m.	.901	.310	73.2	67.0	6.2	68.7	.591	.73	74.2	77.4	w	0.0				•	
2 ,,	.890	.264	73.0	68.0	5.0	65.4	.626	.78	74.0	77.3	, ,,	0.0		į	į		
3 ,,	.882	.256	73.0	68.0	5.0	65.4	.626	.78	74.0	77.2	,,	0.1	1	Ì	ļ		1
4 » 5	.876 .889	.272	72.0	67.0	5.0	64.3	.604 .581	.78	73.8 73.6	77.0 76.9	NW NNW	0.0					
6 ,,	.914	.335	71.7	66.2 66.0	5.5 5.4	63.0	.579	.76 .76	73.0	76.8	N	0.1	1		ļ		ł
7 ,,	.926	.341	72.6	66.6	6.0	63.3	.585	.74	73.1	76.7	,,	0.1	•				
8 "	.948	.344	750	68.0	7.0	64.3	.604	.71	74.0	76.7	,,	0.2	İ				ŀ
9 "	.956	.307	77.0	70.0	7.0	66 5	.649	.71	75.4	769	NNE	0.2	١.			١.	1
10 ,,	.951 .934	.320	78.6 81.1	70.0 72.6	8.6 8.5	65.6 68.7	.631	.66 .67	77.1 78.8	77.0 77.1	NW	0.1	None.	None.	None.	None.	None.
Noon.	.886	.177	81.4	73.0	8.4	69.2	.709	.68	79.2	77.3	1	0.3	Ž	No.	Ž	ž	l s
1 p. m.	.842	.103	82.0	74.0	8.0	70.5	.739	.69	79.5	77.3	"	0.2				ļ	
2',,	.815	.080	82.4	75.0	7.4	70.3	.735	.68	79.7	77.5	,,	0.5					
3 ,,	.802	.036	830	75.0	8.0	71.6	.766	.70	80.2	77.5	,,	0.2					
4 ,,	.796 .821	.057 •053	82 0	74.0	8.0 6.4	70.5	.739 .768	.69 .75	80.5 79.1	77.5 77.8	,,	0.4					
6 ,,	.832	.044	78.2	74.4	4.0	72.5	.788	.83	78.0	78.0	"	0.6				İ	!
7 ,,	.851	.059	77.2	74.0	3.2	72.7	.792	.87	77.4	78.0	"	0.5				}	; !
8,	.866	.109	77.0	73.0	40	71.2	.757	.83	77.2	77.9	,,	0.5					
9 ,, 10 ,,	.894	.164	76.5	72.1	4.4	70.1	.730	.82	77.0	77.9	,,	0.2				!	
10 ,,	.895 .888	.166	76.2 75.4	72.0	4.2	70.1 68.9	.729 .702	·82	77.0	77.9))))	0.3					
"											,,,						
JAR-15TH-Midnight	.878	.228	74.5	69.2	5.3	66.6	.650	.77	76.3	77.8	NW	0.1					
la.m.	.860	.238	73.4	68.0	5.4	65 2	.622	.77	76-1	77.8	,,	0.0		1			
2 ,,	.859	.211	74.0	69.0	5.0	61.4	-648	•78	75.3	77.5	,,	0.0				1	
3 ,, 4	.846	.189	73.2	69.0	4.2	66.9	657	.82	74.8	77.5	, ,,	0.0		1			
- "	.858	.223	72.2	68 0	4.2	65.8	•635 •644	.81	74.2	77.5	"	0.0		٠.	ا ا		
6 ,,	.895	.223	71.9	68.2 68.0	3.7	66.3	•644 •644	.84 .85	73.0	77.3	,,	0.0	None.	None.	None.	None.	None.
. 7 ,,	.906	.276	732	68.2	5.0	65.6	.630	.78	73.7	77.1	"	0.1	Ž	Ž	ž	2.	ž
8 ,,	.935	.353	77.0	68.0	9.0	63.2	.5 82	.64	74.0	77.2	,,	0.2					
9 "	953	.343	790	69.5	9.5	64.6	-610	.63	77.2	77.4	,,	0.1					
10 ,,	.951	.309	80.8	71.0	9.8	66.2	•642	.63	78.6	77.5	NNW	0.2		'			
	.940	.272	82.1	72.1	10.0	67.4	•668	.62	79.7	77.7	NW	0.6	1	l .	! 	l .	1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbi.	REMARKS.
0 0 0	C D	Cloudless.	Mean daily temperature of ground 20 and 60 inches below its surface 81:2 and 81:8.
10	D	n n	
0	D G	Cloudless and dew falling.	
10	G	A few va above E hor.; dew falling.	
0	G	A few me above E hor.; mist and fog in hor.	
0	G C	Mist and fog in hor."	
o	C	A few wabove N and W hor.; mist around hor.	
1	C	scattered from N to W hor.; mist around hor.	1
1	C D	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
2	D), ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	
3	D	scattered about the sky.	
3	D D	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
3	D	"	
2	D	scattered about hor.	
1 3	D D	N scattered about.	
0	D	Cloudless.	
0	D	"	ì
0 0 0 0 0 0 0 1 2 2 0 0 0 0 0 0 0 0 0 0		Cloudless. "" "" A few clouds above SE hor. A few varound hor. vscattered from N to SE hor.; mist around hor. "" A few vabove W and E hor.; mist around hor. A few vabove E hor.; mist around hor. "" "" "" "" "" "" "" "" "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 81% and 81%. Height of barometer at 4 p. m. was 29.796 in. least during the month, while the normal height for that hour was 29.810 in.
0 0 0 0 0 0 1 5 5 5 6 5	C D D D G G G C C C	Cloudless. A few clouds above E and SE hor. A few above E hor.; dew falling. Scuttered along the E hor.; dew falling. Scattered about; mist around hor. scattered about moving NNE; mist in hor. scattered about moving NE; mist in hor.	Mean daily temperature of ground 20 and 60 inches below its surface 81.0 and 81.9.

		NDARD METER.	Тив	RNOMBI	TBRS.	:	m i	АІК	Тивимо	UND METERS.	Wind P Osler's G		RAIN.	RLEC	TRICAL	lnstr	UMEKTS.
Bombay Civil Time. 1864.	Corrected to 32° Pair.	Corrected for Moisture.	In the	Wet Bulb Therino- ineter.	Depression of Wet Bulb below Thermometer in the Air.	Двиски Вви-Рогит.	PRESSURE OP MOISTURE	HUMIDITY OF	Thermometer linch in the Ground.	Thermoneter 6 in the Ground.	Direction.	Pressure in Ibs. per Square Foot.	By New- mun's Guuge.	Sign of Blectrici- ty + or -	Strawsof	ngs of Straws of Volta 2.	Interval of Time in recovering the sume degree of tension after dis-
MAR. 15TH-Noon.	in. 29.898	in. 29.238	82*8	72:1	10:7	67:0	in. 0.660	0.60	80:3	77:9	NW	1bs. 0.6	in.		Sc. div.	Sc. div.	
1 p.m.	.853	.201	83.2	72.0	11.2	66.6	.652	.59	80.4	78.0	,,	1.2					
2 ,, 3	.829	.179 .160	83.4 83.2	72.0 72.0	11.4	66.6 66.6	.650	.58	80.5 80.7	78.0	NWbN	10	l				
4 ' ',	.813	.147	82.0	72.0	10.0	67.2	.652 .665	.62	80.7	78.0 78.0	NNW NbW	1.3	1				
5 ,,	.829	.158	81.2	72.2	9.0	67.5	.671	.66	79.5	78.1	N	1.2	يو	Je.	one.	ě	ي .
6 ,, 7	.845	.099	78.0 77.4	73.0	5.0 6.4	70.8 67.9	.746	.79	78.0	78.2	NW	1.4	None.	None.	Nor	None.	None.
8 ,,	.886	.202	77.0	71.0	6.0	68.1	.680 .684	.75	77.5	78.2 78.1	N	0.8					-
9 ,,	.904	.217	76-7	71.0	5.7	68.2	.687	.76	77.5	78.1	N b E	0.7			ļ		
10 ,, 11 ,,	.905 .898	.185	76.2 76.0	71.0	5.2 4.5	68.5 69.4	.693 .713	.78 .81	77.2	78.1 78.1	N "	0.2					
AR.16TH-Midnigh	.883	.165	75-6	71.5	4.1	69.6	.718	.83	77.0	78.1	NbE	0.3					
l a. m.	.851	.180	75.0	70.0	5.0	67.5	.671	.79	76.8	78.0	.,	0.0		+	3		0.20
2 ,, 3	.846	.166	74.2	70.0	4.2 3.2	67.9 68.4	.680 .691	.81	75.4 75.1	77.9	NNE	0.1		+	8	6	0-4
4 ,,	.852	193	73.0	69.0	4.0	67.0	•659	.82	75.0	77.6	"	0.1		+	6 4		0.5 0.4
5 ,,	.869	.210	73.0	69.0	4.0	67.0	.659	.82	74.4	77.5	NE b N	0.0		+	6		1.10
6 " 7	.900 .926	.231 .255	72.8 75.0	69.2 70.0	3.6 5.0	67.4 67.5	•669 •671	.84	74.1	77.5	NEbN	0.1		+	10	8	0.26
8 ,,	.951	.302	77.2	71.2	6.0	66.5	•649	.75	76.1	77.6	"	0.2		++	12	10 6	1.10 1.38
9 ,,	•957	.259	79.0	72.0	7.0	68.7	.648	.72	77.7	77.7	,,	0.1	ē.	+	6		2.26
10 ,, · 11	• 954 • 94 0	.202 .187	80.8	74.0	6.8 7.4	71.0	.752	.73	79.0 79.8	77.9 78.1	NNE	0.2	None.	+	2		Above 10n
Noon.	.918	.167	83.0	74.6	8.4	71.0	.751	.68	80.5	78.3	NNW	0.2					
1 p. m.	.866	.109	83.8	75.0	8.8	71.2	.757	.67	80.7	78.3	NW	0.1		į			
2 ,, 3	.847	.133	84.2	74.0	10.2	69.4 69.6	.714	.62	80.8	78.3	,,	0.7					
4 ,,	.834	.112	83.5	74.0	9.5	69.8	•717	.65	81.0	78 3 78.3	NNW	0.8					
5 ,,	.847	.105	82.4	74.2	8.2	70.6	.742	.67	80.4	78.6	"	0.4					
6 ,, 7	.859 .890	.096	79.8	74.0 73.5	5.8 5.2	71.5 71.2	•763 •757	.77	80.0 79.1	78·8 78.8	"	0.6					
8 ,,	.913	.171	78.4	73.0	5.4	70.6	•742	.78	78.5	78.8	"	0.5	}				
9 ,,	.931	.189	78.4	73.0	5.4	70.6	•742	.78	78.5	78.8	٠,,	0.3					
10 ,, 11 ,,	.927	.191	77.4	72.8 73.0	5.0 4.4	70.6 71.1	•741 •753	.79 .82	78.4 78.2	78.8 78.7	NWbN	0.5 0.8					
Mar.17th-Midnigh		.179	76.5	72.5	4.0	70.7	.744	.83	77.6	78.7	NNW	1.0					
1 a. m.	.900	.229	75.0	70.0	5.0	67.5	.671	.79	77.4	78.9	,,	0.3					
2 ,, 3	.887 .880	.216 .232	75.0	70.0 69.0	5.0 5.0	67.5 66.5	.671	.79 .78	77.3	78.5 78.4	N NbE	0.2					
4 ,,	.875	.216	73.0	69.0	4.0	67.0	•659	.82	75.8	78.3	N D E	0.0					
5 "	.892 .899	.213	71.2	69.0	2 2	67.9	•679	.90	74.8	78.1	,,	0.0					
7 ,,	•926	,229 ,275	72.0	69.0 69.2	3.0 5.2	67.1 65.6	-670 -651	.87	74.2	78.0 77.9	N NbE	0.1					
8 ,,	.950	.314	77.1	69.0	8.1	659	.636	.74	75.7	77.9	١,,	0.1					
9 ,,	.961	.345	80.0	70.0	10.0	64.9 66.0	•616 •639	.62	77.7	78.0	NE	0.2					
11 ,,	.942	.253	83.2	71.2	10.5	66.0 68.3	.689	.61	79.3 80.2	78.2 78.4	NE bE WNW	0.3	None.	Nane.	ne.	je	je.
Noon.	.917	-237	84.6	73.2	11.4	67.9	-680	.59	81.6	78.6	NWbW	0.3	Ž	Ž	None.	None.	None.
1 p. m. 2	.883 .856	.139	85.0 84.5	75.0	10.0	70.7 69.3	.744	.64	81.8	78.7	91 787 N. 187	0.4			, -		
2 ,, 3 ,,	.832	.123	84.7	74.0	10.5	69.2	.709	.61	82.1	78.8 78.9	WNW	0.5					
4 ,,	-827	.154	84.5	73.0	11.5	67.6	.673	.59	82.1	78.9	nw	0.3					
5 ,, 6 .,	→847 →854	.163	84.2	73.2 73.0	8.8	68.1 69.0	•684 •704	.60	81.8	79.0	,,	0.5					
7 ,,	-880	.163	80.6	73.0	7.6	69.6	.717	.70	80.0	79.2 79.2	"	0.6					
8 "	-893	.169	80.0	73.0	7.0	69-9	.724	.72	79.8	79 1	"	0.6					
9 ,, 10 ,,	.91d	.179	79.4 78.5	73.0 72.4	6.4	70.2 69.6	.731 .718	.74	79.5 79.4	79.1	"	0.9					
10 ,,	1 213	.202	78.0	72.0	6.0		•709	.76	10.4	79.1	,,	0.8	I	1			l

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cumulo-strati; and \(\) i nimbi.	Remarks.
4 3 3 2 2 2 4 4 4 4 3 3	C D D D G G G C C C	scattered about, moving NE; mist along the E hor. """ scattered about hor.; mist along the E hor. scattered about; mist along the E hor. """ scattered about the sky. scattered about moving NE. scattered about, moving E.	
2 1 2 1 4 5 6 6 6 5 4 5 3 2 2 0 0 0 0 0		Scattered about the sky. Scattered about the sky. Scattered about; dew falling. Scattered about; mist around hor. """ Scattered about moving E; mist around hor. """ Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Scattered about hor. Cloudless; fresh breezes from NW	Mean daily temperature of ground 20 and 60 inches below its surface 81.0 and 81.9.
		Cloudless; fresh breezes of wind blowing from NW. Cloudless. " Cloudless; dew falling. A few \ above E hor.; mist around hor. Mist and fog in hor. A few \ above W hor.; mist around hor. A few \ above W hor.; mist along the E hor. Mist along the E hor. " " " " " " " " " " " " Cloudless. Cloudless; fresh breezes of wind from NW. Cloudless.	Mean daily temperature of ground 20 and 60 inches below its surface 81:0 and 82:0. 17th March was the 11th day on which the sky was almost cloudless.

Bom Civil 7 186 MAR.18TH- l a 2 3	Time.	Corrected to 32° Fuhr.				Depres-	CED	RE OF	0.0	ਰ .						Rendi	ngs of	1685 1
1 a 2	Midnight		for Moisture.	In the	Thermo-	sion of Wet Bulb	DEDUCED DEW-POINT	Pressure Moisture	HUMIDITY	Thermometer 1 Inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawson	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
1 a 2		in.	in. 29.193	77:4	72.0	5:4	69:5	in. 0.716	0.78	78:4	79:0	NWbN	10s. 0.3	in.	+	Sc. div.	Sc. div.	m. s.
	ı. m.	.884	•193	76-4	71.0	5.4	68.4	.691	.77	77.3	78.9	NNW	0.1		+	7		0.05
	,,	.873	.202	75.0	70.0	5.0	67.5	-671	.79	77.1	78.8	,,	0.0	}	+	4		0.10
3 4	"	.854	.183	75.0	70.0	5.0 4.0	67.5 68.0	•671 •682	.79	76.7 76.2	78.6 78.5	"	0.0		++	15 15		0.04
5	"	.863	.169	72.9	70.0	2.9	68.6	•694	.87	75.3	78.5	,,	0.2	İ	+	20	18	0.16
6	"	.890	•220	72.0	69-0	3.0	67.5	•670	.87	74.7	78.5	,,	0.1		+	8		1.00
7 8	,,	.908	.264 .300	74.4	69.0 69.2	5.4 8.3	66.4	.617	.77	75.0 76.9	78.4 78.4	N b W	0.2		++	6		2.38 3.09
9	,,	.931	•314	80.2	70.1	10.1	65.0	617	.61	78.3	78.5	,,	0.3		'	•		3.03
10	,,	.924	.261	82.2	72.0	10.2	67.2	-663	.62	80.0	78.7	NNW	0.3	one.				
ll No	,, 0011.	.898	.192	82.7 84.0	73.3	9.4	69.1 70.5	.706 .740	.65 .65	80.7	78.8 78.9	NWbW	0.6	No				
_	p. m.	843	126	84.0	74.0	10.0	69.6	.717	.63	81.5	78.9	NNW	0.5					
2 .	,,	•805	•103	85.4	74.0	11.4	68.9	.702	.59	82.1	79.2	,,	0.2		•			
3 4	,,	.798	.063	85.8 85.0	75.0 75.0	10.8	70.3	.735	.61	82.3 82.4	79.4 79.5	NbW	0.1]		
5	"	.833	.074	83.6	75.0	10.0	71.3	•744	.68	81.9	79.5	NNW	0.3					
6	"	.841	.056	80.9	74.9	6.0	72.4	.785	.76	80.1	79.5	wnw	0.2					
7	,,	•864	.092	79.0	74.0	5.0	71.8	.772	.80	79.0	79.5	,,	0.4	1		1		
8 9	"	·892 ·908	.111	78.2 76.6	74.0	4.2	72.2 69.9	.781 .724	.83	78.6 78.0	79.5 79.5	,,	0.3	Ì				
10))))	.910	186	76.6	72.0	4.6	69.9	.724	.81	78.0	79.5	S b E	0.2	1				
11	"	.906	.147	76.8	73.0	3.8	71.3	.759	.84	78.0	79.4	,,	0.1					
Лап. 19тн-	•		.152	75.6	72.3	3.3	70.8	.747	.86	77.7	79.3	SbE	0.1					
1 8	a. m.	.865 .866	.228	75.0	69.0	6.0 5.2	65.9	•637 •624	.75	76.3 75.4	78.9 78.7	"	0.0		1	l		
3	,, ,,	.837	.211	73.0	68.0	5.0	65.4	.626	.78	74.8	78.6	"	0.0		1		ļ	
4	"	.844	.207	72.0	68-0	4.0	65.9	-637	.82	74.2	78.5	"	0.0					l
5 6	"	.859 .882	.223	71.8	68.5	3.3	66.8	-656	.85	74.0	78.4	,,	0.3		+	6		2.10
7	,,	.896	.245	72.0 74.8	68.0 68.2	4.0 6.6	65.9 64.7	-637 -612	.82	74.0	78.4 78.4	"	0.2		+	10		4.46 1.20
8	,, ,,	.917	.321	77.2	68.5	8.7	63.9	•596	.65	76.9	78.4	SSE	0.2		+	8		2.9
9	,,	.934	.294	78.5	70.2	8.3	66.1	•640	.67	78.0	78.5	,,	0.2		+	2		Above 10m.
10 11	"	.930 .910	.226 .245	79.8 82.0	72.4	7.4	69.0 67.2	•704 •665	.71	78.7 79.8	78.6 78.8	w	0.2		1			
	,, oon.	.887	.260	83.8	71.5	12.3	65.4	.627	.56	81.0	.79.0	WNW	0.4	None.			None.	
1 p	o. m.	.852	.224	85.4	72.0	13.4	65.5	.628	.53	81.4	79.0	NW b W	0.1	Z			Z	
2	"	.817	.189	85.4	72.0	13.4	65.5	.628	.53	81.8	79.0	NW	0.1					
3 4	,,	.808	.140	85.0 84.2	73.0	12.0	67.4	.668 .675	.57	82.1 82.2	79.2 79.4	"	0.1					
5	"	.831	.146	83.5	73.0	10.5	68.1	.685	.62	81.8	79.5	NW'bN	0.5					. '
6	"	.847	.169	80.0	72.0	8.0	67.8	-678	.69	80.6	79.7	,,	.0.3		+	4		2.16
7 8	"	.879	.210	78.4 77.2	71.0	7.4	67.4 66.7	.669 .654	.70	80.0 78.9	79.9 79.8	,,	0.4		+	8		1.10 :
9	"	.910	.270	75.4	69.2	6.2	66.1	.640	.74	78.2	79.7	,,	0.2		+	10		1.11 0.48
10	"	.911	.274	75.0	69.0	6.0	65.9	. 637	.75	77.9	79.6	"	0.3		+	4		4.21
11	"	.905	.234	75.0	70.0	5.0	67.5	.671	.79	77.4	79.4	WSW	0.1		+	4		4.32
Jar.21st-	Midnight	.850 .842	.130	77.0 76.2	72.0 70.0	5.0	69.7	.720	.79	77.7	79.0	NNW	0.3 0.7					
1 a	. III. ,,	.833	.169	75.6	70.0	6.2 5.6	66.9 67.2	.658 .664	-74 -77	77·1 76.6	78.9 78.8	NW b N NNW	0.7					
3	"	.831	,163	75.3	70.0	5.3	67.4	.668	77	76.4	78.7	NbW	0.3			İ		
4	,,	.829	.154	74.6	70.0	4.6	67.7	.675	.80	76.2	78.6	,,	0.4			_		_
5 6	"	.823 .830	.143	74.2 72.8	70.0	4.2	67.9 66.7	.680	.81	76.0	78.4	,,	0.2	Nопе.	None.	one.	None.	Ncne.
7	"	.858	.221	73.9	69.7 68.9	3.1 5.0	66.7 65.9	.654 .637	.86 .78	74.9 74.9	78.3 78.4	N b E	0.3	Z	ž	, Z	No	S
8	"	.884	.258	76.0	69.0	7.0	65.4	.626	.71	76.5	78.4	NNE	0.2					
9	,,	.895	.329	79.7	68.4	11.3	62.3	.566	.57	78.2	78.4	NbE	0.2					
10 11	,,	.899 .886	.341 .265	82.2 83.3	69.0 71.2	13.2 12.1	61.9 65.2	.558 -621	.52 .56	79.6 80.6	78.6 78.8	N b W NNW	0.3 0.5		1		•	

opno			
Amount of Clouds	Observers.	STATE OF THE WEATHER.	REMARKS.
Amot		Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \infty i cirro-cumuli; \infty i cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i nimbi.	
0	C	Cloudless.	Mean daily temperature of ground
0	D D	29	20 and 60 inches below its surface 81:2 and 82:0.
0	D	**	lace 81.2 and 02.0.
0	D)	•
0	G	Cloudless and dew falling.	
0	G G	A few wabove E hor.; mist around hor. wascattered here and there; mist and fog in hor.	•
5	G	scattered about moving SE; mist and fog in hor.	
5	C	, , , , , , , , , , , , , , , , , , , ,	
5	C	scattered about moving SE; mist around hor.	
3	C C	scattered about moving ESE; mist around hor.	
11	D	scattered here and there; mist around hor.	
2	D)	
$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	D D	v scattered about moving SE.	
2	G	N scattered around hor. N scattered about hor.	
2	G	2) 2)	
2	G	27 29	•
5 3	G C	scattered here and there.	
3	C	scuttered here and there; dew falling.	
1	c	scattered about hor; dew falling.	•
			Mean daily temperature of ground
0 0	C D	Cloudless; dew falling. scattered from NE to SW hor; dew falling.	20 and 60 inches below its sur-
i	D	scattered about; dew falling.	face 81:4 and 82:0.
0	D	Choudless; dew falling.	İ
0	D G	No good word about how a down falling positionally	
4	G	 ✓ scattered about hor.; dew falling copiously. ✓ scattered about; dew falling. 	
5	G	v scattered about, moving N; mist and fog in hor.	
5	G	" " "	
5 5	C C	N scattered about moving NE; mist around hor.	
5	c		•
5	c))	
3	D	2) 19	
	D	scattered along the E hor; mist around hor.	
i	D D))	·
3	ć	∨ scattered about hor.; mist around hor.	
2	c	n above S hor.; s scattered about.	•
3 4	C C	and on scattered about, moving E.	
3	C))	
2	С	v scattered about hor.	
2	С	"	
6	c	¬ and ¬ scattered, both moving ESE.	Mean daily temperature of ground
4	В	scattered about moving ENE; scattered here and there.	20 and 60 inches below its sur-
6	В	and on scattered about, the latter moving ENE.	face 81.6 and 82.0.
3	В	and on scattered about hor.	
2 4	B	vi and vi scattered about, the latter moving SE; dew falling.	1
4	G		
4	G	and scattered about, the latter moving SE; mist and fog in hor-	
4	G	l ,, , , , ,	
3	C	and on scattered about hor; mist around hor. Mist around hor.	1
0	C	Wist around nor.	

		DARD METER.	Тнв	RMOME	rers.			AIR.	GRO THERMO	UND METERS.	Wind Fi		RAIN.	Erec	TRICAL	INSTRU	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBull Thermo- meter.	Depression of Wet Bulb below Thermonieter in the Air.	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Blectrici-	Strawsof	Strawsof Volta 2.	Interval of Time in recovering the game degree of tension after dis- charge.
	in.	in.	<u> </u>		1000		in.	0.55	1			lbs.	in.	i I	Sc. div.	Sc. div.	m. s.
MAR. 21st-Noon.	29.860	29.229	84°4 85.5	71.8	12.6	65.6 65.8	0.631 -634	0.55 .54	81:3 81.9	78 : 9 78.9	NW b N NW	0.5					
1 p. m. 2	.830	.208	85.9	72.0	13.9	65.2	.622	.52	82.0	79.0	WNW	0.6	}		1	İ	
3 ,,	.815	.158	86.0	73.0	13.0	66.9	.657	.54	82.5	79.2	"	0.5	ļ				Į
4 "	.815	.150	85.3	73.0	12.3	67.2	.665	.56	82.5	79.4	,,	0.3	١.		١.	١.	
5 ,,	.815	.136	84.0	73.0 73.2	11.0 7.6	67.9 69.8	.679	.60 .70	81.7 80.2	79.4 79.4	WbN	0.2	None.	one.	None.	None.	None.
6 ,, 7	.831	.109	78.7	73.0	5.7	69.3	.712	.77	79.0	79.4	w	0.2	ž	ž	ž	ž	ž
, ,, 8 ,,	.882	.101	78.2	74.0	- 4.2	72.2	.781	.83	78.6	79.3	WbN	0.2					
9 "	•903	.113	77.4	74.0	3.4	72.6	.790	.86	78.5	79.3	,,	0.1	l		ļ		i
10 ,,	.907	.148	76.8	73.8	3.0		.789	.87	78-4	79.3	wsw	0.1					
11 "	.903	.128	76.4	73.3	3-1		.775	.87	77.8	79.2	"	0.2					
IAR.22ND-Midnigh	.897	.161	75.5	72.0	3.5	70.4	.736	-85	77.4	79.2	wsw	0.2					
la.m.	.882	.149	75.8	72.0	3.8	70.2	.733	.85	77.2	79.1	Wbs	0.1					
2 "	.864	.179	75.3	70.5	4.8	68.1	.685	.79 .81	76.6	79.0	WbN	0.3	'				1
3 ,, 4	.854 .853	.178	74.5	70.0 69.6	4.5	67.8 67.6	.673	.83	76.1 75.4	78.9 78.8	wnw	0.0		1			
4 ,, 5 ,,	.852	.179	73.6	69.6	4.0	67.6	.673	.83	75.0	78.7	,,	0.2	1			ļ	
6 "	.868	.213	73.4	69.0	4.4	66.8	.655	.81	74.8	78.6	EŚE	0.3			İ	1	
7 ,,	.901	.251	75.7	69.6	6.1	66.6	.650	.75	75.5	78.6	,,	0.2				ļ	İ
8 "	.926	.288	78.0	70.0	8.0	66.0	•638 •660	.68	77.0	78.6	,,	0.2	}	1			
9 ,,	.935	.275	79.2 79.9	71.0 72.0	8.2 7.9	67.0 68.3	.688	.68	78.4 79.2	78.7 78.8	"	0.2	1 .:		6		a:
. 10 ,,	.932	.244	81.3	72.0	9.3	67.6	.673	.64	79.7	78.9	"	0.1	one.	one.	None.	None.	None.
Noon.	.902	.211	83.0	73.0	10.0	68.4	.691	.63	80.3	79.0	NW'b W	0.3	Z	Ž	Z	Z	Ž
1 p. m.	.871	.226	83.8	72.0	11.8	66.3	.645	.57	81.0	79.0	WNW	0.4	•	1 .			i
2 ,,	.844	.180	83.8	72.5	11.3	67.2	.664	.59	81.3	79.1	NW b W	0.6	ł	1			
3 ,,	.826 .826	.216	83.6 83.2	71.0	12.6 12.7	64.6 64.0	.610 .597	.55 .54	81.2 80.9	79.3 79.3		0.5		1	}		
4 <i>)</i> ;	.837	.215	80.8	70.4	10.4	65.2	.622	.61	80.0	79.3	"	0.4		İ			
6 "	.858	.228	78.7	70.0	8.7	65.6	-630	.66	79.1	79.3	"	0.3		1			
7 ,,	.870	.232	78.0	70.0	8.0	66. 0	-638	-68	78.9	79.2	,,	0.2					
8 "	.885	.227	76.2	70.0	6.2	66.9	.658	.74	77.7	79.1	"	0.3		1			
9 "	.907	.281 ·257	76.0 75.7	69.0 69.6	7.0 6-1	65.4 66.6	.626 .650	.71	77.2	79.0 79.0	,,	0.2		1			
10 ,, 11 ,,	.907 .906	•269	75.0	69.0	6.0	65.9	.637	.75	76.7	79.0	"	0.2					
		-															
MAR. 24TH-Midnigh		.197	75.4	70.4	5.0	68.0	.681	.79	76.8	79.0	NW	0.1					
la.m.	.875	.204	75.0 75.0	70.0	5.0 5.0	67.5 67.5	.671 .671	.79 .79	76.4 76.2	78.9 78.7	NW'b N	0.3	ļ	1]		
2 ,, 3 ,,	.866	.195	74.6	70.0	4.6	67.7	.675	.80	75.3	78.6	NNW	0.2		+	10	10	Not observe
3 ,, 4 ,,	.851	.169	74.0	70.0	4.0	68.0	.682	.83	74.3	78-5	,,	0.2	1	+	6	-	Not observe
5 "	.856	.185	72.2	69.1	3.1	67.5	.671	.86	74.3	78.5	NbW	0.2		+	4		Not observe
6 "	.871	.196	71.8	69.1	2.7 3.6	67.7	.675	.88	73.8	78.3 78.1	NbE	0.1		+	1 6		Not observe
7 ,, 8 ,,	.893	.230	72.6 74.5	69.0 70.0	4.5	67.2 67.8	.676	.81	74.0	78.1	"	0.3		++	4		Not observe Not observe
9 ,,	.918	.249	78.4	71.0	7.4	67.4	.669	.70	76.5	78.2	NNE	0.2		+	2		Not observe
10 ,,	-915	.228	80.0	72.0	8.0	68.2	.687	.69	78.0	78.2	ENE	0.1		+	1		Not observe
11 ,,	.904	.197	82.2	73.2	9.0	69.1	•707	.66	79.2	78.4	NNW	0.2	None.				
Noon.	.882	.149	82.5 83.2	74.0 73.0	8.5 10.2	70.2 68.3	.733	.68 .62	80.2 80.6	78.5 78.6	NW NNW	0.6	l &				
l p. m.	.853	.183	83.2	73.0	11.2	66.6	.652	.59	80.6	78.7		1.2					
3 .,	.816	.182	85.2	72.1	13.1	65.8	.634	.54	81.0	78.8	N b W	1.6		1			
4 ,,	.810	.101	84.7	74.0	10.7	69.2	·709	.61	81.0	78.9	NNW	1.0					
5,	.824	.089	82.4	74.0	8.4	70.3	•735	.68	80.8	79-0	NWbN	0.7					
6 "	.838	.169	80.0	71.5	8.5	67.4	.669 .638	.67	80.0 78.5	79.1 79.1	nnw	0.6		1			!
7 ,, 8	.860	.309	78.0 77.8	70.0 68.0	9.8	66.0 62.7	.573	.68 .62	78.3	79.1	NWbN	0.7					
o "	.889	.314	77.6	68.0	9.6	62.8	.575	.70	78.0	79.0	,,	0-8					
10 ,,	.889	.314	77.6	68.0	9.6	62.8	-575	.70	78.0	78.9	'nw	0.7		1			
11 ,,	.888	.275	77.2	69.0	8.2	64.8	.613	.67	77.8	78.8	,,	0.6		1			

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	RHMARKS.
Фшоп	0	Norm.—In recording these Observations, the Symbols used to denote the clouds are: "i cirri; "i cirro-cumuli; "i cumuli; "i cumuli, "i cumulo-strati; and "i nimbi.	
0	С	A few v in NW hor.	
0	В	Cloudless.	
0	В	A few \alpha above W hor.	
0	В	,, ,,	
0	B	Mist along the E hor.	
0	G		
ŏ	G	Cloudless. "	1
0	G	,,	
0	C	31	•
0	C	, , , , , , , , , , , , , , , , , , ,	
0	C	"	
	1		, l
0	C	Cloudless; dew falling.	Mean daily temperature of ground
o	В		20 and 60 inches below its sur-
ő	В	A few above NW hor.	face 81:6 and 82:0.
0	В	"	22nd March.—Wind blew in a
1	В	scattered along the W hor. and above N hor.	direct circular motion on this day.
2	G	vi scattered about hore; dew falling.	1
5	G	□ and □ scattered about. Clouded as before; mist and fog in hor.	
5	G		
2	C	scattered along the W hor.; mist and fog in hor.	
2	0	scattered along the W hor.; mist around hor.	
1	C		
1	C	scattered along the W hor.; mist along the E hor.	
1 1	В	scattered along the W hor.	1
2	B	n n	}
2 2	B	"	
2	G	scattered along the W hor, and haze along the E.	
5	G	and we scattered about, the latter moving E.	
5	G)))))))))))))))))))))	t e
5	G	22	1
2	G	N scattered here and there.	
2	G	"	1
2	G	,, ,,	
1		·	
0	0	Cloudless,	Mean daily temperature of ground
2	В	✓ scattered about hor.	20 and 60 inches below its sur-
3	В	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	face 81% and 820. 24th March.—Wind blew in a
6	G	scattered about moving E.	retrograde circular motion.
6 5	0	∨ scattered about moving SE; dew falling.	Frenchischer magan
6	C	above W hor.; "scattered about the sky.	1
8	B	scattered about moving ENE; mist around hor.	
8	В	scattered thoughout, moving ENE; mist in hor.	
6	G	D w scattered throughout, moving SE; mist in hor.	i i
6	G),))	
6	C	2) 2)	1
6 7	C B)	
7	В	2) 2) 2) 2)	
7	G	D w scattered throughout, moving E; haze in E hor.	
7	G	" "	
7	C	" "	
7	C	2) 2)	
7	В	n n	1
8	B	Lightly overcast with moving E; lunar halo at 9h. 50m.	
8	G	n n n n	
8	c	7) 79 29 29	
	5*-1		

	STAN: Baron		THE	R M O M B 7	rers.	٤	8 .	AIR	GROUTHERMO		Wind F		RAIN.	BLE	OTRICAL	. INSTE	UMBNTS,
Bombay					Depres-	DEDUCED DEW-POINT	Pressure of Moisture.	Y OF	inch id.	the state		-	-		Head	ings of	240
Civil Time.	Corrected to	for	In the	Wet Bulb	sion of Wet Bulb below	EDU	ESSU	UKIDITY	Grour	omete se in	Direction.	Pressure in lbs. per	By New-			1	of Time in ring the degree of
1864.	89° Fahr.	Moisture.	AIF.	meter.	Thermo- meter in the Air.	D D	a A	HOKU	Thermometer 1 is in the Ground	Thermometer 6 inches in the Ground.	-4	Square Foot.		ty+ or-	- Straws of	Straws o Volta 2.	7 = 5 - 5 2
	in.	in.		<u>'</u> }	<u>'</u>	!	in.		1	1	<u>'</u>	lbs.	in.	 	Sc. div.	Sc. div	
MAR-26TH-Midnight		29.156 .147	75.4 75.3	72.0	3°4 3.3	70.5	0.738 .739	0.85	77:0	79:1	NW	0.2		13	1.		:
la.m. 2,,	.886 .866	.133	75.8	72.0	3.8	70.5 70.2	.733	.81	77.0	79.0	,, ,,	0.6	'				
3 <i>"</i> ,	-858	.120	75.4	72.0	3.4	70.5	.738	.85	77.0	78.9	NW b N	0.3		100		:	
4 ,,	.857	.151 -183	75.0 74.4	71.0	4.0	69.1	.706 .678	.83	76.5	78.8	73	0.3		1.5		1.	
5 ,, 6	.861 .890	.212	74.4	70.0	4.4 4.4	67.8 67.8	.678	.81 .81	76.1 75.6	78.7 78.6	"	0.2					
7 ,,	.918	.180	75.4	72.0	3.4	70.5	.738	.85	75.7	78.6	NNW	0.2	İ				
8 ,,	.938	.229	78.0	72.0	6.0	69.2	•709	.76	77.5	78.6	N	0.2					İ
9 ,, 10 ,,	.949	.244	80.0 80.6	72.5	7.5	69.0 69.6	.705	.70 .70	78.7	78.7 78.9	ENE	0.1	ľ				
11 ,,	.938	.237	82.1	73.0	9.1	68.9	.701	-66	80.1	79.0	NW	9.1	نه	نه	e	o	. من
Noon.	.911	.191	83.7	74.0	9.7	69.7	.720	.64	81.1	79.1	wsw	. 0.3	None.	None.	None.	None.	None.
l p. m.	.884	.223	85.6 86.2	73.0 74.0	12.6 12.2	67.1	.661	.56 .57	82.0 82.3	79.2	W	0.6	~	~	~	-	7
2 ,, 3	-868 -849	.175	85.3	74.0	11.0	68.5 69.4	.714	.60	82.3	79.4	WbN	0.6	١.				
4 ,,	.841	.132	84.7	74.0	10.7	69.2	.709	.61	82.2	79.7	,,	0.5	'	Ì	}		
5 ,,	.847	.131	81.4	73.2	8.2	69.5	.716	.68	81.0	79.8	,,	0.6	İ				,
6 ,,	.857	.153	79.5 78.5	72.3	7.2 6.5	69.0	.704	.72 .74	80.0 79.2	79.9	,,	0.2			Ì		
8	.872 .897	.188	78.0	72.0	6.0	69.0 69.2	.709	.76	79.0	79.9 79.8	"	0.1	Ì			j	
9 ,,	.912	.194	77.2	72.0	5.2	69.6	.718	.78	78.6	79-7	"	0.1			}		
10 ,,	.913	.193	77.0	72.0	5.0	69.7	.720	.79	78-2	79.5	WNW	0.1			İ	ļ	
11 "	.907	•203	76.5	71.4	5.1	69.0	.704	.79	77.9	79.4	"	0.1					
MAR-28TH-Midnight	.886	.215	75.0	70.0	5.0	67.5	-671	.79	76.6	79.1	W	0.1					
l a. m.	.878	.203	74.6	70.0	4.6	67.7	.675	.80	76.1	79.0	,,	0.0	ł	Ì			
2 ,, 3	.863 .856	.184	74.3	70.0 69.5	4.3 4.2	67.9	.669	.81 .82	76.0	78.8 78.6	,,	0.1	•				
4 "	.856	.187	73.7	69.5	4.2	67.4	.669	.82	75.5 75.4	78.6	"	0.0				1	
5 ,,	.862	.205	73.2	69.0	4.2	66.9	.657	.82	75.0	78.5	EŠE	0.1					
6 ,,	.879	.190	74.0	70.2	3.8	68.3	.689	.83	75.0	78.4	,,	0.3					
7 ,,	.895 .919	.199	74.6 76.0	70-6	4.0 5.0	68.6 68.6	.696 .695	.83 .79	75.0 76.0	78.4 78.4	SE b S	0.2				l	
8 " 9 "	.936	.230	78.3	72.0	63	69.1	.706	.79	78.0	78.5	SEUS	0.2		l			
10 ,,	.934	.223	81.2	73.0	8.2	69.3	.711	.68	79.6	78.6	,,	0.2					
11 ,,	.931	.229	82.0	73.0	9.0	68.9	.702	.66	80.1	78.8	SSE	0.2	None.	e e	ne.	je je	None.
Noon.	.918	.211	83.2 83.6	73.5	9.7	69.1 68.1	.707	.64 .61	80.8	78.9 79.0	WNW	0.3	, °	None.	None.	None.	Š
1 p. m. 2	.872	.213	84.2	72.5	11.7	67.0	6.9	.58	81.2	73.0 73.0	"	0.4				•	
3 ,,	.845	.177	B 5.0	73.0	12.0	67.4	•663	.57	81.6	79.2	"	0.4					
4 "	.841	.204	84.5	72.0	12.5	65.9	650	•55	81.6	79.3	w n	0.4		•	1		1
5 ,, 6	.842 .847	.192	83·4 80.0	72.0	11.4 8.0	66 6 68 2	.650 .687	.58 .69	80.7 80.0	79.3 79.4	WbN	0.3	1				
7 ,	.859	.156	78.5	72 0	6.5	69.0	.7 03	.74	78.9	79.4	w	0.2	ł				[
8,,	.880	.139	77.8	72.8	5.0	70.6	.741	.79	78.0	79.4	,,	0.1					ĺ
9 ,,	.897 .898	.140	77.0	73.0 72.0	4.0	71.2	.757 .729	.83	77.8	79.3	NW b W	0.4					}
10 ,, 11 ,,	.895	.193	75.4	71.0	4.2 4.4	70.1 68.9	.702	.82 .81	77.4 77.0	79.3 79.2	"	0.1 0.1				,	
Mr 200 7475-1-1-1	.888	.201	74.5	70.3	4.2	60.0	.687	00	66.6	70.0	NW b W						
Мак.29тн-Midnight la.m.	.873	.192	74.1	70.3	4.2	68.2 68.0	.631	.82 .82	76.1	79.2 79.1		0.1 0·1	}		l i		l
2 ,,	.852	.166	73.6	70.0	3.6	68.2	•686	.84	75.6	78.9	"	0.0]
3 "	.853	.154	74.0	70.5	3.5	68.8	-699	.85	75.6	78.7	"	0.0	ł	1			
4 "	.862	.158	73.6	70.5	3.1	69.0	.704 .689	.86	75.4	78.6	"	0.0	None.	None.	None.	None.	None.
5 ,, 6	.867 .889	.220	73.4	70.0 69.5	3.4 4.2	63.3 67.4	.009 .609	.85 .82	75.0 75.0	78.5 78.5	NE b N	0.1 0-1	Š	ž	No	No	Ž
7 ,,	.907	.281	76.0	69.0	7.0	65.4	.626	.71	75.8	78.5	EbS	0.2					1
8,,	.943	.202	77.8	72.8	5.0	70.6	.741	.79	76.9	78.5	"	0.1			}		
9 ,,	.960	.264	79.2	72.0	7.2	63.6	.0:40	.71	78.3	78.6	"	0.1					
10 ,, 11 ,,	.957 .949	.313 .329	80.6 82.7	71.0	9.6 11.7	65.1	.614	.63 .57	79.5 80.2	78.7 78.8	"	0.1 0.1					

Amount of Clouds.	Observers.	STATE OF THE W	EATHER.	Remarks.
Amour	O	NOTE.—In recording these Observations, the Symbols used to de Company of Comp	enote the clouds are: "\ cirri; \(\mathbb{\gamma}\) i cirro-cumuli; and \(\mathbb{\gamma}\) i nimbi.	
	.,	D. J. J. J. J. J. J. J. J. J. J. J. J. J.		Mean daily temperature of ground
8 5	C B	D vi and vi scattered about; slight dem. vi and vi scattered throughout, moving SE; s	light dew.	20 and 60 inches below its sur-
7	В	scattered throughout moving SE; a few vh	ere and there.	face 81:9 and 82:1.
8	В	2)	,,	
7	В	we scattered around hor.; secattered through	out, moving slowly to E.	
6	G	scattered throughout; in W hor.	_	
6	G.	wand we scattered throughout; mist in E ho and we scattered throughout, the latter move	r. ing E · mist in hor	
5	G	- and the security and security and security and	ing 21, initial in not.	
3	C	and we scattered about; mist in W hor.	<i>"</i>	
3	C	, t , , , , , , , , , , , , , , , , , ,	1	
3 3	C	scattered about, moving ESE; light mist is	i nor-	
2	C B	and vi scattered around hor; mist in E.	"	
3	BÌ			
5	В	"scattered about; where and there."		
3	В	b) and an appetance should be be married	rer	
7 7	C	and or scattered throughout, both moving		•
7	C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	"	
5	C	» » »	79	
5	C))))))))))))))))	
6	C	y)	
"		" "	"	
	•			
2	C	scattered around hor.		Many deiler temperature of ground
5 4	B	scattered throughout moving E.		Mean daily temperature of ground 20 and 60 inches below its sur-
4	В))		face 81.9 and 82.0.
5	В))))))		
5	G	y and any greatered throughout a mist in ES	and QW	
6 7	G G	u and v scattered throughout; mist in ES and v scattered throughout, the latter m	noving ESE: mist.	
7.	G	" "	" "	
7	C	')	,,	
5	C	D v scattered throughout, vi here and there	; mist.	
3	C	∨ scattered around hor.; light mist.		
4	В	scattered about, moving E; mist in hor.		
4	В	2) 2) 2)		
5	В	,, ,,	,	
5 6	В	» »		
6	G))))))))))))))))))))))))))		
5	G	" " "		
5	G	27 21 27		
4	C	,, scattered around hor.		
3 2	C			
		,,		
		in NE and E above hor.; vi in W hor.		Mean daily temperature of ground
1 2	C B	u scattered all round the hor.		20 and 60 inches below its sur-
4	В	and we scattered about; slight dew falling.		face 81:9 and 82:0.
4	В)		
3	В	" " " "		
3	G	w and we scattered around hor.; mist along l	5 hor.	
3 2	G			
2	G))	" "	
2	C	99 99	,,	
4	C	in W hor.; v scattered about; mist in E	and S hor.	
5	C_	19 99 99	"	

			DARD METER.	THE	MOMBT	BRS.	, i	0.F	AIR.	THBRMO	OUND OMETERS.	Mind b		RAIN.	BLEC	TRICAL	LINSTR	um Bnts.
	Bombay Civil Time.	Corrected	Corrected	In the	Wet Bulb		DEDUCED DEW-POINT.	Przesure (Moisture	ITY OF	ter Hinch round.	neter G in the 1.		Prossure in lbs.	By New-	Sign of		lings of	Time in
	1864.	33° Fahr.	for Moisture.	Air.	Thermo- ineter.	below Thermo- meter in the Air.	DR	Par	HUMIDIT	Thermometer line in the Ground.	Thermometer 6 inches in the Ground.	Direction.	per Square Foot.	man's Gauge.	Blectrici- ty + or —	Straw+0	Strawson Volta 2.	Interval of Time recovering to same degree tension after di
MAR.	29тн-Noon.	in. 29.923	in. 29.287	84.6	720	12.6	65.9	in.	0.55	81:1	789	NNW	lhs. 0.2	in.		Sc. div.	Sc. div.	m. s.
	l p. m.	.886	.258	86.0	72.2	13.8	65.5	.628	-52	82.0	79.0	WNW	0.4					
	2 ,,	.868	.247	86.0	72.0	14.0	65.2	.621	-51	82.3	79.1	"	0.6					
	3 ,,	.845	.256	85.5	71.0	14.5	63-5	-589	.50	82.3	79.3	"	0.5					
	5 ,,	.837	.234	85.3 83.8	71.3	14.0 11.8	64.3	.603	.51 .57	82.2 81.2	79.4 79.5	"	0.6	one.	None.	None	one.	None.
	6 "	-856	.211	81.2	71.2	10.0	66.3	.645	.62	80.0	79.5	,,	0.7	Z	Z	Z	Ž	Z
	7 "	-869	.166	78.5	72.0	6.5	69.0	.703	.74	79.2	79.5	NW	0.7					
	8 " 9 "	.886 .903	.183	78.5 78.0	72.0	6.5	69.0 68.4	.703 .691	.74 .74	78.9 78.8	79.5	NW b N	0.6 0.3				}	
	10 ,,	.907	.213	77.8	71.5	6.3	68.6	.694	.74	78.6	79.4	NNW	0.1		Ì	ļ	Ì	Ī
	11 ",	.903	.185	77.2	72.0	5.2	69.6	.718	.78	78.5	79.3	"	0.2					
Mar.30)тн-Midnight		.172	76.4	72.0	4.4	70.0	.727	.81	78.1	79.3	NNW	0.1					
	l a. m.	.892	.228	75.6	70.0	5.6	67.2	.664	.77	77.0	79.1	N L 137	0,3	İ				1
	2 ,, 3 ,,	.879 .880	.201	74.4	70-0	4.4	67.8 67.8	.678	.81 .81	76.1	79.0 78.9	N b W	0.3			1		
•	4 ,,	-881	.236	74.3	69.0	5.3	66.3	.645	.77	75.7	78.7	,,	0.3	İ	1	1	1	
	5 "	.892	.244	74.0	69.0	5.0	66.5	.648	.78	75.3	78.6	,,	0.2			l		1
	6 " 7 "	.903	.237 .293	73.6 76-2	69.4 69.2	4.2 7.0	67.3 65.6	.666	.82	75.0	78.5	,,	0.1					1
	ω ″	.924 .950	.323	79.0	70.0	9.0	65.4	.631 .627	.65	75.7 77.5	78.5 78.4	,,	0.2		ļ	İ	Ì	
	9 ,,	-961	-318	80.7	71.0	9.7	66.2	.643	.63	78.8	78.5	NNE	0.1	İ	1			
	10 ,,	.957	.282	82.4	72.4	10.0	67.7	.675	.62	80.0	78.6	NW	0.3	١.	١.			
	Noon.	.951	.252 .191	83.6 84.3	73.4	10-2	68.8 70.4	. 699	.63 .64	81.1	78.8	NWbN	0.4	None.	None.	one.	one.	None.
	1 p. m.	.927 .894	.150	85.0	75.0	9.7	70.7	.736 .744	.64	81.7 82.0	79.0 79.1	NW b W	0.4	l 🙎	ž	l &	S Z	l 🖇
	2 ,,	868	.110	85.5	75.5	10.0	71.3	•758	.64	82.3	79.3	,,	0.8	1				1
	3 "	-841	.132	84.7	74.0	10.7	69.2	.709	.61	82.3	79.4	,,	1.0	l				ŀ
	4 ,,	-836 -840	.114	83.5 81.5	74.0	9.5 7.8	69.8 70.2	.722 .733	.65 .70	82.0 80.5	79.5	NWbN	1.2		ļ			
	6 ,,	-848	.080	79.4	74.0	5.4	71.7	.768	.78	80.0	79.5	,,	1.6	İ				
	7 ,,	-854	.112	78.4	73.0	54	70.6	.742	.78	79.0	79.5	NW	1.5	į	ł			
	8 ,,	-873	.127	78.0	73.0	5.0	70.8	.746	.79	78.5	79.4	NWbN	1.7	l	1	1	Ì	1
	9 ,, 10 ,,	.903 .904	.155	77,8 77.2	73.0	4.8 4.2	70.9 71.2	.748 .755	.80 .82	78.5 78.2	79.4 79.3	"	1.0		l	1	Ì	
	11 ,,	.903	.146	77.0	73.0	4.0	71.2	.757	.83	78.1	79.3	n'nw	0.1					
IAR. 3	l st-M idnight	.888	.126	76.5	73.0	3.5	71.4	.762	.8 5	779	79.3	NNW	0.3					
	1 a. m.	.876	.127	76.0	72.5	3.5	70.9	,749	.85	77.2	79.2	"	0.8			}		
	2 "	.869	.120	76.0	72.5	3.5	70.9	.749	.85	77.2	79.1	N b W	0.8					
	3 ,, 4	.859 .868	.126	75.8 75.5	72.0	3.8 3.5	70.2 70.4	.733 .736	.84 •85	77.1	79.1 79.0	NOW	0.8		İ			
	5 ,,	.880	.140	75.2	72.0	3.2	70.5	.740	.86	76.7	79.0	NNE	0.2					
	6 ,,	.902	.215	74,5	70.3	4.2	68.2	.687	.82	75.2	78.9	,,	0.1			İ		
	7 ,,	.923	.258 .276	76.2 79.0	70.2	6.0 8.0	67.2 67.1	.665 .662	.75 .68	76 ₀ 0	78.8	"	0.2			1		
	9 ,,	.948	.267	81.2	72.2	9.0	68.0	-681	.66	79.3	78.8 78.9	" N	0.1			Ì	1	
	10 ,,	.944	.192	82.6	74.5	8.1	71.0	.752	.69	80.5	79.0	NbW	0.3			l		
	11 "	.927	.157	83.4	75.2	8.2	71.8	.770	.69	81.1	79.1	NW's N	0.5	નું	e e	ne.	je.	ag ag
	Noon. 1 p. m.	.899 .874	.089	83.8 84.8	75.8 76.0	8.0 8.8	72.5 72.4	.788 .785	.70	81.8 82.3	79.2 79.4	NW b N NW b W	0.9	None.	None.	None.	None.	None
	2 ,,	.831	.050	85.2	76.0	9.2	72.2	.781	.66	82.3	79.5	NW	08		.	1	1	
	3 "	.821	.013	84.5	76.5	8.0	73.3	-808	.70	82.1	79.6	"	0.8					
	4 ,,	.809	.008	83-4	76.0	7.4	73.0	.801	.72	81.6	79.8	"	0.8	1				
	5 ,, 6	.827	.009	81.8	76.0 75.0	5.8 4.7	73.7 73.1	.818	.77 .81	81.0	79.7 79.7	"	0.8					
	7 ,,	.861	.070	78.7	74.4	4.3	72.6	.791	.82	79.5	79.6	"	1.0					
	8 "	.889	.107	78.1	74.0	4.1	72.3	.782	.83	79-0	79.5	"	0.5			1		
	9 "	.913	.128	77.8	74.0	3.8	72.4	-785	.84	78.9	79.5	NW'bN	0.8	<u> </u>		1		
	10 ,, 11 ,,	.923 .919	.133	77.4	74.0	3.4 3.5	72.6 72.0	.790	.85 .85	78.5 78.3	79.5	MOM	0.7	į.	1	I		

Observers.	STATE OF THE WEATHER.	Remarcs.
Observers.	Note.—In recording these Observations, the Symbols used to denote the clouds are: Veiri; Vi cirro-cumuli; Ci cumuli; Li cirro-strati; Li cumulo-strati; and Vi nimbi.	
C	L and D v' scattered throughout, moving ESE; mist.	
B	" " "	
В))	
В)	
G	and on scattered about.	
G	" "	
G	79	
C	and vi scattered around hor.	1 .
C	" "	•
C	" "	
1		
C	D and L v scattered about.	Mean daily temperature of ground 20 and 60 inches below its sur-
B	N scattered about; slight dew fulling.	face 82.0 and 82.1.
В	" " "	
В	A few above E hor.; dew falling.	
G	scatt red about the hor.; mist in E and SE.	
G		
G	scattered around hor.; fog in E and mist in W and S hor.	
C		•
C	∾ scattered about, moving slowly to SE; mist in hor.	
C	" "	·
В	s scattered throughout, moving ENE; mist.	
В		
В	Lightly overcast with w moving ENE.	
B))))))))))))))))))))))))))	
G)	
G	yı yı yı ,	·
G	D and L vi scattered throughout, moving ENE.	
C		•
C	" " " " " · · · · · · · · · · · · · · ·	
C	D and L > scattered throughout, moving E.	Mean daily temperature of ground
В	1	20 and 60 inches below its sur-
В	" scattered throughout, moving E;"halo round the moon.	face 82*0 and 82*1.
1 -	and "scattered throughout, the latter moving SE; slight dew.	
B	1 - min ve southered biroughout, the latter moving off; slight dew.	1
B B G		
В	" " " "	
B G G	27 29 29 29	
B G G G	scattered throughout; mist in hor.	
B G G	scattered throughout; mist in hor. """ """ """ """ """ """ "" """ "" ""	
B G G G	scattered throughout; mist in hor.	
B G G G C C	" " " " " " " " " " " " " " " " " " "	
B G G C C C	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G G C C	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G C C C C B B	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G G C C C C B B B	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G G C C C C B B B	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G G C C C C B B B	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	
B G G G C C C C B B B N N	scattered throughout; mist in hor. """""""""""""""""""""""""""""""""""	

			DARD (BTER.	THE	R M O M B 7	BRS.	ا • ء	о И.	AIR	G mo THERM	und Muters.	Wind F Osler's G		RAIN.	ELEC	TRICAL	INSTRU	MBNTS.
	Bombay					Depres-	DUCED -POINT.	RE O	8 .	inch.	2.3					Read	ings of	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Civil Time. 1964.	Corrected to 82º Fahr.	for	In the	Wet Bulb Thermo- meter.	sion of Wet Bulb below Thermo- meter in the Air.	DEDU DEW-P	PRESSURE OF Moisture.	Виміріту	Thermometer linch in the Ground.	Thermometer inches in th Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Biectrici- ty + or—	Straws of Volta 1.	Straws of Volta 2.	Interval of Time recovering same degree tendon after d
A pp	lsT-Midnight	in.	in.	2000	4360	200.4	2190	in.	0.96		7004	AVATUR	lbs.	in.		Sc. div.	Sc. div.	m. s.
APR,	l a. m.	.891	29.137 .162	76.6 76.2	73.2	3º4 4.0	71.7 70.1	0.769	0.86 .83	78 ° 0 77.5	79:4 79.3	NNW	0.7					
	2 ,,	.885	.154	76.0	72.0	4.0	70.1	.731	.83	77.1	79.3	N b W	0.5					
	3 "	.872	.141	76.0	72.0	4.0	70.2	.731	.83	77.1	79.3	,,	0.4	1		1		
	4 ,,	.872	.136	75.5	72.0	3.5	70.4	.736	.85	76.6	79.2	NNE	0.3	1		İ		
	- 5 " 6	.885	.145	75.2	72.0	3.2	70.5	.740	.86	76.5	79.2	NEbN	0.0					
	7 "	.895	.184	75.2	71.2	4.0	69.3	.711 .746	.83	76.3 76.1	79.1	,,	0.1	ļ				
	8 ,,	.951	.180 .230	76.3	72.2	3.8 5.4	70.8 69.7	.721	.84	77.2	79.0 79.0	NE BE	0.0		İ			
	9 ,,	.970	.290	80.6	72.0	8.6	69.9	.680	.67	78.6	79.1	1	0.1	نه	نه	نه	ai	e,
	10 "	• .978	.276	82.0	73.0	9.0	68.9	.702	.66	79.6	79.3	"	0.3	one.	None.	None.	None.	None,
	11 ,,	.970	.264	83.3.	735	9.8	69.1	.706	.64	80.5	79.4	NNW	0.2	2	Z	Z	Z	Z
	Noon.	.945	.190	84.0	75.0	9.0	71.2	•755	.67	81.0	79.5	,,	0.3		ļ			
	1 p.m.	.917	.162	84.0 85.0	75.0 76.2	9.0	71.2	.755 .791	.67 .68	81.2 82.0	79.6	NW NW LW	0.5					
	3 ,,	.864	.093	85.0	76.2	8.8 8.8	72.6 72.6	.791	.68	82.3	79.7	NWbW	0.9					
	4 ,,	.852	.066	84.7	76.0	8.7	72.4	.786	.68	82.0	79.8	nw	1.0					
	5 ,,	.850	.069	81.6	75.0	66	72.2	.781	.74	80.8	79.8	,,	0.8	1		1		
	6 "	.874	.117	80.4	74.0	6.4	71.2	.757	.75	79.8	79.8	NWbN	1.0			ı		
	7 ,,	.880 .892	.124	78.8	73.5	5.3	71.2	.756	.79	79.1	79.8	,,	1.5	1		: !		
	9	.898	.169	78.4 78.0	72.5	59	69.8 67.8	.723 .673	.76 .72	79.0 78.7	79.8	N b W	1.0		İ	ł	!	
	10 ,,	.903	.223	77.4	71.0	7.0 6.4	67.9	.680	.75	78.5	79.7 79.7	1	0.4	İ		!	, ¦	
	11 ", •	.901	.254	77.2	70.0	7.2	66.4	.647	.71	78.0	79.6	"	0.2				 	
PR.	2nd-Midnight	:893	.237	76-4	70.0	6.4	66.8	.656	.73	77.8	79.6	NbW	0.1					
	l a.m.	.886	.193	76.2	71.0	5.2	68.5	.693	.78	77.6	79.6	N	0.3		ļ.			
	2 "	.872	.141	76.0	72.0	4.0	70.2	.731	.83	77.4	79,5	,,	0.3	1				
	ა "	.867 .876	.136	76.0	72.0	4.0	70.2	.731	-83	77.3	79.5	,,	0.5]		
	5 ,,	.910	.147	76.2 75.0	72.0	4.2 3.5	70.1 69.9	.729	.82 .85	77.1	79.4	N b E NE b N	0.6	1		•		
	6 ,,	.939	.228	74.5	71.0	3.5	69.3	.711	.85	75.6	79.2 79.1	1	0.7	1				
	7 ,,	.958	.261	75.8	71.0		68.7	.697	.80	76.0		NE L	0.5		+	2 .		2.45
	8 "	.978	.276	78.6	72.0	6.6	68.9	.702	.74	77.5	79.0	NEbN	0.6		+			Above 10n
	9 ,, 10	.979	.307	81.4	72.0	9.4	67.6	.672	.64	79.0	79.0	NNE	0.1	1	1	!		
	11 "	.978 .954	.299 .239	84.0 84.2	73.0	11.0	67.9	.679	.60	80.7	79.4), N l 12	0.0	نه	1	!		
	Noon.	.931	.180	84.4	74.0 75.0	10.2 9.4	69.5 71.0	.715 .751	.63 .65	81.0 81.4	79.5 79.6	N b E N	0.1	one.	1		NO	
	1 p. m.	.916	.115	84.8	76.4	8.4	73.0	.801	.69	82.0	79.7	NW	1.2	Z	!	'		
	2 ,,	.884	.115	84.5	75.5	9.0	71.7	.769	.67	82.0	79.8	,,	1.8				;	
	3 ,,	.854	.105	84.5	75.0	9.5	70.9	.749	.65	82.0	79.9	,,	2.0		İ			
	4 ,, 5	.845 .841	.096	84.5	750	9.5	70.9	.749	.65	82.0	80.0	NWbN	2.0			:	İ	
	6 "	.857	.086	84.0	75.0 74.0	9.0 7.4	71.2 70.8	.755 .746	.67 .71	81.8	80.0	NW NW b N	0.8			.		
	7 ,,	.873	.160	81.0	73.0	8.0	69.4	.740	.69	80 5 80.0	79.9 79.8		0.2					
	8 ,,	.885	.165	80.4	73.0	7.4	69.7	.720	.71	79.4	79.5	"	0.5				1	
	9 ,,	.900	.176	80.0	73.0	7.0	69.9	.724	.72	79.1	79.4	,,	0.8			'	İ	
	10 ,, 11 ,,	.895 .890	.244	80.0 80.0	71.0	9.0	66.9 64.9	.651 .616	.66 .62	79.0 78.7	79.3 79.2	NNW	0.8				İ	
Op	4тн-Midnight	202	1:0		60.5			P14.				3121			i !		; ; 1	
- 1 11.	l a. m.	.897 .889	.156	77.8	72.8 73.0	5.0	70.6	.741	.79	78.8	80.2	NNW	0.5					
	2 ,,	.867	.112	77.2	73.0	4.2 4.2	71.2 71.2	.755 .755	.82 .82	78.6 78.5	80.2 80.2	NW'b N	0.3				!	
	- " 3 ",	.862	.128	77.0	72.4	4.0	70.3	.734	.81	78.1	80.2		0.3	نه	, ai	اده	ai i	at.
	4 ,,	.869	.138	76.0	72.0	4.0	70.2	.731	.83	77.7	80.1	"	0.1	one.	one.	None.	None.	None.
	5 ,,	.896	.190	75.0	71.0	4.0	69.1	.706	.83	76.8	79.9	"	0.0	Z	Ž	Z	Z	Ž
	6 ,,	.906	.189	75.7	71.5	4.2	69.6	.717	.82	76.9	79.7	. "	0.1				1	
	7 ,, 8	.928	.185	78.3	73.0	5.3	70.7	.743	.78	78.0	79.6)) AT	0.2				ì	
	0 "	.941	.283	81.3	72.0	9.3	67.7 66.9	.684 .658	.64 60	79.2	79.8	N NbW	0.3		;		ì	
	10 ,,	.940	.322	85.2	71.7	13.5	65.0	.618	. 5 9 . 5 2	80.0 81.5	79.9 80.0	NNW	0.2		i		1	
	11 ,,	.926	.279	85.6	72.6	13.0	66.4	.647	.54	82.0	80.0	NWbN	0.4				i	

Slouds	e.	Saves on two Waves	
of C	Observers	STATE OF THE WEATHER.	REMARKS.
Amount or Clouds 0-8.	9q0	Notz.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \i cirro-cumuli; \i cumulo; \	***************************************
3	С	D ⋈ scattered around hor.; fresh breezes of wind from NW.	Mean daily temperature of ground
5	В	and scattered about; we moving SE.	20 and 60 inches below its sur-
6	В	scattered throughout moving slowly to SE; a few where and there.	fuce 82:1 and 82:3.
7	В	,, ,,	
8	В	and a scattered throughout, a moving ESE; a few stars visible through the breaks.	
8	N	vand vi scattered throughout, the latter moving NE.	
8	N N))))))	
8	N	29 29 29 29 29 29	
8	В	,, ,,	
7	В	withroughout moving ENE; a few inhere and there.	
6	В	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
4	В	on and a scattered about; on moving ENE.	
4	C	" . "	
4	C	and scattered throughout, both moving E; fresh breezes from NW.	
5	C	, , , , , , , , , , , , , , , , , , ,	
5	В	22 27 29 27 29 29 29	
5	В	and v scattered about, the former moving to NE.	
3	B B))))))	
0	D	in the NW, N and NE hor.	•
Ö	D		
0	D)	
		, , , , , , , , , , , , , , , , , , , ,	
1 4	D	scattered around hor.	Menn daily temperature of ground
4	c	scattered about, moving ENE.	20 and 60 inches below its surface 821 and 823. Reading of
4	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	barometer corrected for tempe-
4	C), ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	rature at 9 A. M. was 29.979 in.,
2	В	on scattered about moving ESE.	highest during the month, and
2	В	and scattered around hor.; mist in W.	about 0.102 in. higher than the
1	В	A faw and have and there in the hand with in Y. Stand W. han	normal mean; at 11 P. M. the
0	B D	A few on here and there in the hor.; mist in E, S and W hor. A few onear E and SE hor.; mist.	temperature of dew-point was 649, least during the month,
o	D	· ·	and was 7:2 less than the nor-
1	D	scattered about.	mal mean.
1	D	l " "	
3	C	scattered about, moving ESE; fresh breezes from NW.	
5	C	wand on sectional about heat was in 1, 1, 4, SP, 6, h business from NW	
5 5	C	and sattered about, both moving slowly to SE; fresh breezes from NW.	
3	D	D "scattered about moving ESF."	1
4	D	,, ,, ,,	
3	D	,, ,,	
3	D .	N scattered about the hor.	
2	D	scattered around hor.	
2	D D	"	
-	_	n n	
+]			1
. 2	N	D ∨ scattered around hor.	Mean daily temperature of ground
3	C	,, ,,	20 and 60 inches below its sur-
2	C C	,, ,,	face 82*2 and 82*4.
$\begin{vmatrix} 2 \\ 2 \end{vmatrix}$	C	" " · · · · · · · · · · · · · · · · · ·	<u> </u>
1 1	В	n in E above hor.	
, i l	В	in E and W above hor.	1
0	В	A few in E and W hor.; fog in E.	
0	В	,, ,,	,
0	o o	"	1
0	G G	vi in E above hor.; haze in E and SE.	
0		1 4 P in 2 doore not., naze in 1/ Bitt Dt.	

		DARD METER.	THE	RMOME	TERS.	.•	O.F.	A 1 B.		ound Om sters ,	WIND F Osler's G		RAIN.	RLEC	TRICAL	INSTRU	MENTS.
Bombay Civil Time.	to	Corrected for Moisture.	In the	Wet Bull Thermo- meter.	Depression of WetRuib below	DEDUCED	PRESSURE OF	UMIDITY OF	mometer linch the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square	By New	Sign of thectrici-	Strawso	ings of	Interval of Time in recovering the same degree of tension after dis-
1864.					meter in the Air.	_	Δ.	HOM	Thermo	Therr		Poot.			Volta 1	Volta 2.	Interva recov
Apr. 4TH-Noon.	in. 29.901	in. 29.254	85*6	72:6	130	66.4	in. 0.647	0.54	82:0	80.0	NWbN	lbs. 0.5	in.		Sc. div.	Sc. div.	m. s.
1 p. m.	.874	.179	86.0	74.0	12.0	63.6	.695	.57	83.0	80.1	,,	0.8					
2 ,,	.850	.131	85.6	74.5	11.1	69.7	.719	.60	83.0	80.2	,,	1.2					
3,	.827	.121	85.0	74.0	11.0	69.1	.706	.60	82.6	80.4	NW	0.7					
4 "	.822	.116	85.0	74.0	11.0	69.1	.706	.60	82.4	80 5	,,	1.5		١.	١.		
5 ,,	.816	.098	83.9	74.0	9.9	69.6	.718	.64	82.0	80.6	NWbN	0.8	one.	None.	one.	None.	je.
6 "	.831	.121	81.3 79.6	73.0	8.3 6.4	69.3 70.4	.710	.68 .75	81.0	80.6 80.6	"	0.8	No	ž	ž	s l	None.
8	.859	.120	78.6	73.0	5.6	70.4	.739	.77	79.6	80.5	"	0.8					~
9 ,,	.872	.126	78.0	73.0	5.0	70.8	.746	.79	79.2	80.5	- "	0.6			į		
10 ,,	.882	.092	77.4	74.0	3.4	72.6	.790	.85	78.7	80.4	,,	0.4					
11 "	.882	.092	77.4	74.0	3.4	72.6	.79ર	.85	78.0	80.3	"	0.6					
APR. 5TH-Midnigl	1t .877	.108	76,6	73.2	3.4	71.7	.769	.86	77.3	80.2	nwbn	0.3					
l a. m.	.857	.091	76.2	73.0	3.2	71.6	.766	.86	77.3	80.2	NbW	0.2					
2 "	.845	.115	74.5	71.5	3.0	70.1	.730	.87	76.8	80.1	,,	0.1			1		
3 ,,	.831	.104	73.7	71.2	2.5	70.0	.727	.89	76.2	80.1	,, .	0.1	i				
4 ,,	.831	.085	74.0	71.8	3.0	70.8	.746 .707	.90	76.0 75.5	80.0 79.8	,,	0.1					
6	.866	.192	73.0	69.5	3.7	69.1 67.7	.674	.87	75.2	79.6	,,	0.0					
7 ,,	-886	.223	75.7	70.0	5.7	67.2	.663	.76	76.0	79.5	NÉE	0.2	i				
8 ,,	•905	.203	78.6	72.0	6.6	63.9	.702	.74	77.6	79.5	NNE	0.4	l	1	l		
9 ,,	.899	.209	81.8	72.6	9.2	68.4	.690	.65	78.7	79.5	,,	0.3		4	l		
· 10 ,,	-884	.195	83.2	73.0	10.2	68.3	.689	.62	80.0	79.5	N	0.2			l		
11 ,,	.865	.167	84.7	73.7	11.0	68.7	.698	.60	80.9	79.6	NWPN	0.3	j j	<u>ب</u> و	one.	one.	<u>.</u>
Noon.	·836	.137	85.6	74.0	11.6	68.8	.699	.59	81.8	79.8	,,	0.5	None.	None.	S S	No	None.
1 p. m.	.820	.082	86.3	752	11.1	70.5	.738	.60	82.7	80.0	NW	0.5	_		~		M
2 ,,	.776	.023 28.998	86.4 86.2	76.1 76.2	10.3	72.0	.775	.63 .64	83.1	80.2 80.3	NW'bN	0.9	l				
o ,, ⊿	-772	.981	85.7	76.4	10.0	72.1 72.6	.791	.66	83.0	80.4	NW	0.7		ł			
5	.780	.988	84.2	76.0	8.2	72.7	.792	.69	82.3	80.6	,,	0.5					
6 · "	.789	29.001	81.7	75.2	6.5	72.5	.788	.75	81.2	80.6	b N	0.6					
7 ,,	-815	.022	80 5	75.0	5.5	72.7	.793	.78	80.9	80.6	NW	0.6					
8 "	.824	.023	79.8	75.0	48	73.0	-801	.81	80.5	80.6	"	0.4	ĺ				
9 "	.828	.124	79.5	72.3	7.2	69.0	.704	.72	80.0	80.5	,,	0.3			ł		
10 " 11 "	-838 -832	.140	79·0 78.5	72.0	7.0 6.5	68.7 69.0	.698 .703	.72	79.8	80.5 80.4	NW'b N	0.6					
Apr. 6TH-Midnigl		-110	78.0	72.0	60	69.2	.709	.76	78.5	80.3	NWbN	1.4	}	1	_		
lu.m	.807	.098	78.0	72.0	6.0	69.2	.709	.76	78.4	80.3	NNW	0.4	1		1		
2 ,, 3	.795	.090	77.4	71.7	5.7	69.0	.705 .695	.76	78.3	80.3	NbW	0.3					
A "	.775	.079	76.0 75.0	71.0	5.0	68.6 67.5	.671	.79 .79	77.6	80.2 80.1	"	0.2					
5 ,,	.796	.154	74.5	69.0	5.5	66.2	-642	.79	76.6	79.9	"	0.1					
. 6 ,,	.814	.179	75.2	69.0	6.2	65-8	-635	.74	76.6	79.7	NbE	0.1					
7 ,,	.841	.164	78.3	71.2	7.1	67.8	.677	.71	77.7	79.7	,,	0.1				•	
8 "	.881	.214	81.8	72.0	9.8	67-3	.667	.63	79.7	79.8	NEDN	0.2					
9 ,,	.880	•222	83.3	72.2	11.1	66.9	-658	.59	80.0	79.8	EbN	0.2					•
. 10 ,,	.867	•233	85.2	72.1	13.1	65.8	.634 .686	.54	80.9	79.9	SE WSW	0.3	None.	None.	None.	None.	None.
ll " Noon.	.843	.175	85.8 87.4	73.7	12.1 13.0	68.2 68.6	•695	.57 .55	81.8 82.5	80.0	W	0.2	No.	No	S S	Z	Š
l p. m.	.823	.106	88.2	75.2	13.0	69.6	.717	.55	83.2	80.2	WbN	0.3		1			
2,,	.803	.053	88.0	76.0	12.0	71.0	•750	.58	83.4	80.3	WNW	0.4					
3 ,,	.788	.017	86.5	76.1	10.4	71.8	.771	.63	83.3	80.4	NWbW	0.5					
4 ,,	.778	.002	85.6	76.0	9.6	72.0	.776	.65	83.0	80.6	"	0.4					
5 "	.779	.005	84.0	75.5	8.5	71.9	.774	.68	82.0	80.8	NW	0.4					
6 ,,	.787	.020	81.2	74.5	6.7	71.6	•767	.74	81.3	80.8	NWbW	0.3					
7 ,,	.796	.030	79.7	74.0	5.7	71.6	·766	.77	80.5	80.8	,,	0.2					
8 ,, 9 ,,	.802	.027	79.0	74.0 72.5	5.0 5.9	71.8	.723	.80	80.0	80.8	"	0.3					
10 "	.812	.089	78.4	72.5	5.9	69.8 69.8	.723	.76 .76	79.7 79.2	80.7	"	0.2					
10 ,,	.809	.100		72.0	6.0	69.2	.709	.76	79.0	80.6	"	0.1					

	1	<u> </u>	
ap B			
lou			
5 %	767	STATE OF THE WEATHER.	
Amount of Clouds 0-8.	Observers.		REMARKS.
9	0		
4		Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
1.1			
1 1	G	vi in E above hore; haze in E and SE.	†
	C	in E; haze in hor.; fresh breezes from NW.	
1:1	C C	o'in NE hor.; o' along the E hor.; haze in hor.; fresh breezes from NW.	
	C	or in NE nor.; we along the E nor.; haze in nor.; fresh breezes from NW.	
l o l	B	and w in NE and E hore; haze in E and SE.	
ŏ	В		
l o l	В	Cloudless; haze in E hor. "	
0	В	orounition, many in 21 not	
0	G	,	
0	G	,,	
0	G	Clear; slight dew falling.	
1 1	•		
0	G	Cloudless; slight dew.	
0	C	» »	Mean daily temperature of ground
0	C	" "	20 and 60 inches below its sur-
0	C	"	face 82:3 and 82:4. Temperature
	C B	scattered along E hor.; dew falling.	of free air at 6 A. M. was 73.2,
1:1	В	www scattered along in nor.; dew lanning.	lowest in the month, and about
l o l	В	A few in ESE hor.; mist in W, and fog in E hor.	4.5 lower than the normal mean.
lil	В	THE VALUE OF HE POST HOLD, HIST HE WAS THE HOLD HE WAS THE WAS THE POST HE WAS THE WAS	·
1	G	scattered from SE to S hor.; mist in W hor.; haze in E.	·
1	G		·
0	G	A few in hor.; haze in E and SE hor.	
0	G		
0	C	Cloudless; haze in hor., except the N." A few ou in NE and SE hor.; haze in hor.; fresh breezes from NW.	
0	C	A few in NE and SE hor.; haze in hor.; fresh breezes from NW.	
0	C	"	
1:1	C	vi along the E hor; haze in E, SE and S; fresh breezes.	
	В	scattered around hor.; haze in E.	
2 4	.В В	scattered about moving NE; hazy.	
i	В	scattered about moving NE.	
i	G		
$ \mathbf{i} $	G)	
	Ğ	A few where and there in hore; fresh breezes from NW.	
	_	12 1011 VF 11010 and there is story industrial from 1. V.	
1 1			
0	G	A few in E above hor.; fresh breezes from NW.	Mean daily temperature of ground
0	C	A few vs in E hor.	20 and 60 inches below its sur-
0	C	n n	face 82.4 and 82.5.
0	C	"	ince of and of o
0	C	" "	
0	В	Mist in W; fog in E.	,
0	B B		!
0	В	"	į ·
	G))))	∤
ŏ	G	Hazy.	`
l ŏ l	G	"	
0	G	"	
0	C	A few on in SW; light mist in W and haze in E.	l l
0	C		
3	C	scattered about, moving NE; haze in E.	
3	C	" " " " " " " " " " " " " " " " " " "	
	В	scattered about, moving NE; haze.	
1 1	В	A few where and there in hor.	
0	B B	A lem Ah Hele and thele in hol.	
0	G B	Cloudless; slight dew.	
0	G		1
ŏ	G	?? ??	1
<u> </u>	7*16		· · · · · · · · · · · · · · · · · · ·

		STAN Baron		THER	MOMBT	ERS.	÷	ni Ni	AIR.	Тявамо	UND METERS.	Wind P Osler's G		RAIN.	3		Instru	
	Bombay Civil Time. 1864.	to	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air,	DEDUCED DEW-POINT.	Preseure of Moisture.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in Ibs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Readi Strawsof Volta 1.	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
Apr.	7TH-Midnight 1 a. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,, Noon. 1 p. m.	in. 29.794 .786 .779 .768 .769 .794 .817 .843 .859 .868 .872 .864 .849	in. 29.085 .068 .022 .022 .020 .052 .070 .118 .104 .129 .123 .095 .066	78°0 77.2 77.0 76.3 76.0 74.6 77.2 80.5 82.0 82.9 84.5 85.0	72*0 72*0 73.0 72.5 72.5 72.0 72.0 74.0 74.5 75.5 76.0	60 5.2 4.0 3.8 3.5 3.0 2.6 5.0 6.5 8.0 9.0 9.0	69°2 69.6 71.2 70.8 70.9 70·6 70.8 69.9 71.2 70.5 70.9 71.7 72.3 72.6	in. 0.709 .718 .757 .746 .749 .742 .747 .725 .755 .739 .749 .769 .783	0.76 ·78 .83 .84 .85 .87 .89 .79 .74 .69 .68 .67 .67	78*9 78.7 78.5 78.1 77.8 77.0 76.3 77.5 79.0 80.0 80.5 81.4 81.9 82.3	80°5 80.5 80.4 80.3 80°2 80.0 80.0 79.9 80.0 80.1 80.1 80.2 80.3	NW b W NNW " " " N b E NE b N ENE E b N W b N NW b W	lb. 0.2 0.3 0.4 0.5 0.1 0.1 0.2 0.2 0.3 0.2 0.2 0.2 0.3 0.6	None.	None.	None.	None.	None.
	2 ", 3 ", 4 ", 5 ", 6 ", 7 ", 8 ", 9 ", 10 ", 11 ",	.802 .786 .774 .772 .784 .796 .806 .819 .820 .815	.013 28.999 .991 .986 29.034 .061 .092 .078 .115	85.2 85.4 85.0 84.7 81.0 79.0 78.2 77.8 77.4	76.2 76.2 76.0 76.0 74.0 73.0 72.2 71.8 71.7	9.0 9.2 9.0 8.7 7.0 6.0 6.0 5.7 6.0	72.6 72.5 72.3 72.4 71.0 70.3 69.4 70.6 69.0 68.1	.789 .787 .783 .786 .750 .735 .714 .741 .705 .684	.67 .66 -67 .68 .73 .76 .76 .79 .76	82.6 82.6 82.7 82.0 80.9 80.0 79.4 79.0 78.2 78.0	80.5 80.7 80.7 80.7 80.9 80.9 80.8 80.8 80.7 80.6	WNW WbN " W bN "	0.7 0.4 0.2 0.4 0.2 0.3 0.2 0.1 0.2 0.3					
Apr.	8TH-Midnight I a. m. 2	.812 .804 .789 .769 .770 .786 .792 .814 .839 .850 .836 .835 .777 .759 .755 .755 .761 .771 .788 .789 .794	.128 .117 .098 .071 .072 .100 .082 .092 .141 .153 .110 .107 .065 .021 .016 28.994 .987 29.000 28.979 29.005 28.999	77.0 76.7 76.4 75.7 75.7 73.6 73.7 76.8 79.0 80.4 81.9 83.0 84.0 85.5 85.6 85.2 84.7 83.0 78.6 78.6 77.0	71.0 71.0 71.0 71.0 70.0 70.7 72.0 72.4 73.6 74.0 75.6 75.6 75.3 75.0 74.0 74.0 74.0	6.0 5.7 5.4 4.7 3.6 3.0 8.0 8.0 9.0 9.5 10.0 9.6 9.4 8.0 4.2 4.0 3.0 3.0	68.1 68.2 68.4 68.7 68.7 68.3 69.8 68.7 69.9 70.0 71.2 72.0 71.3 71.6 71.4 72.7 72.3 72.8	.684 .687 .691 .698 .698 .698 .697 .726 .728 .755 .777 .761 .765 .769 .766 .761 .792 .783 .790 .794	.75 .76 .77 .80 .80 .84 .87 .80 .72 .69 .68 .66 .67 .66 .64 .65 .66 .70 .76 .83 .83 .85	77.5 77.3 77.3 77.2 76.0 75.4 77.0 78.0 78.5 79.0 81.8 82.3 82.3 82.1 81.6 80.4 79.0 78.6 78.0	80.5 80.5 80.4 80.3 80.1 79.9 79.8 79.8 79.9 80.0 80.1 80.2 80.3 80.4 80.5 80.5 80.5 80.5	W b N WNW NW b N "" "NE b N NNW NW b W W b N "" "" ""	0-4 0-3 0-3 0-2 0-1 0-1 0-2 0-3 0-5 0-5 0-4 0-5 0-5 0-4 0-5 0-5 0-4 0-5 0-5 0-4 0-5 0-5 0-7 0-8 0-9 0-9 0-9 0-9 0-9 0-9 0-9 0-9	None.	None.	None.	None.	None.
APR.	9TH-Midnight 1 a. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,,	784 .778 .775 .763 .763 .774 .786 .801 .828 .828 .828	29.015 28.997 29.009 28.995 .988 29.030 .046 .054 .075 .065 .064	76.6 76.5 76.2 76.0 75.4 74.8 74.5 76.2 79.0 79.8 82.5 84.0	73.2 73.5 73.0 73.0 73.0 72.0 71.8 72.5 73.5 74.0 74.5 75.0	3.4 3.0 3.2 3.0 2.4 2.8 2.7 3.7 5.5 5.8 8.0 9.0	71.7 72.2 71.6 71.7 72.0 70.7 70.5 70.8 71.1 71.5 71.1 71.2	.769 .781 .766 .768 .775 .744 .740 .747 .753 .763 .753	.86 .87 .86 .87 .90 .88 .88 .84 .77 .70	77.5 77.5 77.4 77.3 77.2 76.5 76.1 76.6 78.0 78.7 80.0 80.9	80.3 80.3 80.2 80.2 80.2 80.1 79.8 79.7 79.8 79.9 79.9	NW NW b N NNW NW b N "" NNE NE b N NE b E ENE NW	0.2 0.3 0·2 0.1 0.1 0.1 0.4 0.3 0.2 0.1	None.	None.	None,	None.	None.

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli;	REMARKS.
0	G	Cloudless; dew falling.	Mean daily temperature of ground
0	C	_	20 and 60 inches below its sur-
0	C	??	face 82:5 and 82:7.
0	C	" "	
0	C	22	į
1 1	B	∽i scattered around hor.; dew-	
4	B	scattered about moving SE.	1
	B B	and on scattered around hor.; black mist in W and fog in E.	·
	G	□ scattered about hor.; mist in W hor., and fog in E.	
o	G	A few in hor.; haze in E and SE hor.; mist in W.	
ŏ	G	" " " " " " " " " " " " " " " " " " "	
0	G	Cloudless; haze in hor.	
11	C	v in N and NE above hor.; haze in E.	
1 1	C	, , , , , , , , , , , , , , , , , , ,	
0	C C	A few in N; hazy.	
0	G	» »	•
l o l	В	A few v in E; haze.	
0	В	29	
0	В	Clear except the hor.	
0	G·	A few v in W; slight dew.	
0	Gev	a 19	•
0	G	"	
	GCCCBBBGGGCCCCBBBGGG	A few win E and N hor.; slight dew. "scattered about; dew falling. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 82.5 and 82.7.
0	G	29 29	
1 1	G	scattered about; dew falling.	
1 1 1 2 2 6 7	G C C C B B	scattered about here and there; dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 82.6 and 82.7.
5 5	B B	The around note, and a entoughout; must in note	
5	G	scattered throughout; mist in hor.	
6	G	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1
6	G	"	· · · · · · · · · · · · · · · · · · ·

			NDARD METER.	Тив	RMOME	TERS.		oi.	AIR.		UND METERS.	WIND PO		RAIN.	BLEC	TRICAL	INSTR	UMENTS.
	Bombay					Depres-	OCED	SURE	40 X	linch	er 6		Decre			Readi	ngs of	the of
	Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	sion of Wet Bulb below Thermo- meter in the Air.	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Straweof	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
4	0 M	in. 29.783	in.	0.500	7500	000	#190	in.	0.65	-		WATE	lbs.	in.		Sc. div.	Sc. div.	
APR.		.759	29.018 28.970	85°2 85.2	75°6 76.2	9:6 9.0	71°6 72.6	0.765	0.65	81°7 82.1	80°1	WNW	0.2					
	1 p.m.	.737	.948	85.2	76.2	9.0	72.6	.789 .789	.67	82.3	80.4	"	0.6					
	3 "	.731	.931	84.5	76.3	8.2	73.0	.800	.69	82.3	80.5	"	0.8		1			
	4 ,,	.727	.925	84.3	76.3	8.0	73.0	.802	.70	82.1	80.5	"	0.5	1.				
	5 "	.724	.958	83.0	75.0	8.0	71.6	.766	.70	81.7	80.5	NW bW	0.7	ė	None.	je.	None.	e.
	6 "	.740	.941	80.0	75.0	5.0	73.0	.799	.80	80.5	80.5	,,	0.7	one.	lor	None.	10	None.
3	7 ,,	.755	.998	78.7	73.5	5.2	71.2	.757	.79	79.6	80.5	NW	0.6	Z	-	-	-	4
	8 "	.773	29.027	78.0	73.0	5.0	70.8	.746	.79	79.0	80.5	NWbN	0.6					
	9 ,,	.785 .796	.036	77.7	73.0 72.5	4.7	70.9	.749	.81	78.8 78.5	80.5 80.4	NT INT	0.5	1				
	10 ,,	.794	.037	77.0	73.0	4.0	70.3 71.2	.735	.82	78.2	80.4	NW	0.2	1				
	",		.037	11.0	75.0	4.0	71.2	.757	.04	70.2	60.4	,,	0.3					
APR.1	тн-Midnight	.806	28.974	77-0	75.0	2.0	74.2	.832	.91	78.0	80.4	NNW	0.3					
	1 a. m.	.794	29.000	77.0	74.0	3.0	72.8	.794	.87	78.0	80.4	NbW	0.6					
	2 "	.787	.002	76.8	73.7	3.1	72.4	.785	.87	77.8	80.3	,,	0.5					
	3 "	.783	.036	76.6	72.6	4.0	70.8	.747	.83	77.5	80.2	,,	0.2					
	4 ,,	.787 .824	-025	76.5	73.0	3.5	71.4	.762	.85	77.3	80.2	,,,	0.1	1		1		
	b ,,	.845	.062	76.5 76.0	73.0	3.5 4.0	71.4	.762	.85	77.3	80.1	NNW	0.4					
	6 "	.858	.114	77.6	72.4	5.2	70.2 70.0	.731 .728	.79	77.6	80.0 80.0	NW	0.3					
	8	.871	.131	80.6	73.6	7.0	70.5	.740	.73	79.0	80.0	NW b W	0.2	-	1			
	0 "	-876	.175	82.1	73.0	9.1	68.9	.701	.66	80.4	80.0	WNW	0.2	1 05	di.	ei.		a:
	10 ,,	.876	.177	83.6	73.4	10.2	63.8	.699	.63	81.0	80.1	WbN	0.4	one.	None.	None.	None.	None.
	11 "	.875	.101	84.0	75-5	8.5	71.9	.774	.68	81.2	80.2	,,	0.6	Z	Z	Z	Z	Z
	Noon.	.862	.088	84.0	75.5	8.5	71.9	.774	.68	81.5	80.2	WNW	0.7					
	1 p. m.	.832	.049	85.0	76.0	9.0	72-3	,783	-67	82.0	80.3	NW b W	0.8					
	2 ,,	.819	.032	84.6	76,0	8.6	72.5	.787	.68	82.0	80.4	"	0.7		1			
	3 ,,	.794	.016	84.4	75.7	8.7	72.1	.778	.68	82.0 81.3	80.5	"	0.8	1	1			
	5	.794	.016	82.0 81.2	75.0 75.0	7.0 6.2	72.0 72.4	.777 .786	.73	80.6	80.5 80.5	"	0.7	1	1			
	6 "	.808	.036	79.0		5.0	71.8	.772	.80	79.5	80.5	"	0.8				1 3	
	7 "	.823	.059				71.5		,81	79.0	80.5	"	0.6	1	1	1		
	8 ,,	.830	.061	77.6		4.1	71.7	.769	.83		80.5	"	0.5		1			
	9 "	.849	.059	77.4			72.6	-790	.85		80.4	NW	0.4		1			
	10 ,,	.854	.060	77.0			72.8	.794	.87		80.4	NWbN	0.5	1				
	11 "	.854	.060	77.0	74.0	3.0	72.8	.794	.87	77,5	80.4	"	0.4		1	l		
App 1	2тн-Midnigh	t .844	-050	77.0	74.0	20	72.8	.794	.87	77.5	60.3	NWbN	0.4	1		0111		
IFR. 1	l a. m	.832					72.6	.790	.86		80.3		0.4					
	2 ,,	.822					72.8	.794	.87		80.3	NNW	0.3					1
	3 ,,	.816	.022	77.0	74.0	3.0	72.8	.794	.87	77.5	80.3	NbW	0.2]
	4 ,,	.814				3.0	72.8	•794	,87		80.3	,,	0.1		1			
	5 "	.837	1				72.1	.778	.86		80.2	,,	0.3		1]
	6 ,,	.839	1				71.4	•762 •806	.85		80.1	N	0.2					1
	7 ,, 8	.874					73.2 73.9	-825	.79		80.0	N b E NNW	0.2					1
	^ <i>"</i>	.877	.128				70.9	.749	.68	1	80.1	ł	0.5					}
	10 ,,	.874					71.6	.766	.67		80.4	"	0.3	ai	ai	1.] .
	11 ,,	.868	.085				72.3	.783	.67	82.4	80.5	,,	0.4	None.	None.	ne.	je	ne l
	Noon.	.838	-051	85.4	76.2	9.2	72.5	.787	.66	82.8	80.5	NW	0.7	Z	Z	None.	None.	None.
	1 p. m.	.816			1	8.4	74.1	.830	.69		80.7	,,	1.0			'	' '	
	2 ,,	.787					74.9	-851	.70		80.9	NWbN	1.7					
	3 ,,	.759 .752	_	86.0			74.9	.851	.70		81.1	y,	1.5					
	4 ,,	.761	.893	85.3 83.9			75.2 74.3	-859 -834	.73 .74		81.2	NW	0.7					1
	5 , ,	.765		· I			74.1	-830	.79		81.2	"	0.7					l
	7	.777	.942	80.3		I	74.3	-835	.83	81.0	81.2	"	0.8					1
	8	.798	.956	79.6	4		746	-842	.85	80,5	81.2	NW'bN	0.6					t
	9 ,,	.812	.963	79.0		3.0	74.8	-849	.88	80.0	81.2	,,	0.7					1
	10 ,,	.824	29.032	78.6			72.7	.792	.83	79.4	81.2	٠,,	0.6				ł	
	11 ,,	-819		78.6			72.7	•792	.83	79.0	81.0	ı "	1.1	1	1	1	1	ı

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int\(i\) cirro-cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbi.	Remarks.
5 1 0 0 0 0 0 0 0 0 0	G C C C B B B B	<pre>scattered about moving E; baze in hor. scattered about here and there; haze. A few v in E; haze. """ Haze in hor. """ "" """ """ """ """ """ """ """ ""</pre>	.
4 4 4 3 4 4 5 5 6 6 3 2 4 3 6 4	GCCCBBBCCCCBBBCCCCCBCCCCCCCCCCCCCCCCCC	scattered about moving E. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 82°6 and 82°7.
4 4 4 4 4 5 6 7 6 6 6 6 6 6 3 1 1 1 0 0 0 0 6 6 6	G C C C B B G C C C B B B G G C C C C C	" " " " " " " " " " " " " " " " " " "	Mean daily temperature of ground 20 and 60 inches below its surface 82.7 and 82.8. 12th April was the 4th day from the beginning of the year on which lightning was observed after sunset.

	STAN BAROX		Тнв	RMOMET	BRS.		O.P.	AIR.	GRO THERMO		WIND F Osler's G		RAIN.	BLECT	RICAL	Isstru	
Bombay					Depres-	DEDUCED EW-POINT	SURE O	o v	Ground.	ter 6		Pressure			Readir	igs of	the the re of
Civil Time. 1864.	Corrected to \$3° Fahr.	Corrected for Moisture.	In the	WetBull Thermo- meter.	Wet Bulb below Thermo- meter in the Air.	DEI DEW-	PRESSURE Moisture	HUNIDITY	Thermometer in the Gro	Thermometer 6 inches in the Ground.	Direction.	in lbs. per Square Foot.		Sign of Blectrici- ty + or —	Strawsof Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension afterdis-
PR. 13TH-Midnight	in.	in. 29.024	78:4	74.0	4:4	72:3	in. 0.779	0.82	79:0	80.8	NWbN	10s.	in.		Sc. div.	Sc. div.	
l a. m.	.796	-013	78-0	74.0	4.0	72.3	.783	.83	78.9	80.8	,,	0.7	ļ				
2 ,,	.792	28.990	78.0	74.5	3.5	73.0 73.0	.802 .802	.85 .85	78.9 78.8	80.8 80.8	NNW	0.5					
3 ,, 4 ,,	.784	.982	78.0	74.5	3.5	73.0	.802	.85	78.8	80.7	NW	0.3			İ		
5 ,,	.811	29-033	76.8	73.5	3.3	72.1	.778	.86	78.0	80.6	,,,	0.0	,				
6 ,,	.835	.057	76.8 79.0	73.5	3.3 5.0	72.1	.778 .772	.86	78.0 78.8	80.6 80.6	NW'bW	0.0					
, ,, 8 ,,	.860	.094	80.6	74.0 75.0	5.6	72.2	.781	.78	79.9	80.6	WNW	0.2					
9 ,,	.876	•123	82.5	74.5	8.0	71.1	.753	.70	80.2	80.7	,,	0.1					
10 ,,	.863	.097	83.0 84.2	75.0	8.0 7.8	71.6	.766	.70	81.0	80.8	NW WNW	0.2	one.	one.	one.	None.	ne
11 ,, Noon.	.825	.003	85.0	76.4 77.0	8.0	73.8	.822	.68	82.4	81.0	1	0.6	%	Z	ž	Š	None
1 p. m.	-802	28.991	86.0	77.0	9.0	73.4	.811	.67	83.0	81.1	NW'b N	0.9		Ì			
2 ,,	·778	•991	86.0 86.3	76.4	9.6	72.5	.787	.65 .62	83.4	81.2	,,	1.3					
3 ,, 4	.750	·990 ·977	86.0	75.8 75.8	10.5	71.4	.764	.63	83.3	81.3	"	0.9					
5 ,,	.741	29.022	83.8	74.0	9.8	69.7	.719	.64	82.8	81.5	,,	0.8					
6 ,,	.759	.028	81.0	73.5	7.5	70.2	.731	.71	81.0	81.5	"	0.7	Ì				
7 ,, 8 .,	•770 •785	.028	80.0 79.5	73.5 73.0	6.5	70.6	.742	.74	80.5	81.4	NNW	0.6					
9 ,,	.788	.105	78.5	72.0	6.5	69.0	.703	.74	80.0	81.4	,,	0.3		1			
10 ,,	.799	•096	78.5	72.0	6.5	69.0	•703	.74	79.2	81.4	"	0.2			1		
11 "	.791	.082	78.0	72.0	6.0	69.2	.709	.76	78.7	81.2	"	0.3					
APR. 14TH-Midnigh		1	77.4	74.0	3.4	72.6	.790	.85	78.0	81.0	NNW	0.2					
1 a. m. 2	.777	29.013	77.0	73.2	3.8	71.5 71.3	•764 •759	.84	78.0 78.0	81.0	,,	0.3		1	İ		
3 ,,	.754	.022	76.6	72.2	4.4	70.2	.732	.81	78.0	80.9	"	0.2		i			
4 "	.755	.030	76.3	71.9		69.9	.725	.81	77.8	80.7	,,,	0.2					[
5 " 6 "	.780 .784	.085	76.0 75.5	71.0		68.6 68.8	•695 •700	.79	77.2	80.7 80.5	N	0.1]
7 ,,	.796	.289	78.2	72.0		69.1	.707	.75		80.5	"	0.1		1			
8 "	.817	.128	80.8	72.3		68.3	-689	.67	79.0	80.6	,,	0.1		İ			
9 ,, 10 ,,	.819	.063	82.0 82.9	73.0 74.5		68.9	·702	.66	80.0	80.7	N b W	0.2					
11 ,,	.799	.080	83.8	74.0		69.7	.719	.64		80.7	NWbN	0.2	a	di	نه	ا ا	ai ai
Noon.	.781	.050	84.5	74.5	10.0	70.2	.731	.64	81.6	80.8	NW	0.5	None.	None.	None.	None.	None.
1 p. m. 2	.745 .724	.007 28.958	85.5 85.8	75.0 75.8	10.5 10.0	70.5	.738 .766	.62	82.3 82.8	80.8 80.9	WNW	0.4	2	Z	2	Z	Z
3 ,,	.706	.934	86.0	76.0		71.8	.772	.64		81.0	"	0.5	1				
4 ".	.699	.932	85.7	75.8	9.9	71.6	.767	.64	83.3	81.1	"	0.5					
5 ,, 6 ,,	.708 .726	.960 .978	84.6	75.0 74.0	9.6	70.9	.748 .748	.65	83.0	81.2	"	0.3					Ì
7 ,,	.743		81.2 79.5	73.3	6.2	70.9	.745	.75	81.2	81.2 81.2	"	0.5					
8,,	.751	-048	78.5	72.0	6.5	69.0	.703	.74	79.4	81.2	w b s	0.4					1
9 "	.773	.066	78.2	72.0	6.2	69.1	.707 .709	.75	79.2	81.2	WNW	0.5	İ				
10 ,, 11 ,,	.782	.072	78.0 77.7	72.0 73.0	6.0 4.7	69.2 70.9	.749	.76 .81	78.5 78.0	81.0 80.9	NWbW	0.6					
Apr.15тн-Midnigh	.775	.018	77.0	73.0	4.0	71.2	.757	02	77.9	80.8	NW	0.3					
l a. m.	.769	.044	75.2	71.6	3.6	69.9	•757 •725	.83	77.9	80.8	,,	0.0	1				1
2 ,,	.766	.053	74.4	71.0	3.4	69.4	.713	.85	76.6	80.6	,,,	0.0			1	i	
3 ,, 4	.763 .765	.045	74.6 75.2	71.2	3.4	69.6	.718	-85	76.2	80-5	,,	0.0	1		1		i
5 ,,	.776		75.2 75.0	72.0	3.2 2.0	70.5 72.1	.740 .779	.86	76.4 76.4	80.4	,,	0.0	ď	l ai	6		
6 ,,	.788	29.034	75.6	72.5	3.1	71.1	-754	.87	76.7	80.2	NE'b N	0.2	None.	None.	None.	None.	None.
7 " 8 "	.809	.063	78.0	73.0	5.0	70-8	.746	.79	78-0	80.2	NNE	0.3	Z	Z	Z	Z	Z
8 ,, 9 ,,	.828 .839	.108	80.4 82.5	73.0 74.5	7.4 8.0	69.7	.720 .753	.71	79.0 80.0	80.3 80.4	1	0.2					l
10 ,,	.836	.117	83.8	74.0	9.8	69.7	.719	.64		80.4	NNW	0.2		İ			İ
11 .,	.827	.070	84.6	75.2		71.2	.757	.65		80.5	NWbN	0.2		1	1		I

Amount of Clouds	Observers.	STATE OF THE WEATHER.	Remarks.
A B		NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-camuli; \(\) i cirro-strati; \(\) i cimulo-strati; and \(\) i nimbi.	
6 5	G C	D Wi and L Wi scattered throughout both moving E; lightning in N and NE hor. at every minute; fresh brosses. NI and WI scattered throughout moving ENE; lightning in E hor. at every 2m.	Mean daily temperature of ground 20 and 60 inches below its sur-
4	C	" scattered throughout moving SE; lightning in E and SE hor.	face 82'8 and 82'8.
4	C		13th April was the 5th day on which lightning was observed
4	В.	scattered about moving ESE; no lightning.	after sunset.
5	B	scattered about moving ENE; mist in W hor.	·
5	В))	
6	G	scattered throughout moving E; haze in hor.	
5 5	G G	" "	
2	G	and scattered about; haze in hor.	
5	C	in W, and w throughout, moving ENE; haze in E hor.	
5 3	C C	or in E; or in W; and v throughout; fresh breezes from NW.	
2	C	of from NE to E hor.; on in W hor.; and v scattered about.	
0	B	or in E and a few where and there.	
0 0	В	; lightning was observed after 6h. 45m. in E hor.	
0	B B	v in S and A in E; lightning in E hor. at intervals of 40s. Clouded along the hor. from NE to SE; lightning in E and SE at every minute.	
0	G		
	G	A few clouds in NE, E and SE hor.; lightning in NE and E hor.	
"	G	" "	
0	G	A few clouds along the E hor.; slight dew falling; lightning in NE.	Mean daily temperature of ground 20 and 60 inches below its sur-
3	n N	scattered about moving SE; no lightning.	face 83:0 and 83:0.
3	N	"	14th April was the 6th day on
2	N	" "	which lightning was observed.
2 2	B B	scattered around hor.	
1 1	В	"; haze in E hor.	
2	B	scattered about moving SE; haze in E and SE hor.	
2 3	G G))	
3	G	22 22	
1	G	scattered around hor.; haze-	
0	N	Cloudless; thin mist in hor-	
o	N	" " " " " " " " " " " " " " " " " " "	
0	N	? ?	
0	B B	Clear.	į
ŏ	В	" "	
0	В	,,	
0	G G	A few ∨ in W above hor.	
1	G	in W above hor.	
2	G	scattered around hor,; slight dew falling.	Mean daily temperature of ground
0	N	Cloudless; dew falling.	20 and 60 inches below its sur-
0	N	y) April Scottored about maring SE a de- falling	face 83:0 and 83:0.
1 0	N N	A few clouds in E hor.; dew falling.	1
0	В	'	1
0	В	A few on in N; mist in W and fog in E. Black mist in W and haze in E.	į
0 0	B B		1
0	G))	1
0	G	,, ,, ,,	ı
101	G I))))))	

BOMBAY METEOROLOGICAL OBSERVATIONS, 1864.

			DARD METER.	THE	MOMET	ERS.	1	, o	AIR.	THERMO	und Metere.	WIND P		RAIN.	ELEC	FRICAL	Instru	MENTS,
	Bombay	Corrected	Corrected		WatBulb	Depres- sion of WetBulb	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	0	rmometer linch	eter 6 n the		Pressure in lbs.	By New-	Sign of	Readi	ngs of	fime in gree of ter dis-
	Civil Time. 1864.	to 32° Fahr.	for Moisture.	In the	Thermo- meter.	below Thermo- meter in the Air.	DRD DRW-	PRES	HUMIDITY	Thermomet in the Gre	Thermometer 6 inches in the Ground.	Direction.	per Square Foot.	man's Gauge.	Blectrici- ty + or	Strawsof Volta 1.	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
PR.	15тн-Noon.	in. 29.803	in. 29.024	85.4	76.0	9:4	72:1	in. 0.779	0.66	82:0	80°6	NWbN	1bs. 0.6	in.		Sc. div.	Sc. div.	m. s.
	l p. m.	.768	28.998	86.2	76.0	10.2	71.8	.770	.63	83.0	80.8	,,	0.8					
	2 ,, 3	.751	.981	86.2 86.0	76.0 75.0	10.2 11.0	71.8 70.2	.770	.63 .61	83.2 83.0	81.0 81.2	NW	1.5			1		
	3 ,, 4 ,,	.725	29.040	85.0	73.2	11.8	67.7	.675	.58	82.8	81.2	NW'bN	1.2					
	5 ,,	.716	.039	84.2	73.0	11.2	67.8	.677	.59	82.5	81.2	,,	1.2	one.	one.	je j	je.	မှု
	6 " 7 "	.732	.003	81.2 79.6	73.5 72.5	7.7	70.1 69.3	.729	.70 .72	81.3	81.2	,,	1.3	l S	No	None.	None.	None.
	8 ,,	.748 .766	.034	79.3	73.0	6.3	70.2	.732	.75	80.0	81.2	NNW	1.5					'
	9 ,,	.772	.037	79.0	73.0	6.0	70.3	.735	.76	79.8	81.2	,,	1.0	Ì			ļ	Ì
	10 "	.775	28.983	78.6 78.6	74.4	4.2	72.7 72.7	.792 .792	.83 .83	79.2 79.0	81.1	NT L 147	0.6					Ì
	11 "	.769	.977	78.0	/4.4	4.2	72.7	.192	.03	79.0	80.9	NbW	0.5					
\PR.	16тн-Midnight		29.006	78.0 77.4	73.0 72.0	5.0 5.4	70.8 69.5	.746 .716	.79 .78	78.7	80.8	NbW	0.3					
	la.m. 2	.746	.030	76.2	72.0	4.2	70.1	.729	.82	78.2	80.7 80.6	NNE	0.1					ŀ
	3 ,,	.723	.021	75.4	71.0	4.4	68.9	.702	.81	76.5	80.5	,,	0.0					į
	4 ,,	.744		75.0	71.0 69.0	4.0	69.1	.706	.83	76.2	80.4	,,	0.0				ŀ	
	5 ,, 6	.773		74.5		5.5 5.4	66.2 66.8	656	.77	76.0	80.4	"	0.1					
	7 ,,	-814	.148	78.6	71.0	7.6	67.3	.666	.70	78.0	80.2	,,	0.2					
	8 ,,	.836		81.0			67.8	-676	.66	79.0	80.3	EbN	0.2		}			
	9 ,, 10	.832		83.8		11.0	67.7 65.6	.674	.60 •56	80.2	80.4	,, E	0.3	.:	1 65	, ai	6	ء:
	11 ,,	.813		1	74.0	13.0	68.1	-684	.55	83.0	80.5	NNW	0.3	one.	one.	one.	one.	one.
	Noon.	.788			1	13.2	68.0	.682	.54	83.5	80.6	,,	0.2	Z	Z	Z	Z	Ž
	1 p. m. 2	.738	,			1	67.7 69.3	.675	.53 .55	83.9	80.9	NW b W	0.1		İ			
	3 ,,	.689		88.2		13.2	69.2	.709	.55	84.5	81.1	,,	0.8		ŀ		<u> </u>	ł
	4 "	.683		87.2		13-2	68.0	.682	.54	84.7	81.2	NWbN	0.5					
	5 ,, 6	.699			1	13.0	66.9	.657 .698	.54	84.3	81.4	"	0.2	1	1		ļ	
	7 ,,	.732	.058	81.2	72.0	9.2	67.7	-674	.65	81.4	81.2	"	0.1		ł		ŀ	
	8 "	.742					68.1	.683	.67	80.7	81.0	NW	0.2	1	}		1	!
	9 ,, 10 ,,	.760					68.6	.694	.71	79.5	80.9 80.9	,,	0.1		!	İ		ļ
	11 ,,	.770			•		70.7	.743	.74		80.8	NW'b N	0.7					
Apr.	. 18тн-Midnigh	t .792	28.971	78.0	75.0	3.0	73.8	.821	.87	78.9	81.3	NbE	0.6					
	la.m.	.782	29.022	77.4	73.2	4.2	71.4	.760	⋅82	78.9	81.3	NNE	0.8					
	2 ,, 3	.767 .760					71.2	.757 .734	.83 .84	78.7 78.0	81·2 81·1	NE bE	0.4]		
	4 ,,	.760					70.6	.742	.87	77.2	81.0	NE DE	0.1					
	5,,	.779	.068	74.5	71.0	3.5	69.3	.711	.85	76.6	80.8	,,	0.1	1			1	
	6 " 7 "	.803					69.3 68.8	.711	.85 .76		80.6 80.4	,,	0.1					
	8 ,,	.844	1				70.4		.73		80.4	"	0.2			•		
	9,,	.842	.141	82.1	73.0	9.1	68.9	.701	.66	80.4	80.6	NEbN	0.2			ł]	
	10 ',, 11 ',	-840 -831					70.9 70.2	.749 .731	.68		80.6	NbE	0.3	.		. ا		_•
	Noon.	.816					70.2	.733	.64 .61	81.4 82.0	80.6	N N N W	0.2	None.	None.	None.	None.	None.
	1 p. m.	.785	.013	86.0	76.0	10.0	71.8	.772	.64	83.0	80.9	WNW	0.5	Z	Z	Z	Z	Z,
	2 ,, 3	.756					71.0 70.1	.752 .729	.62 .63	83.0	81.1 81.2	NWbW	1.6			İ	1	
	3 ,, 4 ,,	.739					70.1	.740	.65	82.8 82.2	81.2	"	2.0				1	
	5,	.738	29.003	82.4	74.0	8.4	70.3	•735	.68	81.2	81.3	n'w	1.4			}		
	6 "	.757					69.9	724	.72	80.1	81.3	NWbW	1.0					
	· ,,,	.768 .791					69.5 68.9	.715 .702	.74 .74	79.5 79.2	81.3 81.2	"	0.8		1			
	9 "	.800	.083	78.3	73.0	5.3	69.6	.717	.74	79.0	81.1	,,	0.5				1	
l .	10 ,,	.812	.066	78.0	73.0	5.0	70.8	.746	.79	78.4	80.9	1	0.6	1	1	ı	1	i e

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \inicirri; \inicirro-cumuli; \inicirro-cumuli; \inicirro-cumuli; \inicirro-cumuli; \inicirro-cumuli; \inicirro-cumuli cumulo-strati; and \init\init\init\init\init\init\init\ini	REMARKS.
0	G N	Black mist in W and haze in E. Cloudless; thin mist in hor.	
0	N	27 29 39	
0	N N	n n	
ŏ	В	" " " " " " " " " " " " " " " " " " "	
0	В	29 39 31	
0	B B	Clear; fresh breezes from NW.	
Ŏ	G	Cloudless.	
0	G))	
0	G	"	
0	G	Cloudless.	Mean daily temperature of ground
ő	D	"	20 and 60 inches below its sur-
0	D	"	face 83.0 and 83.0. At 5 A. M.
0	D D	" "	the temperature of evaporation was 69:0, least during the month,
i	В	A few v in E above hor.	and about 5:5 less than the nor-
0	В	Black mist in W and NW hor; fog in E and SE.	mal mean.
0	B B		
0	G	A few w in W hor; thick haze in hor.	·
0	G G	n n	
0	G	"	
0	D	Clear; light mist in hor.	
0	D D)	
0	D))	
0	D	" "	
	D	Clear: fresh breezes from NW.	
ŏ	D	" "	
0	D	n	
0	. D	Clear.	
	ע	Oldi.	
6	G C	and scattered throughout, the latter moving E. and scattered around hor.	Mean daily temperature of ground 20 and 60 inches below its surface 83.2 and 83.0.
1	C	,,	
	C B	"; slight dew falling. o scattered around the hor., from N to SE; dew falling.	
o l	В	A few on in W and NE hor.; fog in E and mist in W.	1
0	В) v	
0	B G	Cloudless; haze in hor.	
ŏ	G))))	1
0	G G	"	
0	G C	Clear; fresh breezes from NW.	
ŏ	C	" "	'
0	C	"	1
0 0	C B))))	1
0	В	A few v in NE and E above the hor.	
0	В	A few voi in W and v in SE. Cloudless.	
0	B G	A few voi about the zenith.	
ŏ	G	scattered about the zenith.	
5	G	scattered throughout moving N.	

Boinbay							0.1	AIR	1	KETERS.	Osler's G	AUGB.	RAIN.				UMENTS.
Civil Time.	Corrected to 38° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	interval of Time in recovering the same degree of tension after dis- charge.
APR-19TH-Midnigh	in.	in. 29.029	77:4	73*2	.4.2	71:4	in. 0.760	0.82	77:5	9000	NUM	lbs.	in.	1	Sc. div.	Sc. div.	m. s.
l a. m.	.783	.026	77.0	73.2	4.0	71.2	.757	.83	77.5	80.8	NW NW bN	0.7					
2 ,,	.769	.028	76.8	72.5	4.3	70.6	.741	.82	77.5	80.8	,,	0.4		1	l		
3 "	.758	.034	76.6	72.0	4.6	69.9	.724	.81	77.4	80.7	"	0.5			1		
4 ,, 5	.764	.040	76.6 75.5	72.0	4.6 4.2	69.9 69.3	.724	.81	77.4	80.7 80.4	"	0.4					
6 "	.802	.093	75.1	71.1	4.0	69.2	.709	.83	76.1	80.3	N b W	0.2			į		
7 ,,	.831	.122	78.0	72.0	6.0	69.2	.709	.76	78.0	80.3	,,	0.2					
8 "	.850	.128	80.2	73.0	7.2	69.8	•722	.72	79.0	80.4	NbE	0.4		ŀ			
9 ,,	.858	.089	82.5 83.4	74.5 75.0	8.0 8.4	71.1 71.4	.753 .762	.70 .68	80.5 81.0	80.5 80.6	N b'W	0.3	1	}			
10 ,, 11 .,	.851	.096	85.0	75.0	10.0	70.7	.744	.64	82.0	80.7	WNW	0.6	ان	نه	ئە	6	<u></u>
Noon.	.815	.086	85.3	74.7	10.6	70.1	.729	.62	82-1	80.8	WbN	0.6	one.	None.	None.	None.	None.
1 p. m.	.7 90	1	85.4	75.4	10.0	71.2	.755	.64	83.0	80.9	NWbW	0.8	Z	2	Z	Z	Z
2 ,,	.775	28.992	85.0 85.0	76.0 75.5	9.0	72.3	.783	.67 .65	82.8	81.1	NW	1.2		}			
3 " 4 "	.755 .746		84.5	75.5	9.5	71.7	.769	.67	82.8 82.3	81.2 81.2	NNW	1.6					
5 ,,	.753	1	82.6	75.2	7.4	72.1	.779	.72	81.6	81.3	,,	1.0					
6 "	.772	.975	80.2	75.0	5.2	72.9	.797	.79	80.5	81.3	"	0.8					
7 "	.786		79.5	74.8	4.7	72.9	.797	.81	80.0	81.3	,,	0.7		İ			
8 ,, 9	.798 .812	.988	79.0 78.6	75.0 74.4	4.0	73.3 72.7	.810 .792	.84	79.8	81.3	"	0.5					
10 "	.829		78.6	74.4	4.2	72.7	.792	.83	79.0	81.1	,,	0.3					
11 ,,	.819	-037	78.4	74.0	4.4	72.2	.782	.82	78-7	81.0	NbW	0.6					
Apr.20TH-Midnigh		.023	78.0	74.0	4.0	72.4	• 7 86	.83	78.2	80.9	NbW	0.6					
1 a. m.	.794	.066	77.3	72.3	5.0	70.0	.728 .728	.79	78.2	80.9	N	0.5					
2 ,, 3	.786	.058	77.3	72.3 72.0	5.0 4.6	70.0 69.9	.724	.79 .81	78.2 78.0	80.9 80.8	NbE	0.6					İ
4 ,,	.776		76.0	71.5	4.5	69-4	-713	.81	77.4	80.7	NNE	0.2					
5 "	.788	.089	75.6	71.0	4.6	68.8	-699	.81	77.0	80.5	NEbN	0.6	İ				
6 "	.813	.113	75.5	71.0	4.5	68.8	.700	.81	76.5	80.4	,,,	0.2					
7 ,,	.837 .845	.141	77.6 81.6	71.5	6.1 8.6	68.6 69.1	.706	.75 .67	78.0 80.0	80.4 80.5	ENE Ebs	0.2 0.2			1		
9 ,	.849	.158	83.0	73.0	10.0	68.4	.691	.68	80.9	80.5		0.2	ĺ				
10 ,,	.845	.155	84.8	73.5	11.3	68.4	.690	.59	81.5	80.6	NEĎE	0.2	}				
11 ,,	.827	.089	85.5	75.0	10.5	70.5	.738	.62	82.0	80.6	NbW	0.6	None.	None.	None.	None.	None.
Noon.	.792 .775	.020	86.0 86.7	76.0 76.2	10.0	71.8	.772	.64 .63	82.5 83.4	80.8 80.9	NNW NWbW	0.6 0.9	ŝ	ž	No	No	Ž
1 p. m.	.743	28.977	86.5	76.0	10.5	71.6	766	.63	83.5	81.0	ŀ	1.3				,, ,	
3 ,,	.727	.952	85.7	76.0	9.7	72.0	.775	∙65	83.3	81.2	"	1.2					
4 "	.722	.945	85-5	76.0	9.5	72.0	.777	.66	83.2	81.3	"	1.1					
5 "	731	.951	83.2	75.2 75.0	8.0 6.5	71.8 72.2	.772 .782	.70 .75	82.3 81.5	81.3 81.3	nw	1.3					
0 ,, 7	.731	.949	81.5	74.8	5.7	72.2	.786	.77	80.8	81.3		1.0 0.8					
8 ,,	.766		80.2	75.0	5.2	72.9	.797	.79	80.5	81.2	"	0.5					
9 "	.793	.951	79.6	76.0	3.6	74.6	.842	-85	80.0	81.2	NW b N	0.4					
10 " 11 "	.807 .801	.986 29.069	79.4 79.3	75.4 73.0	4.0 6.3	73.8 70.2	.821 .732	.84 .75	80.0 79.8	81.2 81.2	"	0.3 0.2					
Apr. 21st-Midnigh	.786	.002	78.4	74.0	4.4	72.3	.784	.82	79.2	81.1	NNW	0.4					•
l a. m.	.778	.002	78.0	73.5	4.4	71.5	.764	.81	79.2	81.0	****	0.4					
2 ,,	.773	.027	78.0	73-0	5.0	70.8	.746	.79	78.9	80.9	n n w	0.3					
3 "	.762	.001	76.6	73.0	3.6	71.4	.761	.85	78.0	80.8	NbE	0.2				_	
4 ,,	.764	.029	76.3	72.2	4.1	70.3	.735 .734	.83	77.5	80.7	»,	0.3	None.	None.	None.	None.	None.
5 ,,	.772 .786	.038	75.7 75.7	72.0 72.0	3.7 3.7	70.3 70.3	.734	.84 .84	77.0 76.2	80·6 80·4	NNE	0.2 0.3	No	No	No.	Š	Z
7	.822	.032	79.0	73.0	6.0	70.3	.735	.76	78.3	80.4	"	0.1					
8 ,,	.842	.135	82.2	73.2	9.0	69·1	.707	.66	7 9.6	80.5	"	0.2			•		
9,	.854	.134	83.7	74.0	9.7	69.7	.720	.64	81.0	80.6	,,	0.3					
10 " 11 "	.851 .838	.107	85.0 86.3	75.0 75.2	10.0	70.7 70.5	.744 .738	.64 .60	82.0 82.4	80.7 80.8	N b W	0.2 0.2					

1 1		
Amount of Clouds. 0-8 Observer.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; O cumuli; \(\) i cirro-trati; \(\) i cumulo-strati; and \(\) i nimbl.	Remarks.
	Mi camani; Ci cirto-virgii; Mi camato-strati; and Afr nimor	
4 G	scattered about, moving ENE."	Mean daily temperature of ground 20 and 60 inches below its surface 83°3 and 83°1.
5 C	, , , , ,	
4 B		
2 B	,,	
l B	, " "	·
1 G))))))))))))))))))))))))))	
2 0	scattered all round hor.; mist in Wand haze in E hor.	
1 G	n n	
i c	scattered about; haze in hor.	
1 C		
	in SE; haze in hor.; fresh breezes of wind from NW.	
1 B		
2 В	N and ✓ scattered all round hor.	,
3 B		
1 4 B	1	
4 G	12 22 22	
6 0	and L n scattered throughout moving SE.	
5 G 1 C 1 C 1 C 5 B 6 B 4 B 3 B 3 G 4 G 6 G 4 C 6 C	and we scattered throughout, the latter moving SE. in E, N, and W above hor. scattered around hor. above the W hor.; is scattered about. and we scattered throughout. scattered throughout; mist in W and fog in E hor. scattered around hor.; mist in W and haze in E. """" scattered around hor.; mist in W and haze in E. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 83*4 and 83*1.
5 C	,, ,, ,, ,,	
3 B	scattered around hor.; hazy.	
4 B	scattered about and vi in W hor.	•
1 B	scattered about here and there.	
1 G	;; ;; Cloudless.	
0 0	"	
2 G 1 C 0 C 0 B 0 B	A few in W above hor. Cloudless; slight dew falling. A few in hor. here and there; slight dew.	Mean daily temperature of ground 20 and 60 inches below its surface 83.5 and 83.2.
0 6	Cloudless; thick mist in hor.	
0 0		
0 B	Mist in W and haze in E hor.	
0 B	n n n	
1014	1))))	

		DARD METER.	Тнев	момет	ers.		90 B.	AIR.		UND METERS.	Wind P Osler's G		RAIN.	BLE	TRICAL	INSTRU	•
Oldir Times	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE O	HUMIDITY OP	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electricity + or —	Strawnoi	Strawsof	Interval of Time in recovering the same degree of tension after dis-
APR. 21st-Noon.	in. 29.814	in. 29.053	87.0	760	11:0	71:4	in. 0.761	0.61	83:0	80.9	wsw	1bs. 0.4 0.3	in.		Sc. div.	Sc. div.	m. s.
l p. m. 2 ,,	.780 .748	28.991 .935	88.0 88.0	77.0	11.0	72.6 73.5	.789 .813	.61 .63	83.6 84.4	81.0 81.2	WNW	0.4					
3 ,,	.731	.942	88.0	77.0	11.0	72.6	.789	.61	84.9	81.4	NW b W	0.7					
4 ,,	.717	.913	87.4	77.2	10.2	73-1	-804	.64	84.5	81.5	,,	0.8	one.	je je	je j	e e	je.
5 ,, 6	.718 .732	.888	85.8	77.4	8.4	74.1	.830	.69	82.0	81.5	NW	0.7	Ō	None.	None.	None.	None.
7 "	.753	29.005	83.0 81.2	76.0 74.0	7.0 7.2	73.2 70.9	.805 .748	.73 .72	81.7	81.6 81.7	NWbW	0.6					_
8 ,,	.780	.006	80.6	74.5	6.1	71.9	.746	.76	81.2	81.7	"	0.4		İ			
9 "	.795	28.996	80.0	75.0	5.0	73.0	.799	.80	80.6	81.6	NW'b N	1.0]	
10 ,,	.816	29.017	80.0	75.0	5.0	73.0	.799	.80	80.6	81.5	,,	1.8		ŀ			
11 "	.797	28.976	79.4	75.4	4.0	73.8	.821	.84	80.0	81.4	,,	2.7					
Apr. 22nd-Midnight	.794	.973	79.4	75.4	4.0	73.8	.821	.84	80.0	81.4	NNW	2.0					
1 a. m. 2	.782 .758	.991 .975	79.0 78.0	74.5 74.0	4.5 4.0	72.6 72.3	.791 .783	.82 .83	80.0 79.5	81.4 81.3	NbE	0.8	1				
3 ,,	.744	.969	77.0	73.5	3.5	72.0	.783	.85	78.7	81.3	NNE	0.5		1			
4 ,,	·745	29.021	76.6	72.0	4.6	69.9	.724	.81	78.1	81.2	NEbN	0.2	1				
5 ,,	.762	.097	75.5	70.0	5.5	67.2	.6 65	.77	77.0	81.0	,,	0.2		1			
6 ,,	.783	.]44	74.8	69.0	5.8	66.0	•639	.75	76.2	80.7	,,	0.1					
7 ,,	.806 .826	.123	78.8 82.2	71.5	7.3 10.0	68.1 67.5	.683	.71 .62	78.2 80.1	80.6	,, N. L. 13	0.1		l	l		
a "	.834	167	84.2	73.0	11.2	67.8	.670 .677	.59	81.0	80.8 80.8	N b E NW	0.1		1	1		
10 ,,	.833	.114	85.3	74.7	10.6	70.1	.729	.62	81.9	81.0	NWbW	0.3		l			
11 ,,	.840	.068	86.0	76.0	10-0	71.8	.772	.64	83.2	81.0	,,	0.4	one.	one.	يو	e e	ن
Noon.	.798	.032	86.5	76.0	10.5	71.6	.766	.63	83.3	81.1	NWbN	0.3	lon	S S	lone.	None.	None.
1 p. m.	.765	28.957	87.0	77.2	9.8	73.3	.808	.65	84.0	81.2	WNW	0.3	Z		Z	Z	Z
- "	.731 .707	.933 .904	87.2 86.7	77.0	10.2	72.9 73.1	•798	.64 .65	84.3 84.3	81.4	NW"LW	0.9					
4 ,,	.697	.906	86.0	76.5	9.7	72.6	.803 .791	.66	84.0	81.5	,	1.0		į.	l		
5 ,,	.695	•923	84.6	75.6	9.0	71.8	.772	.67	83.2	81.6	"	1.2		į			
6 ,,	.706	.922	82.4	75.3	7.1	72.3	.784	.73	82.4	81.6	NW	1.0					
7 ,,	.714	.926	81.0	75.0	60	72.5	· 7 88	.76	81.5	81.6	NWbW	0.8					
8 ,, 9 ,,	.738 .752	.945 .959	80.5 80.5	75.0	5.5	72.7	.793	.78	81.2	81.5	NWbN	0.7	j	i]		
10	.732	.972	80.0	75.0 75.0	5.5 5.0	72.7 73.0	.793 .799	.78 .80	80.4 80.0	81.5 81.5	NNW	0.6					
11 ,,	.767	29.004	79.8	74.0	5.8	71.5	.763	.77	79.9	81.5	"	0.7					
APR. 23RD-Midnight	.744	28.981	79.8	74.0	<i>5</i> .8	71.5	.763	.77	79.9	81.5	NNW	1.1					
l a. m.	.733	.963	79.2	74.0	5.2	71.8	.770	.79	79.7	81.5	NbW	0.8] .		
2 ,,	.719	.953	77.5	73.4	4.1	71.6	.766	.83	79.2	81.4	,,	0.2	ļ				
3 ,,	.709 .712	.961	76.8	72.7 72.1	4.1	70.9	.748	.83	78.6	81.3	N	0.1		i .			
5	.712	.98 4 .998	76.6 76.0	72.1	4.5 4.0	70.0 70.2	.728 .731	.81 .83	78.1 77.6	81.3 81.1	,,	0.1 0.1	l				
6 ,,	.742	29.024	75.6	71.5	4.1	69.6	.718	.83	77.0	81.0	"	0.1]				
7 ,,	.770	.093	79.3	71.5	7.8	67.8	.677	.69	79.0	80.9	,,	0.1					
8 "	.780	.025	84.0	75.0	9.0	71.2	.755	.67	81.0	81.0	NbE	0.3	l				
9 ,, 10 ,,	.790 .785	.024	86.5	76.0	10.5	71.6	.766	.63	82.7	81.0	"	0.2				· '	1
11 ,,	.768	28.990	88.2 89.0	76.2 77.0	12.0 12.0	71.2 72.1	.756 .778	.58 .59	84.0 84.7	81.2 81.4	nnw	0.3 0.6	٠		ا بہ ا	٠.	٠.
Noon.	.743	•965	89.0	77.0	12.0	72.1	.778	.59	85.0	81.5	NWbN	0.6	one.	None.	None.	None.	None.
1 p. m.	.721	.909	88.4	77.7	10.7	73.4	.812	.62	85.2	81.7	NW	1.0	Z	Ž	Ž	Z	Ž
2 ,,	•690	.940	88.0	76.0	12.0	71.0	.750	.5 8	85.2	81.8	,,	2.2]				l
3 ,, 4	.667 .659	,933	87.7	75.5	12.2	70.3	.734	.58	85.2	82.0	"	2.4					
z "	.653	.939 .924	87.2 85.3	75.0 74.7	12.2 10.6	69.7 70.1	.720 .729	.57 .62	85.1 83.2	82.1 82.2	"	2.5 1.6				'	1
6 ,,	.672	.939	82.5	74.0	8.5	70.1	.733	.68	82.0	82.2	NNW	1.6	l				l
7 ,,	.702	.954	81.2	74.0	7.2	70.9	.748	.72	81.1	82.2	,,	0.7	}				
' 77	FOC	.976		74.0		71.0	.750	.73	81.0		ı "	0.5	1		l i		l
8 ,,	.7 26		81.0	1	7.0					82.1	,,		ı				1
0 "	.726 .737 .745	29.048 .056	80.8 80.8	72.3 72.3	8.5 8.5	68.3 68.3	.689	.67 .67	80.7 80.5	82.1 82.0 82.0	"	0.3 0.4 0.3					

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	_
Amount o	Орве	Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \i cirro-cumuli; \int i cirro-strati; \int i cumulo-strati; and \int i nimbi.	REMARKS.
0 0	G C	A few v in S hor.; mist in W. and haze in E. A few v scattered about the W hor.; haze	
0 0	C B	Haze in E hor.	
Ŏ	В	" "	
0	G	A few where and there in the hor.	
	G C	scattered above hor, in E and W.	
i	C	scattered about in E.	
0 0	B B	Cloudless. A few \(\) about the E hor.; fresh breezes of wind.	
ŏ	G	" " " " " " " " " " " " " " " " " " "	
1			
0	G	A few v scattered about hor.; fresh breezes from NW	Mean daily temperature of ground
0	C	,, ,,	20 and 60 inches below its sur-
0 0	C C	Cloudless; fresh breezes continue; slight dew falling. Cloudless; slight dew falling.	face 83.5 and 83.2.
0	c		
0	В	A few N in SE above hor.	
	B B	A few vin SE above hor.; fog in E and mist in W. Mist in W. and fog in E hor.	
0	В	" "	
	G G	Haze around hor.	
ŏ	G	y y	
0	G	l	
0	C C	Light mist in W and haze in E; fresh breezes from NW	
o	c)	
0	C	Haze in hor.	
0	B B	y y	
0	В	" "	
0	B G	" "	
Ŏ	G))))))))))))))))))))))))))	
0	G	" "	
1			
0	G	Cloudless; fresh breezes from NW.	Mean daily temperature of ground 20 and 60 inches below its sur-
ő	C C	Clear. "	face 83:7 and 83:3. Height of
0	C	A few ⋈ in S above hor.; slight dew.	barometer at 5 P. M. was 29.653 in. lowest in the month,
	C B	Cloudless; slight dew falling.	and about 0.088 in. lower than
0	В	Fog in E hor.	the normal m ean.
0	B B	27 29	
ŏ	G	Mist in W hor. and haze in E hor.	
0	G	and w scattered above the hor. from NE to SE; haze.	
	G G		· ·
1	C	and not in SE and E hor.; fresh breezes from NW.	
$\begin{vmatrix} 1 \\ 0 \end{vmatrix}$	C C	A few vi in SE hor.; haze in hor.	
0	c)? 29 29	
0	G G	", ",	
	G G), ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	
1	G	scattered around the hor. from NE to SE.	
	G G.	" "	·
i	G	scattered around the hor. from NE to SE; slight dew.	l .

		Stan Baron		Тнв	MOMET	ERS.		0 10	AIR.		MBTERS.	Wind P		RAIN.	Brsc	TRICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected to \$3° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE O MOISTURE	UMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Prossure in ibs. per Square Poot.	By New- man's Gauge.	Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	nterval of Time in recovering the same degree of tension after dis- charge.
		in.	in,						=	<u> </u>			\			No din	Sc. div.	=
APR.	25тн-Midnight	29.790	28.884	81:0	78:0	3:0	76:8	in. 0.906	0.88	81:9	82.6	wbs	1bs. 0.3	ia.		oc. uiv.	Sc. div.	m. s.
	l a. m.	.782	.876	81.0	78.0	3.0	76.8	.906	.88	82.0	82.6	ssw	0.2			1		
	2 ,, 3	.781 .780	.910	80.5	77.0 76.5	3.5	75-6	.871	-86	81.6 81.2	82.5	_ ,"	0.5	1				
	4 ,,	.792	.935	80.0	76.5	3.5	75.1 75.1	.857	.86 .86	81.1	82.4 82.4	sbw	0.9	1	1			
	5 ,,	.824	.984	79.8	76.0	3.8	74.5	.840	.85	81.0	82.4	ssw	0.7			ł		
	6 "	.854	29.008	80.0	76.2	3.8	74.7	.846	.85	81.0	82.3	SbW	0.7		ł			
	7 ,, 8	.871	.016	82.0 83.6	77.0	5.0	75.0	.855	.80	82.0 82.6	82.3	ssw	0.6	İ				
	9 ,,	-889	.005	85.0	78.0	5.6 7.0	75.8 75.3	.877	.78	83.0	82.4 82.4	S	0.4	نه	نه	اها	l oi	
	10 "	.888	.045	86.7	78.0	8.7	74.6	.843	.68	83.9	82.4	"	0.6	one.	one.	one.	one.	one.
	11 ,,	.880	.026	88.8	78.8	10.0	75.0	.854	.65	85.0	82.5	s b w	0.5	2	Z	Z	Z	Z
	Noon. 1 p.m.	.876 .862	.027	90.0	79.0	11.0	74.8	-849 -840	.62	86.0 86.7	82.6 82.8	,,,	0.6		ļ			
	2 ,,	.843	28.991	91.7	79.5	12.2	74.9	.852	.59	87.4	83.1	SW b W	0.5	l				
	3 "	.828	.976	91.7	79.5	12.2	74.9	.852	.59	87.5	83.2	,,	0.4	İ				
	4 ,,	.828	.963	90.5	79.5	11.0	75.4	.865	.63	87.3	83.3	sw	0.3	ł				
	5 ,, 6	.834 .855	.974 29.006	89.0 86.2	79.0 78.0	10.0	75-2	.860 .849	.65 .70	86.3 85.5	83.4	wsw	0.3					
	7 ,,	.875	.002	84.0	78.0	6.0	74.8 75.7	.873	.77	84.5	83.4 83.4	SW b W	0.3			ł		
	8 ,,	.891	.013	83.5	78.0	5.5	75.9	.878	.79	84.1	83.4	swbs	0.3			į	İ	
	9 ,,	.929	.045	83.0	78.0	5.0	76.1	.884	.80	84.0	83.4	,,	0.4					
	10 ,, 11 .,	.940 .920	.065	82.7 82.0	77.7	5.0	75.8 75.0	.875	.80	82.8 82.0	83.4 83.4	s b W	0.3			İ		į
	11 ,,	.520	.005	82.0	17.0	3.0	75.0	.505	.65	82.0	83.4	"	0.4					
PR.	. 26тн-Midnight		-057	82.0	77.0	5.0	75.0	-855	.85	82.0	83.3	sbw	0.2			İ		
	1 a.m.	.904	.076	81.7	77.0	4.7	74.0	-828	.81	82.0	83.3	,,	0.2					
	3 "	.894 .878	.966 28.975	81.7	77.0	4.7 3.3	74.0	.828 .903	.81	82.0 81.9	83.3	,,	0.3	1				
	4 ,,	.881	.976	81.1	78.0	3.1	76.7 76.8	.905	.87	81.9	83.2 83.2	"	0.2	I			l	
	5 "	.902	29.013	80.8	77.5	3.3	76.3	.889	.87	81.9	83.1	"	0.0	l		1		l
	6 ,,	.925	.060	81.1	77.0	4.1	75.4	•865	.84	81.9	83.0	SSW	0.2			1		1
	8	.945 .957	.063	83.2 85.4	78.0 79.2	5.2	76.0 76.9	.882	.80 .76	82.7 84.0	83.0	S b W	0.2					
	9 ,,	.961	.118	86.7	78.0	8.7	74.6	.843	.76	84.5	83.0 83.1	,,	0.3					
	10 ,,	.960	.093	88.0	78.9	9.1	75.5	-867	.67	85.0	83.1	sw'bs	0.3	١,	١.	١.	1	
	l ₁ ,,	.953	.087	89.2	79.2	10.0	75.4	.866	.65	85.7	83-2	sw	0.2	None.	None.	None.	• •	<u>ن</u>
	Noon. 1 p. m.	.942 .919	.082	89.0 90.3	79.0 79.0	10.0	75.2	-860	.65	86.0	83.3	W	0.3	Ž	ž	ž	ž	None.
	2,,	.906	.018	90.4	80.0	11.3	74.7 76.2	.846 .888	.61 .64	87.0 87.1	83.4 83.5	Wsw WbN	0.4	ŀ				
	3 ,,	.888	28.976	90.0	80.5	9.5	77.0	.912	.67	87.1	83.6	İ	0.4			Ì		1
	4 ,,	.877	.975	89.0	80.0	9.0	76.7	.902	.68	86.7	83.7	wnw	0.3	}				
	5 ,, 6 .,	.873	.995	87.4 84.8	79.0	8.4	75.9	.878	.69	86.0	83.8	,,	0.6	1				
	7 ,,	.910	29.013	83.8	78.5	6.0 5.3	76.3 76.5	.889 .897	.80	84.5 84.0	83.8 83.8	"	0.3	1				
	8 ,,	.922	.018	83.1	78.5	4.6	76.8	.904	.82	83.9	83.7	w"	0.2	}				1
	9 " 10 "	.917	.042	82.7	77.7	5.0	75.8	-875	.80	83.0	83.6	,,	0.2	1			}	1
	10 ",	.911 .909	.060 .054	82.4 82.0	77.0	5.4 5.0	74.9 75.0	-851 -855	.79 .80	83.0 82.7	83.6 83.6	,, ,,	0.3					
												"						
PR.	27тн-Midnight		.111	81.7	75.2	6.5	72.5	.788	.75	82.1	83.6	swbw	0.4					
	l a. m.	.896	.112	81.4	75.0	6.4	72.3	.784	.75	82.1	83.6	wbs	0.4	1	1		1	
	2 ,, 3 .,	.869 .854	.044 28.997	81.2	76.0	5.2	73.9	-825	.79	82.0	83.5	,,	0.2		1.			
	4 ,,	.863	.981	81.1	76.8 77.4	4.3 3.6	75.1 76.0	-857 -882	.83 .85	82.0 82.0	83.4 83.3	WbN	0.3 0.2	None.	None.	None.	None.	None.
	5 ,,	.884	29.013	80.5	77.0	3.5	75.6	-871	.86	81.3	83.1	WNW	0.2	Ž	ž	Z	No	ž
	6 ,,	.896	.006	80.7	77.5	3.2	76.3	-890	.87	81.6	83.0	,,	0.3					
	7 ,, 8 ,,	.916	.034	83.2	78.0	5.2	76.0	.882	.80	82.6	83.1	٠,	0.2	1			l	
	0 "	.934 .941	.049 .012	84.4 85.8	78.4 79.8	6.0 6.0	76.1	.885	.77	83.2	83.3	NWbW	0.3					
	10 ,,	.929	.028	86.5	79.4	7.1	77.6 76.7	.929 .901	.77 .74	84.0 84.4	83.3	NW	0.2				1	
	11 ,,	.922	.007	87.8	80.0	7.8	77.2	.915	.72	85.0		NW bw	0.2	l		j	1	1

C		1]
we scattered throughout moving WNW, alight deer; lightning in E hor. every minute. where the horse is the second of the continuous lightning in E hor. where the horse is the second of the continuous lightning in E hor. where the horse is the second of the continuous lightning in E hor. where the horse is the second of the continuous lightning in E hor. where the horse is the second of the continuous lightning in E hor. where the second hor; this must in W and fog in E hor. where the continuous lightning in E hor. where t	mount of Clouds 0-8.	Observers.		Remarks.
vi throughout moving W.N.W. slight dew; continuous lightning in E hor. or throughout moving N; lightning in E hor. vi and vi scattered throughout; the vi moving Nowly to W; a few drops of rain. vi and vi scattered throughout moving slowly to W. vi scattered around hor; thin must in W and fog in E hor. s and vi scattered around hor; thin must in W and fog in E hor. s and vi scattered about moving N; hazy. vi in E above hor.; vi scattered about. or in NE and E hor; vi scattered about moving NE. s and vi scattered about moving N; hightning in E at intervals of Im. and 30s. li in NE and E; vi scattered throughout; lightning in E at intervals of Im. and 30s. li vi and vi scattered about moving N; lightning in E at intervals of Im. and 30s. li vi and vi scattered throughout; lightning in E at intervals of Im. and 30s. li vi and vi scattered throughout; lightning in E at intervals of Im. and 30s. li vi and vi scattered throughout; lightning in E at intervals of Im. and 30s. li vi and vi scattered throughout moving N; lightning in E and SE hor. n in lightning; slight dew. li vi and vi scattered throughout; lie vi moving N; lightning in E and SE hor. n in lightning; slight dew. li vi and vi scattered throughout; lie vi moving NE. li vi and li vi scattered throughout moving NE. li vi scattered throughout moving NE. n in E hor; vi scattered throughout moving NE. n in E hor; vi scattered throughout moving NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about; or in E and NE. n in E hor; vi scattered about moving E; lightning in E hor. n in E above hor; vi all round the lor. n in E above hor; vi all round the lor. n in E and vi sc	Ā		Al cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbl.	
vaid vs scattered throughout; the vs moving slowly to W; a few drops of rain. vaid Vs scattered around hor; thin mist in W and fog in E hor. vaid Vs scattered throughout; the latter moving WNW; mist in hor. vaid Vs scattered about moving N; hazy. vs in E above hor; vs in the rest of the hor. vaid vs scattered about moving NE. vaid vs scattered about moving NE. vaid vs scattered about moving NE. vaid vs scattered about moving NE; lightning in E and SE hor. vaid vs scattered throughout; lightning in E at intervals of Im. and 30s. The scattered throughout in the scattered about moving NE. vs scattered throughout; he vs moving N; lightning in E and SE hor. vs scattered throughout; he vs moving NE; lightning in E at intervals of Im. and 30s. The scattered throughout; he vs moving NE; lightning in E at intervals of Im. and 30s. The scattered throughout; he vs moving NE; lightning in E at intervals of Im. and 30s. The scattered throughout; he vs moving NE; light dew. late vs scattered throughout; he vs moving NE. vs scattered throughout; he vs moving NE. vs scattered throughout; he vs moving NE. vs scattered throughout; he vs moving NE. vs scattered droughout; he vs moving NE. vs scattered around hor, and a few shere and there; mist in hor. vs scattered around hor, and a few scattered about; mist. vs in E hor; vs scattered about, vs in E hor; vs scattered about, vs scattered about moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered throughout moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered throughout moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered about moving E; lightning in E at every minute. vs scattered	6 8 8	C C	vi throughout moving WNW, slight dew; continuous lightning in E hor. vi and L vil throughout; the vil moving N; slight dew; lightning in B at intervals of 1m. 30s.	20 and 60 inches below its surface 83.9 and 83.3. At 2 and 3 P. M. the temperature of air was
after sunset. after	7 7 3	B B B	vi and L vi throughout moving slowly to W.	about 2:7 greater than the nor- mal mean. 25th April was the 7th day on
Social Content of the property of the proper	6 6 5	G G	19 49 49	
5 B A In NE and E; wi scattered throughout; lightning in SE hor. 4 B A and wi scattered about growing N; lightning in SE hor. 5 C A and wi scattered about moving N; lightning in E at intervals of Im. and 30s. [every minute.] 6 C A and wi scattered throughout; the wi moving N; lightning in E and SE hor. at with a scattered throughout; the wi moving N; lightning in E and SE hor. at with a scattered throughout; the wi moving N; lightning in E and SE hor. at was 80°S greatest in the month, and a lightning was active discovered about; in E will move and the will move and the will be w	5 5 4	C C C	in NE and E hor.; \scattered about moving NE.	
S O N and N scattered about moving N; lightning in E at intervals of Im. and 30s. [every minute.]	5 5 4	B B B	in NE and E; vs scattered throughout moving slowly to W. and vs scattered throughout; lightning in ESE. and vs scattered about; continuous lightning in SE hor.	
S S S S S S S S S S			, , , , , , , , , , , , , , , , , , ,	
[every minute.] D and scattered throughout; the wi moving N; lightning in E and SE hor. at 20 and 60 inches helow its surface 8473 and 832. Temperature of evaporation at 3 row was scattered throughout moving NE; a few in E; slight dew falling. wi scattered throughout moving NE. and L wi scattered throughout; the wi moving NE. and L wi scattered throughout; the wi moving NE. and L wi scattered throughout moving NE. and L wi scattered around hor. and a few here and there; mist in hor.	. I	_	N and N scattered about moving N: lightning in E at intervals of 1m. and 30s.	
Social content of throughout moving NE; a few in E; slight dew.	5 6	C	D v and vi scattered throughout; the vi moving N; lightning in E and SE hor. at v and vi scattered throughout, the latter moving NB; lightning in SB at intervals of about 2m. 15s.	Mean daily temperature of ground 20 and 60 inches below its surface 843 and 832. Tempera-
Second content of the second content of th	5 7 6 5	C B	w scattered throughout moving NE; a few w in E; slight dew. l. w scattered throughout moving NE. w and L w scattered throughout; the w moving NE. """""""""""""""""""""""""""""""""""	was 80:5 greatest in the month, and about 1:9 greater than the normal mean.
Solution Solution	5	G	., ., ., ., ., ., ., ., ., ., ., ., ., .	which lightning was observed
S C	5 3	G C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
3 B Comparison of the co	5 5 2	C C B))	
Mean duily temperature of ground 20 and 60 inches below its sur- face 84.5 and 83.4. At 9 A.M. c	3 3 4	B G	L v. scattered about moving E; lightning in E.	
20 and 60 inches below its surface 84:5 and 83:4. At 9 A.M. 1 C				
which lightning was observed.	6 7 7 7 5 5	C C C B	" " " " " " " " " " " " " " " " " " "	20 and 60 inches below its surface 84.5 and 83.4. At 9 A.M. the temperature of dew-point was 77.6, highest in the month, and about 3.0 higher than the normal mean.
	2 4 4	B G G	on in E and scattered about moving SE.	which lightning was observed.

		1 -	NDARD METER.	Тнв	RMOM B	TERS.	ا ا	0.F	AIR.		OUND OMETERS.	Wind P		RAIN.	BLEC	TRICAL	. Instru	JMENTS.
i	Bomb ay					Depres-	рискр -Розит	BESURE OF	Y 0.F	l inch	e d		Pressure			Read	lings of	the the
	CIVII IIIIe.	to	Corrected for . Moisture.	In the	Wet Bulb Thermo- meter.	b WetBulb	Dk) kw	Presst Moist	HUMIDITY	Thermometer I inch in the Ground.	Thermometer inches in the Ground.	Direction.	in lbs. per Square Foot.	By New- man's	Blectrici-	- Strawsof	Strawsof Volta 2.	
Ann	27тн-Noon.	in. 29.897	in. 28.971	0005	90%	900	22.5	in.	0.71	1	0205	THENTIN	lbs.	in.	İ	Sc. div.	Sc. div.	
Arn.	l p. m.	.878	.976	88 :5 89.4	80°5 80.1	8°0 9.3	77.5	.902	0.71	85°2 86.0	83°5 83.6	WNW	0.2		1	1 '	1 1	1
i	2',,	.868	.974	89.7	80.0	9.7	76.4	∙894	.66	86.4	83.7	"	0.4	,	1	1 '	1 1	1
4	3 "	.846		89.0	1	9.0	76.7	.902	.68	86.3	83.8	NW b W	0.4	1	1	'	1	1
i	4 ,, 5 ,,	.838 .836		88.2 86.0	79.2 78.5	9.0	75.7	.874	.68 .72	86.0 85.0	83.8 84.0	NW b W	0.3	1 . '	1 1	,	1 .1	١.
1	6 "	.849	1 .	83.8	78.0	5.8	75.6 75.8	.875	.78	84.0	84.0	1	0.6	one.	None.	None.	None.	None.
l .	7 ,,	•868	29.019	82.5	77.0	5.5	74.8	.849	.79	83.0	84.0	"	0.6	ž	Z	Z	Ž	ĕ
i	8 ,,	.881	I	82.0	1	5.0	75.0	.855	.80	82.6	83.9	NW	0.3	1	1 '	1	1	l .
l	9 ,,	.892	1	82.5		5.5 5.0	74.8 74.9	•849 •852	.79 .80	82.3 82.0	83.9 83.8	NW b W	0.2	1	1 '	1	1 1	1
l	11 ,,	.889		81.4		6.4	72.3	1	.75	l .	83.7	"	0.2	1	!			1
Apr.	28тн-Midnight		.093	81.0		6.0	72.5		.76		83.5	NW	C-3		ļ '			
l .	la.m.	.871		80.8		5.8	72.6		.77	81.2	83.5	,,	0.3		,	1	1	
1	2 ,, 3	.860	l .	80.2		5.2 4.5	72.9 73.6		.79 .82	81.1	83.4 83.3	NW b N	0.5		'	1	1	'
1	3 ,, 4 ,,	.851		79.5	1	4.3	73.6		.83	81.0	83.2	NWDN	0.4		1	1	1 1	1
4	5 ,,	.865	.047	79.3	75.3	4.0	73.6	.818	.84	80.5	83.1	,,	0.2		,	1	1 1	1
1	6 ,,	.882		79.7		3.7	74.5	1	.85	80.5	83.0	NŃW	0.1	}	,	1 '	1	1
4	7 ,, 8	.902 .925		82.4 83.8		5.4 6.6	74.9	1 1	.79 .75	82.0 82.7	83.0 83.1	NW'b N	0.4	1	,	1	1 1	1
i	9 ,,	.929	.089	85.9	77.7	8.2	74.5		.70	83.5	83.2	NW DN	0.2		1	1 '	1 1	1 '
1	10 ,,	.919	.088	86.7	77.7	9.0	74.1	-831	.67	84.0	83.2	•••	0.4		1	1	1 1	1 '
4	ll "	.911		1		1 1	74.4		.67	84.5	83.3	NW	0.6	one.	None.	None.	None.	None.
1	Noon. l p. m.	•884 •868		87.2 87.8		1	74.4	.838	.67 .68	84.6 85.5	83.3	NW b W	0.6 0.9	Noi	l %	l s	l &	l &
4	2 ,,	-846	.970	87.5		8.5	75.8	1	.69	85.5	83.3	W M D W	1.3		1 '	1	1 1	1
4	3 ,,	-829	.960	87.4	78.8	8.6	75.5	.869	.69	85.2	83.4	"	1.8	1	'	1 '	1 1	1
i	4 ,,	·824 ·816	1		1		75.9		.71	85-0	83.4	,,	2.0	1	1 '	1 '	1 1	1
1	5 ,, 6	-816		85.8 83.0		1	75.0 75.4	1	.71	84.0 83.1	83.5	NNW NW b W	1.0	1 '	1	1	1 1	1
i	7 ,,	-849	.994	82.0	77.0	5.0	75.0	.855	.80	82.5	83.5	,,	0.7	1	1	1	1	1
i	8 "	.861	29 001	81.5	77.0	4.5	75.2	-860	.82	82.3	83.5	"	0.6	1	1	1	1	1
4	9 "	.875					73.9		.79		83.4	,,	0.5	1	1	1 1	1 1	1
l	10 " 11 "	•883 •888					74.0 73.6		.80 .79		83.3 83.2	NW NW b N	0.6 0.5	1	! !	,		!
Apr.	29тн-Midnight	t .865	.072	80.5	75.0	5-5	72.7	.793	.78	81.0	83.2	NiA	0.4		'			!
1	la.m.	.854	.018	80.2	76.0	4.2	74.3	.836	.83	81.0	83.2	,,	0.4	1	1	1 '	1 '	1 '
1	2 ,, 3	.843					74.4		.84		83.2	NWbN	0.4		!	'	1 '	1
1	3 ,, 4 ,,	.835		80.0 79.7			74.4 74.1	.838	.84	81.0 80.9	83.2 83.1	NNW	0.5 0.2	'	'	1	1 '	'
1	5 ,,	.849	.039	79.7	75.2	4.5	73.3	.810	.82	80.6	83.0	NW b N	0.3	1	1 '	1	1	1
l .	6 ,,	.863		79.5	75.5	4.0	73.9	.824	.84	80.5	83.0	NNW	0.1	1	1	'	1 '	
1	7 ,, 8	.880		82.0 83.4			73.6 74.8	.816 .848	.77 .76	81.5 82.2	82.9 82.9	NbW	0.1 0.4	1	1	'	1	
l .	9 ,,	.894	1	85.6			74.8		.68	82.2	82.9	NW'bN	0.4	1	1		1	
1	10 ,,	.889	•058	86.7	77.7	9.0	74.1	.831	.67	84.0	83.0	,,	0.3	j ej	l e	l eg l	je j	je
1	11 ,,	·877		87.2		9.2	74.4		.67	84.5	83.1	"	0.6	None.	None.	None.	None.	None.
i .	Noon. l þ. m.	.862 .833		87.4 87.9		8.4 9.8	75.9 74.3		.69 .65	84.7 85.1	83.2 83.2	NW	0.7			-	-	
1	2 ,,	.817	.946	88.0	79.0	9.0	75.6	.871	.68	85.4	83.3	,,	1.1	1 '	1 '		1	1
4	3 ,,	.795	.924	88.0	79.0	9.0	75.6	.871	.68	85.4	83.4	Nwbw	0.7	1 '	1 . 1	1	1 '	
1	4 ,,	.789 796	.909	87.2		8.2	75.9	.880	.70	85.1	83.5	,,	0.8	1 '	1	1	1 '	
4	5 ,, 6	.796 .809	.974	85.0 83.0	77.0 76.5	8.0 6.5	73.8 73.9	.822 .824	.70 .75	84.0 83.0	83.5 83.5	,,	1.0 0.8	1 '	1	1	1 '	1
1	7 ,,	.822	.965	81.8	77.0	4.8	75.1	.857	.75	82.3	83.5	,,	0.8	1 1	1	1 1	1	1.
1	8 "	.846	.986	81.5	77.0	4.5	75.2	.860	.82	82.1	83.4	,,	0.7	1 1	ļ !	1 1	1 1	
4	9 ,,	.850	.984	81.0	77.0	4.0 3.3	75.4	.866 .889	.84	82.0 81.7	83.4 83.3	,,	0.6 0.5	1	1	1 1	1 1	
1	10 ,,	.852	.963	80.8			76.3	I www.					I na.	1 .	1 .		1 -	1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \circi \chi_i ehro-cumali;	REMARKS.
▼		∩i cumuli; `Li cirro-strati; ∩Li cumulo-strati; and '\Li nimbi.	
6	Q.	or from N to SSE hor. and or here and there moving SE.	
5 4	C	n n	
5	C	, , , , , , , , , , , , , , , , , , ,	
5	C))	
5	В	22 22	
	В	in NE, E and SE; vs. scattered about moving ESE.	
1 - 1	B B	2) 2)	
1 . 1	G G	in E; vi scattered about moving SE; lightning in SE.	j
1 ~ 1	G	" " " " " "	
6	G), ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	1
			1
6	G	scattered throughout moving SE; lightning in SE hor. at every 2m.	Mean daily temperature of ground
1 - 1	C		20 and 60 inches below its sur-
5	C	vi scattered throughout moving ESE; lightning in SE.	face 84:7 and 83:4.
	C	vs scattered around hor.	28th April was the 10th day on
	O	y and v₁ scattered about.	which lightning was observed.
	B B	in E above the hor.; vi scattered about moving ESE.	
	В	vi scattered throughout moving SE.	
	В	,, ,,	
	G	" "	
	G	"	
	G	,, and ∿1 scattered about.	
1 ~ 1	G C	A few clouds in N and NW; fresh breezes from NW.	
. 1	C	in E and wi in W; fresh breezes from NW.	
	C	l	
	C	oin E and on in W hor."	
0	В	»	
1 2	В	" scattered around hor.	
	B B	The scattered around nor.	
	G	and "scattered about; on moving slowly ESE.	
	Ġ	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
5	G	" "	
			·
5	G	L vai scattered about moving SE.	Mean daily temperature of ground
- 1	C	" " "	20 and 60 inches below its sur-
_	C))	face 84.8 and 83.4.
- 1	C	n n	
_	C	n n	
_	B B	"	
_	В	. " " " "	
3	В	91	
- 1	G	scattered about; a few w in zenith; haze in E.	
- 1	G G	n , n	
_ I	G	n around hor.; haze in E."	
_ 1	c	or in E and or in W; haze in E.	
- 1	C	·	
- 1	C	on in NE and E; on in W; haze.	Ì
_ 1	C B	n n n	
	В	scattered about moving ESE.	
	В	L wi scattered throughout moving ESE.	
	В	**	
-	G	ni and ni scattered about; ni moving SE.	
	G	2) 1) 1)	
6	G	n n	1

Ara, 30ra-Midnight 20,847 39,976 80,97 70, 32 7,58 81,08 81,08 82,2 NW b W 0.6		STANI BAROM		Тнвя	MOMET	ERS.	÷	ij	AIR.	GRO TREEMO	METERS.	WIND POSLER'S G		RAIN.	ELECT	RICAL		-
Arr. 30rrMidnight 28.847 29.96 805 770 35 780 871 0.86 810 822 NW b W 0.2 1 a. m. 841 .966 802 770 32 768 876 878 880 822 NW b W 0.2 2 2 8.83 .965 80.0 76.0 4.0 744 .838 .484 810 831 NW b W 0.2 1 3 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Civil Time.	to	for		Thermo-	sion of WetBulb below Thermo- meter in	DEDUCED DEW-POINT.		HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	in lbs. per Square	Buan's	Electrici-		Straws of Volta 2.	
1 a. m. 841 966 80.2 77.0 3.2 76.8 875 87 81.0 832 WNW 0.2 2 8 83 95 80.0 70.0 4.0 744 8.88 848 81.0 83.1 WN W W W W W W W W W W W W W W W W W W	App 30mm-Midnight			80.5	77:0	3!5	7536		0.86	81:0	83:2	NW hW		in.		Sc. div.		
3 "" 821 20022 800 78.0 75.0 5.0 73.0 79.9 80 81.0 83.1 "" 0.4 4 " 8.55 5.0 73.0 79.9 80.8 81.0 83.1 "" 0.4 4 " 7.5 80.8 81.0 83.1 "" 0.4 8.55 5.0 73.0 79.9 79.8 80.8 83.0 "" 0.3 80.8 80.8 82.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 8.5 80.8 92.8 "" 0.4 9.8 80.8 92.8 "" 0.4 9.8 80.8 92.8 "" 0.4 9.8 90.8 80.8 92.8 "" 0.4 9.8 90.8 91.0 91.0 74.0 71.0 70.9 90.7 82.0 82.0 82.8 "" 0.4 9.9 91.0 91.0 74.0 71.0 71.0 72.0 90.7 82.0 82.0 82.8 "" 0.4 9.9 91.0 91.0 74.0 91.0 74.0 91.0 74.1 82.8 82.9 "" 0.4 9.0 91.0 91.0 74.0 91.0 91.0 74.0 91.0 91.0 91.0 91.0 91.0 91.0 91.0 91	_		.966									WNW						
4 "	• ,,											имрм	1 -					
5 "	A "				1 .			1		1		•	_					
7 "	- "	1	.086		74.2	5.3	71.9		.79	80.8	83.0				ì			
8 "	- 77	1			1	1	l .			1		,,						
9 " .912 .101 86.0 77.0 9.0 72.4 .811 .67 83.0 829 " .0.3 1 0.4 2	9 "	1			1	1		1		1			1					
Noon 896	9 ,,	.912	1		1	9.0	73.4	-811		83.0		1	1			١.		
Noon. 896 0.07 88.0 78.0 10.0 74.1 892 6.5 85.0 83.1 W 0.4 Z Z Z Z Z Z Z Z Z	11 ″										,	wnw) ne.	ne.	one	one.	one.
1 p. m. \$677 \$042 88.6 78.3 10.3 74.3 \$835 \$54 86.0 83.2 \$W N W \$0.5			.067	88.0	78-0	10.0	74.1		.65	85.0	83.1			ž	Ž	ž	Ň	Non
3 " 833	1 p. m.	.877	1	00.0		1					1		1					
*** *** *** *** *** *** *** *** *** **	g ″		L		1				1		1							
6 "	A "		28.996	88.5	78-2	10.3	74.2		•64	85.9	83.4	}						
7	5 "	.828						-816			1	WbN	0.2					
8 " 871 .045 81.8 76.2 5.6 74.0 .826 .78 82.5 83.4 0.5 9 " 879 .059 81.6 76.0 5.6 73.7 .820 .78 82.3 83.4 WNW 0.7 10 " 884 .060 81.3 76.0 5.3 73.9 .824 .79 82.1 83.3 NW WN 0.5 11 " 881 .044 80.8 76.2 4.6 74.4 .837 .82 81.9 83.3 NW 0.5 MAY 2ND-Midnight .843 .002 79.7 76.0 3.7 74.5 .841 .85 80.9 83.0 NW bN 0.2 1 a. m.	- ,,		1			1	1				1	1			į			
9 ,	Q ″	E .	1			•	1				L	1	1		1			
MAY 2np-Midnight 1	9 "	.879						-820			1	WNW	0.7		l			
MAY 2np-Midnight 1 a. m.	11 "			1			•				1	1		1	į			
l a. m. 817 28.993 79.5 75.5 4.0 73.9 824 84 80.7 83.0 , 0.3 8	 ,,							.00,	.02	01.5	00.0	-,,,,	0.0					
2 "							1	1				NW bN	1					
3 "	9	4	1	1			1	1	1			N b'W						
5 ", 841 29.029 78.8 75.0 3.8 73.4 812 84 80.0 82.8 Nb E 0.1 66 ", 863 .040 78.7 75.2 3.5 73.8 .821 .86 80.0 82.7 ", 0.1 77 ", 883 .054 81.2 761 5.1 74.1 .829 .80 81.0 82.7 ", 0.1 82.7 ", 0.2 82.8 ", 0.2 82.8 ", 0.2 9 ", 0.3 80.8 75.8 11.0 71.2 7.755 .61 83.8 83.0 ", 0.3 80.8 ", 0	3	.802		79.0	75.0	4.0	73.3	.810	.84	80.0	82.9	1	0.4					
6					1	1 .			1		1	N L E						l
7	6 "		1		1	1	1			1	,	1		1				
9 "	7 "				76.1	5.1				81.0	82.7	NNE		1				
10	0 "		1					1										
Noon.	10 "			1	1									نه			ej.	
1 p. m.	II "			1								NW		\on		1	None.	1
2	_		1					1				w'nw		~	ŀ			
3 ,,	9 '	.819	.044	88.2	76.7	11.5		.775	.60								1	
5	3,,					10.8		.791		84.5	83.2							
6 ,, .808 .032 82.8 75.2 7.6 72.0 .776 .71 83.2 83.4 ,, 0.5 7 ,, 81.4 .013 81.6 75.5 6.1 73.0 .801 .76 82.5 83.4 NW 0.5 8 ,, 832 .027 81.2 75.5 5.7 73.2 .805 .77 81.8 83.3 NW b W 0.6 9 ,, 849 .033 80.8 75.6 5.2 73.6 .816 .79 81.5 83.3 ,, 0.4 10 ,, 854 .018 80.2 76.0 4.2 74.3 .836 .83 81.2 83.2 NW 0.5 11 ,, 843 .037 80.1 75.2 4.9 73.2 .806 .80 81.0 83.0 NW b N 0.4	- <i>''</i>															l	1	
7 ,,	6 ,,	.808	.032	82.8	75.2	7.6	72.0	.776	.71	83.2	83.4	,,	0.5		1.		1	4.00
9 ,,	,,							•				NW				2 3		4.29 7.48
10 ,,	0 "				1			•				1	1			4		
11 ,,	10 ,,	.854	.018	80.2	76-0	4.2	74.3	.836	∙83	81.2	83.2	NW	0.5		1			
1 a. m. .814 .012 79.7 75.0 4.7 73.0 .802 .81 80-6 83.0 ,, 0.2 2 ,, .807 28.989 79.3 75.3 4.0 73.6 .818 .84 80.0 82.9 ,, 0.4 3 ,, .799 .989 79.0 75.0 4.0 73.3 .810 .84 79.7 82.8 ,, 0.5 4 ,, .813 .992 78.7 75.2 3.5 73.8 .821 .86 79.5 82.7 ,, 0.3 5 ,, .824 29.038 78.4 74.2 4.2 72.4 .786 .83 79.0 82.6 ,, 0.1 6 ,, .836 .055 78.8 74.2 4.6 72.2 .781 .81 79.0 82.5 ,, 0.1 5 7 ,, .867 .087 81.7 75.0 6.7 72.2 .780 .74 80.5 82.5 N b E 0.1 5 8 ,, .882 .102	11 "	.843	.037	80.1	75.2	4.9	73.2	-806	.80	81.0	83.0	NWbN	0.4					
1 a. m. .814 .012 79.7 75.0 4.7 73.0 .802 .81 80-6 83.0 ,, 0.2 2 ,, .807 28.989 79.3 75.3 4.0 73.6 .818 .84 80.0 82.9 ,, 0.4 3 ,, .799 .989 79.0 75.0 4.0 73.3 .810 .84 79.7 82.8 ,, 0.5 4 ,, .813 .992 78.7 75.2 3.5 73.8 .821 .86 79.5 82.7 ,, 0.3 5 ,, .824 29.038 78.4 74.2 4.2 72.4 .786 .83 79.0 82.6 ,, 0.1 6 ,, .836 .055 78.8 74.2 4.6 72.2 .781 .81 79.0 82.5 ,, 0.1 5 7 ,, .867 .087 81.7 75.0 6.7 72.2 .780 .74 80.5 82.5 N b E 0.1 5 8 ,, .882 .102	May 3no-Midnigh	t .825	29.026	80.0	75.0	5.0	73.0	.799	.80	81.0	83.0	NNW	0.3					
3 ,,	la.m.	.814	.012	79.7	75.0	4.7	73.0	.802	.81	80-6	83.0	,,	0.2	1				
4 ,, .813 .992 78.7 75.2 3.5 73.8 .821 .86 79.5 82.7 ,, 0.3 5 ,, .824 29.038 78.4 74.2 4.2 72.4 .786 .83 79.0 82.6 ,, 0.1 6 ,, .836 .055 78.8 74.2 4.6 72.2 .781 .81 79.0 82.5 ,, 0.1 2 7 ,, .867 .087 81.7 75.0 6.7 72.2 .780 .74 80.5 82.5 N 0.1 2 8 ,, .882 .102 81.7 75.0 6.7 72.2 .780 .74 81.2 82.5 N b E	j "									T .		1 "		1				
5 ,,	λ "		.992	78.7					1			1					ļ	1
8 ,, .882 .102 81.7 75.0 6.7 72.2 .780 .74 81.2 82.5 N b E 0.1 Z	5,,	.824	29.038	78.4	74.2	4.2	72.4	•786	.83	79.0	82.6	1	0.1			'	ا م	
8 ,, .882 .102 81.7 75.0 6.7 72.2 .780 .74 81.2 82.5 N b E 0.1 Z	, "											,,)ne.	+	2	None.	5.14
,, , , , , , , , , , , , , , , , , , ,	6 "													Ž			Z	
, , , , , , , , , , , , , , , , , , , ,	9 ,,	-884	.140	85.0	75.0	10.0	70.7	.744	.64	82.3	82.6	NbW	0.3					
10 ,, .888 .141 86-5 75.5 11.0 70.8 .747 .61 83.5 82.6 NNW 0.3	11						•											

			
Amount of Clouds	Observers.	STATE OF THE WEATHER.	Remarks.
Ато	°	Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\si\) cirri; \(\si\) i cirro-cumuli; \(\si\) i cirro-cumuli; \(\si\) i cirro-strati; \(\si\) i cumulo-strati; and \(\si\) i nimbi.	
6	G	L v. scattered throughout moving SE.	Mean daily temperature of ground
6 7	C	"	20 and 60 inches below its surface 850 and 835.
8	C	Overcast with van moving SE.	lace 60.0 and 60.0.
6	C	scattered throughout moving SE.	
6	В	" "	
5	В	"	
5	В	"	
4	В	"	ł
4	G	"	İ
3	6	or in E and ver scattered about.	
2	G		
2	C)	
2	C))	
2	C	" " "	
2	C B	oi in E and oi in W hor.	
li	В	or scattered around hor.	
2	В		1
2	В)	
3	В	" " " " " " " " " " " " " " " " " " "	
4	В	g) 21	
3	В))	
l l	l		
3	В	Light vs scattered about moving SE.	Mean daily temperature of ground
5	G	" " "	20 and 60 inches below its sur-
5	G	99	face 84.9 and 83.5.
6	G.	ni and scattered throughout, latter moving SE.	
6	G	" "	
6	C	" " TOTAL AND A STATE OF THE ST	
6	C	and scattered throughout; the latter moving ESE; mist in W hor.	
6	C	??	1
4	В	scattered about moving SE; mist around hor.	ļ
2	В		
1	В	scattered about in N; mist in hor.	
0	B	A few w in N and NE; mist in hor.	
1	G	u scattered about in NE and E; mist in hor.	
2	G	v scattered about; hazy in E.	
2	G	,,	
2	C	v in E; vi scattered about; haze in E.	
5	C	v in NE above hor.; vs scattered throughout moving E.	
5 3	C	vi scattered throughout moving E.	
li	В	scattered around hor.	
li	В))))	
3	В))))	
1			
10	В	scattered about moving SE.	Mean daily temperature of ground
3 4	G		20 and 60 inches below its sur-
4	G)	face 84:9 and 83:5.
4	G	, , , , , , , , , , , , , , , , , , ,	
4	G	" "	
4	C	,,	
5	0	vi in E; vi scattered about moving SE; light mist in hor.	1
5 6	C	22 22 22 22	
2	B	" scattered around hor.; mist in hor.	
3	В	scattered about moving NE.	1
3	В	" "	1

		STAT BARON	(DARD (BTBR.	THE	RMOMBI	BRS.		på	AIR.		UND METERS.	Wind Fi		RAIN.	BLEC	TRICAL	Instr	UMBRTS.
	Bombay Civil Time. 1864.	Corrected to 82° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	HUMIDITY OF	Phermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Biectrici- ty + or —	Strawsof	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
MAV	3RD-Noon.	in. 29.872	in. 29.119	87:7	760	11:7	71:1	in.	0.59	84.6	82.9	NW b W	lbs. 0.3	in.		Sc. div.	Sc. div-	
MA	l p. m.	.835	.040	88.2	77.2	11.0	71·1 72.8	0.753 .795	.61	85.0	83.0	WNW	0.3					
	2 · ,,	.818	.022	87.4	77.0	10.4	72.8	.796	.63	85.0	83.0	w	0.3					
	3 ,, 4	.805	28.996 .988	86.2 86.2	77.0	9.2 9.2	73.3 73.3	.809	.66 .66	84.4 85.0	83.0 83.0	wnw	0.4					
	.5 ,,	.807	29.060	84.7	75.0	9.7	70.8	.747	.65	84.0	83.1	,,	0.3	نه	e e	يو ا	ě	يو .
	6 "	.821	.055	83.0	75.0	8.0	71.6	.766	.70	83.3	83.2	,,	0.3	None.	None.	None	None.	None.
	7 ,, 8	.838	.058	81.7	75.0 75.0	6.7	72.2 72.4	.780 .785	.74	82.5 82.2	83.3	"	0.3		~		-	.~
	9 ,,	.868	.080	81.0	75.0	6.0	72.5	.788	.76	82.0	83.2	"	0.4		1			
	10 ,,	.879	.096	80.8	74.8	6.0	72.3	.783	.76	82.0	83.2	,,	0.5		1			
	11 ,,	.874	.082	80.6	75.0	5.6	72.7	.792	.78	81.8	83.1	"	0.5					
/A¥	4тн-Midnigh		.069	80-5		5.5	72.7	.793	.78	81.5	83.1	WNW	0.5					
	1 a.m.	.855 .846	.059	80.3 79.9	75.0 74.8	5.3 5.1	72.8	.796	.79	81.1	83.0 82.9	NW b N	0.3	1				
	3 ,,	.838	.055	79.8	74.5	5.3	72.3	.793	.79	80.4	82.8		0.4					
	4 ,,	.845	•075	79.2	1	5.2	71.8	.770	.79	80.0	82.7	",	0.5	1				
	5 ,, 6	.865	.093	79.0 79.1	74.0	5.0 5.1	71.8	.772	.80	79.6	82.6 82.5	"	0.1					
	7 ,,	.913	.122	81.5		6.3	72.6	.771	.75	80.7	82.5	"	0.1		Ì			
	8 "	.928	.135	83.1	75.7	7.4	72.7	.793	.72	82.0	82.5	,,	0.1					
	9 ,, 10 .,	.941 .948	.186	84.7	75.2 76.0	9.5	71.2	.755	.65	82.6 83.0	82.5 82.5	NNW	0.2	one.	one.	None.	None.	None.
	10 ,,	.943	.179	87.1	76.0	10.0	71.8	.772	.61	84.0	82.7	NW b N	0.3	l &	S Z	Z	ž	l s
	Noon.	.922	.135	88.2	77.0	11.2	72.5	.782	.61	84.9	82.9	WbN	0.2					
	l p.m.	.895 .876	.103		1		72.7	.792	•59	85.0	83.0	w	0.2	1				
	3	-852	.042		1		73.3 73.3	.810	.60	85.4 85.8	83.1 83.1	wnw	0.3	l			1	
	4 ,,	-848	.024	88.4			73.9	1	∙63	85.0	83.2	,,	0.4					
	5 "	.857 .866	.050	1			73.2	-807	.66	85.0 84.0	83.3	NWbN	0.4	l		ł	Ì	ļ
	6 " 7 "	873				1	72.9 72.4		.71	82.7	83.4 83.5	WNW	0.3					
	8 "	.876	.094	81.5	75.0	6.5	72.2	.782	.75	82.4	83.4	NW'b W	0.4		İ			İ
	9 "	.883	1				73.2		.78	82.0	83.3)) NITE	0.4				l	
	. 10 ,,	.889					74.1 73.5		.81	81.6 81.5		NW "	0.5					
May	5тн-Midnigh	t .873	-112	80.0	74.0	6.0	71.4	.761	.76	81.0	83.0	NW	0.5					
	l a.m.	.856	.032				73.9	.824	.84	80.7	82.9	NWbN	0.5					
	2 "	.838	.014	79.5	75.5	4.0	73.9	.824	.84	80.3	82.9	,,	0.6			1		
	3 ,, 4	.837	.019	79.3 79.0			73.6 73.3		.84	80.0	82.8 82.7	NNW NW b N	0.5					
	5 ,,	.845	.031	78.6			73.5	-814	.85	80-0	82.6	NNW	0.1					
	6,,	.867	.084		74.0	4.0	72.3	-783	.83	79.6	82.5	NbW	0.1		+	8		1.10
	7 ,, 8 .,	.888			1		72.0 73.5	.776	.76 .76	80.5 81.4	82.4 82.4	,,	0.1	ŀ	+	12	10	1.4 3.10
	9 ,,	.921	.150	82.5	75.0	7.5	71.8	.771	.71	81.5	82.5	NE'BN	0.0			"		0.10
	10 ,,	.925	1		76.0	9.0	72.3	·783	.67	83.0	82.6	NbW	0.3	نه				
	11 " Noon.	.910					72.1	.778	.64	83.5 84.3	1	NWbN	0.6	None.		1	1	
	l p. m.	.855	.062	87.6			72.7	.793	.63	84.5		nw	0.7	14		1		
	2 ,,	.831		88.4	77.4	11.0	73.0	.801	.61	85.0	83.0	NWbW	0.6					
	3 ,, 4	.804					73.7	.820	.62	85.2 85.4	83.0	WNW	0.6					
	5 ,,	.791	29.006				72.4	.785	.64	85.0	83.2	WbN	0.4					
	6 ,	.804	.027	83.4	75.4	8.0	72.0	.777	.70	83.6	83.3	NWbW	0.5					
	7 ,, 8 .,	.812					72.7 72.9	.792	.74	82.7 82.3	83.3	,,	0.5					
	9,,	.852					72.4	•798 •786	.76	82.0	83.3 83.2	NW'bN	0.6				1	
	10 ,,	.860	.048	80.6	75-5	5.1	73.4	-812	.80	81.5	83.2	,,	0.5					
	11 ,,	•855	.042	80.5	75.5	5.0	73-5	-813	.80	81.5	83.1	NNW	0.5		1	1	<u>L</u>	j

1.	.		
1	0-8. Observers.		
Q	Observers.	STATE OF THE WEATHER,	1
١٥	II §		Pare : pare
á	1 8		REMARKS.
j		Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \init\i cirro-cumuli;	
	-	∩i cumuli; Li cirro-strati; Ai cumulo-strati; and Mi nimbi.	
	i		1
2	В	valong the eastern hor.; vain W.	j
4	l G	v and vi scattered about, the latter moving SE.	
6	. 1 -	, , , ,	
6		" "	
6		99	
6	. 1	scattered throughout; a few v overhead.	
6	. 1))))))	
4	1	19) year to and an are the C13	
2		scattered about moving SÉ.	
2	-	"	
3))	
	-	"	
-	1		
2		so all round hor.	
2	G	1	Mean daily tamant
5	G	scattered throughout moving SE.	Mean daily temperature of ground 20 and 60 inches below its sur-
5	- G	,,	face 84.9 and 83.6. At 10 A. M.
5	G	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	the height of barometer was
5	C	and and scattered throughout; the latter moving SSE.	29.948 in., greatest in the month,
5	C	and vi scattered throughout; the latter moving SSE; mist in hor.	and about 0.129 in. greater than
5 5	,C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	the normal mean.
4	C	y, y, northward about maning NINITA with	
3	В	scattered about moving NNE; mist.	
2	В	on scattered about moving NNE; mist in E hor. in NE, E, SE and S above hor.; thick mist.	
2	В	scattered all round hor.; except the W hor.	
1	G	around hor.; haze in E.	j
2	G		
4	G)	
4	G	11 11	
3	0	throughout moving E; haze in E hor.	` •
3	0	✓ scattered about moving SE.	
3	C	"	
$\begin{vmatrix} 3 \\ 1 \end{vmatrix}$	0	"	
2	B	29 29	
2	В	n n	
-	"	"	
J]
2	В	scattered about moving SE.	
4	G	»	Mean daily temperature of ground
· i4	G	» »	20 and 60 inches below its sur-
4	G	"	face 85.0 and 83.6. Tempera-
5	G	3) NTS 3 TS 1	ture of free air at 6 A. M. was
5	C	in N, NE and E hor.; vi scattered about moving SSE.	78.0, lowest during the month,
6	0	on in W; on scattered throughout moving SE.	and 2.5 lower than the normal mean.
6	C	" "	moun.
5	B	vi in E; vi scattered about moving SSE.	
2	В	scattered about from N to S (by E) hor.	1
lī	В	in N, E and SE hor.	1
Ō	В	A few in hor. here and there.	
0	G	A few ni in E hor.	
0	G))))	1
0	G	17 27	
0	G	n n	1
0	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	C	w in E; wi in E and W above hor.	1
0	C	in W hor.	1
	C		1
li	B))))	1
1:	B))	1
1 1		· · · · · · · · · · · · · · · · · · ·	

		STAN Baros		THER	MOMBI	BR8.	0 H	a o s	AIR.	GRO THERMO		WIND F Osler's G		RAIN.	BLEC	TRICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected to 3%° Fahr.	for	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT	Prresure of Moisture.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawson	ngs of Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
May	6тн-Midnight	in. 29,835	in. 29.036	800	75°0	5.0	73:0	in. 0.799	0.80	81:1	83.0	NNW	1bs. 0.4	in.		Sc. div	Sc. div-	
	la.m.	.814	28.980	79-6	75.8	3.8	74.3	.834 .834	.84	81.0	83.0	"	0.0					
_	2 ,, 3 ,,	.798 .795	.964	79.6 79.4	75.8 75.4	3.8 4.0	74.3 73.8	-821	.84	80.2	82.9 82.8	NW'b N	0.5			1		
	4 ,,	.793	∙983	79.0	75.0	4.0	73.3	.810	.84	80.0	82.7	NNW	0.5			1		
	δ " 6 "	.797 .827	·987 29·019	79.0 79.2	75.0 75.0	4.0	73.3 73.3	.810 .808	.84 .83	80.0 79.8	82.6 82.5	NWbN	0.2					
	7 ,,	.856	.026	80.7	76.0	4.7	74.1	.830	.81	80.5	82.5	"	0.1					
	8 "	.870	.043	81.0	76.0	5.0	74.0 73.7	.827	.80	81.0	82.5	"	0.2		1			
	9 ,, 10 ,,	.881	.062 .058	82.1	76.1 76.5	6.0	73.8	.822	.77 .74	81.9 82.3	82.5 82.6	NNW	0.2	نه	نو	8	نه	øj.
	11 "	.877	.062	85.6	77.0	8.6	73.5	.815	.68	83-5	82.8	NW	0.5	None.	None.	lone.	None.	None.
	Noon.	.857	.038	87.3 87.8	77.0	10.3	73.7 72.6	.819	.63 .62	84.6 85.1	82.9 83.0	NNW NW	0.6			Z	~	2
	1 p. m. 2 "	-804	·015	88.0	77.0	11.0	72.6	.789	.61	85.4	83.1	NW b N	0.7					
	3,,	.789	.000	88.0	77.0	11.0	72.6	.789	.61	85.4	83.2	NW	0.7				1	
	4 ,, 5 ,,	.775 .782	28.982	87·6 85.6	77.0	10.6	72.7 74.2	.793 .832	.63 .70	85.3 84.4	83.2	"	0.7					
	6 ,,	.795	.971	82.7	76.4	6.3	73.9	.824	.76	83.2	83.3	"	0.6					
	7 ,,	·804 ·821	983	81.5	76.0	5.5	73.8 74.0	.821	.78	82.2 82.0	83.4	NTERT L NT	0.6	İ	}	1		
	8 ,, 9 ,,	.839	29.027	81.0	76.0 75.5	5.0	73.4	.812	.80		83.3	NWbN	0.6					
	10 ,,	.851	•038	80.5	75.5	5.0	73.5	.813	.80	81.4	83.2	"	0.6					
	11 "	.847	.054	80.5	75.0	5.5	72.7	.793	.78	81.4	83.2	,,	0.8					
May	7тн-Midnigh		.036	1	75.0	5.0	73.0	.799	.80		83.0	NNW	0.5	1.				
	la.m. 2	.816	28.999	79.7 79.0	75.0 75.0	4.7	73.0 73.3	-802 -810	.81	80.5 80.2	82.9 82.8	"	0.6					
	3 ,,	.791	.930	78.9	75.0	3.9	73.4	.811	.86		82.7	N b W	0.4		1			
	4 "	.791	.959 29.027		75.2	3.5	74.2	-832	-86		82.7	,,	0.6		ļ	1		
	5 ,, 6 ,,	.826	.047	78.4 78.4	74.0 74.0	4.4	72.1	.779 .779	.82 .82		82.6 82.5	"	0.3					
	7 ,,	.839	.053	81.2	75.0	6.2	72.4	.786	.76	81.0	82.5		0.1	1				
	8 " 9 "	.854	.042				73.4	•812 •774	.75 .68			NE'b E	0.1			1		
	10 ,,	.864	.075				72.6	789	.65		82.6		0.5		1			1
	11 ,,	.844	.043			9.9	73.0	-801	.64		82.9	NNW	0.6	l e	le le	le le	je l	မ္ခ
	Noon. 1 p. m.	.824	.030				72.8 72.6	.794	.63			NW b N NW	0.6	None.	None.	None.	None.	None.
	2 ,,	.772	28.983	88.0	77.0	11.0	72.6	.789	.61	85.2	83.1	,,	0.7			1		
	3 "	.757 .745	.965 .945				72.7	.792 -800	.62		83.2	١,,	0.6					
	4 ,, 5 ,,	.751	.968	85.0			73.0 72.4	.783	.69 .67		83.2 83.3		0.7				1	!
	6 "	.757	.944	82.3	76.0	6.3	73.5	-813	.75	83.2	83.3		0.8					
	7 ,, 8	.766 .783	.939				74.0 73.5	.827 .813	-80 -80		83.4 83.4	nnw	0.8					
	9 ",	.790	.976	80.0	75.4	4.6	73.5	-814	.81	81.6	83.3	,,	0.5			1		
	10 ,,	.793	.975	79.7	75.4	4.3	73.6	-818	.83	81.3	83.2	"	0.4	1				}
	11 ,,	.790	.977	79.5	75.2	4.3	73.5	.813	.83	81.2	83.1	"	0.6					
Мач	9тн-Midnigh		29.083	,			71.2	.755	-74		83.0	NNW	0.6					
	1 a. m. 2 ,,	.821	.060			6.0 5.5	71.4	.761 .770	.76 .79		82.9 82.8	NWbN	0.5					
	3 ,,	.807	.037	79.2	74.0	5.2	71.8	.770	-80	80.0	82.8	NŃW	0.5					
	4 ,,	.803	.031	79.0	74.0	5.0	71.8	.772	.80	79.7	82.7	,,	0.2		.	1.	.	l _
	5 ,, 6 ,,	.814	.056	78.6 79.2	73.5 73.7	5.1 5.5	71.3	.758 .758	.79 .78	79.6 79.9	82.6 82.5	N b W	0.1	None.	None.	None.	None.	None.
	7 ,,	.854	.092	81.7	74.5	7.2	71.4	.762	.72	80-6	82.5	NNW	0.3	Ž	ž	ž	ž	ž
	8,,	.873	.114	83.6	75.0	8.6	71.3	.759	.68	82.0	82.6	,,	0.2			1		
	9 " 10 "	.889 .889	.145	85.0 86.3	75.0 76.0	10.0	70.7 71.7	.744	.64 .63	83.0 84.0	82.6 82.8	"	0.3			1		
	11 ,,	.877	.092	87.0	76.6	10.3	72.4	.785	.63		83.0	,,	0.3			1		1

Observers.	STATE OF THE WEATHER.	REMARKS.
	Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\si\) cirri; \(\si\) i cirro-cumuli; \(\si\) i cirro-strati; \(\si\) i cumulo-strati; and \(\si\) i nimbl.	
В	Dense fleecy clouds scattered about moving SE.	Mean daily temperature of ground
G	" "	20 and 60 inches below its surface 850 and 837.
G	" "	lace 65.0 and 65.7.
G	n n	
C	n' in NE hor.; n' scattered about.	
C	on and on scattered throughout; the latter moving E; mist in E.	
C	in W and S; wi throughout; mist in E.	1
C	scattered throughout moving ESE.	·
B	" "	
В	vi and vi scattered about.	
В	vi in E hor.	
G	scattered about moving ESE.	
G	and scattered about; the latter moving E.	
G))))))))))))))))))))))))))	
C	win E and win W; mist in hor.	
C		
C	scattered about in E.	
C B	" "	
В	"	•
В	Light wi scattered throughout moving SE.	
В	scattered throughout moving to SE.	Mean daily temperature of ground
G	32	20 and 60 inches below its sur face 85.0 and 83.7.
G	n and n scattered about; n moving SE.	7th May was the 11th day of
G	" " " " " " " " " " " " " " " " " " "	which lightning was observed.
C	✓ scattered throughout. ✓ and ✓ scattered all round hor.	
C	or from E to S hor.; vi scattered about.	
C	and ne scattered throughout; mist in E.	
C),),),)	1
B	in N, E and S hor.; mist in E hor.	
В		
B))	
G	22	
G	scattered about; mist in hor.	
G	or in E and or in NW; mist in E and W hor.	
C	oi in E; oi scattered about; mist in E and W hor.	
C),),	
C	or in E; we around hor.	
C	in E; we around hore; lightning at every minute since last observation. scattered about; lightning in E hore every minute.	
C	scattered about; ighting in E not. every innute.	
C	n n	
В	scattered all round moving to SE; lightning in NE hor. at every 2m.	Mean daily temperature of groun
G	,, ,, ,,	20 and 60 inches below its surface 84.8 and 84.0.
G	" "	9th May was the 12th day o
C	" scattered about moving SE; lightning in E hor.	which lightning was observe
C	wi and wi scattered about.	after sunset.
C	Scattered about moving ESE,	
C	" "	
C	"	
B	yy your and shout	
B	n scattered about.	1

_		DARD METER.	THER	RMOMET	ERS.		, o.	AIR.	Сво Тивамо:		Wind Fi Osler's G		RAIN.	ELBO	PRICAL.	Instru	
Bombay Civil Time.	Corrected to	for	In the	Thermo-	Depression of Wet Bulb below	DEW-POINT,	PRESSURE OF MOISTURE.	UKIDITY OF	Thermometer I Inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	per		Blectrici-	Readi	ngs of	Interval of Time in recovering the same degree of tension after dis- ciarge.
1864.	\$9° Fahr.	Moissure.	Air.	meter.	Thermo- meter in the Air.		P. P.	II UMO	Thermo in the	Thern incl Gro		Square Foot.	Jauge.	ty + or		Strawsof Volta 2.	Interva recov game tension charge
May 9th-Noon	in. 29.866	in. 29.073	87:6	77:0	10:6	72:7	in. 0.793	0.63	85.1	83:0	NWbN	lbs. 0.6	io.		Sc. div.	Sc. div.	
l p. m.	.838	.088	88.0	76.0	12.0	71.0	.750	.58	85.2	83.1	NWbW	0.1				1 1	
2 · "	.819	.073	88.4	76.0	12.4	70.8	.746 .750	.55 58	85.4 85.1	83.2	WNW	0.2		1			
3 ,, 4	.801	.051	88.0 87.2	76.0 76.0	12.0 11.2	71.0 71.3	.750 .757	.58 .60	85.1 85.0	83.3 83.3	NW b W	0.1	1	1		1	ļ
4 ,, 5 ,,	.779	.020	87.2	76.0	9.5	72.0	.777	.66	84.0	83.3	WNW »	0.4	نه	انها	نِهِ	ا نِهِ	ď
6 "	.792	.007	83.0	75.5	7.5	72.4	.785	.71	83.0	83.3	"	0.5	None.	None.	None.	None.	None.
7 ,,	.801	.015	81.2	75.0 75.0	6.2	72.4	.786 .788	.76	82.4	83.4	,,	0.4	1	1 4	~		~
8 " 9 "	.809 •824	.021	81.0	75.0 74.0	6.0 6.0	72.5 71.4	.788 .761	.76 .76	82.0 81.1	83.3 83.3	,,	0.3		1	1		1
9 ,, 10 ,,	.831	.068	79.8	74.0	5 .8	71.5	. 763	.77	81.0	83.2	"	0.3		1	1		
11 "	.822		79.8	75.0	4.8	72.6	.790	.81	81.0	83.2	,,	0.5					
IAY 10TH-Midnig			79.8	74.3	5.5	71.9	.774	.78	81.0	83.0	WNW	0.5					
l a. m.	.802	.023	78.4	74.0	4.4	72.1	.779	.82	80.7	82.9	,,	0.1	1] ,	1		1
2 "	.786			74.0	5.0	71.8	772	.80	80.4	82.8	NWbW	0.1	1	1			1
3 ,, 4	.787	4	78.7 79.0	74.0 74.0	4.7 5-0	72.0	.775	.81	80.1 80.0	82.7 82.6	NWbN	0.1	1	1	1	1	1
5 ,,	.805	.033	79.0	74.0	5.0	71.8	.772	.80	80.0	82.5	,"	0.2		1	1		١
6 "	.825	.055	79.2	74.0	5.2	71.8	.770	.79	80.0	82.4	,,	0.1	1				
7 ,,	-842 866	.065	82.0	75.0	7.0	72.0	.777	.73		82.5	NEbN	0.1					
8 " 9 "	.866 .880		83.5 85.4		1	73.0 72.8	.799 .794	.67	82.2 83.5	82.6 82.6	NE bE	0.1		1	[1
9 ,, 10 ,,	.880	,	1		9.0	73.3	•794 •808	•66	84.0	82.8	WbN	0.2	6	6	نه	نه	.
11 ,,	.866	.048	87.2	77.5	9.7	73.6	-818	.65	84-5	83.0	,,	0.5	Vone.	Vone.	None.	None.	Vone.
Noon.	.844	.068	87.8	76.6	11.2	72.0	.776	.61	85.1	83.1	WNW	0.6	Z	Z	4	Z	Z
1 p. m.	.808	1	88.2	77.0	11·2 10.0	72.5	.787	.61	85.3 85.5	83.2 83.3	"	0.2			1		
2 " 3 "	.781 .751		88.0 87.0	78.0	10.0	74.1	-829 -800	.65		83.3 83.4	"	0.7	1	1	1		
4 ,,	.740	.929	86.0	77.0	9-0	73.4	.811	.67	84.7	83.3	. ,,	0.5	1		1		
5 ,,	.753	.931	85.0	77.0	8.0	73.8	-822	.70	84.0	83.5	"	0.7],		1		
6 ,,	.769	1	I.	76.5 76.3	6.2	74.0	-828 -835	.76	1 -	83.6 83.5	"	0.6	1	1	1	ļ	
7 ,, 8 ,,	.783		81.3	76.3 76.0	5.0 5.0	74.3 74.0	-835 -827	.80	82.3 82.1	83.5 83.4	,,	0.4					
9 "	.832	.994	80.7	76.2	4.5	74.4	.838	.82	81.6	83.3	"	0.2					
10 ,,	.840	•990	80.7	76.5	4.2	74.8	.850	.83	81.6	83.3	"	0.2		1			
11 ,,	.838	•986	80.5	76.5	4.0	74.9	-852	.84	81.5	83.2	"	0.2					
MAY 11TH-Midni			80.5	76.0	4.5	74.2		-82	81.5	83.1	NW b W	0.4					
1 a. m. 2	.806 .805			76.0 76.0	4.0 3.8	74.4	.838	.84		83.0 83.0	"	0.2]
2 ,, 3 ,,	.805					74.5				83.0	NW'b N	0.1					1
4 "	.816	29.008	79.2	75.0	4.2	73.3	.808	.83	80.0	82.8	,,	0.0					1
5 ,,	.829	.020	79.1	75.0	4.1	73.3	.809	.83	80.0	82.7	NNW	0.1	1			1	ļ
6 " 7 "	.844 .861					73.7	.819	.83		82.7 82.7	"	0.1		1			l
7 ,, 8 ,,	.876	.056	85.2	77.0	1	73.7	.820	.69	83.2	82.8	NNE	0.1	1			1	ł
9 "	.876	.029	86.4	78.0	8.4	74.7	-847	.69	84.1	82.9	NEbE	0.2		1.			ļ
10 "	-875 864					75.2		.68	85.0	83.1	E	0.2	1.	1	,		
11 ,, Noon.	.864 .846	•				75.2 74.1		.68		83.2 83.4	W b N NW	0.5	None.	None.	None.	None.	None.
1 p. m.	.822	.000	88.6	78.0	10.6	73.8	.822	.63	86.0	83.5	WNW	0.6	ž	ĭ	Ž	ž	Z
2 ,	.793	28.940	88.9	78.8	10.1	75.0	.853	.65	86.4	83.6	"	0.7			1		1
3,,	.774	.906		78.9	9.0	75.5	.868	.68	86.0	83.6	,,	1.2	1		1		1
4 " 5 "	.760 .768					74.5 75.1		.67		83.6	NW b W	1.0	.		1		
6 ,,	.776	.915	83.3	77.5		75.1		.72		83.8	"	0.4		1			
7 ,,	.791	.918	82.2	77.5	4.7	75.7	.873	.81	83.2	83.8	"	0.2	1		1		[
8 "	.808	.930	81.8	77.5	4.3	75.9	.878	.83	83.0	83.7	"	0.1	1		1		1
9 "	.820					75.1		-81		83.7	"	0.2	1	1	1	ı	1
10 ,,	.836	.963	81.5	77.3	4.2	75.7		.83	82.3	83.5	,,	,			1	i .	j

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\frac{1}{2}\) cirri; \(\frac{1}{2}\) i cirro-cumuli; \(\frac{1}{2}\) i cumulo-strati; \(\frac{1}{2}\) i nimbi.	Remarks.
2 1 1 0 1 2 5 5 5 2 1 3	B D D C C C C B B	scattered around hor. """ """ """ """ """ """ """	
2 3 3 2 2 2 5 3 1 1 1 1 0 0 0 1 1 1 1 2 3 3	B D D D C C C C B B B D D D C C C C B B B D D D C C C C	scattered about moving SE. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.8 and 84.0.
3 2 2 3 1 4 4 2 4 1 0 0 0 1 2 2 3 3 4 4 5 5 5 5 4	B D D D C C C C C B B B G G G C C C C B B B B G G G C C C C	Light y scattered about moving SE. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.9 and 84.1.

			DARD (BTBR.	Тив	RMOME	TERS.	Fi.	. o	AIR.	GRO THERM	und Meters.	WIND FI OSLER'S G		RAIN.	ELEC	TRICAL	INSTR	UMENTS,
c	Bombay Civil Time. 1864.	Corrected to 39° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Blectrici- ty + or—	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis-
May 19	2тн-Midnight	in.	in. 28.983	80:6	76.6	4.0	75:0	in. 0.855	0.84	81:6	83.4	NW b W	lbs. 0.3	in.		Sc. div.	Sc. div.	m. s.
	l a. m.	.837	.964	80.4	77.0	3.4	75.7	.873	.86	81.1	83.3	1	0.3	1	l		l	
	2 ,,	.833	.957	80.1	77.0	3.1	75.8	.876	.87	81.0	83.3	"	0.2	1				
	3 "	-827	.950	80.0	77.0	3.0	75.8	.877	.88	80.9	83.3	"	0.1					
	4 "	.831	.954	80.0	77.0	3.0	75.8	.877	.88	80.8	83.3	,,	0.2					
	5 ,, 6	.845 .856	29.000	79.4 79.6	76.0 76.2	3.4	74.7 74.9	.845	.86 .86	80.8 80.8	83.2 83.1	,,	0.1		İ			
	7 "	.881	.028	82.2	77.0	5.2	74.9 75.0	.853	.80	82.0	83.1	n'w	0.1					•
	8 ,,	.891	.032	83.5	77.5	6.0	75.2	•859	.77	83.0	83.1	,,	0.1	ŀ				
	9 ,,	.903	•026	83.6	78.0	5.6	75.8	.877	.78	83-0	83.1	NW b W	0.2				}	
	10 ,,	.901	.031	86.2	78.5	7.7	75-6	.870	.71	84-0	83.2	NWbN	0.2					
	11 ,,	.888	.030	87.3	78.5	8.8	75.1	-858	.66	84.8	83.3	NWbW	0.5	one.	None.	None.	None.	None.
	Noon. l p. m.	.865 .835	.032	87.6 88.2	78.0 78.0	9.6	74.2 74.0	.833	.64	85.2 85.7	83.4 83.5	wnw	0.6	ž	ž	ž	l 🙎	ž
	gʻ	-816	28.971	88.5	78.5	10.0	74.7	.845	.65	85.9	83.5		0.7					• •
	3 ,,	.798	.937	88.9	79.0	9.9	75.2	-861	.65	86-0	83.6	w n	0.7	1	}			
	4 "	.794	.913	87.8	79.2	8.6	76.0	-881	.69	85.2	83.7	WNW	0.6	1				
	<i>5</i> "	.798	.931	86.5	78.5	8.0	75.5	.867	.71	85-0	83.8	WbN	0.4		Ì			
	6 "	.815	.942	84.0	78.0	6.0	75.7	.873	.77	84.0	83.9	,,	0.5					
	7 ,, 8	.846 .856	.957	82.5 81.8	78.0	4.5 4.4	76.3 75.7	.889	.83	83.2	83.9 83.9	WNW	0.4		l			
	å "	.871	29.011	81.5	77.0	4.4	75.2	-860	.82	82.5	83.7	"	0.4					
	10 ,,	.880	.014	81.0	77.0	4.0	75.4	-866	.84	82.0	83.6	,,	0.2		•		1	
	11 ",	.877	-034	80.6	76.3	4.3	74.6	-843	.82	81.8	83.5	"	0.3					
May 1	3тн-Midnight	.862	.027	80.3	76.0	4.3	74.3	-835	.83	81.5	83.5	 wnw	0.2					
	l a. m.	.854	.017	80.1	76.0	4.1	74.4	.837	.83	81.2	83.5	,,	0.0					
	2 "	.847	.018	79.8	75.7	4.1	74.1	-829	.83	81.0	83.4	,,	0.2					
	3 "	.836 .840	.009	79.6 79.4	75.6 75.0	4.0	74.0	.827 .806	.84 .82	80.6	83.4	"	0.2					
	4 »	.855	.034	79.4	75.0	4.4	73.2 73.2	-807	.82	80.2 80.2	83.4 83.3	"	0.0 0.2					
	6 "	.873	.037	80.2	76.0	4.2	74.3	.836	.83	80.5	83.2	"	0.1					
	7 ,,	.900	.071	81.6	76-2	5.4	74.1	.829	.79	81.6	83.1	"	0.2					
	8 "	.914	.103	83.5	76.3	7.2	73.4	-811	.73	82.4	83.1	>>	0.1					
	9 "	.930	.114	85.5	77.0	8.5	73.7	.816	.69	83.0	83.2	·;"	0.2					
	10 ,, 11 ,,	.938	.130	86.3 86.3	77.0	9.3	73.3	.808 .799	.66 ⋅66	84.0	83.3	W b N WNW	0.3		.:		ا ء	.•
	Noon.	.924	.092	87.7	78.0	9.5 9.7	73.0 74.2	.832	.66	84.4 85.1	83.4 83.5		0.5 0.7	None.	None.	None.	None.	None.
	l p. m.	.894	.059	88.2	78.2	10.0	74.3	-835	.65	85.5	83.5	»	0.6	ž	ž	Ž	Ž	ž
	2 ,,	.869	.029	88.5	78.4	10.1	74.5	-840	•65	86.0	83.6	Wőn	0.7					
	3 "	.853	.004	88.9	78.7	10.2	74.8	•849	.64	86.2	83.7	WNW	1.0					
	4 "	.834	.005	88-0	78.0	10.0	74.1	-829	.65	85.4	83.7	NWbW	0.7	l				
	6	.838 .844	.016	85.0 83.5	77.0 76.4	8.0	73.8	-822 -815	.70 .73	84.5	83.8	wnw	0.6 0.4					
	7 "	.852	.029	82.0	76.0	7.1 6.0	73.5 73.6	-816	.77	83.5 83.0	83.9 83.9	NWbW	0.4					
	8 "	.878	.055	81.4	76.0	5.4	73.8	.823	.79	82.5	83.8	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	0.3					
	9 "	.892	.068	81.3	76.0	5.3	73.9	.824	.79	82.3	83.7	nw	0.4		1			
	10 ,, 11 ,,	.892 .892	.083 .100	80.9 80.6	75.5 75.0	5.4 5.6	73.3 72.7	.809 .792	.79 .78	81.8 81.5	83.6 83.5	nnw	0.5 0.3					
	·																	
May 14	4тн-Midnight		.082	80.0	75.0	5.0	73.0	.799	.80	81.3	83.4	NNW	0.3			1		
	la.m.	.864	.062	79.7	75.0	47	73-1	.802	.81	80.9	83.4	NW'bN	0.2					
	2 ,,	.854 .855	.054 .063	79.5 79.2	74.9 74.6	4.6 4.6	73.0 72.7	.800 .792	.81 .81	80,5 80.1	83.4 83.4	NW NW	0.1					
	3 ,, 4	.862	.090	79.0	74.0	5.0	71.8	.772	.80	80.1	83.3	1	0.1	انه	انها	ان	ø	ø.
	5 ,,	.866	.085	78.8	74.2	4.6	72.2	.781	.81	80.0	83.2	"	0.2	None.	None.	None.	None.	None.
	6 "	.886	.088	79.4	74.8	4.6	72.9	.798	.81	80.3	83.1	"	0-1	Z	Z	z	Z	Z
	7 "	.921	.144	82.0	75.0	7.0	72.0	.777	.73	81.7	83.0	,,	0.2	l	ı			
	8 "	.934	.151	85.0	76.0	9.0	72.3	.783	.67	83.0	83.1	NWbN	0.3		Ì	l		
	9 ,,	.946 .945	.168 .180	86.2	76.2	10.0	72.1	.778	.64 .62	84.0	83.2 83.2	"	0.5 0.7		l	1		
	10 ,,	UPG.	1 .100	86.6	76.0	10.6	71.6	.765	.02	84.4	00.2	27	V./			1		

Τ.	i	I	
Amount of Clouds.	Observers.	STATE OF THE WEATHER.	Remarks.
Ψшο		Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) i cirro-strati; \(\sigma\) i cumulo-strati; and \(\sigma\) i nimbi.	
4	В	D fleecy clouds scattered about moving ESE.	Mean daily temperature of ground
6	G	,, ,, ,,	20 and 60 inches below its sur-
6	G	" " " " " " " " " " " " " " " " " " "	face 85:0 and 84:1.
6	G	n, n, n, n, n, n, n, n, n, n, n, n, n, n	12th May was the 13th day on
5	G	N and N₁ scattered throughout; latter moving SE.	which lightning was observed
4	C	vi in E; vi throughout moving SE.	after sunset.
5	C	vi in E; vi throughout moving SE; haze in E; black mist in W.	
6	C)))))))))))))))	
5	B	L withroughout moving ESE; haze in hor.	
2	В		
1	В	w in W; wi in E; haze in hor.	
3	В	from NE to SE; where and there; haze in hor.	
6	G	in NE and E hor.; \vee and \wedge i scattered about; haze.	
6	G	1	
6	G)))) () () () () () () () () () () () (
6	C	D w throughout moving E; A and A in N, NE and E hor.; haze.	
6	C	22 22 22	
6	C		NE.
6	C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	tning
5	B	L wis scattered about moving ESE; no lightning.	"
3	В		
	-))))))))))))))))))))))))))	
3		L v. scattered about moving SE.	
4	B	1	Mean daily temperature of ground
4	G)	20 and 60 inches below its sur-
4	G), , , , , , , , , , , , , , , , , , ,	face 85:0 and 84:1.
4	G	" " " " " " " " " " " " " " " " " " "	13th May was the 14th day on
4	0	vi in E; vi throughout moving ESE.	which lightning was observed
5	C	y in N and S; y throughout moving ESE; mist.	after sunset.
5	C	<u> </u>	·
5	В	throughout moving ENE.	
6	В	throughout moving to NE.	ì
7	В	"	
4	В	o in NE and E hor.; o scattered about moving NE.	
4	G	A in ME and E nor.; At scattered about moving ME.	i i
3	G	" " " " " " " " " " " " " " " " " " "	
4	G	or from N to SE hor.; we here and there; light mist.	
5	C	or in NE; or in E; we all round hor.; we about the zenith.	
6	C	in NE and B; A throughout moving E; Val here and there; lightning in NE hor, after 6h. 44m.	NE
5 4	C	n and n scattered throughout; a few v here and there; continuous lightning in	NE.
4	В	L wi throughout moving E; lightning in NE and E at every minute.	"
5	В	.	
2	В	scattered about; lightning in NE and E at intervals.	
1 1			·
1	В	Clouded around hor.	Mean daily temperature of ground
11	G	"	20 and 60 inches below its sur-
2	G	" Don't was a second of TOT	face 85:1 and 84:1.
6	G G	and we here and there; we throughout moving to ESE.	1
6 5	C	"throughout moving SE."	1
5	C	throughout moving SE; E hor. unusually clear.	
5	C	,, ,, ,, ,,	1
5	C	, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	1
2	В	✓ around hor.	1 1
2	B B	n n	1
+ !	Д	7 27 27	

			DARD (BTBR.	THER	MOMBT	ERS.	7.	O.P.	AIR.	GRO THERMO	UND METERS.	Wind P Osler's G		RAIN.	1		INSTR	
	Bombay					Depres-	DUCED-POINT	TRE O	r or	d. in	6 5				 	Read	ings of	= 20 4
~~	CIVII IIIIe.	Corrected to 89° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	sion of Wet Bulb below Thermo- meter in the Air.	Dedu Dew-P	Presure Moisture	Нимівітя	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's	Sign of Blectrici- ty + or —	Strawnoi Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
May	14тн-Noon.	in. 29.916	in. 29.166	88:0	76:0	12:0	71:0	in. 0.750	0.58	85.3	83°5	NW b W	lbs. 0.5	in.	·	Sc. div.	Sc. div.	m, s,
***	l p. m.	.886	.138	88.2	76.0	12.0	70.9	.748	.57	85.7	83.5	WNW	0.6					
	2 ,,	-862	.095	88.6	76.6	12.0	71.6	.761	.59	86.0	83.6	,,	1.0			}		
	3 ,, 4	.836 .819	.058	89.0 87.9	77.0	12.0	72·1 72·6	.778 .790	.59 .62	86.4	83.6 83.6	"	1.0	1 3] ;	a:
	5 ,,	825	.046	85.4	76.0	9.4	72.1	.779	.66	84.0	83.7	"	0.8	one	None.	None.	u o	one.
	6 "	-828	.025	83.2	76.0	7.2	73.1	.803	.73	83.0	83.8	,,	0.9	Ž	Z	Z	Z	Ž
	7 ,, 8	.833 .848	.052	81.6	75.0 74.5	6.6	72.2 71.7	.781 .769	.74 .74	82.5 82.0	83.8	NW b W	0.7					
	9 ,,	-862	.107	80.5	74.0	6.5	71.2	.755	.74	81.6	83.6	nw	0.6		1		ļ	
	10 ,,	.871	.112	80.2	74.0	6.2	71.3	.759	.75	81.4	83-5	,,	0.2		ļ			
	11 "	.868	.107	80.0	74.0	6.0	71.4	.761	.76	81.1	83.4	"	0.2					
May 1	6тн-Midnight		.058	79.0	74.0	5.0	71.8	.772	.80	80.5	83.4	NW b W	0.1					
	l a. m. 2	.814	.051	79.8 79.8	74.0 74.0	5.8 5.8	71.5 71.5	.763	.77 .77	80.6 80.5	83.3	"	0.2					
	3 ,,	.808	28.989	79.8	75.4	4.2	73.7	.763	.83	80.3	83.2 83.2	,,	0.1			ł		
	4 ,,	∙816	.997	79.6	75.4	4.2	73.9	.819	.83	80.2	83-1	"	0.2					
	5 ,, 6	-828	29.024	79.5	75.0	4.5	73.1	-804	.82	80.2	83.1	"	0.1		į		1	
	7 "	.836 .855	.056	80.0 81.6	74.5 74.6	4.5 7.0	72.2 71.6	.780 .766	.78 .73	80.4	83.0 82.9	NW bN	0.1		l			
	8 "	.872	.124	84.6	75.0	9.6	70.9	.748	.65	83.0	82.9	NNW	0.2					
	9 "	.875	•150	86.7	75.0	11.7	69.9	.725	.59	84.0	83.0	,,,	0.2				1	
	10 " 11 "	.871	.134	87.4	75.5 76.0	11.9	70.4	.737	.58 .58	84.6	83.2	N b W NNW	0.3	.:	نه			
	Noon.	.835	.092	88.6	76.0	12.6	70.7	.743	.57	85.5	83.4	NWbN	0.3	one.	one.	None.	None.	one
	1 p. m.	-808	.093	89.8	75.6	14.2	69.5	.715	.53	86.0	83.5	WbN	0.1	2	Ž	Z	Ž	Z
	2 " 3 "	·782	.054	90.0	76.0 76.6	14.0	70.0 71.5	·728 ·764	-53 -58	86.6 86.6	83.6	W	0.2	1	l			
	4 ,,	753	28.983	88.7	76.7	12.0	71.8	.770	.59	86.5	83.6	WbN	0.2		ļ			1
	5 ,,	.757	29-007	88.0	76.0	12.0	71.0	.750	-59	86.0	83.7	"	0.3					
	6 "	· .763	28.980 29.002	85.0 83.2	76.0 75.0	9.0	72.3 71.5	.783 .764	.67 .69	85.0	83.8	w	0.2					
	8 ,,	.787	.014	82.4	75.0	7.4	71.9	•773	·09 ·71	84.0 83.0	83.8	wsw	0.1					
	9 "	-808	.048	81.5	74.4	7.1	71.4	.760	∙7 3	82.5	83.6	Wbs	0.2					
	10 ,, 11 ,,	.825 .825	.075	81.0	74.0	7.0	71.0 71.2	. 750	·73	82.0	83.6	,,,,	0.3					
	11 ,,	.025	.070	81.2	74.2	7.0	. 11.2	.755	.7 3	82.0	83.6	WbN	0.4	ŀ				
May 1	7тн-Midnight		.101	80.7	73.0	7.7	69.5	.716	.70	81.5	83.5	Wbn	0.4					
	l a. m. 2 ,,	.804	.080	80.0 79.8	73.0 74.5	7.0 5.3	69.9 72.3	.724 .783	.72 .79	81.0	83.5 83.4	wnw	0.3					
	3 ,,	.799	.016	79.8	74.5	5.3	72.3	.783	.79	80.4	83.2	NWbW	0.2		!			
	4 ,,	.803	.015	79.6	74.6	5.0	72.5	.788	-80	80.0	83.0	,,	0.1					
	δ " 6 "	.805 .817	.046	78.5 79.2	73.5 74.0	5.0 5.2	71.3 71.8	.759 .770	.80 .79	80.0	83.0 82.9	"	0.1					
	7 ,,	.833	.057	82.1	75.0	7.1	72.0	.776	.73	81.2	82.8	,,	0.2					
	8 ,,	.847	.079	86.4	76.0	10.4	71.7	. 768	.63	83.8	82.8	Ebs	0.2					
	9 ,, 10 ,,	.858 .857	.089	88.0 88.0	76.5 76.2	11.5	71.7 71.3	.769 .758	.60 .59	85.0 85.0	83.0 83.1	ese	0.1					
	11 ,,	.848	.070	89.0	77.0	12.0	72.1	.738 .778	.59 .59	85.6	83.2	SWbS	0.2	نه	انها	نه	ď	نه
	Noon.	.832	•065	90.0	77.0	13.0	71.6	.767	-56	86.2	83.4	wsw	0.3	None.	None.	None.	None.	None.
	1 p. m. 2	.813 .794	.036	90.6	77.4	13.2 13.3	72.0 72.1	.777 .779	.56	87.0 87.4	83.5	w"	0.2 0.2	~	4	4	4	4
	3 ,,	.789	28.993	91.0	78.0	13.0	72.1 72.8	.779 .796	.56 .57	87.4	83.5 83.6	WNW	0.2					
	4 ,,	.776	.966	89.7	78.0	11.7	73-3	.810	.60	87.0	83.7	"	0.4					
	5 ,, 6	.781 .794	.992 29.011	88.0	77.0	11.0 9.3	72.6	.789	.61	86.0	83.8	"	0.3					
	7 ,,	•802	.004	85.4 83.6	76.1 76.0	9.3 7.6	72.3 72.9	.783 .798	.66 .71	85.0 84.2	83.9 83.9	W b N WNW	0.3					
	8 ,,	. 825	810.	82.8	76-0	6.8	73.2	-807	.74	83.4	83.8	,,	0.2					
	9 ,,	•840 851	.030	82.5	76.0	6.5	73.3	-810	.75	83.0	83.7	"	0.3		ļ.			
	10 ,,	.851 .845	.057 .068	82.2 82.0	75.5 75.0	6.7 7.0	72.8 72.0	.794 .777	.74 .73	82.6 82.4	83.7 83.6	nw"b w	0.2 0.2	1	1	1 }		

	1		
Amount of Clouds	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \in i cirro-cumuli; \in i cirro-strati; \in i cumulo-strati; and \in i nimbl.	Rewarks.
0 1 2 2 3 2 1 0 0 0 0	B G G G C C C C	A few wi in E, SE and W hor. """ """ """ """ """ """ "" ""	•
2 5 6 6 6 5 6 5 4 2 2 2 2 4 5 5 6 6 6 5 4 2 3 5	B G G G C C C B B B G G C C C C B B B G G C C C C	Scattered about; lightning in NE hor. at intervals of about 2m. I and we throughout; the latter moving SE; lightning in E and NE hor. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 85°3 and 84°2. At 1 p. m. the temperature of calculated dew-point was 69°5, lowest in the month, and about 7°1 lower than the normal mean. 16th May was the 15th day from the beginning of the year on which lightning was observed.
- 1	B G G G C C C B B B B G G C C C C B B B B	D wi scattered about moving SE. I wi and L wi throughout; wi moving SE. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 85°2 and 84°1. Lowest temperature of evaporation during this month occurred at midnight and I A. M. 17th May was the 16th day on which lightning was observed after sunset.

	STAN Baron		Тнвя	MONET	BRS.	.:	. o M	AIR.		METERS.	Wind F Osler's G		RAIN.	Erro	TRICAL	Instru	
Bombay Civil Time. 1864.	Corrected to 82° Fahr.	for	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF Moisture.	HUMIDITY OF	Thermometer Huch In the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or —	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis-
MAY 18TH-Midnight	in.	in. 29.049	81:6	75.0	6:6	72:2	in. 0.781	0.74	82:1	83.6	NW	lbs. 0.4	ia.		Sc. div.	Sc. div.	m. s.
l a. m.	.828	.041	81.1	75.0	6.1	72.5	.787	.76	81.7	83.5	,,	0.3					
2 ,,	.826	.009	80.9	75.7	5.2	73.6	.817	.79	81.5	83.4	N	0.1		į			
3 ,, 4	.822 .823	.012	80.4	75.4 75.0	5.0	73.3	.810 .799	.80 .80	80.8 80.5	83.4 83.4	NNW	0.2	1				
5 ,,	.825	.024	80.0	75.0	5.0 5.0	73.0 73.0	.799	.80	80.5	83.3	N	0.1			ł		
6 "	.849	.049	80.3	75.1	5.2	73.0	.800	.79	80.6	83.2	N b W	0.1					
7 ,,	.871	.078	83.3	75.8	7.5	72.7	.793	.71	82.0	83.1	NNE	0.2		Ì		1	
8 ,, 9 .,	.889	.095	85.8 87.8	76.5 76.3	9.3	72.8 71.5	.794	.66 .60	83.8 85.0	83.1	NE NE b E	0.1					
10 ,,	.893	.133	88.7	77.0	11.5	72.2	.781	.60	85.7	83.4	ENE	0.1	one.	one.	one.	one.	None.
11 ,,	.880	.069	89.6	78.0	11.6	73.4	.811	.61	86.4	83.6	WNW	0.5	Z	Ž	ž	ž	ž
Noon.	.865	.058	90.0	78.0	12.0	73.2	-807	.59	87.0	83.8	NW	0.6		į			
1 p.m.	.836	.025 28.985	90.4	78.2 78.5	12.2	73.4	.811 .834	.58 .62	87.4 87.1	83.8 83.9	WbN	0.7				1	
3 , ,	.792	.935	89.3	79.0	11.0	74.3	.857	.63	87.0	84.0	,,	1.0		1			
4 "	.777	.906	88.0	79.0	9.0	75.6	.871	.68	86.2	84.1	"	1.4			l		
5 "	.778	.922	87.0	78.4	8.6	75-1	-856	.69	85.3	84.1	,,	0.6				1 1	
6 " 7 "	.790	.983	85.0 83.5	76.6 76.2	8.4	73.2	.807	.69 .72	84.7	84.2	,,,	0.7				1	
8 ,,	.820	29.015	83.0	76.2	7.3	73.3 73.2	.805	.73	83.6	84.2	,,	0.6					
9 "	.847	.018	82.6	76.5	6.1	74.1	.829	.76	83.2	84.0	"	0.5					
10 ,,	.863	.014	82.5	77.0	5.5	74.8	.849	.79	83.0	84.0	WNW	0.3					
11 ,,	.863	.010	82.2	77.0	5.2	75.0	.853	.80	82.7	84.0	,,	0.2					
May 19th-Midnigh		.035	81.7	76.0		73.7	.819	.78	82.5	83.9	WNW	0.2					
1 a.m. 2	.838	28.992	81.4	76.6		74.7	-846	.81	82.1	83.8	,,,	0.3	1				
3 ,,	.820	.981	80.9	76.5 76.0	4.4	74.8	.850 .831	.82	81.7	83.7	NWbW	0.2	i				
4 ,,	.816	.982	80.4	76.0		74.3	.834	.82	81.2	83.6	,,	0.2					
5 , ,	.830	29.022	79.2	75.0	4.2	73.3	.808	.83	81.0	83.5	,,	0.1				1	
6 "	.853 .875	.012	79.7 83.5	76.0		74.5	-841	.85	81.0	83.4	,,	0.1					
8 ,,	.883	.052	86.0	77.0		74.4 74.1	.838	.75	82.7 84.0	83.4	"	0.1					
9 ,,	.890	.050	87.0	78.0		74.5	-840	.67	85.0	83.7	"	0.3					
10 ,,	.888	.017	88.0	79.0		75.6	.871	.68	86.0	83.9	WŃW	0.4	l oi	6			a:
ll " Noon.	.882	28.984 .956	89.4 89.6	80.0	9.4	76.6	-898	.67	86.5	84-1	.,,	0.5	None.	None.	None.	None.	None.
1 p. m.	.846	.918	89.8	80.5 80.8	9.1	77.2	.917	.68 .68	86.9 87.0	84.2 84.2	WbW	0.6	Z	Z	Z	Ž	Z.
2,,	.816	.902	89.9	80.5	9.4	77.1	.914	.67	87.2	84.3	ì	1.0					
3 ,,	.782	.859	89.0	80.5	8.5	77.4	.923	.70	86.9	84.4	"	0.7	ļ				
4 ,, 5	.764	.835	88.1	80.4	7.7	77.6	.929	.72	86.0	84.5	,,	0.7					
6 ,,	.790	.926	84.8	79.0 78.0	7.8 6.8	76.1 75.4	.884	.71	85.4 84.4	84.5 84.6	NW bW	0.8					
7 ,,	.804	.924	83.4	78.0	5.4	75.9	-880	.69	84.1	84.6	NW	0.7	1	1			
8 ",	.825	.942	83.1	78.0	5.1	76.0	.883	.80	83.7	84.5	NWbW	0.4				•	
9 ,, 10 ,,	.8 <i>55</i>	.985 29.013	82.5	77.5	1	75.6	-870	.80	83.2	84.4	,,	0.2					
11 ,,	.853	28.998	82.2 82.0	77.0	5.2 5.0	75.0 75.0	•853 •855	.80 .80	83.0 82.6	84.4 84.3	nw	0.2					
Мач 20гн-Midnigh	.842	060	01.5	ma -					22.5		N						
l a. m.	.825	.963 .950	81.7	77.5	4.2	75.9 75.8	.879 .875	.83	82.6	84.2	NW b N WNW	0.3					
2 ,,	.822	.954	80.8	77.0	3.8	75.5	.868	.84	82.0 81.8	84.1 84.0		0.2		1			1
3 ,,	.822	.949	80.4	77.0	3.4	75.7	.873	.86	81.2	84.0	"	0.2	je.	je j	je j	نه	je j
4 "	.824	.949	80.2	77.0	3.2	75.8	-875	.87	81.0	83.9	"	0.1	None.	None.	None.	None.	None.
5 ,, 6	.836	.961	80.2 80.4	77.0	3.2	75.8 75.7	.875	.87	81.0	83.8	NW'b N	0.2	~	~	~	~	
7 ,,	.885	29.009	83.7	78.0	5.7	75.8	.876	.86	81.0 82.7	83.7 83.7	WNW	0.1			l		1
8 "	.889	.035	85.7	78.0	7.7	75.0	.854	.71	84.0	83.7	NNE	0.1	1				İ
9 ,,	.898	.011	86.5	79.0	7.5	76.2	-887	.72	84.6	83.9	NW	0.3					Ì
10 ,,	.891	28.997	87.0 88.0	79.0 79.2	8.0 8.8	76.0	.882 .879	.71	85.0	84.0	,,	0.3	I	1	1		I

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \i cirro-cumuli;	Remarks.
34 66 55 32 22 11 11 12 33 33 33 30 00 00	G G G C C C C B B B G G	wi scattered about; lightning in NE at times. I and L wi scattered about moving ENE. I throughout moving E; drops of rain at 2h. 39m. I scattered about moving E. L wi scattered all round hor. In E above hor.; light wi here and there; mist in hor. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 85°2 and 84°1. Maximum length of the spark by Ronald's measure. 18th May was the 17th day on which lightning was observed.
1 2 5 5 5 2 2 2 2 2 3 3 3 4 4 2 2 4 4 4 3 4 4 1 1 1	B G G G	"" "" "" "" "" "" "" "" "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 85.2 and 84.2. 19th May was the 18th day on which lightning was observed.
577654455311	B G G C C C B B	overcast with over moving SE. Overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE. overcast with over moving SE.	Mean daily temperature of ground 20 and 60 inches below its surface 853 and 843. 20th May was the 19th day on which lightning was observed after sunset.

		STAN Baro	DARD Keter.	Тнв	RMOMB:	rers.		o. B.	A1B.	GRO THREMO		Wind F Osler's G		RAIN.	RLECT	TRICAL	Instru	MENTS.
	Bombay		<u></u>		Γ	Depres-	DEW-POINT	B B O	ě,	inch d.	6 4					Readi	ngs of	Time in the gree of
	Civil Time.	Corrected to	Corrected	In the	Wet Bulb	sion of WetBulb below	KDU	PEESSURE MOISTURE	KIDITY	eter 1 3roun	meter e in nd.	Direction.	Pressure in lbs. per	By New-	Sign of Electrici-		1	ding legree
	1864.		Moisture.	Air.	meter.		DE	A M	=	Chermometer I lain the Ground.	Thermometer in the Ground.		Square Foot.	Gauge.	cy + or —		Strawson Volta 2.	interval of Tim recovering same degree tension after charse.
		in.	in.	<u>!</u>	! !	1		in.	=	<u>ē</u>	1	<u> </u>	lbs.	in.		Sc. div.	Sc. div.	m. s.
May	20тн-Noon.	29.861	28.999	88:8	79:0	9:8	75:3	0.862	0.66	860	84.2	NWbW	0.4					
	l p. m.	.825 .794	.947	89.7 89.9	79.6 80.0	10.1	75.9 76.4	.878	.65 .65	86.5 86.8	84.3 84.4	WNW	0.5					
	3 ,,	.768	.870	89.4	80.0	9.4	76.6	-898	.67	86.1	84.4	"	0.6			1		_
	4 ,,	.743	.837	88.6	80.0	8.6	76.8	.906	.69	86.0	84.4	"	0.5		١ , ١			_
	5 ,, 6	.748 · .767	.910	87.2 84.5	78.0	9.2 7.5	74.4	.838	.67	85.0 84.0	84.4 84.5	"	0.6	one.	one.	one	None.	None.
	7 ,,	•778	.937	83.3	77.0	6.3	74.5	.841	.76	83.5	84.5	,, ,,	0.5	Z	Ž	Z	ž	No
	8 "	.815 .829	.964	82.4	77.0	5.4	74.9	-851 -855	.79	83.2	84.5	,,	0.3					
	9, ,, 10' , ,	.833	.974	82.0	77.0	5.0 4.6	75.0 75.2	-859	.80	82.8 82.4	84.3 84.2	,, ,,	0.2					
	11 "	.831	.973	81.0	76.8	4.2	75.1	-858	.83	82.2	84.1	"	0.0					
May	21sT-Midnight	.810	.944	81.0	77.0	4.0	75.4	.866	.84	82.1	84.0	wnw	0.2					
	la.m.	.805	.938	80.9	77.0	3.9	75.5	-867	.84	81.7	83.9	,,	0.3					
•	2 ,, 3 .,	.798 .796	.931	80.9	77.0	3.9	75.5	-867 -870	.84	81.5	83.9 83.9	NW'b N	0.2					
	3 ,, 4 ,,	.808	.931	80.0	77.0	3.0	75.6 75.8	877	.88	81.0	83.8	NW	0.2					
	5 ,,	.821	.983	80.0	76.0	4.0	74.4	-838	.84	81.0	83.7	,,	0.3					
	6 ,,	.839	29.000	80.3	76.1	4.2 6.2	74.4	•839 •842	1.83	81.0 82.1	83.6 83.5	"	0.1					
	8 "	•864	.042	85.0	77.0	8.0	74.6 73.8	822	.76	83.5	83.6	"	0.2					
	9 "	.863	.014	86.2	78.0	8.2	74.8	-849	.70	84.5	83.7	,,	0.2	į				
	10 ,,	.861 .851	.061	87.0 87.6	77.0	10.0	73.0	-800 -814	.64	85.0 85.5	83.9	wnw	0.3	٠,	0:	ای		a:
	11 ,, Noon.	-822	28.962	89.0	79.0	10.1	73.5 75.2	-860	.65	86.1	84.1	,,,,	0.4	one.	oue.	one.	None.	one
	1 p. m.	.795	.922	89.4	79.4	10.0	75.7	-873	.65	86.4	84.2	Wbn	0.4	Z	Z	Z	Z	Z
	2 ,, 3 .,	.763 .730	.868	89.6 89.0	80.0	9.6	76.5	·895 ·902	.67 .68	86.7	84.2	wnw	0.6					
	3 ,, 4 ,,	.724	.813	88.2	80.0	9.0	76.7	.911	.70	86-0	84.3	,,	1.0					
	5 ,,	.731	.886	86.5	78.0	8.5	74.7	-845	.69	85.2	84.4	"	0.7					
	6 ,, 7 ,,	.733 .770	.877 .921	83.8 82.5	77.5	6.3 5.5	75.1 74.8	•856 •849	.76	84.0	84.4 84.3	,,	0.7					
	8 ,,	.778	.911	82.4	77.4	5.0	75.5	-867	.80	82.8	84.3	"	0.8	1				
	9 "	.789	.934	82.0		5.0	75.0	•855	.80	82.5	84.3	,,	0.6					
	10 " 11 "	-800 -800	.932	81.6		4.4	75.5 75.2	-868 -860	.83	82.3 82.2	84.2 84.1	٠,,	0.3					
	"						10.2			02		,						
May	23RD-Midnight	.817 .803	.931 .912	82.8 82.4	78.0 78.0	4.8 4.4	76.1	.886 .891	.81 .83	83.4 83.1	84.2 84.2	W b N NW b W	0.6		+	10		2.26
	2 ,,	.802	.924	81.8	77.5	4.4	76.3 75.9	.878	.82	82.8	84.1	NW	1.0		+	16		1.14
	3 "	.811	.947	81.2	77.0	4.2	75.4	.864	.83	82.0	84.1	NNW	0.5	l	+	20		0.50
	4 ,, 5 ,,	.823 .836	.954 29.028	80.7 79.2	77.0 75.0	3.7 4.2	75.5 73.3	.869	.85	81.4	84.0 83.9	,,	0.3		+	6		2.16
	6 "	.858	-054	79.5	75.0	4.5	73.3	.804	.82	81.0	83.8	"	0.1					1
	7,,	.878	.069	83.4	76.2	7.2	73.3	.809	.73	82.2	83.7	,,	0.1	.,				
	8 " 9 "	.888	.088	85.2 85.0	76.5	8.7 8.0	73.0 73.8	.800	.68	83.3 84.0	83.7 83.9	NW'bN	0.1	cent.				1
	10 ,,	∙896	•030	84.6	78.0	6.6	75.4	.866	.75	84.0	83.9	,,	0.4	one c			ne.	
	11 ,,	.893	•019	86.2	78.6	7.6	75.7	.874	.72	84.6	84.0	,,	0.3				None.	
	Noon. lp.m.	.873	.001 28.931	87.9 88.8	79.0 80.2	8.9 8.6	75.6 77.0	.872	.63	85.6 86.0	84.0 84.1	NW b W	0.4	Less than				
	2',,	.827	.925	89.0	80.0	9.0	76.7	.902	.68	86.2	84.2	,,	0.4	SS t				
	3 "	.800	.886	89.5	80.4	9.1	77.1	.914	.68	86.5	84.3	wnw	0.3	13				i
	4 ,, 5 ,,	.778	.905	88.7 87.5	80.0	8.7 7.5	76.8	.905	.69	86.0 85.0	84.4 84.5		0.2 0.2					
	6 "	.789	.905	85.3	79.1	6.2	76.8	•905	.76	84.7	84.6	,, ,,	0.3					
	7 "	.794	.919	83.6	79.0	4.6	77.3	.919	.82	84.2	84.6	"	0.4					
	8 " 9 "	.798	.924	83.2 82.6	79.0 78.9	4.2 3.7	77.5 77.5	.924 .926	.83	83.7 83.2	84.5 84.4	"	0.6 0.1					
	10 ,,	.809	.916	82.4	78.6	3.8	77.2	.916	.85	83.0	84.4	" "	0.1					
	11 .,	.807	.916	82.4	78.6	3.8	77.2	.916	.85	83.0	84.3	"	0.2					1

1.3	1		
Amount of Clouds 0-8.	٠ ج		
5 %	Observers.	STATE OF THE WEATHER.	REMARKS.
and a	o o		REMARKS.
A III		NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumult; \(\sigma\) i cumuli; \(\sigma\) i cirro-strati; \(\sigma\) i cumulo-strati; and \(\sigma\) i nimbl.	
1	В	in E above hor; or in NE and E hor.; or scattered about.	
5 5	G	o in NE and E; D scattered throughout.	
4	G	in NE; or in E and SE; vescattered about.	
4	G	extended from NNE to SE; N and N scattered about.	,
3 3	C	A extended from NNE to SE; N and N scattered about. A extended from NNE to SE; N and N is scattered about; lightning in NE and B after 6h. 45m.	
3	C	and of from NE to SE hor.; win E of zenith; continuous lightning in NE & E hor	
1 4	C B	and or in NE, E and SE; lightning in NE at intervals of about 2m.	
1	В	N and O in NE, E and SE; lightning at times.	·
3	В	F clouds scattered about moving ESE; no lightning.	
1	В	w in E; a few wi here and there.	Mean daily temperature of ground
6	G	L vi scattered throughout moving SE.	20 and 60 inches below its sur-
6	G	"	face 853 and 843.
4	G	" "	
3 3	C	scattered around hor.	
3	C	L'vi scattered about; mist in E and W hor.	
3 2	C B	,, scattered around hor.; mist.	
lī	В	1	
	В	ou in NE, E and SE hor.; ou extending from N to W.	
2	B	extended from NE to SE hor.; v in SW; mist in W.	
$\begin{vmatrix} 2\\2 \end{vmatrix}$	G	" "	•
4	G	or in NE; or in E and SE; and or in W; mist.	
2	В	11 11	
2	B	" "	
2	В	of along E hor.; and of along W hor.	
	B	and on around the E and W hor.	
1	В))))	
I		•	
8	В	Overcast with D va and va, both moving slowly to W.	Mean daily temperature of ground
8 8	Q Q	Overcast with n ; fresh breezes of wind from NW. Overcast with n moving SE; drops of rain after 2h. 27m.	20 and 60 inches below its sur-
8	G	Overcast with var moving SE; drops of rain from 3h. 9m. to 3h. 42m.	face 85:4 and 84:3. Greatest temperature of calculated dew-
3 7	G	Overcast with vi moving SE. vi and vi scattered throughout, the latter moving SE.	point occurred at 9 P. M. in this
8	C	" " " " " " " " " " " " " " " " " " "	month. 23rd May was the 1st day on
6 8	C	" about the zenith; " throughout; mist in hor. [fall at 9h. 30m.]	which fall of rain however small
8	В	Overcast with n and n, the latter moving slowly to NNW; drops of rain began to	was recorded from the beginning of the year.
8 8	B	Overcast with vermoving NNW; drops of rain ceased to fall after 10h. 25m. Overcast with vermoving NNW.	•
7	В	we and we throughout; we moving N; mist in W.	
7 7	G	" "	
6	G	" scattered throughout; L" we here and there; mist.	
6 5	G	in N; v throughout moving NE.	
5	C	,,	
5 3	C	Du scattered throughout moving ENE.	·
4	C	29 99 99 29 99	
5 6	C	<i>y</i>	
, 🤫	. •	27 27 29	·

	BARON		Тнв	RMOMET	ERS.		sá	AIR		UND METERS.	WIND F.		RAIN.	ELECT	RICAL	INSTRU	MENTS.
Bombay Civil Time. 1864.	10	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Thermo-	DEDUCED DEW-POINT	PRESSURE OF MOISTURE	HUMIDITY OF	Thermometer Linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawsof	Strawsof Volta 2.	recovering the same degree of tension after dis- charge.
100%					meter in the Air,			Hr	Theru	The	-	Foot.			Volta 1.	Volta 2.	Interval recover same tension charge.
MAY 25TH-Midnight	in. 29.791	in. 28.899	82:3	780	4.3	76°4	in. 0.892	0.83	83:0	84.4	wbs	lbs. 0.5	in.		Se. div.	Se. div.	m. s.
1 a. m.	.775	.889	81.8	78-0	3.8	76.5	-886	.81	82.8	84.4	NWbW	0.4				1 1	
2 ,,	.770	.870	81.5	78.0	3.5	76.6	.900	.86	82.2	84.4	,,	0.3					
3 "	.767	.864	80.9	77.9	3.0	76.7	.903	.88	82.0	84.3	NW	0.2			1		
4 ,,	.767	.894	80.4	77.0	3.4	75.7	-873	.86	81.5	84.2	"	0.2					
5 ,,	.782	.932	79.3	76.1	3.2	74.8	-850	.87	81.2	84.1	,,	0.1					8
6 ,,	.800	.925	80.2	77.0	3.2	75.8	.875	.87	81.2	84.0	"	0.2			/.		
7 ,,	.812	.939 .953	82.9	77.7	5.2	75.7	.873	.80	82.3	83.9	"	0.1		1) I	
0 "	·822	.974	84.4 85.8	78.0 78.0	6.4 7.8	75.5 75.0	.869 .853	.76 .71	83.1 84.0	83.9 84.0	,,	0.1					
10 "	.822	.982	87.0		9.0	74.5	-840	.67	84.8	84.1	w	0.2					.:
11 ,,	.811	.967	88.6		10.1	74.6	-844	.65	85.6	84.2	wsw	0.2	None.	None.	None.	None.	None.
Noon.	.801	.972	89.0		11.0	74.1	.829	.62	86.0	84.4		0.2	ž	Z	Z	Z	Z
1 p. m.	.774	.953	90.2		11.8	73.8	.821	.60	86.6	84.5	w's	0.3	1	1		- 1	
2 ,,	.755	.921	91.4		12.4	74.3	.834	.58	87.0	84.5	,,	0.4					
3 "	.738	.904	91.4		12.4	74.3	.834	.58	87.6	84.6	"	0.3					
4 ,,	.732	.897	91.3		12.3	74.3	.835	•59	87.5	84.7	,,	0.2					
5 ,,	.738	.887	89.8		10.8	74.9	-851	.63	86.8	84.8	"	0.2				1	
6 "	.750	.889	87.0		8.5	75.2	.861	.69	86.0	84.9		0.2	1				
7 "	-760	-921	84.6		7.3	74.4	-839	.73	85.0	84.9	w	0.1				1 4	
8 "	.765	.930	83.8	77.0	6.8	74.3	-835	.74	84.6	84.9	117 6	0.1			1		
9 "	.770 .772	.954 .962	82.8 82.5	76.2 76.0	6.6	73.6 73.3	-816 -810	.75 .75	83.5	84.7	Wbs	0.1		1			
11 ",	.766	.950	82.0		6.0	73.6	.816	.77	83.3 83.0	84.6 84.5	wsw	0.1					
Лау 26тн-Midnight	.742	.922	81.6	76.0	5.6	73.7	.820	.78	82.5	84.5	wsw	0.2					
l a. m.	.724	.897	81.0	3.75	5.0	74.0	.827	.80	82.1	84.4	,,	0.1		+	2	V	3.11
2 ,,	.709	.881	80.9	76.0	4.9	74.0	.828	.80	82.0	84-3	,,	0.1		+	1		Above 10m.
3 "	.711	.888	80.6	75.8	4.8	73.8	.823	.81	81.6	84.1	"	0.1		+	6		2.00
4 ,,	.723	.924	80.0	75.0	5.0	73.0	.799	.80	81.0	84.0	"	0.1	1	+	6		1.51
5 "	.734	.932	79.7	75.0	4.7	73.1	.802	.81	80.6	84.0	2)	0.1					
6 "	.754	.922	80.5	76.0	4.5	74.2	.832	.82	81.0	83.9	" "	0.1					
8	.772	.967	83.0	76.0	7.0	73.2	.805	.73	82.2	83.8	Wbs	0.1	1	1		3	
0 "	.778 .787	.951 .987	84.5	77.0	7.5	74.0	.827 .800	.72	83.1	83.8	w'nw	0.1			0.00		
10	.789	.993	85-6 87.5	76.6	9.0	73.0 72.8	.796	.67 .63	84.0	83.9 84.0	W	0.2					
11	.783	.977	88.6	77.6	11.0	73.2	.806	.62	85.0 85.5	84.1	Wbs	0.2	None.			None.	
Noon.	.765	.953	89.5	78.0	11.5	73.4	-812	.61	86.0	84.2	WNW	0.3	ž			Z	
1 p. m.	.745	.926	90.4	78.4	12.0	73.7	-819	.59	86-6	84.3	NW b W	0.2	1.57				Y 10
2 "	.727	-889	91.0	79.0	12.0	74.4	-838	.59	87.0	84.4	,,	0.2					
3 "	.708	.834	90.9		11.1	75.7	-874	.62	87.0	84.4	"	0.3					
4 ,,	.700	.826	90.9	79.8	11.1	75.7	-874	.62	87.0	84.5	,,	0.2					
5 ,,	.711	-851	89.0		10.0	75.2	-860	.65	86.6	84.6	NW	0.3					
6 "	.716	-858	86.5		8.2	75.1	-858	.70	85.5	84.7	NW'b N	0.3					
7 ,,	.726	.859	84.5		6.5	75.5	-867	.75	85.0	84.7	NWBN	0.3				1	
8 "	.732 .745	.859	84.0		6.0	75.7	-873 -843	.77	84.4	84.6	NNW	0.2				1 1	
10	.765	.917	82.6		6.1 5.6	74.6	-848	.76 -78		84.4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.2					
11 ",	.766	.918	82.6		5.6	74.8	-848	.78	83.5	84.4	wnw	0.0					
MAY 27TH-Midnigh	.756	.925	82.4	76.5	5.9	74.1	.831	.78	83.2	84.4	WbN	0.2					
1 a. m.	.733	.881	82.3		5.3	74.9	-852	.79		84.3	Wbs	0.1				1	
2 ,,	.728	.873	8.20	77.0	5.0	75.0	-855	-80	82.1	84.2	,,	0.2					
3 ,,	.720	.900	81.6		5.6	73.7	-820	.78	82.0	84.1	,,	0.1					
4 ,,	.716	.856	81.5		4.5	75.2	-860	.82	82.0	84.0	WbN	0.2					
5 ,,	.728	.894	81.2		4.2	74.3	-834	.83	81.8	83.9	,,	0.1	15	100	100		
6 ,,	.749	.874	81.7	77.4	4.3	75.8	-875	.83	82.0	83.8	NY	0.2	None,	None.	None.	None.	None.
7 ,,	.768	.879	84.0	78.4	5.6	76-3	-889	.78	83.0	83.8	NW b W	0.1	No	No	No	No	10
0 "	.778 -788	.916	86.5	78.4	8.1	75.3	•862 •875	.70	84.4	83.9	NW	0.1	-	7	-	~	-
10	.792	.913 .923	87.6 88-2		8.6 9.2	75.8 75.5	-869	.69 .67	85.4 86.0	84.0 84.1	NW b N NNW	0.2				0.00	
1.7	.774	.907	89.2		10.0	75.5	-867	.65	86.5	84.1	NWbN	0.2		9		W	
11 ,,		1 .007	03.2	1 79.4	1 10.0	70.0	-007	1 .00	00.0	04.2	1 11 0 14	0.4		L			

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \l cirri; \lambda \l cirro-camuli;	Remarks.
•	1	Ai cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbi.	
3 2 4	B G	vi scattered all round moving SE. in N; vi around hor. L vi scattered about moving SE.	Mean daily temperature of ground 20 and 60 inches below its surface 85.5 and 84.4.
5	G	l	race colo and cris.
5	G	"	
4	c	" "	!
5	C	"	
5	C	about the zenith; or scattered about; mist in E hor.	
5	C	,, ,, ,,	·
2	В	№ around hor.; mist-	
2	В	in E and S; vi around rest of the hor.; mist.	
2	В	v from NE to S; vv scattered about; mist.	1
2	В	" "	
2	G	y and any continued about a base in T	
	G	u and w scattered about; haze in E.	1
lil	G G	" "	1
3	C	"scattered about moving E.	
3	C	" " "	Į į
5	C	" " " " " " " " " " " " " " " " " " "	i
3	C	,,	
2	В	🕶 all round hor.	
3	В	"	
3	В	" "	
1 1			
3	В	scattered around hor.	Mean daily temperature of ground
5	G	L vi throughout moving E.	20 and 60 inches below its sur-
3	G	in NW; scattered about.	face 85.6 and 84.5.
3	G	39	
6	G	" "	1
4	C	scattered throughout moving E.	
5	C	"	
5	C	"	}
5 2	B	around hor.; haze in E and W hor.	1
3	В		
3	В	27 27 27 27 27 27 27 27 27 27 27 27 27 2	
3	В	,, ,,	* (
4	G	L'us scattered about moving E; mist in hor.	
4	G	" "	
4	G	" " " " " " " " " " " " " " " " " " "	
5	G	vi and vi scattered about moving E.	
5	a	"	
5	o	" "	
3	C	n all round hor.	
2	В	,, ,,	
1	В	, , , , ,	1
3	В	scattered around hor moving E.	
1			
3	В	L val all round hor.	Mean daily temperature of ground
3	G		20 and 60 inches below its sur-
5	G	"throughout moving ENE.	face 85:7 and 84:6.
5	G	,, ,	
5	G	" "	1
4	C	n ,) I
6	C	"	
3	C	Democlar alouded with an experience	1
7	C	Densely clouded with vi moving E.	
3	B	F clouds scattered about moving ESE.	
2	В	scattered around the hore; mist in E.	1
, -		1 4 5 0000000 AM MIANIM 1910 9919. 3 999190 119 991	

			NDARD METER.	THE	RMOME	rers.		, si	AIR.		OUND OMETERS.	WIND F OSLER'S G		RAIN.	ELEC	TRICAL	Instri	UMBRTS,
	Bombay	Corrected	Corrected		WetRulk	Depression of	DEW-POINT.	PRESSURE P MOISTURE.	TY OF	er linch	neter 6 in the d.		Pressure	By New-	Sign of	1	ngs of	Time in the gree of fer dis-
	Civil Time.	32º Fahr.	for	In the	Thermo- meter.	below	DEW DEW	PR OF M	HUMIDITY	Thermometer linch in the Ground,	Thermometer 6 inches in the Ground,	Direction.	per Square Foot.	man's		Strawsof	Straws of Volta 2.	Interval of Time recovering the same degree tension after discharge.
May	27тн-Noon.	in. 29.761	in. 28.912	90°0	7 9°0	11:0	74°8	in. 0.849	0.62	87:0	84:4	NWbN	lbs. 0.3	in.		Sc. div.	Sc. div.	
	l p. m.	.738 .723	.872 .845	90.4 91.3	79.5 80.0	10.9	75.4 75.9	.866	.62	87.2 87.6	84.5 84.5	nw	0.3					
	3 ,,	.707	-810	91.5	80.5	11.0	76.5	.897	.63	87.9	84.6	NWbW	0.3					
	4 ,,	.707	.826	91.0	80.0	11.0	76.0	.881	.63	87.0 86.8	84.7	,,	0.2	١.	.			•
	o "	.714	.821 .840	89.8 87.5	80.0 79.0	9.8 8.5	76.4 75.8	.893 .876	.69	86.3	84.7	wnw	0.3	None.	one.	None.	None.	None.
	7 ,,	.719	.818	85.3	79.0	6.3	76.7	.901	.76	85.7	84.9	wbn	0.2	Z	Z	Z	Z	Z
	8 " 9 "	.732	.849 .880	84.6 83.9	78.4 78.0	6.2 5.9	76.0 75.7	-883	.76	85.1 84.5	\$4.8 84.6	NW b W	0.1			\		
	10 ,,	.766	.925	83.3	77.0	6.3	74.5	.874	.76	84.0	84.6	WNW	0.2			ł		
	11 "	.764	.918	82.8	77.0	5.8	74.7	-846	.77	83.6	84.5	WbN	0.1					
IAY	28TH-Midnight		.899	82-6	77.0	5.6	74.8	.848	.78	83.5	84.5	WbN	0.2					
	la.m. 2	.734	.881 .872	82.2 81.8	77.0	5.2 4.8	75.0 75.1	.853	.80	83.0 82.5	84.4	w w	0.1				}	
	3,,	.727	.887	81.6	76.5	5.1	74.5	.840	.80	82.4	84.3	,,	0.1		1			
	4 ,,	.727	-892	81.3	76.3	5.0	74.3	.835	.80	82.4	84.3	WÉN	0.1					
	5 ,, 6	.746	.916 .898	80.7	76.0	4.7	74.1 75.1	.830	.81	82.0 82.2	84.1	,,	0.1					
	7 ,,	.770	.959	85.6	76.9	8.7	73.4	-811	.68	84.0	84.1	w	0.2					
	8 ,,	.785	.985	87.0 88.0	77.0	10.0	73.0			84.7 85.2	84.1	WNW	0.1		ند		٠,	
	9 ,, 10 ,,	.800	.982	89.0	77.5	10.5	73.3 73.6			86.0	84.2	wőn	0.3	one.	None.	None.	None.	None.
	11 ,,	.780	.967	90.2	78-2	12.0	73.5	-813	.59	86.6	84.4	,,	0.2	Ž	Z	Z	Z	Z
	Noon. 1 p. m.	.771	.929	90.6	79.0 79.6	_	74.6 75.1			87.0 87.9	84.6	NW b W	0.3					
	2 ,,	.736	.866	92.0	80.0	12.1	75.6		1		84.8	WbN	0.1				1	
	3 ,,	.719	.871	92.0	79.5		74.8			88.5		WNW	0.2		1			
	4 ,, 5	.705	.852 .842	91.6	79.5 79.5		75.0 75.5			88.4 87.5	84.9 85.0	wőn	0.2	1				
	6 ,,	.714	.840	87.7	79.0	8.7	75.7	-874	.69	86-6	85-0	,,	0.2					1
	7 ,,	.725 .742	.824	85.3 85.0	79.0 79.0		76.7 76.8		•	85.4 85.0	85.0 85.0	WNW	0.2					ł
	9 ,,	.754	.885	84.4	78.0		75.5				84.9	w	0.3			ŀ		
	10 ,,	.755	.882	84.0	78.0	6.0	75.7	-873	.77	84.9	1	Wbs	0.1		1		1	
	11 "	.756	.897	83.5	77.5	6.0	75.2	-859	.77	84.3	84.8	WbN	0.3					
May	29тн-Midnigh	.747 .725	28.906	83.3	77.0		74.5		.76		84.8	wbs	0.2					
	1 a.m. 2 ,,	.725	.876 .863	82.5 82.2	77.0		74.8 75.2		.79 .80	83.5 83.0		"	0.3					•
	3 "	.721	.860	82.2	77.2	5.0	75.2	.861	.80	83.0	84.5	,,	0.3				1	
	' 4 ,, 5	.729 .735	.874	82.0 82.0	77.0		75.0 75.0		.80	82.8 82.6	84.5	"	0.0					
	6 "	.758	.889	82.6	77.5	5.0 5.1	75.5		.80	82.6	84.3	"	0.2	1				
	7 "	.777	.900	85.6	78.5	7.1	75.8	.877	.74	84.2	84.2	,,	0.2	1				
	8 " 9 "	.803	.914 .894	87.3 88.4	79.0	8.3 8.4	75.9 76.9		.70	85.0 85.9	84.2	SW b W	0.1	1				1
	10 ,,	.813	.962	89.8	79.0	10.8	74.9	·851	.63	86.6	84.4	1	0.1		65	6	"	
	11 ,,	.806 .786	.968 -901	91.0 92.8	79.0	12.0	74.4	.838	.59	87.1	84.6	SW b W	0.2	None.	None.	None.	None.	None.
	Noon. 1 p. m.	.772	.892	93.0	80.5 80.5	12.3 12.5	76.1 75.9	•885 •880	.59 .59	88.0 88.4	84.8 85.0	W b S WSW	0.2	Z	Z	2	Z	Z
	2 ,,	.754	-862	93.9	81.0	12.9	76.4	-892	.54	89.5	85.2	swbw	0.3					
	3 ,,	.733 .731	.874 .861	93.0 92.0	80.0 80.0	13.0	75.2 75.6	.859	.57 .60	89.5 89.0	85.4 85.5	sw sw b w	0.5				[
	4 ,, 5 ,,	.722	.866	91.7	79.6	12.0	75.1	•856	.60	88.2	85.6	SW UW	0.4					
	6 ,,	.728	.848	88.3	79.3	9.0	75.9	-880	.68	87.4	85.7	,,	0.5	1			1	
	7 ,, 8 ,,	.743 .754	.861 .877	87.0 85.6	79.0 78.5	8.0 7.1	76.0 75.8	·882	.71	87.0 86.3	85.7 85.6	SW bs	0.4					
	9 ,,	.761	.892	84.4	78.0	6.4	75.5	.869	.76	85.1	85.6	, ,	0.4					
	10 ,,	.768	.899	84.4	78-0	6.4	75.5	.869	.76	85.0	85.5	,,	0.3					1
	11 ,,	.760	-887	84.0	78.0	6.0	75.7	.873	.77	84.7	85.4	wsw	0.3	ı	1	1	1	Ţ

nde			
Amount of Clouds	Observers.	STATE OF THE WEATHER.	REMARIS.
Amoun	ď	Note.—In recording these Observations, the Symbols used to denote the clouds are: Veiri; Vi cirro-cumuli; Ci cumuli; Li cirro-strati; Li cumulo-strati; and Vi nimble	
2	В	A few v in SE; v scattered about; mist.	
2 2	B G	uin N; vo scattered about; mist.	
5 5	G	and L va scattered throughout; va moving to E.	
5	C	scattered around hor.	
5	C	"	
2	В)	
2 2	B	" "	
1	В	va around the hor.	Mean daily temperature of ground
3 5	G	scattered all round the hor. about the zenith; so throughout moving ESE.	20 and 60 inches below its surface 85.8 and 84.7.
6	C	L vi throughout moving ESE.	
2	C B	L " around hor.	
6	B	in E hor.; throughout; thick mist from E to W hor. (by S).	
5	G	" " " " " " " " " " " " " " " " " " "	
3	C),),),),),),),),),),),),),)	
2	В	vi around the hor.; mist.	
2 3	B	w in E; we around the hor.; mist in W.	
3 4	G	" " scattered all round the hor.	
3	C	<u>.</u>	
2 2	B	in E hor.; vs scattered about.	·
4	G	vi and vi throughout.	
4 4	G)	
4 2	CB	»	
-		17 27	
2 2	B	L va around the hor.	Mean daily temperature of ground
5	G	vi throughout moving E.	20 and 60 inches below its surface 85.9 and 84.8. Tempera-
5 5	G	29 29 29 29	ture of free air at 2 p. m. was highest during the month and
5	C););	about 3.8 higher than the nor-
5 5	C	and value scattered throughout; the latter moving to E.	mal mean; at the same hour temperature of evaporation was
5 6	C G	" "	also highest in the month.
7	G	n n n n n n n n n n n n n n n n n n n	29th May was the 20th day from the beginning of the year on
7 7	G G	in E hor.; w. and w. scattered throughout; w. moving E.	which lightning was observed.
7 7	B B	in N and NE hor.; we and L we throughout both moving E. and we in N and NE hore; we in W above hore; and we throughout; mist in E.	
7 7 7	B	" " " " " " " " " " " " " " " " " " "	
6	G G		
7 5	G G	in N and NE; we and we throughout; lightning in NE at intervals of 2m.	,
4 4	G G	and we scattered throughout; we moving to NE; lightning in NE and E hor.	
4	G))))))))))))))))))))))))))	

			DARD UBTER.	Тнв	RMOMBI	rers.	e H	OF R.	AIR.	Тивих	UND MHIBRS.	Osler's G		RAIN.	Breca	rrical.	Instru	MENTS.
	Bombay Sivil Time. 1864.	to	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermoneter in the Air.	DEDUCED DEW-POINT	PRESSURE (MOISTURE	HUMIDITY OF	Thermometer Hnch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Readin Strawsof Volta 1.	Straws of Volta 2.	Interval of Time In recovering the same degree of tension after dis- charge.
	lst-Midnight	in.	in. 28.887	84.0	78.0	600	75.7	in. 0.873	0.77	84.8	05.0		lbs.	in.	1	Sc. div.	Sc. div.	
MAX O	i a. m.	.743	.844	83.6	78.5	6:0 5.1	76.6	.899	.80	84.5	85.2 85.1	Wsw	0.3	ļ				
	2 ,,	.728	·832	83.4	78.4	5.0	76.5	-896	.80	84.0	85.1	w is	0.1					
	3 ,,	.725	.841	83.0	78.0	5.0	76.1	-884	.80	83.6	85.0	,,	0.3	}	1			
	4 " 5	.734	•850 •876	83.0 82.5	78.0 77.5	5.0 5.0	76.1 75.6	.884 .870	.80 .80	83.5 83.4	85.0 84.9	"	0.2					
	6 ,,	.766	-886	83.4	78.0	5.4	75.9	.880	.79	84.0	84.8	w"	0.1	-				
	7 "	.777	.886	86.2	79.0	7.2	76.3	-891	.73	85.0	84.8	wsw	0.2					
	8 "	.780	.905	88.4	79.2	9.2	75.8	.875	.67	86.2	84.9	WbN	0.3	cent.				
	9 ,, 10 ,,	.778	.925	89.6 91.6	79.0 79.0	10.6 12.6	75.0 74.1	.853 .831	.63 .58	86.8 87.5	85.0 85.2	wsw	0.1	e	اه			
	11 ,,	.749	.877	91.8	80.0	11.8	75.6	.872	.60	88.0	85.4	1	0.3	one	one.	None.	None.	None.
•	Noon.	.744	.864	93.0	80.5	12.5	759	-880	.59	88.6	85.5	sw	0.3	than	12	Ž	ž	ž
	1 p. m.	•735	.857	93.2	80.5	12.7	75.9	.878	.53	89.0	85.6	Wbs	0.4	‡	1			
	2 ,, 3 ,,	·721	·849 ·847	93.4	80.4	13.0	75.6 75.2	.872 .859	.57 .57	89.2 89.0	85.7 85.8	NW b W	0.5	Less				
**	4 ,,	.691	.830	92.8	80.0	12.8	75.2	-861	.58	89.0	85.8	Whs	0.4	1				
	5 "	.695	.817	91.3	80.0	11.3	75.9	-878	.62	88.6	85.9	sw bw	0.2	-				
	6 ,,	.704	.817	88.5	79.5	9.0	76.2	.887	.68	88.0	86.0	wsw	0.2		1			
	8	·715	.825	86.3 85.7	79.0	7.3 6.7	76.3 76.5	-890 -896	.73 .75	86.5 85.2	86.1	ow i w	0.2	l .				
	9 ,,	.737	.862	85.3	78.4	6.9	75.8	-875	.75	85.7	85 9 85.8	SW b W	0.4					
	10 ,,	.758	∙896	85.0	78.0	7.0	75.3	-862	.74	85.4	85.7	"	0.6					
	11 "	.743	·877	84.6	78.0	6.6	75.4	.866	.75	85.1	85.6	"	0.6					
June 1	lsT-Midnight		.850	84.5	78.0	65	75.5	.867	.7 5	85.1	85.6	swbs	0.5					
	la.m.	.692	.821	84.2	78.0	6.2	75-6	.871	.75	84.5	85.5	,,,	0.4	l				
	2 "	.684	.811	84.0	78.0 78.0	6.0 5.9	75.7 75.7	·873 ·874	.77 .77	84.1 84.0	85.4 85.4	SWbS	0.3	Ì	!			
	4 ,,	.681	.785	83.4	78.4	5.0	76.5	-896	.80	83.8	85.3	SWbW	0.2	0.01				
	5 "	.6 88	.783	83.0	78.5	4.5	76.8	.905	.82	83.5	85.2	sw	0.2	****	l			
	6 ,,	.708	.790	81.9	78.5	3.4	77.3	•918	.86	83.0	85.0	SWhS	0.1	0.07	ļ			
	8 "	.721 .735	.809	84.1 86.0	79.1 80.0	5.0 6.0	77.0	.912 .935	.81	83.8 84.7	84·9 85.0	WsW	0.2	ļ				
	9 ,,	.753	.853	89.2	80.0	9.2	76.6	•900	.67	86.5	85.1	Wsw	0.2			1		
	10 ,,	.749	.839	90.2	80.5	9.7	77.0	-910	.66	87.4	85.2	,,	0.2					
	11 ,,	.722	.815	91.0	80.6	10.4	76.9	•907	.64	88.0	85.3	sw	0.2		je j	ej	je.	ai
	Noon. 1 p. m.	.714	.807 .785	92.4 92.8	81.0	11.4	76.9 76.8	•907 •904	.62	88.9 89.0	85.5	SWbW	0.3		None.	None.	None.	None.
;	2 ,,	.665	.762	93.7	81.2	12.5	76.7	•904	.58	89.5	85.7 85.9	Wsw	0.5 0.6		"	"	~	4
	3 ,,	.655	.767	93.4	81.0	12.4	76.2	-888	.59	89.5	86.0	"	0.5	•	1			
	4 ,,	.637	.730	92.5	81.0	11.5	76.9	-907	.62	89.3	86.1	,,	0.4					
•	5 ,, 6	.635	.718 .730	91.3 88.2	80.9	10.4	77.2 77.0	.917 .911	.64 .70	88.9 87.2	86 2 86.2	SW b W WSW	0.5					
	7 ,,	.6 59	.728	86.4	80.0	6.4	77.7	.931	.76	86.9	86.1	1	0.3 0.4					
:	8 ,,	.680	.729	85.7	79.5	6.2	78.4	-951	•77	86.0	859	"	0.4					
	9 ,,	.6 98	.788	85.2	79.2	6.0	77.0	·910	.77	85.8	85.9	sw bw	0.3					
	10 " 11 "	.696 .693	.792 .786	85.0 84.7	79.0 79.0	6.0 5.7	76.8 76.9	•904 •907	.77 .78	85.5 85.3	85.8 85.7	sw	0.1 0.3					
(mpm '0.	и р-Midni ght	enn.	#CO	64.4	50 0	_		011		65.		~***						
UNK 2	l a. m.	.679 .671	.768 .75*	84.4 84.1	79.0 79.0	5.4 5.1	77.0 77.1	.911 .914	.79 .80	85.1 85.0	85.7 85.7	SW SW b S	0.2					
	2 ,,	.660	.745	84.0	79.0 79.0	5.0	77.1 77.2	.914	.80	84.7	85.7 85.6	WSW	0.3 0.3			1		
	3 ,,	.6 59	.7 59	83.5	78.5	5.0	76.6	.900	-81	84.5	85.6	sw b w	0.3					
	4 ,,	.653	.772	83.3	78.0	5.3	76.0	.881	.79	84.2	85 5	sw	0.4					
	5 ,, 6	.64 0	.756 .772	83.0	78.0	5.0	76.1	.834 906	.80	83.6	85.4	"	0.3	None.	ne.	ne.	je.	je.
	7 ,,	.671	.753	83.4 84.5	77.4 79.2	6.0 5.3	76.5 77.3	.896 .918	.80 .80	83.8 84.0	85.3 85.1	sw b w	0.2 0.2	, N	None.	None.	None.	None.
	8 "	.681	.768	88.0	80.0	8.0	77.1	.913	.71	85.8	85.3		0.2	,			1	A
	9 "	.700	.808	90 0	80.0	10.0	76.4	.892	.65	87.0	85.4	" "	0.2				İ	
	10 ,,	.694	.783	91.0	80.7	103	77.0	.911	.65	88.2	85.6	sw	0.3					
]	11 ,,	.674	.770	90.5	804	10.1	76.8	-9 14	.63	88.2	85.7	w.sw	0.2		ļ	- 1	į	

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli; \(\) cirro-strati; \(\) cirmulo-strati; and \(\) i nimble.	Remarks.
1 1 3 3 5 7 7 5 5 2 2 2 2 5 5 5 5 5 5 5 5 5 5 5	В	scattered around hor. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 860 and 849. Lowest reading of barometer during the month was 29691 in. at 4 p. m., which was greater than the normal mean by 0.040 in. 31st May was the 2nd day on which fall of rain less than 0.01 inwas recorded.
3 3 5 6 6 6 6 7 6 6 5 5 5 5 5 3 4 4 3 4 4 5 4 4 3 3	8 6 6 6 6 6 6 7 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 0	" " and " scattered throughout; drops of rain at 2h. 54m. " and " scattered throughout, moving E; a shower of rain at 3h. 18m. lasted about 9m. " scattered throughout moving ESE. " is scattered throughout; light rain at 5h. 24m. and again at 8h. 47m. which lasted about 12m. Overcast with " imoving E. " is scattered throughout; here and there. " in NE and E hor.; " throughout moving E. " in NE and E hor.; " throughout moving E. " " " " " if rom NE to E hor.; " and " in E above hor.; " here and there. " " " " here and there. " " " " " here and there. " " " " " " " " " " " " " " " " " " "	Mean daily temperature of ground 20 and 60 inches below its surface 86:4 and 85:0. Daily fall of rain by Osler's Gauge 0:07 inlest June was the 21st day on which lightning was observed; and the 3rd day on which fall of rain was recorded less than 0:01 in.
5 3 4 2 2 5 7 6 4 5 6 7	C B B G G G C C	vi scattered throughout moving ENE. vi scattered throughout moving ENE; drops of rain at 1h. 2m. vi scattered throughout moving ENE; drops of rain at full hour. vi scattered around hor. "around hor.; and vi throughout moving ENE. vi scattered throughout moving E; drops of rain at 6h. 39m. and 6h. 43m. vi throughout; and vi here and there; haze in E hor. """ n and vi from NE to E hor.; vi throughout moving ENE; drops of rain at 10h. 54m. n in E hor.; and vi scattered throughout moving ENE.	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.0. Maximum length of the spark by Ronald's measure. Temperature of external and free air at 2 p. m. was 94.0, greatest in the month and about 5.1 greater than the normal mean. 2nd June was the 22nd day on which lightning was observed; and the 4th day on which full of rain was less than 0.01 in.

	- V		DARD METER,	Тив	RMOMET	ERS.	3	OP S.	AIR.		UND METERS.	Wind P Oslbr's G		RAIN.	ELEC	TRICAL	INSTRU	
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.		DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty+or—		Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
T	0 N	in.	in.		0.190			in.	0.00	1			lbs.	in.	 	Sc. div	Sc. div.	m. s.
June	2ND-Noon.	29.666	28.754	92:1	81.0	11:1 12.5	77:0	0.912 -896	0.63	89:0	85.9	W	0.1	Ì		ļ		
	lp.m. 2	.657	.761	93.5	81.0	12.8	76.5 76.6	.900	.59 .58	89.5 90.0	86.0 86.1	wsw	0.4	İ				
	3	.635	.735	93.8	81.0	12.8	75.7	.893	.58	90.0	1	"	0.2	1		l		
	Δ ,,	.618 .608	.725 .706	93.0	81.0	12.0	76.7	.902	.60	89.7	86.2 86.4	w	0.3	1		ł		
	5 "	.599	.690	90.8	80.6	10.2	76.9	.909	.65	88.1	86.5	wnw	0.4	اء		ان	ai .	
	ß "	.609	.686	88.3	80.3	8.0	77.4	.923	.71	87.2	86.5		0.3	one.	None.	None.	None.	None.
	7 "	.628	.738	86.3	79.0	7.3	76.3	.890	.73	86.1	86.4	w"	0.1	Ž	Ž	Ž	Ž	ž
	8 ,,	.643	.750	86.0	79.0	7.0	76-4	.893	.74	86.0	86.2	WbN	0.2			l		
	9 ,,	-659	.757	85.2	79.0	6.2	76.7	•902	.76	86.0	86.1	w	0.2	İ	Ī		1	
	10 ,,	.661	.757	85.0	79.0	6.0	76.8	•904	.77	85-8	86.0	wsw	0.1	ļ			1	ļ
	11 ,,	.655	.767	84.6	78.5	6-1	76.2	.888	.77	85.5	86.0	"	0.2					
UNE	3RD-Midnight	.628	.743	84.0	78.3	5.7	76.1	.885	.78	85.2	86.0	wsw	0.1					
	la.m.	.619	.742	83.6	78.0	5.6	75.8	.877	.78	84.6	85.8	,,	0.2		1	ļ		
	2,,	.603	.726	83.6	78.0	5.6	75.8	-877	.78	84.6	85.7	,,	0.1		1			
	3,,	.600	.719	83.3	78.0	5.3	76.0	.881	.79	84.3	85.6	,,	0.1	ł				
	4 "	.602	.718	83.0	78.0	5.0	76.1	.884	.80	84.1	85.5	Wbs	0.0	ļ	l	l	1	
	5 ,,	.610	.736	82.8	77.7	5.1	75.7	874	.80	83.6	85.4	,,	0.1	}		ļ		
	6 "	.616	.736	86.0	78.0	8.0	75.9	.880	.79	83.7	85.4	,,	0.2	İ	Ì	İ		
	7 "	-630	.737	86.0	79.0	7.0	76.4	.893	.74	84.8	85.3	W	0.2	1	İ	1		
	8 "	.644	.723	86.9	79.9	7.0	77.4	.921	.74	85.0	85.4	WNW	0.2	l		ŀ		
	9 ,,	.659	.774	88.7	79.5	9.2	76.1	•885 •849	.67	86.8	85.4	NW	0.2	1	١.	١.		_
	10 ,, 11	.662	.813	90.0	79.0	11.0	74.8	.879	·62 ·62	87.2	85.5 85.7	WNW	0.2	one.	one.	None.	None.	None.
	Noon.	.648	.769 .757	91.2	80.0	11.2	75.9 76.0	.881	.61	88.6	85.8	99 BT 587	0.2	l e	å	l g) S	2
	l p. m.	.615	.745	92.0	80.0	12.0	75.6	.870	.60	89.0	85.8	NW WNW	0.3			, , ,		
	9 1	.579	.772	91.8	80.0	11.8	75.6	.872	.60	88.6	85.9		0.5	i	1	}		
	3 ,,	.555	.672	91.6	80.2	11.4	76.0	-883	.62	88.6	86.0	"	0.5	ł		I		
	4 ,,	.537	.656	91.0	80.0	11.0	76.0	.881	.63	88.5	86.0	"	0.5		1	Ì		
	5 ,,	.540	.672	90.2	80.0	10.2	75.5	868	.65	88.0	86.0	"	0.3		1	İ	1	
	6 ,,	.552	.677	87.6	79.0	8.6	75.8	-875	.69	86.7	86.0	",	0.2	ı	1	ĺ		
	7 ,,	.563	.670	86.0	79.0	7.0	76.4	-893	.74	86.0	85.9	Ŵ	0.3	1	}	j		
	8 "	.572	.668	85.7	79.2	6.5	76.8	.904	.76	85.7	85-8	WbS	0.2	1	1	1		
	9 "	.590	.686	85.0	79.0	6.0	76.8	-904	.77	85.6	85.8	W	0.3	l	1	l		l
	10 ,,	.596	-692	85.0	79.0	6.0	76.8	.904	.77	85.4	85.8	Wbs	0.4	ļ	1	}		1
	11 "	.595	-686	84.5	79.0	5.5	76.9	•909	.79	85.2	85.7	WbN	0.1					
UNB	4тн-Midnight		.699	84.0	78.5	5.5	76.4	.894	.79	85.0	85.7	WbN	0.2	Ì				
	la.m.	.583	.706	83.6	78.0	5.6	75.8	.877	.78	84.6	85.6	W	0.0				l	
	2 ,, 3	.570	.692	83.5	78.0	5.5	75.9	.878	.79	84.5	85-5	WbN	0.0	-	1	1	1	1
	Α "	.562 .563	.681 .679	83.3 83.0	78.0 78.0	5.3 5.0	76.0 76.1	.881	.79	84.2 84.0	85·3 85·2	WNW	0.2		ł			I
	- "	.564	.695	82,6	77.5	5.0 5.1	75.5	.869	.80 .80	83.3	85.2	"	0.2	1	1		1	l
	6 ,,	.590	.707	83.1	78.0	5.1	76.0	.883	.80	83.5	85.2	nw"bw	0.1	1	}	l	l	I
	7 ,,	.603	.688	84.0	79.0	5.0	77.2	.915	.81	84.0	85.2	NW	0.2		1		l	1
	8 "	.618	.728	86.3	79.0	7.3	76.3	.890	.73	84.9	85.2	,,	0.2	1	1		1	l
	9 "	.627	.741	88.6	79.5	9.1	76.1	-886	.68	86.0	85.4	"	0.4	1	1.		1	1
	10 ,,	-623	.734	90.3	80.0	10.3	76.3	-889	.64	87.5	85.5	,,	0.4				1	1
	11 ,,	.615	.732	90.8	80.0	10.8	76.0	-883	.63	88.0	85.6	,,	0.6	, je	ě	je.	يوا	9
	Noon.	.604	.728	91.8	80.2	11.6	75.9	-880	.61	88.5	85.8	"	0.8	None.	None.	None.	None.	None.
	l p. m.	.585	.687	91.8	80.6	11.2	76.6	-898 sol	.62	88.8	85.9	,,	1.0	~	~	~		~
	2 ,, 3	.561 .534	.670	91.3	80.3	11.0	76.3	-891 -894	.63	88.8	85.9	"	1.3	1	ļ		1	
	Α "	.528	.640	91.0	80.3 80.1	10.7 10.1	76.4 76.4	-894 -894	.63	88.9	86.0 86.0	"	1.5	1	l		l	1
	κ "	.551	.631	87.4	80.1	7.4	77.3	-920	.65 .73	87.0	86.0	NW'b W	1.9		1		l	1
	6 "	.570	.650	85.5	79.5	6.0	77.3	.920	.73	86.0	86.0	74 AA D AA	0.8				l	
	7 ,	-586	.689	84.6	79.0	5.6	76.5	-897	.79	85.2	86.0	NW	0.6	1	i i		}	1
	8 ,,	.600	.733	84.5	78.0	6.5	75.5	.867	.75	85.0	86.0		0.5	i			1	1
	9 ,,	.597	.719	84.3	78.2	6.1	75.9	-878	.77	84.7	85.9	NW b W	0.5	l			1	1
	10 ,,	-597	.719	84.3	78.2	61	75.9	-878	.77	84.7	85.8	,,	0.6				1	1
	11 ,,		.722	84.2	78.0	6.2	75.6	-871	.76	84.7				-	- 1			-

Amount of Clouds	0-8. Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \init\(i\) cirro-cumuli; \(\chi\) i cumuli; \(\chi\) i cirro-strati; \(\chi\) i cumulo-strati; and \(\chi\) i simble.	Remarks.
55 22 22 22 22 22 22 22 22 22 22 22 22 2	B B B G G C C C	in E hor.; and w. scattered throughout moving ENE. 'v. scattered around hor.; in E. """ """ """ """ """ """ """	
23333366667777653111467778876	В	we scattered about moving ENE; lightning in NB at longer intervals than the last observation. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.0. 3rd June was the 23rd day on which lightning was observed.
743333677774466666788888	C B B G G G B B B C C C B B B B	Overcast with vi moving E; lightning in NE. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.0. 4th June was the 24th day on which lightning was observed.
8 8 8	B B B))))))))))))))))))))))))	·

		DARD KETER.	THE	RMOMB!	rers.		.	AIR.	Сво Тнввмо	UND METERS.	Wind Fi		RAIN.	ELEC	TRICAL	INSTR	UMENTS.
Bombay Civil Time. 1864.	Corrected t4 52° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF Moisture.	H UKIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	
	in.	in.		<u> </u>	<u> </u>		in.				<u> </u>	lbs.	in.	<u> </u>	Sc. div.	Sc. div.	
UNE 6TH-Midnight		28.697	84:4	79.0	5.4	77:0	0.911	0.79	85.0	85.6	wsw	0.2	İ				
1 a. m. 2	.590	.675	84.0	79.0	5.0	77.2	.915 .915	.81 .81	84.6 84.6	85.5	,,	0.3		ļ			
~ "	.584	.574	84.0	79.0	5.0 5.2	77.2 76.9	.907	.80	84.6	85.4 85.4	,,	0.2	ĺ	1		•	
4	.578	.682	83.9	78.5	5.4	76.5	.896	.79	84.5	85.4	w	0.5	l				
5 ,,	.574	-674	83.5	78-5	5.0	76.6	.900	.81	84.2	85.4	,,	0.3	l		1		
6 ,,	.592	.711	83.3	78.0	5.3	76.0	-881	.79	83.7	85.3	NW	0.2	1		1		
7,	.608	.704	85.0	79.0	6.0	76.8	.904	.77	84.0	85.2	NWbN	0.1	1	l	١. ا		
8 ,,	.624	.729	85.8	79.0	6.8	76.5	·895	.75	84.8	85.1	,,	0.2			1		
9 ,,	.640	.720	87.4 89.0	80.0	7.4 8.5	77.3	.920	.73 .70	85.9 87.0	85.2	,,	0.2	}				
10 ,,	.641	.708	89.8	80.5	9.2	77.4 77.3	.919	.68	87.5	85.3 85.4	"	0.1	٠.	۱ ،:	·		
11 ,, Noon.	.615	.700	90.1	80.6	9.5	77.2	.915	.67	88.0	85.5	"	0.2	None.	one.	one	None.	None.
l p. m.	.594	.700	91.0	80.3	10.7	76.4	.894	.63	88.1	85.6	nw	0.4	Ž	Ž	ž	ž	ž
2 ,,	-570	.664	92.6	81.0	11.6	76.8	-906	.61	89.0	85.8	WbN	0.5		1			
3 ,,	.544	.626	91.5	81.0	10.5	77.3	-918	.64	89.0	86.0	WNW	0.5		1			
4 ,,	.523	.601	91.2	81.0	10.2	77.4	.922	.65	88.6	86.0	,,	0.7	l	1			
5 "	.533	.607	88.8	80.5	8.3	77.5	•926	.70	86-2	86.0	NWbW	0.6	1				
, 6 ,,	.543	.622	86.9	79.9	7.0	77.4	.921	.74	86.0	85.9	,,	0.4	1				
7 ,,	.561	.665 .675	85.7	79.0	6.7 6.4	76.5 76.6	.896 .900	.75 .76	85.8 85.5	85.9 85.8	WNW	0.3	j	ŀ			
8 "	.575 .585	.683	85.4 85.2	79.0	6.2	76.7	.902	.76	85.3	85.8	Wbs	0.2	1				
9 ,, 10	.613	.710	85.1	79.0	6.1	76.7	.903	.77	85.3	85.7	"	0.2	l				
11 ,,	.611	-686	85.0	79.5	5.5	77.5	.925	.79	85.3	85.7	sw bs	0.2	İ				
~ 2011.1							000										
UNE 7TH-Midnight		.666	84.7	79.5	5.2	77.6	•929 •915	-80	85.2	85.6 95.6	Wbs	0.3					
la.m.	.590 .586	.675	83.8	79.0 79.0	5.0 4.8	77.2 77.2	917	.81 .81	84.9 84.7	85.6 85.5	WbS	0. 7 0.5					
ž "	.581	.664	83.8	79.0	4.8	77.2	.917	.81	84.6	85.5		0.5					
4 ,,	.588	.718	82.5	77.5	5.0	75.6	-870	.80	83.6	85.4	wnw	0.7	0.04	_	Out of8c	50	Instantly.
5 ,,	.574	.710	81.2	77.0	4.2	75.4	-864	.83	83.0	85.3	sw b s	0.5	0.01	_	Out ofSc.	Out of8c.	Instantly.
6 ,,	.610	.758	81.9	76.9	5.0	74.9	.852	.80	82.7	85.1	WNW	0.2	0.10	-	20	20	0.17
7,	.638	.785	82.2	77.0	5.2	75.0	.853	.80	83.0	85.0	NNE	0-2					
8 "	.649	.727	82.2	78.7	3.5	77.4	.922	.86	83.0	85.0	SbE	0.1					
9 "	.668	.716	84.8 85.6	80.1	4.7	78.4	.952 .939	.82	84.5	85.1	S	0.2					
10 "	.669	.730	87.7	80.0	5.6 7.0	78.0 78.2	.939	.79 •74	85.0	85.2 85.3	S b E S	0.2 0.3					
ll ,, Noon.	.639	.698	89.4	81.0	8.4	78.0	.941	.70	85.8 87.0	85.4	swbw	0.3					-
l p. m.	.625	.697	90.5	81.0	9.5	77.6	.928	.67	87.5	85.5		0.3					
2 ,,	.594	.684	91.5	80.8	10.7	77.0	.910	•64	88.2	85.6	w	0.3					
- " 3 ",	.554	.639	91.8	81.0	10.8	77.2	-915	.64	88.5	85.7	,,	1.2					
4 ,,	.564	.640	91.0	81.0	10.0	77.5	.924	.66	88.4	85.8	••	0.6					
5 ,,	.549	.632	89.6	80.5	9.1	77.2	.917	.68	87.1	85.8	WbN	0.5					
6 "	.576	.692	86.8	79.0	7.8	76.1	-884	.71	86.2	85.7	WNW	0.4					
7 "	.586 .611	.692	85.9 85.0	79.0	6.9	76.4 76.8	.894 .904	.74 .77	85.7	85.7 85.7	Wbs	0.4		_	Out ofSc.	Out ofSc.	Instantly
8 "	.619	.707	84.7	79.0	6.0 5.4	76.8 77.3	.920	.79	85.2 85.2	85.7 85.6	ssw swbs	0.5 0.4					1
9 ,, 10 ,,	.632	.748	83.0	78.0	5.0	76.1	-884	.80	85.2 84.6	85.5	SWDS	0.4					1
11 ,,	.647	.763	83.0	78.0	5.0	76.1	.884	.80	84.3	85.5	SE b S	1.0					
																	1
UNE 8TH-Midnight		.764	81.4	77.0	4.4	75.3	.862	.82	83.3	85.4	SSE	0.8	0.02	+	4		i
la.m.	.627	.754	80.4	77.0	3.4	75-7	.873	.86	82.1	85.2	,,,	0.5		+	1		1
2 "	.615	.744	80.5	77.0	3.5	75.6	.871	.86	82.1	85.1	SbE	0.2					
3 ,,	.614 .607	.737	80.7	77.2	3.5	75.8	.877	.86	82.2	85.0	S b W SSW	0.0					1
4 ,,	.593	.737 ·725	80.8	77.0	3.6	75.6 75.5	.870 .868	.85 .85	82.1 82.0	84.9 84.8		0.0 0.2					
5 ,, 6	.621	.736	81.4	77.6	3.8 3.8	76.1	.885	.85	82.0 82.2	84.7	"	0.2					1
7 "	.624	.732	82.3	78.0	4.3	76.4	.892	.83	82.5	84.6	SSE	0.2					1
8 ,,	.631	.691	83.5	79.7	3.8	78.3	.950	.85	83.1	84.6	"	0.1		+	4		2.20
9 ,,	.640	.662	86.0	81.0	5.0	79.3	.978	.81	84.8	84.8	SE b S	0.1		+	6		1-52
10 ,,	.644	.661	87.6	81.5	6.1	79.4	.983	.78	85.7	84.9	,,	0.2		+	8		0.50
11 ,,	.643	.670	89.2	81.7	7.5	79.1	.973	.73	86.6	85.1	wbs	0.2		+	20	20	0.2

			•
Amount of Clouds.	0-8 Observers.	STATE OF THE WEATHER. Note,—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Ni cirro-cumuli;	Remarks.
		oi cumuli; Li cirro-strati; Al cumulo-strati; and Mi nimbi.	
	G G C C C B B B G G	Overcast with we moving ESE; a few stars dimly vizible here and there. Overcast with we moving E. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.0. 6th June was the 25th day on which lightning was observed, and 6th day on which fall of rain was measured less than 0.01 in.
8 8 8 8 8 8 8 8 8 8 8 5 2 1 2 3 6 8 8 8 8	C BB B G G C C C B B B G G G C	Overcast with vi moving E; lightning in NE and E; drops of rain at 11h. 18m. Overcast with vi moving B; lightning in SB and 8 hor.; slight rain from 0h. 32m. to 0h. 58m. Overcast with vi moving NE; lightning in SE. Overcast with vi moving NE; lightning in SE; Overcast; lightning and thunder in SW at about every minute; drops of rain falling from 3h. 52m. Overcast; lightning and thunder in SW at every minute; drops of rain ceased at 4h. 20m.; light shower of rain at 4h. 32m. lasted 7m. Overcast; lightning and thunder in SE and E; drops of rain at 5h. 7m.; a shower of rain from 5h. 9m. to 5h. 16m. Overcast; drops of rain at 6h. 26m. Overcast with vi moving to NNE; slight rain at 7h. 8m. Overcast with vi moving to NNE; slight rain at 7h. 8m. Overcast with vi moving NNE. "" Overcast with vi and vi moving to NE. N, vi and vi scattered throughout. N in E and W above the hor.; vi along the E hor. N in W; vi in E; and vi around hor. Oi and vi extended from N to SE hor.; distant thunder in NE at 3h. 20m. Oi and vi in SW; vi in E in NB and W; vi scattered throughout moving E; thunder in NE. Oil in E; vi in SE and S; vi throughout moving E; lightning in E hor. observed at 6h. 42m. Overcast with vi in two strata, the lower stratum moving E and the upper one moving W; lightning in B at interval of 27s. Overcast; lightning in NE, E, SE and S hor.	Mean daily temperature of ground 20 and 60 inches below its surface 86.6 and 85.0. Daily fall of rain by Osler's Gauge 0.13 in. Maximum tension of electricity by Henley's Apparatus 6; maximum length of the spark by Ronald's Measure 0.08 in. 7th June was the 26th day on which lightning was observed, 1st day on which thunder was recorded, and also 1st day on which fall of rain was greater than 0.01 in.
8 8 8 8 8 8 8 8 8 8 6 6 5	С С В В В В В В В В В В В В В В В В В В	Overcast with value moving to N; lightning in B and SE; fresh breezes of wind from SE; thunder in NE; and drops of rain from Overcast; lightning in E, SE and S hor.; occasional thunder in NE and E; rain ceased at Oh. 11m.; and fresh breezes. Overcast; lightning in SE at intervals of above 1m. 10s. I, value and value scattered throughout; lightning in S hor. Overcast with D and value; a few stars dimly visible here and there. Overcast with value and value is moving slowly to W; a few stars dimly visible. In N and NW; value in NE; value and value throughout moving to W. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 86.6 and 85.1. Daily fall of rain by Osler's Gauge 0.02 in. 8th June was the 27th day on which lightning was observed, and 2nd day on which thunder was heard.

	STAN: Baron		THER	MONBT	BRS.]	β. Ο .:	AIB.	Gro Thermo	UND METERS.	Wind P Osler's G		RAIN.	BLEC	TRICAL	INSTRU	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.		DEDUCED DEW-POINT.	PRESSURE O Moisture,	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty+or—		Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
June 8th-Noon.	in. 29.633	in. 28.731	90:3	80:3	100	76:7	in.	0.65	87:0	85°2	WNW	lbs. 0.2	in.	+	Sc. div.	Sc. div.	m. s. Above 10m.
l p. m.	.616	.692	91.0	81.0	10.0	77.5	0.902 .924	.66	87.8	85.3	Wbs	0.5		+	1		Above 10m
2,,	.588	.635	92.4	82.0	10.4	78.4	.953	.65	88.4	85.4	w	0.4		+	1		Above 10m.
3 ,, 4	.563	.633 .595	92.5	81.5	11.0	77·7 78·6	.930 .957	.63 .65	88.8	85.6 85.8	NW bw	0.5	نه	+	2	8	2.35
5 ,,	.538	.565	89.2	81.7	7.5	79.1	.973	.73	87.3	85.8	,,,	0.5	one	-		one.	
6 "	.562	.604	87.8	81.0	6.8	78.6	.958	.75	86.7	85.7	NWbN	0.3	Z			Z	1
7 ,, 8	.566 .593	.604	86.2	80.7 80.0	5.5 6.0	78.7	.962	.79	86.0 85.9	85.7 85.7	NW NNW	0.2			}		
9 ,,	.610	.777	84.0	77.0	7.0	74.2	.833	.73	85.2	85.6	NbE	0.2					
10 ,,	.606	.740	84.6	78.0	6.6	75.9	.866	.75	85.0	85.6	NWbN	0.1		+	4		2.11
11 "	.584	.714	84.3	78.0	6.3	75.6	.870	.76	84.9	85.6	"	0.1		+	2		4.50
June 9th-Midnigh		.677	85.0			76.8	.904	.77	84.9	85.6	wbs	0.1		+	6		1.40
la.m. 2	.581 .565	.675		79.0 78.5		76.8 76.3	.906	.78 .78	84.9	85.4 85.4	NW b W	0.0		++	1 1		Above 10m. Above 10m.
3 ,,	,566	.651	84.0			77.2	.891	.81	84.6	85.3	NWbN	0.4		"	•		
4 ,,	.570	.655	84.0	79.0	5.0	77.2	.915	.81	84.6	85-3	N	0.2					
5 ,, 6	.576 .590			1		76.6 76.6	.900	.81 .81	83.2	85.2 85.1	NNE	0.2		_ر ا	8		1.37
7 ,,	.597	.695			•	76.7	.900	.76	84.9	85.0	ENE	0.1		+	4	l	3.11
8 ,,	.609	.738	88.0	79.0	9.0	75.6	.871	.68	86.0	85.0	,,	0.2		+	i		Above 10m
9 ,,	.622					76.4 76.4	.894	.66 .62	87.0	85.2	,, N	0.2		+	6		1.3
10 ,, 11 ,,	.620				1 -	76.4	.892	.62	88.2 88.4	85.4 85.6	N NW	0.2	İ	+	4		2.19
Noon.	.586	.630	92.1	82.0	10.1	78.5	.956	.66	88.9	85.7	,,	0.3	1			1	
l p. m.	.565			1		78.6	.957	.66	89.0	85.7	,,	0.5					
2 ,, 3	539 .520	.599	91.6			78.0 78.8	.940	.66	89.0 89.0	85.9 86.0	"	1.0			1		l
4 ,,	.486				2	77.7	.932	.68	88.5	86.1	NW bw	1.4				İ	
5 ,,	.511	•557	89.4			78.5	.954	.71	88.1	86.0	NW	1.0	1			ł	
6 ,, 7	.540 .561	.584				78.5 78.3	.956	.74	87.0 86.1	85.9 85.9	w'nw	0.6		Ì		i	1
8 ,,	.583					77.8	.935	.77	86.0	85.9	wsw	0.2		Ì		j	
9 ,,	.607					78.1	.942	.79	85.8		s b w	0.3			1		
10 ,, 11	.614					77.2	.915	.81 .82	85.4 84.3		1	0.6	0.01	1	Out of Sc	Out of Sc	Instantly 0.40
11 ,,	.014	.,2,	02.7	70.0	1 4.		.007	.02	04.0	00.0	. "	".	0.01	+			0420
JUNE 10TH-Midnigh						76.4	.893	.83			ssw	00.6	0.01	+	8		
l a. m. 2 ,,	.597					76.0 75.9	.881	.84			s s	0.6					
- " 3 ",	.578	.698	81.6	77.5	4.1	75.9	-880	.84	82.7	85.3	sbW	0.3		1			Ì
4 ,,	.578					76.5		·85			,, eer	0.4					
6 .,	.580 .596					76.9	.906	.88	82.2 82.0	85.1 85.0	SSE	0.3					
7 ,,	.599	.699	83.5	78.5	5.0	76.6	.900	.81	82.8		"	0.1				1	
8 ,,	.602			1		76.7	.903	.77	84.0		,,	0.1		1			
9 " 10 "	.609	.689				77.4	.922	.74	85.0 87.2	84.9 85.1	"	0.1		+	4	1	1.48
11 ,,	.593	.656	90.6	81.2	9.4	77.9	.937	.67	87.6	85.3	"	0.2		+	20	18	0.44
Noon.	.584	1				78.0	.940	.65	88.4	85.4	w bs	0.2		+	6		2-37
1 p. m.	.563 .552					77.7	.932	.64 .63	89.0 89.1	85.6 85.8	NW b W	0.8		1			
3 ,,	.530	.600	1			77.7	.930	.63	89.3	85.9	WNW	0.8					
4 ,,	.522	.604	91-5	81.0	10.5	77.3	.918	.64	89.0	86.0	,,	0.8		1			1
5 ,, 6	.529 .564	.597				77.7	.932	.68	88.1 87.2	86.0 85.9	W b N WSW	0.7			1		
7 ,,	.573					77.6	.927	.75	86.3	85.8	WbN	0.3			1		1
8,,	.574	.639	86-0	80-0	6.0	77.8	.935	.77	86-0	85.8	WNW	0.5					1
9 ,, 10 ,,	.575 .585	.626	85.5 85.2			78.3 78.1	.949	.80	85.8 85.5	85.8 85.7	NW	0.4				1	
10 ,,	1 ,000	.641	00.2	1 00.0	0.2	1 /0.1	1 .344	1 .00	1 00.0	1 00.7	,,,	į V.2	1	I	1	1	1

Amount of Clouds 0—8.	Observers.	STATE OF THE WEATHER.	RSMARKS.
Amc	0	Nora.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) cumuli cumuli; \(\sigma\) cirro-strati; \(\sigma\) cumulo-strati; and \(\sigma\) i nimbi.	
7 5	C B	and on throughout, both moving slowly to NE; on around hor; haze. and on scattered from N to S hor. (by E); on throughout moving W; haze.	-
3 4	B B	and and from N to E; we throughout moving E; distant thunder in NE.	
5	В	and or from N to SE extending towards the zenith; we around the W hor.	
6	G	" " " "	
7	G	" " " " " " " " " " " " " " " " " " "	
7 7	G G	u, wi and wi scattered throughout; wi moving ESE; lightning in N and NE hor. u, wi and wi scattered throughout; wi moving ESE; lightning in N and NE hor.; drops of rain from 8h. 20m. to 8h. 37m.	
8	Č	Overcast with vi and vi moving SSW; lightning in SE at every minute.	
8	C	" "	
8	С	29 29	
8	c	Overcast with and so moving SW; lightning in E, SE and S hor.	Mean daily temperature of ground
8	В	33 39 39 39 39 39 39 39 39 39 39 39 39 3	20 and 60 inches below its sur-
8 8	B B	Overcast with Val moving to S; a few stars dimly visible in senith; lightning in SSB at intervals of 90s.	face 86.6 and 85.1. Daily fall of rain by Osler's Gauge 0.02 in.
6	В	va" scattered throughout moving S; lightning in S at every 2m.	Maximum tension of electricity
7	G	wightning in S.	by Henley's Apparatus 2. Maxi-
6	G	N. wi and wi scattered throughout; no lightning; haze in E.	mum length of the spark by
6 5	G G	w. w. and w. scattered throughout; w. moving to S haze in E and SE hor.	Ronald's Measure 0.01 in. The reading of barometer at 4 P. M.
4	c	u and ve scattered throughout; ve moving S; haze in E, S and W hor."	was 29.486 in., lowest in the
5	C	22 22 22	month and about 0.125 in. lower
4	C	varound hor.; and vathroughout; haze in hor.	than the normal mean.
5	C B	of from WE to SE; v scattered about.	9th June was the 28th day on which lightning was observed,
5	В	,, ,,	3rd day on which thunder was
4	В	and and from N to E hor.; w throughout.	heard, and 6th day on which fall
4	В	99 99 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	of rain was less than 0.01 in-
5 7	G	Al from NE to 8B hor. extending towards the senith; it throughout; haze in E; distant thunder in NE. Al from N to 8B extending towards the zenith; it throughout; Rainbow in E at 6h. 7m.; distant thunder in E and 8E.	
7	G	Clouded as above; lightning in ENE at intervals of 24s.	
7	G	when and we scattered throughout; lightning in E and SE hor. at intervals of 17s.	
7	C	✓i and ✓i scattered througout moving SW; lightning in B and SB at intervals of about 30s.; drops of rain at 9h. 56m. Overcast with ✓i moving SW; lightning in B, SB, S and SW hor.; drops of rain at 10h. 24m. and again at 10h. 40m.	
8 8	C	Overcast; lightning in SE and S; drops of rain now and then.	
8		Overcast with 🍆 i moving WSW; lightning in SE and S hor.; drops of rain at the time of observation.	Many July towns and the second
8	C B	Overcast with var moving W; lightning in SE hor.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	В	Overcast with val moving WNW.	face 86% and 85.1. Daily fall
8	В	Overcast; a few stars dimly visible here and there; drops of rain at 4h. 27m.	of rain by Osler's Gauge 0.01 in.
8	B G	overcast; a few stars dimly visible here and there; drops of rain at 411. 27 iii.	10th June was the 29th day on
8	G	•	which lightning was recorded, and 7th day on which fall of
8	G	in SW, and val throughout moving slowly to W; mist in hor.	rain was less than one cent.
8	G	Overcast with val moving to W; haze in E hor.	
8 7	C C		
6	C	w and w scattered throughout moving to SE; haze in E hor.	·
6	C	" " " " " " " " " " " " "	
7	B B	scattered throughout moving E.	
6	В))))	
5	В	22	
6	G	and we scattered throughout; the latter moving SE.	
7 8	G G	, or and or scattered throughout; lightning in SE hor. at every 4m.	
7	G	wand wi in W; and wi throughout moving ESE; lightning in E.	
7	c	√i in W above the hor.; √⊾i scattered throughout moving SE; lightning in B and NE at every \$m.	
7	C	Overcast with me and me; lightning in NE hor.	
8	<u> </u>	22 22 22 22 22 22 22 22 22 22 22 22 22	·

	STAN Baron		THE	NOMBI	BRS.		.	AIR.		UFD METRES.	Wind P Oslbr's G		RAIN.	RLEC	TRICAL	Instru	MBNTS.
Bombay Civil Time. 1864.	Corrected to \$2° Fahr.	Corrected for Neisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure or Moisture.	HUMIDITY OF	Thermometer lineh in the Ground.	Thermometer 6 in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Bectricity + or —	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
UNE 11TH-Midnight	in. 20 548	in. 28.619	84:7	79:5	<i>5</i> *2	77:6	in. 0.929	0.80	851	85.7	WNW	lbs. 0.3	ia.		Sc. div.	Sc. div.	m. s.
l a. m.	.546	.637	84.5	79.0	5.5	76.9	.909	.79	85.0	85.6	w	0.3					
2 "	.537	.626	84.4	79.0	5.4	77.0	.911	.79	85.0	85.6	,,	0.6					
3 ,, 1	.527 .527	.633	84.0	78.5	5.5	76.4	.894	.79	84.7	85.5	NWbW	0.7					
5 , ,	.546	.612 .621	84.0 83.8	79.0 79.2	5.0 4.6	77.2 77.5	.915	.81	84.6	85.4 85.3	NW NW N	0.6					
6 ,,	.563	.623	84.8	79.8	5.0	78.0	.940	.81	84.0	85.2	NW	0.2					
7 ,,	.584	.638	85.0	80.0	5.0	78.2	.946	.81	84.7	85.2	,,	0.2	İ	1			
8 ,, 9	.597	.655	87.3	80.5	6.8	78.1	.942	.75	85.3	85.2	,,	0.2					
10 ,,	.607	.682 .686	88.7 89.6	80.5	8.2 9.0	77.6 77.4	.927	.71	86.0 87.2	85.3 85.4	"	0.3					
11 "	.602	.669	90.1	81.0	9.1	77.8	.933	.68	87.7	85.5	NW'b W	0.2					
Noon.	.586	.665	91.3	81.0	10.3	77.4	.921	.65	88.2	85.6	WNW	0.2					
l p.m.	.575	.652	93.0	81.5	11.5	77.5	.923	.63	89.0	85.8	WbN	0.6					
3	.554	.649 .601	92.7	81.0 81.5	11.7	76.8 77.7	.905	.61 .63	89.5 89.5	86.0 86.2	Wbs	0.6					
4 ,,	.519	.578	91.5	81.5	10.0	78.0	.941	.66	89.3	86.3	w	0.6					
5 ,,	.558	.627	90.3	81.0	9.3	77.7	.931	.67	88.5	86.3	wnw	0.2			•		
6 "	.605 .568	.679	88.4	80.4	8.0	77.5	-926	.71	88.0	86.4	NW	0.1		-	Out ofSc.	40	0.4
7 ,, 8	-570	.758 .764	79. 0 79.4	75.0 75.0	4.0	73.3	.810	-84	83.0 82.3	86.1 85.7	sw	0.3	0.10	-	Out of Sc	1	Instantly.
9 ,,	.582	.750	80.5	76.0	4.5	73.2 74.2	.832	-82 -82	82.3	85.6	"	0.1	0.01	+ +	Out offe	60	0-10 2-19
10 ,,	.598	.766	80.5	76.0	4.5	74.2	.832	.82	82.1	85.4	N b W	0.3	0.01	+	•		2.19
11 ,,	.591	.754	80.1	76.0	4.1	74.4	.837	-83	81.8	85.3	ESE	0.1					
บท ธ 13 r H-Midnight		·761	82.0	77.0	5.0	75.0	.855	.80	83.1	85.0	ESE	0.3					
ia.m.	.602 .589	.747	82.0	77.0	5.0	75.0	-855	.80	83.0	84.9	,,	0.2					
3	.589	.748 .781	81.5	76-5 75.6	5.0 5.7	74-5 73.3	.841	.80	82.6 82.3	84.7	E b's	0.0	İ		!	1	
4 ,,	.589	.808	81.6	75.0	6.6	72.2	.781	.74	82.3	84.6	SEbS	0.3) ,
5 ,,	.600	.837	81.4	76.0	5.4	73.8	.823	.79	82.0	84.6	SE	0.2		-			
6 " 7 "	.621	.794	81.7	76.2	5.5	74.0	.827	.78	82.0	84.5	ESE	0.2		+	18	16	0.24
2 "	.627 .641	.776 .754	82.4 82.7	77.0	5.4 4.7	74.9 76.2	.851 .887	.79 .82	82.5 83.0	84.4	SSE	0.2		++	4	}	2.19
9 ,,	.664	.807	86.2	78.2	8.0	75.1	-857	.70	85.0	84.5		0.1		*	•		Above 10m
10 ,,	.663	.815	90.1	79.0	11.1	74.8	.848	.62	86.1	84.5	"	0.1					
II "	.656	.775	91.0	80.0	11.0	76.0	.881	.63	87.1	84-6	,,	0.1	None.				
Noon. 1 p. m.	.645	.754	92-0	80.5 81.5	11.5	76.3	.891	.61	88.0	84.8	ssw w	0.1	ž				
2 ,,	.601	.699 .695	93.0 92.6	81.0	11.6	77.5 76.8	.906	.62 .61	89.0 89.0	85.0 85.2	NWbw	0.3					
3 ,,	.575	.645	92.5	81.5	11.0	77.7	.930	.63	89.0	85.4	,,	0.7			ļ		
4 ,,	.567	.633	91.3	81.3	10.0	77.8	.934	.66	89.0	85.6	,,	0.6					,
5 ,, 6	.565 .563	.595 605	88.8	81.5	7.3	79.0	.970	.74	88.2	85.7	NW	0.7					
7 "	.592	.605 .614	87.8 86.0	81.0	6.8 5.0	78.6 79.3	.958	.75 .81	87.7 86.2	85.7 85.6	"	0.6			!		
8 ,,	.616	-660	85.3	80.3	5.0	78.5	.956	.81	85.7	85.5	"	0.5			! !		l
9 ,,	.651	.728	85.2	79.5	5.7	77.4	.923	.78	85.6	85.5	wńw	0.2]		1		
10 " 11 "	.653 .647	.730 .723	85.2 85.1	79.5 79.5	5.7 5.6	77.4 77.5	.923 .924	.78 .78	85.5 85.3	85.5 85.4	NW'b W	0.1		+	6		
UNE 14TH-Midnight	620	80.		60 -													
l a. m.	.639 .630	.724 .710	84.7 83.5	79.2 79.0	5.5	77.2	.915	.79	85.2	85.4	NWbW	0.3	0.00	+	10		3.20
2 ,,	.631	.727	83.1	78.5	4.5 4.6	77.3 76.8	.920 .904	.82 .82	84.6 84.3	85.4 85.4	NNW NW b W	0.4	0.05	+	6	8	0.45
3 "	.631	.709	83.4	79.0	4.4	77.4	.922	.83	84.3	85.3	,,	0.3		++	4		1.10 3-30
4 ,,	.642	.711	82.5	79.0	3.5	77.7	. 931	.86	83.6	85.2	WNW	0.3	0.06		Out of8c.	Out offic.	Instantly.
5 ,,	.639 .650	.694	81.3	79.0	2.3	78.2	.945	.91	82.8	85.1	NW	0.4	0.49		Out ofSc.	Out oße.	Instantly
7	.677	.711 .709	81.8 83.0	79.0 80.0	2.8 3.0	78.0 78.9	.939 .968	.89 .88	82.5 83.0	84.9 84.9	n n w	0.3 0.4	0.01	+	6		3.24
8 ,,	.683	.697	84.9	80.9	4.0	76.9 79.5	.986	.84	84.3	84.9	NNE	0.4					
9 "	.692	.740	86.8	80.6	6.2	78.4	.952	.77	85.8	85.0	NNW	0.2					
10 "	.6`9	.755	86.8	80.2	6.6	77.8	.934	.76	86.0	85.0	,,	0.3					
11 ,,	.674	.751	89.0	80.5	8.5	77.4	.923	.70	87.0	85.1	,,	0.3		I			

0—8.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) \(\) i nimbi.	Remarks.
8 7	C B	Overcast with val moving ESE. val scattered throughout moving ESE.	Mean daily temperature of ground 20 and 60 inches below its sur-
6	В		face 86.6 and 85.2. Daily fall
3	B	scattered all round the hor., moving SE.	of rain by Osler's Gauge 0.16 in. Tension of electricity by
6	B G	and we scattered throughout; we moving ESE; drops of rain at 5h. 31m.	Henley's Apparatus 8. Maximum
7	G	N and VLI scattered throughout; VLI moving ESE; mist along E hor.	length of the spark by Ronald's
7 8	G G	Overcast with we moving to E; mist in hor.	Measure 0.05. 11th June was the 30th day on
8	C	" " " " " " " " " " " " " " " " " " "	which lightning was observed,
8	C))))	and 4th day on which thunder
8 7	C	39	was recorded.
4	C B	and vi scattered throughout; haze.	
5	В	wi throughout moving W; wi around hor.; haze.	
3	В	n and is scattered throughout.	
3	B	N. Ni. and Ni scattered throughout. Ali in NE and B extending towards senith; Ni throughout moving B; and Ni in W; distant thunder in NE. [and thunder.	
8	c	Overcast; threatening appearance in NB; at 6h. 15m. squally wind from NB, which lasted 6m.; shower of rain at 6h. 21m.; lightning	
8	C	Overcast with Val moving WSW; sheet & forked lightning accompanied with loud peals of thunder in E, S & SW of senith; light rain	
8 8	C C	Overcast; continuous lightning in N, NE, E, SE and S and thunder now and then; rain ceased at Sh. 25m. [from 7h. 28m. Overcast; thunderstorm over from the last observation; lightning in S and SW.	
8	C	Overcast with we moving S; lightning in SE, S and SW at longer and longer intervals.	
8	C	n n n n	
8	c	Overcast with we moving S; drops of rain fell from 0h. 18m. to 0h. 30m. Overcast with we in two strata, the lower stratum moving SW; a few drops of rain at 1h. 80m.	Mean daily temperature of ground
8	B B	Overcast with v_{L} in two strata, the lower stratum moving W.	20 and 60 inches below its surface 86% and 85%.
8	В	"	13th June was the 31st day on
8 8	B G	Densely overcast with 🕦 moving W; drops of rain now and then.	which lightning was seen, and
8	G G	Overcast with N_i in two strata, the upper stratum moving westward and the lower one moving to R.	8th day on which fall of rain was less than one cent.
8	G	Overcast with we and we; the former moving to W and the latter to E.	
7 j	C	Densely clouded with va and va moving to W.	
7	C	Densely clouded with va and va moving to W; bazy.	
3	C	on and on scattered about the latter moving SW; haze.	
1	В	in small pieces scattered around; thick haze in E.	
2	B B	vi in small pieces scattered around; thick haze around. vi and vi scattered about; haze around hor.	
5	В	1) 2)	
5	G	Dense N scattered about the sky; in NE and B hor.; is cattered about here and there moving B.	
5	G G	i and in NE and N above hor.; Li in B and SE hor.; Li scattered about the sky moving SE. [hor. at every 2m. i and is scattered about; large pieces of Li moving SE; halo around the moon observed at 7h. 20m.; lightning in B and SE	
7	G	Dense >1 and >1 scattered throughout the sky, the latter moving \$B; lightning in E and 8E every misute.	
5	C	Densely clouded with val moving SE; lightning in E and SE at every 2m.	
3	C C	Overcast with val moving SE; lightning in SE at every 3m. [to 11h. 36m. Overcast with val moving SE; lightning at long intervals; light rain from 11h. 20m.	
3	c	Overcast with Vai moving SB; light rain began to fall at 0h. 35m.; lightning in SE; thunder in W heard at 0h. 55m.	Mean daily temperature of ground
3	В	Overcast; lightning in 8E at an interval of 1m. 35s.; rain ceased at 1h. 20m.; thunder in W at every 2m.	20 and 60 inches below its sur-
3	B B	Overcast with 👠 moving SB; lightning in SB and W at intervals of about 2m. and 1m. 45s.; occasional thunder. Overcast uniformly; lightning in W at every minute; thunder at every 2m.; light rain began to fall at 3m. 30s.	face 86.5 and 85.4. Daily fall of rain by Osler's Gauge 0.65 in.
	В	Densely overcast with Val with no apparent motion; continuous lightning & rolling thunder about the zenith; raining thunderstorm	
3	G	abated at 4h.56m. Clouded as before; lightning and thunder occasional; rain abated from 5h. 19m. and ceased altogether at 5h. 22m.	by Henley's Apparatus 10.0 in.
3	G.	Overcast with 🔨 in two strata; the upper stratum moving to W and the lower stratum moving to SR.	Maximum length of the spark by Ronald's Measure 0.10 in.
3	G G	Overcast with va and va, the former moving E.	14th June was the 32nd day on
•	C	Overcast with vi moving SW.	which lightning was seen and 5th
3	C	Overcast with val moving SW; haze in E hor. value scattered throughout, a few value here and there; thick haze in E hor.	day on which thunder was heard.

			DARD Meter.	Тнв	RMOMB	rrrs.		OF B.	AIR.	GRO THERMO	UND Metrre,	Wind F Osler's G		RAIN.	RLEC	TRICAL	INSTRU	MRRTS.
	Bombay Civil Time. 1864.	Corrected to 39° Fahr.	for	In the	Wet Bulb Thermo- meter.		DEDUCED DEW-POINT.	PRESSURE OF	HUKIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- man's	Sign of Blectrici- ty + or —	Strawso	Strawsof Volta 2.	Interval of Time in recovering the same degree of tenuion after discharge
IUNR	14тн-Noon.	in. 29.671	in. 28.734	89°7	81:0	8°7	779	in. 0.937	0.69	87:4	85:2	NWbN	lbs. 0.4	in.		Sc. div.	Sc. div-	m. s.
	l p. m.	.659	.722	90.1	81.1	9.0	77.9	.937	.68	87.6	85.3	WNW	0.6					
	2 ,,	.639	.708	90.3	81.0	9.3	77.7	-931	.67	88.0	85.4	"	0.8					
	3 "	.631	.739	90.0	80.0	10.0	76.4	.892	.65	88.0	85.5	. ,,	0.8					
	4 ,, 5	.624 .623	.748	89.5	79.5	10.0	75.8	.876	.65	87.6 87.0	85.6	,,	1.0				'	
	6	.632	.739	88.6 86.7	79.5 79.2	9.1 7.5	76.1 76.4	.893	.68	86.1	85.6 85.6	"	0.5					
	7 ,,	•662	.767	85.4	78.9	6.5	76.5	.895	.75	85.3	85.6	"	0.3		_	Out offic	Out ofSc.	Instantly
	8 ,,	.676	.814	85.0	78.0	7.0	75.3	.862	.74	85.0	85.5	wbn	0.2		_	20	18	2.0
	9 "	.701	.837	84.8	78.0	6.8	75.4	-864	.74	85.0	85.4	w	0.1		i .			
	10 ,,	.705 .702	.873	84.1	77.0	7.1 5.3	74.2	.832 .824	.73	84.8	85.3	ENE	0.3	0.02	-	Į.	Out ofSc.	Instantly Instantly
	11 "	.702	.070	81.3	76.0	5.3	73.9	.024	.79	83.3	8 <i>5</i> .3	swbs	0.4	0.09	_	Out onse	out olse.	Instantly.
UNE	l5TH-Midnight		.884	82.0	76.0	6.0	73.6	.816	.77	83.3	85.3	EbN	0.3		+	10	8	1.11
	la.m. 2	.690 .667	.844	81.0	76.5 76.5	4.5	74.7	-846 -846	.82 .82	82.5 82.3	85.2 85.1	SEbE	0.6					
	- ,,	.623	.799	81.3	76.0	5.3	74.7	-824	.82	82.3	85.0	NNW	0.0					
	4 ,,	.635	.799	81.6	76.4	5.2	74.3	.836	.80	82.3	84.8	NWbW	0.0					
	5 "	.675	.839	81.6	76.4	5.2	74.3	.836	.80	82.1	84.8	ssw	0.2	١.				
	6 ,,	.708	.856	82.3	77.0	5.3	74.9	.852	.79	83.0	84.7	sw	0.3					
	7 , ,	.726	.855	82.7	77.6	5.1	75.6	.871	.80	83.3	84.6	,,	0.2					
	8 " 9 "	.733	.860 .856	84.0 86.0	78.0 79.0	6.0 7.0	75.7 76.4	.893	.77	83.9 85.0	84.6	sbw	0.2					
	10 ,,	.749	.808	87.8	80.6	7.0	78.0	.941	.74	86.0	84.8	,,	0.1		1			
	11 ,,	.739	.779	88.8	81.3	7.5	78.7	.960	.73	87.0	84.9	sbw	0.1	ية				
	Noon.	.729	.775	90.2	81.5	8.7	78.5	.954	.69	87.5	85.1	swbs	0.2	one.]	
	ի թ. m.	.710	.739	90.6	82.0	8.6	79.0	.971	.70	88.0	85.3	sw	0.3	Z]	
	2,,,	.693	.736	92.0	82.0 82.0	9.3	78.6 78.8	.957	.66	88.7	85.4 85.6	w.	0.4				l	
	4 ,,	•662	.718	89.1	81.0	8.1	78.1	.944	.71	88.0	85.6		0.5					
	5 ,,	.656	.689	88.6	81.4	7.2	78.9	.967	.74	87.1	85.7	wnw	0.3					
	6 ,,	.665	.695	86.7	81.0	5.7	79.0	.970	.79	86.0	85.6	,,	0.2					
	7 ,,	.679	.690	85.0	81.0	4.0	79.6	.989	.84	85.2	85.6	WbN	0.1					
	8 ,,	.697 .716	.708 .746	85.0 84.8	81.0	4.0	79.6 79.0	•989 •970	.84	85.0 85.0	85.5 85.4	w	0.4					
	10 ,,	.717	.783	84.2	79.5	4.7	77.8	.934	.82	84.7	85.4	,,	0.3					
	- 11 ,,	.715	.781	84.2	79.5	4.7	77.8	.934	.82	84.7	85.3	"	0.3					
UNE	16тн-Midnight	.706	.749	84.0	80.0	4.0	78.6	.957	.84	84.6	85.2	w	0.2					
	la. m.	.701	.798	83.2	78.5	4.7	76.7	.903	.82	83.9	85.2	WbN	0.2					
	2 ,,	.696	.773	83.3	79.0	4.3	77.4	.923	.83	83.9	85.2	w	0.2					
	3 ,,	.692	-808	83.0	78.0	5.0	76.1	-884	.80	83.6	85.1	,,	0.4	İ				
	4 ,, 5	.688	.802	82.8 82.6	78.0 78.0	4.8 4.6	76.1 76.2	.886 .888	.81	83.5 83.2	85.1 85.0	wsw	0.2					
	6 ,,	.718	-872	82.8	77.0	5.8	74.7	-846	.82	83.0	84.9		0.2					
	7 ,,	.728	.895	84.0	77.0	7.0	74.2	.833	.73	84.1	84.8	w b n	0.2					
	8 ,,	.734	.888	84.7	77.5	7.2	74.7	.846	.73	84.3	84.8	Wbs	0.2]		
	9 ,,	.744	·863	87.1	79.0	8.1	76.0	-881	.70	86.0	84.9	swbw	0.2	اه	å	2.		•
	10 ,, 11 .,	·750 ·746	·845 ·825	88.7 88.5	80.0 80.3	8.7 8.2	76.8 77.4	.905	.69	86.3 86.9	84.9 85.0	wsw	0.3	None.	None.	None	None.	None.
	Noon.	.740	.818	91.2	81.0	10.2	77.4	.922	.65	87.8	85.1	WNW	0.3	Z	Z	Ž	Ž	ž
	l p. m.	.726	.813	92.0	81.0	11.0	77.1	.913	.63	88.0	85.3	Wbs	0.5			ł		
	2 ,,	.712	.823	92.2	80.5	11.7	76.3	-889	.61	88.8	85.5	wsw	0.5					
	3 ,,	.693	.780	92.0	81.0	11.0	77.1	.913	.63	88.8	85.6	W	0.8					
	4 ,, 5	.677 .671	.798	91.2	80.0 80.0	11.2	75.9	.879	.62	88.6 88.0	85.8 85.8	,,	0.8					
	6 ,	.678	.758	87.4	80.0	7.4	76.1 77.3	.885	.64 .73	86.9	85.7	"	0.5					ł
	7 ,	.688	.826	86.5	78.4	8.1	75.3	.862	.70	86.6	85.7	"	0.3					
:	8 ,,	.699	.821	85.5	78.5	7.0	75.9	-878	.74	85.6	85.6	wsw	0.2					
	Δ	.721	.821	85.4	79.0	6.4	76.6	.9 00	.76	85.4	85.5	$\mathbf{w}_{\mathbf{b}}\mathbf{s}$	0.1	1	}	1	P .	1
	9 ,, 10 ,,	.723	.819	85.0	79.0	6.0	76.8	.904	.77	85.3	85.4	w b s	0.2	l l	i	1	ľ	l

	Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\circ\) cirri; \(\circ\) cirro-cumuli; \(\circ\) cumuli; \(\circ\) cirro-strati; \(\chi\) cumulo-strati; and \(\chi\) i nimbi.	Remarks.
	5	С	■ and ► scattered throughout; thick haze in E hor.	
	6	В	¬ and ¬¬ scattered about, the latter moving ESE; hazy.	
	5 6	B B	Dense v scattered throughout; va around hor.; haze in hor.	
	7	В)	
	7	G	22 22 22	
	8 8	G	At scattered throughout moving E.	
	8	G G	Overcast with wi moving E; lightning in E hor. at intervals. Overcast; lightning in NE, E and SE at intervals of 13s.	
	8	C	Overcast; lightning in NB, E, SB and S of zenith; thunder at intervals; drops of rain falling from 9h. 47m.	
	8	C	Overcast; continuous lightning and thunder in NB, E, SB and S of zenith; raining lightly.	
	8	C	Overcast with Vai moving 8; lightning in 8B and 8 hor. at intervals of 10s. thunder occasional; rain ceased at 11h. 5m.	
	8 8 8	C B	Overcast with we moving S; lightning in SE, S and SW hor.; no thunder or rain. Overcast; lightning in SE every minute.	Mean daily temperature of ground 20 and 60 inches below its sur- face 86:4 and 85:4. 82:0 was
	8	В	Overcast with va moving W; lightning in SW at every 2m.	the highest reading of wet bulb
1	7	В	VLI scattered throughout moving W; lightning in SW at intervals of 4m.	thermometer recorded during
1	8 7	G G	and scattered throughout, former moving W; lightning in SW at intervals. and scattered throughout, former moving W; haze in E.	this month.
	7	G	and we scattered throughout; haze in E hor.	15th June was the 33rd day on which lightning was seen after
١	7	G	, , , , , , , , , , , , , , , , , , , ,	sunset.
	7 7	C	Overcast with we and we moving. W; haze in hor.	
1	7	C))	•
	8	c	2) 2) 2)	
1	8	В	by and an Abranahant and marine to ENE about 17 has	
-	6 7	B	and we throughout; we moving to ENE; haze in E hor.	
	7	В))	
1	6	G	N. Wi and Wi throughout; Wi moving E.	
	6	G G	" and vi throughout; vi moving E; in ESE; lightning in E at times.	
	7	G	Vi and Vi scattered throughout, the latter moving to B; lightning in B hor, at about every 3m.	
	7	C	♦ i and ♦ i throughout, the former moving to W and the latter to E; lightning in E hor, at intervals.	
1	6	C	↑ and ↑ i throughout, the former moving to W and the latter to B; no lightning.	
1	7	C	??	
	6 7	C B	vi and vi scattered throughout, the former moving to W and the latter moving to ESE.	Mean daily temperature of ground 20 and 60 inches below its sur-
	6	В	N about the senith; ⋈i and ⋈i throughout; lightning and thunder at intervals in 8B hor. after 2h. 47m.	face 86.5 and 85.5.
	5	B B	and we throughout; we moving SE; lightning in SE hor. at about every 2m. and we all round hor.; lightning in SE.	16th June was the 34th day on
I	5	G	and wi throughout; wi moving ESE. [in W.	which lightning was observed, and 6th day on which thunder
	6	G	throughout, moving SE; mist in E hor.; slight rain after 6h. 52m.; partial Rainbow	was recorded.
1	7	G	throughout moving E; \(\sigma\) here and there; rain ceased 7h. 20m.	
	6	G C	and we throughout; we moving to E; haze in E.	
	7	c		
1	8	C	Overcast with val moving NE; slight rain from 11h. to 11h. 14m.	
	7 5	C B	and we scattered throughout; we moving E and we moving NNW. and we throughout; mist in hor.	
	5	В))))))))	
1	6	В	" "	
	3 5	B G	in E and SE hor.; we and we scattered about moving E.	
	6	G	_	
	6	G	in E and SE hor. we and we scattered about moving E; lunar halo.	
	8	G C	Overcast with L vs moving E; a few stars dimly visible about the zenith. Overcast with vs moving E.	
	8	c	" " "	<i>'</i>
l	8	c l		

BOMBAY METEOROLOGICAL OBSERVATIONS, 1864.

		DARD ETER.	Тнв	RNOMBI	BRS.	:	zi.	AIR.		UND METERS.	Wind P Osler's C		RAIN.	ELECT	RICAL	Instru	MENTS.
Bombay					Depres-	DEDUCED DEW-POINT	PRESSURE MOISTURE.	X OF	lnch nd.	the e					Readi	ngs of	me in the
Civil Time.		Corrected	In the	WetBulb	wion of WetBulb	BDU V-P	E88	X TI	rour	mete i in t		Pressure in lbs.	By New-	Sign of		1	Tim
1864.	32º Fahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in	O M	PR OF N	UMIDIT	Thermometer ling in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Square Foot.	mun's Gauge.	Blectrici- ty + or —	Strawsof	Strawsof Volta 2.	interval of Tin recovering same degree tension after charge.
	<u> </u>	in.	<u> </u>	<u> </u>	the Air.		<u> </u>	Ħ	<u> </u>	F		<u> </u>	in.	l			
UNE 17TH-Midnight	29.717	28.840	84:4	78:2	6.2	75.8	in. 0.877	0.76	849	85.4	wьs	lbs. 0.1	111.		Sc. 41v.	Sc. div.	m. s.
l a. m.	.702	.829	84.0	78.0	6.0	75.7	.873	.77	84.5	85.4	,,,	0.1					
2 " 3 "	.681	.793	82.6	78.0	4.6	76.2	.888	.82	83.6	85.3	SW b S	0.6	ĺ	ļ		i	
4	.680	.813	81.0	77.0	4.0 3.8	75.4 75.5	.866 .868	.85 .85	82.6 82.2	85.2 85·1	ssw	0.5		İ		-	
5 ,,	.681	.808	80.4	77.0	3.4	75.7	-873	.86	82.0	85.0	s i"w	0.2		i			
6 "	.698	.843	82.7	77.2	5.5	75.0	.855	.79	82.7	84.9	ssw	0.2		1			
7,	.722	-858	84.8	78.0	6.8	75.4	.864	.74	84.0	84.9	WbS	0.2		ļ			
8 "	•733	.851	87.0	79.0	8.0	76.0	.882	.71	85.4	85.0	W	0.2		ł			
9 ,, 10 .,	.750 .752	.839	88.2 90.0	80.0 80.7	8.2 9.3	77.0	-911	.70	86.4 87.6	85.1 85.2	"	0.2			١.		
11 "	.746	.843	90.6	80.4	10.2	76.7	.921 .903	.65	88.0	85.4	w b s	0.2		one.	None.	None.	None.
Noon.	.740	.808	86.6	80-1	6.5	77.7	.932	.76	86.2	85.5	WNW	0.1	0.01	Ž	ž	ž	ž
1 p. m.	.723	.767	88.0	81.0	7.0	78.5	.956	.74	86.6	85.5	ShE	0.3	0.02				
2,,	.704	.794	90.2	80.5	9.7	77.0	.910	.66	87.6	85.6	w	0.4					
3 ,,	.672	.748 .736	91.0	81.0	10.0	77.5	.924	.66 •65	88.2	85.8	WbN	0.5			 		
4 »,	.658	.735	91.2 89.4	81.0	10.2	77.4	.922	.68	88.4 87.5	85.9 85.9	NW'b W	0.6	İ	l			
6	.656	.780	87.5	79.0	8.5	75.8	.876	.69	87.0	85.8	WNW	0.6		İ			
7 ,,	•667	•770	85.6	79.0	6.6	76.5	-897	.75	85.7	85.7	w	0.5		İ			
8 ,,	.684	.780	85.0	79.0	6.0	76.8	.904	.77	85.0	85.7	WNW	0.6		1	•	<u>'</u>	
9 "	.708	-822	84.8	78.5	6.3	76.1	-886	.76	85.0	85.6	,,,	0.2		ì			
10 ,,	.708	-839	84.4	78.0	6.4	75.5	.869	.76	85.0	85.5	WbN	0.2		ł			
11 "	.705	.834	84.2	78.0	6.2	75.6	.871	.76	85.0	85.5	·	0.1					
UNE 18TH-Midnight	.693	.822	84.2	78.0	6.2	75.6	.871	·76	84.6	85.5	wsw						
l a. m.	.673	.796	83.6	78.0	5.6	75.8	.877	.78	84.3	85.4	Wbs	0.1		1	ł		
2,,	.666	.807	83.5	77.5	6.0	75.2	-859	.77	84.1	85-4	,,	0.4		l			
3 ,,	.661	.800	83.3	77.5	5.8	75.2	.861	.77	84.0	85.3	WSW	0.2					
4 ,,	.654	.765	82.5	78.0	4.5	76.3	.889	.82	83.6	85.2	WNW	0.3				,	
о 6	.661 .678	.772	82.5 83.2	78.0 78.2	4.5 5.0	76.3 76.3	.889	.82	83.0	85.2	WSW WbS	0.4		ļ			
7	.695	.833	86.5	78.4	8.1	75.3	.862	.70	83.1	85.1 85.0		0.3					
8 ,,	.711	.833	87.4	79.0	8.4	75.9	-878	.69	85.9	85.1	"	0.3				•	
9 "	.725	.860	89-3	79.2	10.1	75.4	.865	.65	87.0	85.2	w	0.2					
10 ,,	.724	.819	90.8	80.5	10.3	76.8	•905	.65	87.7	85.4	WNW	0.2	None.	None.	je.	<u>.</u>	၌
II " Noon.	.718 .707	.805	90.8	80.7	10.1	77.1	.913	.65	88.0	85.5	W	0.2	l o	N _O	None.	None.	None.
l p. m.	.691	.830	92.4	80.0	11.4	76.9 75.2	.909 .861	.62	89.0 89-1	85.6 85.8	WNW	0.1					-
2 ,,	.675	.795	93.0	80.5	12.5	75.9	.880	.58	89.1	86.0	"	0.5					1
3 ",	.665	.778	92.8	80.6	12.2	76.2	.887	.60	89.3	86.0	"	0.6	l	1			l
4 "	.657	.779	91.3	80.0	11.3	75.9	.878	.62	89.0	86.1	"	0.5		1			l
5 ,,	.659	•774	90.6	80.0	10.6	76.1	-885	.64	88.2	86.2	"	0.6		1			1
6 ,, 7	.663	.696	88.6	81.4 81.0	7.2 5.0	78.9	.967	.74	87.3	86.2	"	0.4		,			
Q ″	.688	.703	84.9	80.9	4.0	79.3 79.5	.978	.81	86.0 85.8	86.1 86.0	,,	0.5					1
9 ,,	.704	.775	84-7	79.5	5.2	77.6	.929	.80	85.0	85.9	"	0.5	l]
10 ,,	.718	.789	84.7	79-5	5.2	77.6	.929	.80	84.7	85.8	w n	0.5					
11 "	.718	.807	84.4	79.0	5.4	77.0	.911	.79	84.5	85.8	W	0.6					
JUNE 20TH-Midnight	.693	.740	84.4	80.0	4.4	78.4	.953	02	05 0	05 5	NW bW						
l a. m.	.680	.768	84.3	79.0	4.4	77.0	.912	.83	85.0 84.7	85.5 85.5	NW	0.4	1				
2 ,,	.668	.796	84.2	78.5	5.7	75.6	.872	.78	84.7	85.5	NW b W	0.8	•				1
3 ,,	.655	.735	83.5	79.0	4.5	77.3	.920	1.82	84.4	85.4	NNW	1.0	0.01				1
4 ,,	.658	.752	81.0	78.0	3.0	76.8	.906	.88	83.0	85.2	NWbN	0.0	0.43				1
5 ,, 6	.678 .696	.763 .765	80.2	78.0	2.2	77.2	.915	.91	82.1	85.2	NNW	0.2	0.01				
7	.712	.705	79.5	78.2 78.5	1.3	77.7	.931	.95	82.0 82.0	85.0	NNE NE bN	0.1					
8 ,,	.724	.798	81.7	78.7	3.0	77.5	•926	.88	82.0	84.8 84.8	W	0.1	0.02	+	16	14	
9 ,,	.742	.822	80.5	78.2	2.3	77.3	.920	.91	82.0	84.6	WbN	0.1	0.02			14 0ut 018c	1.7 Instanti
10 ,,	.735	.810	81.2	78.5	2.7	77.5	.925	.89	82.0	84.6	NW b W	0.4	0.03				
11 ,,	.734	.836	79.6	77.4	2.2	76.6	.898	.91	81.7	84.6	NW	0.4	0.87	+	18	16	0.17

_					
Amount of Clouds	Observers.	Note.—In recording these Observations, the Symbols use	ed to denote the clouds are : Ni	cirri; \ i cirro-cumuli;	Remarks.
77888877766668777545555556	C B B B G G C C C C C C C C C C C C C C	Overcast with MI moving E. D Mand MI scattered throughout. Overcast; a few stars dimly visble here and there; light rain from Overcast; MI moving ENE. Overcast; slight rain from 4h. 20m. to 4h. 2	26m. at full hour. er moving E; mist a noving ENE; mist to ENE; mist. ENE; slight rain beg at 0h. 10m; occasional thunder rops of rain at 2h. 50 noving E; haze in he d throughout moving	g the hor. "st. an to fall at 11h. 36m. in. 8H. or. g E; haze. "	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.5. Daily fall of rain by Osler's Gauge 0.01 in.
6 4 5 7 5 5 5 5 7 7 5 6 5 5 5 4 6 5 5 5 5 3 3 4 6	С в в в в в в в в в в в в в в в в в в в	and ni scattered throughout. """ about the zenith; ni throughout moving and ni scattered throughout, ni moving throughout moving ESE; drops of raise scattered throughout moving SE. ni extended from N to SE; ni and ni the ni extended from N to SE; ni and ni the ni extended from N to SE; ni and ni the ni extended from N to SE; ni and ni the ni scattered throughout moving E; ni her """ """ """ """ """ """ """	g E; slight rain from n at 4h. 46m. roughout; mist in E roughout; mist in hoving E; mist in hoving E; mist in hoving E; mist in war and there; mist in war are and there; mist in war are and there; mist in war are and there; mist in war are and there; mist in war are and there; mist in war are and there is mist in war are and there is mist in war are and the war a	hor. or. Rainbow at 7h. 42m. hor. "" "" in W	Mean daily temperature of ground 20 and 60 inches below its surface 86.5 and 85.5.
7 8 8 8 8 8 8 8 8 8 8	C B B C G G C C C	Overcast with we and we, the latter movi Overcast with we moving E; drops of rain overcast; rain began to fall at 8h. 12m. and ceased at 8h. 24m., b Overcast; rain ceased at about 4h. 7m.; afterwards drops of rain overcast with we in two strata, the lower stratum moving SE, and Overcast as above; slight rain now and the Overcast as above; lightly raining Overcast; raining lightly. Overcast with we moving SE; rain ceased 4 Overcast; raining; thunder in W, SW and	ng E. n from 2h. 18m. to 2h put recommenced at 3h. 35m. began to fall, and lightning and d the upper one moving W; drop en; no lightning or t lim. before the full hou	t thunder in W bor. oceasionally. s of rain; lightning and thunder in W- hunder.	Maximum length of the spark by Ronald's Measure 0.06 in. 20th June was the 35th day on which lightning was observed,

			NDARD Weter.	Тив	RMOMB!	rers.	غ د	_ ni	AIR.	GRO THERMO	UND Meters.	WIND FOOTBLER'S G		RAIN.	BLEC	TRICAL	INSTRU	JE BNTS.
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermouneter in the Air.	DEDUCED DEW-POINT	PRESSURE OF MOISTURE	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or —		Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis-
I	20тн-Noon,	in. 29.734	in.	70*E	GC01	024	750	in.	0.00	0190	0.495	THENTTE	lbs.	in.	١.	Sc. div.	Sc. div.	
JUNE	l p. m.	.721	28.875 .829	78 : 5 78.6	76°1 77.0	2 ² 4 1.6	75°2 76.4	0.859	0.90 .93	81°0 80.6	84.5 84.5	WNW SW	0.3	0.61	+	_	Out ofSc.	2.48
	2 ,,	.692	.813	79.8	77.0	2.8	75.9	.892	.88	81.0	84.5	wsw	0.5	0.24	_		ous cust.	Instance
	3 ,,	.684	-796	82.6	78.0	4.6	76.2	.888	.82	82.0	84.5	sw	0.6	0.00	1			
	4 ,,	.670	.760	80.6	78.0	2.6	77.0	.910	.89	81.5	84.5	w b s	0.3	0.07				
	5 ,,	.665	.755	80.6	78.0	2.6	77.0	.910	.89	81.5	84.5	SW	0.5	0.04	1		1	
	6 " 7 "	.680	.820 .827	81.5 81.0	77.0	4.5	75.2 75.4	.860	.82	81.0 80.9	84.5 84.4	SW b W WSW	0.7					
	ρ "	.707	.839	80.8	77.0	3.8	75.5	.866 .868	.85	80.7	84.2		0 to 2		Ì	1		
	9 ,,	.725	.821	81.2	78.0	3.2	76.8	.904	.87	81.6	84.2	"	0.4			1]	
	10 ,,	.732	.821	80.5	78.0	2.5	77.0	.911	.90	81.3	84.2	w"	1 to 21	0.05	1	İ		
	11 ",	.727	-834	80.0	77.4	2.6	76.4	-893	.89	81.3	84.2	WbN	0.7					
UNES	21s T-M idnight		.819	80-4	77.8	2.6	76.8	.904	.89	81.3	84.2	wnw	0.5					
	l a. m.	.698	.830	80.8	77.0	3.8	75.5	.868	.85	81.5	84.2	,,,	0.5	1				
	2 ,,	.683	.812	80.5	77.0	3.5	75.6	-871	.86	81.3	84.1	WbN	0.3			l	1	
	3 ,, 4	.687	.817	80.4	76.8 76.0	3.6	75.4	.864	.85	81.3	84.0	Wbs	0.1			1	l	1
	5	.691	.855	80.2	76.0	4.0	74.4	.838	.83	81.0	83.8	"	0.2		-	İ	ĺ	
	6 ,,	.714	.866	80.9	76.5	4.4	74.8	-849	.82	81.0	83.7	wsw	0.2		1	ļ		
	7 ,,	.746	.895	78.8	76.0	2.8	74.9	-851	.88	80.0	83.6	sw	0.4	0.08	_	Out ofBc.	Out ofBc.	Instanti
	8 ,,	•773	.906	77.4	76.0	1.4	75.5	-867	.94	79.8	83.5	,,	0.2	0.31	1	1		1
	. 9 ,,	.782	.886	78.3	77.0	1.3	76.5	•896	.94	79.8	83.3	N	0.2	0.46	1	1		Ì
	10 ,, 11	.793	.963	81.4	79.2	2.2	78.4 74.1	.952	.91	81.0 79.0	83.3 83.2	NNE	0.2	0.00	1	1	l	
	Noon.	.781	.931	77.9	75.7	2.2	74.1	-830 -850	.91	79.6	83.2	WNW	0.3	0.28				
٠	l p. m.	.768	.891	80.0	77.0	3.0	75.8	-877	-88	80.2	83.3	l	0.2	0.29		1		j
	2 ,,	.754	.863	80.6	77.5		76.3	-851	.87	81.0	83.4	SSE	0.3	0.01	1			}
	3 ,,	.733	.856	80.0	77.0	3.0	75.8	-877	-88	80.8	83.4	,, ;	0.4			Ì	ĺ	Ì
	4 "	.733	.980	77.4	73.0	4.4	71.1	•753	·82	79.2	83.4	wsw	0.4	0.06				
	5 ,, 6	.741	.916	77.0	74.8	2.2 2.2	73.9	-825 -825	.91	78.2 78.0	83.4 83-3	SW	0.5	0.02		j	i	ļ
	7 "	.738	.915	77.8	75.0		73.9 73.8	-823	.88	78.0	83.2	SbE	0.4	0.05		Ì	1	Ì
	8 ,,	.760	.939	78.0	75.0		73.8	-821	.87	77.4	83.0	30,00	0.4			1	١.	İ
	9 ,,	.780	.911	77.2	76.0		75.5	-869	.95	77.4	83.0	swbs	0.1	0.08		1	l	İ
	10 ,,	.777	.894	78-4	76.7		76.0	-883	.93	78.7	83.0	,,	0.1			1	l	Ì
	11 "	.772	.884	79.0	77.0	2.0	76.2	-888	.92	79.4	83.0	SbE	0.2					
JUNE	22np-Midnigh		.906				75.3	.862	.90	79.4	82.9	ShE	0.2					
	la.m.	.755	.870	79.3	77.0		76.1	.885	.90	80.0	82.8	,,	0.7			l	•	[
	2 ,, 3	.735	.852	79.3 79.6	77.0		76.1 76.4	.885	.90	80.0	82.7 82.6	"	1.0	1				
	4 ,,	.743	.922	78.0	75.0		73.8	.894	.90	79.3	82.6	"	0.6	1	_	Out offic.	50	0.1
	5,,	.745	.929	79.2	75.2		73.6	.816	.84	79-3	82.6	s"	0.2	! .	_	20	18	1.0
	6 "	.758	.909	79.0	76.0	3.0	74.8	-849	.88	79.3	82.5	s b w	0.1	0.06		10	1	2.2
	7 ,,	.772	·895	80.7	77.2		75.8	.877	.86	80.0	82.5	8	0.1		+	1		Above 10
	8 ,, 9 ,,	.806	.917	80.4 79.6	77.0		75.7 76.0	.873	.86	80.0 80.2	82.5 82.6	SSE SE	0.1	0.10			1	
	9 ,, 10 ,,	.805	.892	80.4	78.0		77.1	-881 -913	.90	80.9	82.0	SEbS	0.1	0.03				
	11 ,,	.797	.824	84.5	80.5		79.1	.973	.84	82.8	82.8	Wbs	0.3			.	1	1
	Noon.	.790	.786	87.6	82.0	5.6	80.1	1.004	.79	84.9	82.9	wsw	0.2					
	1 p. m.	.783	.842	86.3	80.2	6.1	78.0	0.941	.77	84.9	83.1	swbw	0.3	1				1
	2 ,,	.770	·831 .804	85.6	80.0	5.6	78.0	.939	.79	84.9	83.3	,,,	0.4					1
	3 ,, 4	.742	.818	86.7	80.5	6.2	78.3	.949	.77	85.1 85.4	83.6 83.6	wsw	0.3		}			
	4 ,, 5	.734	.800	86.1	80.0	6.1	77.8	.924	.77	85.0	83.6	sw "w	0.3				1	1
	6 ,	.736	.814	81.5	78.5	3.0	77.4	.922	.88	82.4	83.6	sw	0.2	0.11				
•	7 ,,	.745	.909	81.6	76.4	5.2	74.3	·836	.80	82.0	83.6	SbW	0.3					1
	8 ,,	.755	.937	82.0	76.0	6.0	73.6	-816	.77	82.0	83.6	swbw	0.2				l	1
		,,																
	9 ,, 10 ,,	.774	.922	82.3 81.7	77.0 77.5	5.3 4.2	74.9 75.9	-852 -879	.79	82.2 82.0	83.6 83.6	sw	0.1			}		1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int\ i cirro-cumuli; \int\ i cumuli; \int\ i cirro-strati; \int\ i cumulo-strati; and \int\ i nimble.	Remarks.
8 8 8 8 8 8 8 8 8 8 8 8	C B B C G C C C	Overcast; raining lightly; occasional thunder in W and S of zenith. Overcast; raining lightly. Overcast with we moving ENE; a break in E; rain ceased at 2h. 15m. Overcast with we moving SE; shower of rain commenced at 3h. 52m. Overcast with we moving E; raining now and then; gusts of wind. Overcast; no rain; gusts of wind. Overcast with we moving NE; we in W. Overcast with we moving NE; a few stars dimly visible. Overcast; light rain from 9h. 10m. to 9h. 52m. Overcast with we moving E.	
8 8 6 5 5 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	C B B B G G C C C B B B B G	Overcast with we moving E. "" all around hor.; we throughout moving slowly to E. "" in NE and E hor; we scattered throughout. "" if from N to NE; we will and we scattered throughout. Overcast with we and we; we moving ENE. Overcast with we and we; slight rain after 6h. 46m. Overcast; raining lightly. Overcast; raining lightly. Overcast; raining lightly. "" " "	Mean daily temperature of ground 20 and 60 inches below its surface 86.4 and 85.5. Daily fall of rain by Osler's Gauge 1.57 in. Muximum tension of electricity by Henley's Apparatus 8. Maximum length of the spark by Ronald's Measure 0.10 in. At 4 p. m. the temperature of evaporation and that of the calculated dew-point was lowest during the month.
8 8 8 8 8	GGCCCC	Overcast with \sim and \sim moving E. [to 8h. 49m Overcast with \sim and \sim moving E; a few stars dimly visible; light rain from 8h. 8m. Overcast with \sim moving NNE. Overcast with \sim moving NNE; drops of rain from 10h. 31m. to 10h. 39m. Overcast; slight rain.	
8888888888888877466	C B B G G G C C C	Overcast with wi moving ENE. """ Overcast with wi moving NB; lightning accompanied with thunder in N and NB of zenith after 3h. 40m. Overcast; lightning in NE at intervals of 4m.; no thunder. Overcast; lightning in NE; raining lightly from 5h. 32m. Overcast with wi moving slowly to E; raining very lightly. Overcast; a shower of rain at 7h. 16m. which lasted 10m. Overcast; raining lightly. Overcast; rain ceased at 9h. 17m. Overcast. "" Overcast with wi moving ENE. "" Overcast with wi moving ENE. "" Overcast with wi moving ENE. "" Overcast with wi moving ENE. "" "" "" "" "" "" "" "" "" "" "" "" "	Mean daily temperature of ground 20 and 60 inches below its surface 86°1 and 85°5. Daily fall of rain by Osler's Gauge 0°30 in. At noon the temperature of calculated dew-point was 80°1, greatest in the month and about 2°3 greater than the normal mean. 22nd June was the 36th day on which lightning was observed, and 8th day on which thunder was heard.

	STAN Baron		Тнви	NONET	BRS.		. .	A1R.	GRO THERMO		Wind' P Osler's G.		RAIN.	Riker	RICAL	INSTRU	m en Ts.
Bombay Civil Time. 1864.	Corrected to 38° Pahr.	for	In the	WetBulb Thermo- meter.	Depression of Wet Buib below Thermometer in	DEDUCED DEW-POINT.	PRESSURE O. MOISTURE.	UNIDITY OF	rmometer linch 1 the Ground.	Thermometer 6 inches in the Ground.	Direction.	Premure in lbs. per Square Foot.		Sign of Blectrici- ty + or —	Readin Strawsof Volta 1.	Straws of Volta 2.	recovering the same degree of tension after dis-
	1 1	1 1-	1	<u> </u>	the Air.			=	E .	-	· · · · · · · · · · · · · · · · · · ·	1134	in.	1	 So div	Sc. div.	
UNE 23RD-Midnight	in. 29.777	in. 28.922	820	77:0	5:0	750	in. 0.855	0.80	82.0	83.5	wsw	10s. 0.6	10.		Sc. aiv.	Se. uiv.	m. s.
i a. m.	.758	.888	81.4	77.2	4.2	75.6	.870	.83	82.0	83.5	sw bw	0.3		Ì			
2 ,, 3	.750	·853	81.8	78.0	3.8	76.5 75.5	•897 •868	.85	82.4 81.3	83.5 83.5	wsw	0.2			Ì		
· 4 ,, .	.733	·860	80.4	77.0	3.8	75.7	-873	.85 .86	81.0	83.5	w"	0.4					
5 ,,	.751	-846	81.1	78.0	3.1	76.8	-905	.87	81.0	83.4	,,	0.1					
6 ,,	.767	-918	79.0	76-0	3.0	74.8	-849	.88	80.8	83.3	SSW	0.1	0.16			}	
7 ,, 8 .,	.776 .797	.905	80.5 79.2	77.0	3.5	75.6 76.1	.871 .886	.86	81.2 80.2	83.2 83.2	SW b W	0.0	0.42			٠	
9 ,,	.788	.884	78.3	77.2	1.1	76.8	.904	.95	79.2	83.0	sw	0.1	0.16		1		
10 ,,	.793	-876	80.0	78.0	2.0	77.2	.917	.92	80.0	83.0	S	0.1	0.13	one.	one.) e.	<u>ن</u> و ا
11 ,,	.804	.938	81.0	77.0	4.0	75.4	.866	.84	81.0	83.1	SSE	0.1	١٠,٠,٠	No.	No	None.	None.
Noon. 1 p. m.	.781	.906 .856	80.2 80.0	77.0	3.2	758	.875	.87	80.8	83.2	WNW	0.1	0.12		~	-	~
2 ,,	•756	-856	81.5	78.0	3.5	76.6	.900	.86	81.5	83.1	SSW	0.2	0.10				
3 ,,	.746	·847	79.9	77.5	2.4	76.6	.899	.90	80.4	83.0	sw b w	1.0	0.08				
4 "	.733	.841	78.6	77.0		76.4	-892	.93	80.0	83.0	wsw	0.1	0.33		1		1
5 ,, 6	.754	.875	78.0 78.0	76.5 76.5		75.9 75.9	•879 •879	.94	79.6 79.3	83.0	sw w	1 to 3	0.28				
7 "	.784	.955	77.3	75.0		74.1	-829	.90	79.0	82.8	1	0.4	0.13				
8 ,,	·788	•928	78.0	76.0		75.2	-860	.92		82.7	,,	0.2	0.15			ł	
9,,	.796	.942	76.8	75.0	1	74.3	-834	.92		82.7	SW	0.3	0.05			l	
10 ,, 11 ,,	.812	·983 29·024	77.3 76.0	75.0 73.5		74.1 72.4	.829 .786	.90		82.6 82.5	sw b s wsw	0.5	0.06 0.05				
June 24th-Midnigh	t .805	.024	75.5	73.2	2.3	72.2	.781	.90	77.5	82.4	NW	0.4	0.11				
l a. m.	.791	28.959	76.7	75.2		74.2	832	.93	I .	82.4	Wbs	0.4	0.12				ļ
2 ,,	.780	.941	76.4	75.0		74.4	-839	.93		82.4	wsw	0.3	0.27			l	<u> </u>
3 ,,	.770	.946	76.0	1		73.9	.824	.93		82.3	W	0.2	0.08	ĺ			
4 ,, 5	.769	.940	77.3	75.0		74.1	-829 -837	.90		82.2 82.1	WNW	0.7	0.07		1		1
6 ,,	.785	.953		1		74.2	4	.91		82.0	Wbs	0.5	0.05				}
7 ,,	.799	.979				73.7	.820	.88	1	81.8	swbw	0.2	0.01			1	l
8 ,,	.804	.944	78.0					.92		81.8	swbs	0.1				1	
9 ,, 10 ,,	.813	.923	78.8 79.1					.92		81.9 82.0	SSE NW	0.6	0.01			1	 '
10 ,,	.816		79.1					.89		82.1	WNW	0.2	0.05		نه	نه	ما
Noon.	.805	.930	80.2	77.0		75.8	.875	.87	80.1	82.2	WbN	0.2		None.	None.	None.	None.
1 p. m.	.785				5.1	75.2		.80		82.3	wsw	0.4		Z		Z	Z
2 ,, 3	.772 .752		1	•						82.4 82.3	w	0.6					
4 ,,	.750							.80		82.3	, w	0.6	0.01				
5 ,,	.735	.897	80.0	76.0	4.0	74.4	.838	.84	80.2	82.2	,,	0.6	00.2				1
6 ,,	.745		80.2					1	1	82.1	,,	0.4	1				
7 ,, 8 ,,	.751 .749	.907	80.2	1				.84		82.1 82.1	W b N W S W	03					
9 ,,	.762						1 -	.86		82.1	WNW	0.2	0.07				
10 ,,	.772	.893	79.8				.879	-88		82.1	wsw	0.1	"	1			
11 "	.764	.887	80.0	77.0	3.0	75.8	.877	.88	80.5	82.1	,,	0.1					
June 25th-Midnigh	1									82.1	w _b s	0.4					
1 a. m. 2	.723	1								82.1	W	0.5					
a ″	.707									82.1 82.1	sw b w	0.5	0.02	.			
4 ,,	.689									82.0	WNW	0.6	0.02	j			
5 ,,	.698	.847	78.8	76.0	2.8		.851	.88	80.0	82.0	Wbs	0.4		Je.	ne.	<u>اء</u>] e
6 ,,	.720							.84		82.0	17,	0.2		None.	None.	None.	None.
8	.735						1	.84		82.0 82.1	wsw	0.3					'
9 "	.762		79.6				1	1		82.2	NW'b N	0.2					
10 ,,	.784	.917	77.4	76.0	1.4	75.5	.867	.94	79.2	82.2	E	0.0	0.23			1	
11 .,	•773	.905	77.3	76.0	1.3	75.5	-868	.94	80.2	82.1	EbN	0.1	0.31	1		1	I

+	1	1	
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Amoun	φÕ	Note.—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Ni cirro-cumuli; Oi cumuli; Li cirro-strati; Li cumulo-strati; and Ni nimbi.	
	<u> </u>		
8	C	Overcast with we moving E; drops of rain at 0h. 6m.	Mean daily temperature of ground
8	В	Overcust with we moving ENE.	20 and 60 inches below its sur-
8	В	T. " . " . " . " . " . " . " . " . " . "	face 85.9 and 85.5. Daily fall
8	G	Densely overcast with van moving E.	of rain by Osler's Gauge 2.57 in.
7	C	Overcast; shower of rain at 5h. 35m. lasted 10m.; rain began to full again at 5h. 56m.	
7	c	in W and about the zenith; wi throughout moving E; rain ceased at 6h. 4m.	
8	В	Overcast; heavy shower of rain at 7h. 20m. lasted 13m. and then raining lightly.	
8	В	Overcast with we moving ENE; raining lightly now and then.	
8	G	Overcast; raining lightly; a smart shower of rain at 9h. 44m.	
8	G	Overcast; slight rain.	
8	C	Overcast; a shower of rain accompanied with gusts of wind at 11h. 11m. lasted about 5m.	
8	C B	Overcast; a shower of rain at 0h. 28m. lasted 12m.	
8	В	Overcast with va moving E; drizzling rain.	•
8	G	Overcast; showers of rain now and then."	
8	G	Overcast; showers of rain now and then; squally wind from 4h. 45m. for about 15m.	
8	С	Overcast with var moving to E; raining lightly.	
8	C	Overcast; raining lightly.	
8	В	"	
8 8	В	,, ,,	
8	G G	"	•
8	C	,, ,,	
1		"	
8	C	Overcast with var moving E; raining.	Mean daily temperature of ground
8	В	"	20 and 60 inches below its sur-
8	B B	Operand to light rain many and then	face 85% and 85%. Daily fall
8	В	Overcast; light rain now and then. Overcast; no rain.	of rain by Osler's Gauge 0.92 in- Reading of barometer corrected
8	G	Overcast; light rain.	for temperature at 10 A. M. was
8	G	,, ,,	29.818, greatest in the month,
8	G	,,	and about 0.116 in. greater than
8	G	Overcast; drops of rain at 8h. 21m. and again at 8h. 34m.	the normal mean; at Midnight
8	C	Overcast; slight rain.	the temperature of free air was
8	C C	Overcast; a shower of rain at full hour, lasted 5m. Overcast with 🔌 moving NE.	75.5, lowest in the month.
8	C		
8	В	" "	
8	В	Overcast with var moving E; squally wind.	
8	В	Overcast; slight rain.	
8	В	Overcast; drizzling rain.	
8	G	Overcast; drizzling rain; rain ceased at 6h. 43m.	
8	G	Overcast with var moving ESE. Overcast with var moving ESE; drops of rain.	
8	G	Overcast; a few stars dimly visible in the zenith; a shower of rain at 8h. 23m., lasted 8m.	
8	C	Overcast.	
8	C	Overcast.	
8	C	Overcast; drops of rain from 11h. 20m. to 11h. 31m.	
8	c	Overcast with we moving E.	Mean daily temperature of ground
8	В		20 and 60 inches below its sur-
8	В	Overcast with var moving E; a shower of rain at 2h. 40m., lasted 2m.	face 85.6 and 85.7. Daily fall
8	В	Overcast with val moving E.	of rain by Osler's Gauge 0.73 in-
8	В	" "	_
8	G	"	
8	G	"	
8	G	Overcast with vi moving E; raining from 8h. 40m.	
8	C	Overcast with vi moving SE; lightly raining.	
8	C	Overcast with we moving S; lightly raining.	
8	C	Overcast with var moving ENE; raining.	

			DARD SETER.	Тнв	RMOMBT	ERS.	Ŀ	or S.	AIR.	THERMO	UND MRTERS.	Osler's G		RAIN.	ELEC	TRICAL	Instru	
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer I inch in the Ground.	Thermoneter 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawsol	Strawsof Voltu 2.	Interval of Time in recovering the same degree of tension after discharge.
IUND	25тн-Noon.	in. 29.745	in. 28.885	78:0	76.0	2:0	75*2	in. 0.860	0.92	79:0	82°1	SSE	lbs. 0.3	iu. 0.05		Sc. div	Sc. div.	m. s.
JUNE.	l p. m.	.744	.841	79.8	77.6	2.2	76.7	.903	.91	79.7	82.1	SEbE	0.3	0.03				
	2 ,,	.736	.835	80.0	77.6	2.4	76.7	.901	.90	80.0	82.2	NNW	0.1	0.01				
	3 ,,	.714	.829	79.3	77.0	2.3	76.1	.885	.90	80.0	82.2	WNW	0.2	0.02				•
	4 ,, 5	.708	.826	79.5 79.6	77.0	2.5 2.6	76.0 76.0	.882	.90 .89	80.0 80.0	82.3 82.3	NW NW bW	0.2	0.02	ai .	ø,	ai	a:
	6 ,,	.703	.801	79.6	77.5	2.1	76.7	.902	.91	80.0	82.3	s	0.2	0 01	one.	one.	None.	one.
	7,,	.718	.830	79.0	77.0	2.0	76.2	.888	.92	79.8	82.3	,,	0.4		Z	Z	Z	Z
	8 ,,	.730	.842	79.0	77.0	2.0	76-2 76-4	.888	.92	79.8	82.2	sw b w	0.2	0.04				
	9 ,, 10 .,	.730	.837	79.3 79.7	77.5	2.1	76.7	•901	.91 .91	79.9 80·1	82.2 82.1	SSW	0.1					
	11 ,,	.729	.812	80.0	78.0	2.0	77.1	.917	.92	80.3	82.0	s b W	0.2					
J _{UNE} 2	7тн-Midnight	.737	.764	81.8	79.8	2.0	79.1	.973	.92	82.2	82.5	WbN	0.3					
	la.m.	.714	.772	81.5	79.0	25	78.1	.942	.90	81.6	82.5	,,	0.6	0.05				
	2 ,,	.698	.750	81.0	79.0	2.0	78.3	948	.92	81.4	82.5	WNW	0.6	0.17				
	3 " 4 "	.689	.741 .761	81.0	79.0	2.0	78.3	.933	.92	81.3	82.4 82.4	,,	0.7	0.16				
	4 ,, 5 ,,	.696	.782	80.3	78.0	2.3	77.1	.914	.90	80.7	82.4	nw	0.7	0.14				
	6 "	.697	.835	78.6	76.2	2.4	75.3	-862	.90	78.7	82.4	NNW	1.6	0.24				
	7,	.720	.861	78.5	76.1	2.4	75.2	.859	.90	78.7	82.3	NW	1.0	0.13				
	8 ,,	.733	.848	79.3	77.0	2.3	76.1	•885 •960	.90	79.2 80.0	82.1 82.2	NNW	0.7	0.01				
	9 ,, 10	.753 .760	.793	80.2	78.1	2.1	77.3	-919	.91	80.4	82.2	NWbN	0.7	0.01	+	20	20	0.4
	10 ,,	.745	.810	80.7	78.6	2.1	77.8	•935	.90	81.0	82.3	NNW	0.3	""	+	12	10	0.7
	Noon,	.735	.741	83.0	80.6	2.4	79.8	•994	.90	81.8	82.4	,,,	0.2	0.12				
	1 p. m.	.721	.738	83.6	80.5	3.1	79.4	.983	.88	82.4 83.5	82.6 82.6	W b N SW b W	0.1	0.02				
	2 ,, 3	.697	.703	84.5	81.0	3.5	79.8	.994	.86	83.5	82.7	W	0.3	}		ļ		
	4 ,,	.672	.736	82.8	79.2	3.6	77.9	.936	.86	82.8	82.8	WNW	0.5					
	5 ,, ·	.674	.750	83.2	79.0	4.2	77.5	.924	.83	83.0	82.9	,,	0.4	İ		ĺ		
	6 "	.686	.729	82.9	79.7	3.2	78.6	•957	.87	82.7	82.9	,,	0.6					
	8	.701	.765 .790	82.8 82.0	79.2 79.0	3.6	77.9	•936 •937	.86 .88	82.0 82.0	82.8 82.8	"	0.5			ļ		
	9 ,,	.739	.783	81.8	79.4	2.4	78.5	.956	.90	82.0	82.8	w	0.3	0.01				
	10 ,,	.751	.794	81.7	79.4	2,3	78.6	.957	.91	82.0	82.8	wsw	0.1	0.02				
	11 ,,	.749	•792	81.3	79.3	2.0	78.6	.957	.92	82.0	82.8	"	0.1	0.01				
June 2	8т н- Midnight		.786	81.3	79.3	2.0	78.6	.957	.92	82.0	82.8	wsw	0.2	0.01				
	la.m.	.711	.769	81.5	79.0	2.5 2.0	78.1 77.8	.942	.90	82.0 81.5	82.7 82.7	"	0.2				[1
	2 ,, 3	.691	.834	78.3	78·5 76.0	2.0	75.1	.857	.92	80.3	82.6	"	0.6	0.23				
	3 ,, 4 ,,	.688	.800	79.0	77.0	2.0	76.2	.888	.92	80.3	82.5	w	0.6	0.32			}	•
	5,,	.699	.811	79.7	77.2	2.5	78.2	.888	.90	80.7	82.4	WbN	0.5	0.09			1	1
	6 " 7 "	7/11	.846	81.4	77.2	4.2	75.6 75.6	.870	.83	81·0 81.0	82.4 82.4	w"	0.6	0.02		1	1	
	0 "	.742	.872 .885	81.4	77.2	4.2	75.6	.870	.83	81.0	82.4		0.4	0.02		l		1
	9 ,,	.770	.861	81.8	78.3	3.5	76.9	•909	.86	81.5	82.5	wsw	0.3	0.01	1			1
	10 ,,	.774	.827	81.8	79.2	2.6	78.2	.947	.89	81.9	82.6	swbw	0.3	0.03	İ			
	11 ,,	.763	.791	83.4	80.2	3.2	79.1	972	.87	82.6	82.7	WSW	0.2		None.	None.	ne.	le.
	Noon. l p. m.	.759	·787	83.4 83.0	80.2	3.2	79.1 78.9	•972 •968	.87	82.8 83.0	82.8 82.9	SW b W	0.1	ļ	No	No No	None.	None.
	2 ,,	.723	.776	83.0	79.5	3.5	78.2	.947	.86	83.0	83.0	١,,	0.3					
	3 ,,	.713	.745	83.0	80.0	3.0	78.9	⋅968	.88	83.0	83.0	wsw	0.4	1				
	4 ,,	.708	.768	82.5	79.2	3.3	78.0	-94 0	.87	82.6	83.0	sw b w	0.3			1	1	1
	5 ,, 6	.711	.777 .782	82.3 82.0	79.0 78.9	3.3	77.8	•934 •933	.87 .87	82.6 82.5	83.2 83.2	SW b W WSW	0.4	0.02		1	1	1
	7 ,	.719	.786	82.0	78.9	3.1	77.8	•933	.87	82.1	83.2	swbw	0.3	0.02	Ī			1
	6	.733	.824	81.8	78.3	3.5	76.9	-909	.86	82.0	83.2	,,	0.3			1		
	٠,,					1 0 7		1 040		1 0 2 0					•			
	9 ,,	.759 .763	.819	81.7	79.0	2.7	78.0 78.0	•940 •940	.89 .89	82.0 82.0	83.1 83.1	WSW SW b W	0.1		į	1		į.

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	
5 %	9rv		Remarks.
불이	ĝ		-
Amo		Norm.—In recording these Observations, the Symbols used to denote the clouds are : \(\sigma\) cirri; \(\sigma\) cirro-cumuli; \(\sigma\) cumuli; \(\sigma\) cumuli.	
8	C	Overcast with vi moving ENE; raining.	
8	В	Overcast; light rain.	
8	В	n n	
8 8	B B	"	
8	G	Overcast; passing rain at 5h. 10m.	
8	G	Overcast; no rain.	
8	G	Overcast; drops of rain.	
8	G	Overcast with Li moving E; a few stars dimly visible in zenith; a shower of rain at 8h. 23m., lasted 8m	
8	C	Overcast with so moving E; a few stars dimly visible in zenith; no rain.	
8	C		
8	C	Overcast with van moving E; drops of rain.	
8	C	Overcast with 🕰 moving E; light rain.	Mean daily temperature of ground
8	В	One of with a constitution TCP.	20 and 60 inches below its surface 85:2 and 85:7. Daily fall
8 8	B B	Overcast with vo moving ESE; showers of rain.	of rain by Osler's Gauge 1.24 in.
8	В	Overcast; raining.	or run by obtain a daugo 1 21 m.
8	G	,, ,,	
8	G	22 22	
8	G	Overcast; drizzling rain.	
8	G	Overcast; slight rain.	
8	C	0 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1
8	C	Overcast; light rain from 10h. 6m. to 10h. 36m.	
8 8	C C	Overcast; raining.	
8	В	Overcast; slight rain.	
8	В	Overcast with vi moving ESE.	1
8	В	,, ,,	
8	В	"	
8	G.	0."	
8 8	G G	Overcast; drops of rain at 6h. 54m.	
8	G.	Overcast; slight rain. Overcast with 🕰 moving ENE; lightly raining from 8h. 10m.	
8	C	Overcast; lightly raining.	
8	C	22	1
8	C	Overcast with we moving E; rain ceased at 11h. 26m.	
8	C	Overcast with we moving E; light rain.	Mean daily temperature of ground
8	В	Overcast with vai moving E; big drops of rain from 1h. 55m. to 1h. 59m.	20 and 60 inches below its sur-
8	В	Overcast with	face 85.0 and 85.6. Daily fall
8	B	Overcast; raining lightly; fresh breezes of wind.	of rain by Osler's Gauge 0.76 in.
8 8	B G	Overcast; raining lightly.	·
8	G	, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	l l
8	G	" "	i
8	G	.,	į į
8	C	Overcast with val moving ENE; raining lightly to the end of the hour.	
8	C	Overcast with 🕰 moving ENE; no rain.	
8 8	C	Overcast; slight rain from 0h. 30m., lasted 5m.	1
8	B	Overcast with vi moving E; drops of rain.	
8	В	Overcast with $\hat{\nabla}_{\mathbf{L}}$ moving E; drizzling rain.	1
8	В	" "	1
8	В	" " " "	
8	G	22	1
8	G	Overcast with va moving E.	1
8 8	G G); Overcast with ♥↓i moving B; a few stars dimly visible here and there; drops of rain at 8h. 54m.	1
8	G C	Overcast; a few stars dimly visible.	1 . 1
8	C	2) "	1
8	C	" "	
. •			

	STAN Baros	DARD (ETER.	Тнв	RMOMET	ERS.	H	0.F	P AIR.	Своз Тневмо	und Meters.	WIND FOO		RAIN.	ELBO	TRICAL	Instr	UMBNTS.
Bombay Civil Time. 1864.	Corrected te 52° Fahr .	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT	Pressure of Moisture.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 0 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension affer dis- charge.
UNE 29тн-Midnight	in.	in. 28.811	81:7	79:0	297	78:0	in. 0.940	0.89	820	83:1	swbs	lbs. 0.1	in.		Sc. div.	Sc. div.	m. s.
l a. m.	.730	.853	80.7	77.2	3.5	75.8	.877	.86	81.4	83.1	SW	0.4					
2 "	.718	.824	80.3	77.5	2.8	76.4	.894	.88	81.1	83.0	S	0.3	001				
3 ,,	.701	.809	80.5	78.0	2.5	76.4	.892 .906	.90	81.2	82.9	sw b w	0.3	0.01				
4 ,, 5	.701	.795 .785	81.0	78.0	3.0 2.5	76.8 78.1	.906	.88 .90	81.5	82.9 82.9	sw	0.5					
6 "	.728	.766	81.7	79.5	2.2	78.7	.962	.91	81.5	82.8		0.5					
7 ,,	.745	.766	82.0	80.0	2.0	79.3	.979	.92	81.8	82.7	"	0.6					
8 "	.765	.795	82.8	80.0	2.8	79.0	•970	.89	82.0	82.7	,,	0.5					
9 ,,	.780	.802 .815	84.0 85.2	80.5 80.6	3.5 4.6	79.3 79.0	.978 .969	.86 .82	83.0 83.9	82.8 82.9	sw b w	0.4					
10 ,, 11 ,,	.784 .782	.807	87.5	81.3	6.2	79.2	.975	.77	85.1	83.0	sw	0.3		i	e.		oj.
Noon.	.770	.790	87.0	81.3	5.7	79.3	.980	.79	85.3	83.1		0.3		None.	None.	None.	None.
1 p. m.	.750	.822	86.6	80.0	6.6	77.6	.928	.76	85.1	83.3	wsw	0.3		2	2	2	Z
2 ,,	•740	.799	86.2	80.2	6.0	78.0	.941	.77	85.1	83.5	,,	0.5					
3 ,,	.723 .719	.820	85.1 85.7	79.0 79.5	6.1	76.7 77.3	.903 .918	.77	84.5	83.6 83.6	sw	0.3					
4 ,, 5 ,,	.719	.812	84.6	79.0	5.6	76.9	908	.79	83.9	83.6	WSW	0.3					
6 ,,	.729	.857	84.2	78.5	5.7	75.6	-872	.78	83.6	83.7	,,	0.2					
7 ,,	.734	.847	83.1	78.1	5.0	76.2	-887	.80	83.0	83.8	,,	0.4					
8 "	.748	.862	82.8	78.0	4.8	76.1	-886	.81	82.8	83.8	"	0.7					
9 ,,	.761	.865 .859	82.3 82.3	78.1 78.3	4.2	76.5 76.8	•896 •904	.83	82.6 82.6	83.7 83.7	"	0.4					
10 ,, 11 ,,	.763 .753	-846	82.0	78.3	3.7	76.9	907	.85	82.4	83.6	"	0.3					
11 ,,	""										"						
JUNE30TH-Midnight		.839	81.7	78.0	3.7	76.6	•898	.85	82.2	83.6	wsw	0.2					
i a. m.	.714	.821	81.4	77.8	3.6	76.4	893	.85	82.0	83.5	"	0.4					
$\frac{2}{3}$.707	.805 .812	81.4	78.0 77.5	3.4	76.7 76.0	•902	.86 .85	82.0	83.5 83.4	"	0.4					
4 "	.700	.817	81.3	77.5	3.8	76.0	•883	.85	81.7	83.4	,,	0.5					
5 ,,	.708	.825	81.3	77.5	3.8	76.0	-883	.85	81.5	83.3	,,	0.6					
6 "	.724	.815	81.8	78.3	3.5	76.9	•909	.86	81.7	83.3	,,	0.7	1				
7 ,,	.741	.869 .880	82.3	77.5	4.8	75.6	·872 ·873	.81 .77	82.0 82.9	83.2 83.2	sw b w	0.4					
8 ,, 9 ,,	.753 .768	.868	84.0 84.2	78.0 78.7	6.0 5.5	· 75.7 76.6	•900	.79	83.3	83.3	WSW	0.5					
10 ,,	.768	.838	85.0	79.6	5.4	77.7	•930	.79	83.5	83.3	, ,,	0.6	0.01	je j	يو	e.	ಬೆ
11 ,,	.759	.814	87.0	80.5	6.5	78.2	•945	•76	84.8	83.4	,,	0.7		None.	None.	None.	None.
Noon.	.744	.804	87.5	80.5	7.0	78.0	-940	.74	85.2	83.5	swbw	0.7		~		2	Z
l p. m.	.727	.814	88.0 88.2	80.3	8.0 7.9	77.1	•913 •924	.71 .71	85.9 86.2	83.6 83.9	,,	0.6					
2 ,, 3 ,,	.699	.786	88.0	80.0	8.0	77.1	913	.71	86.1	84.0	"	0.8		1			
4 "	.697	.786	86-3	79.5	6.8	77.0	-911	.75	85.5	84.1	"	0.7		ĺ			
5 ,,	.697	.796	85.3	79.0	6.3	76.7	•901	.76	85.0	84.2	wsw	0.6		1			
6 "	.700	.775	83.8	79.2	4.6	77.5	.925	.82	83.8	84.1 84.0	sw bw	0.5	0.01				
7 ,, 8	.706		83.6 82.6	79.0 78.0	4.6 4.6	77.3	.888	.82	83.0	83.9	WSW	0.5					
o "	.731	.838	82.0	78.0	4.0	76.4	.893	.83	82.7	8.38	,,	0.9	l	-			
10 ,,	.731	.859	81.2	77.2	4.0	75.6	.872	.84	82.4	83.7	,,	1:.0					
11 ,,	.720	.848	81.2	77.2	4.0	75.6	.872	.84	82.2	83.7	,,	0.4					
July 1st-Midnigh	t .706	.807	81.6	78.0	3.6	76.6	.889	.86	82.2	83.7	sw b w	0.3					
l a. m.	.681	.772	81.5		3.3	76.9	.909	.87	82.1	83.6	,,	0.5	1	1			
2 ,,	.669	.805	81.2	77.0	4.2	75.4	.864	.83	81.6	83.6	۱,,	0.6	1				
3 ,,	.669	.805	81.2		4.2	75.4	.864	.83	81.6	83.5	wsw	0.6	1			٠.	ë
4 ,,	.669	.809	81.5		4.5	75.2	.860	.82	81.8 83.2	83.5 83.5	,,	0.6	0.01	None.	None.	None.	None.
5 , ,	.677		81.3	77.5	3.8	76.0 75.8	.883	.85 .86	83.2	83.4	sw " w	0.4	0.01	ž	ž	Ž	2
7	.705		82.5	77.0	5.5	74.8	.849	.79	82.9	83.3	wsw	0.4	l		1		
8 ,,	.718	.814	85.0	79.0	6.0	76-8	.904	.77	83.0	83.3	,,	0.3					
θ,,	.731		85.3	79.0	6.3	76.7	.901	.76	83.5	83.3	Wbs	0.4					
10 ,,	.733			1	7.2	76.5	.897	.73	84.6	83.4	,,	0.4					
11 ,,	.726	.782	87.5	80.6	6.9	78.1	.944	.75	85.5	83.6	1 ,,	. 0.3	<u> </u>	<u>!</u>	<u>' </u>		

Amount of Clouds.	Observers.	Note.—In recording these Observations,			Remarks.
		cumun; Ci cirro-strati;	∩i cumulo-strati; and √i nimi	oi.	
8 8 8 7 8 8	C B B B G G	Overcast with noving E. Overcast with noving ENE our scattered throughout moving Overcast with noving E. Overcast with noving E. and noving Wabove hor.; novercast with noving E; h	; E. atter moving E; a few a throughout moving E.	stars dimly visible in S.	Mean daily temperature of ground 20 and 60 inches below its surface 850 and 856. Daily fall of rain by Osler's Gauge 001 in.
8	G	,, ,,	,,		
8	C	"	,,		
8	C	3)	,,		
8	C	Overcast with va moving E; h	oro in hon e climbe noin	often Ob. 15	į
8	B	Overcast with ve moving E; he		aiter on. 15m.	
8	В	Overcast with va moving ENE	: mist in hor.		
8	В	"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
8	В		"		
8	G	and sale scattered throughout	t, the latter moving EN	E; haze.	2
8 8	G	n and s scattered throughout	; the former moving to	W and the latter moving to	Ľ•
1 7	G	"	"	"	
1 7	C))))	,,	23	
7	Ć	"	" "	"	
6	C	37	"	,,	
635556777876788888877887	C B B B G G G C C C B B B G G C C C	overcast with and and and the land and and and and and and and and and	ENE; drops of rain a E. out; we moving E; ha ; light rain at 9h. 10m. ENE; haze in hor. oughout; the we moving to N and attered about moving E atter moving NE; haze of rain at 5h. 10m.; light rai	t 2h. 18m. Ize in E hor. "" "" "A Val moving E. ; haze in E hor. in hor. "" ght shower of rain at 5h. 18m.	Mean daily temperature of ground 20 and 60 inches below its surface 85°1 and 85°6. Daily fall of rain by Osler's Gauge 0.02 in.
7 6 2 7 8 8 8 8 7 5 7 6	C B B B G G G B B	vi scattered throughout moving vi scattered around hor. vi scattered throughout moving Overcast with vi moving ENE Overcast; drops of rain at 6h. 2: vi throughout; vi and vi here vi vi, vi, and vi scattered throughout vi and vi scattered throughout; and vi scattered throughout;	E. ; a break in S through the rain at 5h. 5m., last 9m. and there; mist around but; the vi moving E; the latter moving EN	ed 5m. I hor. ; mist in hor. E; mist.	Mean daily temperature of ground 20 and 60 inches below its surface 85:3 and 85:7. Temperature of deduced dew-point at 11 P. M. was 79:1, greatest during the month and about 1:9 greater than the normal mean.

			DARD METER.	Тнв	MOMET	ERS.	. H	OF E.	AIR.		UND METERS.	WIND F Osler's G	ROM AUGB.	RAIN.	ELEC	TRICAL	Instru	MENTS.
	Olvii Iliile.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure Moisture	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawsof	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
July	1st-Noon.	in. 29.715	in. 28.770 .767	89°0 89.2	81:0	8:0 8.2	78°2 78.1	in. 0.945	0.71	86°5	83:8	w	lbs. 0.4	in.		8c. div.	Sc. div.	m. s.
	2 ,,	.710 .693	.744	89.5	81.0	8.3	78.3	.943 .949	.71 .71	87.0 87.2	84.0 84.1	WsW	0.3	İ				
	3 ,,	.678	.726	89.2	81.2	8.0	78-4	.952	.71	87.0	84.2	,,	0.2		l			
	4 ,,	.673	.750	88.3	80.3	8.0	77.4	.923	.71	86.7	84.2	,,,	0.3	je.	je	one.	one.	e.
	5 ,, 6	.664	.740 .765	87.0 84.8	80.0 79.0	7.0 5.8	77.5 76.8	.924	.74 .78	86.0	84.3	"	0.5	None.	None.	Ö	NON	None.
	7 ,,	.677	.751	84.0	79.2	4.8	77.5	.906 .926	.81	85.0 84.6	84.3	"	0.3		-		~	
	8 "	.690	.767	83.3	79.0	4.3	77.4	.923	.83	84.0	84.3	"	0.4		1	l		
	9 ,,	.689	.763	83.0	79.0	4.0	77.5	.926	.84	83.5	84.3	,,	0.5					1
	10 ,, 11 .,	.689	.753	82.8 82.6	79.2	3.6 2.6	77.9 79.1	.936	.86	83.1	84.2	,,	0.4					
	,,	.003	""	82.0	80.0	2.0	79.1	.972	.90	83.0	84.1	Wbs	0.5					
July	2nd-Midnight	.676 .664	.743 .729	82.4 82.2	79.0 79.0	3.4 3.2	77.8 77.8	.933	.90 .87	82.8 82.8	84.0	wsw	0.4					
	2 ,,	.652	.717	82.2	79.0	3.2	77.8	.935	.87	82.7	84.0 83.9	Wbs	0.6					
	3 ,,	.649	.714	82.2	79.0	3.2	77.8	.935	.87	82.7	83.8	ẅ	0.3					
	4 ,,	•646	.701	81.3	79.0	2.3	78.2	.945	.91	82.2	83.7	Wbs	0.3	0.02	1			
	5 , ,	.656	.729	81.4	78.6	2.8	77.6	.927	.89	82.0	83.6	W	0.5					
	6 ,, 7	.672	.751 .768	81.6 82.2	78.6 79.0	3.0	77.5 77.8	.925	.88 .87	82.0 82.2	83.6	777 1 37	0.3		i]	
	g "	.719	.789	82.6	79.0	3.6	77.7	.935	.86	82.6	83.6 83.7	W b N NW b W	0.4					
	9 "	.727	.781	85.0	80.0	5.0	78.2	.946	.81	83.8	83.7	WNW	0.4					
	10 ,,	.729	.778	86.5	80.5	6.0	78.4	.951	.78	84.9	83.8	WbN	0.6					
	11 ,,	.722	.810	85.8	79.4	64	77.0	.912	.76	84.9	83.9	WNW	0.6		نو	one.	one.	<u></u>
	Noon.	.722	.856 .848	85.4 86.6	.782	7.2 8.2	75.4	.866	.73	84.9	84.0	"	1.7		None.	No	No	None.
	1 p. m. 2	699	.804	82.0	78.4 78.0	4.0	75.2 76.5	.861 .895	.70 .84	85.0 82.9	84.1	Wbs	0.4	0.00				~
	3 ,,	.687	.794	82.2	78.0	4.2	76.4	.893	.83	82.9	84.1	SSW	0.2	0.06	Ì			
	4 ,,	.680	.782	82.5	78.2	4.3	76.6	-898	.83	82.9	83.9	SbW	0.3	l	}			
	5 ,,	.681	.780	82.2	78.2	4.0	76.7	.901	.84	82.5	83.9	wsw	0.1		ł ·			
	6 ,,	.685 .694	·817	80.8	77.0	3.8	75.5	.868	.85	81.8	83.8	W	0.2	0.12	1			
	7 ,, 8 ,,	.705	.794	80.5	76.5 78.0	3.5 2.5	75.1 77.0	.857	.86 .90	81.6	83.8	TATALTAR	0.4	0.07				
•	9 ,,	.724	.820	81.2	78.0	3.2	76.8	.911 .904	.87	81.4	83.8 83.7	WNW	0.2					
	10 ,,	.728	.823	81.1	78.0	3.1	76.8	.905	.87	81.6	83.6	Wbs	0.4	0.01	l		!	
	11 "	.720	.814	81.0	78.0	3.0	76.8	.906	.88	81.5	83.6	w	0.3					
July	4тн-Midnight	.721	.784	82.0	79.0	3.0	77.9	.937	0.88	82.5	83.8	w	0.4					
	la.m.	.705	.781	81.7	78.6	3.1	77.5	.924	0.87	82.3	83.8	,,	0.3					
	2 ,,	.697	.790	81.3	78.1	3.2	76.9	.907	0.87	82.1	83.7	١	0.4				1	
	3 ,, 4	.686 .683	.779	81.3 81.2	78.1 78.0	3.2 3.2	76.9 76.8	.907	0.87 0.87	82.0	83.6	WőN	0.5	1	i l			
	5 "	.683	.779	81.2	78.0	3.2	76.8	.904 .904	0.87	81.8	83.6 83.5	"	0.4					
	6 "	.701	.797	81.2	78.0	3.2	76.8	.904	0.87	81.8	83.5	"	0.3					
	7,,	.712	.807	82.6	78.4	4.2	76.8	.905	0.83	82.2	83.5	WNW	0.2					
	8 "	.729	.809	83.5	79.0	4.5	77.3	.920	0.82	83.0	83.6	WbN	0.3					
	9 " 10 "	.731 .732	.813 .791	85.7 86.3	79.5 80.2	6.2 6.1	77.3	.918	0.77	83.9	83.6	w	0.2			1		l
	11 ,,	.730	.773	86.7	80.7	6.0	78.0 78.6	.941 .957	0.77 0.78	85.0 85.7	83.6 83.7	,,	0.2 0-4	ai	ا بر ا	.	_•	,
	Noon.	.718	•773	89.0	81.0	8.0	78.2	.945	0.71	86.1	83.8	wőn	0.5	None.	None.	None.	None.	None.
	1 p. m.	.709	.750	88.6	81.2	7.4	78.6	.959	0.73	86.1	83.9	,,	0.6	Z	ž	ž	ž	ΙĔ
	2 ,,	.687	.744	89.2	81.0	8.2	78.1	.943	0.71	86.8	84.9	,,	0.4			1		
	3 ,, 4	.669	.724 .724	89.0 87.5	81.0	8.0 7.1	78.2 77.9	.945 .936	0.71 0.74	86.8	84.0	WNW	0.5					1
	5 ,,	.647	.753	85.2	78.8	6.4	77.9	.894	0.74	86.8 85.3	84.1 84.3	"	0.4			Ì		
	6 ,,	.649	.740	84.5	79.0	5.5	76.9	.909	0.79	84.6	84.3	,,	0.3					1
	7,,	.661	.743	83.7	79.0	4.7	77.3	.918	0.82	84.0	84.3	"	0.3			į		1
	8 "	.672	.788	83-0	78-0	5.0	76.1	-884	0.80	83-6	84.3	,,	0.3					
	Λ		. 7CM1	82.6	78.0	4.6	76.2	-888	0.82	83.0	84.2	1	0.2	1	ı i	I		1
	9 ,, 10 ,,	.678 .686	.790 .788	82.5	78.2	4.3	76.6	.898	0.83	82.8	84.1	,,,	0.2			}		ł

			i i
	Observors.	STATE OF THE WEATHER.	REMARKS.
Amount	qo	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \ini cirro-cumuli; \i cirro-strati; \ini cirro-strati; and \ini nimbi.	
18	8 B	and sattered throughout; so here and there moving E; drops of rain at 0h. 18m. and so about the zenith both moving N, so throughout; mist.	
	8 C	N and we about the zenith both moving N, we throughout; drops of rain at 2h. 51m.	
	7 C 8 C	N. M. and M. scattered throughout; the M. moving N and the M. moving ENE.	
1	7 B	about the zenith; or and or throughout moving ENE. or in S above hor.; and or throughout moving ENE.	
	7 В	w in W of zenith; wi and wi throughout.	
1 7		scattered throughout moving NE; in SE.	
7))))))))))))))))))))))))))	
1 5	ı	y and a contact the second shows and shows a contact to the	
7		and sattered throughout and so here and there; drops of rain at 10h. 46m. and sattered throughout.	
. 6	1	w, w, and w scattered throughout; the w moving ENE.	Mean daily temperature of ground
. 6	1	" "	Mean daily temperature of ground 20 and 60 inches below its sur-
5		Overcast with var moving E; a few stars dimly visible; very light rain at 3h. 17m.	face 85:3 and 85:7. Daily fall
8	- 1	Overcast with vi moving E; a lew stars dumly visible; very light rain at 311. 1711.	of rain by Osler's Gauge 0.30 in.
7		scattered throughout moving ENE.	
8		Overcast with D vi and va; the vai moving E.	
8		Overcast with vai moving E; haze in E and S hor.	
8	. -	" "	
8	1 -	" "	
8	_))	
8	1), , , , , , , , , , , , , , , , , , ,	
8		Overcast with we moving E; light rain from 1h. 9m. to 1h. 24m.	
8	. "	Overcast with we moving E; light rain from 2h. 20m to 2h. 39m.	
8	. .	Overcast; drops of rain at 3h. 19m.	
8	_ u	Overcast with we moving E. Overcast with we moving E; light rain at 5h. 44m., lasted 6m.	
8	1 0	Overcust; very light rain.	
8		,,	•
6	_	vi scattered throughout moving E.	
5	_	val scattered throughout moving E; light rain at 9h. 54m.	
5	1	" "	
		,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
5 5	G C	scattered throughout moving E; a few s about the zenith-	Mean daily temperature of ground 20 and 60 inches below its sur-
6	C	,,	face 85.4 and 85.6. Tempera-
6	C	" .	ture of evaporation at 1 P. M.
8	B	Overcast with D v and vi; vi moving E.	was 81.2, highest in the month and about 0.7 higher than the
8	В	" " "	normal mean temperature for
8	В	" "	that hour.
. 8	В	y and an contrared throughout and maning E have in E	Ì
: 0	G	and we scattered throughout; we moving E; haze in E.	l
, 7	G	"	
7	G))	
7	C	"	į
, 7 , 8	C		1
+ 8 + 8	C	Overcast with and w; hazy; a few drops of rain at 3h, 29m. Overcast with and w; w moving E; hazy.	
. 8	В	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
. 7	B	" " " " " " " " " " " " " " " " " " "	
5	В	vin E above the hor.; vi throughout moving E.	
4	G	scattered around hor, moving E.	
4	G	"	,
4	G	,, ,,	

		STAN Baron		Тнв	RMOMBI	ERS.	اً ي		AIR.	GROU THBRNO	METERS.	Wind P Osler's G		Rain.	ELEC	TRICAL	Instru	
	Bombay Civil Time. 1864.	Corrected to \$2° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermoneter in the Air.	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer lineb in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Electrici-	Straws of	ngs of Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis-
_ 	5 M(1) .:	in.	in.		7050	400		in.		82.5	84.0	NY 187 1 187	lbs.	ia.		Sc. div.	Sc. div.	m. s.
ULY	5тн-Midnight	29.669	28.768	82:2 82.2	78*2 78.2	4.0	76:7 76.7	0.901	0.84 .84	82.5 82.5	84.0	NW b W WNW	0.6		1 1			
	2 ,,	.650	.755	82.0	78.0	4.0	76.5	.895	.84	82.5	84.0	,,	0.6		1		İ	
	3 ,,	.642	.745	81.8	78.0 78.0	3.8	76.5	.897	.85 .85	82.3 82.2	83.9 83.8	,,	0.7					i
	4 ,, 5	.643 .651	.746	81.8	78.0	3.2	76.5 76.8	.904	.87	81.9	83.8	"	0.4	0.01	į			
	6 , ,	.673	.768	81.5	78.1	3.4	76.8	.905	.86	82.0	83.7	"	0.3		1			'
	7 ,,	.683	.791	83.0	78.2	5.2	76.4	.892	.81	82.4 83.8	83.7	,,,	0.3					
	8 " 9 "	.701 .704	.797	85.0 86.4	79.0	6.0	76.8 76.3	.90 4 .889	.77 .73	84.6	83.8 83.8	WbN	0.4		مة	نه	ئە	e;
	10 ,,	.706	.809	88.0	79.6	8.4	76.5	.897	.70	86.0	83.9	,,	0.6		one	one.	one.	one.
	11 ,,	.705	.793	88.8	80.2	8.6	77.0	.912	.69	86.6	84.0	"	0.6		Z	Z	Z	Z
	Noon. 1 p.m.	.690 .677	.790	89.0	80.2 80.4	9.0	76.6	.900 .915	.69 .68	86.8 87.2	84.1 84.2	wsw	0.5		†			1
	2 ,,	.672	.749	89.8	80.7	9.1	77.4	.923	.68	87.3	84.3	,,	0.4		1			1
	3 ,,	.662	.735	89.4	80.7	8.7	77.6	.927	.69	87.1	84.4	wśs	0.7		l			
	4 ,, 5	.656 .644	.744	89.3	80.3	9.0	77.0 77.1	.912	.68 .71	87.0 86.5	84.5 84.6	w n	0.5					• !
•	6 "	.655	.730	87.9 86.5	78.5		75.5	-867	.71	85.5	84.6	w	0.5	Ì	i			ŧ
	7 ,,	.660	.787	84.0	78.0	6.0	75.7	.873	.77	84.2	84.6	,,	0.6		İ			1
	8 "	.676	.795	83.3	78.0 78.0	1	76.0	.881	.79 .82	84.0 83.2	84.5 84.5	,,,	0.5					
	9 ,, 10 ,,	.687	.799	82.6 82.5	78.3		76.2 76.7	.902	.83	83.0	84.4	WbN	0.5					ł I
	ii "	.685	.783	82.5	78.3		76.7	.902	.83	82.8	84.4	WbN	0.6					
ULY	6rн-Midnigh		·795	82.3		1	75.6	.872	.81	82.5	84.4	w	0.3					i i
	la.m.	.648	.755	82.2	1	1	76.4 75.5	.893	.83 .82	82.5 82.4	84.3	"	0.5					1
	3 ,,	.627	.754	81.5		4.2	75.7	.873	.83	82.3	84.2	wss	0.3	1		!		1
	4 ,,	.628	.764	81.2			75.4	-864	.83	82.1	84.1	W	0.3			1		!
	5 ,, 6	.638		81.2		1	75.4 75.6	.864	.83	82.0 82.0	83.9	"	0.3	ł				1
	7 ,,	.678		1			75.1	.858	.79	82.5	83.9	"	0.4					i
	8 ,,	.695					76.0	.881	.75	83.8	84.0	,,	0.4			Ì		
	9 ,, 10 .,	.693						•	.72	84.2 85.5	84.1 84.1	wsw	0.4		اه	l ai	a:	.
	10 ,, 11 ,,	.686				8.3	77.5		.70	86.0	84.2	,,	0.3		None.	None.	None.	None.
	Noon.	.677	.755					.922	.69	86.8	84.2	,,	0.5		Z	, Z.	Z	
•	1 p. m. 2	.672		1					.69 .67	85.9 87.1	84.3 84.4	"	0.5		i	!		ì
	3 ,,	.649		90.4		1	77.4		.67	87.3	84.5	wbs	0.3					1
	4,,	.646	.765	88.6	79.4		76.0	.881	.67	86.9	84.5	"	0.7			1		!
	5 ,, 6	.646					76.7		.72	86.2	84.6	,,	0.5					1
	7 "	.651		85.6 83.6			76.5 76.6		.75 .80	85.2 84.0	84.6 84.6	wsw	0.4		İ		1	!
	8 ,,	.668	.790	83.5	78.0	5.5	75.9	.878	.79	84.0	84.5	,,	0.3			1	1	1
	9,,	.674				1			.79	83.7	84.5	w "s	0.4	0.01			1	•
	10 ,, 11 ,,	.669					75.1 75.0	.858	.80 .80	83.2 83.0	84.4 84.4	w b s	0.3	0.01		!		; ; ;
July	r 7тн-Midnigh								.80	83.0	84.4	Wbs	0.7			: !		
	la.m.	.651	.807	82.0	76.7	5.3	74.6	.844	.79	82.9	84.3	1 .,	0.9		1	i		!
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.648					74.4 75.4		.79 .82	82.8 82.5	84.3 84.3	wsw	0.7		i	i	1	
	3 ,, 4 ,,	.630					75.4	.875	.82	82.4	84.2	wis	0.7	١,,			٠.	٠
	5,,	.633	.767	81.7	77.2	4.5	75.4	.866	.82	82.4	84.1	w	0.5	None.	None.	None.	None.	None.
	6 ,,	.656		81.8			75.9	.878	.83	82.4	84.0	wsw	0.3	Z	Z	Z	Ž	Z
	7 ,, 8	.666		82.6 84.3			76.2	.888	.82 .80	82.8 83.6	84.0	,,	0.2					
	9 ,,	.678		85.4			76.5	.895	.75	84.4	84.2	w	0.3	1	1			1
	10 ,,	.672	.779	86.7	79.2	7.5	76.4	.893	.72	85.0	84.2	wsw	0.2					

Sorn—to remember the content of the				
Mean daily temperature of ground 20 and 60 inches below its surface store with value of throughout; the latter moving E. I and value scattered throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; value of the latter moving E. I and value of throughout; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value	space			
Mean daily temperature of ground 20 and 60 inches below its surface store with value of throughout; the latter moving E. I and value scattered throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; value of the latter moving E. I and value of throughout; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value	t of Clo	servers	STATE OF THE WEATHER.	Remarks.
Mean daily temperature of ground 20 and 60 inches below its surface store with value of throughout; the latter moving E. I and value scattered throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; the latter moving E. I and value of throughout; value of the latter moving E. I and value of throughout; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value; value	an	o o		
7 c Sin NW of the sentiti; val throughout moving E. 20 and 60 inches below its surface 85% and 85%. 8 n Sand W seattered throughout; the latter moving E. 3 n 3 n 3 n 4 n 5 n	Am.			
Now of the zenith; vu throughout moving E. 20 and 60 inches below its surface throughout; who latter moving E. 20 and 40 inches below its surface throughout; who moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E. 3 and vu scattered throughout moving E.	5	н.	scattered throughout moving E; and a few about the zenith.	Mean daily temperature of ground
Secretaring throughout; the latter moving E; a passing shower of rain at 4h. 48m of the secretary with \(\) and \(\) is exacttered throughout; the latter moving E; a passing shower of rain at 4h. 48m of the secretary with \(\) and \(\) is exacttered throughout; the latter moving E; haze in E hor.	1 .	C	in NW of the zenith; 🕰 throughout moving E.	
and we scattered throughout; the latter moving E. and we scattered throughout; the moving E. and we scattered throughout; the latter moving E. and we scattered throughout; the moving E. and we scattered throughout; the moving E. and we scattered throughout; the latter moving E. and we scattered throughout; the latter moving E. and we scattered throughout; the latter moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and we scattered throughout moving E. and	1 .	1	and vi scattered throughout; the latter moving E.	face 85:6 and 85:8.
So not sentered throughout; the latter moving E. and was scattered throughout; be latter moving E, haze in E hor. in NW of zenith; was throughout; baze. was about the zenith; was cattered throughout; mist in W. """" """""""""""""""""""""""""""""	- 1		y and a constant then 1 and 1 and 2 and 2 and 3 and 4 by 40 m	·
A	1	1	Overeast with a and sale sale maying E	
Note of the content		1	overeast with a and ver, ver moving 12.	
Nean daily temperature of ground 20 and 60 inches below its surface 85% and 85%. Daily full of rain was less than 0.01 in. NW; val and val scattered throughout; val moving E.	1	В	and scattered throughout; the latter moving E.	
Section of the sect	1	В	v in S and W above the hor.; vi scuttered about moving E; haze in E hor.	·
The content of the		1	in NW of zenith; vi scattered about moving E, haze.	
To compare the proof of the p		l .		
To It is zenith; withroughout; haze. To It is zenith; with scattered throughout; mist in W. To It is zenith; with scattered throughout; mist in W. To It is zenith; with scattered throughout; mist in W. To It is zenith; with scattered throughout; with moving E.		Į.		
To complete the control of the con		C		
Total Column Tota	1 .	1	v in zenith; var throughout; haze.	
Near daily temperature of ground 20 and 60 inches below its surface 856 and 858. Daily fall of rain was less than 001 in.		ł	about the zenith; we scattered throughout; mist in W.	
Mean daily temperature of ground 20 and 60 inches below its surface 85% and wis scattered throughout, with moving E. Mean daily scattered throughout, with moving E. Mean daily temperature of ground 20 and 60 inches below its surface 85% and wis scattered around hor. Mean daily temperature of ground 20 and 60 inches below its surface 85% and wis scattered around hor. Mean daily temperature of ground 20 and 60 inches below its surface 85% and 85%. Daily fall of rain by Osler's Gauge 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and 85%. Daily fall of rain by Osler's Gauge 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and sold sold of scattered and free air at 3 p. m. was 90%, highest in the month and about 3.4 highest in the mont	1 -	ì		
A B Content Conten		1	scattered throughout moving E.	
Mean daily temperature of ground for and value scattered throughout; value moving E. Mean daily temperature of ground 20 and 60 inches below its surface 856 and 858. Daily fall of rain by Osler's Gauge 001 in Temperature of external and free and there. Overcast with value and value or moving E.		В	2)	
Mean daily temperature of ground by and vi scattered throughout, the latter moving E. "" in zenith; vi scattered around hor. "" vi and vi scattered all round the hor.; and where and there. Overcast with wi and vi moving E. "" "" "" "" "" "" "" "" "" "" "" "" ""		1		
Mean daily temperature of ground for a manufacture of state of s	- 1	i .		•
Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain by Osler's Gauge 0.01 in. Temperature of external and free air at 3 P. M. was 90%, highest in the month and about 324 higher than the normal mean. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain by Osler's Gauge 0.01 in. Temperature of external and free air at 3 P. M. was 90%, highest in the month and about 324 higher than the normal mean. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain by Osler's Gauge 0.01 in. Temperature of external and free air at 3 P. M. was 90%, highest in the month and about 324 higher than the normal mean. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain by Osler's Gauge 0.01 in. Temperature of external and free air at 3 P. M. was 90%, highest in the month and about 324 higher than the normal mean. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches below its surface 85% and \$5.8. Daily fall of rain was less than 0.01 in. Mean daily temperature of ground 20 and 60 inches		i		
C			" "	
C				
4 C		1	i and i scattered throughout, the latter moving E.	Mean daily temperature of ground
of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. of rain by Osler's Gauge 0'01 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 higher than the normal mean. Of rain by Osler's Gauge 0'01 in. of rain by Osler's Gauge 0'10 in. of rain by Osler's Gauge 0'10 in. of rain by Osler's Gauge 0'10 in. of rain by Osler's Gauge 0'11 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about 3°4 highest in the month and about are the month and shout statement when moving ENE. of rain by Osler's Gauge 0'11 in. Temperature of external and free air at 3 p. m. was 90°4, highest in the month and about are the month and shout statement when moving ENE. of rain by Osler's Gauge 0'11 in. Temperature of external mean. Of rain by Osler's Gauge 0'11 in. Temperature of external mean. Of rain by Osler's Gauge 0'11 in. Temperature of external mean. Osler's Gauge 0'11 in. Temperature of external mean. Osler's G	4 1	i	y in zenith: Y scattered around hor.	face 85% and 85%. Daily fall
Temperature of external and free air at 3 p. m. and will scattered all round the hor.; and where and there. Description of the work of th			•	of rain by Osler's Gauge 0.01 in.
B B Covercast with \(\) and \(\) is moving E. Lightly overcast with \(\) and \(\) is moving E. B B Covercast with \(\) and \(\) is moving E. B B Covercast with \(\) and \(\) is moving ENE. B B C Covercast with \(\) and \(\) is moving ENE. C Covercast with \(\) and \(\) is cattered throughout; \(\) is moving ENE; haze. C Covercast with \(\) and \(\) is cattered throughout, both moving slowly E. C Covercast with \(\) and \(\) is cattered throughout. C Covercast with \(\) and \(\) is cattered throughout. C Covercast with \(\) and \(\) is cattered throughout. C Covercast with \(\) in and \(\) is cattered throughout moving E. C Covercast with \(\) in and about the zenith; \(\) is throughout moving E. C Covercast with \(\) in and \(\) is cattered throughout moving E. C Covercast with \(\) in moving E; fresh breezes from WSW. C Covercast with \(\) in moving E; drops of rain at 3h. 12m. Nearly overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in moving E. C Overcast with \(\) in and \(\) is cattered throughout. C Covercast with \(\) in and \(\) is cattered throughout. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C Covercast with \(\) in moving E. C		1	,,	Temperature of external and free
B B Covercast with	1	ł		air at 3 P. M. was 90.4, highest in
S	1 - 1		Lightly overcast with stand satisfaction of the lightly overcast with stand satisfaction of the lightly overcast with stand satisfaction of the lightly overcast with standard moving E.	
R				than the normal mean.
Note that we have the work of the seathered throughout; we moving ENE. Note that we have the work of the seathered throughout, both moving slowly E. Note that we have the work of the work of the seathered throughout.		H	1	
H Nin NW; wi and wi throughout; wi moving ENE.			,, ·	
7 C	, ,		NW and . a . throughout a : moving ENE	
Note that the sentence of th	, ,		wi and wi scattered throughout: wi moving ENE: haze.	·
7 C B B Overcast with \(\) and \(\sigma_1 \); the latter moving E. 8 B B V above the W hor.; \(\) and \(\sigma_1 \) scattered throughout. 7 B V and \(\sigma_1 \) scattered throughout moving E; passing rain at 9h. 40m. 5 H V scattered throughout moving E. 6 H V scattered throughout moving E. 7 C V scattered throughout moving E; fresh breezes from WSW. 7 C Overcast with \(\sigma_1 \) moving E; fresh breezes from WSW. 8 C Overcast with \(\sigma_1 \) moving E; drops of rain at 3h. 12m. 7 C Nearly overcast with \(\sigma_1 \) moving E. 8 B Overcast with \(\sigma_1 \) moving E NE. 9 C V in zenith; \(\sigma_1 \) and \(\sigma_1 \) scattered throughout. 9 B V in zenith; \(\sigma_1 \) and \(\sigma_1 \) scattered throughout. 9 B V is cattered throughout moving NE; haze. 9 H V scattered throughout moving NE; haze. 9 C Nearly overcast with \(\sigma_1 \) moving ENE.	- 1			
B B Overcast with \(\) and \(\) is cattered throughout. N and about the zenith; \(\) in and about the zenith; \(\) it throughout moving E.			v in S of zenith; vi and vi throughout, both moving slowly E.	
B B N above the W hor.; N and N scattered throughout. 7 B N and N scattered throughout. 8 B N and N scattered throughout. 9 N in and about the zenith; N throughout moving E. 1 N scattered throughout moving E. 1 N scattered throughout moving E. 2 C N scattered throughout moving E; fresh breezes from WSW. 1 C N scattered throughout moving E; fresh breezes from WSW. 1 C N Scattered throughout moving E; fresh breezes from WSW. 20 and 60 inches below its surface 85:7 and 85:8. 3 C Overcast with N moving E. 4 N Nearly overcast with N moving E. 5 N N N moving ENE. 6 B N in zenith; N and N scattered throughout. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze. 9 N scattered throughout moving NE; haze.	1 1		Ourseast with M and As to the letter arrive E	1
B	1 1		Overcast with a and art; the latter moving E.	I
Total Process of the seattered throughout moving E; passing rain at 9h. 40m.	i 1		above the W hor.;" and va scattered throughout.	I
H In and about the zenith; Intronghout moving E.	7		v and vi scattered throughout.	i
Mean daily temperature of ground 20 and 60 inches below its surface 857 and 858. Overcast with wi moving E. Was the 9th day on which fall of rain was less than 0.01 in.	4 1			
Mean daily temperature of ground c scattered throughout moving E, c scattered throughout moving E; fresh breezes from WSW. C overcast with we moving E; drops of rain at 3h. 12m. C Nearly overcast with we moving E. C Overcast with we moving E. C Overcast with we moving E. C Overcast with we moving E. C ove				i i
7 C		н	VE Scattered throughout moving D.	
7 C	1 1			
7 C , , , , , , , , , , , , , , , , , ,	1 '			
Overcast with vi moving E; drops of rain at 3h. 12m. Nearly overcast with vi moving E. Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE. B Overcast with vi moving ENE.	1 - 1	ï	AF scarreted throughout moving E; tresh preezes from M2M.	
Nearly overcast with vi moving E. Overcast with vi moving ENE. Overcast with vi moving ENE. Overcast with vi moving ENE. overcast with vi moving ENE. number of fall of rain was less than 0.01 in. fall of rain was less than 0.01 in. fall of rain was less than 0.01 in. overcast with vi moving ENE. number of fall of rain was less than 0.01 in. fall of rain was less than 0.01 in.	1 1		Overcast with va moving E; drops of rain at 3h. 12m.	
B Overcast with wi moving ENE. O B	1 1			
0 B	1	В		ĺ
0 B " " " " " " " " " " " " " " " " " "	1 1		yy	
7 H Scattered throughout moving NE; haze. 0 H , , ,	1 - 1		A. in Senich; A sud A. scattered milonations	
0 н "	1 1		scattered throughout moving NE; haze.	
	1 . (
	8	н	"	

		STAN Baroz	DARD URTER.	Тив	RMOM E	rers.		0.F	A 1B.		CND METERS,	Wind F		RAIN.	ELEC	TRICAL.	INSTRU	
	Bombay					Depres-	UCED		Y OF	l inch	er 6		Pressure			Readi	ngs of	nein of alb
(Civil Time.	to	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	WetBulb below	DEDUCED DEW-POINT	PRESSURE	HUMIDITY	Thermometer linch in the Ground.	Thermometer inches in 6 Ground.	Direction.		By New- man's Gauge.	Sign of Electrici- ty + or —		Strawsof Volta 2.	
		in.	in.	<u>'</u>	<u>'</u>			in.			1	<u> </u>	lbs.	in.	' 	≥c. div.	Sc. div.	
JULY	7тн-Noon.	29.652	28.713	88:88	80.8	8:0	78.0	0.939	0.71	86.5	84.3	Wbs	0.4		ļ			
	1 p. m.	.647	.711	89.8	81.0	8.8	77.9	.936	.69	87.0	84.4	SW b W	0.5					
	2 ,,	.635	.698	87.4	80.4	7.0	77.9	-937	.74	86.7	84.5	WsW	0.4					
	3 ,,	.621	.719	89.0	80.0	9.0	76.7	.902	.68	86.8	84.6	WbS	0.5					
	4 ,,	.612	.726 .716	86.6	79.0	7.6	76.1	.886	.72	86.2	84.6	wsw	0.3	ನ	,			•:
	5 , ,	.613 .620	.747	85.6	79.0	6.6	76.5	.897	.75 .77	85.5 84.2	84.6 84.6	11311	0.4	one	l e	one	ne	None.
	0 ,,	624	.734	84.0 83.2	78.2	6.0 5.0	75.7 76.3	.873	.80	83.6	84.6	w bs	0.3	Z	None.	N N	None.	ž
	, ,,	.630	.746	83.0	78.0	5.0	76.1	.884	.80	83.5	84.5	w	0.3					
	9	.641	.745	81.9	78.0	3.9	76.5	.896	.85	83.0	84.5	wsw	0.6		!			
	10 "	.637	.742	82.0	78.0	4.0	76.5	.895	.84	83.0	84.4	WbS	0.5					
	11 ,,	.637	.719	82.2	78.6	3.6	77.3	.918	.86	83.0	84.4	,,	0.6					
ULY 8	Втн-Midnight	.630	.735	82.0	78.0	4.0	76.5	.895	.84	82.8	84.4	WbN	1.7					
• '	la.m.	.616	.710	81.0	78.0	3.0	76.8	.906	.88	82.5	84.3	WNW	1.8	0.20				
	2 ,,	.604	.695	81.5	78.2	3.3	76.9	.909	-87	82.5	84.3	,,	1.0	الندون				
	3 ,,	.600	.691	81.5	78.2	3.3	76.9	.909	-87	82.4	84.2	WbN	0.6					
	4 ,,	602	.695	81.3	78.1	3.2	76.9	.907	· .87	82.3	84.2	WNW	0.5					
	5 ,,	.610	.710	81.5	78.0	3.5	76.6	.900	-86	82.3	84.1	,,	0.4				į	
	6 ,,	.626	.721	81.8	78.2	3.6	76.8	.905	-86	82.3	84.1	NWbw	0.4		ĺ			
	7,,	.636	.739	81.8	78.0	3.8	76.5	.897	-85	82.3	84.0	,,	0.4					
	8 "	646	.751	82.0	78.0	4.0	76.5	-895	-84	82.3	84.0	WNW	0.3				1	
	9 ,,	.647	.758	82.5	78.0	4.5	76.3	-889	-82	82.0	83.9	WbN	0.3					
	10 ,,	.647	.744	83.2	78.5	4.7	76.7	.903	-81	82.7	84.0	WNW	0.2		ļ			
	11 ,,	.632	.770	86.5	78.4	8.1	75.3	.862	.70	83.5	84.0	,,	0.3		one.	one.	one.	o ne.
	Noon.	.619	.737	87.0	79.0	8.0	76:0	.882	.71	84.8	84.0	777 1. 60	0.4		No	NO	No	Z
	1 p. m.	.596	.668	86.8 86.6	80.1 80.2	6.7	77.7 77.6	.930	.75	85.8	84.2	W b S W b N	0.3		-	~	~	~
	· · · · · · · · · · · · · · · · · · ·	.578	.678	85.4	79.0	6.4	76.6	.900	.76	85.7 85.3	84.3	WDM	0.4					
) ,, 1	.573	.669	85.0	79.0	6.0	76.8	.904	·76	85.0	84.4	WbN	0.5					
	7 »	.560	.645	84.0	79.0	5.0	77.2	.915	-81	84.0	84.5	wsw	0.4					
	<i>5</i> ,,	.571	.659	83.5	78.8	4.7	77.0	.912	-82	83.8	84.5	w	0.5			i l		
	7	.581	.660	82.7	78.8	3.9	77.4	.921	-85	83.4	84.5	WbN	0.3					
	8	.590	.674	82.0	78.5	3.5	77.2	.916	-86	82.8	84.4	Wbs	0.3	0.01				
	9 ,,	.592	.674	82.2	78.6	3.6	77.3	•918	-86	82.6	84.3	wsw	0.2	0.01			1	
	10 ,,	.611	.695	82.0	78.5	3.5	77.2	.916	-86	82.1	84.2	Wbs	0.3	0.03				
	11 ,,	.597	.683	81.8	78.4	3.4	77.1	-914	-86	82.0	84.1	WsW	0.6	0.03				
ULY!	Э тн-M idnight	.591	-677	81.8	78.4	3-4	77.1	.914	.86	82.0	84.1	swbw	0.4					
	la.m.	.574	.628	81.2	79.0	2.2	78.2	.946	.91	82.0	84.1	Wsw	0.3	0.04		}		
	2 ,,	.560	.637	79.8	77.6	2.2	76.7	.903	.91	81.5	84.0	NW b W	0.1					
	3 ,,	.550	-688	80.6	78.5	2.1	77.7	.932	.91	81.7	84.0	WNW	0.3	0.04]	
	4 ,,	.551	.732	79.6	75.4	4.2	73.7	-819	.83	81.3	83.9	WsW	0.4	0.06			1	
	5 ,,	.552	.679	78.6	76.5	2.1	75.7	-873	.91	80.2	83.8	NbW	0.1	0.01			1	
	6 ,,	.568	·676	78.6	77.0	1.6	76-4	-892	.89	80.2	83.6	WNW	0.1	0.11			ļ	
	/ ,, 8	.578	.686	80.5	77.5	3.0	76.4	-892	.88	81.0	83.5	WbN	0.3					
-	ά ,,,	.587	.666	80.8 78.7	78.0	2.8 1.1	76.9	.908	.89	81.3	83.5 83.5	WNW NW	0.8	0.00			į	
	10	.591	-711	79.0	77.0	2.0	76.2	.921	.95 .92	80.0 80.0	83.4	N	0.5	0.27	ம்	.	ا .	,
	10 ,,	.601	.707	78.8	77.1	1.7	76.4	·894	.93	80.0	83.3	NNW	0.2	0·25 0.39	None.	None.	None.	None.
	Noon.	.596	.701	78.4	77.0	1.4	76.5	-895	.94	80.0	83.1	NbW	0.2	0.39	Z	ž	ž	Z
	lp. m.	.586	.660	79.2	78.0	1.2	77.5	•926	.95	80.0	83.1	NW	0.2	0.30		i		
	2',,	.585	.665	79.7	78.0	1.7	77.3	•920	.93	80.2	83.1	WNW	0.1	0.02		į l	İ	
	3 ,,	.581	.745	77.4	75.2	2.2	74.3	-836	.91	79.1	- 83.1	ssw	0.3	0.33				
	4 ,,	.563	.681	77.0	76.0	1.0	76.0	-882	.96	78.8	83.1	sw b w	0.2	0.65		i		
	ō "	.558	.724	77.6	75.2	2.4	74.3	-834	.90	78.9	83.0	sw	0.1	0.03				
	6 "	.561	.751	77.8	75.8	2.0	73.3	-810	.92	78.9	82.9	SW b W	0.2	0.03	<u> </u>		ŀ	
	7,,	.581	.710	77.0	76.0	1.0	75-6	-871	.96	78.6	82.8	sw	0.2	0.05			ı	
						เมด	TIE E	-869	0.5	70 G	(0.)7				1		1	
	8 ,,	.599	.730	77.2	76.0	1.2	75.6	i	.95	78.6	82.7	,,	0.0	0.05			l	
	Ω	.599 .613 .620	.730 .744 .749	77.2 77.2 77.0	76.0 76.0	1.2 1.2 1.0	75.5 75.6	.869 .871	.95 .96	78.6 78.1	82.7 82.6	ssw Nwbw	0.0	0.05				

e pag			
Amount of Clouds 0—8.	Observers.	STATE OF THE WEATHER.	Remarks.
質り	pse		
And	0	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) cirro-strati; \(\) cumulo-strati; and \(\) nimbl.	
7	н	□ and □ scattered throughout moving ENE; haze.	
8	C	Overcast with we moving E; we about the zenith; haze; slight rain at 1h. 41m.	
8	C	y in zenith; y throughout moving E.	
7	C	in zenith; we throughout moving E; drops of rain at 3h. 57m.	
8 0	C B	Overcast with D and L vi moving E; slight rain at 4h. 5m.	
ŏ	В	Overcast with D and L vi moving ENE; drops of rain at full hour-	
0	В	on and on throughout; on moving ENE.	
0	В	Overcast with i and i; a few stars dimly visible through breaks; drops of rain at 8h. 40m.	
0	H	Overcast with va moving ENE; drops of rain at full hour.	
	H	Overcast with var moving ENE.	
	_	"	
8	H	Overcast with 🔧 moving B; smart shower of rain at 0h. 7m. lasted 6m. and lightly raining afterwards till 0h. 35m.	Mean daily temperature of ground
8	C	Overcast with we moving SE; fresh breezes from NW.	20 and 60 inches below its sur-
8	C		face 85.7 and 85.7. Daily fall
8 8	C	Overcast with vermoving SE; fresh breezes from NW; a few drops of rain at 3h. 30m. Overcast with vermoving SE.	of rain by Osler's Gauge 0.26.
8	В	, , , , , , , , , , , , , , , , , , ,	
8	В	"	
8	В	Overcast with we moving E.	
8	В	, , , , , , , , , , , , , , , , , , , ,	
8	H	Overcast with we moving E; drops of rain from 9h. 7m. to 9h. 31m.	
8	H	Overcast; drops of rain falling from 10h. 50m. Overcast; rain ceased at 11h. 20m.	
8	H	Overcast with va moving E.	
8	C	Overcast with we moving E; slight rain from 1h. 4m. to 1h. 33m.	
8	C	Overcast.	
8	C	Owners to deep of min	
8 8	C	Overcast; drops of rain-	
8	В	, , , , , , , , , , , , , , , , , , ,	
8	В	Overcast; a shower of rain at 7h. 54m-, lasted 2m.	
8	В	Overcast; drops of rain falling.	
8 8	H	Overcast; shower of rain at 9h. 27m. lasted 6m., afterwards drops of rain falling to the end of the hour. Overcast.	ŕ
8	H	Overcast; a few drops of rain at 11h. 6m.	
8	G	Overcast with vermoving E; drops of rain falling.	Mean daily temperature of ground
8	C.	Overcast; very slight rain at 1h. 29m.	20 and 60 inches below its sur-
8 8	C	Overcast; shower of rain at 2h. 20m. lasted 5m. Overcast; light rain at 3h. 30m. and again at 3h. 55m.	face 85.7 and 85.6. Daily fall
8	C	Overcast; rain which was falling from last hour ceased at 4h. 8m. and recommenced at 4h. 45m.	of rain by Osler's Gauge 3.44 in. The lowest reading of air thermo-
8	В	Overcast; raining.	meter occurred on this day.
8	B	Overcast; drizzling rain.	•
8	В	Overcust.	
8 8	B	Overcast with we moving rapidly E; showers of rain now and then. Overcast; raining.	
8	G),),	
8	G	29 29	
8	G	Overest a minimum et times	
8 8	C	Overcast; raining at times. Overcast; raining.	•
8	C	49 99	
8	c	Overcast; light rain frequently.	
8	G	Overcast; raining lightly from 5h. 49m.	
8	G	Overcast with vi moving E; rain continued falling.	
8 8	G	Overcast; showers of rain occasionally. Overcast; frequent showers of rain.	
8	G	Overcast; heavy shower of rain at 9h. 39m., afterwards raining lightly.	
8	G	Overcast; raining lightly.	
8	G	" "	

			DARD (ETER.	Тнв	RNOMET	ERS.	i	×	AIR.	TREEMO	UND METERS.	WIND P Osler's (RAIN.	Вивст	RICAL	Instru	MENTS.
Bombay Civil Time 1864.	•	Corrected to 89° Fahr.	for	In the	WetBulb Thermo- meter.		DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Poot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawsof	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
July 11TH-Mid 1 a. m. 2 3 4 5 6 7 7 8 9 10 11 Noon. 1 p. m. 2 3 4 7 7 8 9 10 7 11 9 11 11 11 11 11 11 11 11 11 11 11 1		in. 29.673 .663 .659 .631 .635 .648 .667 .716 .718 .719 .711 .700 .687 .665 .648 .662 .680 .699 .717 .731 .720	16. 28.753 .737 .743 .782 .737 .757 .768 .764 .796 .782 .823 .833 .788 .762 .690 .717 .740 .780 .805 .793 .815 .825 .826	79°7 80.3 80.1 79.0 79.6 80.5 79.6 80.8 82.0 79.7 80.2 78.4 81.4 82.8 83.8 85.4 84.8 80.2 81.4 80.2 81.0 78.8	78:0 78:3 78.0 76.0 77.4 78.0 78.2 79.0 78.5 76.9 77.4 78.6 79.2 81.0 80.0 77.5 77.0 78.0 78.0	1:7 2.0 2.1 3.0 2.2 2.5 1.6 2.6 3.0 1.7 1.5 4.0 4.2 4.4 4.8 2.8 3.9 3.2 3.0 3.4 3.0 1.7	77:3 77.5 77.2 74.8 76.6 77.0 77.0 77.2 77.9 76.5 75.9 77.0 77.5 78.3 76.9 76.0 75.8 76.8 76.8 76.8	in. 0.920 926 916 849 898 911 910 916 937 920 936 896 878 912 925 985 948 908 882 875 906 .902	0.93 .92 .91 .88 .91 .90 .93 .88 .93 .94 .84 .83 .81 .89 .84 .87 .88 .86 .88	80.6 80.6 80.5 80.1 81.0 80.5 81.0 80.9 79.2 80.4 81.7 82.5 83.6 83.3 81.5 81.8 81.0 81.5 81.0	82.6 82.6 82.5 82.5 82.5 82.5 82.5 82.4 82.3 82.3 82.4 82.7 82.9 82.9 82.9 82.8 82.7 82.6 82.6	SW b W W W W NW NW NW NW NW W NNW W NNW W N WSW "" W b S WSW W W b S "" ""	lbs. 0.4 0.3 0.5 0.2 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.2 0.2 0.1	0.01 0.02 0.01 0.19 0.05 0.21 0.08 0.23	None.	None.	None.	
July 12th-Mid 1 a. m. 2 "3 "4 "5 "6 "7 "8 "9 "10 "11 "Noon. 1 p. m 2 "3 "4 "5 "6 "7 "8 "9 "10 "7 "8 "9 "10 "11 "10 "11 "10 "11 "10 "11 "10 "11 "11	•	.700 .689 .673 .662 .662 .682 .690 .700 .703 .698 .697 .693 .675 .656 .647 .629 .628 .641 .653 .661	.774 .776 .758 .751 .754 .743 .768 .779 .769 .786 .741 .742 .726 .712 .721 .696 .689 .713 .721 .764 .784 .759 .772 .781	79.2 79.6 80.2 80.5 80.8 80.6 80.3 81.3 82.5 84.2 84.0 86.1 87.0 87.4 86.7 86.9 85.5 84.7 83.5 80.8 80.0 81.3 79.8	78.0 77.8 78.0 78.0 78.0 78.2 78.0 78.2 79.0 79.1 80.0 80.5 81.0 80.2 80.6 80.0 79.2 79.0 77.5 77.0 78.2	1.2 1.8 2.2 2.5 2.8 2.4 2.3 3.1 3.5 5.1 4.0 6.4 6.5 6.3 5.5 4.5 3.0 3.1 2.2	77.5 77.1 77.2 77.0 76.9 77.3 77.1 77.0 77.7 77.2 78.6 78.5 78.9 78.8 77.8 77.8 76.3 76.3 76.4	.926 .913 .915 .911 .908 .919 .914 .911 .931 .917 .957 .963 .935 .951 .940 .915 .920 .889 .877 .911	.95 .92 .91 .90 .89 .90 .90 .87 .86 .80 .84 .78 .76 .77 .79 .79 .82 .87 .88 .87 .93	80.0 80.6 80.9 81.1 81.3 81.3 81.0 81.5 82.1 82.4 82.5 83.9 84.7 85.4 85.2 84.9 84.0 83.5 81.0 81.5	82.6 82.6 82.6 82.6 82.5 82.5 82.5 82.5 82.6 82.7 82.8 82.9 83.1 83.2 83.3 83.4 83.4 83.4 83.4 83.3	WNW W b N W W b N W W W W W W W W W W W W W W W W W W W	0.4 0.3 0.6 0.5 0.8 0.4 0.2 0.3 0.4 0.5 0.5 0.4 0.7 0 to 2 1 to 3 1 to 1 1 to 1 2 to 2 2.5	0.07 0.05 0.02 0.01 0.28 0.06 0.33	None.	None.	None.	None
JULY 13rh-Mid 1 a. m 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,,		.658 .640 .621 .613 .615 .626 .635 .655 .678 .680	.730 .730 .713 .705 .740 .766 .747 .793 .816 .803 .772 .780	79.0 80.6 80.8 80.8 80.2 78.0 79.1 78.8 78.8 80.0 81.3 81.5	78.0 78.0 78.0 78.0 77.0 76.0 77.2 76.3 76.3 77.0 78.2 78.0	1.0 2.6 2.8 2.8 3.2 2.0 2.5 2.5 2.5 3.0 3.1 3.5	77.6 77.0 76.9 76.9 75.8 75.2 76.2 75.3 75.8 77.0 76.6	.928 .910 .908 .908 .875 .860 .888 .862 .862 .877 .911	.96 .89 .89 .87 .92 .90 .90 .90 .88 .87	80.2 80.8 81.1 81.1 81.0 80.0 80.4 80.0 79.8 80.0 80.9 81.2	83.0 83.0 83.0 83.0 82.9 82.8 82.6 82.6 82.6 82.6 82.6	sw b w	0.4 ½ to 1½ 0.1 0.8 ½ to 1 1.3 ½ to 1½ 0.5 0.5 ½ to 1½ 1.5	0.03 0.02 0.11 0.17	None.	None.	None.	None.

ş			
Sign.		STATE OF THE WEATHER.	
	Observers.		REMARKS.
Amount of Clouds	O	Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \i cirro-cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i nimbi.	
-	1		
8 8	G	Overcast with var moving E; a few drops of rain at the time of observation.	Mean daily temperature of ground
8	C	Overcast; a few stars dimly visible in the zenith; drops of rain at 1h. 42m. Overcast; a squall of wind and rain at th. 45m. lasted about 10m., force of wind was not more than 2 lb.	20 and 60 inches below its surface 854 and 856. Daily fall
8	C	Overcast with so moving E.	of rain by Osler's Gauge 1.01 in.
8 8	C B	Overcast; rain, which commenced a few minutes before full hour, ceased at 4h. 8m.	
8	В	Overcast; light rain from 5h. 7m. to 5h. 12m., a heavy shower at 5h. 44m. lasted 3m. Overcast; a shower of rain between 6h. 10m. and 6h. 12m.	
8	В	Overcast with we moving E.	
8 8	B G	Overcast with va! moving E; a shower of rain at 8h. 49m: lasted 7m. Overcast; light rain, which was falling from last observation ceased at 9h. 15m., but recommenced at 9h. 39m.	
8	G	Overcast; a shower of rain at 10h. 45m. lasted about 8m., then lightly raining.	
8	G	Overcast; rain cessed at 11h. 4m.	
8 8	G C	Overcast with val moving E.	
8	c	7) 19 7) 2)	•
8 8	C	Overcast with N and N in NW and W.	
8	В	Overcast with so and so is a squall of wind and rain commenced at 4h. 88m., lasted about 7m., force of wind was not more than Overcast with so i moving E; two small breaks in W and N of zenith.	
8	В	vi and vi in and about the zenith; val throughout moving E; shower of rain at 6h. 50m. lasted 2m.	,
8 8	B B	Overcast with \vee and \wedge , the latter moving E.	
8	G	Overcast; a few stars dimly visible here and there.	
8 8	G G	Overcast; a few stars visible in zenith; shower of rain at 10h. 43m. lasted about 10m.	
$ $ $ $	"	Overcast; drops of rain at times.	
8	G	Overcast; some stars dimly visible in NW of zenith.	Mean daily temperature of ground
8	C	» »	20 and 60 inches below its sur-
7 6	C	scattered throughout.	face 85:4 and 85:6. Daily fall
6	c	"scattered throughout; drops of rain at 4h. 20m.	of rain by Osler's Gauge 0.87 in.
8	В	wi in E of the zenith; wi throughout moving E; shower of rain at 5h. 53m. lasted 4m.	
8 7	B B	Overcast with so and so, the latter moving E. said so satisfied throughout; drops of rain at 7h. 40m., a passing shower at 7h. 45m.	
7	В	w in SE of zenith; wi throughout; drops of rain at 8h. 27m.	
7 7	G G	weathered throughout; large masses of we passing from W to B; hazy; slight rain at 9h. 52m. in zenith; we throughout and masses of we passing from W to E.	
6	G	in zenith; A throughout and masses of AL passing from W to B; drops of rain at 11h. 35m.	
8	G	Overcast with was and was we moving E.	
8 8	C	Overcast with \sim 1 and \sim 1; haze in hor.	
8	C	Overcast; Vol about the senith, and V in NE; at 3h. 30m. a squall of wind and rain commenced and ended at 3h. 34m., drops of	
8 7	C B	Overcast with what and was; nimbi moving E; gusts of wind from W. and was scattered throughout and masses of was passing rapidly from W to E.	
8	В	Overcast with we moving E; we in W and S of zenith; passing rain at full hour.	
8	В	Overcast; shower of rain accompanied with strong wind at 7h. 3m. lasted about 12m.	
8 8	B G	Overcast; a few stars and the moon dimly visible about the zenith. Overcast; a few stars and the moon dimly visible about the zenith; gusts of wind and drops of rain after 9h. 39m.	
8	G	Overcast; large black masses of 🔨 passing rapidly from W to B; heavy shower of rain at 10h. 37m. lasted 3m., then raining lightly.	
8	G	Overcast; rain ceased at 11h. 19m., gusts of wind blowing from NW.	
8	G	Overcast; va moving E; a few drops of rain at full hour.	Mean daily temperature of ground
7	c		20 and 60 inches below its sur-
8	C	Overcast; gusts of wind from W with a force of about 2 lb.	face 85:3 and 85:6. Daily fall
8 8	C	Overcast; gusts of wind from W with a force of about 2 lb.; drops of rain at 3h. 46m. Overcast; fresh breezes of wind from W; at 4h. 55m. a shower of rain.	of rain by Osler's Gauge 0.51 in.
8	В	Overcast; lightly raining from 5h. 30m.	
8 8	B	Overcast; rain which was falling from the last hour ceased at 6h. 35m. Overcast; gusts of wind from W; light rain at 7h. 32m. and again at 7h. 56m.	1
8	В	Overcast; wi moving ESE; light rain from full hour to 8h. 33m.	
8	G	Overcast; gusts of wind blowing from WNW; drops of rain at the time of observation.	
8	G))	
٠ <u>۱</u>	- '	" " " "	

			NDARD METER.	THE	RMOMBI	rers.	:	_ #	AIR.	THERM	OUND OMETERS.	Wind P Osler's G		RAIN.	BLEC	TRICAL	INSTR	UMBUTA.
	Bombay Civil Time.	Corrected to 35° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	below Thermo-	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	MIDITY OF	nometer lineb be Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Rign of Meetrici- ty+or-	Straweoi	Straws of	Interval of Time in recovering the same degree of tension after dis-
	1864.			•		meter in the Air.	_	ő	HON	Thermo:	F		Foot.	_		Volta 1.	Voita 2.	Interv reco
July	13тн-Noon.	in. 29.680	in. 28.780	8135	78*0	375	76*6	in. 0.900	0.86	81:3	82.6	wsw	ibs.	in.		Sc. div.	Sc. div	
0021	l p. m.	.674	.779	82.0	78.0	4.0	76.5	.895	.84	81.9	82.7		0 to 11			ł	}	
	2 ,,	.656	.763	82.2	78.0	4.2	76.4	-893	.83	81.9	82.8	,,	0 to 11		i	}		
	3 ,,	.639	.740	81.6	78.0	3.6	76.6	.899	.86	81.6	82.8		0 to 1 i		1	l		
	4 ,,	.637	.757	82.2	77.7	4.5	75.9	.880	.82	82.0	82.9	wśw	1.5		one.	one.	نه	e.
	5 ,,	.623	.785	80.0	. 76.0	4.0	74.4	.838	.84	80.6	82.9	swbw	0 to 34		Š	S Z	one.	None.
	6 "	.634	.772	80.6	76.8	3.8	75.3	.862	.85	81.0	82.9	,,	0.8		~		Ż	7
	7 ,, 8	.636 .647	.765	78.8	76.5	2.3	75.6	-871	.90	80.1	82.8	Wsw	0 to 21	0.10	1			
	9	.649	.766	79.6 80.2	77.0	2.6 3.2	76.0 75.8	-881	.89	80.3	82.7 82.6	sw b w	0.8		1	l	ł	
	10 "	.657	.780	80-2	77.0	3.0	75.8	.875	.88	80.0	82.6	"	0.7	0.07	1	l	1	
	11 "	.645	.756	80.8	77.5	3.3	76.3	-889	.87	80.5	82.6	"	0.4	0.07		1	1	
	** ,,											"	0.0			Ì		
ULY 1	4TH-Midnight	.631	.743	79-0	77.0	2.0	76.2	.888	.92	80.0	82.6	swbw	0.7	0.10		l		
	l a.m.	.613	.745	77.3	76.0	1.3	75.5	.868	.94	79.1	82.5	1	0. to 61]		1	1
	2 ,,	.599	.697	78.8	77.3	1.5	76.7	.902	.94	79.9	82.5	sw	0 to 1	0.02	l	i	1 .	1
	3 ,,	.5 89	.675	80.3	78.0	2.3	77.1	.914	.90	80.5	82.6	wsw	1.1			1	l	ł
	4 "	-588	-684	80.4	77.8	2.6	76.8	.904	.89	80.6	82.4	,,	1.4		1		1	
	5 "	-599	.719	79-7	77.0	2.7	75.9	.880	.89	80.5	82.3	w	0 to 1	1	1	1	1	ł
	6 "	.609	.717	80.5	77.5	3.0	76.4	-892	.88	81.0	82.3	wsw	d to l	j		1		l
	7 " 8 "	.634 ·639	.728	81.0	78.0	3.0	76.8	•906	.88	81.2	82.4	W	0.5		1			l
	å "	.641	.774	77.5	76.0 76.5	1.5 2.1	75.4 75.7	-865 -873	.91	79.0 79.0	82.4	,,	0 to 4	0.20			1	l
	10 "	.644	.834	77.8	75.8	2.0	73.3	.810	.92	78.8	82.3 82.2	,,	0 to 1	0.05	١.	Ì	1	l
	11 "	.642	.760	81.4	77.5	3.9	76.0	-882	.84	80.0	82.2	w n's	0 to 2 4 0.5	0.10	one.	l ë	je j	ė
	Noon.	.616	.681	83.7	79.4	4.3	77.8	-935	.83	81.9	82.3	w	0.6	0.04	No Z	None.	None.	None.
	1 p. m.	.612	.652	85.7	80.5	5.2	78-7	960	-80	82.9	82.4	WbN	0.8		-	_	~	-
	2 ,,	.597	.657	85.5	80.0	5.5	78.0	-940	.79	83.6	825	WNW	0.5		1		1	l
	3 "	.587	.660	84.9	79.5	5.4	77.6	-927	.79	83.5	82.6	,,	0.4	1		1	1	İ
	4 ,,	.575	.673	84.1	78.7	5.4	76.7	•902	•79	83.2	82.7	,,	0.3	1	1	l		
	5 ,,	.569	.683	83.6	78.2	5.4	76.1	-886	.79	83.0	82.8	,,	0.5	1	1	1	i	ł
	6 ,,	.579	.691	82.6	78.0	4.6	76.2	•888	-82	82.6	82.8	"	0.4	ĺ	1	İ		l
	8 ,,	.601	.688	81.6	78.0 78.0	3.6	76.6 76.6	•899 •898	.86 .85	82.0 82.0	82.8 82.8	"	0.6	l	İ			1
	o " '	.611	.713	81.7	78.0	3.7	76.6	-898	.85	81.2	82.8	w n	0.5		j	l	1	1
	10	.625	.727	81.7	78.0	3.7	76.6	-898	.85	81.0	82.7	l	0.4		I	1		j
	11 ,,	.617	.708	81.5	78.2	3-3	76.9	•909	.87	81.0	82.7	"	0.5					
						1		ł	j]	ŀ	ĺ	ł		ŀ	
ULY	l5тн-Midnight		-690	81.0	78.0	3.0	76.8	-906	.88	80.9	82.7	WbN	0.4	0,03		Į		
	la.m.	.584	.676	80.8	78.0	2.8	76.9	-908	.89	80.8	82.7	wnw	0.5	Ì	1	I	1	1
	2 ,, 3 ,,	.578 -564	.672 .660	81.0 81.2	78.0 78.0	3.0 3.2	76.8 76.8	•906	.88	80.6 80.6	82.6 82.6	WNW	0.5		ł		1	1
	A	-564	.658	81.0	78.0	3.2	76.8	•904 •906	.88	80.6	82.6	W b N WNW	0.6	Ì	1		I	ļ
	5 ,,	.574	.658	80.8	78.2	2.6	77.2	•906 •916	.89	80.8	82.6		0.5	ĺ	1		1	Į.
	6 "	.598	.691	81.3	78.1	3.2	76.9	907	.89	81.4	82.6	w b'n	0.4			1	1	ł
	7 "	.607	•693	82.2	78.5	3.7	77.1	.914	.85	81.9	82.6	,,	0.5	1		1	1	l
	8 "	-628	.716	84.3	79.0	5.3	77.0	-912	.80	83.0	82.7	"	0.6	[}	1	1
	9 "	.632	-684	84.8	80.0	4.8	78.3	-948	.81	83.5	82.7	,,	0.5		1		1	l
	10 ,,	-535	.694	86.3	80.2	6.1	78.0	.941	.77	84.0	82.8	NW b W	0.2	1	å		å	ಷ
	11 " Noon.	.631 .618	.674 651	86.7	80.7	6.0	78.6	•957	.78	84.2	82.9	7,	0.6	l	None	None.	None.	None
	1 p. m.	.610	.651 .681	87.0 87.3	81.0 80.2	6.0 7.1	78.9 77.6	•967	.78	85.0	83.0	WNW	0.5	ĺ	Z	Ž	Z	Z
	•	-586	652	86.8	80.2	6.6	77.8	.929	.74	85.5 85.5	83.1 83.2	NWbW	0.5 0.5				1	j
	3 ,,	.582	-652	87.2	80.2	7.0	77.7	.930	.74	85.6	83.4	"	0.5	 			1	ł
	4 ,,	.577	.675	86.3	79.3	7.0	76.7	.902	.74	85.2	83.5	"	0.4	ł	}		1	1
	5 ,,	.573	.689	84.5	78.4	6.1	76.1	,884	.77	84.3	83.6	"	0.6	l			1]
	6 ,,	.592	.692	83.5	78.5	5.0	76.6	-900	.81	83.5	83.6	wnw	0.5	l	1		1	l
	7 "	.604	.716	82.6	78.0	4.6	76.2	∙888	-82	83.0	83.6	,,	0.5			1	1	1
	٥	.620	.726	82.1	78.0	4.1	75-7	-874	-84	82.5	83.6	,,	0.5	l	1	1	1	ł
	8 "				1													
	9 ,, 10 ,,	.636 .632	.756 .767	82.2 81.8	77.7 77.2	4.5 4.6	75.9 75.4	-880 -865	-82 -82	82.4 82.1	83.5 83.5	wbn	0.4				İ	i

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\cdot\) cirro-cumuli; \(\chi\) i cirro-cumuli; \(\chi\) i cirro-cumuli;	Remarks.
	 		
8	G	Overcast with we moving E; drops of rain at the time of observation.	
8	C	Overcast; gusts of wind from SW.	
8 8	C	n .	
8	C	Overcast; gusts of wind from SW; drops of rain at 4h. 38m.	
8	B	Overcast; light rain from full hour to 5h. 14m.	•
8	В	Overcast; shower of rain with gusts of wind at 6h. 17m. lasted about 8m.	
∤ 8 8	B	Overcast with van moving ENE.	
8	G	Overcast; shower of rain with strong wind at 9h. 20m. lasted 5m.	
8	G	Overcast.	
8	G	Overcast; shower of rain at 11h. 50m. lasted 6m.	
1		·	
8	a	Overcast; drops of rain falling; at 0h, 20m. a squall of rain and wind commenced; wind continued blowing for about 9m. with a force of about 4 lb. and rain lasted for about 20m.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	C	Densely overcast; light rain and squally wind.	face 85.3 and 85.6. Daily fall
8	C'	Overcast; squally wind.	of rain by Osler's Guage 0.83 in.
8	C	Overcast; some stars dimly visible about the zenith; gusts of wind blowing from WSW.	
8	В	Overcast with val moving rapidly to E.	
8	B	0, , , , , , , , , , , , , , , , , , ,	
8	В	Overcast; rain with gusts of wind began to fall at 7h. 32m. and continued for about 20m. Overcast; light rain and wind at times.	·
8	G	. •	
8	G	" "	·
8	G	Overcast with val moving E.	•
8 8	G	Overcast with and wi.	
8	C.	Overcast; we in the zenith and we moving rapidly E; gusts of wind.	
8	C))))))))))))))))))))))))))	
8	C	" "	
8 8	B	Overcast; masses of vi moving E.	
8	B	Overcast; vo. and vo. moving E; drops of rain at 6h. 25m. Overcast.	
8	B	Overcast; a few stars dimly visible in the zenith.	
8	G	Overcast; a few stars dimly visible in N of zenith.	
8	G	Overcast; val and large masses of val; a shower of rain at 11h. 39m. lasted about 10m.	
		Crossass, 47 and images of var, a shower of tall as 1111 committees access to	
١.	G	Outpresent to the American P	Moon doily tomporature of mound
8 8	C	Overcast; we moving E.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	C); ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;	face 85:2 and 85:5. Daily fall
8	C	" "	of rain by Osler's Gauge 0.03 in.
8	CB	Operand to the maning F. horr	
8	B	Overcast; va moving E; hazy.	
8	В	Overcast; we and we moving E; haze.	
7	В	m and scattered throughout, the latter moving E; haze.	
7 7	G	w, wi and we throughout; wi moving E; mist around the hor.	
17	G	", We and We infoughout, We moving E, mist around the not.	
7	G	22 · 22	
7	C	Overcast with val and val, both moving E; haze.	
8	C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
7	0)	
7	В	∨ and val scattered throughout.	
8	В	Overgood with N and 10 to many and completely dimles wights	
8 7	B	Overcast with wand we; moon and some stars dimly visible. win SW of zenith; we in and about the zenith and we in masses passing from W to E.	
8	G	y	(
8	G))))))	•
8	l G	Overcast with we and we; we moving E.	

			DARD (BTBR.	Тнвя	MOMET	BRS.	ان	# O .;	AIR.	GRO THERMO		Wind P Osler's G	ROM AUGE.	RAIN.	ELECT	TRICAL	Instru	MENTO.
	Bombay Civil Time. 1864.	Corrected to 39° Pahr.	for	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE O. MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	per Square Foot.		Sign of Electrici- ty + or —	Strawsoi	ngs of Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
117 V	16тн-Midnight	in. 29,628	in. 28,762	81:7	77:2	4:5	75.4	in. 0 - 866	0.82	81:8	8394	wnw	1bs. 0.4	in.		Sc. div	Sc. div	m. s.
OLI	l a. m.	.610	.740	81.5	77.5	4.0	75.6	-870	.84	81.8	83.4	,,	0.3		<u>'</u>	ł		
	2 ,,	.599	•699	81.5	78.0	3.5	76.6	•900 •903	.86	81.8	83.3	١,,,	0.4					
	3 ,,	.581 .583	.678 .680	81.3	78.0 78.0	3.3	76.7 76.7	•903	.87 .87	81.7	83.3 83.2	NW b W W b N	0.5				ł	
	5 ,,	.593	•690	81.3	78.0	3.3	76.7	. 903	.87	81.6	83.1	WNW	0.6	1		1		
	6 ,,	.607	.702	81.1	78-0	3.1	76.8	•905	.87	81.6	83.1	,,,,	0.5		1		1	ŀ
	7 ,, 8	.623	.720 .717	82.0 83.6	78.2	3.8 4.6	76.7 77.3	.903	.85 .82	81.9 83.0	83.1 83.1	NW b W	0.5				}	
	9 ,,	.637	.710	84.9	79.5	5.4	77.6	.927	.79	83.8	83.2	WbN	0.3					
	10 ,,	.646	•734	85.8	79.4	6.4	77.0	.912	.76	84.5	83.2	WNW	0.5	one.			ne.	
	ll " Noon.	.642	.730 .699	85.8 86.0	79.4	6.4	77.0	.912	.76 .77	84.5	83.4	WbN	0.4	No.	1		None,	Ì
	1 p. m.	•620	.685	86.0	80.0	6.0	77.8	.935	.77	84.9	83.5	,,,	0.3		+	6		2.16
	2',,	•603	•670	86.2	80.0	6.2	77.8	.933	.76	85.1	83.6	NW b W	0.3		+	2		5.14
	3 ,,	.588	.666	85.6 85.6	79.4	6.2	77.1	.914	.77	84.9	83.6	"	0.5					
	4 ,, 5 .,,	.578	.688	84.4	78.5	5.9	76.3	.890	.77	84.2	83.7	"	0.6					
	6 ,,	.582	.699		78.0	5.1	76.0	.883	.80	83.2	83.7	WNW	0.5	ļ	1	į		
	7 ,,	•602	.730	82.3 82.0	77.5	4.8	75.6	.872	.81 .84	82.6 82.5	83.7 83.7	NW'b W	0.6	1	'	į		ŀ
	8 ,, 9 .,	.606	.711	81.8	78.0 77.8	4.0	76.5 76.3	.889	.84	82.3	83.6	, NW U W	0.5			1		
	10 ,	.633	•736	81.8	78.0	3.8	76.5	.897	.85	82.3	83.6	73	0.4		ļ			į
	11 "	.626	•725	81.8	78.1	3.7	76.7	.901	.85	82.3	83.5	WNW	0.4					
ULY	18TH-Midnight	.619	.713			3.0	76.8	.906	.88	81.2	83.2	WNW	1.4					
	la.m.	.611 .601	.697	81.0	1	2.8 3.0	77·1 76.8	•914 •906	.89	81.2	83.2 83.2	"	1.0			1		ĺ
	3 ,,	.597	.691	81.0		3.0	76.8	.906	.88	81.2	83.2	"	1.1		ì	ł		
	4 ,,	.599	.692			2.9	76.9	•907	.88	•	83.1	,,	1.4		j	1		
	5 " 6 "	.608	.701	80.9 79.8	1	2.9	76.9 75.9	.907 .879	.88	81.2	83.1	WbN	1.0	0.01	}	Ì		
	7 ,,	.632				2.8 2.9	76.5	-895	.88		83.0	"	0.6	0.01				
	8 "	.634	.738	80.2	77.6	2.6	76.6	-898	.89	80.8	83.0	w	0.8	0.01			1	}
	9 "	.640 .644	.737			3.3	76.7	•903	.87	81.0	82.9 82.8	,,	0.6	0.02			ł	
	10 ,, 11 ,,	.650	.780			2.9 4.0	76.9 75.6	-870	.84	81.3	82.8	"	0.5	0.01		نه	வ்	
	Noon.	.641	.746	82.0	78.0		76.5	-895	.84	82.0	82.8	w'nn	0.5	ļ	None.	None.	None.	None,
	1 p. m.	.627	.746			3.2	76.0	-881	.87	81.5	82.9	Wbs	0.8	0.01	Z	Z	Z	Z
	2 ,, 3 ,,	.615	.719			3.6 3.8	76.5 76.5	.896 .897	.86	81.8	83.0	,,	0.8	İ		ł		
	4 ,,	.581	.679	81.4	78.0	3.4	76.7	.902	.86	81.8	83.1	"	0.3	1		1	1	
	5,,	.573	.667			3.0	76.8	.906	.88	81.5	83.1	"	0.8	0.01		1		1
	6 ,, 7	.581	.681			3.0 2.9	76.6 76.5	.900 .895	.88 .88	81.3 81.0	83.1 83.0	wsw	1.0				1	·
	, ,, 8 ,,	.588	•693	80.5	77.6		76.5	-895	.88	81.0	83.0	,,	1.3	0.01	-	-		
	9 "	.594	.705			3.0	76.3	.889	.88	80.5	82.9	,,	1.6					}
	10 ,, 11 ,,	.598 .596	.704 .702				76.4 76.4	.894 .894	·88 .88	80.4 80.4	82.8 82.8	"	1.0					
T *** **	7 19тн-Midnigh	.582	.687	80.5	77.6	2.9	76.5	.895	-88	80.7	82.8	wbs	0.8					
, ULY	l a. m.	.561	.661			3.0	76.6	.900	.88	80.7	82.7	1	1.0					
	2 ,,	.554	.648	81.0	78.0	3.0	76.8	.906	.88	80.7	82.7	"	0.9				1	1
	3 ,,	.547	.630			2.0	77.2	.917	.92	80.4	82.7	,,	0.9	0.02		1		1
	4 ,, 5 ,,	.540	.633		77.6	1.8 2.0	76.9 77.2	.907	.92	80.3 80.5	82.6 82.6	WbN	1.0	0.03				.
	6 ,,	.542	.646		77.5	2.6	76.5	.896	.89	80.6	82.6	W DIN	0.6		None.	None.	None.	None.
	7,	.553	.642	80.5	78.0	2.5	77.0	.911	.90	81.0	82.6	ẅ	0.5		Z	Z	2	Z
	8 "	.574	.670		78.0	3.2	76.8	.904	.87	81.4	82.6	"	0.6		1		1	1
	9 " 10 "	.575	.656	81.8	78.5 78.0	3.3 4.6	77.3	.919	.87 .82	81.6 82.0	82.7 82.7	wön	0.8		1.		1	
i	10 ,,	.582	.656		79.0	4.0	77.5	.926	.84	82.1	82.7	w	0.7					1

ds			
Slou	ġ	STATE OF THE WEATHER.	
ەر 8.	Observers.	STATE OF THE WEATHER,	Remares.
불스	Ž		
Amount of Clouds 0-8.		Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli;	
	<u> </u>	∩i camuli; `Li cirro-strati; ∩Li cumulo-strati; and ↑Li nimbi.	
8	G	Overcast; 🛰 moving E.	Mean daily temperature of ground
8	C	Overcast; win SW of zenith and we passing from W to E; a few drops of rain at 1h. 4m.	20 and 60 inches below its sur-
8	C	Overcast; we moving ESE.	face 85:2 and 85:5.
8	C	Overcast; vi moving ESE; fresh breezes from WNW.	16th July was the 10th day on
8	C	22	which fall of rain was less than
8	В	Overcast; val moving E.	0.01 in.
8	В	Overcast; vai moving E; haze in hor-	
8	B	Overcast; N throughout and N moving rapidly to E; haze.	
8	G	Overcast; wi in SW of zenith, is throughout and wi moving E; haze. Overcast; is around the hor.; in W above hor. and we passing from W to E; haze.	
8	G		
8	G	Overcast; masses of vi moving E; drops of rain at 11h. 57m.	
8	G	Overcast; drops of rain continued falling to 11h. 9m.	
8	C	Overcast; 🛰 moving E.	
8	C	Overcast; val moving E; slight rain at 2h. 21m.	
8	0	Overcast; vi in the zenith and vi moving E.	
8	В	n and scattered all over the sky."	
8	В	"	
8	В	"	
8	В	scattered throughout and ve passing from W to E.	
8	B	Overcast with va and va; va moving E.	
8	B	Overcast with va moving ESE.	
		Overcuse with vs. moving 1511.	
8	G	Overcast; drops of rain falling from 0h. 6m. to 0h. 22m.	Mean daily temperature of ground
8	C	Overcast; drops of rain falling; fresh breezes of wind blowing from WSW.	20 and 60 inches below its surface 852 and 855. Daily fall
8	C	Overcast; fresh breezes of wind blowing from WNW.	of rain by Osler's Gauge '08 in.
8	C	overcus, nest ofecaes of white blowing from vitiv.	
8	В	Overcust; drops of rain falling; light shower of rain at about 5h. 29m.	
8	В	Overcast; drizzling rain which was falling from the last observation ceased at 6h. 25m.	
8	B	Overcast; light rain at 7h. 20m.	
8	G	Overcast; light rain at 8h. 30m. Overcast; light rain.	
8	Ğ	Overcast; drops of rain falling.	
8	G	Overcast; thin drops of rain falling.	
8	G	Overcast; slight rain.	
8	C	Overcast; drops of rain.	,
8 8	C	Overcast.	
8	C	Overcust; drops of rain at 3h. 15m. Overcast; slight rain.	
8	В	Overcast; slight rain falling.	
8	В	" "	
8	В	29 29	
8	B	Overcast; slight rain falling; fresh breezes of wind blowing from SW.	
8	G	Overcast; fresh breezes from W; drops of rain at 9h. 39m. Overcast; drops of rain.	
8	a	Overcast; fresh breezes of wind.	
		•	
	_	Demarks assumed with an a security of T	Man Jalla Assessment of sure
8	G	Densely overcast with \(\sigma_1\) moving E. Treeh breezes from W	Mean daily temperature of ground 20 and 60 inches below its sur-
8	C	Densely overcast with val moving E; fresh breezes from W. Overcast; gusts of wind from WSW. light rain from 2h. 43m. to 2h. 52m.	face 85.2 and 85.5. Daily fall
8	c	Overcast; fresh breezes of wind; light rain at 3h. 44m.	of rain by Osler's Gauge 0.38 in-
8	C	Overcast; fresh breezes of wind.	Height of barometer at 4 P. M.
8	В	Overcast; van moving ENE.	was 29.535 in., lowest in the
8	В	" "	month and about 0-070 in. lower
8 8	B	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	than the normal mean height for that hour.
8	G)	111M4 194.01.1
8	G.	, ,	
8	a	Overcast; vai moving ENE; a few drops of rain at 11h. 42m.	1
	_		

			NDARD DMETER,	Тнв	BRMOMET	rnne.		10	AIR.	THERMO	ROUND COMETERS.	WIND P		RAIN.	ELEC	TRICAL	L INSTRU	
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	for	In the	WetBulb Thermo- meter.	- below	DEW	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per 8quare Foot.	By New-	Electrici-	f t- Strawsof	of Strawsof	Interval of Time in recovering the same degree of tension after dis-
Y	10- Voon	in.	in.	920	1 7019	1 490	2789	in.		1	1 1		lbs.	in.	1	Sc. div	v.Sc. div.	
JULY	19тң-Noon.	29.573 .569		83°2 83.2			77:7	0.932 .932	0.84	82°2 82.7	82*8 82.9	Wbs	0.8	1	1	Ì	,	1
	l p. m.	.569	, ,	83.2			77.7	1	.84	82.7			0.8 0 to23	0.24	.	Ì	'	1
	3 ,,	.537		81.4	1		77.3	.918	.88	81.4		,,	1.0	0.09			1 '	1
	4 ,,	.535			78.6	3.4	77.4	.921	.86			"	1.4	0.00	1		'	1
	5 ,,	.548	.653	82.0	78.0	4.0	76.5	.895	.84	81.9	83.0	w	0.8		يو ا	يو ا	e	ية ا
	6 "	.559	.660	81.6	78.0	3.6	76.6	.899	.86	81.9	83.0	wbs	0.7		Vone.	Vone	None.	None.
	7 "	.579	.679	81.5	78.0		76.6	.900	.86	81.7	83.0	"	0.5		Z	Z	4	Z
	8 "	.589					76-8		.88			,,	0.6					
	9 ,,	-597 610	1 1	81.0			76.9		.88		1 1	W	0.7	1 201				1
	10 ,, 11	.610 .614		80.8	1 1		76.9 76.5	1 1	.89	81·0 80.9		w bs	0.6	0.01				1
	11 ,,	.0	.,,,	00	1		10.0		.00	00.0	، نده	,,	0.0					
July?	20тн-Midnight						75.8	1	-88			wbs	0.5					
	la.m.	.585	.672	80.4	78.0	2.4	77.1	.913	.90	80.9	82.8	,,	0.8	}				
	2 "	.574	.670	80.1	77.7	2.4	76.8	•904	.90	80.9	82.8	,,	0.9	0.09	,			1
	3 ,,	.568				1	77.1		.90		1 1	wśw	0.7					
	4 ,,	.558 .563				1	77.1		.90	81.0		,,	0.7		1,			l
	5 " 6 "	.563 .571					76.5 76.1		.88			"	0.8 0.6		l	ļ		
	6 ,, 7	.571		1	1	1 1	76.1 75.5		.89	80.5	82.6 82.6	,,	0.6		1			l
	ο "	.603		1 -		1	75.8		.88	81.0	82.6 82.6	w w	0.4	0.02	. •	1		
	9 ,,	.609	.709		1		76.6	,•900	.86			wsw	0.7	V	1			}
	10 ,,	.612	.742	81.5	77.5	4.0	75.6	-870	-84	81.2	82.5	,,	0.8	ļ	1.	.	4	١.
	11 ,,	.613	-681	80.6	78.5	2.1	77.7	•932	.91	80.5	82.4	wön	0.8	0.05	5	one	None.	one.
ı	Noon.	.605	-667	80.8	78.7	2.1	77.9		.91	80.7	82.4	,,	0.8		Z	No.	ž	No
1	1 p. m.	.598	-671			31	77.6	927	.87	81.1	82.5	Wbs	0.8	-				-
,	2 ,,	.579				1 1	77.4		.93	80.4		WNW	0.4	0.20				
4	3 ,,	.563 .568					76.1	•884 •946	.89	80.3	82.5	WhN	0.5	0.07	- I			1
ı	4 ,, 5	.568		81.2	1		78.2		.91 .90	81.1	82.6 82.6	W b S	0.5	0.01				1
i	δ ,, 6 m	.578		1			77.0	1	.89	81.0	82.6 82.6		0.8 0.7	0.02	.			i
i	7 ,,	.602	-711	80.6	77.5		76.3	-891	.87	81.0		"	1.0	V.V-				1
4	8 "	.618	•748	80.6	77.0	3.6	75.6	-870	-85	81.1	82.5))))	0.6					1
1	9 "	.622	·753	80.7	77.0	3.7	75.5	-869	-85	80.7	82.5	,,	1.0					1
4	10 ,,	.626	.746	80.5	77.2	3.3	75.9	-880	-87	80.5	82.5	WbS	0.8					1
i	11 "	.624		80.5	77.2		75.9		.87			w	0.7					
I TITLY	21sr-Midnight	t .620	.720	80.8	77.8	3.0	76.6	.900	-88	80.7	99.5	*** L Q	106					}
) (11	l a. m.	.599		79.5			77.4	1 1	.94			wbs	0.6 0to5		.		l	l
i	2 ,,	.587					77.2		.92			w w	1.0		1			1
i	3 ,,	.585	.687	79.6	77.4	2.2	76.6	-898	.90	80.2	82.3	wbs	2.5		I		1	l
i	4 ,,	.589	.705	79.4	77.0	2.4	76.1	.884	.90	80.0	82-3	w	1.4				1	1
i	5,,	.595	.711	79.4	77.0	2.4	76.1	.884	.90	80.0	82.3	,,	1.0				}	ļ
i	6 "	.613					76.4		.88	80.5		1 ,	0.6					1
4	7 ,,	.631					75.9 76.9		.89			WbN	0.8	0.04				
i	8 ,, 9 ,,	.639 .650					76.9 77.2		.91 .86	80.2		Why	0.7	0.01			1	
4	10	•656					77.2	1 1	.86 .80	81.5	82.3 82.4	WbN	0.8					
1	11 ,,	.644					77.7		.80	82.0	82.4	WbN	0.7 0.6		a;	٠ و	1 2	٠
i	Noon.	.630			1		77.5	.926	.81	82.5	82.4	WbN	0.6		None.	None.	None.	None.
4	1 p. m.	.627	.687	85.5	80.0	5.5	78.0	•940	.81	83.9	82.6	Wbs	0.9		Ž	Ž	ž	ž
4	2 ,,	.605	.706	84.0	78.6	5.4	76.6	•899	.79	83.0	82.6	wsw	1.0					ł
i .	3 "	.583	.734	81.8	76.8	5.0	74.8	-849	.80	82.0	82.6	w	1.5	-				1
i	4 ,,	.573	.703	80.6	77.0	3.6	75.6	-870	.85	81.2	82.6	wbs	0.8	0.02	4			1
4	5,,	.565	.673	80.5	77.5	3.0	76.4		.88	81.0	82.6	w	0tol}	ł l				
l	6 "	.571					76.5	1 1	.93	80.2	82.5	,,	0.6		,			1
4	7 ."	.583					76.4		.91	80.3	, ,	"	0.8		İ		1	
i	8 ,,	.593					76.5 76.5	1 . 1	.90	80.6	82.5	Wha	0.7		1		1	i
i	9 ,,	.609			T .		76.5 76.8		-89 88	80.6	82.5	Wbs	1.5		1		1	l
4	10 ,,		L L				1 1	1 1	.88	80.4	82.5	WSW	1.0				}	l
,	11 ,,	.609	.732	1 0	77	. 1 3.0 -	1 75.0	1 .011	I SK	80.0	82.5	Wbs	0to21	. 1	1	ì	1	1

1	1		
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbj.	Remarks.
8 8 8 8 8	G C C C	Overcast; fresh breezes of wind from W. Overcast; a squall of wind and rain at 1h. 18m. lasted about 15m. Overcast; a shower of rain at 2h. 3m. lasted 14m. Overcast; drops of rain at 3h. 57m. Overcast; fresh breezes from WSW; drops of rain at 4h. 30m. Overcast.	
8 8 8 8 8	B B G G	Overcast; passing rain at 7h. 35m. Overcast. Overcast; light rain from 9h 33m. to 9h. 39m. Overcast; drops of rain at 10h. 52m. Overcast.	
888888888	G C C C B B	Overcast with we moving E. Overcast; fresh breezes from WSW; shower of rain at 1h. 17m. lasted 8m. Overcast; fresh breezes of wind. Overcast; in W above hor.; and we moving ENE. Overcast. Overcast; in and we covering all over the sky and we around hor. Overcast; in and we covering all over the sky and we around hor.	Mean daily temperature of ground 20 and 60 inches below its sur- face 85:1 and 85:5. Daily fall of rain by Osler's Gauge 0:46 in.
8 8 8 8 8 8 8 8 8	B G G G C C	Overcast; wi moving rapidly NE; light rain at times. Overcast; drizzling rain. Overcast; rain ceased at 0h. 9m. Overcast; squalls of rain and wind at times. Overcast; light showers of rain at times. Overcast; rain which was falling from last hour ceased at 3h. 11m.	
8 8 8 8 8 8 8 8	C B B B G G	Overcast; passing shower of rain at 4h. 17m. Overcast vi moving rapidly ENE; light rain at 5h. 3m. lasted 3m. Overcast; vi above and the vi below moving ENE; drops of rain at 6h. 58m. Overcast; drops of rain at 7h. 12m. Overcast with vi and vi; a few stars and the moon dimly visible at times. Overcast; drops of rain at 9h. 9m. Overcast; moon dimly visible at times. Overcast; a few drops of rain at 11h. 32m.	
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	G C C B G G	Densely overcast; at about 0h. 20m. a squall of heavy rain and wind commenced and continued for 20m., force of wind about 3lb. Overcast; fresh breezes from SW. Overcast; drops of rain and gusts of wind at times. Overcast; gusts of wind from SW; drops of rain at 3h. 30m. Overcast; slight rain at 4h. 29m. Overcast. Overcast; light shower of rain at 5h. 30m. lasted 2m. Overcast; light rain.	Mean daily temperature of ground 20 and 60 inches below its surface 85.0 and 85.4. Daily fall of rain by Osler's Gauge 0.50 in.
8888888	C B B G C C	Overcast. Overcast; \(\) and \(\) in SE of zenith; \(\) passing from W to E. Overcast; \(\) in SW and S of zenith; and \(\) throughout. Overcast; \(\) in SW and S of zenith; and \(\) throughout; drops of rain at 2h. 6m. Overcast; light rain from 3h. 4m. to 3h. 10m.	·
8 8 8 8 8 8 8	B G G C B B	Overcast: Overcast; light rain. Overcast with vi moving ENE. Overcast with vi moving ENE; drops of rain at 9h. 45m. Overcast; vi moving E. Overcast; a squall of rain and wind at 11h. 50m. lasted about 8m.	

100		DARD METER.	Тне	RMOME	TERS.	÷.	do.	P AIR		METERS.	WIND F Osler's G		RAIN.	Erro	TRICAL	Instr	UMBNTS.
Bombay Civil Time. 1864.	Corrected tq 82° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of WetBulb below Thermo-	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	MIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground,	Direction.	Pressure in lbs. per Square	By New- man's Gauge.	Sign of Electricity + or -	Straws o	ings of	
					meter in the Air.		51	Ви	Thern in t	The		Foot.			Volta 1.	Volta 2.	Interv Meco Semi Char
ULY 22ND-Midnight	in. 29.591	in. 28.714	800	7790	3:0	75:8	in. 0.877	0.88	800	82.5	Wbs	1bs. 0.7	in. 0.10	1	Sc. div	Sc. div.	
l a. m.	.578	.685	78.5	77.0	1.5	76.4	.893	.94	79.5	82.4	WNW	3.5	0.15	1		l	
2 "	.562	.679	77.7	76.5	1.2	76.0	.883	.95	792.	82.4	w	2.0	0.33				
3 ,,	-550	.657	78.5	77.0	1.5	76.4	.893	.94	79.4	82.3	"	1.8	0.05		l		
4 ,,	.550	.662	79.0	77.0	2.0	76.2	-888	.92	79.6	82.3	"	₹ to 2₺	1			1	
5 "	.561	.671 .656	79.2	77·1 78.0	2.1	76.3	.890	.91	79.6	82.3	"	1.4	i	ł	l		
6 "	.575 .596	.683	79.8 79.6	77.8	1.8 1.8	77.3 77.1	.919 .913	.92	80.2	82.3	" a	0.8	0.22	ĺ	1		
9 "	.611	.702	80.7	78.0	2.7	76.9	-909	.89	80.1	82.2 82.2	Wbs	2.0	0.22	ł	l	1	
9 "	.618	.712	81.7	78.2	3.5	76.8	.906	.86	81.0	82.1	Wbs	1.2 1 to 2		i	l		
10 ,,	.623	.713	79.6	77.8	1.8	77-1	.913	.92	80-3	82.1	1100000	0.7	0.02	1			
11 ,,	.620	.725	82.0	78.0	4.0	76.5	-895	.84	81.4	82.2	WNW	0.7	,-	a	نه	انه	ø.
Noon.	.608	.728	82.2	77.7	4.5	75.9	.880	.82	81.4	82.2	W	0.6	0.01	None.	one	None.	None.
1 p. m.	.599	.707	82.3	78.0	4.3	76.4	.892	.83	81.7	82.3	WSW	0.7	l	Z	Z	Z	Z
2 ,,	-584	.654	80.8	78.5	2.3	77.7	.930	.91	81.2	82.3	Wbs	0.6	0.04	j			
3 "	.571	.678	79.3	77.2	2.1	76.4	-893	.91	80.5	82.4	,,	0.7	0.01				
4 ,,	.561	.673 .664	79.0	77.0	2.0	76.2	.888 .898	.92	79.9	82.3	W	0.7	0.06	1			
5 ,, 6 ,,	.562 .564	.664	78.8 79.8	77.2	1.6 2.3	76.6 76.6	.900	.93	79.9	82.4	,,	l to 1	0.19				
7	.580	.698	79.5	77.0	2.5	76.0	.882	.90	80.3	82.4	W L M	1.0	0.02		•		
9 "	.595	.695	79.8	77.5	2.3	76.6	.900	.90	80.2	82.4 82.4	WbN	1.0	0.02	ŀ		· ·	
0 "	.598	.703	78.4	77.0	1.4	76.5	.895	.94	80.0	82.3	1 2 2 1	1.4	1	İ		İ	
10 ,,	.611	.716	78.4	77.0	1.4	76.5	.895	.94	79.7	82.2	w bs	1.0	0.06	ļ			
11 "	.609	-721	79.0	77.0	2.0	76.2	.888	.92	79.5	82.2	,,	0.7	0.04				
ULY 23RD-Midnight	.606	.703	79.8	77.6	2.2	76.7	-903	.91	79.8	82.2	wbs	0.7					
l a. m.	.590	.687	79.8	77.6	2.2	76.7	•903	.91	79.8	82.1	,,	1.0	1	l			
2 "	.580	.676	79.8	77.7	2.1	76.8	•904	.91	79.8	82.1	WŚW	1 to 11	İ	ŀ	}		}
3 "	.561	.656	80.0	77.7	2.3	76.8	.905	.90	80.1	82.1	Wbs	0-8	ľ	i			
4 ,,	.563	.673 .672	79.6	77.2	2.4	76-3	•890 •903	.90	80.1	82.1	WSW	0.6	0.00	ļ			
5 " 6	.575 .593	.714	79.5 79.8	77.5	2.0	76.7 75.9	.879	.92	80.0	82.0	WbN	2.0	0.27	•			i
7 "	.617	.719	79.6	77.0	2.8 2.2	76.6	.898	.88 .91	80.0	82.0	w	to la	0.02	l			ł
8 ,,	.638	.725	80.4	78.0	2.4	77.1	.913	.90	80.0 80.5	82.0 81.9	"	1 to 1 1 0.8					}
0 "	.651	.740	81.3	78.2	3.1	77.0	.911	.87	81.0	81.8	w ns	0.8					l .
10 ,,	.646	.732	82.2	78.5	3.7	77.1	.914	.85	81.6	81.9	** 0.5	0.2		نه	ഖ്	.:	
11 ,,	.637	.718	83.6	79.0	4.6	77.3	.919	.82	82.0	82.0	wsw	0.7		None.	None.	None.	None.
Noon.	-635	.690	84.3	79.8	4.5	78.2	.945	.82	83.1	82.1	"	0.7		Z	Z	ž	ž
1 p. m.	.635	.719	82.0	78-5	3.5	77.2	.916	.86	82.1	82.1	",	0.9	0.08				
2 ,,	.627	.726	82.2	78.2	4.0	76.7	•901	•84	82.1	82.2	"	1.4					
3 ,,	.614	.691	83.3	79.0	4.3	77.4	•923 •899	.83	82.3	82.3	"	0.8					1
4 ,,	.614	.715 .711	82-4	78.2	4.2	76.6 76.8	•906	.83	82.0	82.4	"	0.7					}
5 ,, 6	.617 .627	.737	8.17 80.7	78.2 77.5	3.5 3.2	76.3	-890	.86 .87	81.9	82.4	"	0.7					Į.
7 "	.636	.750	80.3	77.3	3.0	76.1	.886	.88	81.2 80.6	82.3 82.3	"	0.4					1
• "	.644	.769	80.2	77.0	3.2	75.8	-875	-87	80.3	82.3	"	0.3					
o "	.644	.772	80-2	77.0	3.2	75.8	-875	.87	80.2	82.2	"	0.6					ł
10 ,,	.647	.752	80.2	77.5	2.7	76.5	-895	.89	80.1	82.2	sw"bw	0.6					1
11 ,,	.643	.766	80.0	77.0	3.0	75.8	.877	.88	80.0	82.1	"	0.6					
ULY 25тн-Midnight	.688	.878	79.0	75.0	4.0	73.3	.810	.84	79.1	82.4	wsw	0.2	0.19				
l a. m.	.680	.796	79.4	77.0	2.4	76-1	.884	.90	79.1	82.4	"	0.9	0.01				1
2 ,,	.676	.790	79.2	77.0	2.2	76.1	.886	.91	79.0	82.4	$\mathbf{w}_{\mathbf{b}}\mathbf{s}$	0.7	0.02				1
3 "	.672	.786	79.2	77.0	2.2	76.1	.886	.91	78.9	82.3	wsw	0.6					
4 ,,	.674	.794	79.7	77.0	2.7	75.9	.880	.89	78.9	82.2	"	0.8		ě	je.	je.	None.
5,,	.684	803	79.6	77.0	2.6	76.0	.881	.89	80.0	82-2	wis	1.3		None.	None.	None.	Z
6 "	.704	.814	79.6	77.2	2.4	76.3	.890	.90	80.0	82.2	"	0.7	į	4	~		1
7 "	.721	.826	80.2	77.5	2.7	76.5	·895	.89	80-5	82.2	"	0.5	1	- 1			1
8,,	.731 .736	.827 .764	81.2 82.3	78.0	3.2	76-8	.904 .872	.87	81.0	82.2)) The	0.8	l	Ì			1
		/04	02.3	77.5	4.8	75.6	.012	.81	81.8	82.2	W	0.7		1			1
9 ,, 10 ,,	.730	. 865	83.0	78.0	5.0	76.1	.884	.80	82.0	82.3	Wbs	0.6		1			1

Overcast; history arise and strong wind. Overcast; drops of rain with gusts of wind from SW occasionally. Overcast; drops of rain with control w SW. Overcast; gusts of wind from WSW. Overcast; light rain at 9h. 17m. lasted 10m. Overcast; light rain at 9h. 17m. lasted 10m. Overcast; light rain at 11h. 25m. lasted 6m. Overcast; shower of rain at 11h. 25m. lasted 6m. Overcast; shower of rain at 12h. 35m. lasted 6m. Overcast; shower of rain at 13h. 35m. lasted 6m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind sold light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at 10h. 48m. Overcast; gusts of wind and light rain at 10h. 48m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 6h. 20m. lasted about 10m. Overcast; shower of rain at 6h. 20m. lasted about 10m. Overcast; gusts of wind from W. Overcast; light rain at 5h. 5m. Overcast; light ra	onds.		•	
Overcast; squalls of rain and wind at times. Overcast; showers of rain with gasts of wind from SW occasionally. Overcast; beavy rain and strong wind. Overcast; chowers of rain with gasts of wind from SW occasionally. Overcast; chowers of rain with gasts of wind from SW occasionally. Overcast; chowers of rain with gasts of wind from SW occasionally. Overcast; chower of rain with gasts of wind from WSW. B	0 - 8 C	Servers	STATE OF THE WEATHER.	Remares.
Overcast; history arise and strong wind. Overcast; drops of rain with gusts of wind from SW occasionally. Overcast; drops of rain with control w SW. Overcast; gusts of wind from WSW. Overcast; light rain at 9h. 17m. lasted 10m. Overcast; light rain at 9h. 17m. lasted 10m. Overcast; light rain at 11h. 25m. lasted 6m. Overcast; shower of rain at 11h. 25m. lasted 6m. Overcast; shower of rain at 12h. 35m. lasted 6m. Overcast; shower of rain at 13h. 35m. lasted 6m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind sold light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at 10h. 48m. Overcast; gusts of wind and light rain at 10h. 48m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 6h. 20m. lasted about 10m. Overcast; shower of rain at 6h. 20m. lasted about 10m. Overcast; gusts of wind from W. Overcast; light rain at 5h. 5m. Overcast; light ra	Amoun	õ	NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) i cirro-cumuli; \(\sigma\) i cumuli; \(\sigma\) i cirro-strati; \(\sigma\) i nimbi.	
Overcast; passed or frain with gusts of wind from SW occasionally. Overcast; or or in in which were falling from last hour ceased at 3h, 19m. Overcast; passed of aim which were falling from last hour ceased at 3h, 19m. Overcast; passed of wind from WSW. Overcast; plight rain at 9h, 17m, lasted 10m. Overcast; passed of wind blowing from WSW. Overcast; passed of min at 2h, 35m. lasted 6m. Overcast; passed of min at 2h, 35m. lasted 6m. Overcast; passed of min at 2h, 35m. lasted 6m. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind and light rain at times. Overcast; passed of wind from W; alight rain at 3h, 3m. Overcast; shower of rain at 0h, 20m. lasted about 10m. Overcast; shower of rain at 5h, 50m. Overcast; passed of wind from W; alight rain at 3h, 3m. Overcast; some stars dimly visible in the zenith. Overcast; light rain at 5h, 5m. Overcast; light				Mean daily temperature of ground
Overcast; growing gusts of wind from WSW. Overcast; grasts of wind blowing from WSW. Overcast; grasts of wind blowing from WSW. Overcast; grasts of wind blowing from WSW. Overcast; grasts of wind blowing from WSW. Overcast; grasts of wind blowing from WSW. Overcast; grasts of wind blowing from WSW. Overcast; directing grain. Overcast; grasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; shower of rain at 1h. 26m. lasted 6m. Overcast; shower of rain at 2h. 35m. lasted 6m. Overcast; shower of rain at 3h. 55m. lasted 4m. Overcast; grasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; grasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; grasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and light rain at times. Overcast; grasts of wind and wind rain win			Overcast; heavy rain and strong wind.	
Overcast; gusts of wind from WSW. Densely overcast with \umark Densely overcast with \umark Densely overcast with \umark Densely overcast with \umark Densely overcast with \umark Densely overcast Some of rain at 10h. 86m. Densely overcast Some of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 86m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 10h. 80m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast; shower of rain at 8h. 32m. Overcast;		-		
Series of the control		-		of fain by Osier's Gauge 1.20 in.
Solution of the content of the conte		-		
Overcast; fight rain at 9h. 17m. lasted 10m. Overcast; fireting rain. Overcast; shower of rain at 11h. 26m. lasted 9m. Overcast; shower of rain at 12h. 36m. lasted 6m. Overcast; shower of rain at 2h. 35m. lasted 6m. Overcast; shower of rain at 2h. 35m. lasted 6m. Overcast; shower of rain at 2h. 35m. lasted 4m. Overcast; shower of rain at 3h. 30m. lasted 4m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at 10h. 26m. lasted 4m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 5h. 35m. Overcast; who wind from W; slight rain at 3h. 3m. Overcast; shower of rain at 5h. 5m. Overcast; who wind so the start of		В	Overcast; 🍾 i moving NB; shower of rain with gusts of wind at 6h. 7m. lasted about 10m.	
Overcast; ight rain at 9h. 17m. lested 10m. Overcast; shower of rain at 1h. 26m. lasted 9m. Overcast; shower of rain at 1h. 26m. lasted 9m. Overcast; shower of rain at 1h. 30m. Overcast; shower of rain at 3h. 55m. lasted 6m. Overcast; shower of rain at 3h. 55m. lasted 6m. Overcast; raining Overcast; raining Overcast; raining Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and light rain at times. Overcast; guests of wind and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 6h. 35m. Overcast; shower of rain at 6h. 35m. Overcast; shower of rain at 6h. 30m. Overcast; guests of wind from W; slight rain at 3h. 3m. Overcast; guests of wind from W; slight rain at 3h. 3m. Overcast; guests of wind from W; slight rain at 3h. 3m. Overcast; win woing E; shower of rain at 0h. 26m. lasted 4m. Overcast; win woing E; shower of rain at 0h. 26m. lasted 4m. Overcast; win woing E; shower of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32m. Overcast; win moving NE; drops of rain at 8h. 32			Overcast; gusts of wind blowing from WSW.	
Overcast; shower of rain at 1h. 2cm. lasted 9m. Overcast; shower of rain at 1h. 12m. lasted 6m. Overcast; shower of rain at 2h. 35m. lasted 4m. Overcast; shower of rain at 3h. 55m. lasted 4m. Overcast; shower of rain at 6h. 30m. Overcast; shower of rain at 6h. 30m. Overcast; raining. Overcast; sind wind blowing from WSW; drops of rain at 8h. 16m. Overcast; guasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; guasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; guasts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; guasts of wind and light rain at times. Overcast; guasts of wind and light rain at times. Overcast; guall of rain and wind at 4h. 20m. lasted 4bout 10m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 3h. 5m. Overcast; ifresh breezes of wind from W. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; is hower of rain at 3h. 5m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing be more of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing E; shower of rain at 3h. 3m. Overcast; win wing B; shower of rain at 3h. 3m. Overcast; win wing B; shower of rain at 3h. 3m. O	_ I -		Overgoet : light rain at 9h 17m lested 10m	
Overcast; shower of rain at 11h. 26m. lasted 9m. Overcast; shower of rain at 12 35m. lasted 6m. Overcast; shower of rain at 13 35m. lasted 4m. Overcast; shower of rain at 35. 35m. lasted 4m. Overcast; shower of rain at 35. 35m. lasted 4m. Overcast; since in rain. Overcast; since in rain. Overcast; since in rain. Overcast; since in rain. Overcast; gusts of wind blowing from WSW; drops of rain at 8b. 16m. Overcast; gusts of wind blowing from WSW; drops of rain at 8b. 16m. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at times. Overcast; gusts of wind and light rain at 10m. Overcast; sight rain at 10h. 48m. Overcast; sighul of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 5h. 5m. Overcast; overcast;	_ i `		Overcast: drizzling rain.	
Overcast; shower of rain at 1h .12m. lasted 6m. Overcast; shower of rain at 2h .35m. lasted 4m. Overcast; shower of rain at 3h .55m. lasted 4m. Overcast; shower of rain at 3h .55m. lasted 4m. Overcast; raining. Overcast; raining. Overcast; sibower of rain at 6h .30m. Overcast; guals of wind and light rain at times. Overcast; guals of wind and light rain at times. Overcast; guals of wind and light rain at times. Overcast; guals of wind and light rain at times. Overcast; guals of wind and wind at 4h .20m. lasted about 10m. Overcast; squall of rain and wind at 4h .20m. lasted about 10m. Overcast; squall of rain and wind at 4h .20m. lasted about 10m. Overcast; shower of rain at 5h .35m. Overcast; shower of rain at 0h .20m. lasted 10m. Overcast; shower of rain at 0h .20m. lasted 10m. Overcast; shower of rain at 0h .20m. lasted 10m. Overcast; shower of rain at 0h .20m. lasted 10m. Overcast; light rain overcast; light rain at 3h .3m. Overcast; whose of rain at 0h .20m. lasted 10m. Overcast; light rain overcas	, I `			
overcast; shower of rain at 3h. 35m. lasted 6m. overcast; shower of rain at 3h. 55m. lasted 4m. overcast; shower of rain at 3h. 50m. lasted 4m. overcast; shower of rain at 3h. 30m. overcast; shower of rain at 6h. 30m. overcast; gusts of wind and light rain at times. overcast; gusts of wind and light rain at times. overcast; light rain at 10h. 48m. overcast; light rain at 10h. 48m. overcast; shower of rain at 8h. 30m. overcast; light rain at 10h. 48m. overcast; shower of rain at 10h. 48m. overcast; squall of rain and wind at 4h. 20m. lasted about 10m. overcast; shower of rain at 5h. 35m. overcast; shower of rain at 5h.		G	Overcast.	
overcast; shower of rain at 3h. 55m. lasted 4m. overcast; no rain. Densely overcast with vi moving E; drops of rain. Densely overcast with vi moving E; fresh breezes from WSW. Densely overcast with vi moving E; fresh breezes from WSW. Overcast; guall of rain and wind at 4h. 20m. lasted about 10m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 55m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 55m. Overcast; shower of rain at 5h. 55m. Overcast; shower of rain at 5h. 55m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; shower of rain at 5h. 5m. Overcast; sight rain at 5h. 5m. Overcast; sight rain at 5h. 5m. Overcast; is fresh breezes of wind from W. Overcast; is fresh breezes from WSW. Overcast; is fresh breezes of wind from W. Overcast;	~ l `	-		
Overcast; shower of rain at 6h. 30m. Densely overcast with val moving E; drops of rain. Overcast; guals of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; guals of wind and light rain at times. Overcast; guals of wind and light rain at times. Overcast; light rain at 10h. 48m. Overcast; light rain at 10h. 48m. Overcast; light rain at 10h. 48m. Overcast; shower of rain at 6h. 30m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 6h. 35m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W. Overcast; sight rain at 5h. 5m. Overcast; sight rain at 5h. 5m. Overcast; some stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith. Overcast; will nowing E; shower of rain at 8h. 32m. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; will nowing E, a few stars dimly visible in the zenith. Overcast; light rain. Overcast; light rain at 8h. 32m. Overcast; light rain at 6h. 30m. Overcast; light rain at 6h. 30m. Overcast; light rain at 6h.	, I `	- 1		
Overcast; no rain. Overcast; sub owind and light rain at 10h. 48m. Overcast; squall of rain at 10h. 48m. Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; squall of rain at 3h. 35m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; no rain at 4h. 20m. lasted 10m. Overcast; no rain at 5h. 5m. Overcast; overcast wind from W; slight rain at 3h. 3m. Overcast; Overcast; a few stars dimly visible in the zenith. Overcast; a few stars dimly visible in the zenith. Overcast; light rain. Overcast; no rain at 6h. 30m. Mean daily temperature of groun and below its support of rain at 5h. 5m. Overcast; no rain at 5h	_ I `	-		
8 n Overcast; shower of rain at 6h. 30m. 9 overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. 9 overcast; gusts of wind and light rain at times. 1 overcast; gusts of wind and light rain at times. 1 overcast; light rain at 10h. 48m. 2 overcast; light rain at 10h. 48m. 3 o Overcast. 2 overcast; light rain at 10h. 48m. 3 o Overcast; light rain at 3h. 3m. 3 o Overcast; shower of rain at 6h. 30m. 4 o Overcast; shower of rain at 5h. 35m. 5 o Overcast; shower of rain at 5h. 35m. 6 o Overcast; shower of rain at 0h. 20m. lasted 10m. 7 o Overcast; fresh breezes of wind from W. 8 o Overcast; fresh breezes of wind from W. 9 o Overcast; sight rain at 5h. 5m. 1 o Overcast; some stars dimly visible in the zenith. 1 o Overcast; some stars dimly visible in the zenith. 1 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 2 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 2 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 3 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 4 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. 5 o Overcast; will movin	٠ I `	-	Overcast; no rain.	
Overcast; gusts of wind blowing from WSW; drops of rain at 8h. 16m. Overcast; gusts of wind and light rain at times. Overcast; Overcast; Overcast; light rain at 10h. 48m. Densely overcast with vi moving E; drops of rain. Densely overcast with vi moving E; fresh breezes from WSW. """"""""""""""""""""""""""""""""""		В	Overcast; shower of rain at 6h. 30m.	1
Overcast; gusts of wind and light rain at times. Overcast of Covercast with vi moving E; drops of rain. Densely overcast with vi moving E; fresh breezes from WSW. Densely overcast with vi moving E; fresh breezes from WSW. """ Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast; """ Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. """ Overcast; slight rain at 5h. 5m. Overcast; overcast; slight rain at 5h. 5m. Overcast; overcast; slight rain at 5h. 5m. Overcast; overcast; slight rain at 5h. 5m. Overcast; some stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """ Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will movi	~ i			,
Overcast; light rain at 10h. 48m. Overcast; light rain at 10h. 48m. Overcast Densely overcast with vi moving E; fresh breezes from WSW. """"""""""""""""""""""""""""""""""	_ I _	- 1	Overcast; gusts of wind blowing from WSW; drops of rain at 8h. Jom.	
Densely overcast with wi moving E; drops of rain. Densely overcast with wi moving E; fresh breezes from WSW. C Densely overcast with wi moving E; fresh breezes from WSW. C Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. C Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast; slight rain at 5h. 5m. Overcast; overcast; slight rain at 5h. 5m. Overcast; a few stars dimly visible in the zenith. Overcast; slight rain. Overcast; will moving E; shower of rain at 0h. 26m. lasted 4m. Overcast; will moving ENE. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving ENE; a few stars dimly visible in the zenith. Overcast; will moving NE; drops of rain at 8h. 32m. Overcast; will moving NE; drops of rain at 8h. 32m. Overcast; will moving NE; drops of rain at 8h. 32m. Overcast; light rainsesses of will passing from W to E.	٠ ا م	-	Overcast: light rain at 10h, 48m.	
Densely overcast with vi moving E; fresh breezes from WSW. """"""""""""""""""""""""""""""""""	_ 1 '	-		
Densely overcast with vi moving E; fresh breezes from WSW. """"""""""""""""""""""""""""""""""	8 6	G	Densely overcast with var moving E: drops of rain.	Mean daily temperature of ground
Tain by Osler's Gauge 0.36 is of Covercast; squall of rain and wind at 4h. 20m. lasted about 10m. overcast; shower of rain at 5h. 35m. overcast. overcast; shower of rain at 0h. 20m. lasted 10m. overcast; fresh breezes of wind from W. overcast; fresh breezes of wind from W. overcast; fresh breezes of wind from W; slight rain at 3h. 3m. overcast; fresh breezes of wind from W; slight rain at 3h. 3m. overcast; light rain at 5h. 5m. overcast; a few stars dimly visible in the zenith. overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. overcast; light rain. overcast; will working ENE. overcast; will moving E, shower of rain at 0h. 26m. lasted 4m. overcast; will moving E, shower of rain at 0h. 26m. lasted 4m. overcast; will moving ENE. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE. overcast; will moving ENE. overcast; will moving ENE; a few stars dimly visible in the zenith. overcast; will moving ENE. overcast; will moving ENE. overcast; will moving ENE. overcast; will moving ENE. overcast; large masses of will passing from W to E.			Densely overcast with var moving E; fresh breezes from WSW.	20 and 60 inches below its sur-
Overcast; squall of rain and wind at 4h. 20m. lasted about 10m. Overcast; shower of rain at 5h. 35m. Overcast. Overcast. Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; sfresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast. Overcast; slight rain at 5h. 5m. Overcast; slight rain at 5h. 5m. Overcast; slight rain at 5h. 5m. Overcast; some stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; light rain. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; light rain at 5h. 5m. Overcast; l		C	•	face 85:0 and 85:4. Daily fall of
Solution of the property of t		-	"	rain by Osler's Gauge 0.36 in.
Overcast: B		- 1	Overcast; squall of rain and wind at 4n. 20m. lasted about 10m.	
B B B B B B B B B B				
Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast; slight rain at 5h. 5m. Overcast; slight rain at 5h. 5m. Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; light rain. Overcast; light rain. Overcast; vi moving ENE. Overcast; vi moving ENE; a few stars dimly visible in the zenith. Overcast; vi moving NE. Overcast; vi moving NE.			***************************************	
Solution of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast. Overcast; slight rain at 5h. 5m. Overcast. Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """"""""""""""""""""""""""""""""""		В	"	
Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W. Overcast. Overcast. Overcast. Overcast. Overcast. Overcast. Overcast. Overcast. Overcast. Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """"""""""""""""""""""""""""""""""		G		
Overcast; shower of rain at 0h. 20m. lasted 10m. Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast; slight rain at 5h. 5m. Overcast; slight rain at 5h. 5m. Overcast; some stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; ilight rain. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h. 26m. Ilight rain at 3h. 3m. Overcast; ilight rain at 5h. 5m. Overcast; ilight rain at 5h.			• 99	
Overcast; fresh breezes of wind from W. Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast. Overcast. Overcast; slight rain at 5h. 5m. Overcast; Overcast; slight rain at 5h. 5m. Overcast; Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """""" Mean daily temperature of groun "" 20 and 60 inches below its su face 850 and 854. Daily for rain by Osler's Gauge 0.25 in that of the dew-point was lowed during the month on this day midnight. Overcast; wi moving NE; drops of rain at 8h. 32m. Overcast; large masses of wind from W. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh breezes from Wsw. Wester a fresh fresh breezes from Wsw. Wester a fresh fresh fresh breezes from Ws			Overcost shower of rain at 0h 20m, lasted 10m	
Overcast; fresh breezes of wind from W; slight rain at 3h. 3m. Overcast; Ove				•
Overcast; slight rain at 5h. 5m. Overcast; slight rain at 5h. 5m. Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. "Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """"""""""""""""""""""""""""""""""	8 0	C	,	
Overcast; slight rain at 5h. 5m. Overcast. C Overcast. C Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. C Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. C Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. C Overcast; light rain. Ove		-]
Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. Overcast; light rain. Overcast; light rain. Overcast; light rain. Overcast; light rain. Overcast; wi moving ENE. Overcast; wi moving ENE; a few stars dimly visible in the zenith. Overcast; wi moving NE.				
Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """"""""""""""""""""""""""""""""""		-		
Overcast; a few stars dimly visible in the zenith. Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW. """"""""""""""""""""""""""""""""""		-	"	
8 C " " " " " " " " " " " " " " " " " "		c	Overcast; a few stars dimly visible in the zenith.	
Overcast with vi moving E; shower of rain at 0h. 26m. lasted 4m. Overcast; light rain. Overcast; vi moving ENE. Overcast; vi moving ENE; a few stars dimly visible in the zenith. Overcast; vi moving NE. Overcast; vi moving NE. Overcast; vi moving NE. Overcast; vi moving NE. Overcast; vi moving NE. Overcast; vi moving NE. Overcast; vi moving NE; drops of rain at 8h. 32m. Overcast; large masses of vi passing from W to E. Overcast; large masses of vi passing from W to E.		-	Overcast; some stars dimly visible in and about the zenith; fresh breezes from WSW	·
Overcast with wi moving E; shower of rain at 0h. 26m. lasted 4m. Overcast; light rain. Overcast; wi moving ENE. Overcast; wi moving ENE; a few stars dimly visible in the zenith. Overcast; wi moving NE. Overcast; wi moving NE. Overcast; wi moving NE. Overcast; wi moving NE. Overcast; wi moving NE; drops of rain at 8h. 32m. Overcast; large masses of wi passing from W to E. Overcast; large masses of wi passing from W to E.		- 1		
Overcast; light rain. Overcast; light rain.			;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;;	
Overcast; light rain. Overcast; light rain.	8 6	_G	Overcast with var moving E; shower of rain at 0h. 26m. lasted 4m.	Mean daily termerature of ground
Overcast; wi moving ENE. Overcast; wi moving ENE; a few stars dimly visible in the zenith. Overcast; wi moving NE; a few stars dimly visible in the zenith. Overcast; wi moving NE B B C Overcast; wi moving NE Overcast;		- 1	Overcast; light rain.	
of rain by Osler's Gauge 0.25 in Temperature of evaporation at that of the dew-point was lower during the month on this day midnight. Overcast; who moving NE; drops of rain at 8h. 32m. Overcast; who moving NE; drops of rain at 8h. 32m. Overcast; large masses of who passing from W to E. """""""""""""""""""""""""""""""""""		- 1		face 85.0 and 85.4. Daily fall
8 B Overcast; wi moving NE. "" " " during the month on this day midnight. Overcast; wi moving NE; drops of rain at 8h. 32m. Overcast; large masses of wi passing from W to E. 8 G " " " "			Organica and marine ENE of few steers dimber while in the second	of rain by Osler's Gauge 0.25 in
8 B " " " " during the month on this day midnight. 8 B Overcast; vi moving NE; drops of rain at 8h. 32m. Overcast; large masses of vi passing from W to E. 8 G " " "			Overcast: VI moving ENE; a new stars dimity visible in the zenith.	
8 B Overcast; we moving NE; drops of rain at 8h. 32m. Overcast; large masses of we passing from W to E. 8 G , , , , , , , , , , , , , , , , , ,				
8 B Overcast; we moving NE; drops of rain at 8h. 32m. Overcast; large masses of we passing from W to E. 8 G " " "		- 1	3)	
8 G , , , , , , , , , , , , , , , , , ,	8 1	в		
			Overcast; large masses of vi passing from W to E.	
8 G ,, , , , , , , , , , , , , , , ,	~ I			

			DARD METER.	Тнв	MOMET	ERS.		0.5	AIR.	THERMO	UND METERS.	Wind F Osler's G		RAIN.	BLEC	TRICAL	Instru	ments.
	Bombay Civil Time.	Corrected	Corrected	In the	Wet Bulb	Depres- sion of Wet Bulb	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	ITY OF	rmometer linch	neter 6 in the d.		Pressure in lbs.	By New-	Sign of	Read	ings of	Time in the gree of ter dis-
	1864.	32º Pahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in the Air.	DEV	PRE	HUMIDITY	Thermome in the G	Thermometer 6 inches in the Ground.	Direction.	Square Foot.	man's Gauge.	Electrici- ty + or —		Straws of Volta 2.	Interval of Time is recorvering the same degree of tension after discharge.
July	25тн-Noon.	in. 29.741	jn. 28.829	84:3	79:0	5:3	77:0	ia. 0.912	0.80	83:0	82.4	Wbs	lbs. 0.7	in.		Sc. div.	Sc. div.	m. s.
	l p. m.	.732	.823	84.5	79.0	5.5	76.9	.909	.79	83.1	82.4		0.9					
	2 ,,	.723	.825	83.7	78.5	5.2	76.6	.898	.80	83.1	82.5	,,	0.8			i		
	3 "	.711	.821	83.2	78.2	5.0	76-3	-890	.80	82.9	82.6	,,	0.9					
	4 "	.710	.815	82.0	78.0	4.0	76-5	-895	.84	82.4	82.6	,,	0.7	0.03	one.	None.	one.	one.
	5 ,, 6	.721 .728	.821	81.5 81.0	78.0	3.5 3.5	76.6 76.1	.900 .886	.86 .86	82.0 81.5	82.6 82.6	wsw	0.7	0.01	å	Š	No	No
	, ,,	.740	.870	80.6	77.0	3.6	75.6	.870	.86	81.0	82.6	Wbs	0.8	0.01				
	8 "	.754	.884	80.6	77.0	3.6	75.6	.870	.86	81.0	82.6		0.7		1			
	9 ,,	.767	.863	80.4	77.8	2.6	76.8	.904	-89	81.0	82.5	,,	0.6					
	10 ,,	.772	.868	80.4	77.8	2.6	76.8	.904	-89	80.8	82.5	,,	0.6		İ	ļ		
	11 "	.768	.874	80.3	77.5	2.8	76.4	.894	-88	80.5	82.5	wsw	0.8					
ULY2	Стн-Midnight		.880	80.2	77.0	3.2	75.8	.875	.87	80.3	82.4	wbs	0.6					
	la.m.	.743	.868	80.2	77.0	3.2	75.8	.875	.87	80.3	82.4	,,	0.5	1				
	2 ,,	.731	.854	80.0	77.0	3.0	75.8	.877	.88	80.3	82.4	"	0.7					
	3 " 4 "	.725	.848 .850	80.0 80.0	77.0	3.0	75.8 75.8	.877	.88 .88	80.3	82.3	,,	0.6					
	- ''	.740	.873	79.1	76.5	3.0	75.5	.877	.89	80.0	82.3 82.3	"	0.8	0.02		l		
	6 "	.763	.882	79.6	77.0	2.6	76.0	.881	.89	80.2	82.3	"	0.5	0.02				
	7 ,,	.774	.879	80-2	77.0	3.2	76.5	.895	.87	80.5	82.2	,,	0.7		1			İ
	8 "	.784	-889	82.0	78.0	4.0	76.5	.895	.84	81.2	82.3	w	0.7		l		1	
	9 "	.795	.915	82.2	77.7	4.5	75.9	.880	.82	81.4	82.4	w b s	0.6	1	ļ			
	10 "	.805	•906	83.6	78.5	5.1	76.6	.899	.80	82.3	82.4	,,	0.5	1	1	١.		l .
	ll " Noon.	.808	.878	84.1 84·1	79.4 79.4	4.7	77.7	.930	.82	83.0	82.5	,,	0.4		None.	one	one.	None.
	1 p. m.	.788	.868	84.7	79.4	4.7 5.4	77.3	.930	.82 .79	83.0 83.3	82.5 82.6	,,	0.5	l	Š	l &	ြို့	l g
	2,,	775	.837	85.7	80.0	5.7	77.9	.938	.78	84.0	82.7	"	0.3					1
	3 ,,	.765	.863	85.0	79.0	6.0	76.8	.904	77	83.9	82.8	,,	0.4			ļ		ł
	4 ,,	.759	.859	83.5	78.5	5.0	76.6	•900	.81	83.2	82.9	wsw	0.5	ļ		ł		
	5 ,,	.758	.872	82.8	78.0	4.8	76.1	.886	.81	83.0	82.9	Wbs	0.7	1	1] ,		l
	6 ,,	.760	.917	80.3	76.2	4.1	74.6	•843	.83	81.0	82.9	W	1.0	0.10		i		l
	, ,,	.773 .778	.892 .877	79.6 79.7	77.0	2.6	76.0 76.7	-881	.89 .91	80.5 80.4	82.9	Wbs	0.7		ļ			
	a "	.779	.862	80.0	78.0	2.2 2.0	77.2	.901 .917	.92	80.5	82.8 82.7	Wbs	0.7	0.02	j			
	10 ,,	.792	.879	79.6	77.8	1.8	77.1	.913	.92	80.1	82.6	wsw	0.6		1	•		j
	11 ",	.784	.871	79.6		1.8	77.1	.913	.92	80.0	82.6	,,	0.7	0.07				
ULY 2	?7 тн-Midni ght	.760	.847	79.6	77.8	1.8	77.1	-913	.92	80.2	82.6	wbs	0.5					
	la.m.	.730	.831	78.0	77.0	1.0	76.6	•899	.96	80.0	82.5	wsw	0.3	0.32				1
	2 ,,	.719	.844	77.7	76.3	1.4	75.8	-875	.94	79.5	82.4	w	0 to 1	0.05				1
	3 ,,	.709	.821	79.0	77.0	2.0	76.2	-888	.92	79.7	82.4	,,	0.3					
	4 ,, 5 .,	.711	.826	78.5	76.8	1.7	76.1	-885	.93	79.4	82.3	,,	0.2	0.02				j
	6 "	.721	.848	78.8 79.0	76.8	2.0 2.0	76.0 76.2	•882	.92	79.4	82.3	w n	0.6	1				!
	7 ,,	.749	.852	80.0	77.5	2.0	76.5	-888 -897	.92	79.6	82.3 82.2	i .	0.3					
	8 ,,	.766	-861	81.1	78.0	3.1	76.8	.905	.87	81.0	82.2	,,	0.3	1				-
	9 "	.772	-860	82.8	78.6	4.2	77.0	.912	.83	81.7	82.2	wnw	0.2					1
	10 ,,	.776	1	84.1	78.7	5.4	76.7	•902	.79	82.4	82.2	w	0.2	1				İ
	ll "	.776		84.5	78.4	6.1	76.1	-884	.77	83.0	82.3	,,	0.2		l je	one.	ne.	ne.
	Noon. l p. m.	.768 .755	·875 ·834	86.0 86.5	79.0	7.0	76.4	•893	.74	83.8	82.4	137 L NT	0.3		None.	Nor	None.	None.
	9 ·	.739		85.1	79.8	6.7 6.4	77.4 76.3	•921 •891	.75	84.1 83.7	82.4 82.5	W b N W b S	0.2		-	~		-
	3 ,,	.731	.816	84.0	79.0	5.0	77.2	•891	.76 .81	83.7	82.5	1	0.3					1
	4 ,,	.730		83.2	79.0	4.2	77.5	.924	.83	82.9	82.7	"	0.3					1
	5 ,,	.733	-838	82.0	78.0	4.0	76.5	895	.84	82.1	82.7	,,	0.4					
	6 "	.745	.865	81.6	77.5	4.1	75.9	-880	.84	81.8	82.6	,,	0.5					l
	7 ,,	.752	.867	81.1	77.5	3.6	76.1	-885	.85	81.5	82.6	,,	0.7					
	8 " 9 "	.762	.894	80-8	77.0	3.8	75.5	-868	.85	81.2	82.6	W	0.7					
	••	.767	.87 <i>5</i>	80.5 80.2	77.5	3.0	76.4 75.8	-892 -875	.88	81.0 80.6	82.6 82.6	,,	0.6					1
	10 ,,																	

Amount of Clouds 0-8.	,		
t of C	Observers.	STATE OF THE WEATHER.	Remarks.
a o	ő		-
Am		Norm—In recording these Observations, the Symbols used to denote the clouds are: \icknormali; \icknormali; \icknormalical circo-stratical circo-strati	
8	G	Overcast; va moving ENE.	
8	C	" "	
8	C	O A TND I'll	
8	C	Overcast; va moving ENE; light shower of rain at 3h. 44m. lasted 4m.	
8 8	C B	Overcast; va moving ENE; drops of rain at 4h. 55m. Overcast; passing rain at 5h. 25m.	
8	В.	Overcast; with val and val.	
8	В	22	
8	В	Overcast; a few stars dimly visible in the zenith.	
8	G	Densely overcast; slight rain after 9h. 10m.	
8	G	Overcast; a few stars dimly visible in the zenith.	
8	G	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
		'	
8	G	Overcast; we moving ENE; a few stars visible through the breaks here and there.	Mean daily temperature of ground
8	C	Overcast with vermoving ENE; drops of rain at 1h. 13m.	20 and 60 inches below its sur-
8	C	Overcast; the moon dimly visible.	face 84.9 and 85.4. Daily fall
8	C	Overgoet a few drops of roin at 4h 20m shaws of min at 4h Effect to 1.1.1.1.0	of rain by Osler's Gauge 0.20 in. Height of barometer at 11 A. M.
8 8	C B	Overcast; a few drops of rain at 4h. 30m., shower of rain at 4h. 55m. lasted 3m. Overcast; no rain.	was 29.808 in., highest in the
8	В	Overcast with vi and vi.	month and about 0.100 in. higher
. 8	В	11	than the normal mean height.
8	В	ni and ni scattered throughout.	, , , , , , , , , , , , , , , , , , ,
8	G	Overcast; vi in SW; vi passing from W to E.	
8	G	Overcast; haze around the hor.	
8	G	"	
8 8	G	"	
8	C)	
8	C	,,	·
8	C	Overcast; haze around the hor.; drops of rain at 4h. 35m.	
8	B	Overcast.	
8 8	В	Overcast; shower of rain which commenced a few minutes before the full hour ceased at 6h. 5m. Overcast with vi moving ENE; passing rain at 7h. 45m. and again at 7h. 55m.	
8	В	Overcast.	
8	G	Overcast; a few stars dimly visible in the zenith; big drops of rain at 9h. 32m.	1
8	G	Overcast; shower of rain at 10h. 18m. lasted about 6m.	
8	G	Overcast; drops of rain at 11h. 42m.	
			1
8	G	Overcast; heavy rain from 0h. 23m. to 0h. 55m.	Mean daily temperature of ground
8	C	Overcast; showers of rain at times. Overcast.	20 and 60 inches below its surface 849 and 854. Daily fall
8 8	C	Overcast; the moon and some stars dimly visible in the senith; a shower of rain at 3h. 14m. lasted 4m.	of rain by Osler's Gauge 0.38 in.
8	C	Overcast; we moving ENE.	
8	В		
8	В	Overcast with va and light va.	
8	В	Overcast; wi in the S of zenith; wi moving E.	
8	B	Overcast; in and about the zenith; and masses of n moving E.	
8	G	-	
8	G))))))	
8	G	Overcast with 🕦 moving E.	,
8	C	,, ,,	
8	C	"	
8	C C	22	
8 8	B	Overcast; we and we."	
8	В))))	
8	В	" " " " "	j
8	В	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
8	G	» »	
8 8	G G	" " " · · · · · · · · · · · · · · · · ·	
1 0 1	<u> </u>)))	1

	STAN Baron	DARD (BTBR.	Тнв	RMOMET	ERS.		A .:	AIR.		UND METERS.	Wind F Osler's G		RAIN.	ELBO	TRICAL	Instru	MENTS.
Bombay Civil Time 1864.	to	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	Deduced Dew-Point.	PRESSURE OF Moisture.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 in the Ground.	Direction.	Pressure in lbs. per Square Poot.	By New- man's Gauge.	Sign of Electrici- ty + or—	Straws of	Straws of Volta 2.	recovering the same degree of tension after dis-
ULY 28TH-Midnight	in.	in.	900	77:0	200	750	in. 0.877	0.88	80°5	82.6	Wbs	1bs. 0.6	io.		Sc. div.	Sc. div.	m. s.
l a. m.	.747	28.876	80.0 80.0	77.0	3.0	75'8 75.8	.877	.88	80.5	82.6	WOS	0.6	İ				
2 ,,	.725	.839	79.9	77.2	2.7	76-1	.886	.89	80.4	82.5	"	0.3		ļ			
3 "	.715	.833	79.5	77.0	2.5	76.0	.882	.90	80.2	82.5	1	0.2				}	
4 "	.707	.819	79.0	77.0	2.0	76.2	-888	.92	80.0	82.4	wűn	0.3					
5 ,, 6	.725 .740	.857 .855	79.0	76.5 77.0	2.5 2.3	75.5 76.1	.868	.90 .90	79.9 80.0	82.4 82.4	w"	0.6		ł			
7 ,,	.756	.871	79.3 80.0	77.2	2.8	76.1	.885	.88	80.2	82.3	WbN	0.3	1	ł			
8 "	.768	.893	80.9	77.2	3.7	75.8	.875	.85	80.9	82.3	,,	0.5]				
9 "	.771	.853	82.2	78.6	3.6	77.3	.918	.86	81.8	82. 2	,,	0.4		one.	one.	انوا	<u>.</u>
10 "	.777	.862	84.0	79.0	5.0	77.2	.915	.81	82.2	82.3	W	0.3		No	Nor	None.	None.
11 " Noon.	.779 .764	.848	85.2 86.3	79.7 79.8	5.5 6.5	77.7	.931	.79 .76	83.4	82.4 82.5	WNW	0.3			-	~	~
1 p. m.	.754	.853	86.0	79.2	6.8	76.7	.901	.75	84.0	82.5	sw	1.2	Ì	ł			
2 ,,	.743	.856	84.7	78.5	6.2	76.2	.887	.76	83.9	82.7	,,	0.3	l	ł			
3 ",	.731	.829	85.2	79.0	6.2	76.7	.902	.76	83.9	82.8	,,	0.2		1			
4 ,,	.727	.823	85.0	79.0	6.0	76.8	.904	.77	83.8	82.9	swbs	0.3		}			
5 , ,	.732	.828	83.1	78.5	4.6	76-8	.904 .866	.82 .84	83.0 82.0	83.0	99	0.4	0.01	1			
6 ,, 7	.746 .764	.880	81.0	77.0	3.7	75.4 75.5	.869	.85	81.5	83.0 82.9	SW b W	0.4	0.01	1	İ	į	
8 ,,	.770	.909	80.7	76.8	3.9	75.2	.861	.84	81.4	82.8	Ì	0.4		1)	
9 "	.782	.921	80.7	76.8	3.9	75.2	.861	.84	81.1	82.7	sw bs	0.3		ł		i	i
10 "	.785	.937	80.9	76.5	4.4	74.8	.848	.82	81.0	82.7	,,	0.4			}		
11 "	.773	.942	80.6	76.0	4.6	74.1	.831	.82	80.5	82.7	"	0.6					
ULY 29TH-Midnight		-875	80.3	77.3	3.0	76.1	.886	.88	80.4	82.6	sw	0.4					
l a. m.	.736	.841	80.2	77.5	2.7	76.5	•895	.89	80.6	82.6	sw b s	0.1					}
. 2 "	.725 .717	.828	78.2	77.0	1.2 2.0	76-5	-897	.95 .92	79.9 80.0	82.5 82.4	W b s sw b w	0.1	0.06			1	•
A "	.715	.829	79.0 79.2	77.0	2.0	76.2 76.1	-888 -886	.91	80.1	82.4	sw	0.2	1			l	
5 , ,	.730	.881	79.0	76.0	3.0	74.8	.849	.88	79.8	82.4	, ,,	0.4					l
6 "	.750	.884	79.2	76.5		75.4	-866	.89	79.9	82.4	٠,,	0.2		1		l	ì
7 ,,	.760	.881	79.8	77.0	2.8	75.9	.879	.88	80.1	82.3	swbw	0.3		1		l	İ
8 "	.778 .785	.892	81.0	77.5	3.5	76.1	-886	.86	81.0	82.3 82.2	sw	0.3	0.05			1	İ
9 ,, 10 ,,	.785	.924	80.7 83.8	76.8 79.2	3.9 4.6	75.2 77.5	.861	.84 .82	81.7	82.2	swbs	0.2	0.05	1 05	a;	a:	اها
11 ,,	.786	.836	84.6	80.0	4.6	78.3	.950	.82	83.0	82.3		0.3		None.	None.	None.	None.
Noon.	.784	.834	84.6	80.0	4.6	78.3	. 950	.82	83.2	82.4	wsw	0.4		Z	Z	Z	Z
1 p. m.	.775	.900	84.2	78.1	6.1	75.8	.875	.77	83.2	82.5	sw	0.3]
2 ,,	.765 .754	.891	85.0	78.3	6.7	75.7 76.7	.874	.75	83.3	82.6 82.8	SW b W	0.2					1
3 ,, 4	.751	.853 .842	85.3 84.5	79.0 79.0	5.5	76.9	.901	.76 .79	83.5 83.5	82.9	ì	0.2	1	ŀ			ļ
5 ,,	.758	.868	83.2	78.2	5.0	76.3	.890	.80	82.9	82.9	sw"bs	0.4		ļ		-	
6 "	.772	.879	83.2	78.0	4.2	76.4	.893	.84	82.2	82.9	,,	0.5				l	1
7 ,,	.776	.870	81.0	78.0	3.0	76.8	•906	.88	81.5	82.8	sw	0.4				1	
8 ,,	.780	.894	81.0	77.5	3.5	76.1	.886	.86	81.5	82.7	SW և S SSW	0.3		1			
9 ,, 10 ,,	.792	.885 .895	80.9 80.8	78.0 77.8	2.9 3.0	76.9 76.6	.907 .900	.88 .88	81.0	82.6 82.6	SW b S	0.2		1		l	
11 ,,	.785	.892	80.2	77.5	2.7	76.5	.895	.89	80.5	82.6	"	0.3					
July 30тн-Midnight		909	50.5	77.0	0~	750	000	00	90.3	90.6	COTIT	0.4					
l a. m.	.778 .768	.898	79.7 79.5	77.0	2.7 2.5	75.9 · 76.0	.880 .882	.89	80.3	82.6 82.5	SSW SWbS	0.4					
2 ,,	.758	.872	79.2	77.0	2.2	76.1	.886	.91	80.1	82.4		0.2					
3 " ,	.739	.851	79.0	77.0	2.0	76.2	.888	.92	80.0	82.4	"	0-1	1				1
4 ,,	.735	.843	79.4	77.2	2.2	76.4	. 89 2	.91	80.1	82.4	"	0.2		نه	نه	ei.	l e
5 ,,	.739	.872	79.5	76.6	2.9	75.5	.867	.88	80.1	82.4	,,	0.3		None.	None.	None.	None.
6 ,, 7	.758	.877	79.6	77.0	2.6	76.0	.881	.89	80.1 80.2	82.4 82.3	sw	0.3	0.00	Z	Z	Z	Z
Q "	.768 .780	.888 .914	79.7 81.0	77.0 77.0	2.7 4.0	75.9 75.4	.880 .866	.89 .84	80.2	82.3 82.3	"	0.3 0.2	0.03				
9 ,,	.791	.891	83.5	78.5	5.0	76.6	.900	.81	81.8	82.4	"	0.2					
10 ,,	.791	.889	84.1	78.7	5.4	76.7	.902	.79	83.0	82.4	"	0.2					
11 ,,	.796	.871	85.8	79.7	6.1	77.5	.925	.77		82.5	sw b w	ი.2					i

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are; \(\circ\) cirro-cumuli;	. Remarks.
Ā		Ci cumuli; Li cirro-strati; Li cumulo-strati; and Li nin.bi.	
8	G	Overcast; 🕰 moving B.	Mean daily temperature of ground
8	C	" "	20 and 60 inches below its sur-
8	C	29 39	face 84.8 and 85.4. Daily fall
7	C	scattered all over the sky; slight rain after 3h. 44m.	of rain by Osler's Gauge 0.01 in.
8 8	C B	Overcast; the moon and some of the big stars dimly visible; a few drops of rain at 4h. 54m. Overcast; •• moving E.	
8	В	overcast, var moving E.	
8	В	" "	
8	В	27	
8	G	" "	
8 8	G G	" "	
7	G	in SW; we and we throughout; we moving E.	
8	C	Overcast with we and we; the former moving E.	
8	C	n n	
7	C	> 9	
8 8	C B	Overcast; with val and val; the former moving E; passing rain at 5h. 38m.	
8	В	Overcast; \(\forall \) and \(\forall \).	1
8	В	Overcast.	
8	В	29	
8	G	"	
8	G G	Overcast; a few stars visible in SW and S of zenith.	
8 8 8 8 8 8 8 8 8 7 8 8 8 8 6 7 8 7 8 8 8 8	G C C C B B B G G C C C C B B B G G G C C C C	Overcast; a few stars visible here and there through the breaks. Densely overcast; shower of rain at 1h. 14m. lasted about 10m. Overcast; wi moving ENE. Overcast; wi moving ENE; the moon and a few stars dimly visible. Overcast; wi moving ENE; drops of rain at 8h. 41m., shower of rain at 8h. 50m. lasted about 8m. Overcast. Overcast; wi moving ENE; drops of rain at 8h. 41m., shower of rain at 8h. 50m. lasted about 8m. Overcast. Overcast; wi in SE and wi moving ENE; drops of rain at 11h. 52m. Overcast; wi moving ENE. Overcast; wi in the W and win the NE. Now and wi scattered throughout. Overcast; wi in the S and E of zenith; wi moving ENE. overcast; wi in the S and E of zenith; wi moving ENE. overcast; wi in the S and E of zenith; wi moving ENE. overcast; wi in the S and E of zenith; wi moving ENE. overcast; wi in the S and E of zenith; wi moving ENE. overcast; wi in the S and E of zenith; wi moving ENE. overcast with wi; a few stars dimly visible in the zenith. overcast with wi; a few stars dimly visible in the zenith. overcast with wi; a few stars dimly visible in the zenith.	Mean daily temperature of ground 20 and 60 inches below its surface 849 and 853. Daily fall of rain by Osler's Gauge 0.09 in.
8 8 8 8 7 6 8 8 4 6 6 8	G C C C B B B	Overcast; wi moving ENE; a few stars dimly visible here and there. """"""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 848 and 851. Daily fall of rain by Osler's Gauge 0.02 in.

		DARD METER.	Тнв	RMOME	rers.	:	er o	P AIR.	THERMO	CHD OMETERS.	Oster,s G		RAIN.	ELEC	FRICAL	Instru	MBKTS.
Bombay Civil Time. 1864.	Corrected to \$2° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE O MOISTURE	UMIDITY OF	flermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New-	Sign of Electrici- ty + or —	Strawsof	Strawsof	Interval of Time in recovering the same degree of tension after discharge.
	in.	in.	<u> </u> 	<u> </u>			in.	<u> </u>	1	<u> </u>	<u> </u> 	lbs.	in.	1	 8c. div.	Sc. div.	m. s.
July 30TH-Noon	,	28.859	86*2	80.0	6.2	77:8	0.933	0.77	84.0	82:6	swbw	0.2					8.
l p. m. 2	.777	.910	84.5 86.6	78.0	6.5	75.5	.867	.75	83.4	82.8	swbs	0.2					
2 "	.763	.822	86.6	80.0 79.6	6.6 5.1	77.6 77.8	.928	.76	84.2 84.1	82.9 83.1	sw sw b w	0.1	1				
4 ,,	.749	.814	86.0	80.0	6.0	77.8	.935	.77	84.3	83.2	SWbS	0.2					
5 ,,	.747	.857	84.4	78.5	5.9	76.3	.890	.77	83.2	83.3	sw	0.2	one.	نه	l o	انها	
6 "	.746	.834	82.8	78.6	4.2	77.0	.912	.83	82.8	83.3	"	0.2	Non	one.	6	None.	one.
7 "	•753	.875	81.8	77.5	4.3	75.9	.878	.83	82.0	83.3	,,	0.2	~	Z	Z	Z	Z
8 "	.757	.846 .869	81.3 81.0	78.3 78.0	3.0	77.0	.911	.87	81.5	83.3	"	0.3					
9 ,, 10 .,	.757 .782	.913	81.0	77.0	3.0 3.7	76.8 75.5	•906 •869	.88 .85	81.0 80.5	83.2 83.0	sw"bs	0.4					
10 ,,	.775	.898	80.0	77.0	3.0	75.8	.877	.88	80.1	82.8	SW	0.5					
,,					5.0			,50	30.1	32.0	211	0.4					
Aug. 1st-Midnigh		.853	79.5	77.0	2.5	76.0	.882	.90	80.2	82.4	sw	0.5	0.10				
l a. m.	.709	.823	79.2	77.0	2.2	76.1	-886	.91	80.2	82.4	sw b w	0.2	0.06				
2 ,, 3	.693	.807	79.2	77.0	2.2	76.1	-886 -887	.91	80.2	82.4)) 1170 (17	0.2	1				1
A ,,	.679	.794 .796	79.1 79.1	77·0 76.9	2.1 2.2	76.2 76.0	·883	.91 .91	80.1	82.3	wsw	0.3	1				
5	.680	.809	78.8	76.5	2.3	75.6	.871	.90	80.1 79.8	82.3 82.2	"	0.4	1				}
6 ,,	.691	.804	79.1	77.0	2.1	76.2	-887	.91	80.0	82.1	,,	0.5					
7 ,,	.715	.837	79.9	77.0	2.9	75 .9	-878	.88	80.2	82.1	"	0.5					
8 "	.729	.839	80.7	77.5	3.2	76.3	.890	.87	80.7	82.1	sw b w	0.5					1
9 "	.738	.858	82.2	77.7	4.5	75.9	-880 900	.82	81.4	82.2	wsw	0.4				ł	}
10 ,, 11	.739 .738	.849 .834	84.4 85.0	78.5 79.0	5.9 6.0	76.3 76.4	.890 .904	.77 .77	82.7 83.2	82.2	"	0.3		.	_		
Noon.	.724	.814	85.2	79.0	6.0	77.0	.910	.77	83.2 83.2	82.3 82.4	,,	0.2 0.3		one.	one.	one.	None.
l p. m.	.711	.795	85.4	79.4	6.0	77.2	. 916	.77	84.0	\$2.4 \$2.7	"	0.3		N Z	Š	N _o	l s
2 ,,	.697	.793	85.0	79.0	6.0	76.8	.904	.77	84.0	82.8	" "	0.4			- "		1
3 ,,	.687	.774	83.4	78.8	4.6	77.1	.913	.82	83.4	82.8	$\mathbf{W} \mathbf{b} \mathbf{S}$	0.3				1	1
4 "	·678	.790	83.4	78.2	5.2	76.2	·888	.80	83.0	82.9	sw b w	0.4					
5 ,, 6	.681	.844	81.5 79.8	76.4 76.3	5.1 3.5	74.4 74.9	-837 -851	.80 .86	82.0	82.9	W	0.6					
7 "	.703	.871	77.0	75.0	2.0	74.9	-832	.91	81.0 79.6	82.9 82.8	wnw	0.4 0.2	0.00				
8 "	.708	.824	79.4	77.0	2.4	76.1	-884	.90	80.5	82.6	Wbs	0.2	0.02			1	1
9,,	.715	.875	79.8	76.0	3.8	74.5	•840	.85	80.2	82.6	wsw	0.5				1	
10 ,,	.719	.841	79.9	77.0	2.9	7 5.9	-878	-88	80.3	82.5	22	0.7				1	
11 "	.721	.837	80.1	77.2	2.9	76.1	-884	-88	80.5	82.5	"	0.4					
Aug. 2nd-Midnigh	t .700	-816	80.1	77.2	29	76.1	-984	.88	80.5	82.5	wsw	0.6				.	1
l a. m.	.696	.819	80.0	77.0	3.0	75.8	877	.88	80.3	82.4		0.6 0.6	1			1	1
2 "	.679	.776	79.8	77.6	2.2	76.7	.903	.91	80.0	82.4	"	0.4				1	
3 "	.671	768	79.8	77.6	2.2	76.7	•903	.91	80.0	82.3	,,	0.6				1	
4 ,, 5	.659	.779	79.7 79.6	77.0 77.0	2.7 2.6	75.9	-880 -881	.89	80.0	82.3	wbs	0.5					
6 "	.673	.794	79.8	77.0	2.6	76.0 75.9	•881 •879	.89 .88	80.0 80.0	82.3 82.3	w"	0.6 0.3					
7 ,,	.697	.807	80.7	77.5	3.2	76.3	-890	.87	80.8	82.3	Wbs	0.3				1	
8 ,,	.722	.829	82.2	78.0	4.2	76-4	.893	.83	81.6	82.3	"	0.2					1
9,,	.735	•852	83.1	78.0	5.1	76.0	.883	.80	82.0	82.3	29	0.3				1	
10 ,,	•740	·853	83.5	78.2	5.3	76.2	.887	.80	82.5	82.4	$\mathbf{W} \mathbf{b} \mathbf{N}$	0.4	ne.	ne	ě	<u>e</u>	ية
ll " Noon.	.738	·845 ·832	86.0 86.2	79.0 79.2	7.0 7.0	76.4	.893 .899	.74	83.8	82.5	Wbs	0.6	None.	None.	None	None.	None.
l p. m.	.722	.795	84.9	79.2 79.5	5.4	76.6 77.6	.927	.74 .79	84.2 84.5	82.6 82.6	sw	0.4	_				
2,,	.701	.753	84.8	80.0	4.8	78.3	.948	.81	84.0	82.6	sw b w	0.3			1		
3 "	.689	.777	84.3	79.0	5.3	77.0	.912	.80	83.2	82.6	sw	0.2			1		1
4 ,,	.682	.767	84.0	79.0	5.0	77.2	.915	.81	83.0	82.7	Wbs	0.1			1	1	1
5 ,,	.683	.789	82.8	78.2	4.6	76.4	-894	.82	83.0	82.8	sw b w	0.2					
6 " 7 "	.694	.825	81.5	77.2	4.3	75.5	•869 960	.83	82.0	82.9	"	0.2					
e ″	.704	.843	80.7 80.7	77.0 77.0	3.7 3.7	75.5	.869 .869	.85	81.6	83.0	,, SW	0.3					
9 ,,	.722	.842	80.5	77.2	3.7	75.5 75.9	.880	.85 .87	81.5 81.0	83.0 83.0	sw swbw	0.3 0.4			i		1
10 ,,	.726	.845	80.2	77.0	3.2	75.8	.875	.87	81.0	82.9		0.4			1		
11 ,,	.724	.849	80.2	77.0	3.2	75.8	.875	.87	81.0	82.8	sw	0.3			1	ł	- 1

Sloud	ş i		
1 o g	Observers.	STATE OF THE WEATHER.	Remarks.
Amount of Clouds	8 0	Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \in i cirro-sumuli; \in i cumuli; \in i cirro-strati; \in i cumulo-strati; and \in i nimbi.	,
8	G	in the NW; or in the NW; and or throughout; no rain.	
8 6	C C	Overcast with we moving ENE. N. we and we scattered all over the sky.	
7	c	and wi in and about the zenith; wi passing from W to E.	
6	C	,, ,, ,,	
8 8	G	Overcast; wi and with	
8	G G	Overcust with vi moving ENE; in the W.	
8	G	Overcast; a few stars dimly visible in the SW.	
7	G	scattered throughout moving ENE.	
6 6	G G))	
	G	»,	
8	G	Overgoet a rain which was follow from 11h 51m accord at 0h 12m	Man della taura di
8	C	Overcast; rain which was falling from 11h. 51m. ceased at 0h. 12m. Overcast; drops of rain at 1h. 40m.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	c	Overcast.	face 84.7 and 85.0. Daily fall
8	O	n	of rain by Osler's Gauge 0.15 in.
8 8	C B	"	
8	В	" and w in the zenith; w all around.	
8	В	Overcast with \sim 1 and \sim 1.	
8	В)	
8	G	" "	
8 8	G	" "	
8	G G	"	
8	C)	
8	C	" " " " " " " " " " " " " " " " " " "	
8	C	" "	
8 8	C C	Overgest with set and is It slight win at full hour and again at 5h 14m	
8	C	Overcast with vi and vi; slight rain at full hour and again at 5h. 14m. Overcast; light rain at 6h. 24m. lasted about 8m.	
8	C	Overcast; drizzling rain till 7h. 36m.	
8	C	Overcast.	
8 8	B B	Overcast; a few stars dimly visible in the zenith.	
8	В	" "	
		,, ,, ,,	
8	В	Overcast; vi moving E; a few stars visible here and there.	Mean daily temperature of ground
8	G	Overcast with vi moving E.	20 and 60 inches below its sur-
8	G	,,	face 84.6 and 84.9.
8	G	Overcast with var moving É; a few stars visible in W.	2nd August was the 11th day on
8 8	G C	27	which the fall of rain was less than 0.01 in.
8	0	"	tnan out in-
8	C))))	
8	C	Overcast; wi in the zenith and we passing from W to E.	
8 8	B B	Overcast; va and va.	
8	В	Overcast; vi and vi; a few drops of rain at 10h. 38m. Nearly overcast with vi moving E.	
8	В	Overcast; with the W and S of zenith; with moving E; drops of rain at 0h. 56m.	
8	G	Overcast; hazy.	
8	G G	" "	
8 8	G	<i>y</i>	
8	Ċ))))	
8	C))))))))	
8	0	Overcast; a few stars visible here and there.	
8 8	C	Overgoods a few stans migible have and theme down of the stans of the	
8	B B	Overcast; a few stars visible here and there; drops of rain at 9h. 23m. Overcast.	
8	В),	
	7*1		· <u>·</u>

		STAN Baron		THE	RNOMBT	BRS.		a i	AIR.		UND METERS.	WIND P Oslbr's G	ROM AUGE.	RAIN.	ELECT	RICAL	Instru	MENTS.
Bombay Civil Time 1864.	•	Corrected to \$2° Pahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURB OF MOISTURE.	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Blectrici-	Strawsof	Strawsof	interval of Time in recovering the same degree of tension after dis- charge.
		in.	in.	! 	 	<u>-</u>		in.			0000	CTU	lbs.	in.	i 	Sc. div.	Sc. div.	
Aug. 3rd-Mid la. m.			28.838 .823	80°1	77.0	3°1 3.1	7 <i>5</i> *8 75.8	0.876 -876	0.87 .87	81°0 81.0	82°8 82.7	sw	0.3					
9	•	.699 .676	.796	79.7	77.0	2.7	76.0	.880	.89	80.6	82.6	"	0.3					
3 ,,		.676	.782	79.6	77.2	2.4	76.4	.894	.90	80.2	82.5	"	0.2					
4 "		.680	.786	79.6	77.2	2.4	76.4	-894	.90	80.2	82.5	sw " W	0.4					1
5 ,, 6		.684	.799 .815	79.6 80.0	77.1 77.2	2.5 2.8	76.1 76.1	.885 .885	.90 .88	80.1	82.4 82.4	SW	0.3					
7 "		.700 .725	-852	79.3	76.7	2.6	75.7	.873	.89	80.2	82.4	,,	0.1					
8 ,,		.743	.829	80.3	78.0	2.3	77.1	.914	.90	80.8	82.4	SW b S	0.3	0.01				
9 ,,		.760	.838	83.4	79.0	4.4	77.4	.922	.83	82.0	82.5 82.5	SW b W	0.3		١.			
10 "		.767	.840	84.4 85.3	79.4 79.5	5.0 5.8	77.6 77.4	.927	.81 .78	83.0	82.5	WSW	0.3		one.	None.	None.	None.
11 ,, Noon.		.760 .751	.801	86.6	80-5	6.1	78.3	.950	.77	84.6	82.7	sw	0.5		ž	ž	Ž	Ž
1 p. m.		.734	.806	86.6	80.0	6.6	77.6	.928	.76	84.7	82.7	Wbs	0.3					
2',,		.729	.811	87.5	80-0	7.5	77.3	.918	.73	85.0	82.8	,,	0.2					
3 "		.724	.767	86.7	80.7	6.0	78.6	.957	.78 .76	84.6 84.5	82.9 83.0	"	0.2					
4 ,, 5		.720 .726	.788 .832	86.3	80.0	6.3 5.2	77.7 76.4	.932	•80	83.5	83.1	wsw	0.2					
6 ,,		.737	.855	82.1	77.7	4.4	76.0	.882	.83	82.6	83.2	,,	0.2					
7 ,,	!	.751	-888	81.3	77.0	4.3	75.3	.863	.83	82.3	83.2	,,	0.3					
8 "		.760	.894	81.0	77.0	4.0	75.4	.866	-84	82.2	83.2 83.0	SW b W	0.3					•
9 ,,		.775 .778	.928	80.2 80.2	76.0	3.2	74.7	.847	.83	81.0 81.0	83.0	SWbW	0.4					
10 ,, 11 ,,		.778	.904	80.3	77.0	3.3	75.7	.874	.86	81.0	82.9	,,	0.5					
Aug. 4th-Mic	dnight	.766	.903	80.5	76.8	3.7	75.3	-863	-85	81.1	82.9	wsw	0.7					
l a. m	_	.756	.843	80.4	78.0	2.4	77.1	.913	.90	81.0	82.8	,,,	0.6					
2 ,,		.746	.833	80.4 80.2	78.0	2.4	77.1	•913	.90	80.6 80.5	82.7 82.6	sw b w	0.5	1			١,	1
3 ,, 4 .		.732 .730	.857 .853	80.0	77.0	3.2	75.8 75.8	-875 -877	.88	80.4	82.6	"	0.6					İ
5 ,,		.734	.859	80.2	77.0	3.2	75.8	-875	.87	80.4	82.6	"	0.2					
6 ,,		.754	.879	80.2	77.0	3.2	75.8	-875	.87	80.3	82.5	,,	0.2					
7 ,,		.763	.892	80.5 82.2	77.0 78.0	3.5 4.2	75.6 76.4	-871	.86	80.8	82.4 82.5	wsw sw b w	0.2					
8 ,, 9 ,,		.782 .793	.907	82.8	78.0	4.8	76.1	-893 -886	.81	82.2	82.6	,,	0.5				1	ŀ
10 ,,		.791	.882	83.8	78.8	5.0	76.9	•909	.81	83.0	82.6	wsw	0.4	10.0	je j	Je.	ej.	<u>.</u>
11 ,,		.783	.900	83.1	78.0	5.1	76.0	-883	.80	82.5	82.6		0.3		None.	None,	None.	None.
Noon.		.778	.888	83.9	78.4	5.5	76.3	•890 000	.79	83.0	82.6	Wbs	0.3			-		
1 p. m	•	.764 .758	.842 .812	85.3 85.0	79.5 80.0	5.8 5.0	77.4 78.2	.922 .946	.78 .81	83.8 83.5	82.7 82.8	wsw	0.4		-			
3 ,,		.756	.844	82.8	78.6	4.2	77.0	.912	.83	82.0	82.8	sw'bs	0.4		i	1		
4 ,,		.746	.893	82.2	77.0	5.2	75.0	-853	.80	82.0	82.8		0.3					
5.,		.758	·867	82.4	78.0	4.4	76.3	-891	.83	82.0	82.9	SW SW L W	0.3					
6 ,, 7		.770 .779	.898	81.2 81.0	77.2 77.0	4.0 4.0	75.6 75.4	-872 -866	.84	81.7 81.6	83.0 83.0	swbw	0.3]
• "		.790	.922	80.8	77.0	3.8	75.5	-868	.85	81.6	83.0	"	0.3					
9 "		.814	.993	79-8	7.5.5	4.3	73.8	-821	.83	80.4	82.8		1.0	0.04				
10 "		.807	.964	79.5	76-0	3.5	74.6	-843	⋅86	80.3	82.8	sw	0.4					
11 "		1.795	.933	79.6	76.5	3-1	75.3	.862	.87	80.3	82.8	sw b w	0.6					
Aug. 5TH-Mic	_		.933	79.6	76.3	3.3	75.0	-854	.86	80.3	82.6	wsw	0.5					
la.m	1.	.780 .762	.953	79.8 79.5	75.5 76.0	4.3 3.5	73.8 74.6	.821 .843	·83	80.0 80.0	82.6 82.5	"	0.6	1				
3		.762	.900	79.5	76.0	3.5	74.6	-843	.86	80.0	82.5	sw b w	0.7					
4 ,,		.737	.870	79.5	76.6	2.9	75.5	-867	.88	80.0	82.4	SW bS	0.6	1	8	نِو	نه	نه
5 ,,		.747	.870	80.0	77.0	3.0	75.8	-877	.88	80.2	82.4	sw	0.7		None.	None.	None.	None.
6 ,,		.758	.894	79.8	76.6	3.2	75.4	-864	.87	80.2	82.3	,,	0.7			~	~	2
7 ,,		.774 .786	.896 .906	80.3 80.5	77.1	3.2 3.3	75·9 75·9	.878 .880	.87 .87	80.4 80.8	82.3 82.3	sw b w	0.5					
8 ,, 9 ,,		.780 •791	.909	81.4	77.5	3.9	76.0	-882	.84	81.2	82.4	sw	0.6	1		ļ		1
10 ,,		.795	.900	83.5	78.4	5.1	76.5	.895	.80	82.2	82.4	swbw	0.5				1	
		.795	.947	80.9	76.5	4.4	74.8	-848	.82	81.1	82.4	,,	1.4	0.04	I	l	1	1

_	_			
- 14	9	1		
	Amount of Clouds 0-8.			
3	2	10	STATE OF THE WEATHER.	
		Observers.	•	Remarks.
		9		
			Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int i cirro-cumuli;	
	1		oi cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbi.	
Γ	Ī			
	8	В	Overcast; we moving E; a few stars dimly visible through the breaks.	Mean daily temperature of ground
	8	G	Overcast.	20 and 60 inches below its sur-
- !	8	G	Overcast; masses of var passing from W to E.	face 846 and 849. Daily fall
- 1	8	G	27	of rain by Osler's Gauge 0.01 in.
	8	G	y, y,	Temperature of air at 2 P. M. was
1	8	C	Overcast; on about the zenith and on throughout.	87.5, greatest in the month and
- 1	8	C	Densely overcast; drops of rain at 6h. 30m.	about 1.7 greater than the nor-
	8	C	Densely overcast; slight rain after 7h. 30m.	mal mean.
- 1	8	C	Densely overcast; rain continued to 8h, 7m.	
	8	В	Overcast; hazy.	!
- 1	8	В	23 23	
	8	B.) ;	
- 1	8	В	" "	
- 1	8	G	,, ,,	
,	8	G		
- 1	8	G	Overcast; wi and wi.	
- 1	8	G	One of the CE of	
- 1	8	C	Overcast; in the SE and masses of in moving ENE; drops of rain after 5h. 9m.	
- 1	8	C	Overcast.	
8		C		
	6	C B	Overcast; a few stars visible in the zenith.	
1 8		В	·	
8	,	В	"	
1 6	'	D	"	
-	- 1			
17	,	В	scattered throughout moving E.	Mean daily temperature of ground
8	- 1	G	Overcast; va moving E.	20 and 60 inches below its sur-
8		G	Overcast; we moving E; a few stars dimly visible here and there.	face 84.6 and 84.8. Daily fall
8		G	u u u u u u u u u u u u u u u u u u u	of rain by Osler's Gauge 0.03 in.
8	3	G	Overcast with va moving E; drops of rain from 4h. 35m. to 4h. 48m.	or runa by obtain a dauge of our min
8	1	c	Overcast.	
8	:	c	,,	
8		c	,	
8		c	"	
8		В	Overcast; passing rain at 9h. 6m.	
8		В	Overcast; drops of rain at 10h. 30m.	
8	- 1	В	"	
8		В	"	
8		G	Overcast with wi; masses of we moving from W to E.	
8		G	Overcast with vi; masses of vi moving from W to E; a few drops of rain at 2h. 52m-	
8		G	Overcast with wi; masses of wi moving from W to E; thin drops of rain at full hour.	
8	1	G	Overcast.	i
8	1	C	Overcast.	
8		C	Overcast; drops of rain at 7h. 30m.	
8	1	C C	Overcast; a few stars dimly visible in E of zenith; light rain began to fall at 8h 57m.	
8		B	Overcast; rain continued to 9h. 17m.	
7	1	В	scattered throughout moving E.	
7	1	В	_	`
'		_	"	!
1	1			
7	1	В	∿ scattered throughout moving E.	Mean daily temperature of ground
8	1	G	Densely overcast with vi; drops of rain at 1h. 6m.	20 and 60 inches below its sur-
8	1	G	Overcast; a few stars visible here and there.	face 84.5 and 84.7. Daily fall
8	1	G	Overcast.	of rain by Osler's Gauge 0.08 in.
8	1	G	"	
8	1	c	"	}
8		c	n	
8	1	C	"	1
8	1	C	"	
8	1	В	Operate Relative and appears to the 10 to	
8	3	В	Overcast; light rain and squally wind at 10h. 45m. lasted for about 10m.	
8	1 1	В	Overcast; light rain which was falling from 2m. before full hour ceased at 11h. 27m.	
	<u>. </u>			

		NDARD METER.	THE	RMONB	TBRS.	ن ي	n	AIR.	THERM	OUND OMBTERS.	WIND F Oslbr's G		RAIN.	BLEC	TRICAL	lnstr	•
Bombay Civil Time.	Corrected	for	In the	Wet Built			PRESSURE MOISTURE.	UMIDITY OF	meter linch Ground.	Thermometer 6 inches in the Ground.	Direction.	Premure in lbs. per	By New-	Sign of	Readi	ngs of	Interval of Time in recovering the same degree of tension after the
1864.	39° Fahr	. Moiature.	Air.	meter.	Thermo- meter in the Air.	I	8	HUNI	Thermou in the C	Therm inch Gro		Square Foot.		ty+or-	Straweon Volta i.	Straws of Voita 2.	Interval recover pame of tension charge.
Aug. 5TH-Nooi	in. 29.774	in. 28.898	80°1	77:0	3:1	7 <i>5</i> °8	in. 0.876	0.87	80.5	82*3	sw	1bs. 0.3	in. 0.07		Sc. div	Sc. div-	
1 p. m.	.764	.873	82.4	78.0	4.4	76.3	.891	.83	81.6	82.2	wsw	0.4					
2 ,,	.751	.825	83.0	79.0	4.0	77.5	.926	.84	82.0 82.5	82.3	. SW	0.5		1			
4	.734	.755	83.2 82.0	79.2	4.0 2.0	77.7 79.3	.932	.84	81.9	82.4 82.4	WSW	0.6		نه	نه	انها	•
5 ,,	.739	.875	81.2	77.0	4.2	75.4	.864	.83	81.5	82.5	sw "w	0.6	į	one.	one	None.	None.
6,,	.748	.886	80.6	76.8	3.8	75.3	.862	.85	81.2	82.6	,,	0.7		Z	Z	Z	Z
7 ,,	.756 .762	.883	80.4	77.0	3.4	75.7	.873	.86	81.0	82.6	,,	0.6	ŀ				
9	.762	.888	80.3	77.0 75.5	3.3 4.6	75.7 73.6	.874	.86	81.0	82.5 82.5	wsw swbw	0.5					
10 ,,	.763	.927	80.2	76.0	4.2	74.3	.836	.82	80.9	82.5	_	0.5					
11 ",	.757	.912	80.1	76.2	3.9	74.7	-845	.84	80.8	82.4	wsw	0.5					
Avg. 6 TH- Midnig		.873	80-2	77.0	3.2	75.8	-875	.87	80.7	82.4	swbw	0.6					
la.m.	.732	.829	79.8	77.6	2.2	76.7	.903	.81	80.5	82.4	wsw	0.7	1				
2 ,,	.710 .708	.807	79.8	77.6	2.2 2.7	76.7	•903	.81 .89	80.2	82.4	,,	0.7					
3 ,, 4	.695	-813	79.7	77.0	2.7	75.9 76.0	.880	.89	80.0	82.3 82.2	,,	0.7					
5 ,,	.703	.821	79-5	77.0	2.5	76.0	.882	.90	80.0	82.2	"	0.7					
6 "	.723	.876	79.2	76.0	3.2	74.7	.847	.87	80.0	82.1	,, ,,	0.5		İ			
7 "	.738	.880	79.2	76.3	2.9	75.1	-858	.88	79.7	82.0	w	0.2					
8 ,, 9	·758	.887	80.2 81.5	76.9 76.5	3.3	75.6 74.5	-871	.86	80.4	82.1	wsw	0.4					
10 "	.776	.922	82.9	77.0	5.9	74.5	.841	.77	82.0	82.3 82.3	sw b w	0.4					
11 ,,	.764	.881	83.8	78.2	5.6	76.0	-883	.78	82.6	82.4	Wbs	0.4		one.	one.	one.	je
Noon.	.758	.881	85.0	78.4	6.6	75.8	-877	.75	83.3	82.4	,,	0.5		0	ž	2	None.
1 p. m.	.741	.842	86.2	79.2	7.0	76-6	-899	.74	84.0	82.4	WsW	0.5				! -	_
2 "	.730 .718	.814	85.4	79.4	6.0	77.2	.916	.77	83.8	82.5	,, CM7 M7	0.5				İ	
3 ,, 4	.711	.796	85.4	79.4 79.0	6.0 5.0	77.2 77.2	•916 •915	.77	83.0	82.5 82.5	sw b w w սs	0.6					1
5 ,,	.715	.838	83.6	78.0	5.6	75.8	-877	.78	83.0	82.5		0.3	<u> </u>				
6 ,,	.721	.880	81.5	76.5	5.0	74.5	-841	.80	82.0	82.6	."	0.5		İ		!	İ
7 "	.737	.863	81.0	77.2	3.8	75.7	-874	.85	81.8	82.7	wsw	0.3				İ	
8 ", 9	.742 .752	.870	80.8 79.8	77.1	3.7 2.8	75.6 75.9	•872 •879	.85	81.7	82.7 82.6	"	0.2					
10 "	.750		79.9	76.5	3.4	75.2	-859	.86	81.0	82.6	"	0.5	0.04			1	
11 ,,	.738		80.0	77.0	3.0	75.8	-877	.88	81.0	82.5	"	0.3					
Aug. 8TH-Midni	tht .678	.799	79.8	77.0	2.8	75.9	.879	.88	80.3	82.3	wsw	0.5					ŧ 1
1 a.m.	.662		79.7	77.0	2.7	75.9	-880	.89	80.2	82.3	sw	0.7					!
2 ,, 3	.641 .633	.761 .735	79.7	77.0	2.7	75.9	•880	.89	80.0	82.3	sw b w	0.6					Ì
A "	.629		79.6 79.4	77.4	2.2 1.8	76.6 76.9	.898 .907	.91 .92	80.0	82.2 82.1	"	0.7					,
5 "	.637	.752	79.3	77.0	2.3	76.1	-885	.90	80-0	82.1	wsw	0.7			ł		
6' "	.655	.770	79.3	77.0	2.3	76. l	-885	.90	80.0	82.0	,,	0.3	}	1	 		
7 "	.675 .687		79.8	77.0	2.8	75.9	.879	.88	80.2	82.0	Whs	0.2			!		1
8 ,, 9 .,	.686		79.2 82.2	76.0	3.2 4.7	74.7 75.6	.847 .872	.87	80.0 81.5	82.0 82.1	W SW b W	0.4	ļ]			
10 ,,	.686	.854	82.3	76.5	5.8	74.2	-832	.77	81.5	82.1	SW	0.4		١.			
11 ,,	.675	.780	84.8	78.7	6.1	76.5	.895	.77	83.0	82.2	"	0.3		None.	None.	None.	None.
Noon.	.662		84.8	78.9	5.9	76.7	-902	.78	83.0	82.3	"	0.4		ž	Š	No	, S
l p. m.	.641 .629	.771	84.3	78.0 79.6	6.3 5.1	75.6 77.8	.870	.76	83.0 83.4	82.4	wsw	0.5 0.6				•	
3	.624		85.4	79.6	6.0	77.2	.933	.80 .77	83.8	82.4 82.5		0.5	ļ				1
4 ,,	.620	'729	82.4	78.0	4.4	76.3	.891	.83	82.2	82.5	"	0.6	1				,
5 ,,	.628	751	80.7	77.2	3.5	75.8	.877	.86	81.2	82.5	sw b w	0.4	0.05				
6 ,,	.644	1	78.8	75.4	3.4	74.0	.828	.86	80.2	82.3	Wsw	0.6	0.02				
7 ,, 8	.646 .659		79.2 79.2	77.0	2.2	76.1 76.1	·886	.90	80.2 80.2	82.2	SWbW	0.4	0.03				
o "	.667	•796	79.2	77.0 76.8	2.2 3.0	75.6	-886 -871	.90 .87	80.2	82.2 82.5	sw	0.3	0.01				1
10 ,,	.661	•782	79.8	77.0	2.8	75.9	-879	.88	80.3	82.4	»	0.3	l			1	
11 ,,	-657	.794	79.5	76.5	3.0	75-3	-863	.87	80.2	82.3	"	0.4	i		1	ı	1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Ni cirro-cumuli; Ci cumulo-strati; and Vi nimbi.	Remarks.
8 8 8	B G G	Overcast; on and on.	
8	G))))	
8	C	19 99	
8	C))	·
8	C	n n	
8	C	Overcast.	
8	B	"	
8	В	Ourseast, a few stone display winikle in the posith	
	В	Overcast; a few stars dimly visible in the zenith.	
8 8	B G	Overcast; va moving E.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	G.	Overcast; va moving E; a few stars dimly visible; a few drops of rain at 2h. 38m.	face 84.3 and 84.6. Daily fall
8	G	" " "	of rain by Osler's Gauge 0.02 in.
8	G	" " "	a same of a size a stange of a size
8	С	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
8	С	Overcast; va moving E; slight rain after 6h. 4m.	
8	C	One of the second secon	
8	C	Overcast; whi and will	
8	B	Overcast; va and v; slight rain at 10h. 6m.	
8	B	-	
8	В)1)2	
8	G	" " "	
8	G	Overcast; we and we; drops of rain at 2h. 58m.	
8	G	Overcast; slight rain at about 3h. 52m.	
8	G	Overcast with va and large masses of va passing from W to E.	
8	C	"	
8	C	n n	
8	C); Overcast; VLi moving B; a few stars dimiy visible about the zenith; shower of rain at 8h. 14m. p. m. lasted about 10m.	
8	В),	
8	В	Overcast. "	
8	В	,,	
1 1			
5 8	n G	Overcast with on moving E.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	G	29	face 84.4 and 84.6. Daily fall
8 8	G G	"	of rain by Osler's Gauge 0.07 in. Height of barometer at 4 P. M.
8	C	Overcast; vai and vai.	was 29.620 in., lowest in the
8	C	n n	month and about 0.029 in lower
8	C	25	than the normal mean.
8	C	Overcast; vi and vi; slight rain from 7h. 49m. to 8h. 11m.	j
4	В	in the SE; will round the hor.	
8	В	i throughout and i around the hor.	
8 8	B B	scattered throughout.	
8	6	Övercast.	
8	G.	Overcast; we and we.	
8	G	99	
8	G	Overcast; vi and vi; shower of rain at 4h. 23m. lasted about 10m.	
8	C	Overcast; light shower of rain from 5h. 2m. to 5h. 6m.	
8	C	Overcast; light rain from 5h. 58m. to 6h. 13m.	
8	C	Overcast; rain at 7h. 51m. lasted 8m.	1
8 8	C B	Overcast.	1
8	В	Overcast; drops of rain at 10h. 22m.	
8	В	, , ,	
	186		

	STAN Baron	DARD ERTER.	Тив	MONBT	BRS.	J.	O.P.	AIR.	THERMO	UND MRTERS.	WIND F Osler's G		RAIN.	Riber	FRICAL		
Bombay Civil Time. 1864.	to 89° Fahr.		In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEN-POINT	Pressure Moisture	HUNIDITY OF	Thermoneter linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawsof Volta 1.		Interval of Time in recovering the same degree of tension after dis-
Aug. 9TH-Midnight	in. 29.657	in. 28.778	79:8	77:0	2:8	75.9	in. 0-879	0.88	80:1	82°3	sw b w	10s.	in.		Sc. div.	Sc. div.	m. s.
la.m.	.657	.814	79-5	76.0	3.5	74.6	.843	.86	80.0	82.2	sw	0.8					
2 ,, 3	.651	·791	78.0 78.6	76.0	2.0	75.2 75.7	-860 -873	.92 .91	78.8 78.2	82.1	SWbs	0.6	0.16				
3 ,, 4 ,,	.649 .652	.776	79.0	76.5	2.1 2.0	76.2	•888	.91	78.2	82.0 82.0	SW bW	0.4	0.00				
5 ,,	.666	·780	79.2	77.0	2.2	76.1	-886	.91	79.2	82.0	sw	0.6				1	
6 ,,	.678	.792	79.2	77.0	2.2	76.1	•886 •887	.91	79.2	82.0	swbw	0.6					
7 ,, 8	.694	.807 .826	79.8	77.2	2.6 3.1	76.2 76.3	.891	.89	79.4 79.7	82.0 82.1	,,	0.5					
9 ,,	.719	.885	80.4	76.0	4.4	74.3	.834	.82	80.5	82.1	"	0.4					
10 ,,	.723	·848	82.0	77.5	4.5	75.8	-875	.82	81.5	82.1	,,	0.3		None.	ne.	ne.	je.
11 ,, Noon.	.721	.834	84.2 85.0	78.4 78.0	5.8 7.0	76.2 75.3	-887 -862	.78	82·5 83.1	82.1 82.3	Wsw	0.5		No.	None.	None.	None.
1 p. m.	•696	.827	86.2	78.5	7.7	75.5	-869	.71	83.8	82.4	sw b w	0.6					
2',,	-683	·790	86.0	79.0	7.0	76.4	-893	.74	83.5	82.4	,,	0.6					1
3 ,,	.677	·782 ·759	85.4 83.5	78.9 78.5	6.5	76.5 76.6	-895 -900	.75 .81	83.4	82.5 82.5	,,	0.5	1				
4 ,, 5	.667	.779	82.6	78.5	5.0 4.6	76.2	•900 •888	.81	82.8	82.5	**	0.6					
6 "	.676	.828	81.2	76.6	4.6	74.8	-848	.82	81.9	82.6	"	0.4	1				
7 ,,	•684	.813	80.5	77.0	3.5	75.6	.871	.86	81.3	82.7	sw	0.5					
8 ,, 9	.705	·831 ·833	80.3	77.0	3.3	75.7 75.8	-874 -875	.86	81.2	82.6 82.5	,,	0.4			1		
10 "	.719	·869	78.9	76.0	3.2 2.9	74.8	-850	.88	80.0	82.5	"	0.3	0.07				
11 "	.709	•823	79.2	77.0	2.2	76.1	-886	.90	80.0	82.4	sw"bw	0.7	0.07				
Avo. 10rn-Midnight	.695	.809	79.2	77.0	2.2	76.1	.886	.91	80.0	82.4	swbs	0.4					
la.m. 2	.681 .670	.787	79.6 79.4	77.2	2.4	76-4	.894 .892	.90	80.0 79.8	82.4	swbw	0.6		+	6		1.26
3 ,,	.660	.772	79.4	77.2	2.2 2.0	76.4 76.2	.888	.91	79.8	82.3 82.2	"	0.7		++	10 2		0.56
4 ,,	.660	.772	79.0	77.0	2.0	76.2	-888	.91	79-6	82.1	,,	0.7		+	i))
5 "	.670	.782	79.0	77.0	2.0	76.2	-888	.91	79.6	82.1	,,	0.4	1				"
6 " 7	.680 .697	.794 .815	79.2 80.3	77.0	2.2 3.1	76.1	.886	.91 .87	79.7	82.0 82.0	,,	0.5	1				
8 ,,	.713	.831	80.3	77.2	3.1	76.0 76.0	-882	.87	80.2	82.0	,,	0.3					
9 "	.718	.875	81.3	76.5	4.8	74.6	·843	.81	81.0	82.0	w"bs	0.7			i		
10 ,,	.726	.871	82.0	77.0	5.0	75.0	-855	.80	81.3	82.0	WbN	0.5			†		
11 ,, Noon.	.727 .721	.856 .815	83.4 84.8	77.8	5.6 5.8	75.6	.871	.78 .78	82.1 83.0	82.2 82.3	W b S WSW	0.3				a:	
l p. m.	.701	.810	85.1	78.7	6.4	76.8 76.3	-891	.76	83.2	82.4	Wbs	0.4				None.	
2 ,,	.693	.788	84.2	78.8	5.4	76.8	-905	-80	83.0	82.4	SWbW	0.5				7.	
3 ,,	.678	.829	79.0 81.4	76.0	3-0	74.8	.849 -870	-88	80.1	82.2	WhN	0.6	0.04			1	
4 " 5 "	.674	.797	80.0	77.4	4.0 3.0	75.6 75.8	.877	.84	81.0 80.7	82.2 82.3	Wsw	0.5					1
6 "	.679	.808	80.5	77.0	3.5	75.6	.871	.86	80.7	82.4	sw"b w	0.3					1
7,	.681	.806	80.2	77.0	3.2	75.8	.875	.87	80.7	82.4	,,	10.4	1				1
8 ,, 9 ,,	.688 .702	.812	80.1 79.8	77.0	3.1	75.8	.876 .860	.87	80.7 80.6	82.3	,,	0.3					
9 ,, 10 ,,	.700	.822	79.8	77.0	3.3 2.8	75.2 75.9	-878	.88	80.6	82.3 82.3	,,	0.3				1	}
ii "	.685	.840	79.5	76.0	3.5	74.7	.845	.85	80.2	82.3	,,	0.4					
Avg. Hrn-Midnight	.679	.816	79.5	76.5	3.0	75.3	.863	-88	80.2	82.2	sw b w	0.3					
la.m. 2	.667	.800	79.1	76.5	2.6	75.5	.867 .867	.89	79.5	82.1	wsw	0.4	0.02				1
2 "	.643 .631	.776 .747	79.1 79.4	76-5	2.6 2.4	75.5 76.1	.884	.89 .90	79.5 79.7	82.0 82.0	"	0.6					
4 ,,	.637	.753	79.4	77.0	2.4	76.1 76.1	.884	.90	79.7	82.0	"	0.6			1		
5,	.655	.771	79.4	77.0	2.4	76.1	.884	.90	79.8	82.0	"	0.7		one.	<u>je</u>	نه	فِ
6 ,,	.679	.797	79.5	77.0	2.5	76.0	.882	.90	79.8	82.0	"	0.6		Non	None.	None.	None.
7 ,, 8	.691 .707	.810 .858	80.4 79.0	77.2 76.0	3.2 3.0	76.0 74.8	.881 .849	.87 .88	80-0 79.6	82.0 82.0	w b's	0.5		~	~	Z	1
9 ,,	.719	.889	76.5	74.8	1.7	74.1	.830	.93	78.1	81.7	wsw	0.3	0.01				1
10 ,,	.715	.861	78.5	76.0	2.5	75.0	.854	.90	79.0	81.7		0.2	0.02]			
11 ,,	.710	.834	80.8	77.2	3.6	75.8	.876	.85	80.3	81.7	wős	0.3	<u> </u>	1	1		1

a g			
Amount of Clouds	Observers.	STATE OF THE WEATHER.	REMARKS.
불스	3		_
Ашо		Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) nimbl.	
8	В	Overcast; we moving E.	Mean daily temperature of ground
8	G	Overcast; we moving E; drops of rain from 1h. 43m. to 1h. 50m.	20 and 60 inches below its sur-
8 7	G	Densely overcast; heavy shower of rain commenced at Sh. 6m. and ceased at Sh. 18m., then light rain till Sh. 16m.	face 843 and 845. Daily fall
7	G	Large masses of val scattered throughout moving E.	of rain by Osler's Guage 0.30 in.
8	c	Overcast; wi moving E."	
8	C	••	
8	C	Overcast; vi moving É; drops of rain from 7h. 52m. to 7h. 58m.	
8	C	Overcast.	
8	B	Overcast; drops of rain at 9h. 4m.	
8	В	Overcast; we and we.	1
8	В	" "	
8	G	" "	
8	G	39 39	
8	G	27 27	
8	C)	
8	C	" "	
8	C	, , , , , , , , , , , , , , , , , , , ,	
8 7	C B	Overcast; vi and vi; a few stars and the moon dimly visible.	
8	В	vi scattered throughout the sky; showers of rain at 9h. 14m. and 9h. 30m. vi scattered throughout; a few stars visible through the breaks.	
5	В	scattered all round the hor.	
8	B	Overcast; va moving E.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	G	"	face 84.3 and 84.5. Daily fall
8	G	Overcast; vi moving E; a few stars dimly visible.	of rain by Osler's Gauge 0.03 in.
8	G	n n	
8	C	Overcast.	
8	C	Overcast; drops of rain at 7h. 39m.	
8	C	,, ,, ,,	
8	В	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
8	В	"	
8 8	B	,, n	
8	G	"	
8	G	Overcast; shower of rain at 2h. 30m. lasted about 5m., and passing rain at 2h.46m.	į i
8	G	Overcast; val moving E.	
8	G	Overcast; vai moving E; drops of rain after 4h. 44m.	
8 8	C	Overcast; we in the W and wi all over the sky.	
8	C	overcast; with the walk with all over the sky.	1
8	C	Overcast.	
7	В	u and va scattered throughout.	1
8	B B	Overcast; win the zenith and vi moving E; drops of rain at 10h. 55m.	1
l°	Б	Overcast; a few stars dimly visible about the zenith.	
8	В	Overcast with 🔨 i moving E; some stars visible through the breaks at times; shower of rain at 0h. 40m. lasted 6m.	Mean daily temperature of ground
8	G	"	20 and 60 inches below its sur-
8	G	11	face 84.2 and 84.4. Daily fall
8	G	Overcast with vai moving E; large drops of rain at 3h. 39m.	of rain by Osler's Gauge 0.05 in.
8 8	G C	Overcast with vi moving E; drops of rain between 4h. 13m. and 4h. 16m.	
8	c))	1
8	C	33 27 29	1
8	С	Overcast; slight rain after 8h. 6m.	1
8	В	Overcast; lightly raining.	1
8 8	В	Overcast, Overcast; slight rain from 11h. 8m. to 11h. 20m.	1
101	В	Overcast, sugat ram from 110. om. to 110. 20m.	

			DARD (ETBR.	Тнв	RMOMBT	ERS.	, F	, S	AIR.	THERMO	UND METERS.	WIND FO		RAIN.	ELECT	FRICAL	Instru	•
	Bombay Civil Time. 1864.	Corrected to \$2° Fahr.	Corrected for Moisturé.	In the	WetRulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE	HUNIDITY OP	Thermometer linch in the Ground.	Thermometer 6 Inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Blectrici-	Strawsof	ngs of Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
A == a	llтн-Noon.	in. 29.698	in. 28.772	83:0	79:0	4.0	77:5	in. 0-926	0.84	81:5	81:8	Wbs	lbs. 0.4	in. 0.01		Sc. div.	Sc. div.	
ADG.	l p. m.	.675	.703	84.6	80.5	4.1	79.1	.972	.84	81.7	81.9	sw b W	0.5	0.01	ļ			
	2 ,,	.664	.755	85.3	79.2	6.1	76.9	.909	77	82.8	82.0	,,	0.6			1		
	3 "	.655	.733	83.4	79.0	4.4	77.4 76.5	.922 .895	.83 .84	82.5 81.9	82.0	WSW	0.6					
	4 ,, 5	.650 .659	.755 .797	82.0 81.4	78.0	4.0 4.4	75.3	.862	.82	81.5	82.1 82.2	s w b w	0.4		۱ ۵	نه	ai	
	6 "	.662	.793	80.7	77.0	3.7	75.5	.869	.85	81.2	82.2	"	0.5		None.	Non	None.	None.
	7 ,,	-668	.795	80.4	77.0	3.4	75.7	.873	.86	81.0	82.2	",	0.4		Z	Z	Z	Z
	8 ,,	.679	.804	80.2	77.0 76.5	3.2 3.5	75-8 75-1	.875 -8 5 7	.87 .86	80.7 80.5	82.2 82.2	,,,	0.5					
	9 ,, 10 .,	-690 -694	.833	80.0	76.5	3.5	75.1	-857	.86	80.3	82.2	sw	1.0			ļ	Ì	1
	11 ,,	.688	.835	80.0	76.4	3-6	75.0	.853	.85	80.3	82.2	"	0.7					
\va. 1	2тн-Midnight	.678	-821	80.0	76.5	3.5	75.1	.857	. 86	80.3	82.2	sw	0.8					
	la.m.	.672	.769	79.8	77.6	2.2	76.7	.903	91	80.2	82.1	,,	0.7					
	2 ,,	.667 .649	.754	79.6	77.8	1.8 2.0	77.1 76.2	•913 •888	.92	80.0 79.6	82.0 82.0	,,	0.6	0.01				
	3 ,, 4	.648	.766	78.8	76.8	2.0	76.0	-882	.92	79.2	81.9	"	0.7	0.00				
	5 ,,	.650	.762	79.0	77.0	2.0	76.2	.888	.91	79.2	81.9	"	0.8]				
	6 "	.666	.782	79.4	77.0	2.4	76.1	-884	.90	79.3	81.8	SW b W	0.9				İ	
	7 ,, 8 ,,	.679 .695	.785 .791	79.9 81.2	77.4	2.5 3.2	76.4 76.8	.894	.90 .87	79.8 80.8	81.8	,,	0.7	0.11				1
	9 ,,	.700	.805	82.7	78.2	4.5	76.5	-895	.82	81.7	81.9	"	0.8					
	10 ,,	.702	.838	80.4	76.8	3.6	75.4	-864	∙85	80.5	81.9	wsw	0.8	0.01	١.	ا م	, ai	
	11 "	.702	.821	81.5	77.5	4.0	76.0	-881	.84	81.0	81.9	,,	0.5		one.	None.	None.	None.
	Noon.	.692 .684	.835 .812	81.1	76.8	4 .3 4 .8	75.1 75.6	-857 -872	.83 .83	80.9 81.8	81.9 82.0	,,	1.0		Z	Z	Z	Ž
	1 p. m. 2 ,,	.666	.797	80.7	77.0	3.7	75.5	-869	.85	81.1	81.9	sw bw	0.5	0.03			1	
	3 ,,	.650	.752	83.6	78.5	5.1	76.6	-898	.80	82.0	82.0	,,	0.6					
	4 ,,	.642	.744	83.6 82.4	78.5	5-1 4.2	76.6 76.6	.898 .899	.80 .83	82.0 82.0	82.0	,,	0.4					İ
	5 ,, 6 .,	.651 .658	.752 .804	78.5	78.2 76.0	2.5	75.0	·854	.90	80.3	82.1 82.1	"	0.6	0.04				
	7 ,,	.667	.801	79.2	76.5	2.7	75.4	-866	-89	80.3	82.2	"	0.8	0.04				
	8 "	.683	.834	79.0	76.0	3.0	74.8	-849	-88	80.0	82-1	sw	0.5					
	9 ,,	.697 .688	.831 .841	79·2 79.2	76.5 76.0	2.7 3.2	75.4 74.7	-866 -847	.89 .87	80.0 80.0	82.0 82.0	sw"bw	0.7					
	10 ,,	.678	-818	78.0	76.0	2.0	75.2	860	.92	79.5	81.9	sw	0.6					
\vg. 13	Зтн-Midnight	.669	.789	78.7	76.7	2.0	75.9	.880	.92	79.6	81.8	sw	0.7					
	la.m.	.644	.771	78. 6	76.5	2.1	75.7	.873	.91	79.1	81.7	swbw	0.6	0.23	1			1
	2 ,,	.637	.777	78.0	76.0 76.0	2.0	75.2 75.4	.860 .865	.92	78.2 78.0	81.7	W	0.8	1				1
	3 ,, 4	.633 .641	.768 .766	77.5	76.0	1.5 1.4	75.4 75.8	.875	.94 .94	78.0	81·7 81·6	W b N WSW	1.0	0.15				
	5 ,,	.650	.771	78.0	76.5	1.5	75.9	.879	.94	78.0	81.6	"	1.0	0.01				
	6 ,,	-666	.783	77.7	76.5	1.2	76.0	-883 946	.95	78.0	81.6	,,	0.4			l		
	7 ,, 8 .,	.682 .698	.836 .843	77.5 79.2	75.5 76.2	2.0 3.0	74.7 75.0	.846 .855	.92 .88	78.0 79.2	81.6 81.5	"	1.2	1		1		
	9 ,,	.704	.854	79.3	76.0	3.3	74.6	.846	.86	79.6	81.5	sw"bw	0.8			1		
	10 ,,	.714	.854	78.0	76.0	2.0	75.2	-860	.92	78.6	81.5	WNW	1.2	0.05				
	11 ,,	.706	.841	77.9	76.1	1.8	75.4	•865 •870	.92	78.5	81.4	W	0.5	0.03	one.	one.	ne.	ne.
	Noon. lp.m.	.699 .678	.829 ·803	77.1	76.0 76.3	1.1 1.4	75.6 75.8	-870 -875	.95 .94	78.0 78.4	81.3 81.2	WbN sw	0.2	0.23	No	No	None.	None.
	2 ,,	.668	.826	76.8	75.2	1.6	74.6	-842	.93	77.2	81.0	Wbs	0.3	0.00				
	3 "	.651	.809	76.8	75.2	1.6	74.6	.842	.93	77.2	81.0	••	0.6	0.10			1	
	4 ,,	.651	.798	77.2	75.6	1.6	75.0	·853	.93	78.2	81.0	WsW	0.3		}	1	1	
	5 ,, 6	.657 .668	.824	76.9 76.1	75.0 75.0	1.9 1.1	74.2 74.6	-833 -842	.92 .95	78.0 77.2	81.0 81.0	"	0.6	0.01		1	1	
	7 ,	.687	.867	75.0	74.1	0.9	73.7	-820	.96	76.3	80.9	sw"bw	0.8	0.02		1		
	7.7	.689	.859	75.5	74.5	1.0	74.1	.830	.96	76.8	80.7	swbs	0.6	0.03	}			
	8,,									^ 1								
	9 ,, 10 ,,	.702 .701	.860 .858	76.1 76.7	75.0 75.2	1.1 1.5	74.6 74.3	.842 .843	.95 .94	77.2 77.7	80.6 8 0.6	"	0.5	0.06			1	1

Amount of Clouds 0-8.			
15		STATE OF THE WEATHER.	
0 0	Observers.	5.2.2 02 1.12 0 2.1.12 0	Remarks.
40	pse		HERARAS.
l g	ō	Your Tanasadin they Champion the Surphit and to denote the slands are higher than surphit	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli; \(\) cirro-strati; \(\) cirro-strati; and \(\) i nimbi.	
8	В	Overcast; a break in SE of zenith.	
8	G	Overcast.	
. 8	G	"	
8	G	"	
8	G	n	
8	c	"	
8	C	37	
8	C	Overcast; a few stars dimly visible in the NE.	'
8	C	Overcast; a few stars dimly visible in the NE; drops of rain at 8h. 14m.	
8	В	Overcast; vi and vi; a few stars visible here and there.	
8	В	•))	
8	В	" " "	
		"	
			36 33 4
8	В	Overcast with val moving E.	Mean daily temperature of ground
8	G	Overcast with var moving E; light rain with squally wind at 1h. 39m.	20 and 60 inches below its sur-
8	G	Overcast; a squall of rain and wind at 2h. 58m.	face 84.1 and 84.3. Daily fall
8	G	Overcast; rain continued till 3h. 4m.	of rain by Osler's Gauge 0.16 in.
8	G	"	
8	C	"	
8	C	Overcast; light rain with breezes of wind commenced at 6h. 12m. and continued for about 6m.	
8	C	Overcast; ni and ni.	
8	C	Overcast.	
8	В	Overcast; \sim moving rapidly to E; passing rain at 9h. 38m.	
8	В	Overcast; drops of rain.	
8	В	Overcast; light rain.	
8	В	Overcast; breaks in W; a few drops of rain at 0h. 34m.	
8	G	Overcast; light rain with gusts of wind at 1h. 7m. continued for about 5m.	
8	G	Overcast; At moving rapidly E.	
8	G	Overcast; wand wi.	
8	G	Overcast; vi, vi and vi.	
8	C	Overcast; \(\sqrt{i} \) in N of zenith and \(\sqrt{i} \) throughout; shower of rain at 5h. 40m. lasted 9m. then drops of rain.	
8	C	Overcast; fresh breezes from W.	
	C	Overcust; gusts of wind blowing from W; the moon and a few stars dimly visible.	
8 7	C	Overcast; gusts of wind from W. Scattered throughout moving E; fresh breezes from W; drops of rain at 9h. 30m.	•
8	В	Overcast; a few stars dimly visible.	
8	B B	Overcast; drops of rain at the time of observation.	
	.	Overcast, drops or rain at the time of observations	
8	В	Overcast; val moving rapidly E; squally wind and rain from 0h. 8m. to 0h. 26m.	Mean daily temperature of ground
8	G	Overcast; gusts of wind blowing; drops of rain at the time of observation.	20 and 60 inches below its sur-
8	G	Overcast; gusts of wind blowing; heavy shower of rain at 2h. 50m. lasted 9m.	face 84.0 and 84.2. Daily fall
8	G	$\binom{n}{2}$	of rain by Osler's Gauge 1.14 in.
8	G	Overcast; gusts of wind blowing; slight rain after 4h. 47m.	Temperature of air at 7 P. M. was
8	C	Overcast; gusty wind from W and WSW; slight rain from 5h. 28m. to 5h. 37m.	75.0, lowest in the month and
8	C	Overcast; gusty wind from W and WSW; slight rain.	about 5:3 lower than the normal
8	С	Overcast; fresh breezes of wind blowing from W and WSW.	mean.
8	С	Overcast; gusts of wind and light rain at times.	
8	В	Overcast; gusts of wind and drizzling rain.	
8	В	Overcast; light rain with gusts of wind at times.	·
8	В	Overcast; showers of rain frequently.	
8	В	Overcast; raining lightly.	
8	G	Overcast; squalls of rain and wind.	
8	G	Overcast; lightly raining.	
8	G	"	
8	G	"	
8	В)	
8	В	" "	
8 8	В	" "	
8	B B	Overcast; drops of rain at 9h. 40m.	
8	В	Overcast; drops of rain at 10h. 3m.	
8	B	Overcast; passing shower of rain at full hour lasted about 2m.	
0	D	, passing shower or rain at tuil nour lasted about 2m.	l .

	STAN: BARON	DARD (ETER.	Тнв	RNOMBI	rrs.		By.	AIR,	GROU THERMO		WIND PROBLER'S G.		RAIN.	ELRC	rrical	INSTRU	JMENTS.
Bombay Civil Time. 1864.	Corrected to \$2° Pahr .	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- ninn's Gauge.	Sign of Electrici- ty + or—	Straws of Volta 1.	Straws of Volta?.	reco same tensi
A 15 . 35:1 : 1	in.	in. 28.873	000	2500	1:5	74:4	in. 0.837	0.94	77:8	808	wbs	lbs. 0.3	in. 0.11		Sc. div.	Sc. div.	m. s.
l ug. l отн-Midnight l a. m.	.703	.850	76.5	75°0 75.6	1.6	74.4 75.0	·853	.93	78.0	80.8	,,	3.5	0.01				
2 ,,	.694	.811	77.7	76.5	1.2	76.0	.883	.95	78.0	80.7	"	0.4					
3 ,,	.687	.822	77.5	76.0	1.5	75.4	.865	.94	77.9	80.7	,,	0.6	0.07		Ì		
4 "	.687	.822	77.5	76.0	1.5 1.5	75.4 75.4	.865 .865	.94 .94	77.6	80.7	sw b w	0.5	0.01			!	
5 ,, 6	.696	.834 .855	77.5	760 75.4	1.1	75.0	-853	.95	77.4	80.6	wsw	0.2	0.01				
7 "	.732	.861	77.0	76.0	1.0	75.6	.871	.96	77-8	80.6	swbw	0.2	0.06				
8 ,,	.760	.900	79.4	76.4	3.0	76.3	-860	.88	79.1	80.6	wsw	0.4	0.02				
9 ,,	.776	-907	79.3	76.6	2.7	75.5	.869	.89	79-1	80.6	swbw	0.3					
10 ,,	.780	.891	80.8 82.2	77.5	3.3 3.8	76·3 76·9	.889	.87	80.0 81-0	80.7 80.9	"	0.3		69	نِه		je.
ll " Noon.	.774	.852	83.8	79.1	4.7	77.4	.921	.82	82.0	81.0	wsw	0.3		None.	None.	None.	None.
l p. m.	.752	.883	81-5	77.2	4.3	75.5	.869	.83	81.1	81.0	wbs	0.2	0.01	2	-		
2 ,,	.738	.812	83.0	79.0	4.0	77.5	•926	84	82.0	81.1	"	0.3	0.01				
3 "	.728	.831	81.8	78.0	3.8	76.5 76.8	•897 •906	.85	81.6	81.1	W	0.4				1	
4 ,,	.720 .724	.814	81.0 79.2	78.0 76.2	3.0	75.0	.855	.88	80.1	81.1	wsw	0.3	0.01				1
5 ,, 6	.739	.888	78.8	76.0	2.8	74.9	.851	.88	79.7	81.2	,,	0.3					
7 ,,	.742	.927	78.5	75.0	3.5	73.5	.815	.86	79.0	81.2	"	0.3					
8 ,,	.762	.910	78.7	76.0	2.7	74.9	.852	.89	79.0	81.2	cw b w	0.4					1
9 ,,	.776	.938	78.2	75.5	2.7	74.4 75.2	.838	.89	79.0	81.2 81.2	sw b w	0.6					
10 ,,	.784	.925	78.1 78.4	76·0 75.2	2.1 3.2	73.9	.825	.91	79.0	81.2	"	0.8				İ	
11 "	.//6	1,930	/0.4	10.2	2.0			.07			,,						
ug. 16тн-Midnigh	t .771	.939	77.0 76.4	75.0	2.0	74.2 74.1	•832 •829	.91 .94	78.0 77.6	81.1	sw b w	0.7 0.6	0.07				
la.m.	.749	.927	75.8	75.0 75.0	0.8	74.7	-845	.97	77.0	81.0	"	0.5	0.02				Ì
3 ,,	.740	.897	76.0	75.0	1.0	74.6	.843	.96	77.6	80.9	,,	1.0					1
4 ,,	.743	.897	77.5	75.5	2.0	74.7	•846	.92	78.0	80.9	,,	0.7		}	1		
5 ,,	.748	.905	77.8	75.5	2.3	74.6 74.8	-843 -850	.90	78.0	80.9	"	0.8				1	i
6 " 7	.762	.912	78.2 78.6	75.8 76-0	2.4 2.6	75.0	.853	.89	78.3 79.0	80.9 80.8	sw	0.6					
9	.790	.943	79.2	76.0	3.2	74.8	-847	.87	79.2	80.8	swbw	0.6					1
9 ,,	.801	.968	76.9	75.0	1.9	74.2	.833	.92	77.7	80.7	W	0.5	0.16			1.	!
10 ,,	.810	.967	76.0	75.0	1.0	74.6	.843	.96	77.0	80.6	SW	0.4	0.30		None.	None.	None.
11 ,,	.805	.932	78.6	76.5 77.4	2.1 2.2	75.7 76.6	.873	.91 .91	78.5 79.1	80.5 80.5	SW b S SW b W	0.6	0.09	Ž	Z	ž	ĬŽ
Noon. 1 p. m.	.775	.920	79.6 80.6	76.6	4.0	75.0	.855	.84	80.0	80.6	,,	0.6					
2 ,,	.760	.905	79.2	76.2	3.0	75.0	-855	-88	79.3	80.8	,,	0.5					
- " 3 ",	.743	.893	78.9	76.0	2.9	74.8	•850	.88	79.0	80.8	,,	0.4					1
4 "	.735	.900	78.5	75.5	3.0	74.3 74.3	-835 -835	.88 .88	78.7	80.8 80.7	wsw	0.5		l _i			
5 ,,	.751	.902	78.5	75.5 76.5	3.0	76.0	+883	.95	78.5 78.1	80.7	sw"bw	0.3	0.05				4
6 ,, 7	.755	.858	78.2	77.0	1.2	76.5	.897	.95	78.0	80.8	١ ,,	0.6					1
8 ,,	.773	.874	78.0	77.0	1.0	76.6	-899	-96	78.0	80.8	sw	0.5				!	f
9,	.781	.916	77.5	l l	1.5	75.4	-865	.94	77.7	80.8	••	0.6	0.09	'		1	
10 ,,	.787 .785	.922	77.5	76.0 76.0	1.5	75.4 75.6	.871	.94 .96	77.6	80.7 80.7	"	0.6					1
11 ",	.700	.314	77.0	70.0	. 1.0	10.0		.50	//.1	30.7	,,						1
Aug. 18th-Midnigh	.779	.903	78.3	76.5	1.8	75.8 75-2	.876 .860	.92	78.8 77.7	80.6 80.6	sw b w	0.4 0.3		2			; ;
la.m.	.765 .756	.905	78.0 78.2	76.0 77.0	1.2	75.2	-897	.93	78.1	80.6	sw b w	0.3	"				i
2 ,, 3 .,	.756	.890	78.6	76.5	2.7	75.4	-866	.91	78.7	80.6	,,	0.4					8
4 ,,	.756	.928	78.2	75.5	2.7	74.4	.838	.89	78.1	80.6	,,	0.5	0.01	ne.	Nome.	None.	None.
5 ,,	.774	-879	78.4	77.0	1.4	76.5	.895	.94	78.6	80.6	,, G VAT	0.4	1	None.	l %	N _o	Z
6 "	.792	.899	78.5	77.0	1.5	76.4	•893 •800	.94	78.8	80.6 80.6	SW SWbW	0.3		- 1			İ
7 ,, 8	.810	.920 .942	78.8 79.6	77.0	1.8 2.5	76.3 76.1	·890 •885	.92 .90	79-1 79.7	80.7	SWbS	0.3					
0 "	.833	.942	81.2	78.0	3.2	76.8	.904	.87	80.4	80.7	,,	0.3					1
10 ,,	.838	.918	82.8	78.8	4.0	77.3	.920	.84	81.0	80.9	"	0.3					
11 .,	.834	.906	83.9	79.3	4.6	77.6	.928	.82	82.0	81.1	,,	0.2	1	ı	l		J

Amount of Clouds.	Observers,	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumuli; \(\sigma\) i cumuli; \(\sigma\) cirro-cumuli;	Remarks.
8 8 8 8 8 8 8 8	B G G C C C	Overcast; light rain from 0h. 42m. to 0h. 50m. Overcast. Overcast; light rain commenced at 2h. 29m. and ceased at 2h. 44m. Overcast; drops of rain at 3h. 31m. and 3h. 46m. Overcast; a few stars dimly visible in the W; light rain at 4h. 57m. lasted 3m. Overcast; light rain. Overcast; showers of rain now and then. Overcast; light rain. Overcast; no rain.	Mean daily temperature of ground 20 and 60 inches below its surface 83'9 and 84'1. Daily fall of rain by Osler's Gauge 0'25 in.
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	B B B G G G C C C C B B B	Overcast; drops of rain fell frequently. Overcast; no rain. Overcast; raining lightly from 2h. 33m. to 2h. 40m.	Mean daily temperature of ground
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	G G G C C C C G G G G G	Overcast; Val moving E; drops of rain which were falling from last hour continued till 1h. 17m., passing rain at 1h. 37m. Overcast; Val moving E; drops of rain at 2h. 53m. Overcast; Val moving E; drops of rain. Overcast; fresh breezes of wind from W. Overcast; light showers of rain frequently. Overcast; light rain. Overcast; shower of rain at 10h. 34m. lasted about 10m. Overcast; Overcast; drops of rain at 4h. 6m. Overcast; shower of rain at 5h. 24m. lasted about 10m.	20 and 60 inches below its surface 83:8 and 84:2. Daily fall of rain by Osler's Gauge 0.71 in.
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 7 5 4	G G G G C C C B B B	Overcast; light rain from 8h. 26m. to 8h. 40m. Overcast; halo round the moon was observed at 9h. 41m. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 83.6 and 84.1. Daily fall of rain by Osler's Gauge 0.38 in.

			DARD METER.	THE	MOMET	BRS.	. H	ю. К.	AIR.		OUND OMETERS.	WIND P Osler's G		RAIN.	Errc	TRICAL	Instru	m en Ts.
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.		DEDUCED DEW-POINT.	PRESURE MOISTURE	HUNIDITY OF	Thermometer lineh In the Ground.	Thermometer 0 luches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- man's Gauge.	Bign of Blectrici- ty + or —		Strawsof Volta 2.	Interval of Time in recorvering the same degree of tension after dis- charge.
Aug.	18тн-Noon.	in. 29.829	5n. 28.887	85:4	80:0	5:4	78:1	in. 0.942	0.79	83:1	81°2		lbs. 0.2	in.		Sc. div.	Sc. div.	m. s.
	1 p. m.	.813	.880	84.3	79.5	4.8	77.8	.933	.81	82.2	81.3	sw	0.3					
	2',,	.792	.862	85.0	79.6	5.4	77.7	.930	.83	83.0	81.4	sw b w	0.2	ļ				
	3 ,,	.790	.884	84.8	79.0	5.8	76-8	.906	.78	83.0	81.4	,,	0.2	İ				
	4 ,, 5	.785	.886	83.5 82.5	78.5 78.2	5.0 4.3	76-6 76.6	.899	.81 .83	82.8 82.0	81.5	"	0.2		None.	None.	one.	one.
	6 ,,	.791	.977	77.5	75.0	2.5	74.0	.898 .826	.89	80.0	81.4	wbs	0.3	0.22	Ž	ž	ž	ž
	7 ,,	.809	.969	76.3	75.0	1.3	74.5	.840	.94	78.5	81.4	wsw	0.2	0.08				
	8 ,,	.810	.939	77.0	76.0	1.0	75.6	.871	.96	78.5	81.3	,,	0.1		1	1	1	
	9 ,,	.829	.980	77.2	75.5	1.7	74.8	-849	.93	78.3	81.3	,,	0.2	0.04		l		
	10 ,,	.828 .820	.981 .962	77.4 78.2	75.5 76.0	1.9 2.2	74.7 75.1	.8 4 7 .858	.92 .91	78.3 78.9	81.3	· ',	0.1					
ιυ σ. l	9тн-Midnight		.930	78.6	76.6	2.0	75.8	.877	.92	79.2	81.3	sw b w	0.5					
	1 a. m.	.800	.941	78.1	76.0	2.1	75.2	.859	.91	78.9	81.2	sw"bs	0.4					
	- <i>"</i>	.782 .774	.907 .914	77.7 78.0	76.3 76.0	1.4 2.0	75.8 75.2	.875 .860	.94 .92	78.5 78.8	81.1	_	0.3	0.03				
	4 ,,	.772	.912	78.0	76.0	2.0	75.2 75.2	.860	.92	78.6	80.9	"	0.2	1				
	5 ,,	.786	-899	78.3	76.8	1.5	76.2	.887	.94	78.8	80-9	sw	0.1					
	6 ,,	.798	.912	77.8	76.6	1.2	76.1	•886	.95	78.8	80.9	swbw	0.1					
	7 ,, 8 .,	.820	.940 .927	78·7 81.0	76.7 78.0	2.0	75.9 76.8	.880	.92 .88	79.0	80.9	"	0.2					
	9 ,,	.846	.929	82.3	78.6	3.0 3.7	77.2	.906 .917	.85	81.0	81.1	"	0.2					
	10 ,,	.848	.930	83.7	79.0	4.7	77.3	.918	.82	82.0	81.1	,,	0.4					
	11 ,,	.839	.906	84.7	79.6	5.1	77.8	.933	.80	82.7	81.3	,,	0.5		je	one.	one.	je
	Noon.	.827	-889	85·0 85.3	79.8	5.2	77.9	.938	-80	83.0	81.4	,,	0.3		None.	No	No	None.
	1 p. m.	.812 .799	.903 .859	85.5	79.2 80.0	6.1 5.5	76.9 78.0	.909 .940	.77 .79	83.4 83.5	81.5 81.6	"	0.2					_
	3 ,,	.788	.853	86.4	80.1	6.3	77.8	.935	.76	84.0	81.7	, ,,	0.3				1	
	4 ,,	.785	.881	85.0	79.0	6.0	76.8	•904	.77	83.1	81.7	,,	0.2					
	5 ,, 6	.793	.899	82.5	78.1	4.4	76.4	.894	.83	82.1	81.8	,,	0.2	1				
	7 "	.797 .800	.931 .962	81.0 80.0	77.0 76.0	4.0	75.4 74.4	•866 •838	.84 .84	81.6 81.2	81.9	"	0.1					
•	8 ,,	.817	.977	79.8	76.0	4.0 3.8	74.5	.840	.85	80.5	82.0	"	0.1					
	9 ,,	.817	.977	79.8	76.0	3.8	74.5	-840	.85	80.4	81.8	"	0.1					
	10 ,,	.830	.951	79.8	77.0	2.8	75.9	-879	.88	80.3	81.8	"	0.1	ļ		ļ	1 1	!
	11 "	.824	.952	79.7	76.8	2.9	<i>75</i> .6	.872	.88	80.1	81.7	,,	0.2					
vg. 2	0тн-Midnight la.m.	.81 4	.932 .948	79.5 79.4	77.0 76.4	2.5 3.0	76.0 75.2	.882 •860	.90 .88	80.0 80.0	81.7	wsw wsw	0.4					
	2 ,,	.789	.931	79.2	76.3	2.9	75.1	.858	.88	79.8	81.4	sw b w	0.5		•	1		
	3 ,,	.781	.899	78.S	76.8	2.0	76.0	-882	.92	79.4	81.4	,,	0.3		İ	1		
	4 ,, 5 .,	.779 .787	.914 .920	78.6 78.4	76.3 76.3	2.3 2.1	75.4 75.5	.865 .867	.91 .91	79.0 79.0	81.4 81.4	,,	0.1			1		
	6 ,,	.801	.936	78.6	76.3	2.1 2.3	75.4	-865	.91 .91	79.1	81.4	,,	0.1					
	7 ,,	.817	.930	79.8	77.2	2.6	76.2	-887	.89	80.0	81.3	"	0.1			1		
	8 ,,	.838	.938	81.5	78.0	3.5	76.6	•900	.86	80.7	81.4	,,	0.1			}		
	9 " 10 "	.839 .843	.929	80.6 81.9	78.0 78.2	2.6	77.0	.910	.89	80.7	81.4	,,	0.2	0.05		}		
	11 ,,	.840	.884	85.3	80.3	3.7 5.0	76.8 78.5	•904 •956	.85 .81	81.3 83.0	81.5 81.6	wsw	0.2	}		.:	aĭ	ல்
	Noon.	.820	·914	84.8	79.0	5.8	76.8	.906	.78	83.0	81.7	"	0.3		None.	None.	one	None.
	l p. m.	.804	.900	85-0	79.0	6.0	76.8	-904	.77	83.8	81.8	"	0.2		Z	Z	Z	Z
	2 ,,	.790 .782	.865	85.8	79.7	6.1	77.5	.925	.77	83.9	81.8	,,	0.3		1			
	3 ,, 4 .,	.768	.915 .906	85.7 85.0	78.3 78.0	7.4 7.0	75.5 75.3	•867 •862	.73 .74	83.9 83.1	81.9 82.0	"	0.3					
	5 ,,	.772	.925	82.7	77.0	5.7	74.7	-847	.78	82.2	81.9	,,	0.2					
	6 ,,	.781	.954	81.0	76.0	5.0	74.0	-827	.80	81.1	81.8	wős	0.5	1				
	7 ,,	.786	.962	79.5	75.5	4.0	73.9	-824	.84	80.1	81.8	,,	0.4					
	8 ,,	.798 .810	29.029	79-3	740	5.3	71.7	•769	.79	80.0	81.8	"	0.2		1	1	1	•
	·9 ,, 10 ,,	.826	.018	79.5 79.5	74.6 75.0	4.9 4.5	72.7 73.1	.792 .804	.80 .82	80.0	81.8	"	0.1	1				
	11 ".	,818	.022	79.5	74.6	4.9	73.1	.792	.80	80.0		"	0.1	1	1	1	1	l

Amount of Clouds 0-8.	å		
ەر 9.	Observers.	STATE OF THE WEATHER.	Remarks.
i o)bed		REMARES.
Ато		Norg.—In recording these Observations, the Symbols used to denote the clouds are : \(\)i cirri; \(\)i cirro-cumuli; \(\)i cumulo-strati; \(\)i cumulo-strati; and \(\)i nimbi.	
8	В	Overcast; a break in E.	
8	G	Overcast; wi and wi.	
8	G	" "	
8	G	"	
8	G	o "	
8	C	Overcast; shower of rain at 5h. 30m. lasted 5m., then lightly raining.	
8	C	Overcast; lightly raining.	
8	C C	Overcast; rain continued till 7h. 16m. Overcast; light rain from 8h. 11m. to 8h. 19m.	
8	В		
5	В	v and vi scattered throughout.	
6	В	"	•
1 1			
	_		Mann daile tama and turn of
5	В	scattered about the sky passing from W to E.	Mean daily temperature of ground 20 and 60 inches below its sur-
7	G	Val scattered about the sky passing from W to E; shower of rain at 1h. 15m. lasted about 5m. Val scattered throughout.	face 83.5 and 84.0. Daily fall
8	G	· · · · · · · · · · · · · · · · · · ·	of rain by Osler's Gauge 0.05 in.
6	G	" "	
8	C	Overcast; va and va; slight rain between 5h. 32m. and 5h. 36m.	
6	С	v. wi and wi scattered about.	
7	C		!
8	C	Overcast; vi in and about the zenith and vi passing rapidly eastward.	
5 5	B B	scattered about the sky moving E.	
6	В	" " "	
8	В	Overcast; we and wi.	
8	G	"	•
8	G	22	·
7	G	and n scattered throughout; large masses of n passing from W to E; haze in E.	
8 8	G C	Overcast; wi and wi; haze.	
8	C	" " "	
8	C	Overcast.	·
8	C	Overcast; a few stars dimly visible.	
8	В	Overcast; val and val.	
8	В	" "	
8	В	. ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
8	В	Overcast; detached va above and L va below, both moving E.	Mean daily temperature of ground
8	N	Overcast; detached we moving slowly to E and L. we moving NE.	20 and 60 inches below its sur-
8	N	Clouded as above, except a few stars and the moon visible through the breaks.	face 83°5 and 84°0. Daily fall
8	N	Overcast with vi and vi; vi passing rapidly to NE.	of rain by Osler's Gauge 0.03 in.
8	N	Overcast; mi and mi.	Temperature of calculated dew-
8	C	27 77	point at 8 P. M. was 71:7, lowest
6	C	and vi scattered around the hor. and vi moving NE.	in the month and about 4.8 lower than the normal mean.
5	C	8h. 48m. No and No scattered about the sky; at about 8h. 20m. the sky was overcast and it begain to rain at 6h. 38m. and continued till	cuan the normal mean.
8	В	Overcast with van moving E.	
7	В	scattered throughout.	
8	В	Overcast; wi and wi.	·
8	В	" "	
8 7	G	" and " scattered throughout.	
8	G	Overcast; in NW and vi throughout.	
6	G	in the NW and vi around the hor.	
8	В	Overcast; wi and wi.	
8	В	" "	
8	В	"	
8	B B	" "	
8	В	, , , , , , , , , , , , , , , , , , ,	
8	В)	
		·	

	STAN BARON	DARD IBTBR.	Тнви	MOMBI	ERS.	اً ب	B.	A1R.		METERS.	Wind P Osler's G		RAIN.	Erec	TRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 32º Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.		DEDUCED DEW-POINT.	PRESSURE O MOISTURE	HUMIDITY OF	Thermometer Hach in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tenalon after dis- charge.
oo Midainh	in.	in.	=040	760	000	5.450	in.	0.00	79*9	81:2	W.L.C	lbs.	in.		Sc. div.	Sc. div.	m. s.
.ug. 22ND-Midnigh la.m.	.798	28.967 .949	79.0 79.0	76.0	3.0	74:8 74.8	0.849	0.88	79.9	81.6	Wbs	0.2					
2 ,,	.782	.900	78.8	76.8	2.0	76-0	.882	.92	79.4	81.6	"	0.1	ļ	ļ	İ		
3 ,,	.779	.894	78.5	76.8	1.7	76.1	.885	-95	79.0	81.5	,,	0.1		ļ			
4 "	.775	.890	78.5	76.8	1.7	76.1	-885	.95	79.0	81.5	,,	0.2		İ			
5 ,, 6	.785	.919	78.2 77.6	76.2 76.0	2.0	75.4 75.4	.866	.92	79.0 79.0	81.5 81.4	,,	0.1		1			
7 "	.817	.931	79.5	77.0	2.5	76.0	.882	.90	79.6	81.4	"	0.1		}			
8 ,,	-838	.970	80.8	77.0	3.8	75.5	.868	.85	80.7	81.5	"	0.1		ł			
9 ,,	.846	.992	82.8	77.2	5.6	75.0	.854	.78	81.6	81.5	,,	0.2	je.	ě	je j	e e	je.
10 "	.854	.977	83.6	78.0	5.6	75.8	.877	.78	82.0	81.6	,,	0.1	None.	None.	None.	None.	None.
11 ", Noon.	.851	.978 .952	84.7 85.6	78.2 78.8	6.5	75.7 76.0	.873	.75 .75	82.8 83.1	81.7 81.8	"	0.1				-	-
1 p. m.	-818	.925	86.0	79.0	7.0	76.4	.893	.74	83.5	81.9	w"	0.1					
2 ,,	.795	.893	86.3	79.3	7.0	76.7	.902	.74	84.0	82.0	,,	0.1				1 .	
3 ,,	.772	.867	86.9	79.5	7.4	76.8	.905	.73	84.4	82.1	,,	0.2	ļ		Ì		
4 "	.758	.837	86.5	79.8	6.7	77.4	.921	.75	84.0	82.2 82.2	,,	0.1	l	1		l i	
5 ,, 6	.771	.920	86.0 83.0	78.0 76.7	8.0 6.3	74.9	.851 .833	.70 .76	83.0	82.3	,,,	0.2	l	ļ			
7 "	.791	.950	81.5	76.5		74.5	.841	.80	82.4	82.4	"	0.1					
8 ,,	.805	.963	81.0	76.4	4.6	74.6	.842	.82	82.0	82.3	,,	0.1	1				
9 "	.820	.981	79.9	76.0		74.4	.839	.84	80.5	82.2	,,	0.0					
10 "	.831	.985	79.3 78.6	76.0	1	74.7	.846	.86	80.3	82.2 82.0	,,	0.0	1				
11 "	.022	.965	76.0	70.0	2.0	75.1	.007	.56	00.0	02.0	"	0.0					
lug. 23RD-Midnigh		.985	78.0	75.0	1	73.8	.821	.87	79.5	82.0	WbN	0.0					
1 a.m. 2	.792 .785	.927	77.9 77.9	76.1 76.1		75.4	-865	.92	79.1 79.0	81.9	"	0.1					
3 ,,	.779	.914		76.1	1.8	75.4 75.4	.865 .865	.92	78.8	81.8	,,	0.0	İ			{	
4 ,,	.785	.886	78.0	77.0		76.6	-899	.96	79.0	81.7	,,	0.0		Į		1	
5,	.789	.910	78.0	76.5	1.5	75.9	.879	.94	79.0	81.6	,,	0.1					
. 6 "	.807	.936		76.3		75.6	-871	.93	79.0	81.5	"	0.1	0.40			1	
8	.828	.965	77.7	76.0		75.3 76.9	.863	.93	78.8 79.7	81.4	sw bw	0.3	0.42 0.22		ļ	1	
9 ,,	.834	.937	81.8	78.0		76.5	-897	.85	80.0	81.6	NWbN	0.1	0.22			ł	
10 ,,	.836	.941	82.0	78.0		76.5	-895	.84	81.0	81.6	,,	0.1	ł	je j	e e	يو	ě.
11 ,,	.831	.948	83.1	78.0		76.0	-883	.80	81.6	81.7	,,	0.1		None.	None.	None.	None.
Noon.	.819	.946		78.0		75.7	-873	.76	82.5	81.9	nw	0.2	Ì				
1 p. m. 2	.786 .755	.943	84.9 85.8	77.0		74.6 75.2	.823	.72	82.8 83.4	82.0 82.0		0.2				l	
3 ,,	.739	.888	86.0	78.0		74.9	.851	.70	83.4	82.0	,,,	0.3				ł	
4 ,,	.732	.881	86.0	78.0	8.0	74.9	.851	.70	83.4	82.1	,,	0.2			İ	1	
5 ,,	.750	.894	85.5	78.0	7.5	75.1	.856	.72	83.4	82.2	NW b W	0.2	1				
6 ,,	.762	.918	83.0	77.0	6.0 4.6	74.6 75.2	.844	.77	82.4 82.0	82.3 82.3	,,	0.2				1	
8	.790	.941	81.1	76.6	4.5	74.8	.849	.82	81.5	82.2	"	0.3				1]
9 ,,	.809	.941	80.8	77.0	3.8	75.5	.868	.85	81.3	82.2	,,	0.2	1		1		
10 "	.819	.944	80.2	77.0	3.2	75.8	.875	.87	81.0	82.3	"	0.1			1		1
11 "	.807	.970	80.1	76.0	4.1	74.4	.837	.83	80.9	82.2	,,	0.3					
lug. 24тн-Midnigh		.955	79.8	76.0	3.8	74.5	.840	.86	80.5	82.0	NW b W	0.0					
l a. m.	.783	.920	79.5	76.5	3.0	75.3	-863	.88	80.0	82.0	,,	0.0				1	1
2 ,, 3	.776	.927	79.0	76.0 76.0	3.0	74.8	.849	.88	79.7 80.0	81.9	,,	0.1					1
, ,,,	.774	.925	79.2	76.0	3.2	74.7	.847	.87	79.7	81.8	,,	0.2		.			
· · · · · · · · · · · · · · · · · · ·	.776	.929	79.2	76.0	3.2	74.7	.847	.87	79.7	81.8	,,	0.2	None.	None.	None.	None.	None.
6 ,,	.807	.954	78.6	76.0	2.6	75.0	.853	.89	79.6	81.7	,,	0.2	Ž	Ž	ž	Ž	ž
7 ,,	.829	.973	79.8	76.4	3.4	75.1	.856	.86	80.0	81.7	NNW	0.1	1	1			
8 ,,	.844	.979	81.1	77.0	4.l	75.4	-865	.84	80.8	81.8	NNE	0.1					
. 9 ,,	.851 .846	.949	81.4	78.0 78.0	3.4 4.0	76.7 76.5	.902	.87 .84	81.0	81.8 81.8	n"	0.1			1		
10 ,,	.844	.944	85.4	79.0	6.4	76.6	.900	.76		81.8	NbW	0.3		[1	

1.	1		
lond	, i		•
orc 8	Observera.	STATE OF THE WEATHER.	REMARKS.
Amount of Clouds	Obs	Note.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \infty i cirro-cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i nimbi.	
8	В	Overcast with val moving E.	Mean daily temperature of ground
8	G	Overcast with val moving E; lunar halo observed at about 1h. 31m.	20 and 60 inches below its sur-
8	G	Overcast with val moving E; thin drops of rain at 2h. 27m.	face 83.5 and 84.0. Height of barometer at 10 A. M. was 29.854
8	G	"	in., greatest in the month and
7	C	scattered throughout.	about 0 075 in greater than the
5	C	scattered around the hor.; we about the zenith.	normal mean. 22nd August was the 12th day on
6	C	in the S of zenith and "throughout."	which the fall of rain was less
7	В	" "	than 0.01 in.
4	В	vi scattered around the hor.	
3 4	B	in S of zenith and vi around the hor. or and vi scattered about the sky.	
5	G	y y y	
3	G ·	" "	
5 5	G	" " " " " " " " " " " " " " " " " " "	
6	C	and vi scattered about the sky.	
6	C	", ", ", ", ", ", ", ", ", ", ", ", ", "	
5	Ç	vi and vi scattered around nor,	
4	v	and small fragments of va scattered about.	
8 8	v	Overcast with \vee ; \wedge 1 around the hor.	
ľ		" "	
8		Omenand Birkeling resume of the state of the	Mean daily temperature of ground
8	V H	Overcast lightly; some of the principal stars dimly visible. Overcast; in and in.	20 and 60 inches below its sur-
7	н	n and scattered throughout.	face 83:3 and 83:9. Daily full
8	H	Overcast with vi and vi.	of rain by Osler's Gauge 0.64 in.
7	H C	Overcast; ni and large masses of ni passing over to E. ni and ni scattered throughout.	
8	C	Overcast; it began to rain heavily at 6h. 30m.	
8 7	C	Overcast; rain which was falling from last hour continued till 7h. 32m.	
4	C	One dark mass of var covering nearly the whole sky; drops of rain at 8h. 32m.	
7	v	scattered throughout and v in the W of zenith.	
5 3	В	ni around the hor; ni about the zenith.	
3	B H	in the S, \sim about the zenith and \sim around the hor. of from NE to SE hor, and \sim in the rest of the hor.; \sim in the zenith.	
3	H	1	
5 6	H	vai around the hore; vain the S and SW of zenith.	
7	H C	s, si and si scattered throughout.	
8	C	Overcast; was and was	
8 7	C	29 29 39 ,	
8	v	Overcast; , , v and v; a few stars dimly visible.	
7	v	scattered throughout.	· ·
5	v	N and Mi scattered about.	
1_1		B. H. C.	
7 8	V H	D and L is scattered throughout; is around the hor. D scorer the whole of the sky; is passing over to B; halo round the moon; drops of rain at 1h. 36m.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	н	Overcast; we and wi.	face 83:3 and 83:9. Temperature
7	H	ni and ni throughout.	of dew-point at 3 P. M. was 79:6,
7 7	H C	" " · · · · · · · · · · · · · · · · · ·	greatest in the month and about 2:8 greater than the normal mean;
8	c	Overcast.	and the temperature of evapora-
6	C	v, m and m scattered throughout.	tion at the same hour was 81°0,
6	C V	"	while the normal mean was 79.2. 24th August was the 37th day from
6	v))))))))))))))))))))))))	the beginning of the year on
7	v	" "	which lightning was observed

		STAN BARO	DARD METER.	Тнв	RMOMET	rers.		oP E.	AIR.	GRO THERMO	UND METERS.	WIND F Osler's G		RAIN.	Erec	TRICAL	INSTRU	MENTS.
	Bombay Civil Time.	Corrected	Corrected	In the	Wet Bulb	Depres- sion of WetBulb	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	ITY OF	ter 1 inch cound.	in the		Pressure in lbs.	By New-	Sign of	1	ings of	Time in the gree of the dis-
	1864.	32° Fahr.	for Moisture.	Air	Thermo- meter.		DB DEW	PREMO	Ниміріту	Chermometer ling in the Ground.	Thermometer inches in th Ground.	Direction.	per Square Poot.	man's Gauge.	Electrici- ty + or —	Strawsof	Strawson Volta 2.	555
Aug	24тн-Noon.	in. 29.825	in. 28.910	84.0	79.0	5:0	77:2	in. 0.915	0.81	82.4	81:9	N	lbs. 0.4	in.		Sc. div.	Sc. div.	
2100.	l p. m.	.794	.927	86.5	78.5	8.0	75.5	.867	.70	84.0	82.9	NWbN	0.5					ļ
	2 ,,	.771	.881	85.9	78.9	7.0	76.3	•890	.74	84.0	82.0	NW	0.6					
	3 ,, 4	.758 .751	.769	85.0 85.9	81.0	4.0 7.9	79.6 74.9	.989	.84 .70	83.8 84.0	82.5 82.3	"	0.5 0.4					
	5 ,,	.763	.930	84.0	77.0	7.0	74.9	.833	.73	83.4	82.3	"	0.3	one.	a i	نه	e	ئە
	6 "	.777	.955	82.2	76.2	6.0	73.8	.822	.77	82.3	82.4	,,	0.3	No.	None.	None.	None.	None.
	7 ,, 8	.804	.958	81.2	76.1 75.5	5.1 5.2	74.1	.829 .811	.79 .79	81.9	82.4 82.2	,,	0.3		~	4	4	2
	9 "	.804	.972	80.7	76.0	4.5	73.4	-832	.78	81.0	82.2	"	0.3					
	10 "	.809	.973	80.2	76.0	4.2	74.3	.836	.83	80.8	82.0	,,	0.2	1				
	11 "	.811	.934	80.0	77.0	3.0	75.8	.877	.88	80.6	82.0	,,	0.3					
Aug. 28	5тн-Midnight		.947	80.0	76.0	4.0	74.4	.838	.84	80.5	82.0	NW	0.3					
	la.m. 2	.773 .768	.930	79.5 79.0	76.0 76.0	3.5	74·6 74.9	.843 .849	.86	80.0 79.8	82.0 81.9	NW bW NW bN	0.2				1	
	3 ;,	.768	.940	78.8	75.4	3.4	74.9	.828	.86	79.1	81.8	,,	0.0		1			
	4 ,,	.771	.898	78.6	76.5	2.1	75.7	.873	.91	79.0	81.7	,,	0.0		1			
	5 ,, 6	.783 .795	.906	78.2 78.0	76.5 76.0	1.7 2.0	75.8 75.2	.877	.93 .92	79.0 79.0	81.7	NNW	0.1					1
	7 ,,	.813	.932	79.6	77.0	2.6	76.0	.881	.89	79.7	81.8	,"	0.2					
	8 "	-829	.950	81.7	77.5	4.2	75.9	.879	.83	80.8	81.8	,,	0.1					
	9 ,, 10 ,,	.831	.946	82.9	78.0 78.5	4.9	76.1	.885	.81 .79	82.0	81.9	N b W NW b N	0.2				ļ	
	10 ,,	.825	.939	84.0 85.0	79.0	5.5 6.0	76.0 76.8	.904	.79	82.5 83.0	82.0 82.0	NNW	0.4	٠,	6	ا م	ه ا	
	Noon.	∙804	.949	85.6	78.0	7.6	75.0	.855	.72	83.2	82.0	NWbN	0.4	one.	one.	one.	one.	one.
	1 p. m.	.776	.915	85.8	78.2 78.2	7.6	75.2	-861	.72	83.6	82.1	,,	0.5	Z	Z	Z	Z	Z
	2 ,, 3 ,,	.734	.892	85.8 86.0	78.0	7.6 8.0	75.2 74.9	.861 .851	.72 .70	83.5	82.1 82.2	NW	0.6					
	4 ,,	•726	.882	85.7	77.6	8.1	74.6	.844	.70	83-1	82.2	"	0.7					
	5 ,,	.739	.913	84.6	77.0 76.0	7.6	74.0	.826	.72	83.1	82.3	NWbW	0.4			!		l
	6 ,, 7	.765	.939	82.2 81.2	75.2	6.2 6.0	73.5 72.8	.814	.76 .76	82.2 81.4	82.3 82.3	,,	0.5					
	8 "	.772	.974	80.8	75.2	5.6	72.9	.798	.78	81.2	82.2	"	0.4					
	9 "	.797	.963	80-4	76.0	4.4	74.3	-834	.82	81.0	82.2	"	0.3		Ì			
	10 ,, 11 ,,	.803 .789	29.005 28.990	80.1 80.0	75.0 75.0	5.1 5.0	72.9 73.0	.798 .799	.79 .80	80.5	82.0 82.0	"	0.2					
Δ 110. 9	6тн-Midnight	.769	.929	79.8	76.0	20	74.5	•940	0.5	00.0	90.0	BYTTY L THY						
U G. 2	l a. m.	.709	.868	79.8	77.0	3·8 2.7	74.5 75.9	.880	.85 .89	80.0 79.7	82.0 82.0	NW b W	0.1		+	6		2.24
	2 ,,	.731	.876	79.2	76.2	3.0	75.0	.855	.88	79.6	81.9	"	0.3		+	10		1.11
	3 "	.719	.864	79.2 79.4	76.2 77.0	3.0	75.0	.855 .884	.88	79.5	81.8	,,	0.2		+	4	[3.39
	5 ,,	.739	-894	79.4	76.0	2.4 3.4	76.1 74.7	-845	.90 .86	79.5 79.5	81.8	"	0.4		+	2		Above 10
	6 "	.749	.900	79.0	76.0	3.0	74.8	-849	.88	79.5	81.8	,,	0.3					
	7 ,, 8	.772	.956	79.2	75.2 76.0	4.0	73.6	.816	.84	79.6	81.8	"	0.3					
	9 "	.795	.935	79.4 78.9	76.0	3.4 2.9	74.8 74.8	-850	.86 .88	79.8 79.0	81.8 81.8	w i'n	0.3	0.12				1
	10 ,,	.802	•965	76.5	75.0	1.5	74.4	.837	.93	78.5	81.5	wbs	1.0	0.18				
	ll " Noon.	·797	.932	77.5	76.0 75.0	1.5	75.4	.865 .843	.93	78.9	81.5	wsw	0.1	0-03				
	l p. m.	.756	.941	77.4	75.3	1.0 2.1	74.6 74.4	•839	.96 .91	78.5 78.5	81.5 81.2	WNW	0.1	0.01			o*.	
	2',,	.737	.898	77.4	75.3	2.1	74.4	•839	.91	78.5	81.2	NWbN	0.1	0.02			None.	
	3 "	.726 .719	.886	76.3	75.0	1.3	74.5	.840 .843	.94	77.7	81.2	NNW	0.6	0.08			Z	
	4 ,, 5	.719	.876	76.0 76.2	75.0 74.6	1.0	74.6 73.9	-825	.96 .93	77.0 77.4	81.2	"	0.5	0.03				
	6 ,,	.735	.923	75.4	74.0	1.4	73.4	-812	.94	77.2	81.2	Nbw	0.2	1				
	7 ,,	.744	.926	75.5	74.2	1.3	73-6	-818	.94	77.3	81.3	,,	0.2			1		
	8 " 9 "	.748 .754	.907	76.2 76.3	75.0 75.0	1.2	74.5 74.5	.841 .840	.95 .94	77.5	82.2 81.0	,,	0.1		1			
	10 ,,	.757	.917	76.3	75.0	1.3	74.5	.840	.94	77.5	81.0	,, ,,	0.0			1	[
	11 ,,	.742	.905	76.5	75.0	1.5		.837	.94	77.8	81.0	ΝE	0.2		1	1	Ī	1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Renarks.
Amou	Ō	Note.—In recording these Observations, the Symbols used to denote the clouds are: Veirri; Mi cirro-cumuli; Mi cirro-cumuli; Mi cirro-cumuli; Mi cirro-cumuli;	
7 8	V H	i, wi and wi cover almost the whole of the sky; drops of rain at the time of observation. Overcast; i and wi.	after sunset; it was the 13th day on which fall of rain was less
7	H	" "	than 0.01 in.
8	H	27	
8	H C	Overcast; va and vi.	
8	c	29 99	
6	C	↑ and \ scattered about the hor.; small fragments of ↑ i passing towards E; flashes of lightning were seen at the end of the hour.	
5	C	n and scattered around the hor., otherwise clear; lightning in NE.	
3	v	Clouded around the hor.; clear elsewhere; no lightning was seen after the last observation.	·
2	v v	" " "	
1	v	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
- 1			
3	v	scattered around the hor.	Mean daily temperature of ground
5	G	N and A scattered about the sky.	20 and 60 inches below its sur
6	G G	and scattered about the sky; haze over the moon. scattered throughout moving SE; slight dew.	face 83:2 and 83:8. 25th August was the 14th day or
5	G		which the fall of rain was less
8	C	Overcast; small drops of rain falling till 5h. 18m.	than 0.01 in.
6	C	v and v₁ scattered about.	·
7	C	"	
6	C	y y	·
6	v	scattered throughout; hazy. no and no throughout; light haze.	
7	v v	At and Ar throughout, ught haze.	
3	v	and wi in the S and wi around the hor.	
2	G	scattered around hor.	·
2	G	"	
3	G	27 ,	
3 4	G	" and Vi.	
4	C C	in the E; \(\sigma\) and \(\colon_1\) scattered about the sky.	
3	C	in the E and W; or in the S hor. and fragments of on here and there.	
1	C	Clouded around the hor., otherwise clear.	
2	V	" "	
5 7	v v	Nearly overcast.	
8	v	Overcast with va moving E.	Mean daily temperature of ground
6 7	G G	scattered throughout.	20 and 60 inches below its sur
8	G	Overcast; a few stars dimly visible.	face 83'4 and 83'9. Daily fal
8	G	"	of rain by Osler's Gauge 0.48 in Temperature of evaporation a
8	c	Overcast; vi moving ESE.	6 p.m. was 74:0, lowest in the
8	C	Overcast; N and wi; light rain began to fall at 6h. 52m.	month, while the normal mean
8	c c	Overcast; lightly raining.	temperature for the same hou
8	v	Overcast; raining. Overcast; raining very lightly.	was 77.8.
8	v	" "	
8	v	" · · · · · · · · · · · · · · · · · · ·	·
8	v	,,	·
8 8	G G	Overcast; lightly raining.	
8	G	Overcast; lightly raining; rain ceased at 3h. 38m.	
8	G	Overcast; we moving ESE.	
8	c	" "	
8	C	" "	-
8 8	C	" "	
8	C V	"	
8	v	Overcast; va moving ESE; a few stars dimly visible.	
8	v	" " "	

		STAN Baron	DARD BTBR.	Тнв	RMOMET	ERS.	:	pi	AIR.		UND METERS.	WIND P Oaler's G		RAIN.	BLECT	RICAL	Instru	
	Bombay Civil Time.	Corrected to	Corrected for	In the	WetBulb	Depres- sion of WetBulb below	DEDUCED BW-POINT	KESSUR B MOISTURI	UMIDITY OF	thermometer 1 inch in the Ground.	ometer 6 is in the nd.	Direction.	Pressure in 1bs.	By New-	Sign of	Readi	ngs of	interval of Time in recovering the same degree of tension after dis- charge.
	1864.	82º Pahr.	Moisture.	Air.	meter.	Thermo- meter in the Air,	DBW	Par OF M	HUMI	Thermom in the	Thermomete inches in Ground.	Direction.	Square Foot.		ty + or -	Strawsof Volta 1.	Strawsof Volta 2.	Interval or recovery same diension charge.
TIC '	 27тн-Midnight	in. 29.726	ln. 28.889	76.5	75%	1:5	74:4	in. 0.837	0.94	78:0	81:0	NE	lbs. 0.0	in.		Sc. div.	Sc. div.	
	l a. m.	.721	.880	76.2	75-0	1.2	74.5	.841	.95	77.0	80.9	NEbE	0.0	0.12				
	2 ,,	.708	.865	76.0	75.0	1.0	74.6	.843	.96	77.0	80.8	ENE	0.2	1.07	1			
	3 ,, 4	.702	.859 .855	76.0 76.0	75.0 75.0	1.0 1.0	74.6 74.6	.843	.96 .96	77.0	80.8 80.8	"	0.0	0.03	ł			
	5 ,,	.702	.855	76.4	75.2	1.0	74.7	.847	.95	77.2	80.7	NW	0.1	0.01				
	6 ,,	.724	-888	76.6	75.0	1.6	74.3	.836	.93	77.2	80.7	NWbW	0.2					
	7 ,,	.744	-912	77.7	75.2	2.5	74.2	.832	•89	77.8	80.7	, >>	0.2	İ				
	8 " 9 "	.762	.920 .896	77.9	75.5 76.5	2.4 2.6	74.6 75.5	.842	.90	78.5 79.0	80.6 80.5	"	0.1					
	10 ,,	.762	.924	80.0	76.0	4.0	74.4	.838	.84	79.0	80.8	NW"b N	0.1		نه	·	ا نه	÷
	11 "	.761	.883	79.9	77.0	2.9	75.9	.878	.88	79.9	80.8	,,	0.1	,	one.	Tone.	Tone.	None.
	Noon.	.740	.913	81.0	76-0	5.0	74.0	.827	.80	80.0	80.8	NIVEZ L VEZ	0.1	1	Z	Z	Z	4
	1 p. m. 2	.726	.899	81.0 79.8	76.0	5.0 3.8	74.0 74.5	.827	.80	80.0 79.7	80.8 80.8	NWbW	0.1	0.01				
	3 "	.702	.831	77.7	76.2	1.5	74.6	.871	.94	78.2	80.7	"	0.1	0.11				
	4 "	.697	.861	76.6	75.0	1.6	74.3	.836	.93	77.5	80.7	",	0.2	0.20				
	5 "	.705	.896	75·6 75.8	74.0	1.6	73.3	809	93	77.4	80.7 80.6	NW'bN	0.2	11.0				
	6 " 7 "	.711	.904	76.3	74.0	2.0	73.5	.807	.91	77.4	80.5	i	0.3	0.01				
	8 ,,	.754	.944	76.6	74.3	2.3	73.3	.810	.90	77.4	80.5	"	0.2					
	9,,	.773	.941	77.0	75.0	2.0	74.2	.832	.91	77.5	80.8	,,	•0.0					
	10 ,,	.773	.897	76.5	76.0	0.5	75.8	.876	.98 .95	77.5	80.9	NbW	0.0		į			
	11 "	.775	.948	76.5	75.0	1.5	74.4	.837	.95	77.8	00.7	"	0.0					
lug.	28тн-Midnigh	.756 .738	.919 .895	76.5 76.0	75.0 75.0		74.4 74.6	.837 .843	.95 .96	77.8 77.0	80.8 80.7	NbW	0.0					
	1 a. m. 2	.716	.873	76.0	75.0	1.0	74.6	.843	.96	77.0	80.7	s bE	0.2					
	3 ,,	.712	.883	76.4	75.0	1.4	74.1	.829	.94	77.0	80.5	,,	0.0		į			
	4 "	.710	.870	76.3	75.0	1.3	74.5	-840	.94	77.0	80.4	,,	0.2					
	5 ,, 6	.724 .738	.878	76.5	75.2 75.2	1.3	74.7	.846 .846	.94	77.2	80.3 80.3	,, S	0.1					ļ
	7 ,,	.762	.895	77.4	76.0	1.4	75.5	867	.94	77.7	80.3	,,	0.1					
	8 ,,	.776	.896	78.3	76.6	1.7	75.9	-880	.93	78.4	80.3	"	0.2					
	9 "	.786	.870	80-1	78.0	2.1	77.2	.916	.91	80.1	80.5	,,	0.1					_
	10 " 11 "	.791 .780	.891	81.5 83.4	78.0 79.0	3.5 4.4	76.6	.900 .922	.87 .83	81.0 82.0	80.8 80.3	,,	0.1 0.1	None.	None.	None.	None.	Nonc.
	Noon.	.767	.853	84.1	79.0	5.1	77.1	.914	.80	82.5	81.0	w b'n	0.2	ž	ž	ž	ž	ž
	l p. m.	.739	.819	84.7	79.3	5.4	77.3	.920	.79	83-0	81.0	,,	0.3		1			
	2 "	.717	-802	84.0	79.0	5.0	77.2	.915	.81	82.2	81.0	"	0.2					
	3 " 4 "	.705 .688	.822	83.8 82.4	78.2 78.0	5.6 4.4	76.0 76.3	.883 .891	.78	82.0	81.0 81.0	"	0.1		1			
	5 ,,	.702	-840	81.4	77.0	4.4	75.3	-862	.82	81.2	81.1	wnw	0.2					
	6 ,,	.727	.861	81.0	77.0	4.0	75.4	-866	.84	81.0	81.2		0.1					
	7 ,,	.740 .748	.902	80.0	760	4.0	74.4	.838	.84	80.5	81.3	nw	0.1					1
	8 " 9 "	.745	.910	80.0	76.0	4.0 3.7	74.4	.838	.85	80.1	81.3 81.2	"	0.1					
	10 ,,	.786	.928	78.2	76-0	2.2	75.1	-858	-91	79.6	81.1	NE'bE	0.1					
	11 ,,	.772	.927	78.0	75.6	2.4	74.7	.845	.90	79.3	81.1	ENE	0.2					
Avg.	30тн-Midnigh		.921	77.0	76.0	1.0	75.6	.871	.96	78.0	81.0	E	0.3					
	la.m.	.783	.942	76.2	75.0	1.2	74.5	.841	•95	77.5	80.8	"	0.0	0-17				1
	2 ,, 3	.765	.922	76.0 75.5	75.0 74.5	1.0	74.6	.843 .820	.96	77.2	80.8 80.7	,,	0.2 0.2					
	4 ,,	.739	.919	75.5	74.5	1.0	73.7	•820	.96	77.0	80.7	"	0.2		۱ ,	, as	a:	
	5,,	.745	.902	76.0	75.0	1.0	74.6	.843	.96	77.0	80.5	,,	0.1	0.01	None.	None.	None.	None.
	6,,	.766	.923	76.0	75.0	1.0	74.6	•843	.96	77.0	80.5	Ebs	0.1		Z	Z	Z	Z
	7 ,, 8 .	.777 .795	.926	76.3	75.3 75.4	1.0	74.9 74.9	.851 .852	.96 .95	77.1	80.4 80.4	"	0.1 0.1		I			
	8 ,, 9 ,,	·803	.943	76.6 78.0	75.4	2.0	74.9	-852 -860	.93	78.3	80.4))	0.1					
	10 ,,	.794	.918	80-1	77.0	3.1	75.8	-876	.87	80.0	80.4	"	0.1					
	11 ,,	.791	.885	81.0	78.0	3.0	76.8	•906	.88	80.3	80.5	wśw	0.1					•

spno			
Amount of Clouds	Observers.	STATE OF THE WEATHER.	Remarks.
Amou	ő	Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cumulo-strati; and \(\) i nimbi.	
8	v	Densely overcast; it began to rain at 0h. 22m.	Mean daily temperature of ground
8 8	G	Overcast; raining heavily. Overcast; rain ceased at 2h. 11m., but recommenced at 2h. 26m. and lasted 2m.	20 and 60 inches below its surface 83.4 and 83.9. Daily fall
8	G	Overcast; lightly raining.	of rain by Osler's Gauge 1.73 in.
8	G	Overcast; slight rain at 4h. 7m.	
8	C	Overcast; drops of rain.	
8 8	C	"	
8	c))))	
8	v	•	
8	v	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
8 8	v	Overcast; drizzling rain began to fall a few minutes before full hour and continued till 11h. 45m.	
8	G	Overcast; light rain from 1h. 32m. to 1h. 50m.	
8	G	Overcast; lightly raining.	
8	G G	» »	
8	C	Overcast; slight rain.	
8	C	"	
8	C	,,	
8	C	,,	l l
8	v	"	
8	v)))))))))))))))))))	
1		·	
8	v	Overgoot, a Land of	35 33
8	G	Overcast; \(\square\) and \(\square\). Densely overcast; drops of rain between 1h. 37m. and 1h. 42m.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	G	29 19	face 83.4 and 83.9.
8	G	Overcast; very light rain falling from 3h. 10m. to 3h. 40m.	28th August was the 15th day on
8	G	Overcast.	which the fall of rain was less
8	C	"	than 0.01 in.
8	C))))	
8	C		
8	v	Overcast; and wi; we in the S.	1
8	v	Densely overcast; on in the S and on elsewhere.	
8	v)	
8	G	Overcast; ni and ni.	
8	G G	" "	
8	a	" "	1
8	С)	
8	C	, ,,	
8	C	Overcast; we and we; a few stars dimly visible in the zenith.	
6	c	"scattered throughout moving E.	
5	С	,,	,
8	С	Overcast.	
8	v	Overcast; lightly raining from full hour.	Mean daily temperature of ground
8	G	Overcast; it was raining till 1h. 20m.	20 and 60 inches below its sur-
8	G G	Overcast; drops of rain at 2h. 39m.	face 83:4 and 83:9. Daily fall
8	G-	Overcast; light rain from 4h. 27m. to 4h. 39m.	of rain by Osler's Gauge 0.89 in.
8	C	"	
8	C	39 ·	
8	C	Overcast; slight rain at 7h. 14m.	
8	v	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
8	v	39	
8	V	Overcast; raining from 11h. 15m.	

		NDARD METER.	THE	RMONBI	ERS.	i	พำ	А18.		UND METERS.	WIND P OSLER'S G		RAIN.	ELEC	TRICAL	INSTR	UMENTS.
Bombay Civil Time.	Corrected	Corrected	In the	WetBulb	Depres- sion of Wet Bulb below	Вериско вм-Роімт.	RESSURE Moisture.	11 OF	Thermometer linch in the Ground,	Thermonieter 0 inches in the Ground.	Newson	Pressure	By New-	Sign of	Readi	ngs of	recovering the same degree of tension after dis-
1864.	32º Fahr.	for Moisture.	Air.	meter.	Thermo- meter in the Air.	DR	PR OP M	Немівіту	Phermona in the G	Thermo inche Grou	Direction.	Square Foot,	Gauge.	Electrici- ty + or —		Straws of Volta 2.	Interval o recover same d tension
Aug. 30th-Noon.	in. 29.772	in. 28.912	78.0	76°0	2:0	75.2	in. 0.860	0.92	79*0	80.5	NbW	lbs. 0-1	in. 0.37		Sc. div.	Sc. div-	m. s.
l p. m.	.752	.923	76.4	75.0	1.4	74.1	.829	.94	77.5	80.2	NWbW	0.1	0.02				
2 ,, 3	.720	.872	76.6 76.2	75.5 75.5	1.1 0.7	75.1 75.2	.856	.95	77.0 76.8	80.2	NWbN	0.2	0.06				
4 ,,	.704	.861	76.0	75.0	1.0	74.6	.860 .843	.96	76.4	80.0	nw	0.1	0.04	i i	نو	ಪ	ď
5 ,,	.709	.884	75.6	74.4	1.2	73.9	.825	.95	76.4	80.0	NWbN	0.3	0.03	lone.	None	None.	None.
6 ,,	.733	.908	76.2	74.6	1.6	73.9	.825	.93	76.4	80.1	NWbW	0.3	0.03	Z		2	~
7 ,, 8	.747	.915	77.0	75.0 76.5	2.0	74.2	.832	.91 .93	77.2 78.2	80.2	wnw	0.2					
a "	.791	.927	77.6	76.0	1.7	75.8 75.4	.877 .864	•.93	78.0	80.4	NW	0.2	0.07				
10 ,,	.789	.946	76.0	75.0	1.0	74.6	.843	.96	77.0	80.3	SE	0.3	0.07			ł	
11 ,,	.783	.940	76.0	75.0	1.0	74.6	•843	.96	77.0	80.3	SSE	0.2	0.01				
Avo.31st-Midnigh		.924	760	75.0	1.0	74.6	-843	.96	77.0	80.3	SSE	0.2					
1 a.m.	.747	.907	76.3	75.0	1.3	74.5	.840	.94	77.0	80.3	,,	0.3	1		1		
2 ,,	.743 .729	.910 .886	76.0	75.0 75.0	1.0	74.6	•843	.96	76.9 76.9	80.2	,,	0.2				1	
3 ,, 4	.729	-886	76.0 75.8	75.0	0.8	74.0	.843	.96 .97	76.9	80.1	"	0.0	0.02			}	
5 ,,	.742	.869	76.8	76.0	0.8	75.7	.873	.97	77.5	80.0	,,,	0.1	0.02	İ			
6 "	.746	.873	76.8	76.0	0.8	75.7	.873	.97	77.5	80.0	,,	0.1		i		1	
7 ,,	.768	.871	78.2	77.0	1.2	76.5	-897	.95	78.4	80.0	WbS	0.2	1			1	
8 ,,	.779	.891	79.0	77.0 78.0	2.0	76.2	-888	.92	79.2	80.0	WbN	0.2	}			ł	
9 ,, 10	.782	.874	80.5	78.0	2.8	77.0	.911	.91 .85	80.0 80.5	80.2	NW	0.1		1		l	
10 ,,	.776	.848	82.8	79.0	3.8	77.6	.928	.85	81.0	80.5	NNW	0.2		one.	None.	one.	ië.
Noon.	.757	.824	83.5	79.3	4.2	77.8	•933	.84	82.0	80.6	,,	0.2		N _o	Z	No	None.
l p. m.	.740	.799	83.6	79.5	4.1	78.0	-941	⋅84	82.1	80.7	NW b W	0.3		1	1		
2 ,,	.719	.804	84.0	79.0	5.0	77.2	.915	.81	82.4	80.8	,,	0.2					
3 ,, 4	.691	.804	84.0	79.0	5.0 5.8	77.2 76.2	•915 •887	.81	82.4 82.5	80.8	,,	0.2	1				ļ
5 ,,	.695	.828	82.8	77.5	5.3	75.5	-867	.79	82.5	80.9	"	0.1			1	ì	
6 "	.704	.856	81.2	76.6	4.6	74.8	-848	.82	81.6	81.0	,,	0.2		1		ļ	
7 ,,	.720	.847	80.4	77.0	3.4	75.7	-873	.86	81.1	81.1	,,	0.3				1	
8 "	.753 .759	.900	80.0	76.4 76.0	3.6	75.0 74.6	•853	.85	80.7	81.2	,,	0.3					1
9 ,, 10 ,,	.761	.888	79.5 78.6	1	2.1	75.7	•843 •873	.86 .91	80.0 79.0	81.0	w	0.4	0.02	l		1	1
11 ,,	.752	.903	79.0		3.0	74.8	-849	.92	79.8	81.0	,,	0.1	0.02				
Sept. 1st-Midnigh	t .732	.839	78.5	77.0	1.5	76.4	.893	.94	79.0	81.0	w	0.2					
l a.m.	.718	.822	78.3	77.0	1.3	76.5	.896	.94	78.9	81.0	,,	0.3					
2 ,,	.701	.815	77.8	76.6	1.2	76.1	.886	.95	78.5	80.9		0.0					
3 ,,	.697 .697	.850 .820	77.4	75.5	1.9	74.7	.847	.92	78.0	80.8	w'n	0.0					
4 ,, 5	.711	.855	77.0	76.0 75.6	1.0	75.8 75.1	.877 .856	.96 .94	77.7	80.7	,,	0.0					
6 ,,	.722	.876	76:5	75.2	1.3	74.7	-846	.94	77.2	80.6	,,	0.1					}
7,,	.744	∙863	78.2	76.6	1.6	76.0	.881	.93	78.0	80.5	,,	0.1	Í				
8 "	.772	.870	78.8	77.3	1.5	76.7	.902	.94	78.8	80.6	SWbS	0.3	0.01				
9 ,, 10 ,,	.776 .770	·916	78.0 80.0	76.0 78.0	2.0	75.2 77.2	•860 •917	.92	79.0 80.0	80.5	,,	0.1	0.17				
11 ,,	.759	.833	83.0	79.0	4.0	77.5	.926	.92	81.5	80.7	"	0.1		None.	Je.	je.	<u>:</u>
Noon.	.741	.811	83.0	79.2	3.8	77.7	•934	.85	81.7	80.9	ssw	0.1		N _o	None.	None.	Nome.
1 p. m.	.728	.795	83.5	79.3	4.2	77.8	.933	.84	82.2	80.9	sw b w	0.4					'
2 ,,	.683	.752	80.0	79.0	1.0	78.6	.959	.96	80.4	80.9	WNW	0.2	0.05	i		İ	
3 ,, 4	.672	.761 .757	83.4	79.0 79.0	4.4 5.0	77.4	.922	.83	81.6	80.9 81.0	,,	0.2		1		1	
4 ,, 5	.687	.804	83.8	78.2	5.6	76.0	.883	.78	81.0	81.1	,,	0.1					
6 ,	.697	.835	81.4	77.0	4.4	75.3	862	.82	81.0	81.1	"	0.2			İ		
7 "	.708	.828	78.3	76.6	1.7	75.9	-880	.93	80.9	81.1	NW b W	0.6	0.04				
8 "	.733	.896	76.5	75.0	1.5	744	•837	.95	79.6	81.0	,,	0.0				}	
9 ,,	.747	.912	76.7	75.0 75.0	1.7 2.0	74.3 74.2	.835	.93	79.0 79.0	81.0 80.9	wsw	0.0	1				
10 ,,			± 27.0	1 75-0	1 2.0	14.2	. 8.52	.91	1 79.0	1 XU.9	. vv > vv	ı U.Z	1	1	1		

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \icirri; \icirro-cumuli; \icirro-cumu	Remarks.
8	v	Overcast; raining lightly.	
8	G	,	
8	G	n ·	
8 8	G	21 22	
8	G C	Overcast; raining lightly; rain ceased at 5h. 36m.	
8	c	Overcast; drops of rain at about 6h. 30m.	
8	c	Overcast; we moving E.	•
8	c	Overcast; raining lightly.	
8	v	Overcast; shower of rain about 9h. 30m. then lightly raining.	
8	v	Overcast; raining lightly.	
8	v	Overcast; rain ceased at full hour.	
]		Many della Assessation Communication
8 8	V	Overcast; val moving E.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	G G	Overcast; a few stars dimly visible. Overcast; large drops of rain at 2h. 40m.	face 83.4 and 83.9. Daily fall
8	a	Overcast; M moving 8W; a few stars visible at times through the breaks; shower of rain at 3h. 32m. lasted 7m.	of rain by Osler's Gauge 0.04 in.
8	G	,, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , ,
8	C	»	
8	C	Overcast; we moving E.	
8	C	"	
8 8	C V	n n	
8	v	Overcast; vi and vi.	
8	v	overeuse, v s. and v s.	
7	v	v and vs scattered throughout; vs along W hor-	
8	G	Overcast; v and large masses of vi.	
8	G	Overcast; \(\sigma_i \) and \(\sigma_i \).	
8 8	G	2)	
8	G C	"	
8	c	Overcast.	
7	C	Nearly overcast; what and wi; some stars visible.	
6	C	ni and ni throughout; the latter moving SE.	
8	v	Overcast; light rain from full hour to 9h. 15m.	·
6	v v	scattered throughout.	
1	•	" · · · · · · · · · · · · · · · · · · ·	
		and mostly and a second has	
5	V G	scattered around hor. Clouded around hor.; slight dew.	Mean daily temperature of ground
$ \mathbf{i} $	G		20 and 60 inches below its sur-
2	G	scattered around hor.; dew falling.	face 83.4 and 83.8. Daily fall of rain by Osler's Gauge 0.26 in.
5	G	🛰 scattered about the sky; copious dew. [falling.	
7	C	Quantity of clouds from last observation was variable, frequently the sky was clear; at present it is nearly overcast and drops of rain	
7	C	Clouded as above; fine land breezes.	
8 8	C	Overcast; n and n; light rain from 7h. 34m to 7h 47m. Overcast; shower of rain at 8h. 4m., lasted 8m. then lightly raining till 8h. 30m.	
8	v	Overcast; shower of fain at on. 4m., fasted om. then rightly faining the on. som.	
8	v	l	
8	v	Overcast; val moving É; lightly raining.	
8	v	Overcast; vi moving E; light rain at 0h. 5m. lasted 6m.	
8	G	Overcast; light rain frequently.	
8 7	G G	and 🛰 scattered throughout.	
17	G	we and the seatested entoughouse	
7	G	and vi scattered throughout; light rain from 5h. 40m. to 5h. 52m.	
8	G	Overcast; lightly raining.	
8	G	Overcast; drops of rain at 7h. 27m.	
8	G	Overcast; drops of rain at 8h. 30m.	
8 8	C C	Overcast; a few stars dimly visible. Overcast; drops of rain falling.	
6	C	we scattered throughout.	
<u> </u>	2*-1		·

	STAN Baron	DARD (ETER.	THE	RNONET	ERS.	اند	, o	AIR.	GRO THERMO		Wind F Osler's G		RAIN.	BLECT	TRICAL	Instru	MBNTS.
Bombay Civil Time.	Corrected	Corrected	In the	WetBulb	Depres- sion of Wet Bulb	DEDUCED BW-POINT	PRESSURE OF MOISTURE.	ITY OF	rmometer linch the Ground.	neter 6 in the		Pressure in lbs.	By New-		Readin	ngs of	Time in the tree of her dis-
1864.	ss° Fahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in the Air.	DRW	PRE	HUMIDITY	Thermome in the G	Thermometer 6 inches in the Ground.	Direction.	per Square Foot.	man's Gauge.	Blectrici- ty + or —	Strawsof	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
SEPT. 2ND-Midnight	in.	in. 28.869	77:2	76*0	1:2	75.5	in. 0-869	0.95	78:2	809	ssw	1bs.	in.		Sc. div.	Sc. div.	
l a. m.	.726	.883	76-0	75.0	1.0	74.6	.843	.96	78.0	80.9	sw	0.1	0.27	į			
2 "	.706	•863	76.0	75.0	1.0	74.6 74.6	.843 .843	.96 .96	78.0 77.5	80.9	SSW WNW	0.1	0.18				
3 ,, 4 ,,	.690	.847 -831	76.0	75.0 76.0	1.0	75.6	-871	.96	78.0	80.8	,,	0.0	0.07				
5,	.709	∙869	76.3	75.0	1.3	74.5	-840	.94	77.0	80.7	wős	0.2	0.01				
6 " 7 "	.727.	•854	76.8 77.0	76-0	0.8	75.7 75.6	-873 -871	.97 .96	77.0	80.6	s s	0.1		Ì			
8 ,,	.748	.877	77.0	76.0 76.0	1.0	75.6	.871	.96	77.5	80.3	SEbS	0.4	0.01	İ	1		
9 "	.779	.908	77.0	76.0	1.0	75.6	.871	.96	77.7	80.3	,,	0.2	0.29				
10 ,,	.782	•908	76.7	76.0	0.7	75.7 75.6	-874 -870	.97 .92	77.6	80.3	sw b w	0.2	0.45	+	20	16	0.21
11 ,, Noon.	.773 .756	.903	78.2	76.3 76.5	1.8	75.8	.877	.93	78.5	80.4	wsw	0.2	0.00	ŀ			
1 p. m.	.734	.843	79.5	77.2	2.3	76.3	.891	.90	79.3	80.5	sw b w	0.1					
2 ,,	•723	.911	78.8	75.0	3.8	73.4 74.1	-812 -830	.84	79.3 78.2	80.5 80.4	ssw	0.2	0.05				
3 ,, 4	.715	·885 ·833	77.2	75.0 76.0	2.2 1.0	75.6	.871	.95	78.2	80.4	SWbS	0.1	0.05				
5 ,,	.708	.841	77.4	76.0	1.4	75.5	-867	.94	77.7	80.4	ssw	0.1			ļ		
6 "	.712	.841	77.0	76.0	1.0	75.6	.871	.95	77.6	80.4	s b W	0.2	İ				
7 ,, 8	·718 ·743	.847 .898	77.0 75.8	76.0 75.0	1.0	75.6 74.7	-845	.95 .97	77.5	80.4	sw"bw	0.4	0.11				
9 ,,	.763	.909	76.0	75.3	0.7	75.0	.854	.97	77.2	80.3	,,,	0.1	0.04		1		
10 ,,	.764	•919	75.8	75.0	0.8	74.7	-845	.97	77.1	80.3	W	0.1					
11 "	.752	•900	76.2	75.3	0.9	74.9	.852	.96	77.1	80.3	Wbs	0.1					
SEPT. 3RD-Midnight	.736 .718	.882 .875	76.0 76.0	75.3	0.7	75.0 74·6	.854 .843	.97 .96	76.8 77.0	80.3 80.3	w	0.1	0.16				
2 ,,	.707	.834	76.8	75.0 76.0	1.0	75.7	·873	.96	77.5	80.4	ssw	0.1			}		
3 ,,	.703	.832	76.6	76.0	0.6	75.8	.875	.97	77.8	80.3	s b W	0.1		İ			
4 ,,	.706 .708	.835 .835	77.0 76.8	76.0	1.0	75.6 75.7	-871 -873	.95	78.0	80.3	,,	0.1]			
6 ,,	.726	.880	76.5	75.2	1.3	74.7	-846	.94	77.5	80.2	"	0.2	ĺ	İ			
7 "	.747	.871	78.6	76.5	2.1	75.7	.873	.91	78.0	80-1	ssw	0.1		ļ			
8 ,, 9 ,,	.759 .769	.882	80.0 82.0	77.0	3.0 4.0	75.8 76.5	-877 -895	.88	78.8 80.4	80.1	i	0.2			!		
10 ,,	.776	.861	80.2	78.0	2.2	77.2	.915	.91	80.0	80.2	SSE	0.3	0.04				
11 ,,	.766	.833	82.4	79.0	3.4	77.8	.933	.86	81.0	80.3	_,"	0.4	İ				
Noon. 1 p. m.	.748 .724	.801 .798	83.0 83.0	79.5 79.0	3.5 4.0	78.2 77.5	.947	.86 .84	81.3	80.5 80.6	SbE	0.5		None.	None.	None.	None.
2 ,,	.712	.795	83.6	79.0	4.6	77.2	.917	.82	82.0	81.0	,,	0.2	1	ズ	N	No	Š
3 "	.698	.774	83.2	79.0	4.2	77.5	.924	.83	82.0	81.0	,,	0.3		Ì			
4 ,, 5 ,,	.698	.854	83.0 82.2	77.0	6.0	74.6 76.7	.844	.77 .84	82.0 81.7	81.0 81.1	sw bs	0.2	1				
6 ,,	.712	.844	80.8	77.0	3.8	75.5	.868	.85	80.6	81.2	,,	0.2					İ
7,	.725	.848	80.0	77.0	3.0	75.8	.877	.88	79.9	81.2	,,	0.1		ļ			
8 ,, 9 ,,	.738 .759	.844	79.6 79.6	77.2	2.4 2.4	76.4 76.4	.894	.90	79.0 78.9	81.1 81.0	SW bs	0.2					
10 ,,	.765	.881	79.0	77.0	2.4	76.1	-884	.90	78.5	81.0	,,	0.0					
11 "	.765	.877	79.0	77.0	2.0	76.2	.888	.92	78.1	81.0	sw	0.1					
Sept. 5th-Midnight	1	.890	79.5	77.0	2.5	76.0	.882	•90	80.1	81.5	swbw	0.2					
l a. m.	.759	.838	79.6	78.0	1.6	77.4	.921	.93	80-2	81.5 81.6	ssw	0.2			1		[
2 ,, 3 ,,	.740	.852 .828	79.0 79.0	77.0	2.0 2.0	76.2 76.2	.888	.91 .91	80.0 80.0	81.6	SbW	0.1		1			-
4 ,,	.710	.822	79.0	77.0	2.0	76.2	.888	.91	80.0	81.5	ssw	0.2					[
5 "	.729	.856	78.6	76.5	2.1	75.7	.873	.91	79.3	81.4	sbw	0.3		None.	ne.	ne.	je j
6 " 7 "	.738 .746	.858 .858	78.7	76.7	2.0 2.0	75.9 76.2	.880 .888	.92 .92	79.0 79.8	81.2 81.2	"	0.2	1	ž	None.	None.	None.
8 "	.768	.871	81.8	78.0	3.8	76.2 76.5	.897	.85	80.4	81.3	s b E	0.1					
9 "	.781	.854	83.3	79.1	4.2	77.6	.927	.83	81.8	81.4	S	0.2					1
10 ,,	.781	.828	82.5	79.5	3.0	78.4	.953	.88	81.8	81.4	SbE	0.2	0.01				ł

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) cirro-strat!; \(\) i cumulo-strat!; and \(\) nimbl.	Remarks.
6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	C	At the time of observation extent of clouds was not much; but at 0h. 15m. it was overcast and rain began to fall at 0h. 27m. Overcast; raining at intervals. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 83:2 and 83:9. Daily fall of rain by Osler's Guage 1:66 in. Lowest reading of air thermometer during the month occurred at 8 and 10 p. m.
8 8 8	C C	22 22 22 22 22 22 22 22 22 22 22 22 22	
8 8 8 8 8 7 6 7 8 8 8 8 8 8 8 8 8 8 8 8	C	Overcast; raining till 0h. 13m. "Overcast; drizzling from full hour for about 10m. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 83.6 and 84.0. Daily fall of rain by Osler's Gauge 0.13 in.
5 7 7 7 7 8 8 8 8 8 6 8 8	C V V V G G G C C	overcast; small breaks here and there; double Rainbow in W observed at 6h. 42m. Overcast; Rainbow still appearing; slight rain at 7h. 10m. Now is and is scattered throughout; slight rain at 9h. 46m. lasted about 6m. Overcast; wi and is.	Mean daily temperature of ground 20 and 60 inches below its surface 83.0 and 83.8. Daily fall of rain by Osler's Gauge 0.3 in.

		DARD METER.	Тнв	RMOMET	ERS.		OF.	AIR.		UND MUTERS.	Wind Pi Osler's G		RAIN.	1			MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr	for	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE O	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Blectrici- ty+or-	Readi Strawsof Volta 1.	ngs of Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
SEPT. 5TH-Noon. 1 p. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,,	in. 29.762 .730 .709 .690 .678 .673 .693 .705 .729 .756 .756	in. 28.825 .774 .779 .723 .743 .761 .815 .816 .812 .863 .879	85°8 86.0 86.5 87.0 86.0 84.3 81.8 80.8 80.0 80.4 80.0 80.0	80°0 80.5 80.0 81.0 80.0 79.0 77.5 77.5 78.0 77.5 77.0	5*8 5.5 6.5 6.0 6.0 5.3 4.3 3.3 2.0 2.9 3.0	77:9 78.5 77.7 78.9 77.8 77.0 75.9 76.3 77.2 76.3 75.8 75.8	in. 0.937 956 .930 .967 .935 .912 .878 .889 .917 .893 .877	0.78 .79 .76 .77 .77 .80 .83 .87 .92 .88 .88	83.3 83.8 84.0 84.5 84.5 84.6 82.6 81.2 80.5 80.6 80.5	81.7 81.8 81.9 82.0 82.0 82.1 82.2 82.2 82.1 82.0 82.0	sw swbs "sww sww swbw	lbs. 0-1 0.1 0.2 0.1 0.2 0.1 0.4 0.2 0.1 0.1 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.3	None.	None.	None.	Sc. div-	None.
SEPT. 6TH-Midnight la. m. 2	.733 .719 .704 .700 .690 .696 .704 .726 .736 .755 .753 .738 .710 .691 .672 .663 .667 .691 .714 .730	.856 .898 .844 .846 .830 .871 .841 .833 .819 .833 .829 .808 .792 .759 .778 .779 .755 .780 .847 .837 .846 .859	80.0 78.0 78.5 78.0 78.5 78.5 80.0 81.8 83.0 85.0 86.0 86.3 85.9 83.0 82.8 81.3 80.7 80.0 79.4 78.8	77.0 75.0 76.0 76.0 76.0 75.2 76.0 78.0 78.6 79.0 80.0 79.0 88.0 79.0 78.6 78.3 77.0 77.0 76.8 77.0	3.0 3.0 2.0 2.5 2.0 3.2 4.0 4.3 5.0 6.3 6.9 5.0 4.2 3.0 3.7 3.0 2.4 2.0	75.8 73.8 75.2 75.0 75.2 73.9 74.9 76.4 77.5 78.2 79.3 77.7 76.4 76.1 77.0 75.5 76.8 76.1 76.0 76.2	.877 .821 .860 .854 .860 .825 .863 .993 .917 .923 .926 .945 .932 .894 .884 .912 .911 .869 .877 .884 .882	.88 .87 .91 .90 .91 .87 .97 .94 .92 .87 .84 .83 .81 .80 .76 .74 .80 .83 .87 .85 .88	80.4 79.8 79.9 79.0 79.0 79.0 81.0 81.8 82.4 83.0 83.5 84.0 83.8 83.0 82.6 81.7 81.0 80.6 80.3 80.0	82.0 82.0 82.0 82.1 81.8 81.7 81.6 81.5 81.7 81.9 82.0 82.0 82.0 82.0 82.0 82.0 82.0 82.0	SW SW bS SW bS SW SW bW SSW SW W bS W W bS W W BS W	0.2 0.2 0.1 0.1 0.4 0.2 0.1 0.2 0.2 0.2 0.2 0.3 0.4 0.1 0.2 0.3 0.4 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.17 0.01 0.01 0.02	None.	None.	None.	None.
Sept. 7th-Midnight 1 a. m. 2	.725 .710 .694 .686 .685 .702 .717 .737 .752 .768 .767 .741 .712 .683 .670 .659 .668 .692 .723 .743 .745	.837 .822 .840 .834 .786 .835 .844 .860 .864 .870 .896 .877 .833 .805 .759 .793 .767 .824 .820 .883 .907 .896		77.0 76.0 76.0 76.0 76.0 76.5 77.0 77.4 77.5 76.5 76.4 77.0 78.0 77.0 78.2 77.0 76.0 75.8 76.0	2.0 2.0 2.5 2.7 1.0 1.4 0.8 1.7 2.0 1.6 2.5 3.0 2.6 2.8 2.9 2.5 4.0 4.0 3.8 3.0 3.8 3.6 3.0 2.6	76.2 76.2 75.0 74.9 76.6 75.5 75.7 75.8 76.2 76.8 76.5 75.3 75.4 75.9 77.0 75.4 76.7 75.5 75.8 74.5	.888 .888 .854 .852 .899 .867 .873 .877 .888 .904 .897 .863 .864 .879 .878 .911 .866 .901 .868 .877 .840 .836	.92 .92 .90 .90 .95 .94 .97 .93 .92 .93 .90 .88 .89 .88 .88 .85 .85 .85	80.0 79.8 79.8 79.7 79.0 78.4 78.0 78.5 79.0 79.7 80.1 80.0 80.0 81.4 80.8 80.1 80.0 80.0 79.7 79.3	81.9 81.8 81.8 81.6 81.5 81.4 81.5 81.6 81.5 81.5 81.5 81.7 81.8 81.7 81.7 81.6 81.6	W SW bS SSW bS W bS W bS W bS W bW W bN W bN	0.1 0.4 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.3 0.3 0.2 0.5 0.3 0.4 0.3 0.2 0.5 0.3 0.4 0.3 0.1 0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.3 0.3 0.3 0.4 0.5 0.5 0.6 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7	0.07 0.02 0.04 0.01	None.	None.	None.	None.

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	
1571	ser.		REMARKS.
Amour	Op	Nora.—In recording these Observations, the Symbols used to denote the clouds are: \int cirri; \int cirro-cumuli; \int cirro-cumuli; \int cirro-cumuli; \int cirro-cumuli cirro-cumuli; \int cirro-cumuli cirro-cumuli; \int ci	
7	c	Overcast; we and we.	
7	v	vi, vi and vi scattered throughout.	
7	Ÿ		
5	v	"	
6	v	and va throughout; slight rain at 4h. 46m.; partial Rainbow in E.	
7	G	and we throughout; sight fain at 4n. 40h., partial Italinoow in 12.	,
8			1
1 1	G	Overcast; we and we; drops of rain at 6h. 14m.	l l
6	G	w throughout the sky; wi around hor-	
6	G C	vi and vaiscuttered throughout; the latter moving E.	
1 1		" "	
5 5	C	" " " " " " " " " " " " " " " " " " "	
"	С	and scattered throughout; the latter moving E.; drops of rain at 11h. 29m.	
8	С	Overcast; some stars visible here and there; shower of rain at 0h. 45m. lasted 0h. 55m.	Mean daily temperature of ground
8	v	Overcast; slight rain till 1b. 15m.	20 and 60 inches below its sur-
6	V	vi scattered around hor.	face 83°3 and 83°9. Daily fall
6	V	scattered around hore; passing rain at 3h. 55m.	of rain by Osler's Gauge 0.21 in.
8	V	Overcast; a few stars dimly visible.	_
8	G	Overcast; a few stars dimly visible; drops of rain after 5h. 52m.	
7	G	and strict throughout; light rain between 6h. 40m. and 6h. 47m.	
7	G	" "	
7	G	n n	
6	C	"	
5	С	and scattered about the hor-	
4	C	, , , , , , , , , , , , , , , , , , , ,	
4	C	I, we and we scattered about; mist in W hor-	
6	V	wind scattered about; mist in W hor.	
7	V	scattered throughout moving E.	
8	V	Overcast; vi and vi.	1
8	v	"	
7	G	ni scattered around hor and ni about the zenith.	
8 8	G	mi and mi scattered throughout.	
1 0 1	G	Overcast; on and on; a few stars and the moon dimly visible.	
8 7	G	"	
1 1	C	" "	
8 8	C	Organizate alight min at 11h 17m	
	U	Overcast; slight rain at 11h. 17m.	,
8	C	Overcast; principal stars dimly visible.	Mean daily temperature of ground
6	V	ve scattered around the hor.	20 and 60 inches below its sur-
6	V	., , , , , , , , , , , , , , , , , , ,	face 83.5 and 84.0. Daily fall
7	V	Nearly overcast; light rain at 3h. 12m. lasted 10m.	of rain by Osler's Gauge 0.10 in.
5	v	scattered around hor.	Reading of barometer corrected
8	G	Overcast with 1 moving E; drops of rain at 5h. 13m., light shower of rain at 5h. 36m. lasted 9m.	for temperature at 4 P. M. was
8	G	Overcast; \sim and \sim .	29.659 in., lowest in the month,
8	G	O	which was about 0.046 in. lower
8	G	Overcast; 🗀 and 📆; light rain.	than the normal mean.
8	C	,, .	
8 8	C	Onemand and analysis amolt desire of min falling from fall hours	
8	C	Overcast; is and vi; small drops of rain falling from full hour.	
8	C	Overcast; light rain till 0h. 25m.	·
8	v v	Overcast; slight rain.	
8	v	Overcast; drops of rain at 3h. 22m.	
8	v	Overvast; utops of faint at on, 24mi	
8	G.	Overcast; N. w. and w.	1
8	G.	Overcast; \\ \times_i	
4	G	vi around the hor.; vi about the zenith.	
8	G	i and large masses of is cattered throughout; the moon and a few stars dimly visible.	1
8	Č		
6	C	scattered throughout moving E.	
5	C	,, ,,	
		· · · · · · · · · · · · · · · · · · ·	

	STAN BAROX	DARD (ETER.	ŤHE	RMOMET	ERS.		a .	AIR.	GROTHERMO	UND METERS.	Wind Fi		RAIN.	ELBO	TRICAL	Instru	JMBNTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure of Moisture.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or—		Straws of Volta 9.	Interval of Time in recovering the same degree of tension after dis- charge.
Sept. 8th-Midnight	in.	in. 28.882	78:4	760	2.4	75 : 1	in. 0.856	0.90	79:1	81:5	WbN	1bs. 0.1	in.		Sc. div.	Sc. div.	m. s.
l a. m.	.719	.898	78.0	75.0	3.0	73.8	.821	.87	79.2	81.5	Wbs	0.1	ì	1			
2 ,,	.712	.891	78.0	75.0	3.0	73.8	.821	.87	79.0	81.5	,,	0.2					
3 "	.702	.881	78.0	75.0	3.0	73.8	.821	.87	79.0	81.5	»	0.2		1	ĺ		
4 "	.700	.879	78.0	75.0 76.0	3.0	73.8	.821 .867	.87	79.0	81.5	,,	0.2					
5 ,, 6	.711	.850	77.4	76.5	1.4 1.2	75.5 76.0	.883	.94	78.5 78.5	81.2 81.1	wsw	0.1	0.03		l		
7 "	.757	.885	79.7	76.8	2.9	75.6	.872	.88	79.0	81.0	,,	0.1	0.00				
8 "	.773	.873	81.5	78.0	3.5	76.6	∙900	.86	80.1	81.0	,,	0.1	ł	1			
9 "	.793	•909	83.0	78.0	5.0	76.1	.884	.80	81.4	81.1	,,	0.1					
10 ,,	.795	.898	84.1	78.6	5.5	76.5.	.897	.79	82.0	81.2	,,	0.1				.	
11 ,,	.793 .778	.891	85.2 86.3	79.0 79.0	6.2 7.3	76.7 76.3	.902	·76	83.1 83.4	81.4	,,	0.1	1	one.	None.	None.	None.
Noon. 1 p. m.	.757	.873	86.8	79.0	7.8	76.1	.884	.71	83.6	81.7	w w	0.2		Ž	Ž	ž	Ž
9 .	.724	.842	87.0	79.0	8.0	76.0	-882	.70	84-5	81.8	,,	0.2		1		1 1	
3 ,,	.709	.848	85.1	78.0	7.1	75.3	-861	.73	83.8	81.9	WbN	0.3	1	1		1	
4 ,,	.704	.830	82.0	77.5	4.5	75.7	-874	.82	82.0	81.9	Wbs	0.2	0.01				
5 "	.717	.818 .840	83.5	78.5 78.0	5·0 4.2	76.6 76.4	-899	.81	82.4	81.9	w	0.3	İ	1			
6 "	.733	.872	82.2	77.2	3.7	75.8	.893	.84 .85	82.0 81.2	81.9 82.0	"	0.2		1			
7 ,, 8 ,,	.757	.871	80.3	77.3	3.0	76.1	.886	.88	81.7	82.0	,,	0.0					
0 "	.765	.898	79.9	76.7	3.2	75.5	-867	.87	80.5	82.0	"	0.1	l				
10 ,,	.767	.900	79.9	76-7	3.2	75.5	-867	.87	80-4	81.9	,,	0.1		1		1	
11 ",	.763	∙896	79.9	76.7	3.2	75.5	-867	.87	80-3	31.8	,,	0.1					
берт. 9тн-Midnight		.906	79.6	76.2	3.4	74.9	-851	-86	80.2	81.8	w	0.1		İ			
l a. m.	.741	.931	79.0	75.0	4.0	73.3	.810 .806	.83	80.0	81.8	W b S	0.1			1	1	
2 ,, 3	.734 .720	.928 .886	78.6 78.8	74.8 75.0	3.8 3.8	73.2 74.3	.834	.84 .84	79.8 79.7	81.8 81.7	1)	0.0		1			
4 "	.720	.886	78.8	75.0	3.8	743	-834	.84	79.7	81.6	, ,	0.2		1	ĺ		
5 "	.738	.904	78.8	75.0	3.8	74.3	.834	.84	79.0	81.5	" "	0.1		į			
6 "	.750	.865	78.5	76.8	1.7	76.1	.885	.93	79.0	81.4) ;	0.2	İ		ļ		
7 ,,	.764	.872	80.5	77.5	3.0	76.4	.892 .899	.88	79.8	81.4	,,	0.1		1		l	
8 "	.788 .808	.889 .911	82.4 83.8	78.2 78.5	4.2 5.3	76.6 76.5	.897	.83 .80	80.9	81.5 81.6	"	0.2		1			
9 ,, 10 ,,	.813	.926	84.7	78.5	62	76.2	.887	.76	82.0 82.6	81.7	"	0.1	ا ا	1 0	نه		
10 ,,	.807	.914	86.0	79.0	7.0	76.4	.893	•74	83.4	81.9	"	0.2	None.	None.	None.	None.	None.
Noon.	.786	.857	86.5	80.0	6.5	77.6	.929	.76	83.7	82.0	"	0.3	Z	Z	Z	Z	Z
1 p. m.	.750	.783	87.0	81.0	6.0	78.9	.967	.77	84.2	82.0	"	0.3		ł		}	
2 ,,	.726	.808	87.5	80.0	7.5	77.3	•918	•73	85.0	82.2	"	0.3	l			İ	
3 ,,	.720 .710	.833	86.5 86-8	79.0 78.8	7.5 8.0	76.2 75.8	•887 •876	.72 .70	84.3	82.3 82.3	w w	0.4	Ì	1		l	
4 " 5 "	.722	.834 .825	85.6	79.0	6.6	76.5	-897	.75	84.5 83.3	82.3		0.2				ļ	
6 "	.729	.874	82.7	77.2	5.5	75.0	-855	.79	82.7	82.3); ;;	0.1			1	1	1
7 ,,	.740	.867	81.5	77.3	4.2	75.7	.873	.83	82.0	82.4	"	0.2		}			
8 "	.759	.893	81.0	77.0	4.0	75.4	-866	-84	81.6	82.4	"	0.1		1			ļ
9,,	.777	.922	81.0	76.7 76.5	4.3	75.0 74.7	.855 .846	.83 .82	81.5	82.3 82.3	"	0.2			1		1
10 ,, 11 ,,	.771	.935	80.6	76.5	4.5 4.1	74.7	.851	.84	81.1 81.1	82.2	"	0.2					
Sept.10th-Midnight	.760	010	80.4	76.2	40	74.6	-842	.83	81.0	82.2	w	0.1					
ert.ioth-midnighi la.m.	.736	.918	80.4	76.2	4.2 4.0	74.0	·842 ·838	.84	81.0	82.2 82.2		0.3					1
9	.722	.840	79.5	77.0	2.5	76.0	•882	.89	80.5	82.1	w ös	0.3	1				1
3 ,,	.708	.826	79.5	77.0	2.5	76.0	-882	.89	80.0	82.0	wsw	0.0	i			1	
4 ,,	.710	.803	77.3	77.0	0.3	76.9	.907	.98	79.0	81.9	,,	0.2	0.05	None.	None.	None.	None.
5,	.720	-843	78.2	76.5	1.7	75.8	.877	.93	79.0	81.8	"	0.1	İ	N _o	S	S S	ž
6 "	.738	.865	78.6	76.5	2.1	75.7 7 5.3	•873 •863	.91 .88	79.0	81.7 81.7	"	0.1			``		1
7 ,, 8	.755 .778	.892	79.5 80.6	76.5 77.0	3.0 3.6	75.3 75.6	•870	.85	79.7 80.3	81.7	"	0.1	0.01	}			1
u "	.798	.908	81.1	77.8	3.3	76.5	-897	.87	80.5	81.6	sw'b w	0.2	0.10	1			1
10 ,,	.796	.900	83.4	78.4	5.0	76.5	-896	.80	81.7	81.8	"	0.1					1
11 .,	.791	.887	85.0	79.0	6.0	76.8	-904	.77	82.7	81.9	,,	0.2	1	1	1	1	1

ig.			
G Clor	į	STATE OF THE WEATHER.	
100	Observers		Remarks.
Amount of Clouds	ō	Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \infty i cirro-cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i nimbl.	
5	C	w and ws scattered about; the latter moving E.	Mean daily temperature of ground
5	V	,, ,, ,, ,,	20 and 60 inches below its sur-
4	V	" "	face 83.5 and 84.0. Daily fall
5	V	scattered around hor.; light breezes from E.	of rain by Osler's Gauge 0.03 in.
6	a	wi and we scattered throughout; shower of rain at 5h. 43m. lasted about 5m.	
6	G	, , , , , , , , , , , , , , , , , , , ,	
8	G	Overcast; wi and wi.	
6	C	,, ,, ,,	,
6	C	" "	
7 7	C	, n	
7	C	in the SW; vi and vi scattered about; hazy.	
6	v	22 22	
8	V	Overcast; light rain from 3h. 30m. to 3h. 41m.	
8	V G	Large masses of va scattered throughout moving E.	
7	G	✓ and ✓ scattered throughout.	
5	G	"	·
5 7	G	", scattered throughout."	
7	C	2) 2)	
7	C	" "	
	ľ		
6	C	ni about the zenith; ni scattered throughout.	Mean daily temperature of ground 20 and 60 inches below its sur-
5 5	v	y, y, y,	face 83°3 and 84°0.
5	V.	" "	
5	V	"	
3 5	G))))	
6	G	ni and ni scattered throughout; hazy.	
6	G	"	
6 7	C)	
6	C	,,	
6	C	and continued throughout a mist in W	
5	V	scattered throughout; mist in W.	·
8	v	Overcast; we and we; mist.	
8	V	"	
8 7	G G	y and w scattered about; large masses of v₁ passing from W to E.	
4	G	and scattered about.	1
5	G		
8 8	C	Overcast with we moving E. Overcast with we moving E; a few stars about the zenith visible.	
7	c	Overcast with ver moving E; small breaks here and there.	
7	С	Nearly overcast; vi moving E.	Mean daily temperature of ground
5	V	scattered around the hor-	20 and 60 inches below its surface 83.5 and 83.8. Daily fall
7	v	Val scattered throughout; a shower of rain with fresh breezes of wind commenced at 3h. 40m. lasted 5m.	of rain by Osler's Gauge 0.17 in.
8	V	Overcast with sai moving E.	
8	G G	Overcast with va moving E; thin drops of rain at the time of observation.	1
8	G	Overcast; light rain from full hour till 7h. 24m.	
8	G	Overcast; shower of rain at 8h. 9m. lasted 8m.	i
8	C	or and or scattered throughout. Overcast; v, or and or.	1
8	c))))))	

			DARD EETER.	Тнвя	MOMET	ERS.	<u>, ,:</u>	0 P	AIR.	GRO THERMO	UND METERS.	Wind F Osler's G		RAIN.	BLEC	TRICAL	Instru	MENTS.
	Bombay					Depres-	UCED Point	TRE (r or	linch lid.	the		Pressure			Read	ings of	the dis-
	Civil Time.	Corrected to 320 Palir.	Corrected for Moisture.	In the	Wet Bulb Thermo- ineter.		DEDUCED DEW-POINT.	PRESURE Moisture	Ниміріту	Thermometer linch in the Ground.	Thermomete Inches in t Grounds	Direction.	in lbs. per Square Foot.	By New- man's	Sign of Slectrici- ty + or —		Straws of Volta 2.	Interval of Time recorvering same degree tension after d charge.
2	10 N	in.	5n.		<u> </u>	<u>'</u>		in.		1			lhs.	in.		Sc. div.	Sc. div.	m, s.
ЭЕРТ.	10тн-Noon. l p. m.	29.775	28.872 .856	85°1 86.5	79.0	6°1 7.5	77 ° 6 78.9	0.903	0.77 .72	83°1	82°0 82.3	sw b w	0.3	İ				
	2 ,,	.730	.846	86.8	79.0	7.8	77.3	.884	.71	84.3	82.4	w w	0.4					
	3 "	.724	.844	87.2	79.0	8.2	76-2	.880	.70	84.6	82.5	Wbs	0.4					
	4 ,, 5	.726 .732	.831	85.8 83.8	79.0 788	6.8 5.0	75.8 76.5	.895	.75 .80	84.0	82.4 82.4	w w	0.2		one.	None.	None.	None.
	6 ,,	.755	.920	82.0	76.5	5.5	75.0	.909	.78	82.3	82.3	,,	0.4		ž	ž	ž	No
	7 ,,	.776	.916	81.5	77.0	4.5	75.7	.860	.82	81.5	82.3	,,	0.4					
	8 ,, 9	.791	.969	81.5 81.0	76.0 76.0	5.5 5.0	75.4 75.0	.822	.78	81.5	82.3 82.2	,,	0.2					
•	10 ,,	.803	.971	80.5	76.0	4.5	74.7	.827	.82	82.0	82.3	"	0.0					
	11 ,,	.790	.952	80.0	76.0	4.0	74.9	.838	.83	81.0	82.2	" .	0.2					
Ѕерт.	12тн-Midnigh	.827	.974	79.4	76.2	3.2	75.0	.853	.87	80.3	82.3	wbs	0.1					
	la.m.	.814	.960	78.5	1	2.5	75.0	.854	.90	80.0	82.2	,,	0.0	0.03		1		
	2 ,, 3	.798	.977	78.0 78.5	75.0 76.0	3.0	73.8 75.0	.821	.87	79.8 79.5	82.1	,,	0.0	1				
	4 ,,	.783	.962	78.0	1	2.5 3.0	73.8	.854	.90	79.5	82.0	wsw wbs	0.1		}			
	5 "	.797	.929	77.3	76.0	1.3	75.5	.868	.94	78.6	81.8	, ,,	0.2					
	6 " 7	.810	29.000	77.8		2.0	73.3	.810	.92	78.6	81.7	,,	0.1					
	8 "	.828	28.955	78·6 80.5		2.1 3.0	75.7 76.4	.873	.91	79.5 80.4	81.6	W	0.1					
	9 "	.871	29.020	82.4		5.4	74.9	.851	.79	81.3	81.7	"	0.3	ł	ł			
	10 ,,	.869	28.992	83.6		5.6	75.8	.877	.78	82.0	81.8	WNW	0.1					
	11 ,, Noon.	.866	.988	84.7 85.5	78.3 78.0	6.4 7.5	75.9 75.1	.878 .856	.76	82.8	81.9	,,	0.1		one.	one.	one.	None.
	1 p. m.	.828	29.078	81.0		7.0	71.0	,750	.73	80.5	82.3	w w	0.2	0.50	ž	ž	N	No
	2 ,,	805	28.886	83.6	1	4.6	77.3	.919	.82	82.0	82.2	,,	0.2	0.37				
	3 ,,	.795	29.007 28.978	81.0 82.0	75.0 76.0	6.0	72.5 73.6	.788	.76	81.5	82.0 82.0	Wsw	0.3	1		į		
	5 ,,	.806	.844	81.4	1	6.0 4.4	75.3	.816	.82	81.0	82.0	W b S	0.3	ļ				
	6 "	.813	.973	79.8	76.0	3.8	74.5	•840	.85	80.7	82.0	Wbs	0.1	İ				
	7 ,,	.825	1 .0-0	79.8		0.0	74.5	.840	.85	80.2		,,	0.1	ļ	1			
	8 " 9 "	.831	.951	79.7 79.3	77.0 76.0	2.7 3.3	75.9 74.7	•880 •846	.89 .86	80.0	82.0 82.0	ẅ	0.1	1				
	10 ,,	.837	.990	79.2	76.0	3.2	74.7	-847	.87	80.0		,,	0.1			i		
	11 "	.824	.977	79.2	76.0	3.2	74.7	,847	,87	79.9	81.9	"	0.1					
Sept.	13тн-Midnigh	t .814	.965	79.0		1	74.8	,849	.88	79.8	81.9	w	0.1					
	l a.m.	.790		76.0	73.0	3.0	71.7	•768	.87	78.0	81.7	WNW	0.2	0-18	1			
	2 ,, 3	.782		76.5 77.0			73.0 72.8	.800 .794	.89	78.4 78.0	81.6	w n	0.0					
	4 ,,	.776	1	77.0			72.8	.794	.87	78.0	81.5	1	0.2					
	5,,	.785	.946	77.4	75.3	2.1	74.4	-839	.91	77.9	81.4	"	0.1					
	6 " 7	.802		77.9	1		74.6	•842 •845	.90	78.0 79.6	81.4	"	0.2					
	8 ,,	.823	1	80.7			73.4		.86	80.0	81.4	"	0.1		ļ l			
	9 "	.852	.008	83.0	77.0	6.0	74.6	.844	.77	81.2	81.6	"	0.1					
	10 " 11 "	.853		84.3 85.4			75.6	.870	.76	82.0	81.7	w	0.1				_	.
	Noon.	.845	.979	80.0			75.4 75.8	.877	.73	82.8 80.3	81.7	,,	0.1	0.48	None.	None.	None.	None.
	1 p. m.	.791	1 .	82.0	78.0		76.5	-895	.84	81.0	81.7	"	0.1	0.40	No	N	Nc	ž
	2 ,,	.775	.871	85.0			76.8	.904	.77	83.0	81.8	,,	0.2	}				
	3 ,, 4	.754	.921 .921	84.0 84.0			74.2 74.2	.833	.73 .73	82.5 82.5	81.8	SW b W	0.2					1
	5 ,,	.762	.877	82.9			76.1	.885	.73	81.4	81.9	WNW	0.3					
	6 "	.767	.899	80.8	77.0	3.8	75.5	-868	.85	80.0	81.8	Wbs	0.1					
	7 ,,	.778	.893	78.5			76.1	-885 860	.95	79.6	81.8	,,	0.1	1				1
	8 ,, 9	.791	.931	78.0 78.0	76·0 75.5		75.2 74.5	.860 .840	.92	79.1	81.8	wńw	0.1	0.07				1
	10 ,,	.806	.966	77.3	75.3		74.5	-840	.91	78.8	81.6	wsw	0.1	0.07				
	11 ,,	.796	.970	77.5				-826	.89	78.8	81.5	,,	0.1		1			İ

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Rewarks.
Amc		Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirri; \(\sigma\) i cirro-cumuli; \(\sigma\) i cumuli; \(\sigma\) i cumulo-strati; and \(\sigma\) i nimbi.	
8	c v	Overcast; N. M. and M.	
8	v	Overcast; w and w.	
6	v	vi and vi scattered about.	
7	v	27 17	
8	v	Overcust; wi and wi.	
6	v	and not scattered about; large masses of not passing occasionally.	
8 8	v v	Overcast; i and i.	
8	v	"	1
7	v	N and large masses of VL scattered throughout.	
8	v	Overcast; wi, w and wi.	
8 6	C V	Overcast; the moon and a few stars visible at times; passing light rain at 0h. 35m.	Mean daily temperature of ground 20 and 60 inches below its sur-
6	v		face 83.8 and 84.3. Daily fall
7	v	scattered throughout moving E; drops of rain at 3h. 11m.	of rain by Osler's Gauge 0.84 in.
6	v	vai scattered around hor.	Temperature of calculated dew-
7	G	and wi throughout.	point at 1 P.M. was 71.0, lowest
8	G	Overcast; i and vi.	in the month and about 5:1 lower than the normal mean.
8 8	G G	n n	lower than the normal mean.
8	C C))))))))))))))))))))))))))	
8	С	77 99	1
7	C	and n scattered throughout; n about the zenith.	
8	C	Overcast; N and vi; heavy shower of rain commenced at 0h. 50m.	
8	v	Overcust; raining heavily till 1h. 20m.	
8 8	v v	Overcast; drops of rain at the time of observation.	
8	v	n	İ
8	G	"	
8	G	Overcast; N and M; halo round the moon.	1
8	G	Overcast; N and Mi; large dark masses of Mi passing from W to E.	
7	G C	D v scattered throughout; vi around the hor. vi and vi scattered about; drops of rain at 9h. 30m.	
6	c		
7	C	and va scattered about; drops of rain at the time of observation.	
8	c	Overcast; heavy shower of rain with strong wind commenced at 0h. 55m.	Mean daily temperature of ground
8	v	Overcast; rain continued till 1h. 7m.	20 and 60 inches below its sur-
8	v	Densely overcast.	face 83.5 and 83.8. Daily fall
8	v v	11	of rain by Osler's Gauge 0.64 in.
7 6	G	" and vi scattered throughout.	
7	G	Overcast; vi.	
6	Ģ	mi and mi scattered throughout.	
7	G	N, Yn and Yu throughout.	
8	C C	Overcast; light rain from full hour till 9h. 14m.	
8 8	C	overcast; Ni, Mi, and dark masses of Mi; shower of rain with strong wind commenced at 11h. 21m., lasted about 20m.	
8	c	Overcast; v. vi and dark masses of vi.	
8	v	·	
6	v	"scattered around hor.; a few v and vi in and about the zenith.	1
7	v v	Overcast with we moving E; thin drops of rain at the time of observation.	
8	V G	Overcast; D vi.	
, ,	G	11 11	
8		Our and a Direct the many disclaration that the should	I
, ,	G	Overcast; D vi; the moon dimly visible through the clouds.	
8 8 8 6	G	i scattered throughout; Mi around the hor.; halo round the moon; shower of rain with strong wind at 8h. 41m.	
8 8 8		·	

,	STAN Baron		Тнв	RMOMET	ers.	·	ы. Б.	AIR.	THERMO	UND OMBTERS.	WIND I Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
Bombay Civil Time.		Corrected	In the	Wet Bulb	Depres- sion of Wet Bulb	EDUCED W-POINT.	RESSURE C	ITY OF	ter linch round.	neter 6 in the d.		Pressure in ibs.	By New-		Read	ings of	of Time in ing the legree of after dis-
1	82º Pahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in the Air.	рв Дви	PRES	HUKIDITY	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	per Square Poot.	man's Gauge.	Electrici- ty + or -	Straws of Volta 1.	Straws o Volta 2	nterval of recoverin sumo deg tension af charge.
SEPT. 14TH-Midnight	in. 29.783	in. 29.008	76.4	73*3	3:1	72:0	in. 0.775	0.87	78:4	81:4	wbs	lbs. 0.1	ia.		Sc. div.	Sc. die	m. s.
la.m.	.762	28.963	76.5	74.0	2.5	73.0	.799	.89	78.3	81.4	"	0.0	Ì				,
2 "	.741	.909	77.0	75.0	2.0	74.2	.832	.91	78.0	81.3	,,	0.0					
3 ,,	.740	.914	77.5	75.0	2.5	74.0	.826	.89	78.0	81.3	SSW	0.2			1		
4 ,, 5 m	.736 .752	.904 .919	77.0	75.0 75.0	2.0 1.9	74.2 74.2	-832 -833	.91 .92	78.0 77.1	81.2 81.1	sse	0.3	İ	}			
6 ,,	.764	.921	76.7	75.2	1.5	74.6	.843	.94	77.0	81.0		0.2					
7 ,,	.792	.945	77.4	75.5	1.9	74.7	.847	.92	77.6	81.0	"	0.1					
8 "	-804	.955	79.0	76.0	3.0	74.8	.849	.88	78.5	81.0	"	0.1	0.01	ļ			
9 ,,	.823	.959	79.8	76.6	3.2	7 5.4	.864	.87	79.6	81.0	,,	0.2	}	one.	one.	one.	je.
10 ,,	.819	.933	82.8	78.0	4.8	76.1	.886	.81	81.0	81.1	SSW	0.2		No	2 0	No	None.
ll " Noon.	.785	.958 .986	82.4 81.8	77.0	5.4	74.9	.851 .799	.79 .75	81.0 81.0	81.2 81.2	wsw	0.3	İ		_		4
1 p. m.	.758	.986	79.0	74.0	6.3 5.0	73.0 71.8	.799	.79	80.0	81.3	WNW	0.4	1				1
2 ,,	.741	.945	80.0	75.0	5.0	73.0	.799	.79	79.8	81.2	"	0.3					
3 ,,	.733	.917	82.0	76.0	6.0	73.6	.816	.76	81.0	81.3	"	0.3					
4 "	.728	.923	83.0	76.0	7.0	73.2	.805	.73	81.3	81.3	"	0.2					
5 n -	.733	.869	82.8	77.5	5.3	75.5	-867	.79	81.0	81.4	"	0.1	l				
6 " 7 "	.748 .768	.875 .891	80.4	77.0	3.4	75.7	.873	.86 .88	80.2 80.0	81.5 81.5	"	0.1	·				
9 "	.786	.943	79.5	77.0	3.0	75.8 •74.6	.877 .843	.86	80.0	81.5	" .	0.1		1			
9 ,,	.817	29.005	78.8	75.0	3.8	73.4	.812	.84	79.4	81.4	"	0.2					
10 ,,	.821	.005	78.4	75.0	3.4	73.6	.816	.86	79.2	81.3	"	0.1	1	l	•		
11 ,,	.811	.012	77.6	74.3	3.3	73.0	.799	.86	79.0	81.2	"	0.1					
Sept. 15th-Midnight		29.004	77.3	74.2	3.1	72.9	.798	.87	78.6	81.2	WNW	0.1					
la.m.	.788	28.994	77.0	74.0	3.0	72.8	.794	.87	78.0	81.2	"	0.0		1			
2 "	.772 .762	29.015	77.0	73.0	4.0	71.3	.757	.83	78.0	81.2	,, 0117 117	0.0					
3 ,,	.762	28.955 .930	77.5	74.5 75.0	3.0 2.0	73.2 74.2	-807 -832	.87 .91	78.2 78.0	81.1 81.0	sw b w	0.1		-			
5 ,,	.768	.904	77.6	76.0	1.6	75.4	.864	.93	78.0	80.9	sw"bs	0.1			Ì		
6 "	.792	.921	77.7	76.2	1.5	75.6	-871	.94	78.0	80.8	,,	0.4					
7 "	.817	.962	79.2	76.2	3.0	75.0	.855	.88	78.8	80.8	,,	0.2					
8 "	.837	29.010	81.0	76.0	5.0	74.0	.827	.80	79.7	80.8	SbE	0.4			i		
9 ,,	.853 .852	28.999	82.1	77.0	5.1	75.0	.854	.80	80.7	80.9	n	0.3		١.	١.		_
10 ,, 11 ,,	.839	.967	83.3	78.1	5.2 4.5	76.1 77.1	.885	.80 .82	81.8 82.0	81.0 81.1	"	0.3	ne.	i e	None.	ne.	ne
Noon.	.823	.967	85.5	78.0	7.5	75.1	.856	.72	83.0	81.3	sw.	0.2	None.	None.	ž	None.	None.
1 p. m.	.802	.951	86.0	78.0	8.0	74.9	.851	.70	83.4	81.6	,,	0.2	, ,	l			
2 ',,	.782	.931	86.0	78.0	8.0	74.9	.851	-7 0	84.0	81.8	"	0.1		1			
3 ,,	.760	.860	86.5	79.3	7.2	76.6	.900	.73	84.0	81.9	"	0.1					
4 ,,	.750 .750	-868	87.0	79.0	8.0	76.0	.882	.71	84.0	82.0	shr	0.2					
5 ,, 6	.768	.855 .879	82.2 80.8	78.2 77.5	4.0 3.3	76.7 76.3	.901 .889	.84 .87	82.4 80.9	82.0 81.9	SbE	0.4					
7 ,,	.789	.986	79.8	77.6	2.2	76.7	.903	.91	80.4	81.8	"	0.4 0.2					
8 ,,	.808	.918	78.8	77.0	1.8	76.3	.890	.93	80.0	81.8	,, ,,	0.0					
9 ,,	.834	.985	79.0	76.0	3.0	74.8	-849	.88	80.0	81.7	,,	0.1					
10 ,, 11 ,,	.836 .834	29.015 28.987	78.7 79.2	75.2 76.0	3.5 3.2	73.8 74.7	.821 .847	.86 .87	79.6 79.7	81.6 81.6	SSE ,,	0.1					
Prop 16 - 3#11	.	20.25															
Верт. 16тн-Midnight la.m.	.825	28.974	78.8	76.0	2.8	74.9	.851	.88	79.5	81.5	SSE	0.1					
9	.801 . 77 9	.980 .958	78.0 78.0	75.0 75.0	3.0 3.0	73.8 73.8	.821 .821	.87 .87	79.0	81.6	së.	0.2			·		
3 ,,	.769	.975	77.0	74.0	3.0 3.0	73.8 72.8	.794	.87	79.0 78.4	81.5 81.4		0.3					
4 ,,	.766	.972	77.0	74.0	3.0	72.8	.794	.87	78.0	81.3	,, ,,	0.2	*	,,			a:
5 ,,	.774	.980	77.0	74.0	3.0	72.8	794	.87	78.0	81.3	"	0.4	None.	None.	None.	None.	None.
6 ,,	.794	.941	77.2	75.6	1.6	75.0	. 853	.93	77.7	81.3	"	0.3	ž	ž	ž	ž	ž
7 ,,	.811	.973	78.2	75.5	2.7	74.4	.838	.89	78.2	81.2	"	0.2					
8 "	.836 .858	29.025	80.7	75.5	5.2	73.4	.811	.79	79.7	81.2	"	0.4					
	אכא.	.015	81.7	76.6	5.1	74.6	-843	.80	80.9	81.3		0.2				•	
9 ,, 10 ,,	.857	.004	83.3	77.3	6.0	75.0	.853	.77	81.5	81.4	"	0.3	•		l l	į	

Amount of Clouds 0-8.	Observers.	Note.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \i cirro-cumuli;	Remarks.
<u> </u>			
8	c	Overcast with val and val.	Mean daily temperature of ground
7	v	scattered throughout.	20 and 60 inches below its sur-
8	v	Overcast; a few stars dimly visible in E of zenith.	face 83:0 and 83:5.
8	v	" " " " " " " " " " " " " " " " " " "	
6 3	V G	scattered around the hor.	
6	G	v and v scattered throughout.	
8	G	Overcast; D va moving NE; light rain from 7h. 14m. to 7h. 20m.	
8	G	Overcast; vai and vi.	
8	C	Overcast; was and was; haze in hor.	
8	C		
8	C)	
8	v	Overcast; v. moving E.	
8	v	" "	, and the second second second second second second second second second second second second second second se
8 8	v	? >	
8	V G	Overcast; wabout the zenith; wi in S and SW and we passing E.	
8	G	Overcast; N. — and M.	
7	G	v scattered throughout; vi around hor.; halo round the moon.	
6	G	and vi scattered throughout.	
6	C	" "	
4	C	"around the hor.; we about the sky.	
		,	
		at in the CE and W of socials are sound the hou	Mean daily temperature of ground
6	C	in the SE and W of zenith; val around the hor-	20 and 60 inches below its sur-
6	v	v.' scattered about the sky.	face 83°5 and 84°0. Tempera-
6	v	,,	ture of evaporation at 2 A. M. was
7	v	777	73.0, lowest in the month and about 2.5 lower than the normal
7	G	and va throughout; the latter moving NE.	mean.
6	G	and val throughout; all in the S.	15th September was the 16th day
5	G	value scattered around; about the zenith.	on which fall of rain was less
5	C	22	than 0.01 in.
3	C	nand vi scattered about; a few drops of rain at 10h. 55m.	
7 7	C	D ~1 scattered throughout.	
8	C V))))	
8	v)	,
6	v	vi and vi scattered about; mist in E.	
6 8	v	on and on scattered about; a few drops of rain at 4h. 56m. Overcast with on moving E.	
7	G G	∿! scattered throughout.	
6	G	vi around the hor.; vi about the zenith and in the W.	
4	G	vi around the hor.	
3	C	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
4 5	C	27 29 27 29	
		, , , , , , , , , , , , , , , , , , , ,	
		and profitanced the country out we call the	Mean daily temperature of ground
6	C	vi scattered throughout moving N.	20 and 60 inches below its sur-
5 5	v v	29	face 83°2 and 83°5. Daily fall of
3	v	scattered about hor.	rain by Osler's Gauge 0.15 in.
4	v	"	
2	G	scattered about the sky moving N.	
5 6	G G	or and or throughout.	
5	G	" "	
6	C	2) 2)	
6	C	Overeagt at the in the N and NW and D and all arrestly aller	
18	С	Overcast; wi in the N and NW and D wi all over the sky.	·

		STAN: Baros	DARD EETER.	Тнв	RMOME?	rers.	ن	oP B.	AIR.	l	und Merbrs.	WIND I		RAIN.	Brec	TRICAL.	Instru	Į.
	Bombay Civil Time. 1864.	Corrected to 32° Pahr.	for Moisture.	In the	Wet Bulb Thermo- meter.		DEDUCED DEW-POINT	PRESSURE O MOISTURE	HUMIDITY OF	Thermometer Linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawso Volta 1	ings of	Interv zecov same tensi
Sept.	16тн-Noon.	in. 29.833	in. 28.964	84:4	78:0	6°4	75.5	in. 0.869	0.76	82.4	81:6	SEbS	1bs. 0.3	in.		div.	Sc. div.	m. s.
	l p. m.	.803	.959	83.0	77.0	6.0	74.6	.844	.77	82.0	81.5	ssw	0.2					
	2 ,,	.787 .773	.919	85.2 86.0	78.2 79.0	7.0	75.5 76.4	·868 ·893	.73 .73	83.0 83.0	81.6	wsw	0.1					
	, ,,	.765	.914	85.0	78.0	7.0	74.9	.851	.73	82.8	81.8	"	0.1					
	5 ,,	.766	.943	84.9	77.0	7.9	73.8	.823	.70	83.0	81.8	"	0.1		نو	نو	نه	i
	6 ,,	.774	.920	82.8	77.2	5.6	75.0	.854	.78	82.2	81.8	Wbs	0.1		None.	None.	None.	None.
	7 ,,	·788 .813	.920 29.014	80.8 80.0	77.0	3.8 5.0	75.5 73.0	.868	.85 .80	82.0 81.5	81.9	,,	0.1			-	4	Z
	9	.830	28.991	77.8	75.4	2.4	74.4	-839	.90	79.7	81.8	w	0.3	0.17				
	10 ,,	.835	.996	77.8	75.4	2.4	74.4	.839	.90	79.5	81.8	,,	0.1					
	II n	.829	.971	78.2	76.0	2.2	75.1	.858	.91	79.3	81.7	,,	0.2					
EPT. l	7тн-Midnight		.955	78.2	76.0	2.2	75.1	.858	.91	79.2	81.6	s	0.2					
	la.m. 2	.797 .779	.976	78.0 78.0	75.0 75.0	3.0	73·8 73.8	.821 .821	.87	79.0	81.6	"	0.1					
	່າ ″	.776	.930	78.0	75.0	2.5	73.8	.846	.89	78.9 78.8	81.5	"	0.3					
	4 ,,	.772	.940	77.0	75.0	2.0	74.2	.832	.91	78.6	81.4	,,	0.1	l				
	5 ,,	.775	.943	77.0	75.0	2.0	74.2	.832	.91	78.4	81.3	,,	0.2					
	6 ,,	.794 .819	.948	77.5	75.5 75.5	2.0 2.7	74.7	.846 .838	.92 .89	78.0	81.3	,,	0.2					
	7 ,, 8	.819 -837	29.010	78.2 81.0	76.0	5.0	74.4	.827	.80	78.4	81.3	SbE	0.1					
	9 "	.847	28.990	82.2	77.1	5.1	75.1	.857	.80	80.8	81.4	,,	0.2	1				
	10 ,,	.853	29.032	81.5	76.0	5.5	73.8	.821	.78	80.8	81.4	,,	0.4		}			
	11 ,,	.849 -831	.124	81.2	76.0	5.2 6.2	73.9	.825 .859	.79 .76	80.8	81.4	SSW	0.4	0.07	one.	one.	one.	3e•
	Noon. l p. m.	.807	.938	83.8	78.0	6.4	75.2 75.5	.869	.75	81.9	81.5	sw w	0.3		No	Noi	No	None.
	2,,	.779	.918	83.2	77.5	5.7	75.2	.861	.78	82.0	81.6	WbN	0.1			, .		
	3 ,,	.773	.865	85.4	79.2	6.2	76.9	.908	.76	83.0	81.8	,,	0.1					
	4 ,,	•776	.883	86.0	79.0	7.0	76.4	.893 .870	.74	83.2	81.8	,,	0.1					
	5 ,,	.780 .784	.910	81.4	77.0	4.0 3.4	75.6 75.7	.873	.84 .86	81.5	81.8	,,	0.1				1	
	7	.798	.960	80.0	76.0	4.0	74.4	.838	.84	80.2	81.9	,,	0.0					1
	8 "	.817	.923	79.9	77.4	2.5	76.4	-894	.90	80.0	81.8	WNW	0.0					
	9 "	842	.978	79-0	76.4	2.6	75.4	-864	.89	80.0	81.7	,,	0.1					1
	10 " 11 "	.842	.986	78.4 78.0	76.0 76.0	2.4	75.1 75.2	.856 .860	.90 .92	79.6	81.7	,,	0.1				ţ	
	11 ,,	.000	.576	70.0	70.0	2.0	70.2	1000	.54	79.2	81.6	,,	0.0					
SEPT· l	8TH-Midnight		28-959 29.006	78.0	76.0 74.0	2.0	75.2 72.8	.860 .794	.92	79.1	81.5	wnw	0.1					
	la.m. 2,,	.800 .794	.013	77.0 76.5	73.5	3.0	72.8	.781	.87 .87	79.0 78.0	81.6 81.5	,,	0.0					1
	3 ,,	.788	.006	76.4	74.0	2.4	72.2	.782	.88	78.0	81.4	,,	0.0	1				1
	4 ,,	.796	28.936	78.0	76.0	2.0	75.2	.860 .875	.91	78.5	81.3	WSW	0.2	1				1
	5 ,, 6	.804 .809	.929	77.7 78.4	76.3 76.3	1.4 2.1	75.8 75.5	.867	.94 .91	78.0 78.2	81.2 81.2	SW b W SW b S	0.4	ļ				
	7 ,,	.833	.968	78.6	76.3	2.3	75.4	.865	.91	78.8	81.2	,,	0.2					
	8 "	.858	29.031	81.0	76-0	5.0	74.0	.827	.80	80.0	81.3	s"	0.2	1				
	9 "	.875	•028	82.7	77.0	5.7	74.7	.847	.78	81.0	81.4	,,	0.1					
	10 " 11 "	.873 •860	-020 28-971	83.7 84.5	77.4	6.3	75.0 76.3	.889	.76 .77	82.0 82.3	81.5	,,	0.2					1
	Noon.	.846	.946	85.4	79.0	6.4	76.6	•900	.76	83.0	81.6	"	0.2				1	
	l p. m.	.816	.923	86.0	79.0	7.0	76.4	•893	.74	84.0	81.7	S b W	0.1	je.	ė	يَو	په ا	ن
	2 ,,	.797	.957	87.0	78.0	9.0	74.5	-840 -802	.67	84.2	81.8	sw	0.2	None.	None.	None.	None.	None.
	3 ,, 4	.779 .769	.977	86.8 87.0	77.0	9.8	73.0 73.0	-800	.64 .64	84.0 84.0	82.0 82.1	W	0.2	~		~	4	2
	5 ,,	.703	.842	86.5	79.8	6.7	77.4	.921	.75	83.7	82.1	",	0.3		•			
	6 "	.802	.877	83.8	79.2	4.6	77.5	•925	.82	82.0	82.2	w n	0.1	l			1	
	7 "	.823	.930	82.2	78.0	4.2	76-4	•893 896	.84	81.5	82.2	,,	0.2			1	1	
	8 " 9 "	.838 .853	.952 .953	81.0	77.5	3.5 3.0	76.1 76.6	•886 •900	.86 .88	81.0 80.2	82.1 82.0	"	0.1				1	
	10 ,,	.853	.958	80.2	77.5	2.7	76.5	.895	.89	80.0	82.0	"	0.0				1	1
	11 ,,	.847	.952	80.2	77.5	2.7	76.5	.895	.89	80.0	81.8	"	0.0					

Amount of Clouds 0—8.	Observers.	STATE OF THE WEATHER.	RBMARKS.
AEBOU		Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri-cumuli; \(\) i cirro-cumuli; \(\) i comuli; \(\) i cirro-cumuli; \(\) i comuli; \(\) i comuli; \(\) i comuli.	
8 8	C V	Overcast; \(\mathbb{N} \) in the N and NW and D \(\mathbb{N} \) all over the sky. Overcast with \(\mathbb{N} \), with occasional breaks.	·
8	v	77 29 29 29	
6	v	in the SB, ∟i in the S of zenith, ∕i about the zenith and ѴLi throughout; partial Rainbow at Sh. 40m.	
7	V	Clouded as above, only the quantity of clouds was not certain; at times it was overcast; Rainbow still visible.	
5 6	G G	scattered throughout; fine blue sky visible through the breaks in the clouds.	
7	G	wi throughout moving E; wi in the SE. wi and wi scattered throughout.	1
7	G	A dark dense mass of Vai covered nearly the whole of the sky; passing heavy shower of rain at 8h, 10m, lasted 10m,	
4	C	ni and ni scattered about.	j
8	C C	vin the W, vi in the SE of zenith; and vi passing rapidly towards E. Overcast; vi and vi.	
5	C	val and val scattered about.	Mean daily temperature of ground
4	V	∨ and ∽ about the zenith and ∽ around the hor.	20 and 60 inches below its sur-
3	V V	25 27	face 83:5 and 83:8. Daily fall
2	v	" " " " " " " " " " " " " " " " " " "	of rain by Osler's Gauge 0.06 in.
7	Ġ	scattered throughout; thin drops of rain between 5h. 39m. and 5h. 48m.	
7	G		
5	G	scattered around hor.	•
5	G	" " on long and the desired throughout. Fight win from Oh 56m	
5 8	C C	vi and vi scattered throughout; light rain from 9h. 56m. Overcast; shower of rain at 10h. 6m. lasted about 2m., then it was raining lightly till 10h. 28m.	ì
8	C	Overcast; no rain; at times the sky was nearly clear.	
8	c	Overcast; we and wi.	
8	v	,, ,,	
7	v	and vi scattered throughout.	
5	V V	scattered around hor.; wa about the zenith.	
5	G	scattered around hor; \vee and \vee about the zenith.	
7	G	scattered throughout.	
6	G	» »	
7	G	" "	
4	C	scattered round hor.	
3	C	"	
	J	22 23 25	
6	C	vai scattered throughout moving E.	Mean daily temperature of ground
4	v	and nu scattered about; halo round the moon.	20 and 60 inches below its sur-
6	v v	" " " " " " " " " " " " " " " " " " "	face 83:3 and 83:7
2	v V	"scattered around hor.; where and there in the sky.	
2	G	along the E hor.; val scattered about; slight dew.	
6	G	in the S and W; we throughout.	
6	G	" and value scattered throughout; light mist in hor.	
6	G C	An and Ar scattered curodificat; usur mist in not.	
5	C	n along western hor.; wand in the E and S; light mist.	
5	c	" " " " "	
5	c))))))))))))))))))))))))))	·
6	V .	and on about the zenith; on around the hor.	
6 7	v v	ni and vi scattered throughout.	
6	v	and vi scattered throughout; a few in E and N of zenith.	
6	G	v, v and v scattered throughout.	
7	G	Large masses of \sim and \sim scattered throughout.	
5	G	vi scattered about.	
5	G	" and " scattered throughout.	
υI	G	Overcast; we and w.	
8	G		

		DARD KETER.	Тнв	RMOMBI	ERS.	:	zi	AIR.	TRBRNO	OUND OMETERS.	Wind P Osler's G		RAIN.	ELECT	FRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.		DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawso	f Strawson	
Sept. 20th-Midnig	in. 29.780	in. 28.947	81:2	76:2	5.0	74:2	in. 0.833	0.80	81:6	82°2	NW	lbs. 0.2	in.		Sc. div	Sc. div.	
l a. m.	.757	.930	81.0	76-0	5.0	74.0	.827	.80	81.4	82.3	,,	0.1					
2 ,,	.744	.915	80.8	76.0	4.8	74.1	.829	.80	81.2	82.3	,,	0.1		Ì			
3 ,, 4	.740 .736	.910	80.7 80.6	76.0 76.0	4.7	74.1 74.1	.830	.80 .81	81.2 81.0	82.3 82·1	"	0.1					1
5 ,,	.750	1	80.1	77.2	2.9	76.1	-884	.88	80.7	82.0	"	0.2		1			
6 ,,	.756		80.7	77.0	3.7	75.5	.869	.85	80.5	82.0	"	0.1					
.7 ,, 8	.782		80.7	77.0	3.7	75.5 76.8	.869	·85 -88	80.5	82.0 82.0	N Ebs	0.1					į
9 ,,	.812		77.7	75.0	2.7	73.9	.824	.89	79.7	82.0	w	0.1	0-16				
10 ,,	.811	.957	78.5	76.0	2.5	75.0	-854	.89	79.8	82.0	WNW	0.1	0.03	one.	Je.	le.	je.
11 ,,	.797	-	79.5	77.0	2.5	76.0	.882	.90	80.1	82.0 82.0	NW'bw	0.1	0.16	S	None.	None.	None.
Noon. 1 p. m.	.748		81.0	79.0	4.0	75.4 77.5	.866	.84	82.0	82.1	WbN	0.2					
2,,	.725	.821	85.0	79-0	6.0	76.8	.904	.77	83.5	82.3	"	0.1					
3 "	.702		85.0	79.0	6.0	76.8	.904	.77	83.6	82.2	"	0.2					
4 ,, 5	.702		86.0	79.0 78.5	7.0 5.2	76.4 76.6	.893	.74	83.8 83.5	82.2 82.3	"	0.3					•
6 ,,	.733		81.8	77.5	4.3	75.9	.878	.83	82.4	82.3	"	0.2					
7 ,,	∙755	∙865	80.7	77.5	3.2	76.3	-890	.87	81.7	82.4	,,	0.4		1			
8 "	.775		80.7	77.5		76.3	.890	.87	81.3	82.3 82.2	WNW	0.3		Ì			
9 ,, 10 ,,	.795		80.5 80.5		•	76.4 76.4	-892 -892	.88	81.2	82.2	"	0.1		ľ			
11 ,,	.794		79.5		2.5	76.0	.882	.90	80.9		"	0.1					
S _{EPT} . 21s T-M idni			79.0	77.0	2.0	76.2	-888	.92	80.4	82.1	ESE	0.4					
la.m.	.778 .759		78.5		2.5 1.5	75.0	.854 .865	.89	79.5	82.1 82.0	E b N E S E	0.5	Ì				
2 ,, 3	.759 :.759	1	77.5		2.5	75.4 74.0	-826	.93	79.0	81.9	1	0.5	}				l
4 ,,	.769		78.0	76.0	2.0	75.2	-860	.91	79.0	81.8	,,	0.3					
5,	.786		77.7	76.5	1.2	76.0	-883	.95	78.5	81.7	,,	0.4					
6 "	.805		76.7 77.2	75.2 75.6	1.5	74.6 75.0	•843 •853	.94	78.0 78.0	81.7	SbE	0.3	0.03				
8 ,,	.854		78.2	75.5	2.7	74.4	-838	.89	78.7	81.6	,,	0.2				ŀ	
9 "	.874	.018	78-4	76.0	2.4	75.1	-856	.90	79.0	81.6	ł	0.1	1				
10 ,,	.876		82.5		4.3	76.6	-898	.83	80.8	81.7	s b E	0.1	1	None.	None.	None.	None.
11 ,, Noon.	.868 .840		84.0 82.5	79.0 77.1	5.0 5.4	77.2 75.0	.915 .854	.81	82.1 82.0	81.8	w	0.1		Z	Z	ž	l °
l p. m.	.815	.937	83.5	78.0	5.5	75.9	-878	.79	82.0	81.9	NWbW	0-1					
2 · "	.786	.893	86.0	79.0	7.0	76.4	-893	.74	83.0	82.0	w	0.1					1
3 ,, 4	.782 .781		85.0 82.0	77.0	8.0 5.0	73.8 75.0	-822 -855	.70	83.0 81.5	82.1 82.0	W b S NW b W	0.2	0.15				
5 ,,	.793		84.2	78.4	5.8	76.2	-887	.78	82.0	82.0	,,	0.1	0.15				
6 "	.798	.890	80.8	78.0	2.8	76.9	•908	.85	81.4	82.0	NW	0.2					
7 ,,	.819		79.7	760	3.7	74.5	-841	.85	81.0	82.0	NWbW	0.0					
8 ,, 9 ,,	.831 .851		79.7 79.0	76.0 76.4	3.7 2.6	74.5 75.4	-841 -864	.85	80.3		WNW	0.0			1		
10 ,,	.851	.993			2.2	75.1	-858	.91	80.0		w	0.1	0.06				
11 "	.847		78.0	76.0		75.2	.860	.92	79.7	81.9	"	0.0					
SBPT 22ND-Midni						75.2	-860	.92	79.4		NW	0.0					
1 a. m. 2	.826 .818					74.2	.832	·91	79.0 78.0	81.7	NW bW EbN	0.3	0.21	1			
3 ,,	.823					74.6 74.6	-843	.95	78.0		1	0.1	0.08				
4 ,,	.823	.952	77.0	76.0	1.0	75.6		.96	78.0	81.5	"	0.1		نه	e e	e;	ئە
5 ,,	.842			1	1.2	74.7	-847	.95	77.7	81.4	EőS	0.3		None.	None.	None.	None.
6 "	.862 .883					75.8 75.6	.876	.98 .94	77.7	81.4	ESE	0.2	1	4	1 4	~	~
8 ,,	.909			4		74.6	-843	.86	78.7	81.4	1	0.1					
9 "	-918	28.996	81.4	78.5	2.9	77.4	-922	.88	80.5	81.3	"	0.1					
10 ,,	.917	.991	83-0	79.0	4.0	77.5	.926	.84	82.2	81.4	35	0.1					
11 ,,	.906	29.006	84.5	79.5	5.0	76.6	.900	.79	82.5	81.5	i "	0.0	1	I .	l .	1	1

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int\i cirro-cumuli; \int\i cirro-strati; \int\i cumulo-strati; and \int\i nimbi.	REMARKS.
	i		
8	C	Overcast; the moon dimly visible.	Mean daily temperature of ground
8 8	v	"	20 and 60 inches below its sur-
8	v	"	face 83.5 and 83.8. Daily fall of rain by Osler's Gauge 0.28 in.
8	v	Overcast; the moon and a few principal stars about the zenith dimly visible.	or tain by Osier's Gauge 0 20 in.
8	G		
8	G	Overcast; you and you."	
8	G	Owner A control of the control of th	
8	G	Overcast; or and or; shower of rain at 8h. 28m. lasted about 4m., then lightly raining. Overcast; lightly raining.	
8	C		
8	C	Overcast; rain ceased a few minutes before full hour.	
8	C	,,	
8	v	n n	
8 8	v	Overcast; in mi and D mi; partial Rainbow in E.	
8	V	Overcast; Now and D No; Rainbow disappeared about 4h. 10m.	
7	G	u on and u scattered throughout.	
8	G	Overcast; thin drops of rain about 6h. 10m.	
6	G	∨ and large masses of ∨ scattered throughout.	
8	G	Overcast; vi and vi; some of the principal stars visible.	
8	C	Overcast; vi and vi; drops of rain at 10h. 51m.	
8	C	,, ,,	
			_
8	C	Overcast; fresh breezes blowing from E.	M 1-11- A 1
8	v	Overcast; small drops of rain at the time of observation; fresh breezes.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	V	Overcast; we and we.	face 83.8 and 84.2. Daily fall
8	v	Overcast; we and we; the moon dimly visible.	of rain by Osler's Gauge 0.22 in.
8	V	Overcast; va and v; light shower of rain at 5h. 34m. lasted for about 5m.	
8	G	, -	
8	G))	Ì
8	G	Overcast; val and val; drops of rain at 8h. 14m.	
8	C	"	
8	C	" and va scattered throughout; horizon pretty clear.	
7	C	v, vi and vi throughout.	
6	v	"	
7	v	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
8 7	v	Overcast with heavy Vai; shower of rain at 3h. 15m. lasted about 12m.; a complete Rainbow in E seen at 3h. 30m. Large masses of Vai cover nearly the whole of the sky; Rainbow still continues to be seen.	
. 5	G	in the W and SW above the hor.; Val scattered about.	
6	46	and va scattered throughout.	
7	G	"	
6	G	"; scattered throughout; light rain between 9h. 16m. and 9h. 47m.	
7	C	,, ,,	
7	C	" "	
1	1		
		Overcast; lightly raining from 0h. 30m.; shower of rain at 0h. 55m lasted 5m.	Maan daily tamparature of annual
8	C V	Overcast; heavy shower of rain at 1h. 35m., then lightly raining.	Mean daily temperature of ground 20 and 60 inches below its sur-
8	v	Overcast; a few stars dimly visible here and there.	face 83:5 and 83:8. Daily fall
8	v	" "	of rain by Osler's Gauge 0.28 in.
8	v	Democks exceeds	-
8	G G	Densely overcast.	
8	G	Densely overcast; vi and vi.	İ
8	G	Densely overcast; va and va; drops of rain at the time of observation.	
2	N	in the N; D va around hor.; horizon pretty clear.	
2	N	wi scattered about the hor.; very slight mist on the distant Ghauts. N in the NB above hor; large dense masses of clouds rising above hor, in the N; a solitary mass of wi about the zenith.	
3	N I	A IN one 11 m monte not by sarda dome musica or croade timing monta mot in ene 11 's noticely mine of A Pr monte ent sanging	

		NDARD LETER.	THE	RMOMET	TERS.		. H	AIR.		UND METERS.	WIND FO		RAIN.	ELEC	TRICAL	INSTR	MENTS.
Bombay	Corrected	Corrected		WetBulb	Depres- sion of Wet Bulb	EDUCED W-POINT.	ESSURE OISTURE.	IX OF	or linch	eter 6 n the I.		Pressure			Readi	ngs of	ime in the ree of er dis-
Civil Time.	to 32° Fahr.	for	In the	Thermo- meter.		DEW-P	PRI OF MC	HUMIDITY	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground,	Direction.	in lbs. per Square Poot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawsol	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis-
SEPT. 22ND-Noon.	in. 29.876	in. 28.967	84.5	79:0	5.5	769	in. 0.909	0.79	82.5	81:5	SEbS	lbs. 0-1	in.		Sc. div.	Sc. div-	m. s.
1 p. m.	.863	.970	86.0	79.0	7.0	76.4	.893	.74	83.2	81.8	wsw	0.1					
2 ,,	.834	.947	86.5	79.0	7.5	76.2	.887	.72	84.0	81.8	WbS	0.1		1		1	
3 ,,	.829	.947	87.0 86.0	79.0	8.0	76.0	.882	.71	84.0	82.0	W	0.2	100	l les		1 2	
5 "	.842	.987	85.6	78.0	8.0 7.6	74.9	.851 .855	.70 .72	83.5 82.1	82.1 82.2	WNW NW b W	0.2	None.	one.	one	None.	None.
6 ,,	.859	29.037	82.2	76.2	6.0	73.8	.822	.77	82.0	82.2		0.1	Z	Z	Z	No	No
7 ,,	.864	.035	81.2	76.1	5.1	74.1	-829	.79	81.5	82.2	NW'b N	0.4			100		7.
8 "	.872	.061	80.7	75.5	5.2	73.4	-811	.79	81.0	82.2	,,	0.3		1			
9 "	.893	.055	79.2	76.0 76.0	4.0	74.4	.838	.84	81.0	82.2	,,	0.1					
11 ",	.887	.038	79.0	I The Palace	3.0	74.7	.847 .849	.87	81.0 80.7	82.2 82.1	"	0.0					
SEPT. 23RD-Midnigl	29.878	29.005	79-0	76.6	2.4	75.7	.873	.90	80.5	82.0	NW b N	0.1					
l a.m.	-848	28.999				74.8	.849	.87			NE	0.2	1		*		
2 "	.838	.984	78.5		2.5	75.0	-854	.89	80.0	81.6	ENE	0.2					
3 "	.837	29.016	1000000			73.8	.821	.87	79.8	81.7	EbN	0.1					
5 "	.847	-018 28.981	78.0 78.2			73.8 75.4	.821	.87	79.5	81.7	E E	0.3		1 3			
6	.863	.978	78.5		1.7	76.1	-885	.95	78.6	81.6		0.5			1		
7 ,,	-889	29.017	79.7	76.8	2.9	75.6	.872	.88	79.0	81.6	Ebs	0.3				1	
8 ,,	.906		81.0		4.0	75.4	-866	.84		81.6	,,	0.2	1			1	
9 ,,	.914		82.6		1.730.00	77.7	-930	.85	81.5	81.5	,,	0.2		8			
10 "	.915	.984	83.3	200 - 200		77.7	.931	.84		81.7	"	0.1	o i	one.		oi.	-5
Noon.	.877	.984	84.6			76.9 76.4	•908 •893	.79 .74	82.4 83.5	82.0 82.0	NW	0.1	None.	101	one.	None.	None.
1 p. m.	.849	29.002	86.4		100	74.7	-847	-61	84.0	The state of the s	w	0.3	-	Z	Z	Z	Z
2 "	.831	28.991	87.0	7 L C C C C C C C C C C C C C C C C C C		74.5	-840	.67	84.0		,,	0.3		4			
3 "	.823	29.042	85.2		1 70.40	72.2	-781	.66		82.4	WbN	0.3					
4 ,,	.823	.040	85.0			72.3	-783	-67	83.7	82.5	"	0.2		1			
6	.831	28.990	84.2			72.7	.792 .841	.69	83.5 83.2	82.5 82.5	"	0.3		1			
7 "	.845	.983	81.4			75.3	-862	.82	80.9		"	0.1		1			
8 ,,	.861	29.034	81.0			74.0	-827	.80	80-2		"	0.4		1		1	
9 "	.889	.078	80.5			73.4	-811	.80	80.0	82.3	,,	0.1	1			1	
10 ,,	.878					73.4		.86			"	0.1			1		
11 "	.859	-038	78-0	75.0	3.0	73.8	-821	.87	79.8	81.8	"	0.0			ř.		
SEPT. 24TH-Midnig			77.6			73.6		.88	79.6		WbN	0.1	î l				
1 a. m. 2 ,,	.830	.036	77.0					.87	78.0		"	0.0			1.2	1	
3 ,,	.822		77.6			72.8	.794	.87	78.0		"	0.0	1	1			
4 "	.828	.974	78.5	76.0				.89			"	0.1					
5 ,,	.844		78.6	76.5	2.1	75.7	-873	.91	79-0	81.6	N b'W	0.1					
6 ,,	.864	1	78.6			75.7	-873	.91	79.2		NbE	0.4)
8	.908	.031	79.4			75.5 75.8		.88	80.0		NEbN	0.3	1				
9 ,,	.920	.025	82.0					.84			NE	0.2					
10 ,,	.920	.034	82.8	78.0	4.8	76.1	-886	.81	81.5		The Paris of the P	0.1	100			1	1 3
11 ,,	.907		82.8	78.0	4.8	76.1	.886	.81	81.7	81.8	"	0.1	None.	None.	None.	None.	None.
Noon.	.882			110				.72			NEbE	0.1	Z	No	No	N	No
1 p. m.	-825					73.4	.811	.67	83.5		WbN	0.2					
3 ,,	-819					73.0		.65 .64			wnw	0.3					
4 ,,	-807	-007	87.0	77.0				.64				0.3					
5 "	-811	28.920		78.7	6.4	76.3	.891	.76	84.0	82.5	wbn	0.4					
6 .,	-833	1 7 2 2 2 2 2 2	82.8			76.1	-886	.81	82.9	82.6	WNW	0.3					
8 "	-847 -869		81.8					.80	82.0		"	0.4			1		
9 ,,	-884					10 - 17 - A - 17 - 1	-848 -848	.82 .82	81.4	82.5 82.5	"	0.4					
10 ,,	-887					74.7	.847	.83	80.7	82.5	"	0.3					
11 ,,	-879						-838	.84	80.5	82.4	"	0.2			1		

	91			1
	Sloud	يغ	Salaw on the Waterin	
1.	, ,	Observers.	STATE OF THE WEATHER.	REMARKS.
	Amount of Clouds 0-8.	Obs	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \icirri; \icirro-cumuli; \icirro-cumuli; \icirro-cumuli; \icirro-cumuli;	ABRARAS.
		' -	· · · · · · · · · · · · · · · · · · ·	
	3 4	K V	in the NE; scattered about; hor pretty clear. scattered around hor.; clear in the hor	
i	2	v	" " "	
!	6	v	scattered about the sky. scattered throughout moving E.	
;	4	G	Large masses of var around hor.; a about the zenith.	
1	6 5	G	and scattered throughout. scattered about; big drops of rain at 7h. 45m.	
;	5	G	" " " " "	
1	5	C	" "	
İ	4	C K	"	
1	-			
	6	ĸ	vs scattered throughout.	Mean daily temperature of ground
	6	v	" "	20 and 60 inches below its sur-
	7	v	" " " "	face 83.5 and 83.9.
	5	v		
- 1	5	G G	in the E of zenith; we scattered about the sky moving ESE.	
	7	G	and we scattered throughout.	
	6 3	G N	in the SB and S of zenith; D ∨ъl around hor., very light mist on the distant Ghauts.	
	4	N	21 11 11 11	
	3	K	and va scattered about; clear in the hor.	
	6	v	scattered throughout moving E.	
	3	v v	in the S; we around the hor.	
į	3	v	"	
	5	G G	in the E; large masses of we about the sky moving E.	}
Ì	4 2	G	Clouded around hor., otherwise quite clear.	
	2	G K	" "	
İ	3	K	29 29 29 29 29	
	4	K	27 27	
	}			:
	3	K V	Clouded around hor. Nabout the zenith; vi around hor.	Mean daily temperature of ground
	6	v	scattered throughout moving E.	20 and 60 inches below its surface 83.5 and 83.7.
	7 7	v v	"scattered throughout moving E; drops of rain at 4h. 31m.	24th September was the 17th day
1	6	G	Large masses of va scattered throughout the sky.	on which the fall of rain was less than 0.01 in.
	6 5	G G	scattered throughout; sat in the W.	,
	5	G	and fragments of vi scattered about the sky.	:
- 1	5	C	y	
1	6	C C	and val scattered throughout.	,
	6	c	22	
	3 6	v v	value around the hor.	
	3	v	varound the hor.; win S of zenith.	
	3 2	V G	" ··	
İ	5	G	"scattered about the sky moving E.	
	5	G G	27	
	2	G	ne scattered around hor.	
	2 2	G G	27	
1	~ l	-	19 27	

		DARD METER.	THE	RMOME	rers.	ı.	.	AIR.	GRO THERMO	UND METERS.	Wind P Osler's G		RAIN.	ELEC	TRICAL	INSTR	
Boinbay Civil Time. 1864.	to	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESEURE OF MOISTURE.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction	Pressure in 1bs. per Square Foot.		Sign of Blectrici- ty + or—	Straws of	Straw- of	Interval of Time in recovering the same degree of tension after dis-
SEPT.26TH-Midnig	in.	in. 28.964	81:0	78:0	3:0	76:8	in. 0.906	0.88	81:8	82:4	NbW	1bs. 0.3	in.		Sc. div.	Se, div.	m. s.
l a. m.	.854	.988	81.0	77.0	4.0	75.4	-866	.84	81.5	82.4	,,,	0.3	1				
2 "	.845	.985	80.8	76.8	4.0	75.2	-860	.84	81.5	82.4	,,	0.2					
3 " 4	-847	.976	80.5	77.0	3.5	75.6	.871	.86	81.3	82.4	N	0.1	}				
· "	.855	.992	80.2	77.0	3.2	75.8 75.8	.877 .875	.88	81.3	82.3 82.3	,,	0.1	ŀ				
6 "	.883	.980	79.8	77.6	2.2	76.7	.903	.91	80.0	82.2	,,	0.2	ł				
7 "	.905	29.015	80.7	77.5	3.2	76.3·	.890	.87	80.7	82.2	,,	0.1					
8 ,,	.924	.069	82.0 84.0	77.0 78.0	5.0 6.0	75.0 75.7	·855	.80	81.4	82.2	NbE	0.2	l				
9 ,, 10 .,	.929	.060	84.4	78.0	6.4	75.7 75-5	.869	.77 .76	83.1	82.1 82.2	NNE NE	0.3					
10 ,,	.909	.014	86.6	79.2	7.4	76.5	.895	.73	84.3	82.4	",	0.4	نه	يو ا	<u>.</u>	ej	ě
Noon.	.885	28.968	87.6	80.0	7.6	77.2	.917	.72	85.6	82.5	NW	0.6	Tone.	None.	None.	None.	None.
1 p. m.	.860	.915	89.0 88.4	81.0	8.0 6.6	78.2 79.5	.945	.71	86.0	83.0	"	0.6	Z				~
- ,,	.840	.839	89.0	82.0	7.0	79.5 79.6	.989	.76 .74	86.5 86.8	83.0 83.2	"	0.5		-			
4 ,,	.829	.840	89.0	82.0	7.0	79.6	.989	.74	86.8	83.4	NW'b N	0.3					
5 ,,	.836	.955	88.6	79.4	9.2	76.0	.881	.67	84.7	83.5	,,	0.5	ł				
6 "	.854	.945	84.5	79.0	5.5	76.9	.909	.79	83.9	83.5	"	0.4				<u> </u>	
7 ,, 8	.867	.949	83.7	-79.0	4.7	77.3	.918	.82 .82	83.2	83.5 83.5	"	0.5	İ	1			
9 ,,	.908	.982	83.0	79.0	4.0	77.5	.926	.84	82.9	83-4	NW	0.0					
10 ,,	.909	29.014	82.0	78-0	4.0	76.5	.895	.84	82.8	83.3	,,	0.1					
11 "	.890	•026	81.2	77.0	4.2	75.4	.864	.83	82-5	83.2	NNW	0.1					
SEPT. 27TH-Midnig		.010	81.2	77.0	4.2	754	-864	.83	82.1	83.2	NNW	0.1					1
la.m.	.858	.055	79.6 79.4	75.0	4.6	73.1	-803	.81	81.6	83.0	•,	0.0					1
3	.841 .835	.035	80.5	75.0 75.0	4.4 5.5	73.2 72.7	•806 •793	.82 .78	81.5	83.0 82.8	NNE	0.0		1		1	1
4 ,,	.843	.044	80.0	75.0	5.0	73.0	.799	.81	81.3	82.6	NEbN	0.1					:
5 "	.854	.035	79.6	75.4	4.2	73.7	.819	.83	81.0	82.5	,,	0.2					
6 , ,	.877	.004	78.6	76.5	2.1	75.7	.873	.91	80.2	82.4	,,	0.1					1
7 ,, 8	.898 .924	.027	80.5 82.3	77.0 76.5	3.5 5.8	75.6 74.2	.871	.86. .77	80.5	82.3 82.4	"	0.2			İ	İ	
9 ,,	.934	.183	84.4	75.0	9.4	71.0	.751	.65	82.8	82.5	"	0.1		1			
10 ,,	.931	.155	85.6	76.0	9.6	72.0	.776	.65	83.7	82.5	,,	0.1	je je	je je	je.	je.	je je
11 ,,	.910	.112	87.2	77.0	10.2	72.9	.798	•64	84.3	82.7	,,	0.1	None.	None.	None.	None.	None.
Noon.	.843	.040 28.992	89.2	78.5 79.0	10.7	74.4	.837	.63 .63	85.5	82.9 83.2	NW b w	0.1			_		"
l p. m.	.821	.966	90.2	79.2	11.0	74.9 75.0	-855	.62	86.3 87.0	83.4	NW	0.3		į			1
3 ,,	.811	.956	90.2	79.2	11.0	75.0	•855	.62	87.0	83.4	,,	0.4				1	
4 ,,	.803	.948	90-2	79.2	11.0	75.0	-855	.62	88.5	83.6	,,	0.3				i i	
5 "	.800	.885	89.8	80.5	9.3	77.2	.915	.67	87.7	83.7	,,	0.4				ŀ	1
6 ,, 7	.811 .826	.910 .927	87.2 83.6	79.5 78.5	7.7 5.1	76.7 76.6	•901 •899	.72	85.3 84.1	83.7 83.7	NW'bN	0.2		i			
8 ,,	.843	.988	82.7	77.2	5.5	75.0	-855	.79	83.0	83.6	NNW	0.3			1		
9 ,,	.870	29.008	81.4	77.0	4.4	75.3	-862	.82	82.4	83.5	,,	0.1				1	Ì
10 " 11 "	.870 .859		81.0 81.0	77.0 78.5	4.0 2.5	75.4 77.6	.866	.84	82.2 82.2	83.4 83.4	N b W	0.2					
O 00 3f'1 '	14 05		1				0.40		22.5	00.0	NL						
Sврт.28тн-Midnig la.m.	1. t .851		81.0 79.0		2.0 5-0	78.3 71.8	.948	.92	82.2	83.3 83.0	NbW	0.1					
2 ,,	.813		79.0		3.6	73.5	.814	.85	80.5	83.0	,,	0.0	1				
3 "	.805		78.0	74.0	4.0	72.4	.786	.83	80.2	83.0	,,	0.0	1				
4 ,,	.807	.050	77.0	73.0	4.0	71.2	.757	.83	79.8	82.8	,,	0.0	ne.	İ			1
5 "	.821	28.948	76.8	76.0	0.8	75.7	.873	.97	79.0	82.7	,,	0.2	None.				
6 ,, 7	.839		77.5	76.0 76.2	1.5 3.0	75.4 76.1	.865 .885	.93 .88	79.2 80.0	82.6 82.6	"	0.1	' '		1		
8 ,,	.876		81.2	76.1	5.1	74.1	-829	.79	81.0	82.5	NE	0.2			! }		
9 ,,	.887	.093	84.0	76.0	8.0	72.8	.794	.70	82.1	82.5	,,	0.2			•		
10 ,,	.885		85.1	77.0	8.1	73.8	.821	.70	83.2	82.6	,,	0.2	ļ	١.			
11 ,,	.863	.025	87.2	78.0	9.2	74.4	.838	.67	84.3	82.7	,,	0.2	1	+	12	10	1.4

i	ì		
Amount of Clouds.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumuli;	Remarks.
An		of cumuli; i cirro-strati; oi cumulo-strati; and vi nimbi.	
8 8 7	C V	Overcast with we moving E. Overcast; a few stars visible about the zenith. No scattered throughout.	Mean daily temperature of ground 20 and 60 inches below its surface 83.6 and 83.9.
7	v	0 "	
8 8	V G	Overcast; \mathbf{v}_i and \mathbf{v}_i .	
6	G	vi and vi throughout.	-
6	G	□ and □ scattered about.	
6	G	"	
7	C C	, , , , , , , , , , , , , , , , , , ,	
7	c)	
6	C	and iscattered about; masses of vi passing E.	
6	v	scattered about the sky; light mist in the hor.	
5 4	V	in the W of zenith; or around hor.; mist.	
4	v v	in the NW, W and SW" of the zenith; "D clouds along the E hor.	
4	G	v scattered about; vi along the E hor.	
4	G	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
2 2	G G	and vas scattered about.	
3	C	"in E, SE and S above hor.	i
3	C	ni around hor.	f.
3	C	"	
!			1
2	C	scattered around hor.	Mean daily temperature of ground
2	V	scattered around hor.; dew falling.	20 and 60 inches below its sur-
2	v	"	face 83.6 and 83.9. Reading of barometer corrected for tempe-
2 2	v v	n n	rature at 9 A. M. was 29.934 in.,
2	G)	largest during the month, and
5	G	,,	was larger than the normal
4 4	G	in the W and SW; fragments of D clouds scattered about the zenith.	mean by 0.090 in.
3	G C	D clouds scattered about the hor.; horizon pretty clear.	: i
2	C	», », »,	
1	C	" "	
	C V	or along the E hor.	
i	v	,,	•
[1]	v	22	
0	v	Cloudless; very light mist in hor.	
	G G	value about the hor. in E.	
i	G	22	
1	G	,,	
2	C C	😽 scattered around hor.	1
6	C	"scattered throughout moving SSW; a few fragments of where and there; slight dew.	
	-	and the state of t	
	_	and provide a bout the above door C.W.	Maria Adha Adamanana and Paris A
2	C V	vi scattered about the sky; dew falling.	Mean daily temperature of ground 20 and 60 inches below its sur-
3	v	v in the S and vi scattered about; dew.	face 83% and 84%.
3	V	" " "	
3	v	n n n n n n n n n n n n n n n n n n n	
5 6	G G	Large masses of \sim scattered about moving S.	
6	G	manage of the source about moting of	
5	G	ni and L ni scattered about.	
6	C	Detached . scattered throughout; light mist.	
4	C	" "	
6	С),),	

			DARD METER.	THER	NONET	ERS.	i	9 <u>5</u>	А18.	Тнвимо	UND METEUS.	Wind Poster's G.		RAIN.	BLEC	TRICAL	Instru	икить.
	Bomb ay Civil Tune.		Corrected	In the		Depres- sion of Wet Bulb	крискр w-Роімт	ESSURE COSTURE	DITY OF	Ground.	neter 6 in the		Pressure in lbs.	By New-	Rian of		ings of	Time in gree of iter dis-
	1864.	10 190 Falir.	Moisture.	Air.	Thermo- meter.	Thermo- meter in the Air.	Dи Dи	PRE	HUNID	Thermome in the G	Thermometer O inches in the Ground.	Direction.	per Square Foot.	man's Guuge.	Electrici- ty + or —		Straweof Volta2.	Interval of Time recorvering same degree tension after charge.
SEPT.	28тн-Noon.	in. 29.836	in. 28.999	87:3	78:0	9:3	74:4	in.	0.67	85°1	82°9	NNW	1hs. 0.2	in.	+	Sc. div.	Sc. div.	in. s. 2.29
	l p. m.	.804	.986	89.0	78.0	11.0	73.6	0.837 .818	.62	86.2	83.2		0.4	İ	1	1		2.29
	2 ',,	.780	.971	89.8	78.0	11.8	73.3	.809	.60	86.5	83.3	nw	0.4	i	İ			
	3,,	.761	.948	90.2	78.2	12.0	73.5	.813	.59	87.0	83.4	,,	0.3					
	4 ,,	.765	.954	89.6	78.0	11.6	73.4	-811	.60	87.0	83.5	NW b N	0.4	one.	1	ļ	e e	
	5 ,,	.770	.909	85.8	78.2	7.6	75.2	.861	.72	85.6	83.5	,,	0.5	Non		ì	lone	
	6 ,,	.785	.923	85.0	78.0	7.0	75.3	.862	.74	85.0	83.5	,,	0.2	4	1	1	Z	
	7 ,,	.791	.858	84.3	79.5	4.8	77.8	.933	.81	84.1	83.4	,,	0.1	ļ.	1			
	8 ,,	.802	.874	83.9	79.3	4.6	77.6	.928	.82	83.7	83.4	,,	0.3	1		ĺ		\
	10	.822	.892	83.4 83.0	79.2	4.2	77.7	.930	.83	83.6	83.3 83.3	, ,,	0.1	1	1 .			1 2 2 4
	11 ,,	.817	.910	82.4	78.4	4.0	76.9	.926 .907	.84	83.4 83.2	83.3	"	0.1		+	8		1.34
Sept.	29тн-Midnigh	t .809	.902	82.4	78.4	4.0	76.9	.907	.84	83.1	83.3	NWbN	0.2					
	l a. m.	.780	.878	81.4	78.0		76.7	.902	.86		83.4	NEBE	0.0					
	2 ,,	.768	.862	81.0	78.0		76.8	.906	.88	82.5	83.3	,,	0.0					
	3 ,,	.768	.902	81.0	77.0	1	75.4	.866	.84		83.2	,,	0.0			1		
	4 ,,	.772	.824	81.0	79.0		78.3	.948	.92	82.0	83.3	,,	0.1			1	1	1
	5 ,,	.782	.914	80.8	77.0	3.8	75.5	.868	.85	81.2	83.2	,,	0.2			1		1
	6 ,,	.801	.962	79.9	76.0	1	74.4	-839	.84	80.9	83.1	,,	0.1					
	7 ,,	.832	.973	81.6	77.0	1	75.2	.859	.82	81.6	83.0	,,	0.2			1		
	8 ,, 9	.850	.967	83.1	78.0	1	76.0	.883	.80	82.4	83.0	"	0.1					1
	10	.871	.960 .929	84.4 85.6	79.0		77.0	.911	.79	83.1	83.1	ENE	0.3	1		1		1
) 1	.864	.936	86.6	80.0	5.5 6.6	77.6	.943	.79	84.0 85.0	83.2 83.3	ENE ESE	0.2			ai) a:
	Nuon.	.844	926	87.5	80.0		77.3	.928	.73	85.7	83.3	S	0.2	one	one.	0116.	one	one
	l p. m.	.814	.873	89.4	81.0	1	78.0	.941	.70	86.3	83.6	sw	0.1	ž	ž	Z	ž	Ž
	2 ,,	799	.841	89.8	81.5	,	78.6	.958	.70	86.8	83.7	,,	0.1				1	1
	3 ,	.779	.801	90.0	82.0		79.3	.978	.71	87.0	83.8	wsw	0.2					1
	4 ,,	.771	.793	90.0	82.0	8.0	79.3	.978	.71	87.0	84.0	Wbs	0.2	1	1	l		i
	5 ,,	.787	.852	94.0			77.8	.935	.61	87.5	84.1	wsw	0.2		1			i
	6 ,,	.808	.812	89.2		1	79.8	•996	.75		84.1	SW b W	0.2	l		ŀ		i
	7 ,,	.837	.797	84.4	82.0	2.4	81.2	1.040	.91	84.2	84.0	"	0.0	1				
	8 ,, 9	.850 .877	.806 .868	84.0 83.2	82.0		81.3 80.2	1.044	.84	84.0	84.0	S	0.4	ļ	1	ļ	1	Ì
	10 "	.877	.894	82.8	81.0 80.6		79.4	1.009	.91	84.0	84.0	,,	0.3 0.4			!	į	}
	10 ,,	.873	.894	82.0	80.0		79.4	0.983 .979	.91 .92	83.7 83.3	84.0 83.9	s b'E	0.4					1
Seer	30 rn- Midnigh	t .869	.912	81.7	79.4	0.0	78.6	055		00.1	00.0	SbE	0.2					1
• • •	la.m.	.864	.961	81.4	78.0		76.7	.957	.91 .96	83.1 83.0	83.8 83.8	SSE	0.2				1	1
	2 ,,	.848	.904	81.4	79.0		78.1	.944	.90	82.8	83.8		0.2					
	3 ,,	.838	.932	81.0	78.0		76.8	906	.88	82.4	83.7	S b E	0.1					!
	4 ,,	.833	.956	80.0	77.0	3.0	75.8	-877	-88	82.0	83.6	,,	0.1					i
	5 ,,	.845	.968	80.0	77.0		75.8	-877	.88	81.0	83.5	,,	0.2					
	6 ,,	.869	.995	79.9	77.4		76.4	-894	.90	81.0	83.4	,,	0.1					١
	7 ,, 8	.889	.967	81.4	78.5	1 -	77.4	•922	.88	81.8	83.4	,,	0.2		!			1
	0 "	.909	.952	84.0 85.5	80.0	1	78.6 79.4	.957	.84		83.5	,,	0.3	1				
	10 ,,	.925	.907	86.4	82.0		80.5	983	.83	84.0 85.0	83.5 83.6	,,	0.2			!		
	11 ,,	.913	.904	87.2	82.0		80.2	1.009	.80	85.7	83.7	"	0.3	نه	ai	ai	6	نه
	Noon.	.894	-888	88.3	82.2		80.1	1.005	.78	86.2	83.8	"	0.3	None.	None.	None.	None.	None.
	1 p. m.	.863	.876	89.2	82.0	7.2	79.5	0.987	.74	86.5	83.9	swbw	0.2	Z	Z	12	Z	Z
	2 ,,	.841	.860	89.7	82.0	7.7	79.4	.981	.72	87.0	84.0	Wbs	0.2				1	;
	3 ,,	.821	.884	89.6	81.0	1	77.9	.937	.70	87.0	84.2	W	0.2		İ	;		1
	4 ,,	.807	.866	89.4	81.0		78.0	.941	.70	87.0	84.3	WbN	0.3		ļ		i	1
	5 ,,	.820	.853	91.0		1	78.9	.967	.69	86.6	84.4	W	0.2	ı			1	F
	6 "	.856	.834	86.0	82.0		80.6	1.022	.85	85.6	84.4	,,	0.3			1		1
	8	.872	.944	83.9	79.3		77.6	0.928	.82	84.2	84.4	,,	0.0		İ		i	ĺ
	o "	.896	.918	83.0 82.8	80.0	1	78.9 79.0	•968	.88	83.9	84.3	,,	0.0				ļ	
	10	.899	.966	82.4	79.0		77.8	.970	.89	83.5 83.2	84.2 84.2	"	0.0		1	l		
•	10 ,,											,,,						

[•] Thermometers were probably affected by sunlight.

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Amou	ő	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumulo-strati; \(\) and \(\) i nimble.	
6 7	c v	Detached or scattered throughout; light mist.	
6 5 8	v v v	along E hor.; or throughout. in the NE, E and SE; or scattered throughout.	
8 8	G G	Overcast; \sim and \sim .	
8 8	G G C	Overcast; is and is a few stars about the zenith dimly visible.	
8 8	C C	Overcast; va and L. va; some of the principal stars visible through the breaks.	,
8	c	Overcast; you and L you; a few stars visible through the breaks.	Maria della Assessatione of second
8 8	v v	Densely overcast.	Mean daily temperature of ground 20 and 60 inches below its surface 83'8 and 84'2. Tempera-
8 8	v v	"	ture of dew-point at 8 P. M. was 81.3, greatest in the month, and
8 7	G G	Overcast; we moving SSW. we and L we throughout.	about 5:5 greater than the normal mean.
5 2 2	G G C	scattered throughout; light mist in hor. si around the hor.; light mist. in the N and W; so around the rest of the hor.	29th September was the 38th day on which lightning was noticed after sunset.
2	C C	" scattered around hor.	anci sunsct.
3 3	C V	scattered about; or in the NE and E hor. in the S and SW; or in the NE, E and SE hor.	
3 3	v v	and along E hor, and so around W hor. or and or in the E extending towards zenith.	
4 4 3	G G G	from NNE to SE hor. extending towards the zenith; lightning in E. from NNE to SE hor. extending towards the zenith; successive lightning in E.	
3 3	G C	" " " " " " " " " " " " " " " " " " "	
3	C C	Clouded around hor.; lightning in NE at intervals of 2m.	
7	c	and L va scattered throughout; flashes of lightning were observed at intervals.	Mean daily temperature of ground
6 6 2	v v v	and L vs scattered throughout; no lightning was seen after the last observation.	20 and 60 inches below its sur- face 83°8 and 84°4. Reading of wet bulb thermometer at noon
2	V C	in the E, α in the NE and SE; slight dew.	was 82°2, greatest during the month, and about 4°0 greater
1 1	G G	A few und N in the NE and E.	than the normal mean. 30th September was the 39th day
3	C C	in the NW and SE; or around hore in the SE; or in the E and or around the hor.; light mist.	on which lightning was observed after sunset.
4 4	C C	in the W; of from the N to the SE hor, and masses of on in the N and NW; light mist.	
3	v v	ol and Alexattered from N to SSE hor. extending towards zenith; ol in the rest of the hor.	
4 4	V V G	" " " " " " " " " " " " " " " " " " "	
6 5	G G	oi, oi and of nearly cover the Eastern half of the sky; lightning after sunset.	
5 4	G C	and in the E half of the sky; lightning in E at intervals of 1m.	
4	c c	27 27 27 27 27 27 27 27 27 27 27 27 27 2	

		STAN Barox		Тиві	RMOMET	rers.	ن .	Pa .	A1R.	Тивимс	UND Naters.	Wind i Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
	Bombay					Depres-	CKD OINT	RE C	Y 0.P	id.						Read	ings of	Time in gree of the far dis-
	Civil Time.	Corrected to 82° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Wet Buib below	DEDUCED DEW-POINT.	Parssure of Moisture.	HUMIDITY	Thermoneter Ibach	Thermometer inches in th Ground,	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Straws of	Straws of Volta 2.	3522
Ост.	IsT-Midnight	in. 29.889	in. 29.912	80:0	77:()	3°0	75'8	.n. 0.877	0.88	81:8	83:9	SE b S	lbs. 0.5	ia.		Sc. div.	Sc. div.	m. s.
	1 a. m.	.880	.038	79.6	76.0	36	74.6	.842	.85	81.5	83.8	SE	0.5					
	2 ,,	.863	.021	79.6	76.0	3.6	74.6	.842	.85	81.5	83:8	,,	0.5	,				
	3 ,,	.863	28.975	79.0	77.0	2.0	76.2	.888	.92	81.0	83.7	,,	0.4	l				
	5 ,,	.872	29.015	79.0 79.0	76.0 76.0	3.0	74.8 74.8	.849	.87 .87	81.0 80.2	83.6 83.4	,,	0.4					
	6 ,,	.892	.010	78.8	76.8	2.0	76.0	.882	.92	80.0	83.3	,,	0.3					
	7 ,,	.917	.054	79.6	76.5	3.1	75.3	.863	.87	80.2	83.1	,,	0.2					
	8 ,, 9	.937	.082	82.0	77.0	5.0	75.0	.855	.80	81.4	83.1	SEBE	0.1					
	10	.945	.063	83.2 84.4	78.0 79.2	5.2 5.2	76.0	.882	.80	82.2 83.0	83.2 83.2	,,	0.2	None.	one.	one.	None.	None.
	10 ,,	.932	28.994	86.5	80.2	6.3	77.3	.938	.77	84.1	83.3	,,	0.2	ž	Š	N _o	No	No
	Noon.	.903	.940	87.4	81.0	6.4	78.8	.963	.76	85 .0	83.4	"	0.2					
	1 p.m.	.873	.923	88.5	81.0	7.5	78.3	.950	.73	86.0	83.6	,,	0.1					
•	2 ,, 3	.841 .831	.859 .850	89.6 89.7	82.0 82.0	7.6	794	.982	.73 .72	86.5	83.7	Wbs	0.2					
	4 ,,	.821	.235	89.3	82.0	7.7	79.4	.981	.72	86.5	83.8 84.0	W	0.2					
	5 "	.828	.939	90.3*		10.3	763	.889	.64	86.6	84.2	WNW	0.2					
	6 "	.854	.992	85.0	78.0	7.0	75.3	.862	.74	85.0	84.2	,,	0.1					
	7 ,, 8	.878	29.005	84.0	78.0	6.0	75.7	.873	.76	84.0	84.0	,,	0.1	1				
	0 "	.910	.013	83.0	78.0 75.0	50	76.1	.884	.80	83.7 83.0	84.0 84.0	,,	0.0					
	10 ,,	.910	.138	79.0	74.0	5.0 5.0	73.0	.799	.80	81.5	83.8	SSE	0.2					
	11 ,,	.904	.083	78.0	75.0	3.0	73.8	.821	.87	80.0	83.7	"	0.1					
ст. 3	3RD-Midnight	.822	28.953	79.4	76.4	3.0	75.5	.869	.88	80.9	83.6	ENE	0.2					
	l a. m.	.819	-946	80.4	77.0	3.4	75.7	.873	.86	80 9	83.5	NEbN	0.0					
	2 ,, 3	.801 .791	.924	80.0	77.0	3.0	75-8	.877	.88	80.9	83.5	NNE	0.0			İ		
	A ,,,	.791	.885	81.0	78.0	3.0 2.7	76.8	•906	.88	81.4	83.5	N b E	0.1					
	5 ,,	.811	.934	80.0	77.8	3.0	76.7 75.8	.903	.89 .88	81.3	83.4		0.1					
	6 ,,	.834	.985	79.0	76.0	3.0	74.8	.849	.88	80.5	83.3	NNE	0.1					
	7 ,,	.852	.968	79.4	77.0	2.4	76.1	.884	.90	80.7	83.3	,,	0.1			ļ	ļ	
	8 ,, 9	.870	.975 29 007	82.0	78.0	4.0	76.5	89.5	.84	81.5	83.4	NE	0.1			1		
	10 ,,	.882	28.960	84.7 85.3	78.2 79.5	6.5 5.8	75.7	.873	.75	82.0	83.4	NE b E ENE	0.2					
•	11 ,,	.872	.979	86.0	79.0	7.0	77.4 76.4	.922	.78 .74	82.8 83.9	83.4	1	0.1	None.	None.	None.	None.	None.
	Noon.	.842	.856	884	81.8	6.6	79.5	.986	.76	85.0	83.5	nw'b n	0.2	Z	Ž	Z	Ž	Ž
	lp.m.	.818	.889	89.2	80 7	8.5	77.6	.929	.70	86.1	83.6	NW	0.3					
	2 ,,	.789 .773	.874	89.4	80.4	9.0	77.2	.915	.68	86.7	83.7	NNW	0.2					
	3 ,, 4 ,,	.769	.863	89.5 88.6	80.4 80.0	9.1 8.6	77.1 76.8	.914	.68	86.9 86.8	83.8 83.8	,,	0.3					, 1
	5 ,,	.:75	.924	86.0	78.0	8.0	74.9	.851	.69 .70	86.0	84.0	"	0.4					
	6 ,,	.786	.953	84.0	77.0	7.0	74.2	.833	.73	84.5	83.9	,,	0.4			1		
	7 ,,	.799	.955	83.0	77.0	6.0	74.6	-844	.77	83.5	83.8	"	0.2					
	8 ,, 9	.810 .830	.926 .942	83.0 82.6	78.0 78.0	5.0 4.6	76.1	.884	.80	83.5	83.7	,,	0.2					
	10 ,,	.837	.989	81.2	76.0	4.6	76.2 74.8	.888 .848	.82 .82	83.0 82.1	83.7 83.7	,,,	0.0					
	11 ,,	.826	.947	79.8	77.0	2.8	75.9	.879	.88	81.2	83.6	,,	0.0					
)cr. 4	4тн-Midnight	.813	.934	79.8	77.0	2.8	75.9	.879	.83	81.0	83.6	N	0.2					
	la.m.	.809	.930	79.8	77.0	2.8	75.9	.879	.88	81.0	83.5	NbW	0.1					
	2 ,,	.797	.952	79.4	76.0	3.4	74.7	.84.5	.86	80.8	83.5	,,	0.1					
	3 ,, 4	.794	.949	79.4	76.0	3.4	74.7	.845	.86	80.7	83.4	N	0.0					
	5 ,,	.816	29.030	78.5 78.0	75.0 74.0	3.5	73.5 72.4	.815	.86	80.2 80.0	83.3	N b E	0.1	2				
	6 ,,	.828	.042	78.0	74.0	4.0	72.4	.786	.83	79.9	83.2 83.1	Ĭ	0.1	Nonc.				
	7 ,,	.841	.003	80.0	76.0	4.0	74.4	.838	.84	80.2	83.2	"	0.0	-				
	8 ,,	.854	28.999	82.0	77.0	5.0	75.0	.855	.80	81.5	83.2	N	0.1		+	10	0	5. 9
	9,,	.870	29.074	83.8	76.0	7.8 8.0	72.8 73.8	•796	.70	82.3 83.5	83.3	NEbN	0.1	Ì				
	10 ,,	.869	.045	85.0				.822	.70		83.3	NE bE	0.1					

[•] The observation vitiated.

spno			
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Amou	ō	NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \i cirri; \i cirro-cumuli; \interpolice{\chi} i cirro-cumuli; \interpolice{\chi} i cirro-cumuli; \interpolice{\chi} i cumulo-strati; and \interpolice{\chi} i nin-bi.	
4	C	Clouded around hor.; Vi here and there in the sky; lightning in E at longer and longer intervals; fresh breezes from E.	Mean daily temperature of ground
8 4	v v	Overcast; \(\) and \(\); lightning in E at times.	20 and 60 inches below its surface 83.7 and 84.3. At 4 P. M.
2	v	sand so scattered about; no lightning was seen after last observation.	the temperature of dew-point
2	v		was 79.5, greatest in the month
1 2	G G	in the NE and E; slight dew falling. t in the NE and E; w in the W.	and about 3.3 greater than the normal mean.
6	G	Large masses of vi scattered about the sky moving WSW.	1st October was the 40th day on
6	G		which lightning was observed
4 4	C	along the E hor.; "and fragments of wi in the NW, W and SW.	alter sunset.
5	C	" "	
4	C	n about the zenith moving slowly to S; n along E hor.; light mist.	
2 2	v	of along E hor.; of scattered about here and there. of and of scattered along E hor.; of in SE and S and of in NW.	
3	v v	" and "E scattered gloing is nor.; " In SE and S and Vi in IV .	
3	v	and in the NE, E and SE extending towards zenith.	
8	₹	All sorts of clouds collecting in B, gloomy appearance all round; flashes of lightning in E from 6h, 10m.	
5	V V	Densely clouded the eastern half of the sky; the western half nearly clear; lightning in NE and E continuous.	
4	V		
5	V	Clouded around hor; lightning at intervals in NE, E and SE."	
5	v); ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;	
	·	, , , , , , , , , , , , , , , , , , , ,	
2 3	G C	in E and SE; vo around the rest of the hor.; lightning in E. o in E and SE; vo in the N and NW; vabout the zenith; lightning in E at times.	Mean daily temperature of ground 20 and 60 inches below its sur-
3	c	in B and 8E; vi in the N and NW; no lightning was seen after the last hour; slight dew.	face 84.7 and 84.1.
2	С	in E and SE; we in the N and NW; slight dew.	3rd October was the 41st day on which lightning was observed.
2	C V	and in NE and E; dew falling.	which highling was observed.
4	v	y and v scattered about; clear in hor.	
6	v	y in Read here and there in the aky	
3 6	V G	in E; or here and there in the sky. scattered throughout; or in E.	
6	G	" "	
6	a))	
6	G	and "throughout the sky; very slight mist.	
7	c	None throughout; we in E; and A in NE.	
7	C	scattered throughout; and or along E hor.	
5	C V	wand on along E hor.	,
2	v	" "	
1	v	"	
0	V G	Clear.	·
0	G	99	
0	G	in the E.	
			Mean daily temperature of ground
0	G	in the E; slight dew.	20 and 60 inches below its sur-
0	C))))	face 84:8 and 84:2.
1	c	and along the E hor.; dew.	
0	C	vi in the E; dew. and vi around the hor; slight dew.	
7	v	scattered throughout; we here and there.	
2	v	N and N₁ scattered about.	
1	v	and on about the E hor.	
	v))))))	
1	v	,, ,,	1

		STAN BARO	DARD IETER.	Tax	RMOMET	rers.		8	A I R.	9 во Тиввис	end Meters.	Osrek,e G		RAIN.	Влас	TRICAL	INSTRU	MENTS.
	Bomb ay Civil Time.	Corrected	Corrected	In the	Wet Bulb	Depres- sion of WetBulb	DEDUCED DEW-POINT	ESSURE OF	1TY OF	ter I inch	neter 6 in the d.		Pressure in lbs.	By New-			ngs of	Time in the gree of the dis-
·	1864.	to \$2° Fahr.	for Mointure.	Air.	Thermo- meter.	below Thermo- meter in the Air.	DK	PRE	Ниміріту	Thermometer I inch in the Ground.	Thermometer inches in th Ground.	Direction.	Poot.	man's Gauge.	Electrici- ty + or —	Strawsof	Strawsof Volta 2.	nterval of Tim- secvering same degree tension after charge.
Ост.	4тн-Noon.	in. 29.824	in. 28.911	9990	80:0	800	5501	in. 0.913	0.71		1	NNW	lbs.	in.		Sc. div.	Sc. div.	m. s.
Oct.	4тн-1100п. l p. m.	.800	.858	88°0 89.3	81.0	8:0 8.3	77:1	.942	0.71	85°5 86.2	83°5 83.6	NWbN	0.1			Į		
	2 ,,	.768	.826	89.3	81,0	8.3	78.1	.942	.70	85.3	83.7	,,,	0.3					
	3 ,,	.750	.827	89.0	80.5	8.5	77.4	.923	.70	86.5	83.8	,,	0.5			i		l
	4 ,,	.746	.833	88.0	80.0	8.0	77.1	.913	.71	86.3	838	,,	0.5			Ì		
	5 ,,	.765	.883	87.0	79.0	8.0	76.0	.882	.71	86.0	84.0	NINT MAT	0.4	ı,	ne.	ie.	ne.	ne.
	6 ,, 7	.779	.906 .906	84.0 84.0	78.0 78.0	6.0	75.7 75.7	.873	.77	85.0 84.8	83.9 83.8	NNW	0.1	Nonc.	None.	None.	None.	None.
	8 ,,	.809	.872	83.0	79.0	4.0	77.9	.937	.84	84.3	83.8	N b W	0.0			1		
	9 "	.830	.935	82.0	78.0	4.0	76.5	.895	.86	83.1	83.8	N	0.0		ĺ			
	10 ,,	.826	.924	81.4	78.0	3.4	76.7	.902	.86	82.3	83.8	E	0.0		}	1		
	11 "	.819	.977	79.6	76.0	3.6	74.6	.842	.86	81.2	83.7	,,	0.0					
Ост. 8	бтн-Midnigh		.970	79.0	76.0	3.0	74.8	.849	.88	80.6	83.7	E	0.0					
	1 a.m. 2	.817	.968	79.0	76.0 76.0	30	74.8	.849 -856	.88	80.5 80.2	83.6	"	0.1					
	- <i>"</i>	.805	.933	78.4 78.5	77.0	2.4	75.1 76.4	.893	.90	80.2	83.5 83.5	,,	0.1					
	4 ,,	.806	.889	80.0	78.0	2.0	77.2	.917	.92	80.9	83.5	,, N	0.1	İ				
	5 ,,	.825	.941	79.4	77.0	2.4	76.1	.884	.90	80.5	83.4	,,	0.1		İ			
	6 ,,	.835	.997	78.2	75.5	2.7	74.4	.838	.89	80.0	83.4	- "_	0.1					
	7 ,,	.855 .872	.972 29.057	80.6	77.3	6.1	76.0	.883	.87 .76	81.0	83.3	N b E NE	0.1					
	9	.870	28.990	83.4	78.0	5.4	73.5 75.9	.880	.80	81.8	83.2 83.2	NEbE	0.1		1			
	10 ,,	.874	29 052	85.0	77.0	8.0	73.8	.822	.70	83.8	83.3	,,	0.0		1			
	11 ,,	.867	.020	864	78.0	8.4	74.7	.847	.69	85.2	83.3	NW	0.0	<u>.</u>	نه	ن ا	å	ě
	Noon.	•835	28.964	88.0	79.0	9.0	75.6	.871	.63	85.8	83.3	WNW	0.0	None.	one.	lone.	lone.	None.
	Ip.m.	.821 .798	.915 .892	88.6	80.0	86	76.8	.906	.69	86.0 86.1	83.4	NWbW	0.3	~	2	Z	Z	~
	3	.780	.838	88.6 89.3	81.0	8.6	76.8 78.1	.942	.69	86.6	83.5 83.6	NW	0.4		i			
	4 ,,	.776	.831	89.0	81.0	8.0	78.2	.945	.71	86.8	83.7	,,	0.3					
	5 ,,	.779	.834	87.0	80.5	6.5	78.2	.945	.76	86.1	83.8	NWbN	0.3		1			
	6 ,,	.797	.906	84.5	78.5 78.0	6.0	76.3	-889	.77	84.7	83.8	,,	0.3		1			
	7 ,, 8	.814 .832	.933 .948	83.3 83.0	78.0	53	76.0 76.1	.881	.79 .80	83.8 83.5	83.8	NNW	0.2					1
	۵ ″	-837	.944	82.2	78.0	4.2	76.4	.893	.83	82.8	83.7	",	0.0					
	10 ,,	.837	.971	81.0	77.0	4.0	75.4	-866	.84	82.1	83.7	N b W	0.0					
	11 ",	.827	.985	79.6	76.0	3.6	74.6	-842	.85	81.0	83.7	N	0.0					
Ост. (6тн-Midnigh	.818	-941	80.0	77.0	3.0	75.8	.977	.88	81.0	83.6	NbE	0.0					
	la.m.	.817	.968	79.0	76.0	3.0	74.8	.849	.88	80.5	83.5	,,	0.1					
	2 ,,	.812	.989 29 - 020	78.2	75.1	3.1	73.8	.823	.87	80.2	83.4	"	0.1					
	3 ,,	.812	.033	77.2	74.0	3.2 2.7	72.7	.792	.87	79.5	83.3	"	0.1					
	5 ,,	.833	•035	76.2	74.0	2.6	72.3	.798	.89	78.7	83.1	," N	0.1	İ		•		
	6 ,,	.851	.099	76.8	72.8	40	71.0	.752	.83	78.5	82.9	,,	0.1					
	7 ,,	.877	.074	79.6	75.0	4.6	73.1	-803	.81	79.6	82.8	NNE	0.1					
	8 ,, 9	.895	.140	80.5 83.2	74.0	6.5	71.2	.755	.74	80.2	82.8	EbN	0.2					
	10 ,,	.909	165	85.0	75.0	8.2 10.0	71.5	.764	.69 .64	81.0	82.8 82.8	E	0.0			'		1
	11 ,,	-891	·151	85.4	75.0	10.4	70.5	.740	.62	83.2	82.8	"	0.0					
	Noon.	.868	.148	87.2	75.0	12.2	69.7	.720	.57	84.5	82.9	N	0.0					1
	l թ. m.	.855	.069	88.3	77.0	11.3	72.4	•786	.60	85.1	83.1	NWbN	0.3	je	ne.	ne.	5	one
	2 ,, 3	.832 .822	28.974	89.2 89.3	77.7	11.5	73.1 74.8	•803 •848	.60 .63	86.0 86.4	83.2 83.3	,,	0.2	None.	None.	None.	Nonc.	Z
	3 ,, 4 ,,	.822	.962	89.0	79.0	10.0	75.2	-860	.65	86.2	83.4	"	0.1	'			_,	-
	5 ,,	.833	.993	87.0	78.0	9.0	74.5	-840	.67	85.6	83.5	"	0.3					
	6 ,,	.842	.972	84.3	78.0	6.3	75.6	-870	.76	84.2	83.5	NNW	0.2					
	7 ,,	.854	.961 .961	83.3	78.3	5.0	76-4	•893	.80	83.5	83.5	,,	0.3					
	8 ,, 9 ,,	.869	.983	82.8	78.5 78.0	4.3 3.8	76.9 75.6	•908 •897	.83	83.0	83.5	,,	0.2		1			
	10 ,,	.887	29.051	80.2	76.0	4.2	75.0	.836	.85 .83	82.1	83.5 83.5	NNE	0.0		1		1	1
	11 ,,	.882	.074		75.0	4.2		.808	.83			,,	0.0		1		1	1

7			
ş	1		
S.	<u></u>	STATE OF THE WEATHER.	· ·
nt of 0	97.10	DIALE OF THE WEALTER.	REMARKS.
ong	Observers.		
Amount of Clouds		Note.—In recording these Observations, the Symbols used to denote the clouds are; \init\ cirri; \init\ i cirro-cumuli; \init\ i cirro-strati; \int\ i cumulo-strati; and \init\ i nimbi.	·
	'		:
2	V	and we about the E hor.	· · ·
3	C	∩ and \ scattered about the E hor.	
4	C	and a scattered in the eastern half of the sky.	
4	C		
1	v	and we scattered about the E hor-	
1	V	n · n	
0	v	Cloudless.	
0	D		
Ö	D	" "	
0	D	"	
	i		
0	D	A few clouds in the E.	Mann daily towns and are of areas
2	C	A lew clouds in the E.	Mean daily temperature of ground 20 and 60 inches below its sur-
4	C	, ,	face 85.0 and 84.2.
6	C	scattered throughout; dew falling copiously.	
4	C	,, ,,	
3 2	B	scattered about the E hor.; dew falling.	
1	В	in the E; mist in W.	
2	В	scattered around hor.; mist in W.	
2	D	" "	
1	D	"	
4	D	"	
3	D	,, ,,	
4	C))	
1	C	}	
0	C	and in NE, E and SE hor.; very light mist.	
1 1	В	v in the E hor.; very light mist.	
0	B B	Cloudless.	
0	В	A few or in the SE,	•
0	D	" "	
0	D	Cloudless.	1
0	D	"	
0	D	Clear; dew falling.	Mean daily temperature of ground
0	c	" "	20 and 60 inches below its sur-
0	C	2)))	face 84.9 and 84.2.
0	C C	" "	
5	В	scattered about the sky; dew falling.	1
5	В	scattered about the sky; dew falling; mist in W.	
4	В	vi and vi scattered about; black mist in W hor.	
2	В	on and scattered about; black mist around.	. 1
3 4	D D	scattered about; very light mist.	
3	D	" "	1
3	D))))	
4	C	on in the E; n here and there."	
4	C	22	
5 5	C C	scattered about; light mist in E and W.	
3	В	No scattered about; ∩ in E; mist. No and \(\sigma \) along the hor. from NE to S.	
2	В		
1	В	N in the E hor.	
0	В	Cloudless.	
0	D D	"	
Ü	D	" "	
		"	

	STAN Baron	DARD Bethr.	Тнв	RMOMBI	BRS.		, o	AIR.	GRO THERMO		Wind P Osler's G		RAIN.	RLBC	PRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 38° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air.	DEDUCED DEW-POINT	PRESSURE O MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Readi	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
Ост. 7тн-Midnight	in. 29.881	in. 29.101	78.5	74:0	4.5	72:2	in. 0.780	0.82	79:3	83:3	NNE	1bs.	in.		Sc. div.	Sc. div.	m. s.
l a. m.	.875	.083	77.2	74.0	3.2	72.7	.792	.87	79.2	83.2	,,	0.0					
2 ,,	.866	•074	77.2	74.0	3.2	72.7	.792 .880	.87	79.0	83.1	,,	0.0					
3 ,, 4	.862 .868	28.982 29.005	78.7	76.7	2.0 1.7	75.9 75.3	-863	.92	80.0 79.4	83.0 82.9	NbE	0.0			}		
5 ,,	.884	•024	78.0	76-0	2.0	75.2	-860	.92	79.2	82.8	NNE	0.1					
6 "	.906	.074	77.0	75.0	2.0	74.2 75.2	-832 -860	.91	78.6	82.6	,,	0.1	1		l		
7 ,, 8 ,,	.928 .941	.068	81.0	76.2 76.6	2.6 4.4	74.9	.851	.89	79.3 80.5	82.6 82.6	NE BN	0.1					
9 ,,	.938	.122	82.0	76.0	6.0	73.6	.816	.77	81.0	82.7	NE b E	0.0		·			
10 ,,	.932	•123	82.6	76.0	6.6	73.3	-809 -858	.75	81.2	82.8	,,	0.0	١.	۱	١.		
ll " Noon.	.907 .882	.049	85.4 87.5	78.0	7.4 8.5	75.1 75.8	-876	.72	82·5 84.8	82.8 82.8	NE N b W	0.0	bile.	one.	one	None.	one.
1 p. m.	∙858	28.945	88.0	80.0	8.0	77.1	.913	.71	85.2	83.0	NW b W	0.3	2	Z	Ž	Ž	ž
2 ,,	·833	•922	88.2	80.0	8.2	77.0	.911	.70	85.6	83.1	WbN	0.4				1	
3 ,, 4	.817 .815	·883 ·891	88.0 87.0	80.5	7.5	77.5	.934	.73	85.6 85.4	83.2 83.2	wnw	0.3					
5 ,,	-822	.918	85.0	79.0	6.0	76.8	•904	.77	84.7	83.4	,,	0.4					
6 ,,	-831	.939	83.0	78.2	4.8	76.4 76.3	.892 .889	.81	83.3	83.4	NW b W	0.4					
7 ,, 8	·850 ·870	992	82.5	78.0	4.5	75.9	-878	.81	83.0 82.2	83.4 83.4	NW b N	0.3					
9 ,,	.874	29.006	80.8	77.0	3.8	75.5	-868	.85	81.8	83.4	NW	0.1					
10 ,,	.877	•009	80.8	77.0	3.8	75.5	-868 -873	.85	81.4	83.3	,,	0.0	}			ļ	
11 "	.870	28-997	80.4	77.0	3.4	75.7	.0,5	.86	81.0	83.3	,,	0.0					
Ост. 8тн-Midnight		.978	80.0	77.0	3.0	75.8	.877 .893	.88	80.8	80.0	NW	0.1					
l a. m.	.852 .841	.959	80.0 79.0	77.4	2.6	76.4 76.2	-888	.89	80.8	80.0	NW bN	0.0					i
3 ,,	.839	.978	78.3	76.1	2.2	75.2	.861	.91	80.5	83.0	,,	0.1		i	}		
4 "	.044	.984	78.0	76-0		75.2	-860 -834	.92	80.0	82.9	,,	0.1	1				1
5 ,, 6	.864 .888	29.030 .060	77.6	75.2 75.0	2.4 2.4	74.3	-828	.90	79.2 79.0	82.8 82.6	NNW NNE	0.3	İ				ł
7 ,,	.908	.065	79.5	76.0	3.5	74.6	-843	.86	79.8	82.6	NEbN	0.3					ł
8 "	.921	.055		•		75.4	-866 -812	.84	80.5	82.6	,,	0.2]	į	
9 ,, 10 ,,	.918 .913	.106		76.0		73.4 72.8	.794	.75	80.8	82.6 82.7	"	0.1		ļ			
11 ,,	.891	28.991	85.4	79.0		76.6	-900	.76	82.2	82.7	Nw'b w						1
Noon.	.863	29.016		78.0		74.7	-847 -880	.69	84.1	82.8	"	0.1	None.	e e	e e	je j	l e
1 p. m. 2	.847	28.967	87.2 88.1	79.0		75.9 76.1	-886	.70	84.7 85.1	82.9 83.1	"	0.4	N _o	None.	None.	None.	None.
3 "	.816	.907	88.4	80.0	8.4	76.9	.909	.70	85.7	83.2	nw	0.5	1				-
4 ,,	.819	.943			8.5	75.8	.876	.69	85.5	83.2	,,,	0.5					
5 ,, 6	.827	.967	85.2 83.0	78.0	,	75.2 76.1	.884	.73	85.0 83.4	83.3	NW b W	0.5					1
7 ,,	.851	.974	81.9	77.5		75.8	-877	.83	82.7	83.2	NW b N	0.5		1			
8 "	.875	.989		77.5	3.5	76.1	-886 -879	.86	82.0	83.2	NNW	0.3	1			j	1
9 " 10 "	.880 .878	29.001 28.999	80.2 80.2	77.1	3.1 3.1	75.9 75.9	-879	.87	81.5	83.2 83.1	1	0.1					1
11 ,,	.868	.991	80.0	77.0		75.8	.877	.88	81.0	83.0	NW'bN	0.1					
О ст. 10 тн-M idnight	.856	.983	80.4	77.0	3.4	75.7	.873	-86	80.9	83.4	NbW	0.2					
l a. m.	.841	.927	80.3	78.0		77.1	.914	.90	80.9	83.3	,,	0.2] .			
2 "	.836	.928	79.7	77.7	2.0	76.9	.908	.92	80.7	83.2	N	0.2					
3 ,, 4	.828 .824	.936 .936	79.4 79.0	77.2		76.4 76.2	.892	.91	80.7	83-2 83.1	N b E	0.2				ł	
5 "	.837	.936	78.6	76.2		75.3	.862	.92	80.4	83.0	N	0.3	نو ا	نه	نه	نه	نه
6 "	.878	29.052	77.5	75.0	2.5	74.0	.826	.89	79-0	82.9	E	0.2	None.	None.	None.	None.	None.
7 ,, 8	.891 .913	.067	78.5 81.1	75.2 76.0		73.9 74.0	.824	.86	79.3	82.7 82.7	,,	0.2			~		2
9 "	.913	.148	82.6	75.0	7.6	71.8	.770	.72	81.7	82.7	, N	0.2				1	1
10 ,,	.915	.125	84.4	76.0	8.4	72.6	.790	.69	83.5	82.8	NbW	0.0		1			1
11 "	.899	.168	86.2	75.0	11.2	70.2	.731	.60	84.0	82.8	٠,,	0.0	1		<u> </u>	1	<u> </u>

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-exmuli; \(\) i cumulo-strati; \(\) i cumulo-strati; and \(\) i nimbl.	Remarks.
0 0	D C	Clear; dew falling.	Mean daily temperature of ground 20 and 60 inches below its surface 849 and 841.
0	C	, , , , , , , , , , , , , , , , , , , ,	
0	C	99	·
5 2	В	scattered about; copious fall of dew.	
	B	wand was about the hor.; fog in E. win E and win S; fog in E and SE.	
i	В	A few \above the E hor.	
0	D	A few v above the E hor.; light mist around hor.	
0	D	,, ,,	·
0	D	" " O	
1 1	D C	vin E, SE and S; vi in E above hor.; light mist.	
i	C	around the hor.; light mist.	
i	C	,, ,,	
1 1	C)	
0	В	A few varound hor.; light mist in E.	
0	В	on "	
0	В	Clear.	
o	D)	
Ŏ	D	" "	
0	D	Clear; dew falling.	
0	D C	Clear; dew falling.	Mean daily temperature of ground
0	o	vin the E; copious fall of dew.	20 and 60 inches below its surface 84.9 and 84.1.
2	C	and we scattered about the hor. in E, S and W; dew.	lace 04-3 and 04-1.
2	C		·
5	В	in E and SE; vs scattered around the hor.; dew.	
4	В	in E and SE; vi scattered around the hor.; fog in E. in E and SE; vi scattered around the hor.; mist in W.	
3	В	in the E, NE and W; light mist.	
i	D	in the N and E; mist.	
0	D	"	
0	D	22	
0	D C	A C - slands in the R - mist	-
0	C	A few clouds in the E; mist. A few clouds in the E; light mist.	
0	c ′	_	'
O	C)	
0	C	"	
0	C	7	•
0	C	Clear. A few 🔊 in the S.	
0	C	A few vi in the S; slight dew.	
0	C	11	•
3	C	scattered about; dew.	
5	D	va scattered about the sky; dew falling.	Man della temperatura di u
3	C	n national title say, down mining.	Mean daily temperature of ground 20 and 60 inches below its sur-
2	C))	face 84.9 and 84.1.
3	C	27 27	
3	C	29 29 29	
5 7	B	" scattered throughout; fog in E."	
7	В		
3	В	scattered about; mist in W hor.	
0	D	win the NE and E; mist in hor.	
0	D	Cloudless; light mist in hor.	
0	D	A few va in the E; light mist.	'

			DARD METER.	Тив	RMOMET	ers.	2	90	AIR.	Тнвимо	und Xerers.	Wind Fi Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
	Rombay Civil Time, 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Thermo- meter in	DEDUCED DEW-POINT	PRESSURE OMOISTURE	UMIDITY OF	rnometer I inch the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawsof	Strawsof	Interval of Time in recovering the same degree of tension after discharge.
	1004.					the Air.		110	E	1 2 2	4		<u> </u>	in.	<u>!</u>	<u> </u>	<u> </u>	
Ост.	10тн-Noon.	in. 29.873	in. 29.114	87.2	760	11:2	71:3	in. 0.759	0.60	84.7	82.9	NbW	1bs. 0.3	, m.		Sc. div.	Sc. div.	m. s.
	lp.m.	.844	.061	88.5 89.2	77.0	11.5	72.3 73.6	.816	.60 .61	85.7 86.2	83.1 83.2	NW NW b N	0.4	}				
	3 ,,	.809	28.986	88.5	78.0	10.5	73.8	.823	.63	86.2	83.3	,,	0.4				!	
	4 ,,	.809	.950	87.2	78.5	8.7	75.2	.859	.68	86.1	83.3	NW	0.3					
	5 ,, 6	.815	29.013	86.8	77.0	9.8	73.1	.802	.65 .73	85.7 83.7	83.4 83.4	NWbN	0.5	one.			one.	
	7 ,,	.849	28.994	82.7	77.2	5.5	75.0	.855	.78	83.2	83.4	NNW	0.4	Ž			ž	
	8,,	.870	29.018	82.3	77.0	5.3	74.9	.852	.79	82.7	83.4	NbW	0.2		+	1		Above 10 m
	9 ,,	-872	.012	81.5	77.0	4.5 5.0	75.2	•860 •799	.82	82.1	83.4	,,	0.2		+	1		Above 10 m
	10 ,, 11 ,,	.867 .859	.068	78.4	73.0	5.4	73.0	.742	.78	80.0	83.4 83.3	"	0.0					
Ост. :	llTH-Midnight	.845	.143	78.6	72.0	6.6	68.9	.702	.74	79.6	83.3	NbW	0.2					
	la.m.	.839	.056	78.3		43	72.3	.783	.82	79.6	83.2	NWbN	0.3					
	2 ,, 3	.831 .824	.021	79.0 78.0	75.0 74.5	4.0 3.5	73.3	.810 .802	.84 .85	79.6 79.4	83.1	N b W	0.1					
	3 ,, 4 ,,	.829	28.993	78.0	75.4	2.6	74.3	,836	.89	79.4	83.0	,,	0.2				<u> </u>	
	5′,,	.841	29.016	77.6	1		73.9	.825	.89	79.0	82.9	,,	0.3					
	6 ,,	.878	.112	76.8	73.2	3.6 5.2	71.6	.766	.85 .79	78.2	82.7 82.5	NEDE	0.2					
	8 ,,	.927	.246	80.5			68.0	.681	.67	80.2	82.5	NE DE	0.1					ļ
	9 ,,	.925	.152	82.4	75.0		71.9	.773	.71	80.8	82.8	ENE	0.0					
	10 ,, 11 ,,	.918	.174	85.0			70.7	.744	.62	82.7	82.9 83.0	NE b N	0.0	j j		one.	one.	e e
	Naon.	.866	.146	87.2	75.0	1 '	69.7	.720	.57	84.3	83.0	NNW	0.0	None.	None.	Nor	No	None.
	1 p. m.	.847	.058	88.0	77.0		72.6	.789	.61	85.4	83.1	NW	0.3		F-1		-	4
	2 ,, 3	.828	.054	89.4	77.0	12.4 12.0	71.9	.774	.57 .59	86.1	83.2 83.2	NW bN NW	0.4					
	4 ,,	.814	.019	88.2		11.0	72.8	.795	.61	86.0	83.3	,,	0.4					
	5,	.827	.075	87.8	76.0	1	71.0	.752	.59	85.7	83.4	,,	0.5					
	6 " 7 "	.845	.021	83.0 82.5	76.5	6.5 5.5	73.9 74.8	.824	.75 .78	83.0 82.6	83.4 83.4	,,	0.4					
	8 ,,	.883	.017	81.0	77.0	4.0	75.4	.866	.84	81.8	83.4	,,	0.3					1
	9 ",	-889	.051	80.0	76.0	4.0	74.4	.838	.84	81.2	83.4	",	0.1					İ
	10 ,, 11 ,,	.889 .886	·054 •048	80.3	76.0 76.0		74.3 74.4	.835	.83 .84	81.0 80.4	83.4 83.4	"	0.0					
Ост.	12rn-Midnight	.874	.034	79-8	76.0	3.8	74.5	.840	-85	80.4	83.4	NW	0.1					
J J I I	l a. m.	.863	28.979	79.4	77.0	2.4	76.1	.884	.90	80.4	83.3	NWbW	0.1					1
	2 ,,	.859	.975	79.4	77.0	2.4	76.1	-884	.90	80.4	83-3	,,	0.2				<u> </u>	
	3 ,, 4 ,,	.852 .848	.964	79.0	77.0	1	76.2 76.2	.888 .888	.92 .92	80.3	83-2 83-1	,,	0.1					
	5 ,,	.854	.997	78.3	76.0	2.3	75.1	.857	.90	79.5	83.0	"	0.1					
	6 "	.883	29.046	77.3			74.4	•837 840	.91	78.5	82.8	,,	0.1					
	7 ,, 8 ,,	.908 .925	.059	79.0 80.6			74.8	.849	.88	79 6 80.5	82.6 82.6	NEUE	0.4					
	9 ,,	.932	.155	82.0	75.0	7.0	72.0	.777	.73	81.3	82.7	,,	0.0				İ	
	10 ,,	.926	.125	83.4	76.0		73.0	-801	.72	82.0	82.8	,,	0.0	_		١.	_	
	ll " Noon.	.908	.164	85.0 86.4	1		70.7	•744 •729	.64 .59	83.2 83.8	82.8 82.8	NW WNW	0.0	Nene.	None.	None.	None.	None.
	1 p. m.	.856	-071	87.3	76.7	10.6	72.4	.785	.62	84.8	82.9	i	0.3	ž	ž	ž	ž	×
	2 ,,	.830	.011	87.8	77.7	10.1	73.7	-819	.64	85.5	83.1	NW b W	0.3					
	3 " 4	.819	28.990	88.0 87.2	78.0 77.7	10.0 9.5	74.1	-829 -825	.65 .66	86.0 85.8	83.2 83.3	WNW	0.4					
	5 ,,	.827	29.055	87.0	76.3	10.7	71.8	.772	.62	85.6	83.3	,, ,,	0.3					
	6 ,,	.834	.029	83.0	76.0	7.0	73.2	-805	.73	83.0	83.3	,,	0.5					
	7 ,. 8 .	.862	.027	82.0 81.5	76.5	5.5 4.5	74.3 75.2	.835 .860	.78 .82	82.4 82.0	83.3 83.3	,,	0.4				1	
	9 ,,	.888	.059	80.8	76.0	4.8	74.1	-829	.81	81.2	83.3	,,	0.2					
	10 ,,	.875	.039	80.2	76.0	4.2	74.3	-836	.83	80.8	83.3	,,	0.0				i	
	11 ,,	.868	.069	80.0	75.0	5.0	7 3.0	•799	.80	80.4	83.3	,,	0.0	1	1	}	1	

Amount of Clouds 0-8. Observers.	STATE OF THE WEATHER.	RBMARES.
¥	NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \ini cirri; \ini cirro-cumull; \ini cumuli; \ini cirro-strati; \ini cumulo-strati; and \ini nimbl.	
	scattered along the E hor, """ """ """ """ "" "" "" ""	
0 D C C C C B B B D D C C C C C C C C C C	Cloudless; dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.9 and 84.2.
5 D 7 C 7 C 7 C 6 B 3 B 1 B 0 D 2 D 2 D 2 D 2 C 3 C 3 C 3 C 3 B 1 B	In scattered about the sky; dew falling D wi scattered throughout moving WSW; dew. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.9 and 84.2.

	STAN: Barok	DARD (ETER.	Тнв	RMOMB1	ERS.	ے	. o	AIR.	GROI THERMO		Wind Fi		RAIN.	ELEC	TRICAL	INSTR	UMENTS.
Bombay Civil Time. 1864.	Corrected to \$2° Pahr .	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure of Moisture.	HUMIDITY OF	Thermometer 1 inch in the Ground.	Thermometer 6 inches in the Ground.	Direction	Pressure in lbs. per Square Foot.	By New- nian's Gauge.	Sign of Blectrici- ty + or—	Straws of	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
Oom 12mm Midnight	in.	in. 29.011	79:4	76-0	3:4	G.485	in.	0.06	[1	NWbW	lbs. 0.2	j in.	<u> </u>	Sc. div.	Sc. div.	m. s.
Эст. 13тн-Midnight 1 а. m.	29.856 .840	28.980	79.4	76.3	2.7	74 : 7 75.2	0.84 <i>5</i> .860	0.86 .89	80°3 80.3	83:3	NW	0.2	l				
2 ,,	.832	.974	78.2	76.0	2.2	75.1	.858	.91	80.0	83.2	NW b N	0.1					
3 "	-829	.979	77.5	75.6	1.9	74.8	.850	.92	79.5	83.1	"	0.1					
4 "	.835	,985	77.5	75.6	1.9	74.8	.850	.92	79.4	82.9	NATURE	0.1					
5 " 6 "	.850	29.021	77.3	75.0	2.3 2.0	74.1 73.8	.829 .821	.90 .91	79.0 78.6	82.7 82.6	NNW N	0.1]				
7 "	.893	.075	78.3	75.0	3.3	73.6	.818	.86	79.3	82.5	NbE	0.2	ì	İ			
8 "	.913	.097	80.2	75.5	4.7	73.6	·816	.81	80.2	82.5	NNE	0.1					
9 ,,	.920	.095	81.2	76.0	5.2	73.9	.825	.79	81.0	82.4	,,	0.0	ļ	1			
10 ,,	.920	.108	82.4	76.0	6.4	73-4	.812	•75	81.2	82.4	,,	0.0	١.				
11 ,, Noon.	.898	.134	83.2 85.4	75.0 76.0	8.2 9.4	71.5	.764	.69	82.0 83.2	82.4 82.4	N b W	0.1	one	ne	None.	None.	ne.
l p. m.	.868 .847	28.992	86.4	78.2	8.2	72.1 75.0	.779 .855	.70	84.0	82.6	WNW	0.2	ž	None.	ž	ž	None.
2 ,,	-824	.963	86.6	78.4	8.2	75.2	-861	.70	84-5	82.8	,,	0.6		1			
- " 3 "	.817	.997	87.0	77.5	9.5	73.7	-820	.66	85.0	82.9	NWbW	0.5					
4 "	.817	29.001	86.4	77.3	9.1	73.6	.816	.67	84.8	83.0	,, 18757117	0.5					
5 ,,	-823	.037	85.5	76.2	9.3	72.4	.786	.66	84.2	83.0	WNW	0.5					
6 ,, 7	-832 -852	28.977 29.023	82.0 80.8	76.0	5.0 4.8	75.0 74.1	.855	.80	82.3	83.0 83.0	"	0.3					
ν "	-874	.036	80.0	75.0	4.0	74.4	.838	.84	80-7	83.0	NW'bW	0.2		[!		
9 ,,	.882	.037	79.4	76.0	3.4	74.7	.845	.82	80.0	83.0	NNW	0.0			l		
10 ,,	-877	.067	79.0	75.0	4.0	73.3	.810	-84	79-8	82.9	,,	0.0		ł			
11 "	.875	-054	78.0	750	3.0	73.8	.821	-87	79-5	82.9	"	0.0					
Oct. 14th-Midnight	.871	.057	78.6	75.0	3.6	735	-814	.85	78.8	82.8	NNW	0.0					
l a. m.	.866	.036	77.2	75.0	2.2	71.1	-830	.91	78.7	82.7	,,	0.0					
2 ,, 3	.858	.050	76.4	74.2	2.2	73.3	-808	.91	78.6	82.6	"	0-1		İ			
A "	.857	.052	76.0 75.4	73.3	2.0	73.2 72.4	·805 •786	.91 .91	78.3 78.0	82.6 82.5	"	0.0	ł				
5 ,,	.890	.136	74.6	72.2	2.4	71.1	-754	.90	77.0	82.4	"	0.0		l		ŀ	
6 "	.918	.201	74.0	71.0	3.0	69.6	.717	.87	76.2	82.2	,,	0.1		1			
7 "	.937	.180	77.0	73.0	4.0	71.2	.757	-83	77.6	82.0	,"	0.1		l	1	Į	
8 "	.957	.139	80.0	75.5	4.5	73.6	-818	.82	79.3	81.9	N b E NNE	0.1		į	,	ł	
9 ,, 10 ,,	.966 .960	.171	80.4 81.5	75.0 76.0	5.4	72.8 73.8	.795 .821	.78 .78	80.6 80.8	81.9 81.9	}	0.0	ي ا	1 05	, ai	ai ai	ا ا
11 "	.935	.095	83.4	77.0	5.5 6.4	74.5	-840	.75	81.5	81.9	wnw	0.0	None.	None.	None.	None.	None.
Noon.	-909	.038	84.2	78.0	6.2	75.6	-871	.76	83.2	81.9	1	0.2	Ž	Z	Z	Z	Ž
1 p.m.	.890	.028	85.0	78.0	7.0	75.3	·862	.74	83.3	82.0	NW bw	0.3		1		i	1
2 ,,	.870	28.998	85.6	78.4	7.2	75.6	-872	•73	83.4	82.2), D7187	0.3		İ		1	}
3 ,,	.853 .852	.982	85.7	78.4 78.4	7.3	75.6	•871 •874	.73 .74	83.8	82.3 82.4	NW	0.4					
4 ,, 5	.864	.978	85-4 82.6	77.6	7.0 5.0	75.7 75.6	-872	.80	83 8 82.5	82.4	NW'bN	0.6		1			1
6 ,	.882	29.012	80.6	77.0	3.6	756	-870	.85	81.6	82.5	NNW	0.5					
7 "	.892	.015	80.0	77.0	3.0	75.8	-877	-88	81.0	82.5	,,	0.4					
8 "	.918	.028	79.6	77.2	2.4	76.3	•890	-90	80.6	825	"	0.4	1		1	1	
9 "	.937 .933	.016	79.6	78.0 78.0	1.6	77.4 77.5	·921 ·925	.93 .95	80.5 80.2	82.4 82.4	,,	0.2					
10 ,, 11 ,,	.929	.008	79.3 79.0	78.0	1.3	77.6	.928	.96	80.1	82.4	"	0.1					
Ocr. 15тн-Midnigh	.917	015	78.5	77.2	, ,	86.8	.902	O.E	90.1	82.4	NNW	0.1					
l a. m.	.893	.015	77.8	76.0	1.3	76.7 75-3	.862	.95 .92	80.1 79.0	82.4	,,	0.1	1				
2 ,,	.881	.056	77.6	75.0	2.6	73.9	-825	.89	79.0	82.4	,,	0.0	1				
- <i>"</i> 3 <i>"</i> ,	.885	.053	77.0	750	2.0	74 2	.832	.91	78.2	823	"	0.0	}				
4 ,,	.889	.057	77.0	75.0	2.0	74.2	.832	.91	78.0	82.3), NT L 337	0.0	None.	None.	None.	None.	None.
5 ,,	.907	.071	76.6	75.0	1.6	74.3	.836	.93	77.8	82.2	NbW	0.0	Š	S S	Z	No.	N _o
6 "	·936	.092	76.3 78.0	75.1	1.2 2.0	74 6 75.2	-844 -860	.95 .92	77.5	82.0 81.9	,,	0.1					
8	.965	.106	80 2	76.6	3.6	75.2	-859	.85	80.0	81.9	NE	0.1					1
9 ,,	.975	.117	81.7	77.0	4.7	75-1	.858	.81	81.0	81.8	"	0.0	}				1
10 ,,	.970	.082	82.6	78.0	4.6	76 2	.888	.82	81.4	81.8	,,	0.1					1
11	.946	.066	834	740	54	759	.880	79	82.5	81.8	NNW.	0.1	1	1	1	1	

1.]		
퀗			
8_	Ė	STATE OF THE WEATHER.	
5 7	Ę		REMARKS.
I I	Observers		
Amount of Clouds.		Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli; \(\) cumuli; \(\) cirro-krati; \(\) cumulo-strati; and \(\) i nimbi.	
0	D	Cloudless; dew falling.	Mean daily temperature of ground
0	C	□ in the W; dew.	20 and 60 inches below its sur-
2	C	w in the E and W; copious fall of dew.	face 84.9 and 84.2.
2	C	,,	
1	C))	•
3	B	∨ scattered about; dew.	·
1	В	scattered about the hor.; fog in E and NE.	
Ö	В	A few in the SE and SW; mist.	
Ö	D		
1	D	∾ in the E, SE, S and SW hor."	
2	D		
2	D	around the hor.; we in SE and E; mist.	
2	C	"	
1 0	C	□ in W; voi in the E and SW; hazy.	
0	C	1	
Ŏ	В	on the E and SW hor.; haze.	
0	В	,,	
0	В	Cloudless.	1
0	В	Cloudless; dew falling.	
0	D	n n	
0	D	" "	
"	"	, , , , , , , , , , , , , , , , , , ,	
0	_	Clear; dew falling.	Man della temperature of men.
0	D		Mean daily temperature of ground 20 and 60 inches below its sur-
lő	C	vin the W above hore; copious fall of dew-	face 84.8 and 84.2.
0	C	, ,	7400 010 4114 0121
3	C	♥ in the W and S; dew.	
5	В	scattered about the sky; dew.	
7	В	and we scattered throughout; fog on the eastern hills.	
77	В	" "	
5	B	scattered about; mist in E and W hor.	
6	D	scattered throughout; mist.	
5	D	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	}
6	D	"	1
6	C	scattered throughout; vi in the E and W; hazy around hor.	
6	0	" "	
6	C	"	
6	В	∨ scattered throughout; mist.	1
6	В	11	
4	В	□ scattered throughout; mist; dew.	
7	В	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
7	C	□ and □ scattered throughout; dew	
6 8	C	" scattered throughout moving S; "slight dew.	
6	c	scattered throughout moving rapidly S; slight dew.	Maan daily townsont
7	D	,, ,, ,, ,, ,, ,,	Mean daily temperature of ground 20 and 60 inches below its sur-
4	D	" " " " " " " " " " " " " " " " " " "	face 84:8 and 84:2.
3	D	22 23	
5	D	" " " " " " " " " " " " " " " " " " "	
7	В	and wi scattered throughout; dew.	
6 5	В	and \sim scattered throughout; fog in E; mist in W.	
A	B	, , , , , , , , , , , , , , , , , , ,	
4 2	D	around the hor.; mist in hor.	
2	D	" "	
3	D	"	
13) D) 29	1

	Ì		DARD (ETER.	Тивя	MOMET	ERS.		O.P.	A118.	Gro Thekno	UND Mereks.	WIND P Osler's G		RAIN.	Brec	TRICAL	INSTRU	MENTS.
	Bombay				•	Depres-	CED	RE OUR.	40	d.	- <u> </u>					Read	ings of	the in
	Civil Time.	Corrected to 32° Fuhr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	sion of Wet Bulb below Thermo- meter in the Air.	DEBUCED DEW-POINT.	PRESURE OF	HUNIDITY	Thermometer Hack in the Ground.	Thermometer 6 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's	Electrici-	.	Strawsof	Interval of Time I recorvering the same degree ctension after discharge.
Ост.	15тн-Noon.	in. 29.912	in. 29.039	84:0	78:0	6:0	75:7	in.	0.77	82*2	81:3	NNW	lbs. 0.3	in.		Se. div.	Sc. div.	m. s.
001.	l p. m.	.890	.024	84.6	78.0	66	75.4	0.873	.75	82.6	82.0	NWbW	0.3					
	2 ,,	.867	.005	85.0	78.0	7.0	75.3	.862	.74	82.9	82.2	,,	0.5					
	3 "	.855	28.992	85.3	78.1	7.2	75-3	.863	.73	83.2	82.3	NW	0.4				i i	
	4 "	.853	.987	85.4	78.2	7.2	75-4	.866	.73	83.3	82.4	NWbN	0.4	one.	ie.	one.	ne.	je.
	5 ,, 6	.862 .873	.000	82.5 80.4	77.0	5.5 3.4	74.8 75.7	.849	.79	81.8	82.4 82.4	NNW	0.1	2	None.	Z	None.	None.
	7 "	.892	.015	80.0	77.0	3.0	75.8	.873	.88	80.7	82.4	NWbN	0.2					
	8 ,,	.907	.028	79.8	77.0	2.8	75.9	.879	.88	80.1	82.4	Ī	0.1	l				
	9 ,,	.913	.068	79.4	76.0	3.4	74.7	.845	.86	80.0	82.4	"	0.0	Ì				
	10 ,,	.914	.026	79.0	77.0	2.0	76.2	.888	.92	79.5	82.4	,,	0.1				ł	
	11 "	.911	.062	79.0	76.0	3.0	74.8	.849	.88	79.4	82.4	"	0.1					
от.	17TH-Midnight		.018	78.4	76.0	2.4	75.1	.856	.90	79.6	82.4	NbE	0.0					
	l a. m. 2	.862	28.994	79.0	76.5	2.5	75.5	.868	.90	79.9	82.4	,,	0.2	1				
	3 "	.849	.987	78.6	76.2	2.4	75.3 76.0	.862	,90	79.8	82.4	"	0.1					
	4 ,,	-846	.951	78.4	77.0	2.0	76.5	.882	.92 .94	79.5	82.3 82.3	,,	0.1		1			
	5 ,,	.861	29.029	77.0	75.0	2.0	74.2	.832	.91	78.6	82.1	,,	0.0	Ì			ł	
	6 ,,	.888	.096	75.5	73.5	2.0	72.7	.792	.91	77.2	81.9	,,	0.1					
	7 ,,	.902	.089	77.3	746	2.7	73.5	.813	.89	78.2	81.7	,,	0.1	1	1			İ
	8 ,, 9	.916 .926	.078	80.0	76.0 75.0	4.0	74.4	.838	.84	79.6	81.7	NEbN	0.1		i	1	ľ	Ì
	10 "	.926	.086	83.4	77.0	6.6	72,3	.781	.74	80.3	81.7	NE b E ENE	0.0		!		İ	
	11 ,,	.900	.158	85.2	75.0	10.2	70.7	.840	.63	82.3	81.7	ŀ	0.0	نه	ai.	نه	ئه	من
	Noon.	.872	.122	88.0	76.0	12.0	71.0	.750	'53	84.0	81.7	"	0.0	one	one.	one.	one.	None.
	.1 p. m.	.855	.052	90.4	78.0	12.4	73.1	.803	.58	85.7	82.0	NhW	0.2	Z	Z	Z	Z	Z
	2 ,, .	828	28.976	91.7	79.5	12.2	74,9	.852	.59	86.5	82.2	NNW	0.1				1	}
	3 ,,	.815	.940	91.5	80.0	11.5	75.8 76.1	.875	.61	86.8	82.4	7,7	0.3				}	ļ
	5	.820	.914	86.8	79.5	10.7	76.8	.906	.63	86.5	82.6	NW bW	0.2		1		ı	
	6 ,,	.840	.992	82.6	77.0		74.8	-848	.78	82.5	82.8	,,	0.5					
	7 ,,	.859	29.038	81.5	76.0	5.5	73.8	.821	.79	81.0	82.8	NNW	0.4					
	8 ,,	.884	.063	81.5	76.0	5.5	73.8	.821	.79	81.0	82.8	,,	0.3		1			
	9 ,,	.894	.106	81.0	75.0	6.0	725	·788	.76	81.3	82.8	,,	0.0		1	•		1
	10 ,, 11 ,,	.897 .890	.056	80.0 80.4	74.0 76.0	6.0 4.4	71.4	.761 .834	.76 .82	80.1	82.8 82.8	"	0.0					
,)	10mm Midmint	999	000	00.0	25.0													
JUT.	18TH-Midnight	.882	.083	80.0 79.4	75.0 75·0	5.0 4.4	73.0 73.2	.799	.80	80 2	82.7	NbE	0.0					
	2 ,,	.864	.003	78.6	74.2	4.4	72.5	,806 .787	.82 .82	80.2	82.6 82.6	"	0.1					1
	3 ,,	.845	.136	78.0	72.0	6.0	69.2	.709	.76	79.5	82.5	,,	0.1					
	4 ,,	.843	.148	78.0	71.6	6.4	68.6	.695	.74	793	82.4	NE B N	0.2					
	5 ,,	.854	.165	78.2	71.5	6.7	69.3	-689	.73	79.3	82.4	,,	0.5	İ				
	0 ,, 7	.878 .894	.175	78.5 80.0	72.0	6.5 7.0	69.0 69.9	.703	.74	79.3	82.2	,,	0.3	ļ				
	8 ,,	.918	.192	81.5	73.5	8.0	69.9	.724 .726	.69	80.0	82.1 82.1	NE BE	0.4			! 		
	9,,	.930	.213	840	74.0	10.0	69.6	.717	.63	82.0	82.1	,,	0.1					
	10 ,,	.921	-151	86.2	76.0	10.2	71.8	.770	.63	83.2	82.1	,,	0.0					
	11 ,,	.898	.296	87.3	72.0	15.3	64.2	.602	.48	81.3	82 2	"	0.0	None.	je.	je.	Je.	je.
•	Noon. 1 p. m.	.875	.132	88.6 91.0	76.0 74.4	12.6	70.7	.743	.57	85.0	82.2	,,	0.0	ν.	None.	None.	None.	None.
	9 '	.827	.133	93.1	76.0	16.6	66.8 68.6	.655 .694	.46	86 1	82.5 82.7	NW b W	0.1	-				
	3 ,,	.809	.103	92.4	76.1	16.3	69.1	.706	.49	87.2	82.9		0.2					
	4 ,,	.804	.070	91.2	76.5	14.7	70.3	.734	.52	87.1	83.0	,,	0.2					
	5 ,,	.802	.013	88.0	77.0	11.0	72.6	.789	.61	86.0	83.1	NW	0.2					
	6 ,,	.812	.001	84.6	76.6	8.0	73.4	.811	.70	84.3	83.1	NWbN	0.3					
	7 ,, 8	.828 .855	.014	83.2 82.3	76.3 76.0	6.9	73.5	.814	.74	83.5	83.1	NbW	0.4					
	9	.868	.042	82.3	74.0	6.3 6.4	73.5 71.2	.813	.75 .75	82.8	83.1 83.1	NbE	0.3					
	10 ,,	.875	.190	80.2	72.0	8.2	68-1	.685	.63	80.0	83-1	Į	0.0					1
	11 ,,	.860	.110	81.0	74.0	7.0	71.0	.750	.73		83.1	"	0.0	i	1	١.,	1 .	1.

Brate of Fig. 1 Brate of Fig				
Town of the control	mount of Clouds	Observers.		REMARES.
you in NE and E; vi shows SE hor.; hazy. '' in the NE, E and SE; vi in the S; light haze. A few clouds in the E, otherwise clear. '' vi in E and W hor. '' vi in E and W hor. '' vi in E and W hor. '' vi in E and W hor. '' vi in E and W hor. '' vi in E who hor. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in He N and E; vi in E of emith; mist. '' vi in E and N	<	1		
Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 842.	2 2 1 1 1 0 0	C C C D D	in NE and E; \(\) above SE hor.; hazy. """ """ """ """ """ """ """	
Mean daily temperature of ground 20 and 60 inches below its surface 848 and 847. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 847. Mean daily temperature of ground 20 and 60 inches below its surface 848 and 847. A few vv in the W inches in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and W; hize in bor. A few vv in E and SE; mist in W. A few vv in E and E; in E of zenith; mist. A scattered about; hize in bor. A scattered about; hize in bor. A scattered about; hize in bor. A few vv in E and E; in E of zenith; mist. A scattered about; hize in bor. A few vv in E and E; in E of zenith; mist. A scattered about; hize in bor. A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and SW, A few vv in E and NE; mist in W. A few vv in E and SW, A few vv in E and NE; mist in W. A few vv in E and NE; mist in W. A few vv in E and W; hize in hor. A few vv in E and W; hize in hor. A few vv in E and W; hize in hor. A few vv in E and W; hize in hor. A few vv in E and W; hize in hor. A few vvi in E and SW, A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in W. A few vvi in E and NE; mist in	1 -	D		
20 and 60 inches below its surface 84'8 and 84'2. C	4	D	"	
0 B	4 6 5	C C C B	" " " " " " " " " " " " " " " " " " "	20 and 60 inches below its sur-
0	1 .	1	, ,	
A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and E. A few wi in E and B. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and W; haze in hor. A few wi in E and SE; mist in W. A few wi in E and SE; mist in W. A few wi in E and SE; in E of zenith; mist wi in W and wi along the E hor.; light haze. A few wi in E and SW. A f	1 -	1	· ·	
D	1 -	1	A few on in E and W; haze in hor.	
D	1 -	_	"	
C w and w long the eastern hor.; thick haze. C w and w long the eastern hor.; thick haze. C w and w scattered along the hor. from N to E; haze in hor. W scattered along the hor. from N to E; haze in hor. W scattered about. W and w scattered about	1 -	1	"	
C	1	ł	n and n along the eastern hor.; thick hoze.	
1 C	1	1		
Seattered along the hor, from N to E; haze in hor. Seattered along the hor, from N to E; haze in hor. Seattered about.	1		,, ,,	,
2 B W scattered in the N and E. 3 B W scattered about. 3 D "" 3 D "" 3 D "" 4 and W scattered about. 5 C "" "" 6 C "" "" 7 Scattered about, "" 8 Scattered about. 9 Scattered about. 1 Scattered about; fog in E and SE; mist in W. 1 Scattered about; fog in E and SE; mist in W. 1 D "" 1 D "" 2 D D "" 2 D D "" 3 B W scattered about. 1 C W in NE and E; v in E of zenith; mist. 1 C W and ou along the E hor.; light haze. 1 C "" "" "" 1 D Scattered about the sky, moving W. 2 D D "" 3 D "" 4 D "" 5 Scattered about he sky, moving W. 5 W in the E and SW. 5 W allorg the E hor.; mist. 7 W scattered about the sky, moving W. 7 W in the E and SW. 7 W allorg the E hor. 8 D "" 9 W in the E and SW. 9 W all round the hor. 9 D ""	1 ;	1	scattered along the hor. from N to E; haze in hor.	
4	2	В	n scattered in the N and E.	
Mean daily temperature of ground 20 and 60 inches below its surface 84% and 843. Temperature of free air at 2 P. M. was 13 C		1	✓ scattered about.	1
D wand w scattered about. 3 D wand w scattered about. 3 C w wand w scattered about. 5 B w scattered about; fog in E and SE; mist in W. 4 B w was cattered about; fog in E and SE; mist in W. 5 B w scattered about; fog in E and SE; mist in W. 6 D w in NE and E; win E of zenith; mist. 7 C w and w along the E hor.; light haze. 8 C w and w along the E hor.; mist. 8 C w along the E hor.; mist. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW. 9 C w in the E and SW.		1		
Mean daily temperature of ground and w scattered about. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W. and w scattered about the sky, moving W.		1		
3 C " " " " 20 and 60 inches below its surface 84% and 843. Temperature of free air at 2 p. M. was 93°1, greatest in the month and about 6°0 greater than the normal mean. 5 B " " " " " and on along the E hor.; light haze. 1 C " " " " " " " " " " " " " " " " " "		D	"	
3 C " " " " 20 and 60 inches below its surface 84% and 843. Temperature of free air at 2 p. M. was 93°1, greatest in the month and about 6°0 greater than the normal mean. 5 B " " " " " and on along the E hor.; light haze. 1 C " " " " " " " " " " " " " " " " " "	1		•	
3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C		Q	u and w scattered about.	Mean daily temperature of ground
2 C " " " ture of free air at 2 P. M. was 93°1, greatest in the month and about 6°0 greater than the normal mean. 1 Scattered about; fog in E and SE; mist in W. 2 D " " " " " " " " " " " " " " " " " "		1	19 39	20 and 60 inches below its sur-
3 C 3 B 3 Scattered about. 5 B 5 S 6 Scattered about; fog in E and SE; mist in W. 4 B 7		1 -		
about 60 greater than the normal mean. Scattered about; fog in E and SE; mist in W. Scattered about; fog in E and SE; mist in W. Scattered about; haze in hor. Scattered about; haze	3	-		
Solution Solution		1	v scattered about.	about 6:0 greater than the nor-
3 B 3 D 3 Scattered about; haze in hor. """ """ """ """ """ """ """		1	-	mal mean.
3 D Scattered about; haze in hor. """""""""""""""""""""""""""""""""""		1		
2 D		D	scattered about; haze in hor.	
I D		i	"	·
I C wi in NE and E; v in E of zenith; mistory and or along the E hor.; light haze. I C	1		, , ,	
I C	1	1	win NE and E; vin E of zenith; mist.	
I C B along the E hor.; mist. I B S scattered about the sky, moving W. O B S in the E and SW. D D I all round the hor. D D " "" "" "" "" "" "" "" ""	1	1	and on along the E hor.; light haze.	
I B solution of the E hor.; mist. I B scattered about the sky, moving W. I B scattered about the sky, moving W. I D scattered about the hor. I D scattered about the hor. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W. I D scattered about the sky, moving W.	1	ľ		.
B	ī	_	along the E hor.; mist.	
D in the E and SW. under the box of all round the hor. under the box of all round the hor. under the box of all round the hor. under the box of all round the hor.		•	,,	1
2 D		_	scattered about the sky, moving W.	
2 D " "				.
2 D ,	2	_		
	,		,,	

	STAN BARON		Тнв	R M O M B T	ERS.		zi.	AIR.	GRo TREAMO	UND METERS.	WIND P Osler's G		RAIN.	Elect	RICAL	INSTRU	MENTS.
Bombay Civil Time. 1864.	Corrected to \$2 ⁰ Fahr.	Corrected for Moisture.	In the	Thermo-	Depression of Wet Bulb below Thermometer in the Air,	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMPBITY OF	Thermometer I inch is the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in 1bs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Atrawsof	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis-
Ocr. 19TH-Midnight	in.	^{ln.} 29.123	2000	73:0	6.2	70:2	in. 0.733	0.75	80:3	83:0	NNE	lbs. 0.0	in.		Sc. div.	Sc. div.	m. s.
l a. m.	.845	.037	79:2	75.0	4.2	73.3	.808	.83	80.3	82.9	"	0.0					
2 "	.828	.043	78.1	74.0	4.1	72.4	.785	.83	80.0	82.8	"	0.1		1			
3 ,,	.814	.137	77.6	71.0	6.6	67.8	.677	.73 .78	79.5 78.9	82.7 82·6	"	0.1		_	6		1 30
4 ,, 5	.834	.101	77.2	72.0 73.0	5.2 4.2	69.6 71.2	.718 .755	.82	78.9	82.5	NE bN	0.2		++	1		Above 10n
6 ,,	.852	.111	76.8	72.5	4.3	70.6	.741	.82	78.2	82.3	,,	0.1		'	-		ADOVE 101
7 ,,	.874	-102	79.0	74.0	5.0	71.8	.772	.80	79.2	82.2	NEbE	0.1					
8 ,, 9	·883 .891	.088	81.3	74.5	6.8 7.2	71.6 73.1	.766 .803	.73	80.3 81.2	82.2 82.2	EbN EbS	0.2		1			
10 ,,	.888	.101	84.6	76.0	8.6	72.5	.787	.68	83.0	82.2	E	0.0	one.			e e	
11 ,,	.864	.092	86.0	76.0	10.0	71.8	.772	.64	83.4	82.2	EbS	0.0	Non			None.	
Noon.	.832	.266	87.6	71.0	16.6	62.3	566	.40	84.5	82.3)) TO 1- N	0.0				-	
1 p. m. 2	.808	.267	91.6 92.4	71.5	20.1 17.4	61.0 67.2	.541	.38	86.7 87.2	82.6 82.8	E b N W b N	0.1					
3 ,,	.757	.012	92.0	77.0	15.0	70.8	.745	.51	87.4	83.0	WNW	0.2					
4 ,,	.753	.025	90.0	76.0	14.0	70.0	.728	.53	87.0	83.2	,,,	0.3	į				
5 ,,	.764	28.995	87.0	76.2	10.8	71.7	.769	·62	85.6	83.3	NW b W	0.4					
0 ,, 7	.772	.939	84.0	77.0	7.0 6.6	74.2 73.5	.833	.75	84.0 83.0	83.3 83.3	NW'b N	0.3					
, ,, 8 ,,	.811	.995	82.0	76.0	6.0	73.6	.816	.77	82.4	83.3	NbW	0.2					
9 "	.815	29.065	81.0	74.0	7.0	71.0	.750	.73	81.0	83.2	,,	0.0					
10 ,,	.808	.086	80.2	73.0	7.2	69.8	.722	.72	80.7	83.2 83.2	,, N	0.0					
11 "	.789	.095	79.4	72.0	7.4	68.6	.694	.71	80.0	03.2	N	0.0					
Эст. 20тн-Midnight		.113	79.0	71.0	8.0	67.1	.662	-68	80.0	82.9	N	0.0					
la.m.	.770	.042 28.968	79.6 78.2	73.0	6.6	70.0 72.2	.728 .776	.74 .82	80.3 79.9	82.9 82.9	ENE	0.0					
3 ,,	.744	.991	77.4	73.8 73.0	4.4	71.1	.753	.82	79.1	82.8	"	0.2		1			1
4 ,,	.746	.989	77.0	73.0	4.0	71.2	.757	.83	78.5	82.6	"	0.1		İ			
5 "	.758	29.065	76.2	71.0	5.2	68.5	.693	.78	78.0	82.6	"	0.2					
7	.801	.020	77.0 79.0	73.0 73.0	4.0 6.0	71.2 70.3	.757 .735	.83	78.5 79.3	82.5 82.4	"	0.1					
8 ,,	.824	.069	80.5	74.0	6.5	71.2	.755	.74	80.2	82.3	"	0.2					
9 ,,	-826	.049	82.7	75.2	7.5	72.0	.7 77	.71	81.3	82.3	,,	0.0			_		ì
10 ,,	.816	.058	83.7	75.0	8.7	71.3	.758	.68	82.0	82.3 82.3	,,	0.0	one.	None.	None.	None.	Nonc.
ll ", Noon.	.768	.018	86.0 88.0	76.0 76.0	10.0 12.0	71.8 71.0	.772 .750	.64 .58	84.2 84.5	82.4	w s w	0.0	ž	Z	Z	ž	Ž
l p. m.	.746	28.990	88.2	76.2	12.0	71.2	.756	.58	85.0	82.5	WNW	0.2					1
2 ,,	.728	.954	89.4	77.0	12.4	71.9	.774	.57	86.0	82.7	NW b W	0.1			}		1
3 ,,	.713	.905 •890	89.9 89.0	78.0 78.0	11.9	73.3	.808 .818	.60 .62	86.3 86.0	83.0 83.1	NW	0.2					1
5	.714	.921	87.6	77.0	10.6	73.6 72.7	•793	.63	84.7	83.1	"	0.4					
6 ,,	.735	.941	84.0	76-0	8.0	72.8	.794	.70	83.5	83.1	NW b N	0.3				ļ	
7 ,,	.766	.948	81.8	76.0	5.8	73.6	.818	.77	83.2	83.1	,,	0.2			1	ŀ	
8 " 9 "	.787 .796	29.001 28.987	81.2 80.6	75.0 75.2	6.2 5.4	72.4 73.3	•786 •809	.76 .79	82.4 81.6	83.1 83.1	N b E	0.2		l	İ		
10 ,,	.794	.985	80.6	75.2	5.4	73.3	•809	•79	81.6	83.1	NEbN	0.0			1	1	
11 "	.778	29.058	80.4	.73.0	7.4	69.7	.720	.71	80.5	82.9	,,	0.0					
Ост. 21sт-Midnigh	.769	.008	80.0	74.0	6.0	71.4	.761	.76	81.2	82.8	NE b E	0.1					
l a. m.	.767	28.959	79.2	75.0	4.2	73.3	.808	·83	80-0	82.7	ENE	0.1					
2 ,,	.762	.947	78.5	75.0	3.5	73.5	-815	.86	80.0	82.7	,,	0.1	l		1		
3 ,,	.756	.965	78.2	74.2	4.0	72.6	.791	.83	80.0	82.6	,,	0.1		1	١.		
4 ,, 5	.759	.968	78.2 78.6	74.2	4.0 4.6	72.6 72.1	.791 .779	.83 .81	79.9 79.8	82.6 82.5	"	0.1	None.	None.	None.	None.	None.
6 ,,	.807	29.021	78.0	74.0	4.0	72.4	.786	.83	79.3	82.3	ESE	0.3	No	Ž	Ž	Ž	ž
7 ,,	.828	.082	78.0	73.0	5.0	70-8	.746	.79	79.3	82.3	,,	0.4			ł		
8 ,,	·842	.091	79.2	73.5	5.7	71.0	.751	.77	79.7	82.3	SE b E	0.1		İ		1	
9 ,, 10 ,,	.858 .860	.134	80.0 83-0	73.0 74.0	7.0 9.0	69.9 70.0	.724 .728	.72 .66	80.2 82.3	82.2 82.2	"	0.1					
	.843	.051	84.2	76.0	8.2	72.7	.792	.69	82.5	82.3	"	0.1	1	1	1	1	

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \ i cirro-cumuli; \ o cumuli; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratiii; \ o cumulo-stratii; \ o cumulo-stratii; \ o cumulo-stratii; \	Remárks.
2 3 3 2 2 0 0 0 0 0 0 0 2 6 7 6 3 3 1 1 0 0 0 0 0 7	D C C C B B B D D C C C C B B B B D D D C C C C	wi scattered about. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 84.7 and 84.3. Temperature of dew-point at 1 p. m. was 61.0, lowest in the month and about 13.8 lower than the normal mean.
6 6 7 7 3 6 6 7 5 2 2 2 4 4	D C C B B D C C B B D D C C C B	L w scattered throughout; we in the E. L w and we scattered about. It is not not not not not not not not not not	Mean daily temperature of ground 20 and 60 inches below its surface 847 and 843. Height of barometer at 4 P. M. was 29.708 in., lowest in the month and about 0.083 in. lower than the normal mean.
2 4 3 6 6 3 3 5 4 4 8 8 8 8 6 6 7 6 4 3	B B D C C B B D C C C C B B D D D D	and wi along the eastern hor; win the S and W. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.7 and 84.3.

		DARD METER.	Тнв	M M O M B T	BRS.	i		AIR.		UND METERS.	WIND P OSLER'S G		RAIN.	ELEC	TRICAL	Instru	m en Ts.
Bombay Civil Time. 1864.	Corrected to 32º Pahr.	for	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEW-POINT	PRESSURE OF MOISTURE.	HUNIDITY OF	Thermometer linch in the Ground.	Thernometer 9 inches in the Ground.	Direction,	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Bleetrici- ty + or —	Strawsof	Strawsof Voltary.	Interval of Time in recovering the same degree of tension after dis- charge.
Ост. 21sт-Noon.	in. 29.818	in. 28.980	87:2	78:0	9:2	74:4	in. 0-838	0.67	84°3	82:4	SSE	1bs. 0.1	in.		Sc. div.	Sc. div.	m. s.
l p. m.	.795	.970	88.4	78.0	10.4	73.9	-825	.63	85-0	82.5	sw	0.2					
2 · "	.777	.938	89.0	78.5	10.5	74.4	.839	.64	85.8	82.7	,,	0.3			Ì		
3 ,,	.771	.912	89.1	79.0	10.1	75.2	.859	.65	86.0	82.9	wsw	0.2		1			
4 ,,	.772	.933	88.6 87.0	78.4	10.2 9.5	74.4 73.7	.839 .820	.64	86.0 85.0	83.0 83.2	,,	0.1		1		ا ا	
5 ,, 6 ,,	.788	.968	83.0	77.0	6.0	74.6	.844	.77	83.2	83.2	"	0.1	one,	1		None.	
7 ,,	.831	.976	82.0	77.0	5.0	75.0	.855	.80	82.5	83.2	wőn	0.1	Ž			Z	
8 ,,	.848	.976	81.2	77.2	4.0	75-6	.872	.84	82.0	83.2	,,	0.1					
9 ,,	-859	29.051	79.2	75.0	4.2	73.3	•808	.83	80.0	83.1	,,	0.0		ļ			Ì
10 ,, 11	.857	.047	79.0	75.0 75.0	4.0 4.0	73.3 73.3	.810 .810	.84	79.8 79.7	83.0 82.9	WNW	0.0		l .			
11 ,,	.849	.039	75.0	75.0	3.0	73.3	.0.0	.04	79.7	02.9	,,	0.1	`	+	8		2.35
ст. 22 np-Midnigh		.034	79.2	75.0	4.2	73.3	.808	.83	79.8	82.8	WNW	0.0					
la.m.	.841	28.998	79.5 79.5	76.0 76.0	3.5	74.6 74.6	.843	.86	80.2	82.8 82.7	NW b N	0.1				1	
2 ,, 3 .,	.837	.994	79.2	76.0	3.5 3.2	74.0	.847	.87	80.2 80.2	82.7		0.1		ł			
4 ,,	.837	.971	79.2	76.5	2.7	75.4	•866	.89	80.1	82.7	,,	0.1		1			ļ
5 ,,	.857	29.004	78.6	76.0	2.6	75.0	.853	.89	80.0	82.6	ENE.	0.1					1
6 ,,	.893	.040	78.6	76.0	2.6	75.0	.853	.89	80.0	82.5	_ ,,	0.3		1			ļ
7 ,,	.915	.060	80.2	76.5	3.7	75.0	.855 .895	.85	80.6	82.4	EbN	0.2		Ì			1
8 ,, 9	.930 .925	.035	82.0° 83.7	78.0	4.0 5.7	76.5 75.8	-876	.84	81.5	82.4 82.4	,,	0.1			l		i
10 "	.921	.063	85.4	78.0	7.4	75.1	-858	.72	83.8	82.4	"	0.0				١.	
10 ,, 11 ,,	.914	.013	85.3	79.0	6.3	76.7	.901	.76	83.6	82.6	SSE	0.1	None.	- e	one.	None.	ne.
Noon.	.883	28.994	86.4	79.0	7.4	76.3	-889	.70	84.0	82.8	wsw	0.1	ž	None.	No	Z	None.
1 p. m.	.872	.993	87.3	79.0	8.3	75.9	.879	.70	85.0	83.0	W	0.1		1		İ	l
2 ,, 3 ,,	.850	29.013	87.3	78.0 77.0	9.3	74.4 73.0	.800	.67	85.6 85.2	83.2 83.3	WNW	0.2		1			
4 ,,	.837	.064	86.3	76.1	10.0	71.9	.773	.63	84.3	83.3	"	0.2		İ			
5 ,,	.852	` .108	85.0	75.0	10.0	70.7	.744	.64	84.0	83.4	"	0.4		İ			
6,	.868	.089	81.8	75.0	6.8	72.1	.779	.74	82.0	83.4	,,	0.2					ļ
7 "	.888	.097	81.5	75.2	6.3	72.6	.791 .832	.75 .82	81.8	83.3	,,	0.1		}		1	İ
8 ,, 9	.913	.081	80.5 79.6	76.0 75.4	4.5 4.2	74.2 73.7	.819	.83	81.2 80.6	83.3 83.3	,,	0.0		1			1
10 ,,	.918	.112	79.4	75.0	4.4	73.2	-806	.82	80.5	83.2	"	0.0		Ì			
ii "	.908	•096	78.8	75.0	3.8	73.4	.812	.84	80.0	83.1	",	0.0					
·	0.50	050		250			900		50.6	22.5							1
ост. 24тн-Midnigh I a. m.	.878 .872	.050	77.4	75.0 75.3	2.4 2.0	74.0 74.5	.828 .840	.90 .91	78.6 78.6	82.5 82.4	S b E	0.0		1		l	
2 ,,	.869	.032	77.2	75.0	2.0	74.3	.830	.91	78.6	82.4	,,	0.1				1	
3 ,,	.867	.035	77.0	75.0	2.0	74.2	.832	.91	78.5	82-4	,,	0.0			}]	
4 ,,	.873	.050	76.8	74.7	2.1	73.8	.823	.91	78.5	82.4	S	0.1					
5 "	.893	.057	76.6	75.0 75.2	1.6	74.3	.836 .841	.93	78.2 78.2	82.3	SbE	0.0	1				
6 ,, 7	.940	.082	76.9 79.3	76.0	1.7 3.3	74.5 74.7	.846	.93	79.5	82.3 82.3	sse	0.1					
8 ,,	.959	.087	81.2	77.2	4.0	75.7	-872	.84	80.7	82.2	,,	0.3				1	
9 "	.961	.110	82.4	77.0	5.4	74.9	.851	.79	81.0	82.2	,,	0.0	1				
10 ,,	-954	.119	83.8	77.0	6.8	74.3	-835	.74	82.3	82.2	,,	0.0					1.
11 ,, Noon.	.928	.099	84.4 85.0	77.0 76.0	7.4	74.1 72.3	•829 •783	.72	82.5 82.7	82.4 82.5	WSW W	0.1	one.	None.	None.	None.	None.
l p. m.	.893	104	86.2	76.5	9.0 9.7	72.6	.789	.65	83.8	82.7	NW b W	0.1	°	No.	N N	l &	×.
2 ,,	.877	.131	87.0	75.6	11.4	70.8	.746	.60	84.3	82.9	,,	0.2					
3 "	.865	.092	87.7	76.5	11.2	71.9	.773	.61	84.6	83.0	NW	0.5					
4 ,,	.865	.104	87.0	76.0	11.0	71.4	•761	.61	84.5	83.1	,,	0.4					
5 ,, 6	.874	.126	84.6 82.0	75.0	9.6	70.8	.748 .758	.65 .71	83.5 82.3	83-1	NWbN	0.4				i	
7 "	.884	.126	81.0	74.5 74.0	7.5 7.0	71.3 71.0	.750	.71	82.3	83.1 83.0	"	0.5 0.6					}
8	.926	.201	80.6	73.2	7.4	69.9	.725	.71	81.2	83.0	"	0.5					
9 "	.926	.275	80.0	71.0	9.0	66.6	.651	.65	80.3	82.8	",,	0.4					
10 ,,	.924	.270	79.7	71.0	8.7	66.7	•654	.66	79.8	82.5	"	0.2					
11 ,,	.917	.255	79.0	71.0	8.0	67.1	-662	.68	79.4	82.4	,,	0.1	l	l l		1	1

	- 1	1		
1	Amount of Clouds 0-8.			
3	9	ģ	Salan an awa Walawan	
	æ	Ž.	STATE OF THE WEATHER.	
		Observers.		REMARKS.
ğ		0	NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli;	
₹	₹		Ai cumuli; Li cirro-strati; Li cumulo-strati; and Li nimbi.	
-	 -		1	
	4	D	scattered around hor.; haze	
- 1	4	C		
	3	C	along the E hor.; or in the rest of the hor.	
	2	C))	
	2	C	"	
	1	В	oi and oi along eastern hor.	
	3	B B	scattered about in the E. half of the sky.	
	3	В)	-
	2	D	scattered about.	
	3	D)	
	2	D	n n	
- 1				
		_	vi and L vi scattered about.	
- 1	5	D C	TE SUIT TO A P. SCUTTCLEN MOUNT.	Mean daily temperature of ground
	8	C	and ve scattered throughout; thin drops of rain falling from full hour till 2h. 7m.	20 and 60 inches below its surface 84.7 and 84.3.
	7	C	22	22nd October was the 18th day
	8	C	Overcast; motion of the clouds N; drops of rain at 4h. 6m.	on which fall of rain was less
- 1	7	В	🕥 scattered throughout.	than 0.01 in.
	8	В	Overcast; we and we	
	6 3	В	scattered throughout moving NW.	
	2	B D	n' and fragments of L vi scattered about; hazy.	
- 1	3	ם		
	4	D	"	
2	2	D		
	3	c	in the E; we around the rest of the hor.	
3		C	" "	
3		C	" "	
3	3	C B	oi and oi along the eastern hor.	
li		В	vi in E and W hor.	
3		В	val all round the hor.	
2	?	В	"	
2	:	В)	
4		В	scattered about moving W.	
4	1	В	"	
1		ł		
0	.	D	A few clouds along the hor.; dew falling.	Mean daily tomporature of array
2		c	scattered around hore; dew.	Mean daily temperature of ground 20 and 60 inches below its sur-
3		c	" "	face 84.7 and 84.3.
4		c	"	
3		C	n n	
2		В	scattered around hor; fog in E.	
4 2		B B		
li		В	vi in E and W hor.; light mist in E and SE.	
2		D	" " "	
2	1	D	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
2		D.	" " " " " "	·
!		D.	value along hore from N to SE.	
1 1	1	C	o' and o' in the N, NE and E hor.; haze.	
1:	•	C		1
li		c	?? ??	
ĺ		B	22	ľ
0	1	В	in the NE and E.	
0	1	В	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	!
0		В	Cloudless.	
0		D	"	
0	1	D D	"	1
v	<u></u>		,, 64	<u></u>

			DARD METER.	Тнв	RMOMBI	rans.	:	in o	AIR.	l .	und Maters.	WIND 1 Osler's G		RAIN.	RLECT	PRICAL	Instru	Ments.
	Bombay Civil Time.		Corrected	In the	WetBulk	Depres- sion of WetBulb	DEDUCED BW-Point	BBSURE O	ITY OF	rmometer I inch the Ground.	meter 9 in the nd.			By New-	Sign of	Readir	ngs of	Time in ug. the gree of fler dis-
	1864.	\$2° Fahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in the Air.	DRV	Pag	HUNIBITY	Thermomin the 6	Thermometer 9 inches in the Gound.	Direction.	Square Foot.	man's Gauge.	Blectrici- ty + or —	Strawsof Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after discharge.
)ст.	25TH-Midnight	in. 29.903	in. 29.201	78:6	7210	66	68*9	in. 0.702	0.74	79:2	82:4	NW b N	1bs. 0.0	in.		Sc. div.	Sc. div.	m. s.
,,,,	i a. m.	.892	.148	78-2	73.0	5.2	70.7	.744	.79	79.2	82.4	,,,	0.3					
	2 ,,	.886	•169	77.3	72.0	5.3	69.6	.717	.78	79.0	82.4	NE	0.0		l			
	3 ,,	.883	.152	76.0	72.0	4.0	70.5	.731 .713	.83	78.4	82.3	NE bE	0.1					
	5 ,,	.884	·171 ·201	75.7 75.6	71.4	4.3 4.6	69.4 68.8	-699	.82 .81	78.1 77.6	82.3 82.2	"	0.1	1	1			
	6 ,,	.936	•261	74.6	70.0	4.6	67.7	-675	.80	76.8	81.9	"	0.1					
	7 "	.962	.304	76.8	70.2	6.6	66.9	-658	.73	77.5	81.6	,,	0.2	l				
	8 " 9 "	.978 .988	.245	79.2 80.3	73.0	6.2	70.2 69.7	.733	.75 .71	78.5 79.8	81.6 81.4	ENE	0.3					
	10 ,,	.987	·285	82.0	73.0	7.3 9.0	68.9	.702	.66	81.3	81.4	EbN	0.0		1			
	11 ,,	.962	.234	83.0	74.0	9.0	70.0	.728	.66	82-0	81.5	,,	0.0	one.	one.	نه	ai	ல்
	Noon.	.927	.217	84.6	74.0	10.6	69.3	.710	.62	82.5	81.7	NNW	0.7	No	Noi	Tone.	None.	None.
	1 p. m.	•905	-196	85.4	74.2	11.2	69.2	.709 .736	.60 .62	82.8	82.0	NWPN	0.6			X	4	Z
	3	·888 ·878	·152 ·138	85.7 85.4	75.0 75.0	10.7 10.4	70.4 70.5	.740	.62	83.0 83.1	82.1 82.1	nnw	0.7	į				
	4 ,,	.881	.168	84.4	74.0	10.4	69.4	. 713	.62	82.6	82.2	,,	0.8	l				
	5 ,,	.890	.155	82.4	74.0	8.4	70.3	.7 35	.68	82.0	82.2	N b W	0.7		ł			
	6 ,,	.897	.168	80.2	73.2	7.0	70.1	.729 .721	.72	80.5	82.2	"	0.6	-				
	7 ,, 8	∙921 •939	.200 ·279	79.6 79.2	72.8 71.0	6.8 8.2	69.8 67.0	-660	.73 .68	80.1	82.1 82.0	N	0.6			1		
	9 ,,	.942	.315	79.0	70.0	9.0	65.4	.627	.65	79.2	82.0	"	0.8					
	10 ,,	.939	•377	78.8	68.0	10.8	62.1	-5 62	.58	79.0	81.8	NbE	0.1					
	. 11 "	.937	•320	76.8	69.0	7.8	65.0	.617	.58	78.1	81.8	NNE	0.0					
CT.	26гн-Midnight	.930	.384	74.4	66.0	8.4	61.3	-546	.65	77.0	81.6	NNE	0.0					
	la.m.	.928 .927	.354	74.7 74.0	67.0 67.0	7.7	62·8	.574 .582	.68 .70	76.6 76.3	81.6 81.5	,,	0.1	ł				
	3 ,,	.927	.345 .324	73.6	67.5	7.0 6.1	63.2 64.3	.603	.74	76.1	81.4	"	0.1		1	}		
	4 "	.939	.320	74.2	68-2	6.0	65.1	-619	.74	76-1	81.4	NE "N	0.2					1
	5 ,,	.961	.304	74.8	69.5	5.3	66.7	-657	.77	76.4	81.2	NEbE	0.3		ł			
	6 ,,	.984 30.005	.376 .385	74.6 75.0	68.0 68.5	6.6	64.5 65.1	.608 .620	.72 .73	76.0 76.0	81.0 80-7	ENE	0.2					
	8 ,,	.028	.388	77.8	70.0	6.5 7.8	66.1	.640	.69	77.5	80.5	E n	0.1					
	9 "	.036	.342	79.4	72.0	7.4	68.6	∙694	.71	78.3	80.6	E	0.1			i		
	10 ,,	.022	.354	81.7	72.0	9.7	67.4	•668	.64	79.8	80.8	ENE	0.0		l			
	11 ,,	29.990	.305	83.5	73.0	10.5	68.1	.685	.62	82.0	81.0	NNE	1.2					
	Noon. 1 p. m.	.964 .936	.251 .194	84.4 85.2	74.0 75.0	10.4 10.2	69.4 70.6	.742	.62 .63	82.2 82.8	81.2 81.3	N b E NW b N	1.5	None.	None.	None.	None.	None.
	2,,	.914	.172	85.2	75.0	10.2	70.6	.742	.63	83.0	81.5	NW	1.7	Ž	×	Z	N ₀	ž
	3 "	.900	.159	85.3	75.0	10.3	70.6	.741	.63	83.2	81.7	NWbN	1.6		į			
	4 ,,	.900	.163	84.7	75.0	9.7	70.8	.747 .744	·65	82.9	81.8	"	1.2					ł
	5 ,, 6	.907 .919	.163	81.5 79.2	74.0 73.5	7.5 5.7	70.7 71.0	.744	.71 .77	81.3 80.6	81.7 81.6	NNW	0.8					İ
	7 ,,	.945	.168	78.8	74.0	4.8	72.0	.777	.80	80.0	81.6	,,,	0.5		1			
	8 "	.951	.174	78.8	74.0	4.8	72.0	.777	.80	79.8	81.5	,,	0.6		4	1	1	1
	9 ,, 10 ,,	.953 .945	.211 .229	78.4 77.4	73.0	5.4	70.6 69.5	.742 .716	.78 •78	79.0 78.4	81.4	NbW	0.1					
	11 ,,	.938	.213	76.5	72.0 72.0	5.4 4.5	69.9	.725	.81	78.0	81.4 81.3	"	0.1					
Эст.	27тн-Midnight	.922	.227	76.0	71.0	5.0	68.6	.695	•79	77.0	81.2	NbW	0.0					
	l a. m.	.916	.194	75.2	71.5	5.7	69.8	.722	.84	77.0	81.2	N	0.0			!		
	2 ,,	.905	.183	74.2	71.2	3.0	69.8	.722	.87	76.8	81.2	,,	0.1					
	3 "	.904	.187	74.0	71.0	3.0	69.6	.717	-87	76.4	81.2	"	0.1					
	4 ,, 5	.906 .910	.217 .236	73.4 73.2	70.0 69.5	3.4 3.7	68.3 67.7	.689 .674	.85 .84	76.1 75.5	81.2 80.9	.,,	0.1	di	_ a:	٠.	.	1.
	6 "	.943	.317	73.0	68.0	5.0	65.4	.626	.78	75.0	80.6	"	0.3	None.	None.	None.	None.	None.
	7,	.968	.324	74.4	69.0	5.4	66.3	.644	.77	75.3	80-5	NNE	0.2	Z	Z	Ž	Ž	Z
	8 "	.981	.334	76.5	69.8	6.7	66-4	.647	.73	76.5	80.4	"	0.2					
	9 "	986	.359	79.0	70.0	9.0	65.4	.627	.65	78.3	80.5	,, NE	0.1		l			
	10 ,, 11 ,,	.970 .943	.307	82.2 85.0	72.0	10.2	67.2 70.7	.663	.62	79.8 82.2	80.6 80.7	NE N	0.0		ļ			1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumulo-strati; \(\) i cimulo-strati; and \(\) i nimbl.	REMARKS.
0 0 0 0 0 0 1 4 1 1 1 5 6	D C C C C B B B D D D D D B B	Clear; slight dew. Clear; slight dew. long the E hor; dew. long from N to SE; long in W above hor. long in the E; long in the SW; fog in E. long in the E and NE; long in the S; mist in hor. long and long scattered about the sky; long in E. long in the E SE; long scattered throughout; light haze.	Mean daily temperature of ground 20 and 60 inches below its surface 84.6 and 84.2.
5 3 2 2 0 0 0 0	C C B B B D D D	" " " " " " " " " " " " " " " " " " "	
0 0 0 0 0 1 3 5 6 7 7 6 6 6 5 5 5 3 2	D C C C B B B C C C C B B B B B B B C	A few clouds in the E and SE hor. in the E. and in the NE and E. in the E; scattered about; fog in E and SE. scattered about the sky; mist along the W hor. scattered throughout; mist. scattered throughout; very light mist. scattered throughout; hazy; breezes of wind from NW. scattered throughout; in E; fresh breezes; hazy. """ scattered about; in ENE; haze. """ scattered about the hor.	Mean daily temperature of ground 20 and 60 inches below its surface 84.6 and 84.2. Height of barometer at 9 A. M. was 30.036 in., greatest during the month and about 0.125 in. greater than the normal mean height for that hour. At midnight the reading of wet bulb thermometer was 66.0, lowest in the month and about 8.2 lower than the normal mean.
2 0 0 0 3 3 3 4 4 4 3 3 3 4 6 3 3	B D D C C C B B D D D	"" "" "" "" "" "" "" "" "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 845 and 843. At 6 A. M. the temperature of fresh air was 730, lowest in the month and about 36 lower than the normal mean.

		IDARD JETER.	Тив	RMONET	rkrs.		, Mi	AIR.	Тиввы	OUND OMBTERS.	WIND F Osler's G		RAIN.	Er. Ro	TRICAL	. Instr	UMBNTS.
Bombay					Depres-	DEDUCED BW-POINT.	PRESSURE MOISTURE.	0	ometer linch Ground.	e ti					Read	ings of	1 3 0 4 1 3 0 4
Civil Time.	Corrected to	Corrected	In the	Wet Bulb		NED C	MOI	MIDITA	Proun	es in	Direction.	Promure in lbs. per	By New-	Sign of		1	of Ting degree
1864.	37º Pahr.	Moiature.	Alr.	meter.	Thermo- meter in the Air.	U BB	0 P	HUNI	Thermour in the C	Thermometer 9 inches in the Ground.		Square Foot.	Guuge.			Straws of Volta 2	
O 02 N	in.	in.					in.		1	<u> </u>		lbs.	in.	 	Sc. div	Sc. div	
Ост. 27тн-Noon. 1 p. m.	29.913 .887	29.138 .119	85°7 86.4	76°0 76.0	9°7 10.4	72°0 71.7	0.775	0.65 .63	82.8 83.0	80°9 81.1	NNW	0.0					
2 ,,	.866	.062	86.6	77.0	9.6	73.1	.804	.66	83.4	81.2	"	0.7					
3 ,,	.846 .850	.049 .078	86.2 86.0	76.7 76.0	9.5 10.0	72.9	.797	.66	83.6 83.6	81.3	"	1.2	.		نه		1. 1
5 ,,	.856	.127	83.6	74.2	9.4	71.8 70.1	.772	.65	83.0	81.5	"	1.0	one.	one.	one.	None.	None.
6 ,,	.866	.114	81.5	74.2	7.3	71.0	.752	.72	81.6	81.5	"	0.6	Z	Ž	Z	Z	Z
7 ,,	.880	.098	81.5	75.0 75.8	6.5	72.2 73.3	.782 .810	.75	81.6	81.5	N b W	0.7					
9 ,,	.917	.163	80.6	74.0	6.6	71.1	.754	.74	81.0	81.4	,,	0.3			ļ		
10 "	.909	.185	80-0	73.0	7.0	69.9	.724	.72	80.3	81.4	Ñ	0.0					
11 "	.089	.175	80.0	73.0	7.0	69.9	.724	.72	80.1	81.3	"	0.0					
Ост. 28тн-Midnight		.154	79-2	73.0	6.2	70.2	.733	.75	79.8	81.3	N	0.0					
l a. m.	.873	.102	79.1	74.0	5.1	71.8	.771	.79	79.8	81.3	,,,_	0.0	1				
3 ,,	.860	.152	78.0	71.5	6.0 6.2	69.8 68.1	.709	.76 .75	79.4	81.3	NbE	0.1	}				
4 ,,	.862	∙179	77.5	71.1	6.4	68.1	.683	.74	78.9	81.3	"	0.1					
5 ,, 6	.874 .891	.190	77·0 76.5	71.0	6.0	68.1	.684	.75	78.5	81.2	"	0.1					
7 ,,	•907	.172	79.0	73.0	6.3	67.1 70.3	.662	.74 .76	78.0 79.1	81.0	NE	0.1					
8,,	.927	.146	81.6	75.0	6.6	72.2	.781	.74	80.5	81.2	EUN	0.3					
9 ,, 10	.940	.146	84.0 86.0	76.0 76.0	8.0	72.8	.794	.70	82.3	81.3	,,	0.0			l		
11 ,,	.909	.259	86.6	73.0	10.0	71.8 66.6	.772 -650	.64	83.6 84.0	81.4 81.6	,,	0.0	one.	one.	one.	one.	je j
Noon.	.876	.184	89.7	75.0	14.7	68 5	-692	.51	85.4	81.8	,,	0.1	S S	No.	· No	No	None.
1 p. m. 2	.858 .840	.132	90.2	76.0	14.2	69 9	.726	·53	86.1	82.0	w	0.2		ĺ			-
3 ,,	.838	.108	90.7	76.3 76.5	14.4	70.2	.732 .751	.53 .56	86.6 86.5	82.2 82.3	NW b W	0.1					
4 "	.841	.091	88.0	76.0	12.0	71.0	.750	•58	85.8	82.4	NW	0.5					
5 ,,	.849 .862	.105	85.0	75.0	1.00	70.7	.744	.64	84.5	82.5	,,	0.4					
7 ,,	.887	.074	83.1 82.5	75.6 76.0	7.5 6.5	72.5 73.3	•788 •810	.71 .75	83.0 82.5	82.5 82.5	NW'b N	0.4					
8 ,,	.911	.087	81.3	76.0	5.3	739	-824	.79	82.0	82.5	,,	0.0					
9 ,, 10 ,,	.915	.118	80.2 80.0	75.0 75.0	5.2	72.9	•797	.79	81.0	82.3	,,	0.0					
11 ,,	.898	.099	80.0	75.0	5.0 5-0	73.0 73.0	.799 .799	.80	80.8 80.7	82.2 81.2	"	0.0			ľ		
Ост. 29тн-Midnight	.890	050	20.0						-000								
OCT. 29TH-Mildingm	.884	.052 .042	80.0 79.6	76.0 76.0	4.0 3.6	74.4 74.4	.838	.84 .85	80.3 80.2	82.1 82.1	NWbN	0.0					
2 ,,	.877	.067	79.0	75.0	4.0	74.4	.810	.84	80.2	82.1	w n	0.2					
3 ,,	.873 .875	.127	78.0	73.0	5.0	78.8	.746	.79	79.9	82.1	S b W	0.2					
5 ,,	.892	.119	77.5	73.1 73.0	4.4	71.2 71.2	.756 .757	.82	79.3 78.6	82.0 82.0	s s	0.2					
6 "	.917	.160	77.0	73.0	4.0	71.2	.757	.83	78.2	81.7	,,	0.2		İ			
7 ,,	.941	·175	78.0 79.6	73.5	4.5	71.6	.766	.81	78.7	81.6	SbE	0.2			İ		
9 ,,	.991	.288	80.6	73.2 72.6	6.4 8.0	70.3 69.0	.734 .703	.75 .69	79.6 80.3	81.6 81.7	,,	0.1					
10 ,,	.985	.243	82.4	74.2	8.2	70.6	.742	.69	81.0	81.7	"	0.1					
11 ,. Noon.	.962 .928	.241	84.3 88.8	74.2	10.1	69.8	.721	.63	81.8	81.8	, ",	0.1	None.	None	None.	None.	None.
1 p. m.	.886	.079	90.0	77.0	11.8 12.0	72.2 73.2	.780	.59 .59	84.0 85.0	82.0 81.8	w n	0.1	Z	Z	Z	Z	7.
. 2 ,,	.861	.060	90.5	78.0	12.5	73.0	.801	.58	86.0	82.0	,,	0.0		1			
3 ,, 4	.857 .856	.129	90.0	76.0 76.0	14.0	70.0 70.5	.728 .739	.53 .56	86.2 85.8	82.2	NWbW	0.1				1	
5 ,,	.877	.200	85.6	73.4	12.2	67.8	.677	.57	84.8	82.3 82.4	NWbN	0.1				1	
6 ,,	.885	.182	83.2	73.4	. 9.8	69.0	.703	.64	83.3	82.5	,,	0.2		1	İ		
7 ,, 8 .	.901	.159	82.4 80.6	74.2 73.3	8.2 7.3	70.6 70.1	·742	.69	82.7 82.1	82.6	NNW	0.1		1			
9 ,,	.932	.208	80.0	73.0	7.0	69.9	.729	.72 .72	81.3	82.6 82.5	"	0.1		1			
10 ,,	.933	.292	77.7	70-0	7.7	66. l	.641	.69	80.0	82.4	"	0.0		İ			
11 ,.	•930	.372	76.2	67.0	9.2	61.9	•558	.63	78.4	82.2	,,	0.1		1	<u> </u>	1	<u> </u>

Amount of Clouds	ers.	STATE OF THE WEATHER.	
100	Observers.		REMARES.
Amou	ŏ	Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumuli; \(\sigma\) cirro-strati; \(\sigma\) cumulo-strati; and \(\sigma\) i nimbi.	
2	D	scattered about hor; haze in hor; fresh breezes from NW.	
2 2	C))))))))))))))))))))))))))	
2	C)	
2	C	,, ,,	
4	В	scattered about moving NW; haze.	
5 2	B	n scattered around hor.	
2	В	n n	
3	D	» »	
4	D	,,	
5	D	"	
		. NATE	36 3 21. 4
5 6	D	scattered about the sky moving NW.	Mean daily temperature of ground 20 and 60 inches below its sur-
6	C)	face 84.4 and 84.3.
5	C	"	
6	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
3 3	B	scattered all round hor.	
2	В	scattered all round hor; light mist in E hor.	
2	В	_	
1	D	in the SW; on the N, NE, E and SE; mist.	
0	D	in the N, NE and W; light mist in hor.	
0	D D	A few in the N and NE hor; haze.	
0	C	.,	
1	C	in the hor from N to E; light haze.	
2 2	C)))))))))))))))))))	
2	B	y around the hor; haze in E and S.	
3	В))))	
3	В	" " " " " " " " " " " " " " " " " " "	,
3	B D	scattered about moving W.	
4	D	?)	
6	D	" "	
7	D	scattered throughout, moving NW.	Mean daily temperature of ground
8	C	Overcast; we and L we, both moving W; a few stars dimly visible near the zenith.	20 and 60 inches below its sur-
8	C	and scattered throughout moving W.	face 84°5 and 84°4.
6 3	C	scattered around hor.	
1	В		
0	В	A few vi in the E and SE hor; fog in NE and E.	
0	B B	Cloudless; fog in E and light mist in W.	
ŏ	C	A few on in the E; mist.	
0	C	" "	ŀ
0	C	A few clouds in the E; mist.	
0	C D	,, ,, ,,	
o	D)1)1)1	·
0	D	"	
0	D C	Cloudless; mist.	
0	C	» »	
0	C	Clear.	
0	C	n	
0	C	» »	
o l	c	" "	

		STAN Baron	DARD ETER.	Тив	RMOMB	ERS.	ij	, i	AIR.		M BLBR8.	Wind a		RAIN.	Rrsc	TRICAL	Instru	MENTS.
	Bombay	Corrected	Corrected			Depres-	DEDUCED BW-POINT.	URE C	TY OF	r Hach	eter 9 in the		Pressure	D= No		Read	ings of	Time in gree of ter dis-
	Civil Time.	to 82º Fahr.	for	In the	Thermo- meter.	Wet Bulb below Thermo- meter in the Air.	DED DRW-1	Pressure of Moisture.	HUMIDITY	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction,	in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectricl- ty + or —		Straws of Volta 2.	Interval of Timercovering same degree tension after charge.
Nov.	lsT-Midnight	in. 29.891	in. 29.287	75:0	68.0	7:0	64'3	in. 0.604	0.71	77:0	81:6	NNW	1bs. 0.0	io.		Se. div.	Sc. div.	m. s.
	l a. m.	.886	.159	74.8	71.5	3.3	70.0	.727	.86	76.6	81.5	,,	0.0					
	2 "	.870	.153	74.0	71.0	3.0	69.6	.717	.87	76.4	81.4	"	0.1					
	3 "	.862	.180	74.0	70.0	4.0	68.0	.682	.83	76.1	81.4	,,	0.1					
	4 ,, 5	.864	.182	74.0	70.0 69.5	4.0	68.0 67.2	.682	.83 .80	75.8 75.6	81.3 81.2	NNE NE	0.1					}
	6 "	.899	.213	74.0 72.8	67.2	5.6	64.2	.601	.76	74.8	80.9	1	0.1					
	7 ,,	.921	.285	75.1	69.0	6.1	65.9	.636	.74	75.7	80.6	,,	0.1					1
	8 "	.940	.246	77.8	71.5	6.3	68.6	.694	.74	77.8	80.5	,,	0.1	1				
	9 ,,	.951	.295	79.5	71.0	8.5	66.8	.656	.67	79.0	80.5	,,	0.1	l e	one.	one.	je.	one.
	10 "	.947	.308	81.1	71.0	10.1	66.0	.639	.62	79.7	80.5	,,	0.1	None.	No	Nor	None.	io.
	11 ,, Noon.	.912	.248	83.7	71.5	12.2 12.2	65.5 67.3	.628 .666	.56 .56	80·5 81.9	80.5 80.6	N b W	0.1	_		_	-	Z
	l p. m.	.839	.146	85.2 86.2	74.0	12.2	68.5	.693	.57	83.2	81.0	NW	0.1	1				
	2 ,,	.803	.108	86.0	74.0	12.0	68.6	.695	.57	83.0	81.2	NWbW	0.1				1	
	3 ,,	.800	.147	86.4	73.0	13.4	66.7	.653	.53	83.2	81.4	WNW	0.1		İ			
	4 ,,	.807	.112	86.0	74.0	12.0	68.6	.695	.53	83.0	81.4	,,	0.1	l			}	}
	5 ,,	.815	.109	82.7	73.3	9.4	69-1	.706	.65	82.1	81.5	"	0.2	ļ	ĺ			
	6 "	.825	.099	80.8	73.3	7.5	69.9	.726	.71 .72	81.9	81.5	NWbN	0.4					İ
	7 ,,	.842	.130	79.8	72.6	7.2 6.4	69.3	.712 .731	.72	81.2 80.3	81.5	NW	0.3	!			•	! :
	9	.875	.137	79.4 79.3	74.0	5.3	70.2	.769	.79	80.1	81.4	1	0.3	İ	!	•	}	
	10	.869	.116	78.0	73.2	4.8	71.1	.753	.80	79.3	81.4	,,,	0.3		1	1	İ	!
	11 ,,	.855	.094	76.6	73.0	3.6	71.4	.761	.85	78.0	81.4	"	0.0		•			
ov.	2nd-Midnight	.843	.116	76.4	72\0	4.4	70.0	.727	.81	78.0	81.4	NNW	0.0			! !		
	la.m.	.825	-158	75.4	70.0	5.4	67.3	.667	.77	77.2	81.2	ENE	0.0				•	1
	2 ,,	.813	.165	74.0	69-0	5.0	66.5	.648	.78	76.4	81.0	,,	0.0	1			l	
	3 ,,	.813	.224	73.4	67.0	6.4	63.5	•589	.72	75.8	80.9	,,	0.0	i	:		1	
	4 ,,	.821 .825	.177	74.4	69.0	5.4	66.3	.644	.77	75.7 75.7	80.8	,,	0.0		!	İ		
	5 ,, 6	.841	.239 .280	73.6 73.0	67.0	6.6 7.0	63.4 62.1	.586 .561	.72 .70	75.4	80.7 80.7	,,,	0.2		1	:		1
	7 ,,	.859	.275	74.4	67.2	7.0	63.3	.584	.70	75.4	80.5	E b N	0.1	1	,	i		:
	8 ,,	.872	.263	77.5	69.0	8.5	64.6	609	.6 6	77.1	80.5	,,	0.1		!	1	İ	į.
	9 ,,	.880	.277	78.7	69.2	9.5	64.3	-603	.63	78.4	80.5	ENE	0.2		•		1	1
	10 ,,	.868	.300	81.3	69.0	12.3	62.5	.5 68	.54	79.5	80.5	,,	0.1	None.	je.	je j	يو	je j
	11 ,,	.835	.232	84.3	71.0	13.3	64.3	603	.53	81.0	80.6	EhN	0.1	l &	None.	None.	None.	None.
	Noon.	.810 .779	.166	84.6	72.2	12.4	66.3	.644	.56	81.6 83.2	80.6	NNW NW	0.3		-			1 ~
	1 p.m. 2	.760	.151	85.4 86.2	72.0	13.4	65.5 66.8	.628	.53 .54	83.4	80.9 81.0	i	0.1	1	ı	•		i .
	3 ,,	.755	.091	85.4	73.0	12.4	67.2	.664	.56	82.8	81.2	,,	0.6	1		,	ĺ	İ
	4 ,,	.754	.086	85.0	73.0	12.0	67.4	.668	.57	82.6	81.2	NW b W	0.4	:			l	1
	5 ,,	.766	.038	83.0	74.0	9.0	70.0	.728	.66	82.1	81.3	NW.	0.3			i	1	,
	6 ,,	.782	.056	81.5	73.5	8.0	69.9	.726	.69	81.6	81.4	NNW	0.3	1	:		1	
	7 ,,	.798	.070	81.3	73.5	7.8	70.0	.728	.70	81.4	81.5	,,	0.3	1	,		1	t
	8 ,, 9	.826 .826	.076	81.0	74.0 75.0	7.0	71.0	.750	.73	81.2 80.6	81.5	,,	0.1	:	1	;		•
	10	.822	.034	80.6	75.5	5.6 5.0	72.7 73.5	.792	.78 .80	80.5	81.4	,,	0.2		•	!		•
	11 ",	.816	28.973	79.5	76.0	3.5	74.6	.843	.86	80.1	81.4	"	0.0		:		1	;
ov.	3 RD-Midnigh t	.811	.960	78.8	76.0	2.8	74.9	.851	.88	77.8	81.4	NNW	0.0		:			·
•	l a. m.	.807	29.023	78.2	74.0	4.2	72.3	.784	.83	77.4	81.3	NE	0.0			•		
	2 ,,	.794	.008	78.0	74.0	4.0	72.4	.786	.84	77.2	81.2	E	0.1					1
	3 ,,	.789	.003	78.0	74.0	4.0	72.4	.786	.84	78.3	81.1	,,	0.0	†		i I		t
	4 ,,	.803	.049	77.2	73.0	4.2	71.2	.755	.82	78.0	81.0	,,	0.0	ė	:	, č		, សំ
	5 ,,	.824	.061	77.2	73.2	4.0	71.5	.763	.83	78.0	81.0	,,	0.0	None.	Nonc.	None.	Nove.	None.
	6 ,,	.843	.102	75.5	72.1	3.4	70.6	.741	.85	77.6	81.0	n."c	0.1	Z	Z	Z	Z	Z
	7 ,, 8	.867	.142	77.2	72.2	5.0	69.9	.725	.79	77.8	81.0	EbS	0.1	ĺ		:		i
	٥ "	.878	.175	80.2 82.5	72.5 73.0	7.7 9.5	69.0 68.6	.703	.70 .65	79.7 80.5	81.1 81.1	,,	0.1	! 	ł			į
	10 "	.880	.199	83.6	71.6	12.0	65.7	.633	.57	81.5	81.1	Ë	0.2			ĺ		
	10 ,,	.855	.238	86.4		14.4	65.0	.617	.50	82.8			0.1		1	1	i	1

1 1			
Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are; \l cirri; \lambda i cirro-cumuli;	REMARKS.
0 1	D	Clear; slight dew falling.	Mean daily temperature of ground
	c		20 and 60 inches below its sur-
0 0	c	?)	face 84:5 and 84:4.
	c	" "	
	C	A formula (1 7)	
	B B	A few win the E. scattered along E hor.; fog in E.	•
	В	in the E; fog in E and SE; mist in W.	
1 - 1	В	" " "	
	c	22	
	C	N scattered around hor; mist.	
1 0 1	C	27	
	D	2) 2)	
5 1	D	" "	
1 1	D	" "	
	D	<i>"</i>	,
' _ 1	C	□ scattered throughout; mist in hor.	,
	c	w in the E and SE.	
' - 1	c		}
	в	A few w in the E.	
- i - I	В	» scattered about in E.	
		a stattered about in E.	
1 1	в	vin the E; slight dew.	Mean daily temperature of ground
	D	"	20 and 60 inches below its sur-
! _ !	D	scattered throughout.	face 84.5 and 84.4. The height
	D D	₩ scattered around hor.	of barometer at 4 p. m. was 29.754
1 []	c	"	in., lowest in the month and about 0.063 in. lower than the normal
0 0	c	scattered around hor.; fog in E.	mean.
	C	"	
1 _ 1	C	" " " " " " " " " " " " " " " " " " "	
,	B B	∨ scattered around hor.; mist-	
	В	v in the N, NE and E; light mist.	
0 1	в	win the N, NE, E and SE; light mist.	
1 - 1	D	voi in the NE and E; ∨ throughout.	
1 1	D	"	
, ,	D	" · · · · · · · · · · · · · · · · · · ·	
7 0		along the hor, from N to SE; v throughout.	
7 0	c	27	
1 - 1	0	v and vi scattered about.	
	C B	sol prottoned around hou	
	В	vi scattered around hor.	
	В	in the E and W hor; slight dew.	
		A few cas in the E callight days	
- 1	B D	A few in the E; slight dew.	Mean daily temperature of ground 20 and 60 inches below its sur-
- 1	D))))	face 84.4 and 84.2.
	D	"	INCO OF THIS OF W.
- 1	D	" "	
0 0	- ;	A formation the E. formin E and CE	
0 0		A few vi in the E; fog in E and SE.	
1 0	c	scattered along the E hor.; very light mist.	
	В	along the hor. from N to S (by E); mist in W.	
-	B B	scattered around hor.; horizon unusually clear.	

•	STAN: Baroi		Тнк	RNOME	rers.		ы.	AIR.	G RO THERMO	und Meters.	Wind F Osler's G		RAIN.	ELEC	TRICAL	Instru	M ENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fair.	Corrected for Mointure.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	Вкриски Вкм-Роінт	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermoneter linch in the Ground.	Thermometer 9 in the Ground.	Direction.	Pressure in lbs. per Square Poot.	By New-	Sign of Electrici- ty + or —	Strawsof	Strawsof Volta 2.	Interval of Time in secovering the same degree of tonion after dia-
Nov. 3rd-Noon.	in. 29.827	in. 29.192	8890	73:0	15:0	65*8	in. 0.635	0.49	84.2	81:5	E	lbs. 0.1	in.		Se. div.	Sc. div.	m. s.
l p. m.	.800	.080	87.2	75.0	12.2	69.7	.720	.57	84.0	81.4	NW	0.0					
2 ,,	.794	.050	85.0	75.0	10.0	70.7	.744	.64	83.7	81.6	,,	0.1					
3 "	.792	.033	83.6	75.0	8.6	71.3	.759	.6 8	83.5	81.8	,,	0.0					
4 ,,	.804	.087	84.0	74.0	10.0	69.6	.717	.63	83.2	81.8	NNE	0.0	١.		١.		
5 ,, 6	.818 .832	.085	83.6 82.7	74.3	9.3 8.7	70.3	.733 .731	.66 .67	83.1 82.8	81.8	NE b N	0.1	None.	None.	None.	one.	None.
7 "	·859	.157	82.0	73.0	9.0	70.2 68.9	.702	.66	82.1	82.0	NNE	0.2	Ž	ž	Z	No.	No
8 ,,	.882	.173	81.4	73.0	8.4	69.2	· 7 09	.68	81.7	82.0	,,	0.1					
9 ,,	.890	.173	80.6	73.0	7.6	69.6	-717	.70	81.0	82.0	,,	0.2					
10 "	.889	.179	79.6	72.5	7.1	69.3	-710	.72	80.5	81.8	,,	0.1					
11 "	.888	.160	79.6	73.0	6.6	70.0	.728	.74	80.2	81.6	,,	0.2					
Nov. 4TH-Midnight		.145	78.6	73.0	5.6	70.5	.740	.77	79.6	81.5	ENE	0.2					
l a. m.	.859	.077	78.4	74.0	4.4	72.2	.782	.82	79.7	81.5	,,	0.1					
2 "	.844	.095	77.7	73.0	4.7	70.9	.749 .753	-81	78.5 78.3	81.4	SE	0.2					
3 ,, 4	.850	.094	77.4	73.0	4.4	71.1	.753	.82 .82	78.2	81.4	SE	0.1			ŀ		
5 ,,	.869	.116	77.4	73.0	4.4	71.1	.753	.82	78.1	81.3	,,	0.6					
6 ,,	.887	.133	77.3	73.0	4.3	71.1	.754	-82	78.1	81.3	SÜE	0.3					
7 "	.909	.143	78.0	73.5	4.5	71.6	-766	-81	78.7	81.3	,,_	0.2		l			
8 "	•930	.171	80.2	74.0	6.2	71.3	.759	.75	79.8	81.4	SSE	0.3					
9 ,, 10	.955 .952	.193 .164	80.6 84.5	74.2 76.0	6.4 8.5	71.4 72.5	.762 .788	.75	80.2	81.4	,,	0.2					
11 "	.926	.098	85.2	77.2	8.0	74.0	-828	.68 .70	82.6	81.6	,,	0.2	نه		a:	ا به ا	å
Noon.	915	.071	86.6	78.0	8.6	74.6	.844	•69	84.0	81.6	ssw	0.2	one.	one.	one.	on e.	None.
1 p. m.	.882	.055	88.2	78.0	10.2	74.0	-827	-64	84.8	81.8	sw	0.1	Z	Z	Z	Z	Z
2 ,,	-868	.050	89.0	78.0	11.0	73.6	-818	-62	86.0	82.0	,,	0.0					
3 ,,	.871	.042	88.0	78.0 79.0	10.0	74.1	.829 .878	·65	85.8	82.2	sw'bs	0.1					
4 ,,	·870 ·888	28.992 29.018	87.4	78.0	8.4 6.3	75.9 75.6	-870	.69 .76	85.0 84.0	82.4 82.5		0.1					
6	.911	.016	82.0	78.0	4.0	76.5	-895	-84	83.0	82.6	sw	0.2			•		
7 ,,	.924	.042	81.0	77.4	3.6	76.0	-882	-85	82.0	82.0	,,	0.1					
8 ,,	.941	.064	80.0	77.0	3.0	75.8	-877	∙8 8	81.6	82.5	,,	0.1					
9 "	-954	.116	80.0	76.0	4.0	74.4	•838	-84	81.0	82.5	,,	0.0					
10 "	.959	.111	80.0	76.2 76.0	3.8	74.8	•848 •845	·85	80.7	82.5	,,	0.0		<u> </u>			
11 ,,	.955	.110	79.4	70.0	3.4	74.7	*845	-86	80.2	82.4	,,	0.0					
Nov. 5TH-Midnight		29.072	79.3	76.6	2.7	75.5	•869	.89	80.1	82.3	sw b w	0.0					
l a. m.	.928	.083	79.4	76.0	3.4	74.7	.845	.86	80.2	82.2	,,	0.0					
2 ,, 3	.915	.030	79.3 78.7	77.0 76.0	2.3	76.1 74.9	.885 .852	.90 .89	80.0 79.7	82.2 82.1	sw	0.0					
4 ,,	.920	.068	78.7	76.0	2.7	74.9	.852	.89	79.7	82.0	s	0.0					
5 ,,	.941	-085	78.4	76.0	2.4	75.1	-856	.90	79.5	82.0	,,	0.3					
6 ,,	.974	.150	77.7	75.0	2.7	7 3.9	-824	.89	79.5	82.0	SSE	0.6					
7 ,,	.991	.167	77.7	75.0	2.7	73.9	.824	.89	79.2	81.9	,,	0.4					
8 ,, 9	30.015	.199 •223	78.8 80.6	75·1 75.2	3.7 5.4	73.7 73.0	.816 .801	.85	79.8 80 . 5	81.9	,,	0.4					}
10 ,,	.015	•206	82.6	76.0	6.6	73.0	•809	.78 .75	81.5	82.0	"	0.4					1
11 ,,	29-993	•219	83.3	75.3	8.0	71.9	.774	.70	82.0	82.0	"	0.4					1
Noon.	.968	.199	82.7	75.0	7.7	71.7	.769	.71	82.0	82.0	,,	0.1					
l թ. m.	.930	.193	82.2	74.0	8.2	70.4	•737	.69	82.0	82.1	SEbS	0.0	ne.	None.	one.	₹	je.
2 ,, 3	.905 .886	.141	83.2 84.7	75.0 76.0	8.2 8.7	715	•764 •786	.69	82.3	82.2	,, 8F	0.0	None.	No	No	None.	N one.
3 ,, 4	.886	.131	84.0	75.0	9.0	72.4 71.2	•755	.68 .67	83.2 83.0	82.2 82.2	SE NW	0.0			_		
5 ,,	.894	.087	82.8	76.0	6.8	73.2	-807	.74	82.3	82.2		0.0					1
6 "	.908	.067	81.5	76.5	5.0	745	-841	.80	81.2	82.2	"	0.1					1
7 "	.921	.090	80.6	76.0	4.6	74-1	-831	.82	81.0	82.2	NŃW	0.1					1
8 "	.935	.084	80.6	76.5	4.1	74.9	-851	.84	81.0	82.2	,,	0.1					1
^	. 4/17	.077	80.6	77.0	3.6	75.6	.870	.85	81.0	82.1	,,	0.1					1
9 ,, 10 ,,	.950	093	80.0	76.5	3.5	75.1	.857	.86	80.7	82.1	"	0.1			i		1

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Amou	O	NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \int\i cirro-cumuli; \int\i cirro-cumuli; \int\i cirro-strati; \	
3 6	B D	in the E half of the sky rising towards the zenith. i and i scattered throughout moving W; gloomy.	
8	D	Overcast; Li and Mi; a break about 3 or 4 degrees in height from N to S (by W); dull and gloomy.	
8	D	" "	
8 8	D C	Overcast; ~ and light ~ moving S W.	
8	c	Overcast, what and light was moving 5 w.	
8	C	Overcast; i and light i moving SW; a few stars visible in E.	
8	c	Overcast with loose vi.	
4	В	ni scattered about.	
2	В	scattered around hor.	·
2	В	"	
	_		
2	B D	scattered around hor.	Mean daily temperature of ground
2 2	D	"	20 and 60 inches below its sur-
2	D))))	face 84.4 and 84.3. Reading of wet bulb thermometer at 4 P. M.
4	D	31	was 74.0, greatest in the month
8	C	and iscattered throughout; in the E.	and about 3:2 greater than the
7	C	vi, wi and L wi scattered throughout.	normal mean.
8	C C	"	
8	В	"	
6	В	"	
6	В	or in the N; or in the NE and E rising towards zenith.	
3	В	of and of along the hor. from N to SSE.	
3	D	"	,
3 3	D D	"	
4	D	" "	
6	c	in the E, N and W; or in the NE and or scattered throughout.	
3	c	2)	
5 4	C C	and wi scattered around hor, and wi scattered around hor; slight dew.	1 !
7	В	scattered throughout.	
6 7	B	" "	•
'	•	"	
			Mean daily temperature of ground
8	В	Overcast with we and L we; the latter moving N. we and L we throughout.	20 and 60 inches below its sur-
6	D D	.	face 84:4 and 84:2. 5th November was the 42nd day on
5	D))	which lightning was observed
7	D	yı 2)	after sunset; it was the 19th day
8	C	Overcast with wand L w, the latter moving WNW.	on which the fall of rain was less
8	c	in the E and W; on and out throughout; mist.	than 0.01 in.
8	c c	Overcast; \(\sigma\) and \(\sigma\); mist.	1
8	В	·	
8	В	11 22	
8	В	Overcast; wi and wi; breaking in SE and S.	
8	В	Overcast; \(\sigma_i\), \(\sigma_i\) and \(\sigma_i\); breaking in SE and S; thin drops of rain at 0h. 54m. p. m.	
8	D D	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
8 8	D	" " " " " " " " " " " " " " " " " " "	
5	D	mi and mi scattered all round except in S and SE.	
3	В	of in from N to SE; we in the NW, W and SW.	
3	В	" 11 CONTRACTOR STATE	
2	B B	around hor except S hor.; lightning in NNE.	
์	В	ni around hor. except S hor.; lightning in NNE; slight dew.	!
	В	Clouded around hor; lightning in NE and N; dew.	
	в	2) 2)	ļ

		STAN: Baron		THE	RMOMB	TERS.			AIR.	GRO1 THERMO		WIND PI Osler's G		RAIN.	BLEC	TRICAL	INSTRU	MENTS.
	Bombay Civil Time.	Corrected	Corrected	In the	Wet Bulb	Depression of	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE.	40	meter I inch Ground.	neter 9 in the d.		Pressure in lbs.	By New-			ings of	Time in ig the gree of fier dis-
·	1864.	to 33º Fahr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in the Air.	DED.	PRE	HUNIDITY	Thermome in the Gr	Thermometer 9 inches in the Ground.	Direction	per Aquare Foot.	man's Gauge.	Blectrici- ty + or-		Straws of Volta 2.	
ov.	7тн-Midnight	in. 29.929	in. 29.128	79:8	75.0	4:8	73:0	in. 0.801	0.81	80.5	82:3	NNE	lbs. 0.1	in.		Sc. div.	Sc. div.	m. 8.
•	l a. m.	.906	.141	79.6	74.0	5.6	71.6	.765	.78	80.0	82.4	,,	0.0		İ			
	2 ,,	.894	.122	79.0	74.0	5.0	71.8	.772	.80	79.8 79.2	82.3 82.2	,,	0.0			į		
	3 ,, 4	.883 .892	.141	78·4 78.5	74.0	5.4 4.5	70.6 72.2	.780	.78 .82	79.3	82.1	"	0.0	ļ				
	5 ,,	.910	-124	78.0	74.0	4.0	72.4	.786	.83	79.3	82.1	,,	0.0					
	6 "	.940	.177	77.2	73-2	4.0	71.5	.763	.83	79.2 79.4	82.0 82.0	,,	0.1					
	7 " 8 "	.956	.176	78.5 81.1	74.0 75.0	4.5 6.1	72.2 72.5	.780 ·787	.82 .76	81.0	82.1	"	0.1		į			
	9 ,,	.978	.162	82.7	76.2	6.5	73.6	.816	.75	81-5	82.1	"	0.1					
	10 ,,	.975	-142	84.0	77.0	7.0	74.2	.833	.73	82-5	82.2	,,	0.1					
	11 ,,	.948	.124	85.6	77.2	8.4	73.9	.824	.69	83.3	82.4 82.4	NW	0.1	one.	one.	None.	one.	one.
	Noon. 1 p. m.	.917	.073	86.6	78.0	8.6 9.4	74.6	.836	.69 .66	84.8	82.4	NW' W	0.2	ž	Z	ž	ž	No
	2 ,,	-873	.042	87.8	78.0	9.8	74.1	.831	.65	85.0	82.4	,,	0.3					
	3 "	.855	-019	87.4	78.0	9.4	74.3	.836	.66	84.8	82.6	WNW	0.1				l	
	4 ,,	.861	28.979	87.0	79.0	8.0	76.0	.882	.71	84.0	82.7 82.9	NW	0.0	'				
	5 " 6 "	.876	963	84.2	79.0 79.0	5.2	77.1	.913	.80	83.3	83.0	"	0.2			İ		•
	7 "	.911	.976	82.2	79.0	3.2	77.8	.935	.87	83.0	83.0	NW b W	0.1					
	8 ,,	.927	29.003	81.3	78.5	2.8	77.5	.924	.88	82.2	83.0	NW	0.1	1				
	9 ,,	.927	-021	81.0	78.0	3.0	76.8	.906	.88	82.0	82.9	,,	0.1					
	10 ,,	.911	28.990	80.6	78.0 78.0	2.6	77.0	.910	.89	81.6	82.8 82.7	"	0.2					1
	11 "	.900	20.990	80.0	/3.0	2.0	""	13.0	.03	0.1		,,	0.5					
Vov.	8тн-Midnigh		.977	80.5	78.0	2.5	77.0	-911	.90	81.2	82.5 82.4	NW	0.2					
	la.m. 2	.869 .855	.952	80.0 79.4	78.0 77.0	2.0	77.2	.917 .884	.92	80.3	82.4	,, ,,	0.0					
	3 ,,	.854	-966	79.0	77.0	2.0	76.2	-888	.92	80.0	82.3	,,	0.0					
	4 ,,	.856	.961	78.4	77.0	1.4	76.5	-895	.94	79.7	82.3	"	0.0					
	5 "	.873	29.013	78.0	76.0 76.0	2.0	75.2 75.2	-860	.92 .92	79.6	82.3 82.3	NW'bN	0.1			İ	•	1
	6 " 7	.897	.037	78.0 79.0	76.0	2.5	75.5	.860 .868	.92	79.6 80.0	82.3	NNE	0.1	ł				1
	8 ,,	.938	.032	81.0	78.0	3.0	76.8	•906	.88	81.0	82.4	,,	0.1	İ				i
	9 ,,	.944	.069	82.0	77.5	4.5	75.8	.875	.82	81.5	82.5	,,	0.1		١.	١.		
	10 ,,	.930	.044	82.8	78.0	48	76.1	.886	.81	82.0	82.5 82.6	," N	0.1	one.	None.	None.	None.	None.
	11 ,, Noon.	.900	.078	85.0 86.7	77.0	8.0 9.1	73.8 74.0	.822	·70	83.0 84.0	82.7	NNW	0.1	Z	ž	ž	ž	Z
	l p. m.	.835	.006	88.0	78.0	10.0	74.1	.829	.65	84.8	82.7	NWbW	0.2					İ
	2 ,,	.819	28.992	88.2	78.0	10.2	74.0	.827	•64	85.0	82.8	WNW	0.1					Ì
	3 ,,	.816	.945	88.0	79.0	9.0	75.6	-871	.68 .70	85.3	82.8 82.9	,,	0.1					1
	4 ,, 5	.829	.949	87·2	79.0 79.0	8.2 6.0	75.9 76.8	•880 •904	.70	85.0 84.3	83.1	,,	0.1				į	
	6 ,,	.872	.948	83.2	79.0	4.2	77.5	-924	.84	83.6	83.2	,,	0.1				i I	1
	7 ,,	.884	.958	83.0	79.0	4.0	77.5	•926	.84	83.3	83.3	,,	0.2				!	
	8 ,,	.898	.965	82.4	79.0	3.4	77.8	.933	-86	83.0	83.3	NW N	0.2		I I			i
	9 ,,	.910		82.2 81.6		4.2 3.1	76.4	-893 -921	.83	82.4 82.2	83.1 83.0	ł	0.2					
	10 ,, 11 ,,	.895	.989	81.0	1	3.0	76.8	.906	.88	82.0	83.0	NNW	0.1					
			20.51	1			50.	222		01.0	000	NNW					ļ	
Nov	. 9rн-Midnigh		29.002 28.962	80.3 80.2		3.0 2.2	76.1 77.2	.886	.88	81.3 81.0	83.0 83.0	1	0.1	'				1
	la.m. 2	.877 .868	.993	80.2	77.0	3.2	75.8	.875	.87	81.0	83.0	,,	0.2				<u>'</u>	
	3 ,,	.866	.989	80.0	77.0	3.0	75.8	-877	.88	81.0	82.9	NNW	0.3	_				
	4 ,,	.872	.990	79.5	77.0	2.5	76.0	.892	.90	80.7	82.9	,, N	0.1	None.	None.	None.	None.	None.
	5 ,,	.891	29.077	78.6	1	3.6	73.5 75.1	.814	.85 .89	80.5 80.2	82.8 82.8	N NNE	0.1	No Z	Z	No.	°	×
	0 ,, 7 .	.915 .942	.059	78.7 79.8	76.1 76.3	2.6 3.5	75.1	·857	.86	80.2	82.7	NEbN	0.1				l	
	8 ,,	.957	.115	81.8	76.6	5.2	74.6	-842	.80	81.7	82.8	NE	0.2					
	9 ,,	.967	.138	83.6	76.8	6.8	74-1	.829	.74	82.5	82.8	ENE	0.1				1	
	10 ,,	.962	.160	85.0	76.5	8.5 9.9	73.1 73·0	.802	.68 .64	83.2 84.0	82.8 83.0	E b'N	0.1	1)	1	}	:

Amount of Clouds.	Observers.	STATE OF THE WEATHER. NUTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumuli; \(\sigma\) cumuli; \(\sigma\) cirro-strati; \(\sigma\) cumulo-strati; and \(\sigma\) i nimbi.	Remarks.
0 0 0 0 0 0 1 1 1 0 0 0 1 1 2 2 2 2 2 2	B D D C C C C B B B D D C C C C B B B B	A few wi in the E. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84:3 and 84:4. At 7 p. m. the temperature of dew-point was 77:8, greatest in the month and about 6:2 greater than the normal mean. 7th November was the 43rd day on which lightning was observed.
1 1 1 0 0 1 3 6 6 5 4 4 5 5 4 4 3 5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	B D D D C C C B B B B D D D C C C B B B B	In the N, NE, E and SE; dew falling. A few in hor.; dew. In the E and SE; dew. In the E and SE; dew. In the E and SE; dew. In the E and SE; dew. In the Ne, E and SE; is cattered about the hor. In the NE, E and SE; is cattered about the sky; lightning in NE observed at 5h. In the NE, E and SE; is cattered about the sky; lightning in NE and E. In the NE, E and SE; is cattered about the sky; lightning in NE and E. In the NE, E and SE; is cattered about the sky; lightning in NE and E. In the NE, E and SE; is cattered about the sky; lightning in NE and E. In the NE and E; is cattered about the sky; lightning in NE and E. In the NE and E; is cattered about the sky; lightning in NE; lunar halo. In the NE and E; is and in the NE; lunar halo. Nearly overcust; is and in the NE; motion of in NW; flashes of lightning occasionally.	Mean daily temperature of ground 20 and 60 inches below its surface 84.2 and 84.5. 8th November was the 44th day on which lightning was observed after sunset.
8 8 8 4 3 4 5 6 4 4 3	B D D C C C C B B	Overcast; \(\) and \(\sigma\); lightning in ENE. """"""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 843 and 844. Max. tension of electricity by Henley's Apparatus 6. Maximum length of the spark by Ronald's Measure 0-10 in. 9th November was the 45th day on which lightning was observed; it was the 9th day on which thunder was heard, and the 20th day on which the full of rain was less than 0.01 in.

		DARD METER.	Тнв	RMOMET	ERS.	ن ا	a ;	AIR.		UND METERS.	Wind F Osler's G		RAIN.	BLEC	TRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to \$2° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- ineter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure o Moisture.	UMIDITY OF	rmometer linch	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's	Sign of Blectrici- ty + or —		Straws of	Interval of Time in recovering the same degree of tension after dis- charge.
	in.	in.	1	1	the Air.		in.	# # ·	Teg I	-	<u> </u>	lbs.	in.	1	Sc. div.	Se div	
Nov. 9TH-Noon.	29.898	29.041	89:3	79.0	10:3	75 ° 1	0.857	0.64	86.6	83°2	EbN	0.5			i.c. div.	.sc. uiv.	m. s.
1 p. m.	.860	.031	88.0	78.0	10.0	74.1	-829	.65	85.8	83.2	WNW	0.6					
2 ,, 3	.843	.014	88.0	78.0	10.0	74.1 74.1	.829	.65 .65	85.4 85.6	83.2	NWbW	0.8					
4 ,,	.875	.075	88.0	77.0	11.0	73.0	.829	.61	85.3	83.2	EŠE	0.0	نه				
5 , ,	.873	.042	84.2	77.0	7.2	74.1	.831	.73	84.4	83.3	,,	0.1	one				
6 ,,	.881	.008	84.0	78.0	6.0	75.7	-873	.77	84.0	83.4	NW	0.3	Z				
7 ,, 8	.915	.031	83.0	78.0 76.0	5.0 5.2	76.1 73.9	.884	.80	83.5 82.2	83.5 83.4	N ENE	0.2	ļ	+	6		1 12
9 ,,	.953	.187	81.3	74.5	6.8	71.6	.766	.73	82.1	83.2	EbN	0.7	•	+	i		1.13 Above 10m.
10 ,,	.954	.228	79.8	73.0	6.8	69.9	.726	.73	80.6	83-0	E	3.0		+	Out of Sc.	45	Instantly.
11 "	.961	.331	78.7	70.0	8.7	65.6	.630	.66	79.8	82.9	NE	0.4		-	Out of Sc.	Out of Sc	
Nov. 10тн-Midnigh		.342	77.5	68.0	9.5	62.9	.576	.63	78.7	82.6	ESE	0.1	0.21	_	Out of Sc.	Out of Sc.	
la.m.	.911	.238	78.0	71.0	7.0	67.6	.673	.72	78.3	82.4	NE	0.7					
2 ,, 3	.900	.168	77.4	71.0 72.0	6.4	68.0 70.1	.680	.73	78.2 77.8	82.4 82.3	,,	0.0					
4 ,,	•901	.181	77.0	72.0	5.0	69.7	.729	.79	77.6	82.3	ENE	0.1					
5 ,,	.914	∙157	77.0	73.0	4.0	71.2	.757	.83	77.6	82.2	NEbE	0.3					
6 "	.932	.159	77.2	73.5	3.7	71.9	.773	.84	77.6	82.2	ENE	0.4					
7 ,, 8	.956	.167	78.4 79.7	74.2	4.2 5.2	72.6	.789	.83 .79	78.5 80.0	82.1 82.1	,,	0.4	1				
9 ,,	.997	.199	81.9	75.5	6.4	72.9	.798	.75	80.9	82.1	,,,	0.3					
10 ,,	.991	.197	84.0	76.0	8-0	72.8	.794	.70	82.0	82.2	,,	0.2					
11 ,,	.975	.203	86.0	76.0	10.0	71.8	.772	.64	83.8	82.3	,,	0.1	•				<u>မ</u> ွဲ
Noon. 1 p. m.	.952 .916	.166	88.3	77.0 76.0	11.3	72.4	.786 .739	.56	85.0 85.7	82.4 82.6	"	0.1	ŀ				None.
2 ,,	892	.085	90.0	78.0	12.0	73.2	.807	.59	86.5	82.8	"	0.0					_
3 ,,	-889	.144	92.0	77.0	15.0	70.7	.745	.51	87.2	82.9	NW	0.0					
4 ,,	-893	.033	89.0	79.0	10.0	75.2	∙860	.65	86.3	83.0	WNW	0.1	1				
5 ,, 6	.915	.017	85.5 84.0	79.0	6.5	76.6	.898	.76 .81	85.3 84.3	83.1 83.2	NW	0.3					
7 ,,	.950	.066	83.0	78.0	5.0	76.1	.884	.80	84.0	833	"	0.3					
8 ,,	.962	.089	82.2	77.5	4.7	75.7	.873	.81	83.7	83.2	"	0.2					
9 ,,	.985	.130	82.0	77.0	5.0	75.0	-855	.80	83.0	83.1	,,	0.1					
10 ,, 11 ,,	.987	.138	80.8 79.5	76.5 75.5	4.3 4.0	74.8 73.9	.849 .824	.82 .84	82.0 81.0	83.0 83.0	N "	0.0					
Nov. 11TH-Midnigh	001	165	50.5	75.0			010										
l a.m.	t .981 .965	.165	79.5	75.3 74·0	4.2	73.6 72.1	.816	.83 .81	80.6 79.5	82.9 82.9	N	0.0					
2,,	.960	.218	78.4	73.0	5.4	70.6	.742	.78	79.4	82.8	,,	0.0					
3 ,,	.950	.208	78.4	73.0	5.4	70-6	.742	.78	79.3	82.8	NNE	0.0					
4 ,, 5 ,,	.955	.213	78.4 78.6	73.0	5.4	70-6	.742	.78	79.2	82.7	ENE	0.0					
6 ,,	30.000	.217	78.6	73.4	5.2 4.6	71.1	.754	.79	79.2 79.2	82.6 82.6	,,	0.2		+	6		1.17
7 ,,	.023	.256	78.2	73.6	4.6	71.6	.767	.81	79.3	82.5	SSE	0.2		'	"		1.17
8 "	.044	.314	81.5	73.6	7.9	70.1	.730	.70	81.0	82.5	SEbS	0.3					
9 ,, 10 ,,	.061	•336 •309	83.3 85.3	74.0 75.2	9.3	69.9	.725	.65	82.0	82.5	SSE	0.4			ļ		
11 ,,	.033	.387	87.0	73.0	10.1	70.9 66.4	.748	.63 .52	83.0 84.2	82.6 82.7	"	0.2			1		
Noon.	.009	•322	88.5	74.5	14.0	68.2	.687	.53	85.1	82.9	,,	0.1	None.			None.	
l p. m.	29.972	.244	90.0	76.0	14.0	70.0	.728	.53	85.4	83.0	w	0.0	Z			Ĭ	
2 ,, 3 ,,	.943	.131	89.5 87.7	78.0 77.0	11.5	73.4	.812	.62	86.0	83.0	WNW	0.1	1				
A "	.939	.145	85.2	77.0	10.7 8.2	72.7	.792 .820	.62 .69	85.7 84.3	83.1 83.0	NW b W WNW	0.1	1				
5 ,,	.949	.092	83.7	77.5	6.2	75.1	.857	.76	84.0	83.2	NWbW	0.1					
6 ,,	.967	.083	83.0	78.0	5.0	76.1	.884	.80	83.2	83.3	NW	0.3				i	
7 ,, 8	.987	.163	82.0 82.0	76.2 77.0	5.8 5.0	73.9	.824	.77	82.8	83.3	,,	0.4					
o "	.027	.155	81.6	77.0	3.0 4.6	75.0 75.2	•855 •859	.80	82.5 82.0	83.2 83.1	NNW	0.5					
10 ,,	.028	.205	80.0	75.6	4.4	73.8	.823	.82	81.2	83.0		0.0					
11 ,,	.018	.228	79.1	74.5	4.6	72.6	.790	.81		82.9	"	0.0	١				

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remares.
Ато	0	Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\sqrt{i} \) cirro-cumuli; \(\sqrt{i} \) cirro-strati; \(\sqrt{i} \) cirro-strati; and \(\sqrt{i} \) inimbi.	
3	В	oi in the NE and E; v scattered about.	
3	D	"	
$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	D	"	
5	D D	along the eastern hor.; wi and si scattered about the sky.	
6	c	i and in the NE and E; i and is scattered throughout; lightning in NE observed at 5h. 46m.	
7	C	i in the N, NE and E; in the 8 and W; is and it is cattered throughout; lightning in NE.	
7	C))))))))))))))))))))))))))	
8	C	Overcast: Ai and Mi; continuous lightning in NE; threatening appearance in NE. [in NE since 9h. 50m.	
8	В	Dark Ai cover nearly the northern half of the sky; Ai in SE and W, and Ai moving to W; continuous lightning and thunder	
8 8	В	Clouded as above; lightning continuous; thunder at intervals; a squall of rain and wind commenced at about the end of the hour. Overcast; V.I., A! and LI; a break in S; wind and rain continued till 11h. 30m., afterwards no thunder was heard.	
8	В	Nearly overcast:	Mean daily temperature of ground
8 4	D	"	20 and 60 inches below its sur-
2	D D	i and i scattered about.	face 84.2 and 84.4. Daily fal
1	D		of rain by Osler's Gauge 0.13 in. Maximum tension of electricity
2	c	"	by Henley's Apparatus 2. Maxi
6	C	in the NW; we throughout the sky moving E.	mum length of the spark by Ro-
8	C	Lightly overcast with w; or from N to SE; fog in E and SE.	nald's Measure 0.05 in.; at 3 P. M
8	C	,,	the temperature of free air was
5	В	along the eastern hor.; vahout the sky; mist in W.	920, highest during the month
5	В	and the CIVI and the state of t	and about 7.2 higher than the
7	B B	in the SW; we throughout the sky; mist in hor.	normal mean.
5	D	" "	
6	D)	
7	D	" " "	
6	D	scattered throughout; vi around hor.	
8	C	scattered throughout; si bround hor.; halo round the moon observed at 5h. 55m.	
8	C	scattered throughout; vi around hore; halo round the moon till the close of the hour.	
8	C C	Overcast; wand wi; we moving SW; we moving NE.	
7 6	B B	✓ and D \ scattered throughout.	
7	В)	
7	В	sat scattered throughout moving We say in the R	31 1 1 4
5	B D	scattered throughout moving W; so in the E.	Mean daily temperature of ground 20 and 60 inches below its sur
7	D	in the S; \(\sigma\) throughout.	face 84.2 and 84.3.
7	D	on the W; w throughout.	THE OLD BING OLDS
7	D	∨ scattered throughout.	
6	C	in the E and W; is throughout.	
6	C	on and throughout; haze in E.	
8 8	C C	Overcast; N and N; fog in E and mist in W.	·
8	B	scattered throughout moving NE; or around hor.	
8	В	" " " " "	,
8	В	" " " " " " " " " " " " " " " " " " "	
8	В	27	
8	D	" "	
8 8	D	of from N to SE hor a st throughout	
8	D D	of from N to SE hor.; si throughout.	
8 8	C C	Overcast; n and it in the NE.	
8	C	" ··	
8	C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
8	В	Overcust; voi moving W.	
7	В	vi and vi throughout.	
6	В), ,, ,,	

	STAN BARON	DARD IKTER.	Тиві	RNOMBI	BRS.	e ÷	S R.B.	P AIR.	TREEN	UND METERS.	Osler's (RAIN.	El.BC1	RICAL	Instru	
Hombay Civil Time. 1864.	Corrected to \$2° Pahr.	Corrected for Mointure.	In the	WetBulb Thermo- meter.	Depression of WetBulb below Thermometer in the Air,	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or	Strawson	St-swsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
Nov. 12TH-Midnight	in. 30.009	in. 29.196	78:7	75°0	3:7	73:5	in. 0.813	0.85	800	82:9	NNW	lbs. 0.0	in.		Sc. div.	Sc. div.	
la.m.	29.994	.215	78.4	74.0	4.4	72.1	.779	.82	80.0	82.9	,,	0.0					_
2 ,, 3	.975 .963	.194	78.2 78.2	74.0	4.2	72.2	.781	.83	79.8	82.7	NNE	0.0					
4 ,,	.963	.220	78.3	74.0 73.0	4.2 5.3	72.2 70.7	.781 .743	.83 .78	79.7 79.6	82.6 82.6	,,	0.0					
5 ,,	.996	.257	78.6	73.0	5.6	70.5	.739	.77	79.6	82.5	Ë	0.1					
6 ,, 7	.038	.283	79.0	73.0	6.0	70.3	.735	.76	79.5	82.5	,,	0.2					
8 ,,	.058	-309 -316	80.2 81.7	73.2	7.0 7.7	70.1 70.6	.729 .742	·72 ·70	80.2	82.4 82.5	"	0.2					
9 "	.067	.350	84.0	74.0	10.0	69-6	.717	.63	82.0	82.6	"	0.2					
10 ,,	.058	.299	86.4	75.8	10.6	71.3	.759	.62	83.6	82.6	,,,	0.1	one.			one.	
11 " Noon.	.032	.329	87.0 89.6	74.5 76·0	12.5 13.6	69.0	.703	-56	84.2	82.7	,,	0.1	S Z			No	
l p. m.	.953	.272	90.7	75.0	15.7	70.2 68.0	.732 .681	.54 .49	85.9 85.8	83.0 83.0	wnw	0.1	1				
2',,	.927	.276	90.0	740	16.0	66.6	.651	.45	86.0	83.1	NW b W	0.4					
3 ,, 4	.917 .918	.130	88.2	77.0	11.2	72.5	.787	.61	85.8	83.1	NW	0.1					
5 ,,	.933	.159	87.2 84.5	76.0 76.5	11.2 8.0	71.3 73.3	.7 <i>5</i> 9	·60 ·70	85.2 84.2	83.1 83.2	NNW	0.4					
6 ,,	.943	.118	82.6	76.4	6.2	73.9	.825	.76	83.5	83.3	,,	0.7					
7 ,,	•967	-151	82.0	76.0	6.0	73.6	.816	.77	83.0	83.3	,,	0.6			ĺ		
8 " 9 "	.990 .999	.169	81.5	76.0	5.5	73.8	.821	.78	82.6	83.2	,,,	0.4					0.54
10 ,,	.998	.263	80.2 79.0	75.0 73.0	5.2 6.0	72.9 · 70.3	.797	.79 .76	82.0 81.7	83.1 83.0	N	0.3		+	8		0.54 2.34
11 ",	.998	.237	78.2	73.2	5.0	71.0	.751	.79	81.0	82.9	"	0.1		+	•		2.01
ov. 14TH-Midnight	.973	.338	76.8	69.5	7.3	65.8	.635	.70	78.1	82.2	NNE	0.0					
! a. m.	.952 .935	.263	76.5	71.0	5.5	68.3	.689	.77	77.2	82.1	,, NTT 1 NT	0.0					
3 ,,	.933	.344	75.0 76.4	69.0 68.0	6.0 8.4	65.9 63.5	.637 .589	.75 .66	76.8 77.2	82·0 81.9	NE b N NE	0.0					
4 "	.938	.312	76.0	69.0	7.0	65.4	.626	.71	77.0	81.9	,,	0.0					
5 ,,	.952	.322	75.6	69.0	6.6	65.6	.630	.73	77.0	81.8	ENE	0.1					
6 ,,	.980 30.002	.311	75.2 75.4	70.0 70.0	5.2	67.4	.669	.78	77.0	81.7	,, rer	0.1					
8 ,,	.020	.451	78.2	68.0	5.4 10.2	67.3 62.5	.667 .569	.77 .60	77.0	81.6 81.6	ESE Ebs	0.1					
9,,	.031	.439	80-6	69.5	11.1	63.7	-592	.58	79.5	81.6	SE b S	0.5					
10 ,, 11	.01 <i>5</i> 29.986	.441	83.7	70.0	13.7	62.8	-574	.51	81.0	81.6	,,	0.4	None.	ne.	None.	ne.	je.
Noon.	.957	.405	86.3 86.6	71.0 68.5	15.3 18.1	63.1 58.1	.581 .492	.48 .40	83.0 83.2	81.7 81.8	SSE	0.2	No	None.	No	None.	None.
lp. ni.	.916	.402	89.2	70.0	19.2	59.4	.514	.38	85-2	81.9	wnw	0.1				, ,	
2 ,,	.893	.286	87.2	72.0	15.2	64.5	.607	.48	84.0	82.0	NW	0.1					
3 ,,	.879 .872	.260	86.2 85.0	72.0 71.0	14.2 14.0	65.1 63.9	.619 .595	.51 .51	83.8 82.8	82.1	WNW	0.1			į		
5 ,,	.890	.264	82.2	71.0	11.2	65.4	.595 .626	.58	82.8 82.0	82.1 82.2	nw	0.2					
6 ,,	.906	.292	80.2	70.0	10.2	64.8	.614	.61	81.0	82.3	NW b N	0.5					
7 ,, 8 ,,	.931 .941	.304 .289	79.0	70.0	9.0	65.4	.627	.65	80.5	82.3	NW	0.4					
9 ,,	.963	.289	79.4 78-0	71.0	8.4 7.0	66.9 67.6	.658 .673	.67 .72	80.2 79.2	82.2 82.0	NNW	0.3					
10 ,,	.959	.298	76.6	70.2	6.4	67.1	.661	.74	78.0	81.8	N	0.1					
11 "	.944	.284	76.0	70.0	6.0	67.0	.660	.75	77.6	81.6	,,	0.1					i
ov. 15тн-Midnight I a. m.	.930 .907	.315	74.0	68.0	6.0	64.9	615	.74	76.2	82.4	NbW	0.1					!
2 ,,	.907	.301	74.8 75.0	68.0 70.0	6.8 5.0	64.4 67.5	.606 .671	.72 .79	76.4 76.2	81.4 81.3	,, NE	0.0					
3 ,,	.895	.262	75.4	69.0	6.4	65.7	•633	.79	76.4	81.3		0.1					
4 ,,	.901	.230	75.0	70.0	5.0	67.5	-671	.79	76.2	81.2	"	0.1	a:	نه	ا نه	ا زہ	انها
5 ,, 6	.924	.309	74.0	68.0	6.0	64.9	-615	.74	76.0	81.2	,,	0.2	None.	None.	None.	None.	None.
7 ,,	.946 .966	.350	73.6 75.0	67.4 68.0	6.2 7.0	63.9 64·3	•596	.74	75.8	81.1	EbN	0.3	Z	Z	Z	Z	Z
8 ,,	.993	.371	76.4	69.0	7.0 7.4	65.2	.604 .622	.71 .70	76.0 76.8	81.0 81.0	E Ebn	0.2					i
9,,	30.002	.375	79.0	70.0	9.0	65.4	-627	.65	78.0	81.0	NE	0.2					Í
10 ,,	29.988	.448	80.8	68.0	12.8	60.9	-540	.53	79.4	81.0		0.3	1	1 1		1	

	Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	R вманкя.
Ì	6	В	nand va scattered throughout; slight dew.	Mean daily temperature of ground
l	6	D	1	20 and 60 inches below its sur-
-	6	D)	face 84.3 and 84.4. Height of
ļ	6	D	" " "	barometer at 9 A.M. was 30.067
	6	D	,, ,,	in, highest in the month and
	2	C	on and around hor.	about 0.127 in higher than the
1	2	C	so and around hor.; fog in E.	normal mean.
Í	1	C	in the E; fog and mist.	
i	i	C B	v₁ and v₁; mist.	·
İ	2	В	vi and vi around the hor.; mist.	
Ì	4	В		
	5	В)	
	7	D	of in the NE and E; we scattered throughout.	
	7	D	17	
	7	D	"	
i	6	D	y the Free throughout	
	7 6	C C	in the E; we throughout. scattered throughout; we in the E.	
	3	C		
	6	C), ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	
	5	C	" "	
-	5	C	,, ,,	
	5	C	"	
	5 4 4 3 2 1 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	B D D C C C C B B B B D D D C C C C C B B B B	Scattered about the sky. In the N; about the sky. In the N; about the sky. In the W. In the W. In the W. In the W. In the E; mist in W and fog in E and SE. A few In the E; mist in W and fog in E and SE. Mist around hor. In the E; In the E	Mean daily temperature of ground 20 and 60 inches below its surface 84:3 and 84:5.
	0	В	,,	
		_	Clear	
1	0	B	Clear.	Mean daily temperature of ground
	0	D D	" "	20 and 60 inches below its surface 84:3 and 84:5,
1	0	D	>> >>	ाध्यय ०४-३ साम ७४-३,
	o	D	" "	1
	0	C		
	0	C	Mist in W and N; fog in E and SE.	
	0	C	A few ∨ in the E; mist and fog.	
	0	C B	Mist around hor.	
- [0	В))))))	
	o	В))	

			DARD BTBR.	Тнви	NOMBT	ERS.	·	o.B.	А1к.	GR0 THERMO		Wind Fi Osler's G		RAIN.	E.s.RC	TRICAI.	INSTRU	-
	Hombay Civil Time. 1864.	Corrected to \$2° Fahr.	Corrected for Mointure.	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermo-uneter in the Air.	DRW-POINT	PRESAURE .	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Blectrici- ty + or —	Strawsof	Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
NT	15 N	in.	in.	0.500	0000	1000		in.	0.00	l		275	lbs.	in.	<u> </u>	Sc. div.	Sc. div-	m. s.
Nov.	15тн-Noon. 1 р. m.	29.918 .887	29.491 .482	8 <i>5</i> °0 87.0	66.0	19°0 21.0	53*9 52.4	0-427 -405	0.36	82°1 83-2	81°1 81.2	NE NNE	0.1 0.0					
	2 ,,	.859	.435	88.2	67.0	21.2	53.7	.424	.33	83.8	81.3	,,	0.0					
	3 ,,	.842	.242	91.2	73.0 71.0	18.2 16.4	64.1 62.5	.600	.42	85.0 84.2	81.4 81.5	NNW NW	0.1					
	5 ,,	.836	.267	87.4 83.0	71.0	12.0	65.0	.617	.56	83.0	81.6	,, .,	0.1 0.3	نه	نه ا	:	6.	oj.
	6 ,,	.860	.184	81.0	72.0	9.0	67.8	.676	.66	81.5	81.8	,,	0.3	one.	lone.	None.	None.	None.
	7 ,,	.886	.214	79.8	71.5	8.3 7.5	67.6 67.6	.672	.68	81.0	81.8	,,	0.2	Z	Z	-	~	~
	8 ,, 9	.909 .918	.237	78.7	71.2	7.0	66.5	.649	.71	78.5	81.7 81.6	NNW	0.3					
	10 ,,	.916	.285	75.5	69.0	6.5	65.6	-631	.73	77.2	81.3	"	0.0					
	11 "	.903	.307	74.2	67.5	6.7	63.9	.596	.72	76.5	81.1	"	0.0					
ov.	l6тн-Midnight	•	.255	74.5	69.0	5.5	66.2	-642	.77	76.3	81.0	NNW	0.0		+	2		2.30
	1 a.m. 2	.881	.266 .240	74.0	68.0 69.0	6.0	64.9	.615 .637	.74	75.4 76.0	81.0 80.9	NNE	0.0					
	3 ,,	.879	.221	76.2	70.0	6.2	66.9	-658	.74	76.5	80.9	,,	0.1		}	j		
	4 "	.886	.284	75.2	68.0	7.2	64.2	•602	.70	76.4	80.9	,,	0.2					
	5 ,, 6	.905 .934	.336	75.2 74.6	67.0 67.0	8.2 7.6	62.5 62.8	.569	.66	76.4 76.2	80.8	NE ENE	0.2					
	7 ,,	.956	.383	75.4	67.2	8.2	62.7	.573	.66	76.2	80.6	NE b E	0.3					
	8,,	.983	.411	76.7	67.6	9.1	62.7	-572	.64	77.0	80.5	NNE	0.4					
	9 ,, 10 ,,	.995	.484	79.0	66.5	12.5	59.3	•511 •529	.53 ·50	78.0 79.2	80.5 80.5	,, NE	0.2	1				
	11 ,,	.966	.458	84.0	68.0	16.0	58.9	.504	.44	81.0	80.6	NE "	0.1	ne.			one.	
	Noon.	.930	.493	87.0	67.0	20.0	54.6	.437	.35	83.0	80.8	,,	0.1	None.		 	S. C	
	l թ. m. 2	.889	.501	88.5	66.0	22.5	51.1	.388	.30	84.0	80.9	,,	0.0					
	3 ,,	.854	.517	89.0 91.0	65.0 72.0	24.0 19.0	48.2 62.3	.565	.40	85.6	81.1	,,	0.0	Ì				
	4 ,,	.865	.241	89.2	73.0	16-2	65.3	.624	.47	85.0	81.3	NW b W	0.0					
	5 ,, 6	.887	.208	84.0	73.0	11.0	67.9	.679	.60	83.4	81.5	NW	0.1					
	7 ,	.913	.188	81.2 80.0	73.0 73.0	8.2 7.0	69.3 69.9	.724	.68 .72	82.3 81.2	81.6 81.6	NW b N NNW	0.2					
	8 ,,	.927	.229	79.0	72.0	7.0	68.7	.698	.72	80.6	81.5	,,	0.1	1	1			
	9 ,, .	.928	.298	77.2	69.5	7.7	65.6	.630	.69	79.0	81.3	.,	0.1		İ			
	10 ,, 11 ,,	.919	·315 •314	75.0 75.6	68.0 68.2	7.0 7.4	64.3 64.3	.604 .604	.71 .70	77.0	81.1	,,	0.0		+	1		Above 10
Nov.	17тн-Midnight	.900	.314	76.6	68.0	8.6	63.4	.586	•65	77.5	80.8	NEbN	0.2					
	la.m.	.892	.303	76.4	68.0	8.4	63.5	.589	.66	77.2	80.8	,,	0.1				ļ	
	2 ,, 3 ,,	.878	.352	76.2	66-0	10.2	60.1	.526	.59	77.0	80.9	ENE	0.3		1			
	3 ,, 4 ,,	.876	.371	75.2 75.4	65.0	10.2	58.9 60.6	.505 .535	.59 .58	76.3 76.5	80.8	"	0.4					
	5,	.901	.366	75.4	66.0	9.4	60.6	.535	.58	76.4	80.7	"	0.3					
	6 ,, 7	.917	.408	75.4 76.4	65.2	10.2	59.2	.509 .569	.59	76.4	80.6	,.	0.2		1			
	/ ,, 8 ,,	.947	.454	78.2	67.4	9.0	62.5 59.2	.509	.64	77.0	80.5 80.5	,,	0.3		1			
	9 "	.989	.478	81.0	67.0	14.0	58.9	.505	.49	79.0	80.5	,, ,,	0.2		1			
	10 ,, 11 .,	•978 961	.453	82.8	6.2	14.6	60.1	.525	.48	80.5	80.6	,,	0.2					
	Noon.	.961	.414	84.7 86.2	69.5 68.0	15.2	61.3 57.3	•547 •479	.47	81.8 83.0	80.7 80.9	"	0.1	Nonc.	None.	None.	None.	None.
	l թ. m.	.894	•475	88.6	67.0	21.6	53.4	.419	.32	84.2	81.0	, ,,	0.0	Ž	ž	ž	Ž	ř
	2 ,,	.868	.221	90.4	74.0	16.4	66.4	647	.47	85.0	81.2	NW	0.1	ŀ				
	3 ,, 4 ,,	.863	.225	87.7 86.4	73.0 74.0	14.7	66.0	.638 .691	.50 .56	84.8	81.4	NNW NW b N	0.1			Ì	1	
	5 ,,	.890	.196	82.7	73.0	9.7	68.6	•694	.64	83.0	81.6	NNW	0.1			!		
	6,	.909	.198	81.2	73.0	8.2	69.3	.711	.68	82.0	81.7	,,	0.2					
	7 ,. 8	.927	.193	80.4 80.0	73.4 73.0	7.0	70.3 69.9	.734 .724	.72 .72	81.3	81.7 81.6	,,	0.3					
							1			1		,,		1		1	1	ı
	9 ,,	.949	.210 .276	78.6	73.0	5.6	70.5	.739	.77	80.0	81.5	,,	0.1		1	l	1	

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	REMARES.
Ато		Norm.—In recording these Observations, the Symbols used to denote the clouds are : \identity \id	
0	В	Mist around hor.	
0	D D	A few v in the SW.	
0 7	D	Thin > scattered throughout.	
7	D	Thin ∨ scattered throughout; haze.	
6	C	יי	
4	C	,,	• •
O	C	Cloudless.	
0	C	"	
0	B	29	
0	B B	"	
"		"	
0	В	A few above the NE hor.	Mean daily temperature of ground
ŏ	D	A few w in the E.	20 and 60 inches below its sur-
0	D	39	face 84.2 and 84.4. At 2 P. M.
0	D	"	the temperature of dew-point was 48:2, lowest in the month and
0	D	, n , n , n , n , n , n , n , n , n , n	about 21:7 lower than the normal
0	C C	A few on in E and SE; fog in E and SE; mist in W.	mean for the hour.
0	C	· -	16th November was the 12th day
o l	C	22 33	from the beginning of the year
ŏ	В	Mist all round hor.	on which the sky remained
o l	В	.99 99	almost cloudless.
0	В	" "	
0	В	29 19	
0	D	" .	
0	D D	27 31 4	
ŏ	D	Clear except a little mist in E hor.	,
o	C	"	
0	C	" " " " " " " " " " " " " " " " " " "	
0	C	Cloudless.	
0	C	n	
0	B B	, '	
0	В	" "	
1			
0	В	Clear.	Man daily tomporature of mound
ō	D	"	Mean daily temperature of ground 20 and 60 inches below its sur-
1	D	wi in the S and SW.	face 84:0 and 84:3.
2	D	scattered about moving N.	
2	D	scattered around the hor.	
6	C	scattered about the sky moving to N.	
6	C	scattered throughout; fog in E.	
6	C)) 19	
2	В	v and vs scattered about; mist in hor.	
1	В	22	
0	B	A few above the E and SE hor.; mist.	
0	В	A few vs from E to SE hor.	
i	D D	vin the S, SE and E.	
3	מ	scattered about the sky moving N.	
2	D	scattered around hor.	
5	C	scattered throughout the sky moving N.	
7	C	n n	
6	C	and northern I when the	
4	C	∽ scattered about.	
5	B B	" scattered about the sky moving W.	
		scattered about the sky moving W; w in the E.	1

			DARD ETER.	Тни	RMOMBI	BRS.	ند	A 0 .;	AIR.	1	und Meters.	Wind P		RAIN.	ELEC	FRICAL	Instru	MENTS.
	Hombay	Corrected to 38° Fahr.	Corrected for Moisture.	In the	Thermo-		DEDUCED RW-Point	Pressure of Moisture.	UMIDITY OF	rmemeter I inch the Ground.	Thermometer 9 inches in the Gound.	Direction.	Pressure in lbs. per	By New-	Blectrici-		ngs of	Interval of Time in recovering the same degree of tension after dis- charge.
	1864.			Air.	meter.	Thermo- ineter in the Air.	Q		HUK	Therme in the	Thera		Square Foot.		ty+or-	Volta 1.	Straws of Volta 2.	Interval
Nov.	18тн-Midnight	29.930	in. 29.304	76*0	69:0	7:0	65:4	in. 0-626	0.71	77:7	81:2	EbN	1bs.	in.		Sc. div.	Sc. div.	m. s.
	la.m.	.913	.287	76-0	69.0	7.0	65.4	.626	.71	77.5	81.1	,,	0.0		Ì			
	2 ,,	.901	·288	74.2	68.0 68.0	6.2 6.0	64.8 64.9	.613 .615	.74	76.0 75.8	81.0 80.9	,,	0.0					
	4 ,,	.901	•310	73.2	67.0	6.2	63.6	•591	.73	75.0	80.8	ENE	0.0		1			
	5 ,,	.915	∙304	74.4	68-0	6.4	64.7	-611	.73	75.5	80.8	,,	0.1					,
	6 ,,	.939	·335	75.0 75.8	68.0 68.0	7.0	64.3 63.9	-604 -595	.71 .68	75.6 76.4	80.7	"	0.1	-		•		
	8 ,,	.992	.421	78.0	68.0	7.8	62.6	.571	.61	77.7	80.5	E b'N	0.1			1		
	9 ,,	30.000	.442	79.7	68.2	11.5	61.9	.558	.57	78.6	80.5	,,	0.1					
	10 ,, 11 .,	29.993 .971	•534	82.2	66.0	16.2	56.1 54.7	459	.38	79.9 82.0	80.6	ENE	0.1		۱.			•
	Noon.	.939	.532 .508	84.5	66.2	18.3 20.5	54.2	.439	.34	84.0	80.8 81.0	"	0.1	one	one.	None.	None.	None.
	1 p. m.	∙899	·488	89.4	67.0	22.4	52. 8	.411	.30	84.8	81.1	"	0.0	Z	Z	Ž	Ž	Ž
	2 ,,	-881	•410	90.0	69.0	21.0	56.8	471	.34	86.0	81.2	"	0.0			Ì		
	3 ,, 4	.869	·362 ·436	89.8 89-2	70.0 68.0	19.8 21.2	59.0 54.6	.507 -437	.37	86.0 85.4	81.4	NE b E	0.0			1		
	5 ,,	.895	.502	85.2	65.0	20.2	51.5	-393	.33	84.6	81.6	NNE	0.1			}		
	6 ,,	.910	.449	82.0	66.0	16.0	56.2	.461	.43	83.0	81.7	,"_	0.1					
	7 ,, 8	·924 ·939	.440	80.0 78.0	66.0	14.0	57.6 57.0	.484 -474	.48	81.4	81.7	N b E	0.1					
	9 ,,	.945	.511	77.5	63.5	14.0	54.4	.434	.47	78.8	81.5		0.1					
	10 ,,	.943	-571	76.2	61.0	15.2	49.9	.372	.42	77.6	81.3	"	0.2					
	11 "	.926	•533	77.0	62.0	15.0	51.5	.393	.43	78.0	81.0	NNE	0.3					
Vov.	19тн-Midnight		.510	78.0	63.0	15.0	52.9	.412	.44	78.2	80.8	NE	0.4					
	1 a. m.	.903	.418	77.0 76.2	65.0	12.0	57·7 58.3	•485 •494	.53 .55	77.4 76.8	80.8 80.7	ENE	0.5					
	3 ,,	.885	.382	75.4	65.0	11.2	58.8	503	.58	76.3	80.7	"	0.2					
	4 ,,	.893	.451	75.4	63-0	12.4	55.0	•442	.51	76.2	80.6	"	0.3	'	1			
	5 " 6 "	.914	.510 .518	76.1 75.0	62.0	14.1	52.3	404	.46	76.7	80.6	,,	0.3					
	7 ,,	.954	.538	75.0	62.0 62.0	13.0	53.2 53.2	.416	.49	76.1 76.0	80.5 80-3	NE BN	0.2			İ		
	8 ,,	.980	.506	78.0	65.0	13.0	57.0	-474	.50	77.5	80.2	ENE	0.2					
	9 ,, 10 ,,	.987	.501	79.8	66.0	13.8	57.8	•486	.49	78.5	80.3	,,	0.5					
	11 ,,	.957	.527 .546	83.0 85.0	66.0	17.0 19.5	55.5 52.8	-450 -411	.41	80.2 82.0	80.3 80.5	EŠE	0.6					
	Noon.	.929	.520	86.6	66.0	20.6	52.7	409	.34	83.2	80.7	Ebs	0.3	يو	نه	نه	نه	ě
	1 p. m.	.888	.454	87.3	67.0	20.3	54.4	•434	.34	84.0	80.8	EbN	0.0	None.	None.	None.	None.	None.
	3	.864	.463	87.4 90.0	66.0	21.4	52.1 49.9	.401 .372	.32	84.0 84.3	81.0	wnw	0.0		1		2	-
	4 ,,	.850	.305	86.4	70.0	16.4	61.2	-545	.44	84.8	81.3	NW	0.0			l		
	5 ,,	.862	.302	82.0	69.0	13.0	62.0	.560	.52	81.5	81.2	NNW	0.2					i
	6 ,,	.879 .897	.263	80.0 79.2	70.0 69.0	10.0	64.9	.616 .591	.62 .61	80.3 79.8	81.2 81.2	,,	0.2					1
	8 ,,	.911	•346	78.5	68.0	10.2	62.3	-565	.59	79.3	81.1	,,	0.5		l	Ì		
	9,	.919	.281	78.0	70.0	8.0	66.0	-638	.68	79.0	81.1	,,	0.1			i		
	10 ,, 11 ,,	.922 .908	.300 .360	76.4 74.2	69.0 66.0	7.4 8.2	65.2 61.4	-622 -548	.70 .66	78.3 76.0	81.1 81.0	"	0.0					
N ~	. 21st-Midnight	904	040							60 -								
7404	l a. m.	.894 .882	.248 .248	77.3 78.4	70.0	7.3 8.4	66.4 65.8	.646	.67	78.5 78.6	81.1	NNW	0.0					i
	2 ,,	.878	.242	78.2	70.0	8.2	65.9	.636	.67	78.5	81.1	NNE	0.0					
	3 ,,	.876	.216	79.2	71.0	8.2	67.0	.660	-68	79.4	81.0	ENE	0.3					
	4 ,,	.885 .897	.249	78.2	70.0	8.2	65.9	-636	.67	78.5	81.0	FLN	0.5					1 .
	6 ,,	.931	.259 .260	78.0 78.2	70.0	8.0 7.2	66.0 67.5	.638	.68	78.5 78.4	81.0	E b N ENE	0.6	None.	None.	None.	None.	None.
	7 ,,	.945	.247	79.0	72.0	7.0	68.7	.698	.72	78.7	81.0	NEDE	0.5	Z	Ž	Ž	ž	ž
	8 ,,	.966	.245	80.3	73.0	7.3	69-7	.721	.71	80.2	81.0	,,	0.4	ł	1			i
	9 ,, 10 ,,	.977	.278 .270	83.3	73.3	10.0	68.8	.699	.63	81.2	81.0	NE	0.3					1
	10 ,,	.949	.194	85.3 86.8	74.0	11.3	69.0 71.2	.703 .755	.59 .61	83.0 84.6	81.2 81.5	ENE SE b E	0.4					

Amount of Clonds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbl.	REMARKS.
4 2 2 1 0 0 0 0 1 1 1 2 4 5	B D D C C C C B B	in the E; va scattered about moving W. "scattered about. "Cloudless. A few scattered in E; fog in E and SE. in the E; thick mist in W and N; fog in E. scattered about; mist in E and W hor. scattered about; mist in hor.	Mean daily temperature of ground 20 and 60 inches below its surface 84:0 and 84:2. At 10 p.m. the temperature of evaporation was 61:0, lowest during the month and about 10:4 lower than the normal mean.
6 5 6 2 1 0 0 0 0 3 4	B D D C C C C B B B	scattered throughout. """ scattered around hor. """ in the E and S. """ in the E. scattered around hor. """ """ """ """ """ """ """ """ """	
3 4 3 3 4 3 7 7 7 8 8 5 3 2 3	B D D C C C C B B D D D D D D D D D D D	scattered about. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 84.0 and 84.3.
3 2 3 3 1 1 0 0 0 2 2 1 1 0 1 2 2 4		"" "" "" "" "" "" "" "" "" "" "" "" ""	Mean daily temperature of ground 20 and 60 inches below its surface 84.0 and 84.3.

	1	STAN Baron	DARD BTBR.	THE	NOM BT	ERS.	. #	, př	AIR	THERMO	UND METERS.	WIND P		RAIN.	Rt.no	TRICAL	INSTRU	MBNTS.
Bombay Čivil Time. 1864.	1	to	Corrected for Mointure.	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	Pressure of Moisture.	HUMIBITY OF	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Blectrici-	Reading Straws of Volta 1.	Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
N 01 N	0	in. 9.924	in.	07*2	7790	1000	7000	in.	0.63	850	81:7	ESE	lbs.	in.		Sc. div.	Sc. div-	
Nov. 21st-No	on.	.895	29.127 .211	87:3 87.0	77°0 74.0	10°3 13.0	72°9 68.1	0.797	.55	85.0	81.8		0.1					
2 ,,		.881	.195	86.8	74.0	12.8	68.2	.686	.56	84.8	81.9	"	0.0					
3 ,,		.872	.180	86.3	74.0	12.3	68.5	.692	.57	84.5	82.0	,,	1.0					
4 ,, 5		.876 .891	.069 .056	86.4	77.0	9.4 6.8	73.2 74.3	.807	.66	84.2	82.0 82.1	NW b W	0.1				one.	
6 "		.905	.085	81.6	76.0	5.6	73.7	-835 -820	.78	82.7	82.2	,,,	0.2				ž	
7 ,,		.929	.113	80.2	75.5	4.7	73.6	-816	.81	82.0	82.2	NNW	0.3	}		_		
8 "		.955	.157	80.1	75.0	5.1	72.9	.798	.79	81.4	82.1	N	0.3		+	8		1.12
9 ,, 10		.958 .942	.175	78.0	74.0	4.0	72.3	.783	.83	79.4	81.9	ENE NNW	0.5	0.02				
11 ,,		.936	.140	78.1	74.4	3.7	72.8	.796	.85	79.0	81.6	N	0.3	0.02				
			ł															1 !
Nov. 22nd-Mid	night	.928	.145	78.0	74.0	4.0	72.3	.783	.83		81.6	NbE	0.2					
1 a.m 2	•	.914 .900	.127	77.6	74.0 73.0	3.6 -4.5	72.5	.787	.81	78.3 78.2	81.6	NE BE	0.0					
3 "	-	.897	.149	77.4	73.0	4.4	71.1	.751 .753	.82	78.1	81.5	NE	0.1					
4 ,,		.895	.175		72.0	5.0	69.7	.720	.79	1	81.4	,,	0.0					
5 ,,	1	.925	.158	,	73.5	4.3	71.6	.767	.82		81.3	,,	0.1					
6 ,,		.947 ∙963	.177	77.5		4.0 3.5	71.8	.770 .788	.83		81.3	,,	0.2	Ì				
8	1	.983	.189			4.0	72.8	.794	.83		81.3	ENE	0.2	1				
9 ,,		.992	231	80.0			71.4	.761	.76	1	81.4	ESE	0.3					
10 ,,		.985	.206	1		1	72.1	.779	.74	1	81.5	,,	0.2	1	نِه	ė	نه	نه
Noon.		.978 .949	.193	1	1		72.4	.785	.74		81.5	,,	0.1	001	None.	Tone.	one	one
1 p. m	_	.923	.172				71.0		-65		81.5 81.6	E b's	0.1	0.01		Z	Z	Z
2,		.905	.210				68.6		1	84.2		,,	0.0					1
3 ,,		.890	.105			1	72.4		1		0	NNW	0.0					-
4 ,,		.897 .923	.068		1		74.1		1		1 01.0	WNW	0.0					
6		.936		1 .			1			-	0	,,	0.0	1				
7 ,,		.954	.099	82.0	77.0	5.0	75.0	-855	.80	82.4	82.1	NW	0.1				İ	1
8 ,,		.976	1					1					0.2		}			1
9 ,,		.989 .982		1				-				i	0.2					
11 ,,		.978		•									0.0					ļ
Nov. 23RD-Mic		.965											0.0	-				}
1 a. n	•	.955				1	1						0.0	1		İ		l
3 ,,		.939 .937										į.	0.1	-				
4 ,,		.938					71.0	.751	.81	78.4	81.8	ESE	0.1					
5 "	ł	.954											0.4	1				
0 ,,		.977 30.005										. 1	0.4					1
8 ,,		.026											0.1					
9 ,,		.031	.252	82.6	75.2	7.4	72.1	.779	.72	81.0	81.7	,,	0.1	-				
10 ,,		.027										E	0.1	نے	ತ	يه ا	فِ	6
11 ,, Noon	.	.000 29.977											0.1	None.	None	None.	None.	None.
1 p. n		.941							- 1				0.1	~	~	~	~	1 4
2',,		.921	.096	5 88.4	78.0	10.4	73.9		i .63	85.7	82.3	WNW	0.1					
3 ,,		.914										1 "	0.1			!		
4 ,,		.913 .946			1	1							0.1					
6		.960											0.3					
7 ,,		.983	.150	81.2	76.2	5.0	74.2	833	.80	82.3	82.6	NWbw	0.3					
8 ,		.996										1	0.2			:		
9 ,,		30 009				1							0.0	ļ				
10 ,,			للوحث				1 / 1.0	/(00)								1		

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbl.	Remares.
7	В	Overcast with no moving W.	
8	D	"	
8	D	"	
8 6	D D	Densely clouded; wi, wi and L wi.	}
7	C	•	
7	C)	
7	C	,,	
8	С	Overcast; \(\sigma\), \(\sigma\) and \(\sigma\); small drops of rain at 8h. 48m.	
8	В	Overcast; , , , and ,; breaks in W; light rain at 9h. 25m.	
8 8	B	Overcast; \(\sigma_i\) and \(\sigma_i\); a few stars visible in W. Overcast; \(\sigma_i\), \(\sigma_i\) and \(\sigma_i\); motion WNW.	
$ $	Б	Overcast, with and ver, monon with.	·
	_	Outproof a four story visible have and there	Many duile tomposture of severed
8 7	B	Overcast; a few stars visible here and there.	Mean daily temperature of ground 20 and 60 inches below its sur-
5	D	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	face 84:0 and 84:2.
6	D	" "	22nd November was the 46th day
5	D	vi and L vi scattered throughout.	on which lightning was observed
7	C	n and L n scattered throughout; fog in E.	after sunset.
7 7	C		
7	c	u and we scattered throughout; a few we in E and SE; mist.	
7	В	"	
8	В	Overcast; vi and vi moving N.	
8	В	Overcast; we and we moving N; small drops of rain falling.	
8 8	B	"	
5	D	or in the E and SE; in S; or scattered throughout."	
4	D	" " "	·
5	D	,, ,,	
7	C	si, mi, and iscattered throughout.	
8 8	C	Overcust; wi, L wi, oi and wi; lightning in SE and NE.	
7	C		
5	В)	
5 7	B B	Overcast; M, L M, M and L; lightning in NE. Overcast; M, L M, M and L; lightning in N.	
4	В	n and n scattered around hor.	Mean daily temperature of ground
5	D	y, ,, ,,	20 and 60 inches below its sur-
4	D	" "	fuce 84:0 and 84:3.
5	D	" "	}
4	D))	
3 3	c	and we scattered around hor.; we in W and N; mist in hor.	
3	c	17 27 27	
3	С	"	
1	В	scattered around hor.; mist.	
2 2	В	"	•
2	В	"	· 1
2	D	scattered along the hor. from N to E; mist.	
3	D	oi, oi and oi around the hor; mist.	
4	D	of in the NE and E; in the SE; and se scattered about the sky.	
5	D	on the NE and E; with the SE; and on scattered about the sky. on scattered throughout; of from the N to SE hor.; with the S and W.	
5	C	" " "	
3	C), , , , , , , , , , , , , , , , , , ,	1
5	c	v, or and or scattered about.	
3	В	we scattered about the sky.	
2 2	B	,, ,,	
1 -		964	

		DARD BETER.	Тив	RMOME	rers.		A .	AIR.	GRO THERMO	UND METERS.	Wind F Osler's G		RAIN.	BLEC	TRICAL	INSTRU	MENTS.
Bombay					Depres-	DUCED -POINT.	Pressurs of Moisturs.	40 J	d.	the of					Read	ings of	1 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Civil Time.	Corrected		In the	WetBulb		EDU V-P	38 U	KIDITY	roan	mete i in	Pilosotto -	Procesure in lbs.	By New-			<u> </u>	Feld
1864.	32º Fabr.	for Moisture.	Air.	Thermo- meter.	below Thermo- meter in	DEW DEW	Park	UKI	Thermometer lin in the Ground.	Thermometer inches in th Ground,	Direction.	per Square Foot.	Gauge.	Meetrici- ty + or —	Straws of	Straws of Volta 2.	val or overline don a
					the Air.			<u> </u>	E E	£-0						70112 3.	Interval of Time in recovering the same degree of tension after discharge.
Nov.24TH-Midnight	in. 29.962	in. 29.185	78.5	74:0	4.5	72:0	nn. 0.777	0.82	80%	82:2	NW	lbs. 0.1	io.		Sc. div.	Sc. div.	m. s.
l a. m.	.949	.203	78.0	73.0	5.0	70.8	.746	.79	79.2	82.1	,,	0.0			Ì		
2,,	.933	.215	77.2	72.0	5.2	69-6	.718	.78	78.4	82.1	,,	0.0	1	l	l		ĺ
3 ,,	.924	.171	77.4	73.0	4.4	71.1	.753	-82	78.5	82.0	NWbW	0.0	1	i			
4 ,,	.925	.200	76.5	72.0	4.5	69.9	.725	.81	77.6	82.0	,,	0.0	l			l	
5 " 6	.935	.182	77.4	73.0 74.0	3.6	71.1	.753	.81 .85	78.0 78.2	82.0 82.0	NNW	0.1	1		[İ	
7 "	.975	.166	78.4	75.0	3.4	72.5 73.6	.817	.86	79.0	82.0	NNE	0.2	1]	Ì	
8	.995	.196	80.0	75.0	5.0	73.0	.799	.80	80.0	81.9	"	0.1	ł		'		
9`,,	.999	.207	82.4	75.5	6.9	72.7	.792	.73	81.2	81.9	,, N	0.2	نها	نه	نه	نه	نه
10 ,,	.988	.234	84.1	75.0	9.1	71.1	.754	.66	82.0	82.0	NNE	0.1	None.	one.	one.	None.	None.
11 "	.962	.230	86.8	75.2	11.6	70.2	.732	.59	84.0	82.2	,,	0.1	=	Z	Z	Z	Z
Noon.	.928	.236	88.0	74.5	13.5	68.5	.692	.54	85.1	82.3	,,	0.1	1	ŀ	1	1	
1 p.m.	.893	.124	89.8	77.0	12.8	71.7	.769	.57	85.4	82.4	WNW	0.1				1	
2 ,,	.876	.054	88.6 87.4	78.0 78.0	10.6	73.8 74.3	.822	.63 .66	85.5 85.0	82.5 82.6	"	0.1				1	
3 ,, 4	.877	.036	87.4	77.0	10.0	73.0	.800	.64	84.8	81.6	NW b W	0.3			l		
4 ,, 5	.892	.055	83.6	77.0	6.6	74.4	.837	.75	83.8	82.7	NWbN	0.1	1		1		
6 ,,	.906	.088	82.2	76.1	6.1	73.6	.818	.76	83.0	82.8		0.4	1	ł]	1	
7 ,,	.928	.132	81.7	75.4	6.3	72.8	.796	.75	82.3	82.8	NW	0.4			ļ	l	
8 ,,	.938	.155	81.5	75.0	6.5	72.2	.782	.75	82.0	82.7	,,	0.4			Ì	}	
9,,	.941	.153	81.0	75.0	6.0	72.5	.788	.76	81.6	82.6	NNW	0.2		l	ļ	Ì	
10 ,,	.940	.205	79.0	73.0	6.0	70.3	.735	.76	80.0	82.5	,,	0.0				ļ	
11 "	.935	.253	77.8	71.2	6.6	68.0	.682	.73	79.3	82.4	"	0.0					
Nov. 25тн-Midnigh	t .925	.182	78-3	73.0	5.3	70.7	.743	.78	79.4	82.4	ENE	0.0		ŀ			
l a. m.	.918		77.2			69.6	.718	.78	78.7	82.3	,,	0.0				ł	
2 ,,	.906		77.0			66-5	.649	.71	78.4	82.3	,,	0.0	!			l	
3 ,,	.899		75.0	69.0	6.0	65.9	.637	.75	77.2	82.2	"	0.0	1	l			
4 ,,	.907	.236	75.0		1	67.5	.671	.79	76.4	82.1	,,	0.0			l	Ì	
5 ,,	.913	1	76.0			69.4	.713	.81	77.5	82.0	"	0.1	1			1	
7	.959	.231	76.2 75.7			68.8 69.0	.700	.81	77.5	81.9	,,	0.1	1		l	1	
8 ,,	.984		1	72.0		68.7	.698	.72	78.8	81.7	"	0.1		1	ļ	Į.	
9 ,,	.992					69.1	.706	.67	80.0	81.6	NE	0.1				l	
10 ,,	.988					70.2	.732	.68	81.0	81.6	,,	0.1	ģ	نوا	نه	نه	ية
11 ,,	.967					66.3	.644	.56	82.3	81.7	,,	0.1	None.	None.	None.	None.	None.
Noon.	.936					66.4	.646	.52	83.9	81.9	N	0.2		~	~	2	~
lp.m.	.904					69.6		.57 .57	84.0 84.2	82.0 82.1	WNW	0.1					
2 ,, 3	.879					69.6 69.5		.56	84.3	82.1	"	0.1	1				
3 ,, 4 ,,	.834					66.4	.646	.52	84.0	82.3	"	0.2					
5 ,,	.900					68.3		.62	83.3	82.4	nw	0.2	1				
6 ,,	.922	.211	81.2	73.0	8.2	69.3	.711	.68	82.2	82.4		0.4	1		}	}	[
7 ,,	.938		80.2	73.0		69.8	.722	.72	81.2	82.4	NW'b N	0.2			1	1	}
8 ,,	.951					69.0	.705	.70	80.8	82.3	NW	0.2			1	1	1
9 " 10 "	.960					66.0 66.5		.68	79.4 78.5	82.1 82.0	NW'bN	0.1	1				l
11 ,,	.943					66.7		.77	77.3	81.7	NNW	0.1				ļ	
•	ŀ	}														}	
Nov. 26TH-Midnigh						68.0		.83	76.7	81.5	NNW	0.0	1				ł
1 a. m.	.914		74.4			67.8	.678	.81	76.0	81.6	,,	0.0]]
2 ,,	.898					67.6		.79	76.0	81.5	"	0.0		1	1		1
3 ,,	.895					67.3		.82	75.6	81.4	,,	0.0	1	1			
4 ,, 5	.899		72.0 72.6			65.9 64.8		.82	75.0 75.0	81.3	"	0.0	ě	į	je j	فِ	ě
6 "	.932		72.7			65.5		.77	75.0	81.0 81.0	"	0.0	None.	None.	None.	None.	None.
7 ,,	.957					66.5		.78	75.0	80.8	"	0.0	_	4	~	~	
8 ,,	.973	.443	75.8			60.4		.61	76.3	80.6	"	0.0		1	1	1	
9,,	.986	.393	79.0	69.0	10.0	63.8	. 593	.61	78.0	80.8	N	0.1	1				
10 ,,	.984		79.8		10.8	63.3		.59	79.1	80.9	NEbE	0.1		1			
11 ,,	.964	.364	82.3	70.3	12.0	64.1	-600	.56	80.0	81.0	,,	0.1	1	j]	<u> </u>	

Observers.	STATE OF THE WEATHER.	
		REMARKS.
	Note.—In recording these Observations, the Symbols used to denote the clouds are; \(i \) cirri; \(\) i cirro-cumuli; \(\) i cumulo-strati; \(\) i cumulo-strati; and \(\) i nimbl.	
ı B	scattered along the hor-	Mean daily temperature of ground
l D	" "	20 and 60 inches below its sur-
0 D	" "	face 83:9 and 84:0. 24th November was the 47th day on
5 D	and scattered about the sky.	which lightning was observed.
4 c		
4 C	in the SE and S; we around the rest of the hor.; scattered about.	
3 C 2 C	and we around the hor.; we here and there in the sky; fog in E and SE.	
0 B	in the E; mist in hor.	
0 B	" "	
0 В	22	
l B	vi along the E hor.; mist.	
i D	" "	
l D		
l D	and on in the N, NE, E and SE.	
$\begin{bmatrix} 2 & \mathbf{c} \\ 2 & \mathbf{c} \end{bmatrix}$	or from N to SE, and or from SE to S; lightning in E.	
		,
l c	and we along the eastern hor.; lightning at long intervals.	
0 B	Cloudless; no lightning.	
0 В 0 В	"	
0 В	Clear.	Mean daily temperature of ground
О Б	,,	20 and 60 inches below its sur-
D D	. ,	face 83.9 and 84.0.
) D	in the SE. A few on in the E and SE.	
0 0		
l c	vi along the E hor.; thick mist all round.	
C	in the E; mist.	
) C	Mist in the hor.	
) B		
) В		
) B	n the E."	
D	oin the NE and E; wi in the W.	
i D	Will the IVE and E, 49 in the IV.	
α (oi in the NE, E and SE.	· ·
) C	» »	
C	"	1
C	" " " " " " " " " " " " " " " " " " "	
В	Cloudless.	
B	"	
В	"	
В	Clear; slight dew.	Mean daily temperature of ground
D	" "	20 and 60 inches below its sur-
D		face 83:9 and 84:0.
C	Clear; dew falling.	
B	in the E; dew.	1
В	u in the E and wi in the W.	
D	scattered about the sky; fog in the E; mist in W.	
D	□ scattered all round; fog in E and mist in W. □ scattered all round; mist.	
C	y y	·
В	Cloudless; hazy.	1

		DARD METER.	Тнв	RMOME	rers.	٠	0.F	A18.		OUND OMBTERS,	WIND F		RAIN.	Erro	TRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.		DEDUCED DEW-POINT.	PRESGURE O MOISTURE	HUMIDITY OP	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's	Sign of Blectrici- ty + or —	Straweo	Strawsof Volta 2.	Interval of Time in secoreting the same degree of tension after discharge.
Nov. 26TH-Noon. 1 p. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,,	in. 29.931 .894 .873 .871 .870 .881 .888 .900 .925 .943 .944 .929	in. 29.360 .269 .248 .232 .267 .277 .281 .342 .332 .372 .448 .406	84º0 85.6 85.6 85.7 84.3 81.0 79.6 79.2 79.0 78.0 76.0 75.0	70°0 72.0 72.0 72.4 71.0 70.0 69.6 68.0 69.0 65.0 65.5	14.0 13.6 13.6 13.3 13.3 11.0 10.0 11.2 10.0 10.0 11.0 9.5	62°6 65.4 65.4 66.0 64.3 64.3 64.5 61.9 63.8 62.6 58.4 60.0	in. 0.571 -625 -625 -639 -603 -604 -607 -558 -593 -571 -496 -523	0.50 .53 .53 .54 .53 .57 .62 .57 .61 .61	81:0 82.0 82.8 83.0 82.6 81.0 80.3 79.4 79.2 79.0 78.0	81:0 81.2 81.3 81.4 81.5 81.5 81.4 81.3 81.3 81.3	N NW b W WNW NW ""	0.2 0.1 0.1 0.5 0.7 0.6 0.8 0.7 0.5 0.4	None.	None.	None.	None.	
Nov. 27TH-Midnight a. m. 2	.922 .907 .895 .895 .900 .912 .928 .946 .965 .980 .973 .954 .924 .889 .867 .865 .867 .875 .897 .918 .942 .947 .951	.342 .378 .386 .348 .433 .392 .331 .329 .372 .401 .436 .390 .376 .298 .260 .250 .250 .250 .250 .256 .258 .259	74.2 73.0 72.0 71.4 70.4 71.0 71.2 74.4 76.0 77.3 79.6 81.6 84.3 86.2 87.4 87.4 86.4 82.3 81.0 80.0 79.5 78.0 76.6 .77.0	67.0 65.0 64.0 65.0 62.0 64.0 66.5 68.2 68.0 67.5 69.0 71.0 72.0 71.5 72.0 71.5 72.0 71.5	7.2 8.0 8.0 6.4 7.0 4.7 6.2 8.0 9.3 12.1 12.6 15.3 17.2 16.4 11.3 9.5 8.0 7.5 6.5 6.6 6.0	63.1 60.3 59.2 61.3 56.6 59.8 63.0 65.0 63.8 62.2 60.6 59.4 62.5 64.4 65.0 65.4 66.9 68.2 68.5 68.4 66.7 68.1	.580 .529 .509 .547 .467 .520 .597 .617 .593 .579 .534 .513 .569 .605 .617 .625 .658 .687 .692 .691 .653 .684	.70 .66 .66 .72 .63 .69 .79 .74 .67 .55 .54 .48 .42 .45 .48 .50 .58 .63 .67 .70 .74 .73 .75	76.0 74.5 73.2 72.5 72.0 72.7 72.8 74.4 76.2 79.3 81.0 82.3 83.0 83.2 83.0 81.5 80.7 80.0 79.8 79.2 78.0 78.2	80.9 80.8 80.7 80.6 80.5 80.4 80.2 80.1 80.1 80.2 80.3 80.5 80.6 80.8 81.0 81.0 81.0 80.9 80.8	NNW " " " " " " " " " " " " " " " " " "	0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1	None.	None.	None.	None.	None
Nov. 29TH-Midnigh I a. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,, Noon. I p. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,, Noon. I p. m. 2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,, 10 ,, 11 ,,	1 .930 .917 .911 .906 .903 .921 .938 .961 .985 .999 30.000 29-993 .970 .931 .895 .889 .880 .888 .895 .900 .916 .932	.340 .357 .296 .317 .167 .156 .170 .193 .207 .185 .212 .220 .186 .154 .140 .150 .149 .189 .192 .191 .207 .216 .212 .216	76.3 76.0 77.0 76.4 75.5 76.3 76.0 76.4 78.6 79.6 80.7 81.4 82.0 80.5 82.0 81.8 79.6 78.5 78.0 77.4 77.5	68.0 67.0 69.0 68.0 72.0 73.0 73.0 73.4 75.0 74.6 74.5 75.0 74.0 74.0 72.2 72.0 72.0 72.0 72.2 72.5	8.3 9.0 8.4 3.5 3.3 3.0 3.0 3.6 5.0 6.2 6.4 7.0 6.5 8.0 7.8 7.4 6.5 6.0 6.0 5.4 5.3 4.7	63.6 62.0 64.9 63.5 70.4 71.6 71.7 72.1 73.5 72.5 71.9 72.3 72.0 71.2 70.5 70.6 68.8 69.0 69.3 69.3 69.5 69.8 70.4	-590 -560 -615 -589 -736 -765 -768 -778 -814 -773 -784 -777 -755 -739 -741 -699 -703 -709 -716 -722 -736	.66 .64 .68 .66 .85 .87 .87 .87 .85 .80 .76 .75 .73 .74 .69 .70 .71 .74 .76 .76 .78 .78	77.8 76.2 77.4 77.0 76.8 77.5 77.4 77.7 78.6 80.3 80.6 81.0 80.8 81.2 81.0 80.2 79.7 79.1 78.7 78.2 78.2	80.6 80.6 80.6 80.5 80.5 80.5 80.5 80.4 80.4 80.4 80.5 80.5 81.0 81.1 81.2 81.3 81.2 81.1 81.0 80.8	NNW "SSE "SE'SS ESE E UN "NNE NNE NNE NNE NNE NNE NNE	0.0 0.0 0.0 0.5 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0	0.06 0.01 0.08 0.02 0.03 0.03	None.	None.	None	None.

Amount of Clouds 1 1 0 0 - 8.	Nabout the hor.; haze.	
1 1 1 3 1	about the hor.; haze.	
4 0	las abantaba bana bana banan Cara	
4 0		
1 E	in the N and NE; haze. I from NE to SW hor. (by S). A few clouds in hor.	
0 0	on "n	
0 0	"	
0 B	"	
0 B		Mean daily temperature of ground 20 and 60 inches below its sur-
0 1	"	face 83.9 and 84.0. At 4 A. M.
0 1	"	temperature of free air was 70°4, lowest in the month and about 3°7
0 0	,,	lower than the normal mean-
0 0	,,,	
0 0	"	
0 E	Thick mist in hor.	
0 B	" "	
0 1		٠
0 1		
2 D		
3 2		
2 B		
0 B	Cloudless.	
0 B	n	
0 B	"	1
0 B	"	
	<i>"</i>	
2 B	voi all round the hore; win the SE of zenith; lightning in ESE. [it began to rain	Mean daily temperature of ground
5 D	, , , , , , , , , , , , , , , , , , , ,	20 and 60 inches below its sur-
8 0	1	face 83.9 and 84.0. Daily fall of
8 D		rain by Osler's Gauge 0.27. 29th November was the 48th day
8 c	Overcast; val moving W.	on which lightning was observed.
8 c	Overcast; \sim and \sim ; \sim moving NW; light rain from 6h. 29m. to 6h. 58m. Overcast; \sim and \sim ; \sim moving NW; raining from 7h. 24m. to 7h. 40m.	
8 C	Overcast; or rain.	ļ !
8 в	Overcast; wi and wi.	
8 B	" "	
8 B))))))	
8 D	22 23	
8 D	,	
8 D	Overcast; va and Li.	
8 C	Overcast; vi, i and vi.	
8 C	" and value scattered throughout; lightning in NE.	
8 c	Overcast; va and va; lightning in NE.	
6 B	vi and vi scattered throughout; lightning in NE.	
3 B	Overcast; vi moving N; lightning in NE.	

		DARD LETER.	Тнв	RMOME:	rers.	į.	, A	AIR.	GRO THERMO	UND METERS.	Wind F Oslbr's G		RAIN.	ELBC	TRICAL	Instru	MENTS.
Bombay					Depres-	DEDUCED DEW-POINT.	PRESSURE OF	Y OF	inch d.	o d		L			Read	ings of	of Time in ing the degree of after dis-
Civil Time.		Corrected for	In the		sion of Wet Bulb	т-Р	EST	MIDITY	roun	d in	.	Pressure in lbs.	By New-			i .	Tim Cere
1864.	to 32° Fahr.	Moisture.	Air.	Thermo- meter.	below Thermo- meter in	DE	PRE	UMII	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction	ger Square Foot.		Blectrici- ty + or-	Straws of	Straws of Volta 2.	- 5 - 5 <u>5</u>
	 	1 40	1	<u> </u>	the Air.			1 22	e =	=	<u> </u>	<u> </u>	<u> </u>	!	10 11	10 11	
Nov. 30 rn-M idnight	in. 29.912	in. 29.166	78:0	73:0	5.0	70:8	in. 0.746	0.79	78:4	80°7	NNE	lbs. 0.3	in.		Sc. div.	Se. div.	119. 8.
l a. m.	.902	.188	77.5	72.0	5.5	69.4	.714	.77	78.2	80.6	,,	0.4					
2 ,,	.898	.214	77.0 76.8	71.0	6.0 5.8	68.1	.684	.75	78.0	80.6	"	0.1					
3 ,,	.889	.203	76.8	71.0	5.8	68.2 68.2	.686	.76 .76	77.8	80.5 80.5	"	0.1		İ			
5. ,,	.903	·183	77.0	72.0	5.0	69.7	.720	.79	77.3	80.5	NE	0.4					
6 "	.931	.213	77.2	72.0	5.2	69.6	.718	.78	77.3	80.5	ENE	0.5					
7 ,,	.963	.270	76.2 75.4	71.0 69.3	5.2 6.1	68.5	.693	.78	77.3	80.4	NE	0.4					
8 ,, 9 .,	.988	.343	77.8	71.0	6.8	66.2 67.7	.675	.74 .73	77.0	80.3 80.3	NNE NE	0.6					
10 ,,	.017	-328	79.8	72.0	7.8	68.3	.689	.69	79.0	80.4	EbN	0.5					
11 ,,	.001	.325	81.0	72.0	9.0	67.8	-676	.6 6	80-0	80.5	E	0.4	يَو	je j	one.	je j	<u>.</u>
Noon.	29.973	.267	81.6	73.0	8.6	69.1	.706	.67	80.9	80.6	ESE	0.8	None.	None.	No	None.	None.
1 p. m. 2	.934	.236	82.4 82.0	73.0 73.0	9.4	68.7 68.9	.698	.65 .66	81.2 81.1	80.6 80.7	" E	0.1	~	-	~		~
3 "	.895	.223	81.4	72.0	9.4	67.6	.672	.64	81.0	80.8	,,	0.1					
4 ,,	.917	.277	81.0	71.0	10.0	66.1	.640	.62	80.8	80.7	,,	0.1			}		
5 ,,	.943	.257	80.1	72.0	8.1	68.2	.686	.68	80.3	80.9	,,	0.2					
6 "	.944	.248	79.2	72.0	7.2	68.6	.696	.71	80.0	81.0	F 1. C	0.3					
7 " 8 "	.957	.289	78.4 77.2	72.0	6.4	69.0 68.0	.682	.74	79.5 78.5	81.0 81.0	E b S	0.2					
a "	.980	.322	76.2	70.0	6.2	66.9	.658	.74	77.2	80.9	,,	0.3		ļ			
10 ,,	.988	.326	76.5	70.2	6.3	67.1	.662	.74	77.2	80.8	ENE	0.5					٠
11 ,,	.986	·346	76.3	69.5	6.8	66.1	.640	.72	77.1	80.6	NEbE	0.7					
DEC. 1sT-Midnight	.973	.313	76.0	70.0	6.0	67.0	-660	.75	77.1	80.6	NEbE	0.7					
l a. m.	.964	.297	75.4	70.0	5.4	67.3	.667	.77	76.2	80.5	,,	0.2			ŀ		
2 ,,	.951	.316	75.2	69.0	6.2	65.8	•635	.74	76.0	80.4	,,	0.1					
3 ,,	.941	.337	75.0 75.0	68.0	6.0	64.3 65.9	•604 •637	.71 .75	75.3	80.3 80.2	"	0.1					
5	.947	.300	74.1	69.0	5.1	66.4	-647	.78	75.4 75.4	80.2	"	0.3			ļ		
6 ,,	.962	.307	73.4	69.0	4.4	66.8	.655	.81	75.2	80.2	ENE	0.2					
7 ,,	.991	.356	72.2	68.0	4.2	65.8	.635	.81	74.6	80.1	,,	0.2					
8 "	30.016	.377	74.8	69.0	5.8	66.0	.639	.75	75.5	80.0	,,	0.1		l			
9 ,	.031	.388	78.2 80.2	70.2 72.0	8.0 8.2	66.2 68.1	.685	.68 .68	77.5 79.0	79.8 79.9	"	0.1					
10 ,, - 11 ,,	.002	.371	81.8	71.0	10.8	65.6	.631	.60	80.2	80.1))	0.3	None.	None.	None.	None.	None.
Noon.	29.981	.327	83.0	72.0	11.0	66.7	.654	.59	81.0	80.3	"	0.1	Ž	Z	Z	Z	ž
1 p. m. '	.944	.276	85.0	73.0	12.0	67.4	. 668	.54	83.4	80.4	NWbN	0.0					
2 ,,	.920	.248	84.6	73.0	11.6	67.6	.672	·58	81.8	80.5	NW	0.1					
3 ,, 4	.910	.188	83.5 83.5	74.0	9.5 9.5	69.8 69.8	•722 •722	.65 .65	82.0 82.0	80.6 80.6	NW b N NNW	0.1	1				
5	.929	.209	80.4	73.0	7.4	69.7	-720	.71	80.8	80.6	1	0.1		! !			
6 ,	.937	.204	79.2	73.0	6.2	70.2	•733	.75	79.7	80.7	"	0.1					
7,	.956	.217	78.6	73.0	5.6	70.5	•739	.77	79.0	80.8	١,,	0.1		}			
8 "	.971	.225	78.0	73.0	5.0	70.8	.746	.79	78.8	80.8	NbW	0.0					
9 ,, 10 ,,	.980	.256	76.6 76.0	72.0	4.6 4.5	69.9 69.4	.713	.81 .81	78.3 77.7	80.7 80.6	" N	0.1		1	l	1	
10 ,,	.968	.262	75.0	71.0	4.0	69.1	.706	.83	77.1	80.5	"	0.1					
DEC. 2ND-Midnigh	.958	.242	74.1	71.0	3.1	69.5	.716	.86	76.6	80.4	N	0.1					
l a. m.	.947	.260	74.2	70.2	4.0	68.2	.687	.83	76.3	80.3	"	0.0					Ī
2 ,,	.939	.260	74.3	70.0	4.3	67.9	•679	.81	76.3	80.1	,,	0.0				1	
3: ,,	.923	.245	75.3	70.3	5.0	67.8	•678 600	.79	76.6	80.0	NEbN	0.2	١.	١.	١.	١.	
4 ,,	.919 .922	.220	75.6 75.0	71.0	4·6 5.0	68.8 67.5	.699	.81 .79	76.8 76.0	80.0 79.9	,, NE	0.3	None.	None.	None.	None.	None.
5 ,, 6	.922	.257	75.0	70.0	4.4	67.8	.678	.79	75.2	79.7		0.1	ž	Z	Ž	ž	N N
7 ,,	.967	.312	74.3	69.0	5.3	66.3	.645	.77	75.1	79.8	"	0.1		l	1		1
8 ,,	.982	.328	76.5	70.0	6.5	66.7	.654	.73	77.0	79.6	"	0.0			1		
у "	.991	.324	78.5	71.0	7.5	67.3	.667	.70	78.0	79.8	٠,,	0.1					
10 ,,	.990	.322	80.1	71.5	8.6	67.4	.668	.67	79.0	79.9	"	0.1			1	İ	
11	.957	.287	82.2	72.2	10.0	67.5	.670	.62	80.5	80.1	,,	0.1				!	

Amount of Clouds.	Observers.	STATE OF THE WEATHER. NOTE.—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirr\(\sigma\); \(\sigma\) cirr\(\sigma\);	Remarks.
₽		Note:—In recording these Observations, the Symbols used to denote the clouds are: \(\sigma\) cirro-cumun; \(\sigma\) i cirro-strati; \(\sigma\) i cumulo-strati; and \(\sigma\) i nimbi.	
8 3 3 7 8 8 8	B D D D C	Overcast; wi moving N. wi and wi scattered around hor. """ Overcast; wi and wi. """"	Mean daily temperature of ground 20 and 60 inches below its surface 83°9 and 84°0. 30th November was the 21st day on which the fall of rain was less than 0°01 in.
8 8 8 8 8	C C B B	Overcast; vi. and vi; drops of rain at 7h. 57m. Overcast; vi. and vi; drops of rain at 8h. 17m. Overcast; vi. and vi; horizon unusually clear. Overcast; vi. and vi; breaks in zenith.	
8 8 8	D D C C	overcast; wi and wi; gloomy. Overcast; wi and wi; gloomy. Overcast; wi and wi. overcast; wi and wi. overcast; wi and wi.	
7 2 2	C B B	and we scattered around nor. I and we scattered throughout; the latter moving NW. I and we scattered around hor. "" "" "" "" ""	
2 3 5 6 4 3 3 1 1 2 5 5 5 4 3 3 3 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	B D D D D C C C C C B B B D D D D D D D	scattered around hor. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 83.9 and 84.0.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		A few clouds in hor. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 83:5 and 84:0.

			DARD METER.	Тнв	RMONET	BRS.	Ŀ	A	AIR		OUND METERS.	Wind F Osler's G		RAIN.	BLE	CTRICAL	Instr	UMBNTS.
	Bomba y					Depres-	POINT	URB C	Y OF	linch nd.	the st		Pressure			Read	ings of	the in
	Civil Time.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	Wet Bulb Thermo- meter.	WetBulb	DEDUCED DEW-POINT	PRESSURE OF MOISTURE.	HUMIDITY	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	in lbs. per Square Foot.	By New- man's	Sign of Electrici- ty + or —	-		Interval of Time is recorvering the same degree clension after discharge.
Dec.	2nd-Noon.	in. 29.931	in. 29.283	84:2	72:2	12:0	66.5	in.	0.57	82:0	80°3	NE	lbs. 0.1	in.		Sc. div.	Sc. div.	m. s.
200.	l p. m.	.894	.199	86.0	74.0	12.0	68.6	0.648 •695	.57	82.8	80.4	NW	0.2					
	2 ,,	.876	.163	85.0	74.2	10.8	69.4	.713	.61	82.5	80.5	WNW	0.4					ı
	3 ,,	.864	.148	84.7	74.2	10.5	69.5	.716	.61	82.5	80.6	,,	0.6			١.		
	4 ,, 5	.864 .867	.107	83.8 81.0	75.0	8.8 8.0	71.2 69.4	.757 .713	.67 .69	82.2 80.2	80.8	NW'bW	0.5	one.	one	None.	None.	ne.
	6 "	.885	.152	79.2	73.0	6.2	70.2	.733	.75	79.5	80.9	,,,	0.1	ž	ž	ž	No	None.
	7,,	.911	.209	78.6	72.0	6.6	68.9	.702	.74	79.0	81.0	,,	0.1					
	8 "	.929	.220	78.0	72.0	6.0	69.2	.709	.76	78.7	81.0	NW	0.0					
	9 ,, 10 ,,	.946 .946	.200	78.0 77.0	73.0 73.0	5.0 4.0	70.8 71.2	.746 .757	.79 .83	78.7 78.3	81.0	NW b W	0.1			,		
	11 "	.946	.217	76.2	72.0	4.2	70.1	.729	.82	78.0	80.8	NNW	0.1					
Dec.	3RD-Midnight	.935	.195	75.2	72.0	3.2	70.5	.740	.86	77.3	80.7	NNW	0.1					
	1 a. m.	.923	.234	74.0	70.2	3.8	68.3	.689	.84	76.2	80.4	,,	0.0					
	2 ,, 3	.909 .901	.203	75.0 74.5	71.0	4.0	69.1 67.8	.706 .676	.83 .81	76.5 76.2	80.3	NNE NE b E	0.1					
	4 ,,	901	.225	74.5	70.0	4.5	67.8	.676	.81	76.2	80.3	l	0.1					
	5 ,,	.908	•226	74.0	70.0	4.0	68.0	.682	.83	75.3	80.1	"	0.0					
	6 ,,	.923	.243	74.2	70.0	4.2	67.9	.680	.82	75.3	80.0	,,	0.0					
	7 ,, 8	.946 .967	.240	75.0 76.4	71.0	4.0	69.1 68.4	.706	.83	76.1	79.9	,, ENER	0.0					
	9 ,,	.993	.274	78.4	72.4	5.4 6.0	69.7	.691 .719	.77 .76	77.3	79.8 80.0	ENE	0.1					
	10 ,,	.989	.267	80.2	73.0	7.2	69.8	.722	.72	79.1	80.1	,,	0.1					
	11 ,,	.969	.300	81.6	72.0	9.6	67.4	.669	.64	80.6	80.3	,,	0.1	one.	one.	96	one.	نه
	Noon.	.934 .902	·283 ·216	84.6 86·5	72.4	12.2	66.6	.651	•56	81.8	80.4	,,	0.1	No	Nor	None.	Noı	None.
	1 p. m. 2 ,,	878	.208	86.4	73.4	12.5 13.0	68 -2 67.5	.686 .670	.56 .54	82.8 83.0	80.5 80.6	NNW WNW	1.0				-	4
	3 ,,	.86 8	.180	86.6	74.0	12.6	68.3	.688	.56	83.2	80.8	WbN	0.2					
	4 ,,	.868	.173	86.0	74.0	12.0	68.6	· 6 95	.57	83.2	81.0	,,	0.2	•				
	5 ,,	.886 .905	.184	82.0 81.0	73.0	9.0	68.9	.702	.66	82.5	81.0	"	0.1	i				
	6 ,, 7	.926	.192	80.2	73.6	8.0 6.6	69.4 70.7	·713	.69 .74	81.4	81.1	wnw	0.1					
	8 ,,	.945	.175	79.2	74.0	5.2	71.8	.770	.79	80.2	81.1	NWbW	0.1					
	9,,	.954	.175	78.4	74.0	4.4	72.1	· 77 9	.82	80.0	81.0	NW	0.2]		
	10 ,,	.955	.198	77.0	73.0	4.0	71.2	.757	.83	79.3	80.9	NW bN	0.1	1				
•	11 ,,	.950	.212	75.4	72.0	3.4	70.5	.738	.87	77.8	80.8	,,	0.1					
Dec.	5тн-Midnight l a. m.	.938 .928	.280	76.2 76.0	70.0 70·0	6.2° 6.0	66.9 67.0	.658	.74	77.3	80.8	NNW	0.1					
	2 ,,	.916	.276	75.4	69.2	6.2	66.1	.660 .640	.75 .74	77.2 76.8	80.7 80.6	NNE	0.0					
	3 "	.910	.229	75.7	70.5	5.2	68.0	-681	.78	76.8	80.6	"	0.1	1				
	4 ,,	.902	.186	75.4	71.4	4.0	69-5	.716	.83	76.5	80.5	"	0.1					
	5 ,, 6	.905 .923	.199	75.0 74.0	71.0 69.0	4.0 5.0	69.1 66.5	.706 649	.83	76.2	80.4	,,	0.1					
	7 ,,	.947	.276	75.0	70.0	5.0	67.5	.648 .671	.78 .79	75.3 76.2	80.4 80.3	"	0.0	ļ				
	8 ,,	.980	.402	77.4	68.0	9.4	63.0	.578	.63	77.2	80.2	"	0.1					
	9 ,,	.991	.400	79.2	69.0	10.2	63.6	.591	.61	78.8	80.2	,,	0.1					
	10 ,, 11 ,,	.991 .975	.411	80.2 82.7	69.0 69.2	11.2	63.1	•580 550	.58	79.3	80.3	,,	0.1	_				
	Noon.	.938	•409	85.4	69.2	13.5	61.9	.558 .529	.51 .44	80.8 82.0	80.4 80.5	"	0.1	None.	None.	None.	None.	None.
	1 p. m.	.902	.284	86.3	72.0	14.3	64.9	-618	.50	83.2	80.6	NNW	0.1	Ž	N	Š	Š	S _S
	2 ,,	.876	.229	86.9	73.0	13.9	66.4	-647	.52	83.3	80.7	WbN	0.3					
	3 ,, 4	.860	.210	86.0	72.8 73.5	13.2	66.6	•650	.54	83.2	80.9	,,	0.2					
	4 ,, 5	.858 .872	.168	84.8 81.6	72.0	11.3 9.6	68.4 67.4	.690 .669	.59 .64	82.5 81.2	81.0 81.0	"	0.4					
	6 "	.890	.209	80.5	72.0	8.5	68.0	.681	.67	80.0	81.1	NW'b w	0.1					
	7 ,,	.912	.188	80.0	73.0	7.0	69.9	.724	.72	80.2	81.2	,,	0.3			t		
•	8 ,,	.926	.193	79.2	73.0	6.2	70.2	•733	.75	79.6	81.1	NW	0.5	ļ				l
	9 ,, 10 ,,	.943 .9 5 2	.197	78.0 77.0	73.0	5.0 5.0	70.8 69.7	.746 .720	.79	79·1 78.3	81.1	NW b N	0.3	1				
	10 ,,	.944	.275	75.2	70.0	5.0	67.4	.720 .669	.79 .78		81.0 80.9	NNW	0.1	1		1		l

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) cirro-cumuli; \(\) cirro-strati; \(\) cumulo-strati; and \(\) nimbl.	REMARKS.
1	C B	n along the eastern hor.; light mist.	
li	В	29 29 29	
1 1	B	or in the SE and or from N to E hor.	
o	D	,,	
0	D D	A few clouds in the E.	
o	D))))	
0	C	"	
0	C)	
0	C	Cloudless; slight dew falling.	Mean daily temperature of ground
0	В	" "	20 and 60 inches below its sur-
0	B	22 21 22 22	face 83:5 and 84:0.
0	В	" "	
0	D D	y)	
0	D	A few v in the E; fog in E and mist in W.	
0	D	vin the E, vin the NW; mist in hor."	
0	C	"	
0	C	along the E hore; win the W; mist in hor.	
li	В	Scattered from NE to SE.	
4 3	B	scattered around hor.; v in E of zenith.	
2	В))))))	
3	C	n and scattered about.	
3 2	C	or scattered around hor.	
2	C))))	
0	C	Cloudless.	
0	C	Cloudless; slight dew-	·
			Mean daily temperature of ground
0	C	Clear.	Mean daily temperature of ground 20 and 60 inches below its sur-
0	B	" "	face 83:4 and 84:0.
0	В	"	
0	B D	Clear; slight dew.	
0	D	Fog in E; dense black mist along W hor.	
0	D D		
0	c	v in E and W; mist in hor.	
0	C ·	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
0	C	" " " " " " " " " " " " " " " " " " "	
3	B B	win the S hor. wiscattered about.	
5	В	" "	
4 3	B D	"	
2	D	n	
0	D D	A few clouds in hor. in E and SE hor.	
o	C	Cloudless.	
0	C	"	
0	8*18	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

		STAN Barox	DARD ETER.	Тнві	RMOMET	ERS.		mi	AIR.	THERM	OUND OMETERS.	Ostek,e (RAIN.	ELBCT	RICAL	Instru	MENTS.
	Bombay Civil Time. 1864.	Corrected to 32° Fahr.	Corrected for Moisture.	In the	WetBult Thermo- meter.	below	DEDUCED DEW-POINT.	PRESSURE OF MOISTURE	HUMIDITY OF	Mermometer I Inch In the Arcund.	Thermometer 9 inches in the Ground.	Direction.	Pressure in ibs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —	Strawsof	ngs of Strawsof Volta 2.	recovering the same degree of tension after dis-
DEC.	6тн-Midnight la.m.	in. 29.929 .919	in. 29.247 .277	74°0 74.5	70°0 69·0	4 : 0 5.5	68°0 66.2	in. 0.682 .642	0.83 .77	76 ² 4 76.4	80°8 80.7	NNW	lbs. 0.1 0.1	in.		Sc. div.	Sc. div.	m. e.
	2 "	.907 .895	.255	75.2 75.5	69.5 69.0	5,7 6.5	66.6 65.6	.652 .631	.76 .73	76.4 76.5	80.6 80.5	N NbE	0.2 0.3					
	4 ,,	.895	.264 .280	75.5	68.5	7.0	64.9	-615	.71	76.5	80.4	NNE	0.3					
	5 ,, 6 ,,	.905 .926	.301	75.0 75.6	68.0 67.0	7.0 8.6	64.3 62.2	.604 .564	.71 .65	75.4 76.5	80.3 80.2	NE b E	0.2					
	7 ,,	.953 •975	-457 -467	76.0 77.8	65.0 66.0	11.0	58.4 59.1	. 4 96	•56 •55	76.7 77.5	80.0 79.8	ENE	0.3					
	9 "	.994	.462	79.5	67.3	12.2	60-5	.532	.54	78.7	79.8	,,	0.2				_	
	10 ,, 11 ,,	.991	.432	82.1 83.2	69.0	13.1 14.0	62.0 61.6	•559 •553	.52 .50	80.0	80.0 80.2	"	0.1 0-1	one.	None.	None.	one.	None.
	Noon.	.949 .916	.430	86.3	69.2	17.1	5 9. 7	-519	.42 .36	82.8 84.0	80.4 80.6	E b N	0.1	Z	Z	Z	Z	Z .
	1 p. m. 2 "	.896	.466 .316	88.0 89.6	68.0 72.0	20.0 17.6	55.5 63.1	.450 .580	.43	85.0	80.9	WNW	0.3					
	3 ,, 4	.831	.223	86.6 85.7	73.2 73.5	13.4 12.2	66.9	.658 .680	.53 .57	83.6 83.3	81.0	NW bw	0.5					
	5 ,,	.879	.177	82.0	73.0	9.0	68.9	.702	•66	82.0	81.2	"	0.1					
	6 ,, 7 ,,	.891 119	.171 ·249	80.4 79.0	73.0	7.4 8.0	69. 7 67.1	.720 .662	.71 .68	80.5 79.5	81.2 81.2	NW'b N	0.1				,	
	8 "	.923 .937	.287	78.2	70.0	8.2 8.0	65.9 64.9	.636 .615	.67 .68	78.8 78.3	81.1	NNW	0.1					
	9 ,, 10 ,,	.945	.322 .406	77.0 75.0	69.0 66.0	9.0	60.9	.539	.63	77.1	80.8	,,	0-1					
	11 "	.938	.367	75.0	67.0	8.0	62.6	.57]	.67	77.0	80.7	,,	0.1					
DEC.	7тн-Midnight I a. m.	.934 .930	.330 .343	75.0 75.0	68.0 67.5	7.0 7.5	64.3 63.4	.604 .587	.71 .69	77.0 76.6	80.6 80.5	NNW	0.1					
	2 ,,	.923	.315	74.6	68.0	6.6	64.5	•608	.72	76.2	80.5	"	0.1					
	3 ,, 4 ,,	.915 .915	.364 .355	75.4 76.0	66.5 67.0	8.9 9.0	61.5 62.0	.551 .560	.64 .64	76.4 76.8	80.4	në	0.3					
	5 ,, 6	.928 .935	.429 .432	75.7 75.4	65.0 65.0	10.7 10.4	58.6 58.8	.499 .503	.57 .58	76.0 75.6	80.2 80.1	ENE	0.1					1
	7 ,,	.955	.461	76.2	65.0	11.2	58.3	.4 94	.56	76.5	80.0	"	0.1	•				•
	8 ,, 9 ,,	.977 .996	.464 .471	77.4 79.2	66.0 67.0	11.4 12.2	59.4 60.1	-513 -525	.55 .54	77.2	79.9 80.0	EbN	0.1					
	10 ,,	.996 .981	.447	83.3	69.1	14.2	61.4	•549	.49	80.4	80.2	"	0.1	None.	None.	None.	None.	ģ
	II " Noon.	.951	.369 .349	84.5 85.4	71.3	13.2 14.1	64.7 64.2	.612 .602	.53 .51	82.0 83.0	80.3 80.5	"	0.1	ž	N.	No.	No	Nonc.
	1 p. m.	.907 .889	.406 .410	87.3 89.3	69.0 69.0	18.3 20.3	58.7 57.3	.501 .479	.40 .36	84·0 85.0	80.6 80.8	,,	0.1					
	3 ,,	.873	.322	89.0	71.0	18.0	61.5	.551	.42	85.1	81.0	,, N	0.4					
	4 ,, 5 ,,	.874 .882	·179 .149	86.0 82.5	74.0 74.0	12.0 8.5	68.6 70.2	.695 .733	.57 .68	84.0 82.0	81.1 81.2	NW b W	0.5					
	6 ,,	.891 .919	.178 .197	81.0 80.2	73.0 73.0	8.0 7.2	69. 4 69.8	.713 .722	.69 .72	81.3 80.5	81.3 81.2	NW NNW	0.2					
	8 ,,	.927	.258	78.4	71.0	7.4	67.4	. 669	.70	79.0	81.2	ĺ	0.1					ļ
	9 ,, 10 ,,	.942 .944	.261 .295	77·3 75.5	71.0 69.5	6.3 6.0	68.0 66.5	.681 .649	.74 ·75	79.0	81.1	N b W	0.1					
	11 ,,	.939	.290	75.5	69.5	6.0	66.5	.649	.75	78.0	81.0	",	0.1					
EC.	8тн-Midnight		.319	76.6	69.0	7.6	65.1	.619	.69	78.2	81.0	NNE	0.1					
	l a. m. 2 ,,	.929 .900	.358 .277	76.5 76.3	67.5 69.0	9.0 7.3	62.6 65.3	.571 .623	·64	78.0	80.8 80.6	NE b E	0.5					
	3 ,,	.897	.285	75.8	68.5	7.3	64.7	-612	.70	77.0	80.5	ENE	0.5					
	4 ,, 5 ,,	.900 .913	.332 .378	75.3 75.4	67.0 66.0	8.3 9.4	62.5 60.6	•568 •535	.66 .62	76.5 76.2	80.4	"	0.7	None.	None.	None.	None.	None.
	6 ,,	.929 .953	.405 .436	76.4 77.0	66.0 66.0	10.4	60.0 59.6	.524 .517	.58 .57	76.7	80.2 80.1	,,	0.5	Ž	Z	Z	Ž	Ž
	8 ,,	·96 4	.430	78.4	67.0	11.4	60.6	-534	.56	78.0	80.0	E b'N	0.1					
	9 ,, 10 ,,	.987 .984	.399 .369	80.4 83·2	69.3 71.0	11.1 12.2	63.5 64.9	.588 .615	.58 .56	79.7 81.2	80.1	"	0.1				İ	
	11 "	.960	.281	85.8	73.5	12.3	67.9	.679	.57	83.0	80.4	,,	0.2	1				

0—8. Observers.	STATE OF THE WEATHER.	REMARKS.
0	Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \infty i cirro-cumuli; \infty i cumuli; \infty i cirro-strati; \infty i cumulo-strati; and \infty i numbi.	
0 C	Cloudless; dew falling.	Mean daily temperature of ground 20 and 60 inches below its sur-
0 B	"	face 83:3 and 83:9.
0 в	"	•
α 0	,,	
l D	w in the E, SE and S hor. in the NE, N, NW and W; mist in W hor.; fog in E.	•
2 D	scattered along N hor.; mist and fog.	·
l c	scattered along N hor.; mist in hor.	
0 c 0 c	w in the N and W; mist in hor.	
0 0	39 · 39	
0 в	N in the SE; haze in E.	
l B l B	scattered around hor.; haze in E.	
l B	" " "	
2 D	, ,	
5 D	scattered throughout.	
5 D)))))))))))))))))))))))	
6 c	, ,,	
6 c	" " " " · · · · · · · · · · · · · · · ·	
	,, ,, - 	
4 C	∾ scattered about the sky.	Mean daily temperature of ground
l В 1 В	"	20 and 60 inches below its sur-
2 B);););	face 83.2 and 83.9.
2 В	" "	
3 D 6 D	scattered throughout.	
6 D	scattered throughout; fog in E and mist in W.	
7 D	,, ,,	,
7 C	" " " " " · · · · · · · · · · · · · · ·	
ВС	Lightly overcast with va moving NW; mist.	
8 C 7 B	scattered throughout moving NW; haze in E.	
8 B	" " " " "	
8 В	" " "	
B B	" "	
7 D	, 27 27 27 27 27 27 27 27 27 27 27 27 27	
7 - D 7 - D	N scattered throughout; lunar halo.	
5 C	scattered around; clear about the moon.	
4 C 5 C	"	
	, , , , , , , , , , , , , , , , , , ,	
1 C	scattered about moving NNW.	Mean daily temperature of ground
1 B	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	20 and 60 inches below its sur-
2 B 2 B	v scattered around hor.	face 83:1 and 83:9.
2 B	;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;;	
3 D	" "	
2 D),))),),),	
3 D	∾ scattered around hor.; mist in hor.	
C	" " "	
1 C	" "	

			DARD (BTER.	Тнв	MOMET	BRS.		8 0 .;	AIR.	GRO THERMO	UND METERS.	WIND PI Osler's G		RAIN.	Erre	TRICAI.	INSTRU	MENTS,
	Bombay					Depres-	UCED	4 7	Y 0 F	linch id.	the out		Davis			Readi	ngs of	e e e
	Civil Time.	Corrected to 33° Fahr.	Corrected for Moisture.	In the	WetBulb Thermo- meter.	Wet Bulb below Thermo- meter in the Air.	DEDUCED DEW-POINT	PRESSURI	HUNIDIT	Thermometer I inch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or —	Strawsof Volta 1.	Strawsof Volta 2.	Interval of Time is recovering the same degree of tension after die charge.
		in.	in.	<u> </u>	 	<u> </u> 	-	in.		1			lbs.	in.	<u> </u> 	Sc. div.	Sc. div.	m. s.
Dec.	8тн-Noon.	29.928	29.246	87:2	74:0	13:2	68:0	0.682	0.54	84.7	80*7	EbN	0.1					
	lp.m. 2	.896	.311	88.5	71.8	16.7	63.3 59.5	.58 <i>5</i>	.45 .38	85·1 86.0	80.8 81.0	E	0.1					
	3 ,,	.863	.292	90.0	72.0	18.0	62.9	.576	.42	86.2	81.3	E b'n	0.2					
	4 ,,	.858	.142	87.5	75.0	12.5	69.5	.716	.57	85.2	81.5	NW	0.4	١.	١.		<u>.</u>	
	5 ,, 6	.859 .881	.097	83.4	75.0	8.4 7.6	71.4	.762	.68	83.7	81.5 81.6	NW bN	0.2	one.	None.	one.	None.	None.
	7 ,,	.905	.182	80.1	73.0	7.1	69.8	.723	.72	80.8	81.6	NNW	0.1	Ž	Ž	Z	Z	ž
	8 ,,	.915	.219	79.2	72.0	7.2	68.6	.696	.71	79.7	81.5	,,,	0.5			ļ	ļ	
	9 ,, 10 .,	.933	.299	78.4 77.0	70.0	7.0	65.9	•634 •649	.67 .71	79.7 78.8	81.5 81.4	N b W	0.2					
	11 ,,	.925	.301	76.2	69.0	7.2	65.3	.624	.70	78.2	81.3	"	0.1					
Dec. 9	Этн-Midnight.	.909	.229	77.4	71.0	6.4	67.9	.680	.74	78.2	81.3	NbE	0.1					
	la.m.	.899	.217	77.2	71.0	6.2	68.0	.682	.74	78.2	81.1	NNE	0.0	1				
	2 ,, 3	.892 .880	.230	75.8 76.5	70.0	5.8 6.3	67.1	.662 .662	.76 .74	77.4	81.0 80.9	NEbN	0.0					
	4 ,,	.876	.214	76.5	70.2	6.3	67.1	.662	.74	77.6	80.8	,,	0.1					
	5 ,,	.876	.287	76.4	63.0	8.4	63.5	.589	.66	77.0	80.8	NE	0.1					
	6 ,, 7	.899	.313	76.6	68.0	8.6 9.4	63.4	.586 .578	.65	77.2	80.7 80.6	,,,	0.1					
٧	8 ,,	.959	.368	79.2	69.0	10.2	63.7	-591	.61	79.0	80.5	"	0.1					
	9 ,,	.971	.364	80.8	70.0	10.8	64.5	.607	.59	80.0	80.6	, ,,	0.1-					
	10 ,, 11	.970	.379	82.2 84.2	70.0	12.2	63.7	.591 .569	·55	81.0	80.8 81.0	,,	0.1	je j	je je	မွ	je je	ej.
	Noon.	.912	.339	87.0	71.0	16.0	62.7	.573	.46	83.8	81.2	NE BE	0.1	None.	None.	None.	None.	None.
	1 p. m.	.877	.264	88.3	72.5	15.8	64.8	.613	.47	84.6	81.2	NW	0.3					-
	2 ,,	.863 .853	.193	88.3 87.5	74.0 75.0	14.3	67.5	.670	.51	85.1 85.0	81.4	NW'b W	0.5					1
	3 ,, 4 ,,	.861	.106	85.8	75.5	10.3	71.2	.755	.63	83.8	81.6	,,	0.0					
	5 ,,	.871	.105	83.0	75.0	8.0	71.6	.766	.70	83.2	81.5	٠,	0.1					İ
	6 ,,	.891	.105	81.2	75.0	6.2	72.4	.786 .759	.76	81.0	81.4	NW NW bN	0.1					1
	7 ,, 8	.923	.192	79.4	74.0 73.0	6.4	70.2	.731	.75 .74	79.8	81.4 81.4	ı	0.1	l				
	9 ,,	.941	.243	79.0	72.0	7.0	68.7	-698	.72	79.8	81.6	,,	0.3					
	10 ,,	.948	•241	78.2	72.0	6.2	69.1	.707	.75	79.5	81.6	NNW	0.1					
	11 ,,	.941	-281	76.0	70.0	6.0	67.0	•660	.75	78.6	81.5	,,	0.1					
Dec. 1	0тн-Midnight I a. m.	.939	.302 .288	75.0 74.3	69.0 69.0	6.0 5.3	65.9 66.3	.637 .645	.75 .77	77.7 76.6	81.4 81.2	NNW	0.1 0.0					
	2 ,,	.925	.285	73.2	68.5	4.7	66.1	.640	.80	75.8	81.0	,, ,,	0.0			!	i	
	3 ,,	.919	.271	74.0	69.0	5.0	66.5	-648	.78	75.9	80-8	,,	0.1			ŀ	İ	;
	4 ,, 5 ,,	.921	.273	74.0 75.0	69.0 67.0	5.0 8.0	66.5 62.6	.648	.78 .67	75.9 75.8	80.6 80.6	NNE	0.2			•		,
	6 ,,	.939	.407	75.6	66.0	9.6	60.5	-532	.61	75.8	80.5	NEbE	0.1			!		•
	7,,	.966	.442	76.4	66.0	10.4	60.0	.524	.58	76.8	80.4	ENE	0.1	į		!	;	•
	8 ,, 9 ,,	.993 30.008	.491 .504	78.4 81.1	66.0	12.4	58.7 58.9	•502 •504	.52 .49	78.0 79.8	80.3 80.4	,,	0.1		!	1	!	•
	10 ,,	-006	.452	82.5	69.0	13.5	61.7	.554	.51	81.1	80.5	,,	0.1		1	1	i	t
	11 ,,	29 978	.372	84.0	71.0	13.0	64.4	•606 •587	.53	82.8	80.7	"	0.1	- e	one.	one.	ne.	one.
	Noon. 1 p. m.	.942	.355	85.7 88.0	71.0 69.0	14.7	63.4 58.2	•493	.49	83.2 85.0	80.9 81.0	,,	0.1	None.	No.	No	None.	X
	2 ,,	.873	.331	89.8	71.0	18.8	61.0	-542	.40	85.4	81.2	'',	0.1				!	
	3 "	.857	.200	87.8	73.5	14.3	66.9	657	.51	85.0	81.3	W	0.3			-		
	4 ,, 5 .,	.856 .861	.188	85.0 82.0	73.0	12.0	67.4 70.5	•668 •739	.57	83.5 82.1	81.4 81.4	NWbW	0.5		ŀ	•	•	1
	6,	.867	.143	80.0	73.0	7.0	69.9	.724	.72	80.7	81.5	nw	0.1			i	i	•
	7 ,,	.880	.149	79.4	73.0	6.4	70.2	.731	.74	80.0	81.6	,,	0.8	}		! !		!
	8 ,,	.891 .895	.226	78.7 78.0	71.0 69.0	7.7 9.0	67.2 64.3	.665	.69 .64	79.7 79.5	81.5 81.4	NNW	1.0 0.5		!			
	9 ,, 10 ,,	.895	.291	77.2	69.0	8.2	64.8	-613	.67	78.2	81.4	,,	0.5		1		:	1
	ii .,	.884	.351	75.5		9.5	60,5	•533	.62	77.0	81.3	,, ,,	0.1)	1	1.	

Observers.	STATE OF THE WEATHER.	Remarks.
0	Note.—In recording these Observations, the Symbols used to denote the clouds are: \ cirri; \(\) i cirro-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbi.	
6 C 5 B	scattered around hor.; mist in hor. scattered about the sky; light mist in hor.	
6 в	" " "	
6 В	22	
6 в	N scattered throughout; haze in E.	
7 D	", ", ", ", ", ", ", ", ", ", ", ", ", "	1
6 D	∨ scattered throughout; halo round the moon.	
6 D)))))))))))))))))))))))	
7 C))	1
6 C))))))))))))))))))))))))))	j
6 с))))))	
		•
4 c	scattered about the sky; halo round the moon.	Man July 4 4
6 B	scattered about the sky, halo round the moon.	Mean daily temperature of groun 20 and 60 inches below its su
5 B	,, ,,	face 83:1 and 83:9.
3 в	" "	lace of and obo.
2 в	"	
2 р	⋈ scattered around hor.	
5 D	scattered around hor.; mist from S to NW.	
4 D		
4 D C	n n n	
3 C); '); '); '); '); '); '); '); '); '); '	
3 C		
2 C	win the E, N and W; haze.	
1 B	"	
2 в	,, ,,	
2 B	y y	
2 B 3 D	" scattered about here and there.	
4 D	y y	ł
3 D	,, ,,	
Q 0	A few about the hor.	1
0 c	"	
0 C	scattered around hor.	
2 c	scattered around nor.	
	•	
3 c	scattered about the hor.	Mean daily temperature of groun
3 в	"	20 and 60 inches below its su
5 в	viscattered about the hor.; slight dew.	face 83.3 and 84.0.
5 B	"	
B B D	"	
3 D	scattered about the sky.	
α 8	N scattered about the sky; mist in E and W hor-	
3 ъ	27 27 27	
3 C	,, ,,	
C	ys 22 22	
C	" " "	
В	scattered throughout moving N; haze in E.	·
В	,, ,, ,,	
В	" " "	
В	yı 29 29	
D	scattered throughout moving N; haze in E; lunar halo.	
D	scattered throughout moving N; naze in E; junar halo.	
D	scattered all round hor.; lunar halo.	
D D		
D	" " "	
	1	ı

		STAN BAROX	DARD IETER.	Тнв	RMOMET	rers.		Α.	А1к.	Спо Тиввые	UND METERS.	Wind F Osler's G		RAIN.	RLEC	TRICAL	Instru	MENTS.
	Bombay Civil Time.	Corrected to	Corrected for	In the	WetBulb Thermo-	Depression of Wet Bulb below	DEDUCED DEW-POINT	ROISTURE OF	MIDITY OF	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs.	By New-	Sign of		ings of	f Time in ing the ogree of after dis-
	1864.	82º Fahr.	Moisture.	Air.	meter.	Thermo- meter in the Air.	DK	PRR	HUMI	Thermom in the (Thermo inche Grou		Square Foot.	Gauge.	ty + or —	Btraws of	Straws of Volta 2.	
) BC.	12тн-Midnight	in. 29.912	in. 29.297	74:0	63:0	6:0	64!9	in. 0.615	0.74	76.0	80°4	N b W	lbs. 0.1	in.		Sc. div.	Sc. div.	m. s.
	la.m.	.905	.253	73.6	69.0	4.6	66.6	.652	.80	75.6	80.3	,,	0.1					
	2 "	.892	.329	74.6	66.6	8.0	62.2	. 563	.67	76.0	80.2	ENE	0.3					
	3 " 4 "	.884	.385	75.7 75.0	65.0 65.0	10.7	58.6 59.0	.499 .507	.57 .59	76.2 76.0	80.1 80.0	E	0.5					
	5 ,,	.890	.381	74.8	65.0	9.8	59.0	.509	.66	75.6	79.9	ENE	0.3					
	6 ,,	.902	.377	74.5	65.4	9.1	60.1	.525	.63	75.0	79.9	EbN	0.3					
	7 ,, 8 .,	.928	.389	75.0	66.0	9.0	60.9	.539	.63	75.4	79.8	ENE	0.2					
	9 ,,	.961	.462	75.7 78.4	65.0	10.7 12.4	58.6 58.7	.499	.57 .52	76.0 77.6	79.8 79.9	"	0.1	نه		4		a:
	10 ,,	.982	.471	79.0	66.5	12.5	59.3	.511	.53	79.2	80.0	"	0.1	one.	one.	None.	one.	None.
	11 ,,	.957	.478	83.3	67.0	16.3	57.3	.479	.43	81.0	80.1	,,	0.1	Z	Z	Z	Z	Z
	Noon. 1 p.m.	.928	.403	87.0 88.5	69.6 68.0	17.4	60.1	.525	.42	82.8 84.5	80.3	,, NE	0.1					
	1 μ 2 ,,	.869	.447	90.9	68.5	20.5 22.4	55.1 54.7	.444	.33	85.5	80.4	NE	0.1					
	3 ,,	-856	.324	90.7	71.0	19.7	60.5	.532	.38	85.8	80.8	NWB W	0.2					
	4 ,,	.853	.173	87.4	74.0	13.4	67.9	.680	.53	85.0	81.0	,,	0.2					
	5 " 6 "	.869	.221	84.2	72.2 72.0	12.0	66-5	.648	.57 .64	82.8 82.0	81.1	٠,,	0.1					
	7 ,,	.907	.163	81.6	73.6	9.6	67.4	.669	.74	80.5	81.1 81.0	"	0.2	l	Ì			
	8 "	.920	.148	79.0	74.0	5.0	71.8	.772	.80	80.0	81.0	NW'b N	0.2					
	9 ,,	.943	.197	78.0	73.0	5.0	70.8	.746	.79	79.7	80.9	ŅNW	0.1			ŀ		
	10 ,, 11	.943	.188	77.2	73.0 68.0	4.2 6.0	71.2 64.9	.755 .615	.82	79.1	80.9	,,	0.1					1
	11 ,,	.541	.520	74.0	00.0	0.0	04.9	.015	./4	17.5	80.6	"	0.0					
EC.	13тн-Midnight	.940 .926	.344 ·292	72.7 72.3	67.0 68.0	5.7 4.3	63.9 65.8	.596 .634	.75 .81	76.3 75 3	80.6 80.4	NNW	0.0			- '		
	2 ,,	.920	.252	72.2	69.0	3.2	67.4	.668	.86	75.0	80.2	"	0.0			i		
	3 ,,	.916	.276	73.3	68.5	4.8	66.1	.640	.79	75.4	80.1	NbW	0.1					
	4 "	.914	.332	74.0 73.6	67.0	7.0	63.2	.582	.70 .82	75.4 75.0	80.0	NNE NE b E	0.4					
	6 ,,	.927	.245	72.6	67.5	5.1	67.3 64.8	.666	.77	74.7	79.9 79.9	ENE	0.3			}		
	7,,	.944	.381	74.6	66.6	8.0	62.2	.563	.67	75.0	79.8	EbN	0.5					
	8 "	.959	.431	76.0	66.0	10.0	60.3	.528	.60	75.8	79.8	,,	0.4			i		
	9 ,, 10 ,,	.984	.438	77.3 79.6	67.0	10.3	61.3 61.8	.546 .556	.59 .57	77.0 78.8	79.8 79.8	,,	0.6	ا ا		٠,٠	٠.	a :
	10 ,,	.973	.413	82.0	69.0	13.0	62.0	.560	.52	80.1	80.0	"	0.4	None,	None.	Nonē.	None.	None.
	Noon.	.938	.365	83.8	70.0	13.8	62.7	.573	.51	81.3	80.2	ENE	0.1	Z	Z	Z,	Z	Z
	1 p. m.	.905	.427	86.3	68.0	18.3	57.3	.478	.39	83.0	80.4	EbN	0.1					
	2 ,, 3	.879 .865	.435	88.5 89.0	68.0	20.5 19.0	55.1 59.6	.444 .516	.35 .39	83.7 84.5	80.5 80.6	NW b W	0.1					
	3 ,, 4 ,,	-857	.209	86.8	73.0	13.8	66.5	.648	.52	83.9	80.8	WNW	0.2					
	5 ,,	.857	.169	83.3	73.0	10.3	68.3	.688	.62	80.7	80.9	·;	0.2					
	6 ,, · 7	-872	.152	80.4	73.0	7.4	69.7	.720	.71	80.0	80.9	NWbW	0.1					ļ
	8 ,,	.894	.103	79.7 78.4	74.7 74.4	5.0 4.0	72.6 72.8	·791 ·794	.80 .83	79.6 79.0	80.8 80.7	NW b N	0.3					İ
	9 ",	.924	.193	77.3	72.4	4.9	70.2	.731	.80	78.6	80.5	nnw	0.3	!				1
	10 ,,	.925	.237	76.0	70.8	5.2	68.3	-688	.78	78.0	80.4	,,	0.2	1				1
	11 ,,	.913	.347	73.7	66.4	7.3	62.3	.566	.69	77.3	80.3	,,	0.1					
EC.	14тн-Midnight		.360	71.6	65.0	6.6	61.2	.544	.71	75.6	80.2	NNW	0.1					
	la.m. 2	.898 .892	.322	71.6 72.5	66.0 66.5	5.6	62.9	.576	.75	75.0	80.1	,,	0.1					
	3 ,,	.886	.333	73.3	66.5	6.0 6.8	62.1 61. 6	.562 .553	.74 .71	75.0 75.1	80.0 80.0	"	0.0 0.1					
	4 ,,	.886	.295	73.2	67.0	6.2	63.7	.591	.73	75.0	79.9	NNE	0.2	ல்		ا يا		
	5,,	.906	.306	72.7	67.0	5.7	63.9	•596	.75	74.4	79.8		0.3	None.	None.	None.	Nope.	None.
	6 " 7 "	.920	.358	72.5 72.0	66.0	6.0	62.1	•562	.74	74.0	79.7	NE b N NE b E	0.4	Z	Z	Ž	ž	ž
	, ,, 8 ,,	.969	.406	74.6	66.6	6.0 8.0	62.7 62.2	.572 .563	.74 .67	73.4 74.0	79.6 79.5	NE DE ENE	0.2 0.1					
	9 ,,	.989	.429	76.3	67.1	9.2	62.0	.560	.63	75.7	79.4	"	0.1					
	10 ,,	.987	.427	79.0	68.0	11.0	62.0	.560	.58	77.5	79.5	"	0.1					
	11 ,,	.970	.399	81.0	69.0	12.0	62.6	-571	.55	79.2	79.6	,,	0.1					ŀ

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER.	Remarks.
Απ		NOTE.—In recording these Observations, the Symbols used to denote the clouds are; \(\)i cirri; \(\)i cirro-cumuli; \(\)i cirro-strati; \(\)i cimulo-strati; and \(\)i nimbi.	
6 7 6 4 3 2 4 1 0 0 0 0	C B B B G G C C C B B B	scattered throughout the sky. scattered throughout the sky; dew falling. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 83°3 and 84°0. Temperature of free air at 2 p. m. was 90°9, greatest in the month and about 9°1 greater than the normal mean; at the same hour the temperature of deduced dew-point was least in the month and about 12°0 lower than the normal mean.
0	В	"	1
0	G	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
0	G G	Clear.	
o	G	" "	
0	С	Clear; slight dew falling.	, i
0	C	"	
0	C	, ,,	
0 0 0 0 0 0 0 1 1 1 1 1 1 1 0 0 0 0 0 0	C B B B G G G C C C C B B B B G G G K K	Clear; slight dew falling. """" "A few w in the hor.; slight dew. w along the E hor.; thick mist in E and W hor. """ """ "along the hor. from NE to SE; mist in hor. """ """ """ "A few w in the SE; haze in E and S. """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 832 and 839.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	K B B G G C C	Clear. "" "" "" Fog in E and SE; black mist in W. "" "" "" "" "" "" "" "" "" "" "" "" "	Mean daily temperature of ground 20 and 60 inches below its surface 830 and 838. 14th December was the 13th day on which the sky remained almost cloudless.

		DARD METER.	Тнк	RMOME	rers.	ئے۔	0.P	AIR.		CND OMBTERS,	WIND F		RAIN.	ELEC	TRICAL	INSTRU	MENTS.
Bombay Civil Time.	Corrected	for	In the	Thermo-		DEDUCED DEW-POINT	PRESSURE O	MIDITY OF	meter I inch Ground.	hermoneter 9 inches in the Ground.	Direction.	Pressure in lbs. per		Sign of		ings of	Interval of Time in secoreting the same degree of tension after discharge.
1864.	39° Pahr.		Air.	meter.	Thermo- meter in the Air.	ı a	I d	Hum	Thermon in the	Tuerm inch Gro		Square Foot.	Gauge.	ty+ or —	Volta 1.	Strawson Volta 2.	Interval recover same tension
DEC. 14TH-Noon.	in. 29.937	in. 29.389	83*4	69:1	14:3	61:4	in. 0.548	0.49	81:0	79:8	ENE	lbs. 0.1	in.		Sc. div.	Sc. div.	m. s.
l p. m.	.902	.451	85.7	67.0	18.7	55.5	.451	.38	82.0	79.9	,,	0.1		1			
· 2 ·,	.878	.385	88.0	69.0	19.0	58.2	•493	.38	83.8	80.1	,,,	0.1					
3 ,, 4	.866	.247	87.8 86.3	72.5	15.3 12.3	65.1 68.5	.619	.49	84.0	80.3 80.5	NWbW	0.4					
5 ,,	.876	.062	83.2	76.3	6.9	73.5	.814	.74	81.5	80.6	"	0.3	ن ا	نه ا	₆ ;	_ a:	a:
6 "	.886	.078	80.2	75.5	4.7	73.6	.816	.81	80.1	80.6	NW b N	0.2	None.	None.	one.	one.	None.
7 "	•905	.126	78.4	74.0	4.4	72.1	.779	.82	79.0	80.6	,,	0.3	Z	Z	Z	Z	Z
8 ,,	.911	.117	77.0	74.0	3.0	72.8	.794	.87	78.2	80.6	NNW	0.2		l			
9 " 10 "	.922 .915	.308	74.1 74.0	68.0 66.0	6.1 8.0	64.8 61.5	.614 .550	.67	77.0	80.4	,,	0.1					
11 ,,	.899	.324	74.6	67.0	7.6	62.8	.57.5	.68	76.7	80.3	n b w	0.1					
DEC. 15TH-Midnight	.889	.300	73.4	67.0	6.4	63.5	.589	.72	76.2	80.2	N	0.1					
ˈla.m.	-887	.248	72.1	68.1	4.0	66.0	-639	.82	74.8	80.0	"	0.0			1		
2 ,,	-881	-301	71.3	66.0	5.3	63.1	-580	.76	74.0	79.8	"	0.1					
3 ,, 4	-876	.229	72.0 72.5	68·0 67.5	4. 0 5. 0	65.9	.637	.82	74.0	79.6	y,	0.1					
5	.874	.259	72.5	68.0	4.7	64.9 65.5	.615	.78 .80	74.1	79.5 79.4	NNE NE b N	0.1			1		
ō,	.894	.257	72.0	68.0	4.0	65.9	.637	.82	73.6	79.3	,, `	0.2					
7 ,,	.917	-293	71.4	67.4	4.0	65.3	.624	.82	73.0	79.2	NE	0.2		1			
8 ,,	·935	-342	73.0	67.0	6.0	63.8	<i>-5</i> 93	.74	73.7	79.1	ENE	0.1			i		
9 ,,	.954	•352	75.2	68.0	7.2	64.2	-602	.70	75.0	79.0	EbN	0.2					
10 ,, 11 .,	.953	.393	77.5 80.2	67.5 69.0	10.0 11.2	62.0 63.1	-5 60	.61 .58	76.8	79.1	,,	0.1					_
Noon.	·896	-333	81.7	69.0	12.7	62.2	.580 .563	.53	78.7	79.2	,,	0.1	one	one.	one.	one.	ä
l p. m.	-858	-312	86.9	70.2	16.7	61.3	-546	.44	82.0	79.5	ENE	0.1	ž	ž	ž	No	None.
2',,	-832	.226	87.3	72.0	15.3	64.4	-606	.48	83.0	79.8	WNW	0.2					
3 ,,	.824	-156	86.8	73.5	13.3	67.4	.668	.54	83.0	80.0	",	0.5					
4 ,,	·830	.122	84.8	74.0	10.8	69.2	.708	.61	82.0	80.2	,,	0.5					
5 ,, 6	·839 ·845	.060 .075	81.8	75.0 74.0	6.8 5.2	72.1 71.8	.779 .770	.74	81.1	80.3 80.3	nw	0.3				Ì	
7 ,,	-875	.121	78.6	73.4	5.2	71.0	.754	.79	80.0 79.4	80.2		0.3					
8 ,,	.892	-113	76.6	72.2	4.4	72.1	.779	.81	78.0	80.1	"	0.0					
9 "	-910	.204	75.0	71.0	4.0	69.1	•706	.83	76.8	80.0	,,	0.0					
10 ,,	.908	.247	72.8	69.0	3.8	67.1	-661	.83	76.0	79.9	,,	0.1					
11 "	.896	.266	71.7	67.7	4.0	65.6	•630	.82	75.2	79.8	>>	0.1					
Dec. 16тн-Midnight l a. m.	.893	·251 .236	71.5	68.0 68.0	3.5	66.2	.642	.84	74.3	79.6	NW b W	0.1					
2 ,,	.870	.199	71.5	68.8	3·5 2.5	66.2 67.5	.642 .671	.84	74.1 73.6	79.5 79.4	NW	0.0					
3 ,,	.862	.255	71.7	67.0	4.7	64.5	-607	.79	73.6	79.4	"	0.0					
4 ,,	.860	.272	72.0	66.5	5.5	63.5	-588	.76	73.9	79.3	NNW	0.1	,				
5 ,,	.861	•285	71.6	66.0	5.6	62.9	-576	.75	73.0	79.2	NbE	0.2					
6 " 7	.872	.289	71.0 71.2	66.0 66.2	5.0 5.0	63.2	-583 597	.78	72.7	79.1	NEbN	0.1					
8 ,,	.917	.349	72.1	65.9	6.2	63.4 62.5	.587 .568	.78 .73	72.0 73.0	79.0 78.9	NE	0.1 0.2					
9 "	.943	•395	74.2	66.0	8.2	61.4	•548	.66	74.4	78.8	NE BE	0.2					}
10 "	.945	•396	77.0	67.0	10.0	61.4	-549	.6 0	76.0	78.7		0.2					
11 ,,	•933	•353	79.2	68.7	10.5	63.1	-5 80	.59	77.8	78.7	ENE	0.2					
Noon. lp. m.	·909 ·879	.307 .291	81.2 85.6	70.0 71.0	11.2	64.2	-602	.58	79.2	78.9	NE LE	0.1	٠.				_
າໍ	·871	250	87.6	71.0	15.1	63.5 65.2	•588 •621	.50 .49	81.0 82.6	79.0 79.3	NE b E SW	0.1 0.1	None.	None.	None.	None.	N one.
3 ,,	-861	.199	88.1	73.7	14.4	67.1	-662	.51	83.8	79.6		0.1	ž	ž	Ž	Z	l °Z
4 ", •	-862	-189	87.3	73.8	13.5	67.6	-673	.53	83.5	79.9	sw b w	0.2					
5 ,,	.876	-206	82.2	72.2	10.0	67.5	-670	.62	81.4	80.0	,,	0.1					
6 ,,	-886	-181	78.4	72.0	6.4	69.0	•705	.74	79.2	80.0	wsw	0.0					
7 ,, 8	.917	·208	76.7 76.0	71.6	5.1 4.0	69-3	•709	.79	77.5	79.9	"	0.0					
o "	.930	.179	76.0	73.0	3.0	70.2 71.7	.731 .768	.83 .87	77.0	79.8 79.7	"	0.0 0.0					i
10 ,,	.943	-163	75.9	73.3	2.6	72.2	.780	.89	76.7	79.7	NW	0.0					1
11 ,,	.931	.193	75.4	72.0	3.4	70.5	.738	.85	76.7	79.6	NbW	0.1					

Mist in hor. A few v from E to SE; baze. Do n Cloudles; haze. Clear. Clear. Clear. Clear. Clear. Clear. Clear. Cloudless; white and black mist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Clear; alight dew falling. Clear; alight dew falling. Clear; dew falling. Clear; alight dew falling. Clear; fog in E and SE; mist in W. Clear; fog in E and SE; mist in W and NW.	Amount of Clouds 0-8. Observers.	STATE OF THE WEATHER.	Remarks.
O D D A few from E to SE; haze.	Ап ои	Note.—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Ni cirro-cumuli; Ni cumuli; Li cirro-strati; Li cumulo-strati; and Ni nimbi.	
O B Cloudless; haze. O O Clear. O O Clear. O O Clear. O O O O O O O O O	1 - 1 -		
Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Cloudless; nist in hor. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW.		"	•
0	1 - 1	Claudless bere	
Clear; dew falling. Clear; dew falling. Cloudless; white and black mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Clear; copious fall of dew. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; dew falling. Clear; slight dew falling. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in hor. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in hor. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in hor. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW.	t i		
O C Clear; dew falling. O C Clear; fog in E and SE; mist in W and NW. O Clear; mist in hor. O C Clear; mist in hor. O		,,	
O C Clear; dew falling. O C Clear; dew falling. O B P P P P P P P P P P P P P P P P P P	1 - 1 -	Clear.	
Clear; dew failing. Clear; dew failing. Clear; dew failing. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Clear; dew failing. Clear; dew failing. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; mist in hor. Clear; dew failing. Clear; mist in hor. Clear; dew failing.			
Clear; dew falling. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; white and black mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Cloudless; mist in hor. Clear; dew falling. Clear; fog in E and SE; mist in W and NW.	-		
0 B B	0 C		
0 B P P P P P P P P P P P P P P P P P P		Cleans day falling	Many della Assertanta Santa
0	1 1	1	20 and 60 inches below its sur-
Description Description	1 1		face 82:9 and 83:8. Height of
o a Cloudless; white and black mist in hor. o a Cloudless; white and black mist in hor. o C C C A few in the SE; white and black mist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Cloudless; noist in hor. Clear; slight dew falling. Clear; dew falling. Clear; copious fall of dew. D Clear; dew falling. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in hor. Clear; fog in E and SE; mist in wand NW. Clear; fog in E and SE; mist in wand NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW. Clear; fog in E and SE; mist in W and NW.		1	barometer at 3 p. m. was 29 824
O C Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; fog in E and SE; mist in W and NW. Clear; fig in E and SE; mist in W. Clear; fog in E and SE; mist in W. Clear; fog in E and SE; mist in W. Clear; mist in hor. Clear; fog in E and SE; mist in W. Clear; mist in hor. Clear; mist in hor. Clear; fog in E and SE; mist in W. Clear; mist in hor.			in., least in the month, which was
0		Cloudless: white and black mist in hor.	
O	0 a		15th December was the 14th day
O	!	"	on which the sky remained
O C A few %; in the SE; white and black mist in hor. C C C C C C C C C		"	atmost cloudless.
O B Cloudless; nist in hor.		A few in the SE; white and black mist in hor.	1
0	1 7 1 7	O " " " " " " " " " " " " " " " " " " "	
Haze in E and SE; mist in W.			
O	0 в	Haze in E and SE; mist in W.	
O		1 "	}
O		22	
0 C Clear; copious fall of dew. 0 B	0 G		,
Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear; copious fall of dew. Clear start copious fall of dew. Clear; copious fall of dew. Clear start copious fall of dew. Clear; copious fall of dew. Mean daily temperature of grou 20 and 60 inches below its start face 82*9 and 83*5. Clith December was the 13th do on which the sky remain entirely cloudless. Clear; fog in E and SE; mist in W and NW. Clear; mist in hor.	0 c		
0 B	0 C	27	
O B	0 c	Clear; copious fall of dew.	Mean daily temperature of ground
O	1 1	19 31	face 82:9 and 83:8
O	1 1		16th December was the 13th day
O G Clear; fog in E and SE; mist in W and NW. O G	1 1	l "	on which the sky remained
0	1 1	" for the Provide Recember to Wand VW	entirely cloudless.
0	1 1		
0		1	
0 C ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	1 1	,, ,,	
0 C			
0 B ", ", ", ", ", ", ", ", ", ", ", ", ",			·
0 B ", ", ", ", ", ", ", ", ", ", ", ", ",			
0 B ", ", ", ", 0 G Clear. Clear; dew falling. 0 G ", ", ", ", 0 Clear; dew falling. 0 C ", ", ", ", ", ", ", ", ", ", ", ", ",			·
0 G Clear; dew falling. 0 G , , , , , , , , , , , , , , , , , ,	1 1		
0 G Clear. 0 G Clear; dew falling. 0 G , , , , , , , , , , , , , , , , , ,	0 G	" "	
	1	Clear.	1
	1 1		
	_		,

			DARD ETER.	Тнв	NONET	BRS.	o Ė	. OF	AIR.		UND MRTBRS.	WIND F Osler's G		RAIN.	RLECT	TRICAL	INSTRU	ments.
	Rombay Civil Time. 1864.	to	Corrected for Moisture.	In the	Thermo-	Depression of WetBulb below Thermo-ineter in the Air.	DEDUCED DEW-POINT	PRESSURE O Moisture.	HUMIDITY OF	Thermometer 1 lach in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Sign of Electrici- ty + or —		Straws of Volta 2.	Interval of Time in recovering the same degree of tension after dis- clarge.
)EC.	17тн-Midnight	in. 29.921	in. 29.208	74:4	71:0	3:4	69:4	in. 0.713	0.85	76:3	79:5	NbW	lbs. 0.2	in.		Sc. div.	Sc. div.	m. s.
	I a. m.	.901	.246	74.0	69.2	4.8	66.8	.655	.79	76.0	79.4	N	0.2		İ			
	2 ,,	.892	•268	73.2	68.0	5.2	65.3	.624	.77	75.3	79.3	,,,	0.2]		
	3 ,, 4	.887	.292	72.8 72.0	67.0 66.0	5.8 6.0	63.9 62.7	.595 .572	.75 .74	74.5	79.2 79.2	N b E NE b N	0.3					
	5 ,,	.890	•318	72.0	66-0	6.0	62.7	.572	.74	74.0	79.1	,,	0.4					
	6 ,,	.900	•331	71.1	65.6	55	62.5	. 569	.76	73.1	79.0	,,	0.2					
	7 ,	.924	.369	70.6	65.0	5.6	61.8	-555	.75	72.5	78.9	NE	0.2					
	8 " 9 "	.952 .965	.443	72.0 75.4	64.0	8.0 9.4	59.2 60.6	.509 .535	.66 .62	73.0 75.0	78.8 78.6	"	0.1					
	10 ,,	.964	•402	77.3	67.5	9.8	62.1	-562	.61	76.0	78.8	"	0.2					
	11 ,,	.943	.403	79.3	67.5	11.8	60.9	.540	.55	78.0	78.9	"	0.1	one.	Je.	يو ا	့် မ	ő
	Noon.	.906	.354	82.7	69.0	13.7	61.6	.552	.51	79.8	79.0	,	0.1	l õ	None.	None.	None.	None.
	1 p. m. 2	·891 ·870	·284 ·286	85.6 86.0	71.5	14.1	64.5	.607 .584	.51 .48	81.5	79.2 79.3	WbN	0.1		_		~	-
	3 ,,	.857	•280	86.6	71.0	15.6	62.9	.577	.47	82.5	79.5	"	0.1					
	4 ,,	.857	.266	85-4	71.0	14.4	63.7	-5 91	.50	82.2	79.6	"	0.2					
	5,	.865	.216	80.8	71.2	9.6	66.5	-649	.63	80.3	79.8	"	0.5			1		
	6 ,,	.880	.287	79.0	69.0	10.0	63.8 64.4	.593	.61 .65	79.0	79.8	,,	0.3	1		Ì		
	7 ,, 8	902	.296 .314	77.8	69.0 68.5	8.8 7.5	64.6	.606 .609	.70	78.2	79.7 79.6	WNW	0.1	1				
	9 ,,	.935	.304	75.5	69.0	6.5	65.6	.631	.73	77.0	79.6	NW'b W	0.0	1			İ	
	10 ,,	.934	•295	74.8	69.0	5.8	66.0	.639	.75	76.4	79.5		0.0		ļ			
	11 "	.922	•247	74.6	70.0	4.6	67.7	.675	.80	75.8	79.4	NEbN	0.1					
EC.	19тн-Midnight		.257	72.2	69.0	3.2	67.4	.668	.86	74.9	79.1	NW b N	0.0					
	1 a. m. 2	.908	.260	71.6	68.2	3.4	66-5	•648 •615	85	74.0	79.0	,,	0.0				Ì	
	3 "	.890	.286 .246	71.0	67.8	4.0 3.0	64.9	.644	.83	73.5	78.9 78.7	,,	0.0					
	4 ,,	.883	.265	70.8	67.0	3.8	65.0	617	.83	73.0	78.6	NNW	0.0					
	5 "	.891	.265	70.0	67.0	3.0	65.4	-626	.86	72.9	78.5	N	0.2	}				
	6 ,,	.904	.285	69.8	66.7	3.1	65.1	-619	.86	72.7	78.3	,,	0.1	ł		ł		
	7 ,, 8 ,,	.932	.344	70.5 73.0	66.0	4.5	63.5 63.8	•588 •593	.80 .74	72.0	78.3 78.2	N. 1. 73	0.1	İ				
	9 ,,	.986	.351	75.2	69.0	6.0	65.9	635	.74	74.8	78.2	NbE	0.1	}		} 1		
	10 ,,	.983	.372	77.4	69.0	8.4	64.7	-611	.66	76.5	78.3	NNE	0.1	ŀ		İ	1	
	11 ,,	.952	.333	79.7	70.0	9.7	65.1	-619	.63	78.0	78.5	,,	0.1					
	Noon.	.927	.314	81.5	70.4	11.1	64.8	-613	.59	79.1	78.7		0.1	None.	Je.	None.	يو	ej.
	1 p. m. 2	.888	.269 .256	82.8 84.3	71.0	11.8	65.1 64.6	.619	.57	80.0	78.9 79.1	N b W WNW	0.2	\S \S	None.	l o	None.	None.
	3 ,,	.857	.228	85.3	72.0	13.3	65.5	.629	.53	82.0	79.1	ì	0.3		'		_	
	4 ,,	.861	.229	85.0	72.0	13.0	65.7	-632	.54	82.0	79.4	"	0.3			}		
	5 ,,	.864	.195	81.6	72.0	9.6	67.3	.669	.64	80.0	79.5	NW	0.4		1			
	6 " 7 "	.869	.075	78.4	74.4	4.0	72.8 72.5	.794	.83	79.1	79.5	,,	0.5		1			
	Q ″	.890	.102	77.5	74.0	3.5	72.8	.794	.85 .87	78.0	79.4 79.4	"	0.3					
	9 ,,	.929	.172	77.0	73.0	4.0	71.2	.757	.83	77.7	79.4	NW'b N	0.2					
	10 ,,	.931	.257	74.7	70.0	4.7	67.7	-674	•80	74.6	79.3	,,	0.0					
	11 ,,	.916	.264	73.6	69.0	4.6	66.6	.652	.80	76.0	79.3	,,	0.0					
)ec.	20тн-Midnight		.246	73.2	69.0	4.2	66.9	.657	-82	75.6	79.2	NW b N	0.0					
	la.m.	.888	.299	72.2	66.6	5.6	63.5	-589	.76	74.6	79.0	NW	0.0			}		
	2 ,, 3	.876 .870	.268	71.6	67.0	4.6 5.3	64.5 63.6	.608 .591	.81 .77	74.0 74.0	78.9 78.8	,,	0.0		1			
	4 ,,	.869	.286	71.0	66.0	5.0	63.2	-583	.78	73.5	78.6	, ,,	0.1	1				
	5,	.872	.276	71.8	66.5	5.3	63.9	.596	.77	73.0	78.5	"	0.1	يو	نه	نه		ei.
	6 ,,	.886	.318	72.1	65.9	6.2	62.5	.568	.73	73.0	78.4	١,,	0.2	None.	None.	None.	None.	None.
	7 ,, 8	.911	.297	72.6	67.5	5.l	64.8	.614	.77	73.4	78-4	NbW	0.1	1		Z	Z	Z
	a "	.943	.357	73.6	67.0	6.6	63-4	586	.72	74.0	78.3	,,	0.1		١,			
٠,	10	.964	.343	75.2 78.0	69.5	8.0 8.5	62.8 65.2	.575 .621	.67 .66	75.6 76.8	78.4 78.5	"	0.1		"			
	11 ,,	.936	.285	80.0	71.0	9.0	66.6	-651	.65	78.2		"	0.1	}		l	ļ	l

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: N cirri; Vi cirro-cumuli;	Remarks.
0 0 0 0 1 1 3 5 6 5 2 0 1 2 2 4	C B B B B B B C C C C	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirro-sumuli; \(\) cirro-strati; \(\) cirro-strati; \(\) cirro-strati; \(\) and \(\) l nimbi. \(\) Cloudless; copious fall of dew. \(\) A few \(\) in the E; slight dew. \(\) in the E and NE; slight dew. \(\) \(\) scattered around hor.; \(\) mist in S and W hor. \(\) scattered throughout; fog in E; thick black mist in W. \(\) \(\) \(\) scattered about; mist in hor. \(\) \(\) \(\) scattered throughout. \(\) \(\) scattered throughout.	Mean daily temperature of ground 20 and 60 inches below its surface 82.9 and 83.8.
7 7 5 4 4 3	C B B B B B	" " " " " " " " scattered throughout; slight dew.	
0 0 0 0 3 6 6 5 4 2 2 2 2 2	C B B B G G G C C C B T	Cloudless; dew fulling. """" """" """"" """"" """"" """""" """"	Mean daily temperature of ground 20 and 60 inches below its surface 82.6 and 83.8. Temperature of free air at 6 A.M. was 69.8, lowest during the month and the normal mean temperature was 71.3.
2 3 5 5 4 4 4	B B G G G C C	scattered about; hazy. "" L "scattered around hor. "" "" "" "" "" "" "" "" "" "" "" "" "	
0 1 0 0 0 4 6 7 7	C B B B G G C C C	scattered about. scattered about; we in the S. and we scattered about. A few clouds in hor. and we scattered about the sky; mist in W. scattered about the sky; mist in W. scattered around hor; hazy. and we in the N, E and SE; we scattered throughout; haze.	Mean daily temperature of ground 20 and 60 inches below its surface 82:4 and 83:7.

		NDARD URTER,	Tue	RMONBI	BRS.	نوم		AIK.		UFD METERS.	OBLER'S G		RAIN.	BLEC	TRICAL	INSTR	UMBRTS.
Bombay	Corrected	Corrected		Wet Rull	Depression of Wet Bulb	DEDUCED DEW-POINT.	BESURE OISTURE.	TY OF	er I inch	d. the		Promure in ibs.	By New-	Algn of	Readi	ngs of	Time in ug the gree of Rer dis-
Civil Time. 1864.	to 33º Fabr.	for Mointure.	In the	Thermo- meter.	helow	DEW	PRI OF M	HUMIDIT	Thermometer I Inch in the Ground.	Thermometer 9 Inches in the Ground.	Direction.	per Aquare Poot.	man's	Hiectrici- ty + or —	Strawsof Volta 1.	Straws of Volta 2.	recovering the same degree of tension after the charge.
D 00 N	in.	in.	0180	5.00	1020	6:00	in.	1	1	Ì	22277	lbs.	in.		Sc. div.	Sc. div.	ın. 5.
DEC. 20TH-Noon	29.901 .874	29.264 .220	81°3 83.0	71.0	10.3	65°9 66.7	0.637	0.61 .59	79°2 80.0	78°8 79.0	NNW WNW	0.1			ł		
2,,	.857	.193	83.8	72.5	11.3	67.2	664	.59	80.5	79.1	WbN	0.2					
3 ,,	.856	.188	85.0	73.0	12.0	67.4	.668	.57	81.5	79.4	,,	0.2	_				
4 ,,	.859 .873	.164	84.6	73.6	11.0	68.6	.695	.60	81.5	79.5	"	0.3	one.	one.	one	None.	one
5 ,, 6	.891	.168	81.7	73.0	8.7 6.4	69.0	.705	.74	79.0	79.6 79.6	wnw	0.2	l %	Z	ž	Z	ž
7 ,,	.911	.144	78.2	73.6	4.6	71.6	.767	.81	78.6	79.5	,,	0.0					
8 "	.926	.169	77.0	73.0	4.0	71.2	.757	.83	78.0	79.5	,,	0.0					
9 ,,	.947	.187	76.7	73.0	3.7	71.4	.760	.84	78.0	79.4	,,	0.0		!			
10 " 11 "	.948	.260	750	70.5	4.5	68.3	.688 -676	.81	77.8	79.4	"	0.0					
· · · ,,											"						
DEC. 21sT-Midnight		.303	73.4	68.0	5.4	65.2	.622	.77	76.0	79.2	wnw	0.1					
1 a.m. 2	.902 .891	.298	72.0 72.0	67.0	5.0	64.3 64.3	.604	.78 .78	74.6 74.2	79.1	"	0.0					
3 "	.886	.270	71.5	67.2	4.3	64.9	.616	.81	73.9	78.9	"	0.0		1.			1
4 ,,	.887	•283	72.0		5.0	64.3	.604	.78	74.1	78.8	,,,	0.0					1
5,	.889	.303	73-6	1		63.4	-586	.72	74.0	78.8	,,	0.3					
6 ,,	.905	.319	73.6			63.4 63.2	•586 •582	.72 .70	74.0	78.7	NWbW	0.2					
, ,,	.958	.349	74.0 75.4	67.0	1	61.5	-551	.64	75.0	78.7	N	0.1					1
9 ,,	.988		76.6			64.1	•600		76.1	78.6	"	0.1					
10 ,,	.984	.354	78.7	70.0		65.6	.630	1	77.8	78.7	,,	0.1			ے ا	6	1 0
11 ,,	.947		79.8	69-6	1	64.4	•605		78.3	78.8	"	0.1	one.	None.	one	None.	None.
Noon.	.918		84.0			64.4	•606 •619	1	80.3 82.0	79.0 79.2	N b E NW b W	0.1	Z	Z	Z	2	Z
1 p. m. 2	.858		86.0			65.2	.621	.51		· ·	WbN	0.2					
3 ,,	.844					64.1	•600	.49	82.4		,,	0.3	Ì				
4 ,,	.850					65.5	1	1		1	,,	02					
5 ,, 6	.854	1				1					WNW	0.3		i			
7 "	.891							1		79.8	"	0.4					
8 ,,	.814					67.3	-667	.70	78.2		,,	0.1			ł		
9 "	.929	L.			1					-	,,	0.0	1				
10 ,,	.931	1		1				1		- 1	,,	0.0					
11 "	.910	.279	750	69.0	00	05.9	-037	.,,	10.5	79.4	,,	0.1					
Dec. 22nd-Midnigh	1 .905	.264	74.6	69.0	5-6	66.1	.641	.76	76.2	79.4	wnw	0.0					
1 a. m.	.890	.271	73.6	68.0	5.6	65.1	.619	.76	75.5	79.3	,,	0.0			1		
2 ,,	.876										"	0.0				Ì	
3 ,, 4	.867										"	0.1					į
5 ,,	.899	1								4	"	0.1		1			
6 "	.927	.355	72.0	66.u	6.0	62.7	-572	.74	73.4	78.8	NW	0.1					l
7 ,,	.953											0.3		i		1	1
8 ,, 9	.977							1			NE b N NE b E	0.3		1		· !	1
10 ,,	.974										NE DE	0.2	.				
11 ,,	.955	.404	80.2	68.2	12.0	61.5	.551	.54	78.1	78.8	,,	0.1	Nonc.	Nonc.	None.	None.	None.
Noon.	.927			1				1	1 -			0.2	Z	Ž	Ž	Z	Ž
l թ. m.	.896										WNW	0.3		İ			i
2 ,, 3	.865										"	0.2					!
4 ,,	.875	.232	84.0	72.0	12.0	66.2			81.0	79.5	"	0.1					1
5 ,,	.894	.247	80.4	71.0	9.4	66.4		.64	80.3		,,	0.3					!
6 ,	.898										,,	0.2					I
7 ,,	.915				1						,,	0.3					
9 ,,	.935				1						," N	0.2		1			1
10 ,,	.941	.326	74.0		6.0	64.9			76.0	79.4	,,	0.3		1	}		
11 ,,	•938											0.0	ı		1	1	1

9	Observers.	STATE OF THE WEATHER.	Remarks.
	ő	Norm.—In recording these Observations, the Symbols used to denote the clouds are: \dirri; \lambda i cirro-cumuli; \times i cirro-strati; \tau i cirro-strati; and \tau i nimbi.	
	c	Nearly overcast: vs moving NNE; break in SE; haze.	
	В	" "	
	В	" " " " " " " " " " " " " " " " " " "	
- 1	B B	scattered throughout moving NE; haze. scattered from N to S (by E); haze.	
	G.	scattered about in E and W; haze in E.	•
- 1	a	of from NE to SE; we throughout.	
(G	•	
- 1	G	n' and v scattered about; slight dew.	
- 1	C	"	
	C	"	
(C	"	
1	c	n scattered about.	Mean daily temperature of grou
1 _	В	in the N and W.	20 and 60 inches below its a face 82:3 and 83:6.
	B	A few clouds in the E.	iace ozos and osos.
- 1	B B		
- 1	G	" " " " " " " " " " " " " " " " " " "	
	Ğ	and w in the SE and S; thick mist.	
- -	G	<u></u>	
(G	A few on in the S; mist in hor."	
	C	7) 11 214	
	C	Cloudless; mist.	
	C	in the SE; mist.	
	C B	Mist in E and SE.	
	В		
	В	in the E; mist.	
1	В	Mist and haze in hor.	·
	G	in the NE; haze.	
	G	Clear.	
. 1	G	n	
- 1	a C	"	
. '	c	?)	
- 1	c	" "	
		•	
	_	Clear	Mean daily temperature of grou
- 1	C B	Clear.	20 and 60 inches below its a
- 1	В	"	face 82.2 and 83.6.
1	G	Clear; slight dew.	22nd December was the 14th clo
(G	" "	less day from the beginning of
	C	33 29 29 29 29 29 29 29 29 29 29 29 29 29	year.
1	C	Fog and mist-	
1	B B	" "	
	G)))) 1)))	
- 1	G	Mist around hor.	
(c	" "	
- 1	C	",	
1	В	" "	
J	B G	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
	G	Clear.	
	c	"	
- 1	c	" "	
1	В	" · · · ·	
1	B	"	
1	G G	"	
)	

61*-1864.

		DARD (BTER.	Тнв	RMOMBI	BRS.	. L	m	AIR.	TREEMO	OUND OMBTERS.	Wind P		RAIN.	ELECT	TRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 82° Fahr.	Corrected for Moisture.	In the	WetBulk Thermo- meter.	below	DEDUCED DBW-POINT.	PRESSURE OF MOISTURE.	UKIDITY OF	Thermometer 1 Inch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Blectrici-	Strawsof	Strawsof	Interval of Time in recovering the same degree of tension after discharge.
	1	<u> </u>	<u> </u>	<u> </u>	the Air,		<u> </u>	H	E =	£		<u> </u>	in.	<u> </u>		10 11	
DEC. 23RD-Midnig	in. ht 29.926	¹ n. 29.326	7294	67:0	5:4	64°1	in. 0.600	0.76	74:3	79*2	N	lbs. 0.0	111.		Sc. div.	8c. div.	m. s.
la.m.	.907 .896	.378	73.0	65.0	8.0	60.3	-529	.66	74.5	79.1	,,	0.0		İ			
2 ,, 3	.885	.435	72.3	62.5	9.8	56.2 58.5	.461	.59	74.0	79.0	"	0.1		İ	l		
4 ,,	.891	.362	73.0	65.0	8.0	60.3	-529	.66	74.2	78.7)	0.0			İ		
• 5 ,,	.909	.313	71.8	66.5	5.3	63.9	•596	.77	73.2	78.6	"	0.0					
6 "	.934	.351 -366	71.0	66.0 66.8	5.0 4.8	63.2	.583	.78	72.0 72.2	78.5 78.4	"	0.1					
8 ,,	•989	.400	73.4	67.0	6.4	63.5	-589	.72	73.4	78.3	NNE	0.2		İ			
9 ,,	30.005	.416	76.4	68.0	8.4	63.5	.589	.66	75.8	78.3	NEbN	0.1	١.	_			
10 " 11 "	29.999 .964	.399	77.4	69.0	10.0	64.1 63.8	•600 •593	.66 .61	76.8 78.0	78.4 78.5	"	0.1	None.	None.	None.	None.	None.
Noon.	.937	.375	81.8	69.0	12.8	62.1	.562	.53	79.2	78.6	"	0.1	ž	ž	Ž	Z	Ž,
1 p. m.	.912	.353	85.1	70.0	15.1	62.0	.559	.48	80.6	78.6	,,	0.1					
2 ,,	.891 .882	.347	85.3	69.5	15.8	61.2	.544	.46	81.3	78.9	NWbW	0.2		İ	į		
3 ,, 4	.886	.338	85.3 84.7	69.5	15.8	61.2	.544	.46	81.6 81.5	79.1 79.3	"	0.2					
5 ,,	.899		81.8	71.2	10.6	66.0	.638	•60	80.0	79.4	,,	0.3	1	· ·			
6 ,,	.917	.225	79.5	72.0	7.5	68.5	-692	.70	79.2	79.4	NW	0.3					
. 7 ,,	.932	•229	78.5	72.0		69.0	.703	.74	78.5	79.3	,,	0.1			ļ		
8 " 9 "	.953	.218	77.0	72.0 68.0	5.0 7.4	69.7 64.0	.720 .600	.79	78.0	79.3 79.3	"	0.1	ł		ļ		i
10 ,,	.954	.350	75.0	68.0	7.0	64.3	-604	.71	76.5	79.2	"	0.0			ļ		
11 "	.951	.347	75.0	68.0	7.0	64.3	.604	.71	76.5	79.2	,,,	0.1					
DEC. 24TH-Midnig		.341	74.8	68.0		64.4	-606	.72	76.4	79.2	NW bN	0.1					-
la.m.	.942	.356	73.6	67.0 65.5		63.4	.586 .534	.72 .65	75.5 75.3	79.1	NNW	0.1	i	1			
3 ,,	.924	.358	74.0	66.5	7.5	62.3	.566	.68	75.3	79.0 78.8		0.1		İ	į		
4 "	.937	.365	73.5	66.5		62.7	.572	.70	75.0	78.8	"	0.2					
5 "	.968	.375	73.0	67.0	6.0	63.8	.593	.74	74.2	78.7	N	0.1			ļ		
0 ,, 7	.985 30.013	.341	70.8 72.2	67.8 67.6	3.0 4.6	66.3	.644 .621	.86	73.4 74.0	78.6 78.5	N b E N	0.2			ļ		
8 ,,	.047	.476	75.0	67.0	8.0	62.6	-571	.67	74.9	78.4	ENE	0.3					
9,,	.069	.461	77.6	69.0	8.6	64.5	-608	.66	76.7	78.4	EbS	0.4					
10 ,, 11 ,,	.065	.503	81.8	69.0	12.8	62.1	-562	.53	78.7	78.5	,,,	0.4	None.	None.	None.	None.	je.
Noon.	.021	.436	84.0 84.4	71.0	13.0	64.4	.606 .602	.53 .52	80.6 81.0	78.7 78.9	ESE	0.2	ž	Ž	Š	No	None.
l p. m.	29.982	.468	87.7	69.5	18.2	59.4	.514	.49	83.0	79.0	wsw	0.2					
2 ,,	.958	.389	87.4	71.0	16.4	62.5	-5 69	.45	83.0	79.3	WbN	0.2					
3 ,, 4	.950 .955	.338	86.8 86.0	72.0 73.0	14.8	64.7	.612 .657	.50 .54	83.0 83.0	79.5	NWbW	0.3					
5,	.974	.274	82.2	73.0	9.2	68.8	.700	.65	81.5	79.7 79.8	"	0.3	1				
6 ,,	.986	.266	80.4	73.0	7.4	69.7	.720	.71	80.4	79.9	nw	0.1]				
7 "	30.005	.281	80.0	73.0	7.0	69.9	.724	.72	80.2	80.0	NWbw	0.2		1			
8 ,, 9 .,	.023	.255 .268	79.4	74.0 73.5	5.4 4.5	71.7	.768 .764	.78	80.0 79.2	79.9	NW	0.1					
10 ,,	.033		76.4	73.0	3.4	71.5	.764	-85	78.8	79.8		0.1	}				
11 "	.031	.300	76.0	72.0	4.0	70.2	.731	.83	78.2	79.6	"	0.1					
DEC. 27TH-Midnig		.418	74-0	67.0		63.2	.582	.70	76.3	79.7	NNW	0.1				'	
la.m.	29.989		73.4	66.8	6.6	63.2	.582	•72	75.8	79.7	,,	0.0					
3	.980 .966		73.5 72.3		6.9	62.8 62.5	-575 -569	.70	75.3 74.5	79.6 79.4	"	0.0		Ī			
4 ,,	.957	.385	72.0	66.0	6.0	62.7	-572	.73	74.0	79.4	,,	0.0		1			
5,	.959	.359	72.4	67.0	5.4	64-1	•600	.76	74.0	79.1	"	0.0	None.	+	8		2.26
6 ,, 7	.978	.378	72.4	67.0	5.4	64.1	•600	.76	73.8	79.0	"	0.1	Ž	+	6		3.00
, ,,	30.002	.410	72.5 74.0	66.8 68.0	5.7 6.0	63.7 64.9	.592 .615	.75 .74	73.0	78.9 78.8	,,	0.1 0.2		+	12	8	1.37
9 ,,	.046		77.8	69.6	8.2	65.4	-627	.67	76.8	78.8	"	0.2		+	4		3.11
10 ,,	.044	,420	79.3	70.0	9.3	65.3	.624	.64	78.4	78.8	N b E	0.1					
11 ,,	014	.406	80.7	70.0	10.7	64.5	.608	.60	79.1	79.0	,,	0.1	1	1	1		1

Amount of Clouds	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \(\) cirri; \(\) i cirre-cumuli; \(\) i cumuli; \(\) i cirro-strati; \(\) i cumulo-strati; and \(\) i nimbi.	Remarks.
0 0 0 0 0 0 1 1 2 2 1 0 0 0 0 0 0 0 0 0	C B B B G G C C C B B B G G G G G G G G	Clear. """ """ """ """ """ """ """ """ """	Mean daily temperature of ground 20 and 60 inches below its surface 82.2 and 83.6; temperature of evaporation at 2 A. M. was 62.5, lowest in the month and about 4.7 lower than the normal mean.
00000	G C C C B B	Clear.	Mean daily temperature of ground 20 and 60 inches below its surface 821 and 836. Height of barometer at 9 A.M. was 30.069
0 0 0 0 0 0 0 0 0	B G G C C C	Fog and mist. Thin mist in hor. """ """ """ """ """ "" """ "	in., greatest in the month, while the normal mean height was 29.986 in. 24th December was the 15th cloud- less day.
0 0 0 0 0 0 0 0 0 0 0 0	B B C C C C	" " " " " " " " " " " " " " " " " " "	•
0 0 0 0 0 1 2 5 6	C B B B G G	Clear. " " " " " " " " " " " " " " " " " "	Mean daily temperature of ground 20 and 60 inches below its surface 822 and 836.
7 7 7	c c))))))	

		DARD METER.	Тнв	NOMET	ERS.	÷	or B.	AIR.	Тнвамо	UND METERS.	Wind Pr Osler's G		RAIN.	ELEC	TRICAL	Instru	MENTS.
Bombay Civil Time. 1864.	Corrected to 32° Fahr.	for	In the	WetBulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	DEDUCED DEW-POINT.	PRESSURE	HUMIDITY OF	Thermometer I inch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.		Sign of Electrici- ty + or —		Strawsof Volta 2.	Interval of Time in recovering the same degree of tension after dis- charge.
DEC. 27TH-Noon.	in. 29.988	in. 29.439	83:0	69:0	14:0	61:4	in. 0•549	0.50	80.5	79°1	NNE	lbs. 0.1	in.		Sc. div.	Sc. div.	m. s.
l p. m.	.952	.414	87.0	70.0	17.0	60.8	-538	.43	82.5	79.4	"	0.1					
2 ,,	.936	.356	89.6	72.0	17.6	63.1	.580	.43	84.0	79.7	NbE	0.2					
3 ,, 4	.932	.284	88.6	73.5	15.1 12.0	66.5 69.8	.648 .722	.50 .58	84.2	79.9 80.1	WNW	0.2					
5 ,,	.943	.186	83.8	75.0	8.8	71.2	.757	.67	82.4	80.2	"	0.3	نو	نه	ė	نو	ಠ
6 "	.954	.189	81.7	74.6	7.1	71.6	.765	.73	81.1	80.3	,,	0.2	None.	None.	None.	None.	None.
7 ,, 8	.978	.249	80.2 79.0	73.2	7.0 6.0	70.1	.729	.72 .76	80.2 80.0	80.3 80.2	NW	0.4	~				-
9 ,,	.994	.248	78.0	73.0	5.0	70.8	.746	.79	79.0	80.2	,,	0.2	ł			1	
10 ,,	.999	.322	76.0	70.5	5.5	67.8	•677	.77	78.1	80.1	NW b N	0.1		l			
11 "	.993	.359	75.3	69.0	6.3	65.8	.634	.73	77.2	80.0	"	0.1					
DEC. 28TH-Midnight		.353	75.3	69.0	6.3	65.8	.634	.73	77.2	80.0	NNW	0.1					
l a. m. 2	.980		76.0 76.5	69.5 69.5	6.5 7.0	66.2	.643	.73	77.4	79.8	n n	0.0					
3 ,,	.955			70.0	5.7	67.2	.663	.76	77.0	79.7	NE	0.4		1			
4 ,,	.949	.312	75.0	69.0	6.0	65.9	-637	.75	76.4	79.5	,,	0.2					
5 "	.952			1	•	65.0	617	.74	76.0 76.0	79.4	"	0.3	İ				
6 ,, 7	.995		' }	1		66.3	.645	.77	76.2	79.3	"	0.2]
8 ,,	30.013	.376	75.0	69.0	6.0	65.9	-637	.75	76.5	79.3	,,	0.2					
9,	.041	1				66.5	•648 •634	.68	78.0	79.4	NE b E	0.1					
10 ,, 11 .,	.037	1	· ·			65.8	.659	.61	79.0	79.4	, ,,	0.1	one.	one.	one.	ne.	<u>.</u>
Noon.	29.981	.333	84.2	72.2	12.0	66.5	.648	.57	81.6	79.7	NE	0.1	l S	No	Nor	None.	None.
1 p. m.	.954					66.9	.657	.54		79.9	NNW	0.2					
2 " 3	.936				12.9 13.0	67.2 68.1	.684	.55	82.5 83.1	80.1	WNW	0.2	ł		İ		1
4 ,,	.929		85.2	75.0		70.6	.742	.63		80.4	"	0.3					
5,	.930	1	1	1		73.9	.825	.76		80.5	"	0.2					•
6 ,, 7	.938					71.7	.764	.78	80.0 79.6	80.6 80.6	"	0.1					
8 ,,	.971					71.6	.765	.81	79.6	80.5	,,	0.3					
9,,	.983					70.3	.735	.76	1	80.4	,,	0.3					
10 ,, 11 ,,	.988 .9 83					69.4 67.0	.659	.77 .75	78.8 78.2	80.3 80.2	NW b W	0.1					
Dec. 29rn-Midnigh	.982	217	75.5	70.0	5.5	67.2	.665	.77	77.5	80.2	NW b W						
l a. m.	.982					67.8	.677	.77	77.3	80.2 80.0	NW	0.1					
2,,	.962	.349	74.2	68.0	6.2	64.8	.613	.74	75.5	79.9	,,	0.0					
3 ,,	.958					63.8 62.6	.593	.74	75.0 75.2	79.7 79.6	NW b W	0.0					
4 ,, 5 ,,	.964					61.5	.550	.70		79.5	,,	0.0					
6 ,	.969	.412	72.8	65.8	7.0	61.9	-557	.70	74.0	79.4	,,	0.2				}	1
7 ,,	.997				1	63.7	.591	.73	74.6 75.5	79.4	NWhN	0.1				}	
8 ,, 9 ,,	30.017					62.6 62.6	.571	.67		79.4	N b W N b E	0.2					
10 ,,	-028	.464	79.2	68.2	11.0	62.2	.564	.58	78.3	79.4	,,	0.1					1
11 ,,	.009					64.0	•598	.57		79.5	,,	0.2	ne.	ne.	ne.	ne.	je.
Noon. l p. m.	29.983					65.0	·617	.56		79.6 79.7	NW	0.2	None.	None.	None.	None.	None.
2 ,,	.931	.286	85.4	72.5	12.9	66.3	-645	.54	82.0	79.9	"	0.3					
3 ,,	.924					67.1	-661	.56	82.4	80.0	,,	0.3					
4 ,, 5 .,	.922					66.7	•658 •675	.57	82.0 80.6	80.2	,,	0.2				1	
5 ,, 6 ,,	.942					68.6	-696	.62	80.0	80.3	,,	0.1					
. 7 ,	.959	.255	78.4	72.0	6.4	69.0	•705	.74	79.5	80.2	NW'b N	0.4		1			
8 "	.979			1		71.2	.757 736	.83	78.1	80.1	,, NAME:	0.2					
9 ,, 10 ,,	.994					70.4 66.5	.736 .648	.85	77.0	80.0 80.0	NNW	0.0					
10 ,,	.992					64.8	613		76.5	79.9	,,	0.1		İ			

Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are: \i cirri; \i cirro-cumuli; \i cirro-cumuli; \i cirro-strati; \i cirro-s	REMARKS.
6 5 5	C B B	 □ scattered throughout; mist. □ scattered throughout moving NE. □ scattered throughout moving NE; haze. 	
5	В	"	
5 6	B G	ng and ng scattered throughout.	
6	G	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	
2	G	scattered round the hor.; wi in S.	
2	G	Clear.	
0	C		
ŏ	c	27 27	·
3	C	v scattered about.	Mean daily temperature of ground
4 4	B B	" "	20 and 60 inches below its sur-
2	В))))))))))))))))))))))))))	face 82.2 and 83.6. Temperature of evaporation at 5 P. M.
3	В	•, •,	was 76.4, greatest in the month;
4	G	v and vs scattered around hor.	and at the same hour tempera-
5	G	and scattered around hor.; mist-	ture of deduced dew-point was
5 5	G G	"	also greatest in the month; the
2	C	scattered around hor.; mist.	former about 1:1 and the latter 7:9 greater than their respective
2	c	" "	normal means.
3	c	" "	
4	C	"	
4 2	B B	29	
5	В	and n scattered about the sky.	
7	В	and on scattered throughout, on moving NE; mist.	
7	G	,, ,,	
5	G	y y	
3 6	G G	around hor.; \(\sigma\) about the zenith. \(\sigma\) scattered throughout, moving NE.	
4	C		
2	C	scattered around hor.	
2	C	27	
		ni scattered around hor.	Mary 1 21 days of the control of the
2	C B	•	Mean daily temperature of ground 20 and 60 inches below its sur-
o	B	Clear.	face 82:3 and 83:6.
ŏ	В	"	
0	В	•	
0	G	A few win E hor. wand we scattered around hor.	
2 2	G G	and vi scattered around hor.; mist in hor.	
4	G););););	
4	C	n n	
5	C	" scattered throughout; light mist.	
6	C C		
2	B))	
5	В	scattered about; so in the É; black mist in E hor.	
5	В	"	
5	В	scattered about the sky moving NE; in the S; black mist in E.	
5 5	G G	scattered about the sky moving NE; we in SW.	
4	G	22 22	
2	G	scattered around hor. A few clouds in hor.	
0	C	Clear.	
0	C	??	

	STAN Baron	DARD EBTER.	Тнв	RMOMB	ERS.	ا ن	, i	AIR.	THERMO	UND METERS.	Wind F Osler's G		RAIN.				
CIVII IIIII	Corrected to 82° Fahr.	for	In the	Wet Bulb Thermo- meter.	Depression of Wet Bulb below Thermometer in the Air.	Deduced URW-Point	PRESSURE OF MOISTURE.	HUMIDITY OF	Thermometer linch in the Ground.	Thermometer 9 inches in the Ground.	Direction.	Pressure in lbs. per Square Foot.	By New- man's Gauge.	Electrici-	Straws of	Straws of Voita 2.	Interval of Time in recovering the same degree of tension after discharge.
	in.	in.					in.					lbs.	in.		Sc. div.	Sc. div.	m. s.
DEC. 30TH-Midnight	_	29.369	74'1	68:0	6:1	64:8	0.614	0.74	76.2	79:8	NNW	0.1	l	İ			
la.m.	.976	.431	73.0	65.5	7.5	61.2	.545	.68	75.0	79.6	"	0.0					
$\frac{2}{3}$,,	.961	.484	72.2	63.0 63.5	9.2	57.2	.477	.61 .64	74.1 74.1	79.4	,,	0.0	1				
3 ,,	.951	.457	72.0		8.5	58.3	.494	.62	74.4	79.2	,,	0.0	l				
4 ,,	.952	.454	73.0	64.0	9.0	58.5	-498	.62	75.0	79.1	NT L 187	1	1				
5 ,,	.963	.456	73.6	64.5	9.1	59.0	.507		74.4	79.1	NbW	0.3	j				
6 ,,	.969	.355	72.6	67.5	5.1	64.8	.614	.77 .74	74.5	78.9	,,	0.2			•		
7 ,,	.993	.400	73.0	67.0	6.0	63.8	.593	.72	75.0	78.8	,,, P.T	0.1					
8 "	30.018	.412	74.8	68.0	6.8	64.4	.606		76.1		N	0.2					
9 ,,	.037	.448	76.4	68.0	8.4	63.5	.589	.66 .64	77.3	78.8 78.9	"	0.1	one.	None.	None.	None.	None.
10 ,,	.033	.431	78.2	69.0	9.2	64.2	.602		78.7	79.0	"	0.1	l s.	l &	° ×	l °	20
II ,,	.003	.423	80.2	69.0	11.2	63.1	-580	.58	80.1		"	0.1		-			F-4
Noon.	29.980	.461	83.2	68.2	15.0	59.7	.519	.47		79.1	NT 187 L 187	0.1					
1 p.m.	.947	.396	84.3	69.5	14.8	61.5	-551	.48	81.3	79.3	NWbW	0.2	ł				
2 ,,	.934	.341	85.2	71.0	14.2	63.8	.593	.50	81.8	79.4	,,	0.2		1			
3 "	.934	.323	84.2	71.2	13.0	64.7	.611	.50	81.6	79.6	WNW	0.2	ļ				
4 ,,	.935	.283	83.2	72.0	11.2	66.6	.652	.59	81.5	79.6	,,	0.2	l		1	į	
5 ,,	.945	.214	79.4	73.0	6.4	70.2	.731	.74	80.2	79.7	"	0.2				1	
6 "	.949	.195	78.6	73.4	5.2	71.1	.754	.79	79.4	79.8	NW b W	0.1	ì	1		1	
7 "	.959	.220	78.3	72.9	5.4	70.5	.739	.78	78.7	79.8	,,	0.1			l		
8 "	.973	.253	77.0	72.0	5.0	69.7	.720	.79	78.0	79.8	,,	0.2			ł)	
9 ,,	.982	.241	76.1	72.1	4.0	70.6	.741	.83	76.6	79.7	,,,	0.2			!	j	
10 ,,	30.002	.407	72.8	67.0	5.8	63.9	.595	.75	75.4	79.6	,,	0.2		1	l	1	
11 "	29.980	.400	71.8	66.2	5.6	63.1	.580	.76	74.4	79.4	,,	0.1					
DEC. 31sT-Midnight	.978	.294	72.6	69.6	3.0	68.1	.684	.87	74.6	79.4	NWbW	0.1					
l a. m.	.962	-309	73.5	69.0	4.5	66.7	.653	.81	74.9	79.2	NWbN	0.1		ļ	l	ł	
2 "	.954	.342	74.3	68.0	6.3	64.8	.612	.73	75.3	79.1	NbW	0.2	!		l		
3 ,,	.946	.348	74.0	67.5	6.5	64.0	-5 98	.72	75.1	79.0	NEbE	0.0			1		
4 ,,	.946	.331	74.0	68.0	6.0	64.9	.615	.74	75.1	79.0	,,	0.1	ļ		1	l	
5 ,,	.951	.328	73.8	68.2	5.6	65,3	.623	.76	75.0	79.0	,,	0.2	l		I	[
6 ,,	.967	.341	73.0	68.0	5.0	65.4	.626	.78	74.4	78.9	"	0.3	l	i	l	1	
7 ,,	.993	.407	73.6	67.0	6.6	63.4	.586	.72	74.0	78.8	,,	0.2	l		I	!	
8 ,,	30.021	.433	75.5	67.7	7.8	63.5	.588	.68	75.4	78.7	EŃE	0.1	l		i	l	
9 ,,	.031	.440	76.2	68.0	8.2	63.7	.591	.67	76.0	78.7	,,	0.3			1	[
10 ,,	.020	.433	79.0	68.8	10.2	63.4	.587	.61	77.8	78.9	,,	0.2	نِهِ	نه	نه	نه	ď
11 ,,	.002	.415	81.0	69.5	11.5	63.4	.587	.57	79.0	79.0	,,	0.1	None.	None.	None.	None.	None,
Noon.	29.975	.404	82.5	69.5	13.0	62.6	.571	.53	79.7	79.2	,,	0.2	Z	Z	Z	Z	Z
1 p.m.	.951	.333	83.6	71.2	12.4	65.0	-618	-55	80.2	79.3	NW b W	0.2]	j		1	
2 ,,	.943	.284	85.8	73.0	12.8	67.0	.659	.5 5	82.2	79.6	NW	0.1	}	}			
3 ,,	.936	.348	84.7	71.0	13.7	64.0	.598	.52	82.0	79.5	NW b W	0.1			i	1	
4 ,,	.937	.256	84.5	73.2	11.3	68.0	.681	.59	81.8	79.5	,,	0.2	i	1 1			
5 ,,	.953	.243	81.3	73.0	8.3	69.3	.710	.68	81.0	79.6	,,	0.2					
6	.966	.275	79.0	71.8	7.2	68.4	-691	.71	79.5	79.5	NW	0.2	l			1	
7	.976	.294	77.8	71.2	6.6	68.0	.682	.73	78.5	79.5	,,	0.2		1			
ω ″	.982	.285	77.5	71.5	6.0	68.7	.697	.76	78.2	79.5	NW b N	0.2	}			1	
ο "	.984	.279	76.8	71.5	5.3	69.0	.705	.78	77.5	79.4	,,	0.1	1			l	
10 ″	.977	.329	74.0	69.0	5.0	66.5	-648	.78	76.0	79.4	NNW	0.1	1			1	
	.964	.318	74.2	69.0	5.2	66.4	-646	.78	76.0	79.4	NbW	0.1	ł		ļ	Ì	
11 ,,																	


Amount of Clouds 0-8.	Observers.	STATE OF THE WEATHER. Note.—In recording these Observations, the Symbols used to denote the clouds are; \(i \) cirri; \(\) i cirro-cumuli;	REMARKS.
0	c	Note.—In recording these Observations, the Symbols used to denote the clouds are; \(\) cirro; \(\) cirro-cumuli; \(\) cirro-cumuli; \(\) cirro-strati; \(\) cumulo-strati; and \(\) i nimbi.	Mean daily temperature of ground
0 0 0 1 3 6 7 7 8 8 7 7 7 8 8 8 7 7 7 8 8 8 7	B B G G C C C B B B G G G C C C C C C C	in the E and SE. scattered around hor. scattered throughout moving E. and on scattered throughout; mist in hor. scattered throughout; in the NE; mist. """""""""""""""""""""""""""""""""""	20 and 60 inches below its surface 82.4 and 83.7.
6 5 4 4 5	G G K K	Lightly overcast with we moving NE; slight dew.	
4 3 3 3 3 5 6 6 6 6 5 3 2 0 0 0 0 0 0	K B B B B K K K B B B B B B B B B B B B	Scattered about the sky moving NE; slight dew. D and L Scattered around. """""""""""""""""""""""""""""""""""	Mean daily temperature of ground 20 and 60 inches below its surface 82.4 and 83.7.

, • .

BOMBAY MAGNETICAL OBSERVATORY.

EXTRAORDINARY ELECTROMETER OBSERVATIONS.

1864.



BOMBAY MAGNETICAL OBSERVATORY.

EXTRAORDINARY ELECTROMETER OBSERVATIONS.

1864.

	Bombay Mean Solar Time,		Readin	g of Electron	neters.		Ronald	l's Spark M	essure.	
Date.	or Limits of Time, 1864.	Sign of Electri- city by Gold L. El.	Volta (1).	Volta (2).	Henly.	Time of Recove- ry after Dis- charge.	Time of Observa- tion or Occurrence of Spark.	Length of Spark.	Corresponding frequency.	Time of maxi- mum Tension.
			Scale.	Scale.	•	м. в.	н. ж.	Iu.	Sp. Sec.	н. ж.
7тн	From 5 ^h 6 ^m A.M. to		Out of Scale.	Out of Scale.	6	Inst.	5.06	0.08	l in l	5.6
June.	5 ^h 21 ^m A.M.		,,	"	5 3	"	.08	.06 .05	2 in 3	
			"	"	2	"	.11	.03	"	
			"	"	2	,,	.13 .15	0.02	A Spark.	
			"	,, ,,	, 3 2	"	.13	.02	1 in 3	
			"	"	2	,,	.18	.02	2 in 5	
			"	"	2 2	,,	.19 .20	.01	A Spark.	
			"	50	Õ	0.02	:21		"	
lltn	From 6 ^h 20 ^m P.M. to		Out of Scale.	50	,,	0.3	6.20			
JUNE.	7 ^h 28 ^m P.M.		"	40 50	,, ,,	0.2	.25 .40			
			"	60	"	0.1	.45			1
			"	30 40	"	0.4	.50 .55			
			,, ,,	60	"	0.1	.58		A Spark.	
			,,	Out of Scale.	2	Inst.	7.00	0.03	linl	j
			"	"	4 6	"	.02 .04	.03 .07	A Spark.	1
			"	"	6	"	.06	.08	2 in 3	1
			,,	"	8 9	,,	.08 .10	.11 .12	l in l' 3 in l	7.10
			,, ,,	"	4))))	.12	.07	l in l	7.10
			",	,,	5	"	.14	.07	,,	1
			,,	"	3 4	"	.18	.04 .07	Many.	}
			"	"	5	,,	.22	.08	l in l	1
			,,	,,	4 2	,,	.23 .25	.07 .04	"	
			"	"	2	"	.27	.03	A Spark.	
	From 7h 30m P.M. to		Out of Scale.	25	0	0.7	7.28			
	8 ^h 28 ^m P.M.		"	Out of Scale.	4 3,	Inst.	.30 .32			
			,,	"	4	"	.34	0.07	Volley.	7.34
		1	"	,,	2 4	,,	.36 .37	.04 .07	1 in 1 2 in 3	
		ļ	"	"	3 2	"	.38	.05	1	
			,,	,,	2 4	,,	.40 .42	.03 .06	A Spark.	7.42
			"	"		"	.43	.06	2 in 1	1.42
•			,,	,,	3 3 3 2	,,	.44	-∂6	1 in 1	
			"	,,	3 2	"	.45 .46	.06 .04	l in l A Spark.	
			"	"	3 3	"	.47	.05	3 in 1	
			,,	"	3 4	"	.48	.05	1 in 1	
			"	"	4	"	.49 .50	.05 .06) in i	
ند			"	,,	3	"	.52	.05	,, ,,	
,			"	"	3 3 3	,,	.54 .56	.05 .05	,,	
		1	"	"	2	"	-58	.04	"	
			,,	,,	3	"	8.00	.05	1 in 1	0.0
	1	I	,,	,,	5 4	,,	.02	.07 .07	3 in 1 1 in 1	8.2

			EXTRA	ORDIN.	ARY	ELECTROMETER OBSERVATIONS, 1864.
Baron correc . 32° I	neter ted to	rature of Air.	Wind. Direction.	Force in lbs.	Extent of Cloudy Sky.	Remarks.
in 29	0.574	81.2	sw b s "" "" "" "" "" "" "" "" "" "" "" "" ""	lbs. 0.2 ,, 0.5 ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	8	and in NE and E above hor; rest of the sky was overcast with in two strata, the upper stratum moving westward and the lower stratum moving rapidly to NE; lightning and thunder about the zenith and in W and SW of it every minute; light rain from 5h. 2m. to 5h. 10m., during which time electrometer was affected constantly. After this drops of rain began to fall, and the instrument was affected only by turns, electricity disappearing with the flash of lightning for a few seconds.
	.563	79.0	N NNE E SE b E E b N SSE S SSW WSW WSW WSW WSW	0.5 0.4 "" "" "" 0.5 0.6 0.5	8 " " " " " " " " " " " " " " " " " " "	From 2 p. m. At extending towards zenith from N, NE, E and SE; dense a scattered about the zenith, and large masses of moving from W to E; at about 5 p. m. the sky was nearly overcast with thick haze along eastern hor.; at 6 p. m. the sky was overcast with dense masses of w. whose motion was changed from easterly to southerly; distant thunder in N and NE; threatening appearance in NE; from 6h. 15m. wind blew for about 10m. with a force varying from 1 lb. to 3½ lbs. and veered in an hour from NW to SW by direct circular motion. At 6h. 20m. light rain began to fall, and lasted for 30m., again commenced at 6h. 54m. accompanied with lightning and crashing thunder in N, NE and E of zenith.
			sw ssw """ sw bs """ ssw sw bs """ sw bs """	0.4 0.4 0.4 0.7 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.1 0.9 0.1 0.9 0.9	*** *** *** *** *** *** *** *** *** **	Flash of lightning with rolling thunder in SE. Rain increased a little and electricity disappeared for a few seconds. Crackling thunder in W of zenith 5 sec. after vivid flash of lightning Rolling thunder in SW of zenith 5 seconds after vivid flash of lightning. Flash of lightning and thunder in SW. Rain abated. Rain commenced again, loud peal of thunder in S of zenith 5 seconds after the flash of lightning was seen. Rolling thunder in SE of zenith 3 seconds after the flash of lightning was observed.

	EX	TRAOI	RDINARY	ELECTR	OMETER	OBSER	VATIONS	, 1864.		
	Bombay Mean Solar Time,		Readin	g of Electron	neters.		Ronald	l's Spark M	easure.	
DATE.	or Limits of Time, 1864.	Sign of Electri- city by Gold L. El.	Volta (1).	Volta (2).	Henly.	Time of Recove- ry after Dis- charge.	Time of Observa - tion or Occurrence of Spark.	Length of Spark.	Corresponding frequency.	Time of maxi- mum. Tension.
			Scale.	Scale.	•	x. s.	н. м.	In.	Sp. Sec.	
llth June.	From 7 ^h 30 ^m A.M. to 8 ^h 28 ^m P.M.		Out of Scale.	Out of Scale.	4 4 4	Inst.	.06 .07 .08	.06 .07 .07	2 in 1 3 in 1 2 in 1	
			,,	"	3 2	"	.14	.03 .02	J in 2 1 in 3	
			,,	,, 50	2	,,	.20	.02	2 in 5	
			"	25	"	0.4	.25 .28	"	A Spark.	
14TH • June	From 3 ^b 48 ^m A.M. to 4 ^b 2 ^m A.M.		Out of Scale.	Out of Scale.	6 3	Inst.	3.48	0.06	1 in 2	
JUNE	4 2 A.M.		"	"	4	"	.53	.04 .06	1 in 3 1 in 2	
			,, ,,	"	6 8	"	.55 .57	.08 .10	l in l	
			99	"	10	,,	.58 .59	.14	2 in 3 3 in 1	3.58
			"	"	8 8	"	4.00	.10 .10	l in l	
			"	" "	10 0	"	.02	.12	2 in 1	
	From 4 ^b 4 ^m A. M. to			"		"		,,	"	
	4h 13m A.M		"	,,	6	Inst.	.04	.08	1 in 1	
			"	,, ,,	4 8	"	.05 .07	.07 .10	2 in 3 2 in 1	
			,,	"	4 10	"	.08	.06	l in l	
			"	"	6	"	.11	.08	3 in 1	
			"	,, ,,	8 7	"	.12	.11	4 in 1 3 in 1	
			"	"	0 6	"	.14 .15	,, .08	2 in 1	
			,,	"	8	"	.16	.10	3 in 1	
			"	"	0 5	"	.17 .18	.07	1 in 1	
			"	"	0	,,	.19	,,	"	
	From 4 ^h 21 ^m A.M. to		,,	"	8	Inst.	.21	-10	3 in 1	
	4 ^h 41 ^m A.M.		,, ,,	"	8 5	"	.22 .23	.10 .07	A Spark.	
			"	"	8	,,	.26	.10	2 in 1	
			"	"	4 10	"	.27 .28	.05 .12	A Spark. Volley.	4.28
			,,	"	8 8	,,	.29	.10 .10	1 in 1 2 in 1	
			"	,, ,,	5	"	4.32	.07	2 in 1	
•			" "	"	6 5	"	.33	.08 .07	1 in 1	
			"	"	4 5	"	.35 .36	.07 .06	3 in 1 A Spark.	
			,,	,,	6 8	,,	.37 .39	.09 .10	2 in 1	4.39
			" "	"	6	"	.40	.07	1 in 1	7 09
			,, ,,	"	0 8	"	.41 .42	" .10	3 in 1	
			"	"	0 6	,,	.43 .44	.00	2 in 1	
			**	"		"	.44		2 10 1	

			EXTRA	ORDIN.	ARY	ELECTROMETER OBSERVATIONS, 1864.
	Barometer corrected to 32° Fahr.	Temperature of Air.	Wind Direction.	Force in lbs.	Extent of Cloudy Sky.	Remarks.
		1		lbs.	<u> </u>	
	,		WbS	0.1	8	
1	20.550	=0.4	**	,,	,,	•
	29.570	79.4	wsw sw	"	"	
		1	"	"	,,	
			,,	"	"	Rain ceased.
			,,	"	,,	
			NW "	0.2	8	Uniformly overcast with va, with no apparent motion; continuous lightning and thunder in N E; rather calm; slight rain.
			wnw	"	"	
			WbN	"	,,	Rolling thunder with lightning in E.
			,,	"	,,	
			"	"	"	Electricity disappeared for a few seconds after the flash of lightning.
	,		,,	0.1	"	Rain increased a little.
			"	,,	"	Team mercanes a livery
			NW b W	"	8 "	Crackling thunder in SE 4 seconds after the flash of lightning.
	29-642	82.5	NWbN	",	"	Instrument unaffected.
		l	"	"	",	Flash of lightning with thunder in NE of zenith.
			n b"W	,,	,,	
			"	"	"	Electricity disappeared for a few seconds after the flash of
			nnw	"	"	lightning.
		i	Calm.	0.0	"	
			,,	,,	"	
			n	"	"	
						Thundan and lightning in genith
			"	"	8	Thunder and lightning in zenith. Raining.
			"	"	,,	
			,,	,,	"	
			"	"	"	Flash of lightning in zenith.
		i	,,	"	"	
			"	"	"	
			,, ,,	"	"	
			"	"	,,	Rain abated.
			,,	"	"	Flash of lightning and thunder in N of zenith.
1			"	"	,,	1
			,,	"	,,	Frightful crashing thunder and lightning in W of zenith.
		1	37	"	"	Electricity disappeared at the flash of lightning.
			"	"	,,	
			"	"	"	
1			,,	3 9	"	

	B2	LIRAUI	LDINARI	ELECTIV		OBSE	VATIONS, 1864.				
DATE.	Bombay Mean Solar Time,	Sign of Electri-	Readin	ng of Blectron	neters.	Time of	Ronald	l's Spark M	easure.	Time of maxi-	
•	Limits of Time,	city by Gold L. El.	Volta (1).	Volta (2).	Henly.	ry after Dis- charge.	Observa- tion or Occurrence of Spark.	Length of Spark.	Corres- ponding frequency.	mum. Tension.	
			Scale.	Scale.	0	м. s.	н. ж.	In.	Sp. Sec.		
14th June.	From 4 ^h 21 ^m A.M. to 4 ^h 41 ^m A.M.		Out of Scale.	Out of Scale.	8	Inst.	4.46	0.10	1 in 1		
JUNE.	4" 41" A.M.	ŀ	"))))	0 5	,, ,,	.47 .48	.07	2 in 1		
			27 27	"	6 0	"	.49 .50	.08	'l in l		
	From 4 ^h 51 ^m A.M. to				4		-5 1	0.07	5 in 2		
	5 ^h 13 ^m A.M.		"	"	8	"	.52	.10	l in l	ļ	
			,,	,,	12	,,	.54	.15	3 in 1	4.54	
			,,	"	6 8	"	.55 .57	.07 .09	A Spark. 2 in 1		1
			,,	"	6	"	.58	.08	3 in 1		
			,,	,,	6	"2	.59 5.00	.08	1 in 1	ļ	
			"	"	5 3	"	.02	.0 7 .05	2 in 1		
	·		,,	,,	2	",	-04	.04	1 in 2	l	ł
			,,	"	2	,,	.06 .07	.04 .03	1 in 3		1
			"	"	2 2	"	.09	.03	1 in 3	ł	
			"	,,	2	,,	.11	.03	,,		ļ
			",	26	0	0.03	.13		A Spark.		
	From 5 ^h 15 ^m A.M. to 5 ^h 25 ^m A.M.		,,	,,	4 7	Inst.	.15 .16	0.07 .09	2 in 1		
	0 20 A.M.		,, ,,	"	5	"	.17	.09	1 in 1	1	
			"	,,	7	,,	.18	.09	2 in 1	5.18	
			"	"	6 3	,,	.19 .20	.08 .06	l in l A Spark.		
			,,	"	2	"	.21	.05	l in l	Ì	
		l	,,	"	2	,,	.22	.05	1 in 2	ļ	
		l	"	"	2 1	"	.23 .24	.05 .03	l in 2	1	
			"	50	Ö	0.2	.25	.02	A Spark.		
	From 9 ^h 52 ^m P.M. to		,,	,,	6	Inst.	9.52	0.10	l in l		
	10 ^h 25 ^m P.M		,,	"	3 3	,,	.53 .55	.05 .05	1 in 2		
			") ;;);	3 2	"	.56	.03 -03			
			,,	,,	2	,,	-58	.03	1 in 3		
			,,	70 Out of Scale.	0 3	0.5 Inst.	10.00 .02	.02 .05	A Spark.		
			"	"	3	,,	.04	.06	l in l		1
			"	,,	6	"	.06	.10	1 in 2	10.6	1
			,,,	"	3 2	"	.10 .20	.05 .04	2 in 3		
			"	,, ,,	2	"	.21	.04	1 in 2		Ì
		1	,,	"	2	,,	.22	.03	l in l		1
			"	"	2 2	"	.23 .24	.0 2 .01	1 in 3 A Spark.		
			"	80	0	0.2	.25		,,		
	From 10 ^h 40 ^m P.M. to		Out of Scale.	Out of Scale.	6	Inst.	.40	0.09	J in 1		
	10 ^h 59 ^m P.M.		,,	"	7 8	. "	.41 .42	.10 .10	2 in 1		
			,,	"	8	"	.43	.10	2 in 1		
)	"	l "	-	1 "	1		"		1

		EXTRAC	ORDINA	RY]	ELECTROMETER OBSERVATIONS, 1864.
Barometer	Tempe-	Wind	•	Extent of Cloudy Sky.	•
corrected to	rature			Joaq	REMARKS.
i	of	Direction.	Force in	Ş	
32° Fahr.	Air.		lbs.	ctent	
				<u> </u>	
in.	•		lbs.		
		Calm.	0.0	8	Instrument was unaffected for a few seconds after the flash of
))	"	"	lightning was seen.
		"	"	"	
		"	"	"	
		,,			
		"	"	"	Flash of lightning in N, thunder in SW of zenith.
		"	"	2>	
		NW b W	0.1	"	
		"	,,	"	
İ		"	,,	"	
,))))	"	"	
	1	"	"	"	
90.020	79.0	"	,,	,,	n.'
29.639	79.0	"	,,,	"	Rain ceased.
1	1	"	"	,,	·
		"	"	,,	
		NW	0.3	,,	Breaking in SSE.
		,,	0.5	,,	
1		,,	0.5	,,	1
1) ,,	"	"	
1		,,	0.2	"	
	1	"	,,	,,	
		,, ,,	,,	"	
	1	"	,,	"	
.645	81.5	" "	"	"	
		w	0.2	,,	Overcast; continuous lightning and thunder about the zenith;
· I		nw	"	"	drops of rain falling.
			"	"	
		"	0.4	"	,
		ENE	,,	"	
		"	"	"	·
.705	84.1	ř	"	"	
	,	së	"	,,	
	<u> </u>		0.5	"	
		"	"	"	
	•	"	"	"	
))))	"))))	
		sw b s	0.5		Overcast; lightning and thunder about the zenith, light rain.
		"	"	37	
		,,,	. "	.99	1

	E	XTRAO	RDINARY	ELECTR	OMETER	OBSE	RVATIONS	3, 1864.			
	Bombay Mean Solar Time,		Readin	g of Electron	neters.		Ronald	l's Spark Me	essure.		
DATE.	or Limits of Time, 1864.	Sign of Electri- city by Gold L. El.	Volta (1).	Volta (2).	Henly.	Time of Recove- ry after Dis- charge.	Time of Observa- tion or Occurrence of Spark.	Length of Spark.	Corresponding frequency.	Time of maxi- mum Tension.	
14тн	From 10 ^b 40 ^m P.M. to		Scale. Out of Scale.	Scale. Out of Scale.	. 8	m. s. Inst.	н. ж. 0.44	In. 0.10	Sp. Sec.	н. м.	
June.	10 ^h 59 ^m P.M.		" "	" "	10 8 8 8	" "	.45 .47 .48 .49	.12 .10 .10	2 in 1 2 in 3 1 in 1	10.45	
			,, ,,	,, ,, ,,	7 6 8))))))	.50 .51 .52	.10 .09	" " " 1 in 2		
			,, ,,	" "	6 6 5);););	.53 .54 .55	.08 .09 .07	2 in 3		
	-		?? ?? ??	,, ,, 40	3 3 2 0	" " 0.6	.56 .57 .58 .59	.05 .05 .02	A Spark.		
20th June.	From 9 ^b 4 ^m A.m. to 9 ^h 32 ^m A.m.		Out of Scale.	Out of Scale.	3 3	Inst.	9.04	0.05	1 in 1 1 in 3		
			" " "))))))	4 4 3 3 2),),),	.06 .07 .08 .09	.06 .05 .04 .04	1 in 1 1 in 2 2 in 3		
););););	, ,, ,,	3 2 3),),),	.11 .12 .13	.05 .03 .06	1 in 1 " 2 in 1		
			" ");););	6 5 4	>> >> >> >>	.14 .15 .16 .17	.07 .08 .07 .06	1 in 1 1 in 2 3 in 2	9.15	
			,, ,,	99 99 99	4 3 3 3	>, >, >,	.18 .22 .23 .25	.07 .06 .06 .05	2 in 3 1 in 1 1 in 1 1 in 2		
			37 27 37	99 99 99	2 2 2 2 2 2 1	" "	.26 .27 .28 .29	.05 .05 .06 .05	1 in 3		
			" " "	" " 40	1 0	0.6	.30 .31 .32	.04	l in 3 A Spark	•	
21st June.	From 7 ^h 17 ^m A.M. to 7 ^h 25 ^m A.M.		Out of Scale.	Out of Scale.	5	Inst.	7.17	0.06	i in 2		
			" " "	" " "	6 3 3 2 to 4 2	>> >> >> >>	.19 .20 .21 .22 .23	.08 .05 .05 .05	1 in 1 1 in 2 " 2 in 5	7.19	
l			"	70 50	0 0	0.2	.25	.02	A Spark.		

			EXTRA	ORDIN	ARY	ELECTROMETER OBSERVATIONS, 1864.
		Tempe-	Wind.		Sky.	
	Barometer corrected to 32° Fahr.	rature of Air.	Direction.	Force in lbs.	Extent of Cloudy Sky.	Remarks.
	in.	0		lbs.		
			sw bs	0.5	8	
			,,	"	"	
			"	"	"	
			sw	0.2) ;	
			"	,,	"	
			sw bw	,, ,,	,, ,,	
			,,	,,	"	
			"	"	"	
			" S	,,	"	
1	29.702	81.3	S ,,	0.4	"	
					•	O A MARINE WAS A STATE OF THE S
			w b N	0.3	8	Overcast with 🗪 moving NE; raining lightly.
			>> >>	"	"	• *
	29.742	78.2	wnw	"	"	· '
	200174	10.2	"	,, ,,	"	
			nw	"	"	
			,,.	"	"	
			"	"	,,	
			"	0.4	"	, .
			,,	,,	"	
			nw'b w	"	"	
			"	"	"	
			,, ,,	"	"	
	•		nw	"	"	·
			,,	,, ,,	"	
			nw"b n	"	,,	_
			,,	,, ,,	"	•
			"	"	,,	Rain abated.
			sw	0.3	8	Uniformly overcast; raining lightly.
			,,	"	"	
			"	,,	,	
			"	" "	"	
			" "	,,	"	
			"	"	"	
	29.760	78.0	"	"	"	
65	5*1864.	im,				

	E	XTRAO	RDINARY	ELECTR	OMETER	OBSE	RVATIONS	8, 1864.			
	Bombay Mean Solar Time,		Readin	g of Electron	neters.		Ronald	l's Spark M	easure.		
DATE.	or Limits of Time, 1864.	Sign of Electri- city by Gold L. El.	Volta (1).	Volta (2).	Henly.	Time of Recove- ry after Dis- charge.	Time of Observa- tion or Occurrence of Spark.	Length of Spark.	Corres- ponding frequency.	Time of maxi- mum Tension.	
			Scale.	Scale.	0	м. 8.	н. ж.	Iu.	Sp. Sec.	н. м.	
9тн Nov.	From 10 ^h 30 ^m P.M. to 10 ^h 51 ^m P.M.		Out of Scale. 22 22 22 22	25 40 50 16 28	0 0 0 0	0.2 ,, 0.3 0.2	10.30 .31 .33 .35				
			;; ;; ;; ;;	40 60 Out of Scale.	0 0 3 2 4 2	0.1 Inst.	.39 .42 .44 .46 .48	0.01 .05 .05 .06	A Spark. 1 in 3 1 in 4 1 in 2 A Spark.	10.48	
	From 10 ^h 57 ^m P.M. to 11 ^h 3 ^m P.M.		>> >> >> >> >>	Out of Scale.	0 3 4 4 3 3	0.3 Inst.	.51 .57 .58 .59 11.00	.05 .06 .07 .05	1 in 1 2 iu 1 1 in 1 1 in 2	10.59	
	From 11 ^h 5 ^m P.M. to 11 ^h 38 ^m P.M.		out of Scale.	yy yy Out of Scale.	2 0 4 1	,, ,, Inst.	.02 .03	.04	A Spark. l in l A Spark.		
			" " " " " " " " " " " " " " " " " " "	;; ;; ;; ;;	4 4 0 6 8 3	Inst.	.08 .09 .10 .18 .20	.07 .06 .10 .12 .05	1 in 1 " 2 in 1 3 in 1 1 in 1		
))))))))))	" " " " " " " " " "	6 to 10 8 8 6 6 6	" " " " " " " " "	.26 .27 .30 .31 .33 .34	.14 .12 .10 .08 .08 .08	4 in 1 3 in 1 2 in 1 2 in 1 7 1 in 1	11.26	,
9тн то 10тн Nov.	From 9d. 11 ^b 40 ^m P.M. to 10d. 0 ^h 13 ^m A.M.		Out of Scale.	0ut of Scale.	0 12 13 10 6	Inst.	.38 11.40 .41 .42 .44	.15 .17 .12	2 in 1 Many. 1 in 1		
	·		;; ;; ;; ;; ;; ;; ;;))))))))))))))))))))))))))	8 12 14 12 10 10 8 10	22 22 23 23 23 23 23 23 23 23 23 23 23 2	.45 .47 .48 .49 .51 .56 .57 .59 0.01	.12 .17 .18 .15 .12 .12 .10 .12 .11	3 in 1 2 in 1 Many. 2 in 1 2 in 1 1 in 1 2 in 1 2 in 1 2 in 1 2 in 1 1 in 1 2 in 1	11.48	
			;; ;; ;; ;;	" " " "	6 6 4 3 3	" " " " " " " " " " " " "	.05 .07 .09 .11	.09 .09 .07 .05 .05	1 in 1 3 in 2 1 in 2 2 in 5		

			EXTRA	ORDIN	ARY	ELECTROMETER OBSERVATIONS, 1864.
`	Barometer corrected to 32° Fahr.	Temperature of Air.	Wind	Force in lba.	Extent of Cloudy Sky.	Remarks.
	ia. 29.985	° 80.9	NE "" NE b E "" NE "" NE "" Calm. NE "" Calm. NE "" "" "" "" "" "" "" "" "" "" "" "" ""	1bs. 0.5 "" 1.0 1.0 1.5 1.5 1.5 1.5 1.2 1.0 1.0 0.5 0.5 0.3 "" 0.1 0.0 0.0 1.0 2.0 2.5 2.5 2.0 1.5 1.0	5	Since 4 P. M. A. and A. were gathering in NE, N, and NW, and at sunset the northern half of the sky was covered with one dark A.; vivid flashes of lightning began to proceed from NE, N, and NW successively. Gloomy appearance in NW. At present the sky is nearly covered with A. and A.; A. slowly moving to S, and fragments of dark clouds moving N; distant thunder in NW heard occasionally. Continuous lightning and thunder in NW. Lightning and thunder in N. Drops of rain began to fall. Lightning all round the E hor.; thunder in E of zenith. Cracking thunder with lightning in E of zenith. Cracking thunder with lightning in E. Overcast; a break in S and SW extending from hor. to zenith. Strong wind recommenced from E.
	29,981	79.5	N W S E NE ENE E "" Calm. ""	2.0 2.0 1.5 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	" " " " " " " " " " " " " " " " " " "	Rolling thunder about the zenith. Shower of rain accompanied with strong wind. Rain and wind abated. Drops of rain began to fall. Rain ceased.

		•	
·			
•			
		·	-
•			
		•	
•			
	·		
	•		
		•	

BOMBAY GOVERNMENT OBSERVATORY.

ABSTRACT OF THE RESULTS

OF

OBSERVATIONS OF MAGNETIC DECLINATION

AND OF THE

METEOROLOGICAL OBSERVATIONS.

1864.

. • • .

BOMBAY MAGNETICAL OBSERVATIONS.

DECLINATION TABLES.

Table I.—Mean Values of Absolute Easterly Declination for each day of Göttingen Mean Time, in Minutes of Arc.*

						MONT	HS, 1864	l.				
Date, 1864.	January.	February.	March,	April.	May.	June.	July.	August.	September.	October.	November.	December.
						•						
1	35/633	34/899	35:707	35'745	35′544	35/515	35'876	36/880	36′766		37/937	37:74
2		34.762	35-164		35.770	35.930		36.885	36.814	37/371	38.531	38.05
3	35.032	35.050	34.941	35.555	35.861	35.689	36.356	36.768		37.798	38.380	
4	35.441	34.844	35.518	35.273	35.976		36.290	36.541	36-646	37.528	38.025	38.03
1 2 3 4 5 6 7	35.007	35.324		35.193	35.921	35.244	36.199	35.931	36.994	37.580		37.93
6	34.779		35-596	35.590	35.598	35.872	35.944		36.899	37.566	37.998	37.62
7	34-836	34.927	35-367	35.400		37.076	35.970	36.283	37.177	37.082	37.865	37.80
8	34.870	34.976	35,005	35-318	35.327	36-642	36-107	36.529	36.914		37.717	38.30
9		35.313	35.069		35.621	36.627		36.930	37.131	37.131	37.564	38.30
10	35-046	35.656	36.159	34.763	35.158	36.396	36-287	36.743		37.661	38.071	
10 11	35-405	35.018	35.656	34.698	35-667		36.622	36.608	36.976	37.924	38.543	38.17
12	35-302	35.176		35.118	35.807	36.204	36.662	36.711	37.334	37.885		38.36
13	35.382	i	35.547	35.071	35.730	36.200	36-292		37.014		38.271	38.38
14	35.459	35.119	35-550	35.010		35.949	36-533		36-879	38.615	38.437	38.45
15	35.830	34.862	35.405	35.261	35.276	35-733	36.013	36.834	36,676		38.031	38.53
16		34.878	35.553		35.561	36.133			36.619	38.471	38.177	38.24
17	35.978	34.903	35.450	35.370	35.610	36.113	36.173	36-892	37.325	38-166	38-394	1
18	35.313	35.128	35.448	35.524	35.110		36.536	36.731		38.180	38.403	38.32
19	35-416	34.756		35.541	35.064	36.019	37.768	36.997	37.245	38.700		38.11
20	34-590		35.464	35.024	35.973	36.342	37.259		37.540	38-466	37.992	38.05
21 22 23	35.178	34.910	35.252	35.441		36.019	37.018	36.711	37.555	38.469	38.223	38.36
22	35.304	35.003		34.878	36.093	35.861	37.516	36.831	37-554		38.380	38.14
23		35.234	35.181			36.919		36.691	37.419	38-519	38.210	38-48
24	35.161	35.339		35.607	35.878	36.588	36.736	36.397		38 328	38.100	
25	35.330	35.279	35-430	35.718	35.693	00000	36.824	37.153	37.331	38.543	38.337	
2 6	35-478	34.829		35.438	35.604	36.062	36.354	36.731	37.422	38.560	38.589	38.45
27	35-578	35.114	35.301	35.698	35.907	36.053	36.787	36.605	37.122	38.289		38.14
28	35.467	05.014	34.955	35.940	35.962	35.970	36.053	00 -0-	37.580	38.223	38.020	38.19
29	35.250	35.814	35.564	35.518	05.004	35.816	36.690	36-565	37.691		37.721	37.88
30	04-00	- 1	35.401		35.804	36.225	20 400	36.285	37.443	20 114	38.208	38.40
31	34.790		35.324		35.672		36.467	36.616		38.114		
Monthly Means.	35.264	35.085	35.400	35.348	35.657	36.003	36.513	36.673	37.172	38.045	38.162	38.18

^{*} The values given in this and the following Declination tables, being liable to error from changes in the torsion of the suspension thread of the Magnet, would more properly be called "reduced Scale-readings" of the Declination Magnetometer.

Table II.—Mean Values of Absolute Easterly Declination in each Month for each hour of the day, and Mean Diurnal Variation of Declination for the whole year, in Minutes of Arc.

								MO	NTHS,	1864.						
	nbay Time.	Göttingen Mean Time.	January.	February.	March.	. April.	May.	June.	July.	August.	September.	October.	November.	December.	Yearly Means.	Mean diurnal variation.
h.																
4	12	Noon.									37:917					+0.019
5	12	1													36.516	+ .058
6	12	2									37.314					049
7	12	3									37.152					124
8	12	. 4									37.136					128
9	12	5									37.212					032
10	11	6									37.182					+ .055
11	12	7									37.251					+ .140
12	12	8		35.397							37.217					+ .132
13	12	9									37.368		38.539		36.745	+ .287
14	12	10	-	35.189							37.334					+ .274
15	12	11									37.385					+ .22
16	12	12	34.943								37.454					+ .137
17	12	13									37.468					+ .134
18	12 12	14													37.065	+ .607
19 20	12	15 16									39.173				37.468	+1.010
21	12	17									37.834					+1.200
22	12	18		35.875							36.299					+0.819
23	12	19		35.318											35.478	036 980
23 0	12	20													35.006	- 1.452
1	12	21		4							,)	1	35.160	-1.454
2	12		35.064												35.636	82
3	12														36.175	28
Ü		20	30.133	00.000	00.200	01.110	01.700	04.050	00.121	00000	0	00:2:0	00.70	00.003	00.110	2

Table III.—Showing the Annual Mean Declination and the Annual Change of Declination, as deduced from the readings of the Large Declinometer, for the period from 1845 to 1864.

Year.	Annual Mean Declination.	Annual Change of Declination.	Year.	Annual Mean Declination.	Annual Change of Declination.
1845 1846 1847 1848 1849 1850 1851 1852 1853	0 13 8 0 13 0 0 14 2 0 14 23 0 14 40 0 15 50 0 16 46 0 16 45 0 18 8 0 18 5	- 0 3 + 1 2 + 0 21 + 0 17 + 1 10 + 0 56 - 0 1 + 1 23 - 0 3 + 1 15	1855 1856 1857 1858 1859 1860 1861 1862 1863 1864	0 19 20 0 18 55 0 19 17 0 19 48 0 21 25 0 23 57 0 27 6 0 30 31 0 33 57 0 36 27	- 0 25 + 0 22 + 0 31 + 1 37 + 2 32 + 3 9 + 3 25 + 3 26 + 2 30

BOMABY METEOROLOGICAL OBSERVATIONS.

STANDARD BAROMETER.

Table IV.—Mean Daily Height of Standard Barometer (No. 58), corrected for Temperature, for each day of Bombay Civil Time: also the Mean Monthly Height and its Variation from the Mean of the Year.

Cistern of Barometer 37 feet above the Sea-level.

						MONT	HS, 1864	•		<u> </u>		
Date, 1864.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	in.	in-	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1		29.979	29.851	29.903		29.691	29.692	29.707	29.725	29.887	29.871	29.964
2	29.892	30.025	.894	.903	29.841	.654	.694	.703	.735		.816	-928
2 3		.031	.911		.841	.602		.731	.732	.820	.838	.927
4	.910	.049	.897	.880	.884	-584	.693	.769	,	.810	.902	!
5	.949	.054	.900	.837	.852		.673	.763	.735	.824	.943	.924
6	.965	.026		.814	.826	-588	.662	.735	.714	.853	.520	.925
4 5 6 7 8 9	.988		.885	.810	.803	.608	.643	.,,,,,	.716	.874	.913	.931
ģ	.983	29.977	.863	.794		604	.607	.653	.744	.863	.880	.918
ă	30.005	.958	.878	.775	-828	.575	.581	.687	.755		.904	.909
10	00.000	.951	.940	1	.812	.578		.690	.756	.856	.939	.919
iĭ	29.941	.945	.930	.829	.822	-568	.684	.676		.863	•991	.515
12	.946	.970	.893	.819	.849	200	.672	.673	-822	.869	.988	.912
13	.940	·960	•000	-802	.877	.615	.648	.674	.797	.860	.500	.918
14	.931	-300	-883	.765	.875	.658	.609	.074	.773	.900	.949	.913
15	.945	.852	.87 9	.773	.070	.696	.602	.738	.799	.907	.912	.887
16	.911	.849	.890	.757	.815	.710	.611	.768	.805	.507	.914	.898
17	.511	-861	-897	.,,,,	.818	.701	.011	.,,	.807	.869	.917	.907
18	.92 3	.837	-874	.789	.837	.687	.609	.801	.821	. 861	·928	1.507
19	.905	.820	.875	.797	.838		.567	.808	.021	.822	.911	.909
20	.915	.804		.786	.828	.700	. 592	.804	.761	.767	•511	.903
21	.961	.001	-855	.784	.800	.743	.607	.004	.814	-808	.917	•906
22	.980	.919	-880	.765	•000	.765	.587	.806	-863	•879	.942	.915
23	.980	.907	-000	.726	.830	.772	.618	.794	.861	-0/3	.971	-930
24	900	.855	.869	.720	•000	.778	.010	.798	.858	.903	.934	.993
25	.959	.814	.003	.854	.778	.728	.722	.783	.000	.921	.931	.555
26 26	.955	.839	.890	.914	.742	.120	.769	.753	.875	.953	.920	
27	.947	.899	.030	.885		715	.747	.732	.859	.910	.919	.981
28	.939	.883	.882	.871	.743 .747	.715 •731	.747 .751	.732	.820	.884	.515	.972
29	.931	.003	.889	.846		.731	.763	./ 44	.820 -820	.910	.989	.973
30	.923		.894	.864	.756	.742	.766	.763	.870	.510	·947	.973
31	.520		.884	•004	.739	.123	./00	.743	.070		*371/	.971
Monthly Means.	29.945	29.923	29-887	29.821	29.815	29.674	29.660	29.742	29.794	29.867	29-920	29.931
Annual Variation.	+0.114	+0.092	+0.056	- 0.010	- 0.016	- 0.157	- 0.171	- 0.089	- 0.037	+0-036	+0.089	+0.100

Mean of Winter months (Jan. to March and Oct. to Dec.)	in. 29·912
Mean of Summer months (April to Sept.)	
Mean for the Year	29.831
The Greatest Monthly Mean (that of January)	29.945
The Least Monthly Mean (that of July)	29.660
Difference	0.285

Table V.—The Mean Diurnal Variation of the Height of Barometer for each Month and for the whole Year, or the Excess of the Mean Hourly Height above the respective Monthly and Annual Means.

		MONTHS, 1864.												
Bombay Civil Time	January.	February.	March.	April	May.	June.	July.	Angust.	September.	October.	November.	December.	Year.	
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 11 "	in003012025034020001 + .026 + .051 + .069 + .071 + .020013035047047039027008 + .011 + .020 + .018 + .010	in. +.006 010 024 033 022 004 +.023 +.046 +.066 +.069 +.053 +.026 005 033 050 051 044 014 +.004 +.020 +.022 +.015	in. +.009 007 017 026 025 015 +.003 +.060 +.047 +.019 012 036 052 053 045 016 +.003 +.003 +.001	in. +-004 005 017 027 023 004 +.014 +.055 +.059 +.055 +.044 +.023 006 023 046 053 052 038 006 +.005 +.005 +.005	in. +.004 011 018 022 017 005 +.014 +.047 +.057 +.056 +.045 +.001 020 041 053 047 038 026 012 +.004 +.004 +.004 +.009	in. +.008 006 018 025 024 019 .000 +.016 +.028 +.042 +.043 +.035 +.024 +.008 012 031 040 038 027 012 001 +.014 +.020 +.016	in. + .006 009 020 030 023 006 + .009 + .023 + .029 + .011 003 015 022 024 016 006 + .005 + .014	in. +-004 009 022 030 031 022 007 +-012 +-028 +-035 +-039 +-034 +-021 +-002 014 025 003 005 +-007 +-019 +-016	in. +.005 013 026 033 032 020 004 +.017 +.052 +.052 +.042 +.021 006 026 040 045 038 023 008 +.003 +.0027 +.029 +.021	in. +.006 019 023 027 020 009 +.016 +.037 +.055 +.062 +.058 +.037 +.008 013 036 049 051 029 009 +.011 +.019 +.017 +.010	in001015027031026010 + .013 + .036 + .056 + .063 + .061 + .038 + .009027048057051036022003 + .015 + .025 + .023 + .015	in. +.006 005 015 024 024 016 001 +.025 +.049 +.068 +.065 +.042 +.012 021 041 050 041 029 008 +.006 +.020 +.020 +.021 +.013	in. +.004 010 021 028 026 020 +.003 +.025 +.044 +.056 +.055 +.042 +.020 006 027 045 039 027 015 +.005 +.014	

In the Mean Diurnal Variation for the year -

A Minimum occursat	З д.м.
A Maximumt	9 а.м.
A Minimumat	4 P.M.
I A Marimum at	10 p. ve

Table VI.—Mean Daily Temperature of the Air for each day of Bombay Civil Time; also the Mean Monthly Temperature and its variation from the Mean of the Year.

Date,						MONTI	IS, 1864.					
1864.	January.	February.	March.	April.	May.	June.	July.	August.	Sept.	October.	Nov.	Dec
1		71:1	75.4	79:4		87:4	84.5	81:1	79:4	83*1	79:3	78:1
2	72.5	71.1	77.3	80.2	82.7	87.6	82-5	81.9	77.0		79.6	78.6
3		72.5	75. 9		82.7	87.0		82.2	79.8	83.4	81.3	79.0
4	72.2	76.1	77.0	80.5	83.4	86.4	84.3	81.6		83.1	81.6	1
5	71.1	77.1	80.3	80.0	82.8	ļ	85.0	80.8	81.8	83.1	80.7	79.3
6	71.4	76.3		81.0	82.5	86.8	84.8	81.6	81.0	82.5		79.5
7	72.7]	80.4	80.1	82.5	85.7	84.3	1	79.3	82.0	82.2	79.8
8	73.8	76.2	79.0	79.4		85-6	83-2	81.0	81.4	82.2	82.5	80.7
9	73.3	76.8	77.8	79.5	82.9	87.3	78.8	81.2	82-4	1	82.8	80.6
10		75.5	77.3		82.8	86.5		80.7	81.9	82.6	82.3	79.6
11	73.2	76.4	76.2	79.7	83.5	86.3	81.0	80.5		82.3	82.4	
12	72.7	75.7	75 -5	80.8	83.4		82.6	80.3	80 .4	82.2	82.6	79.7
13	73.6	75.8		80.9	83.3	86.2	80-4	77.4	80.1	81.1		78.5
14	71.8	1 I	76.8	80.4	83.2	85.7	81.3	1 (79.3	80.1	80.1	77.6
15	69.4	74.8	77.5	80.2		85.5	83.5	79.2	80.8	80.5	79.3	76.9
16	68.9	75.4	78.4	81.3	83.9	86.6	83.3	77.9	80.7		79.9	76.9
17		75.3	79.1		84.6	86.0		1	80.3	82.5	80.3	77.0
18	69.3	73.1	79.0	80.0	84.7	87.2	80.9	80.2	81.6	83-6	80. 2	Į.
19.	70.0	74.8	78.0	80.3	84.5		81.2	81.1		82.9	80.0	76.3
20	70.9	77.0		81.0	84.4	81.1	80.6	81.2	81.3	82.4		76.8
21	71.5	1	79.2	81.8	84.1	79.0	81.0	1 1	80.2	82.0	81.5	77.7
22	71.0	77.5	78.1	81.6		82.0	79.7	81.7	80.9	82.1	80.8	76.9
23	69.5	75.7		82.5	84.3	79.5	81.0	81.2	81.5	1 1	81.7	77.0
24		74.1	78.1			79.0		81.7	81.5	81.3	81.8	78.7
25	6 9. 2	73.1		84.7	85.0	79.5	81.2	81.8		80.0	80.4	
2 6	69.2	74.4	79.0	84.9	84.9		81.5	77.6	83.8	78-9	78.3	l
27	70.6	75.3	1	84.2	85.8	81.6	81.4	77.5	84.0	79-8	78.3	78.5
28	71.5	73.8	78.3	83.3	86.2	81.7	81.8	79.7	83.3	82.6		79.0
29	71.6	l 1	79.0	83.2	87.0	83.4	81.6	1 1	84.8	82.0	78.3	77.9
30	72.0		79.0	83.7		83.8	82.1	76.8	84.4		78.5	77.0
31			7 9.3		87.6			79.8				77.6
Ionthly Mean.	71.3	75.0	78.0	81.3	84.1	84.4	82.1	80.3	81.3	81.9	80-6	78.3
Annual ariation	- 8.6	- 4.9	- 1.9	+1.4	+4.2	+4.5	+2.2	+0.4	+1.4	+2.0	+0.7	- 1.6

Mean	of months from	January to	April, November and L	ecember	77:4
Do.	do. from	May to Od	ctober	••••••	82.4
	Mean for the	e Year		•••••	79.9
	The Greates	t Monthly	Mean (that of June)	••••••	84.4
	The Least	do٠	(that of January)	••••••	71.3
			Differe	ence	13.1

Table VII.—The Mean Diurnal Variation of Temperature of the Air for each Month and for the whole Year, or the Excess of the Mean Hourly Temperature above the respective Monthly and Annual Means.

		MONTHS, 1864.											
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	- 3.5 - 4.0 - 4.5 - 4.9 - 5.3 - 5.5 - 6.0 - 6.1 - 3.3 - 1.0 + 1.3 + 3.7 + 5.7 + 7.3 + 8.1 + 8.2 + 7.5 + 4.6 + 2.2 + 0.9 + 0.1 - 0.8 - 1.9 - 2.8	- 3*2 - 3.5 - 3.9 - 4.3 - 4.8 - 5.2 - 5.5 - 5.0 - 2.8 - 1.2 + 7.3 + 7.7 + 6.8 + 4.7 + 1.7 + 0.2 - 0.6 - 1.4 - 2.2 - 2.8	- 3°2 - 3.7 - 4.2 - 4.7 - 5.2 - 5.5 - 5.8 - 4.4 - 1.7 + 0.6 + 2.4 + 4.3 + 5.6 + 6.7 + 6.7 + 5.8 + 4.4 + 1.6 + 0.1 - 0.6 - 1.2 - 1.8 - 2.3	- 2°9 - 3.3 - 3.7 - 4.2 - 4.4 - 5.0 - 5.0 - 2.5 + 0.1 + 1.9 + 3.3 + 4.4 + 4.9 + 5.5 + 6.4 + 4.6 + 3.2 + 0.5 - 0.8 - 1.4 - 1.8 - 2.1 - 2.4	- 30 - 3.4 - 3.7 - 3.9 - 4.2 - 4.6 - 4.1 - 1.4 + 0.5 + 1.7 + 2.9 + 4.8 + 5.3 + 5.6 + 5.3 + 4.7 + 3.1 + 0.6 - 2.1 - 2.4 - 2.7	- 18 - 2.1 - 2.3 - 2.6 - 2.9 - 3.1 - 2.8 - 1.8 - 0.7 + 0.6 + 1.8 + 2.5 + 3.2 + 3.9 + 4.3 + 4.1 + 3.2 + 2.2 + 0.7 - 0.7 - 1.0 - 1.3 - 1.6 - 1.9	- 2.6 - 2.4 - 2.3 - 2.2 - 2.1 - 2.2 - 2.9 - 1.8 + 0.7 + 1.5 + 2.3 + 3.0 + 3.2 + 2.5 + 2.0 - 0.9 - 1.0 - 1.2 - 1.5	- 1°5 - 1.6 - 1.9 - 1.9 - 1.9 - 1.8 - 1.9 - 1.2 - 0.3 + 0.6 + 1.3 + 2.6 + 2.9 + 3.3 + 2.7 + 2.2 + 1.1 - 0.4 - 0.9 - 1.1 - 1.4 - 1.4	- 2:1 - 2.8 - 3.0 - 3.1 - 3.2 - 3.3 - 2.1 - 0.6 + 1.6 + 2.7 + 3.3 + 3.8 + 4.4 + 4.4 + 4.0 - 3.4 - 1.1 - 0.2 - 0.8 - 1.2 - 1.7 - 2.0	- 3.0 - 3.2 - 3.8 - 4.1 - 4.4 - 4.7 - 5.1 - 3.4 - 1.4 + 0.2 + 1.9 + 6.6 + 6.6 + 5.8 + 3.8 + 0.9 - 0.0 - 0.6 - 1.5 - 2.1 - 2.8	- 3°2 - 3.5 - 3.9 - 4.1 - 4.4 - 4.3 - 4.6 - 3.8 - 1.8 + 0.2 + 2.1 + 3.9 + 5.4 + 6.5 + 6.6 + 6.7 + 5.6 + 1.0 + 0.1 - 0.5 - 1.2 - 2°4 - 3.0	- 4°1 - 4.4 - 4.7 - 4.6 - 4.6 - 4.8 - 5.1 - 4.7 - 3.0 - 0.7 + 1.4 + 5.6 + 7.8 + 8.7 + 8.4 + 7.1 + 3.8 + 1.6 + 0.6 - 0.4 - 1.4 - 2.7 - 3.5	- 2:8 - 3.1 - 3.5 - 3.7 - 3.9 - 4.2 - 4.2 - 3.1 - 1.3 + 0.4 + 1.9 + 3.4 + 4.6 + 5.5 + 5.5 + 5.7 + 4.9 - 0.2 - 0.8 - 1.4 - 2.0 - 2.5

In the Mean Diurnal Variation for the year a Maximum occurs at 2 P.M. and a Minimum between 5 and 6 A.M.

TABLE VIII.—Showing, for each Month, the Mean Temperature of the Ground and its Annual Variation, at the respective depths of 1, 9, 20, and 60 inches below the Surface.

				Dep	oths.					
Month, 1864.	l Inch.		9 Inches.		20 1	nches.	60 I	nches.	•	
	Mean Tem- perature.	Excess over the Yearly Mean.	Mean Tem- perature.	Excess over the Yearly Mean.		Excess over the Yearly Mean.	Mean Temperature.	Excess over the Yearly Mean.		
January	71°5	- 8 ⁹ 2	73 98	- 6.9	79°0	- 4 ⁹ 2	8291	– 1°5		
February	74.8	- 4.9	75.8	- 4.9	79.3	- 3.9	81.2	- 2.4		
March	77.8	- 1.9	78.2	- 2.5	81.1	- 2-1	81.8	- 1.8		
April	80.7	+1.0	81.2	+0.5	83.2	0.0	82.9	- 0.7		
May	83.4	+3.7	83.7	+3.0	85.2	+2.0	84.2	+0.6		
June	84.1	+4.4	84.6	+3.9	86.2	+3.0	85.3	+1.7		
July	82.0	+2.3	83.1	+2.4	85.2	+2.0	85.5	+1.9		
August	80.3	+0.6	81.7	+1.0	83.9	+0.7	84.3	+0.7		
September	81.1	+1.4	81.9	+1.2	83.5	+0.3	83.9	+0.3		
October	81.7	+2.0	82.7	+2.0	84.7	+1.5	84.2	+0.6		
November	80.4	+0.7	81.7	+1.0	84.1	+0.9	84.3	+0.7		
December	78.3	- 1.4	79.9	- 0.8	82.8	- 0.4	83.8	+0.2		
		•			-				Depths,	
			•				1 Incl	9 Inche	20 Inches.	60,Inch
								_	-	
Mean of January to	-						i	7894	81%	82°7
.Do. of May to Oct							i	83.0	84.8	84.6
Do. of Year							1	80.7	83.2	83.6
Greatest Monthly N	Iean (that	of June).				•• •• • • • •	. 84.1	84.6	86.2	

71.5

12.6

73.8

10.8

79.0

7.2

81.2

4.3

Least Monthly Mean (that of January).....

(that of February)

Difference.....

Table IX.—Showing, for each hour of Bombay Civil Time, the Mean Temperature of the Ground, one and nine inches respectively below the surface, and its Mean Diurnal Variation for the Year.

				Depth.
Bombay Civil	17	Inch.	9 In	ches.
Time.	Mean Tempera- ture.	Excess over the mean of 24 hours.	Mean Tempera- ture.	Excess over the mean of 24 hours.
Midnight.	78.3	- 1.4	80.8	+0.1
l A.M.	78.0	- 1.7	80.7	+0.0
0	77.7	- 2.0	80.6	- 0.1
3	77.5	- 2.2	80.5	- 0.2
3 ,, 4 ,,	77.3	- 2.4	80.5	- 0.2
3 ", 4 ", 5 ", 6 ", 7 ", 8 ", 9 ", 10 ",	77.0	- 2.7	80.4	- 0.3
6 ,,	76.8	- 2.9	80.3	- 0.4
7 ,,	77.3	- 2.4	80.2	- 0.5
8 ,,	78.2	- 1.5	80.2	- 0.5
9 ,,	79.2	- 0.5	80.3	- 0.4
10 ,,	80.2	+0.5	80.4	- 0.3
11 ,,	81.1	+1.4	80.5	- 0.2
Noon.	81.9	+2.2	80.6	- 0.1
1 р.м.	82.5	+2.8	80.7	- 0.0
O	82.9	+3.2	80.8	+0.1
3 ,,	83.0	+3.3	80.9	+0.2
4 ,,	82.7	+3.0	81.0	+0.3
5 ,,	82.0	+2.3	81.1	+0.4
6 ,,	81.0	+1.3	81.1	+0.4
7 ,,	80.3	+0.6	81.1	+0.4
8 ,,	79.8	+0.1	81.0	+0.3
3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,,	79.4	- 0.3	81.0	+0.3
10				+0.2
11				
10 ,, 11 ,,	79.0 78.6	- 0.7 - 1.1	80.9 80.9	+0.2 +0.2

	α	epth.
	l Inch.	9 Inches.
Mean of hours from 10 p.m. to 9 a.m	77.9	
Ditto 10 a.m. to 9 p.m	81.4	
Ditto 1 A.M. to noon	•••	80
Ditto l P.M. to midnight		80.
Ditto 24 hours	79.7	80.
Maximum at 3 p.m	83.0	
Ditto 6 p.m		81.
Minimum at 6 A.M.	76.8	
Ditto 8 A.M		80.
Difference	6.2	0.

Table X.—Mean Temperature of Evaporation for each day of Bombay Civil Time: also the Mean Monthly Temperature of Evaporation and its Variation from the Mean of the Year.

						MONT	HS, 1864	•		+		
Date, 1864.	January.	February.	. March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.
1 2 3 4	65*9 64.8	65.8 64.1 65.9 66.2	64°5 70.4 68.4 66.4	73°1 72.8 72.9	75°8 75.4 75.7	79.6 79.6 79.1 79.0	79°0 78.5 79.1	77:4 77.9 78.1 77.6	77 : 0 75.7 77.2	78 : 0 78.2 77.6	71°7 71.3 73.4 75.7	71: 1 71.8 72.2
5 6 7 8	62.8 62.0 61.9 62.4	66.8 66.5 65.7	68.2 72.7 71.3	73.2 72.9 73.7 73.2	75.8 76.1 75.7	79.6 79.3 79.4	78.9 78.5 78.5 78.6	77.1 77.5	78.2 77.6 76.7 77.2	77.9 76.1 77.2 77.3	75.8 76.6 77.8	70.9 69.3 69.2 70.2
9 10 11 12 13	62.4 63.0 64.7 66.3	67.5 67.4 69.4 68.1 68.4	71.1 68.1 68.3 66.3	73.9 74.1 75.4 74.4	75.0 75.9 77.1 77.6 76.5	79.9 79.7 79.3 78.9	76.9 78.1 78.8 77.3	77.3 77.2 77.2 77.1 75.7	77.4 77.3 76.4 76.2	76.5 75.3 76.2 76.1	76.6 75.3 75.1 74.7	71.4 69.5 68.8 69.5
13 14 15 16 17	64·3 58.0 57-5	70.1 69.8 66.8	70.8 70.4 72.3 71.7	73.4 73.5 72.5	75.3 75.2 75.7	79.3 79.3 79.2 79.0	77.9 78.8 78.5	76.5 75.9	75.6 76.6 76.2 76.4	76.1 76.1 76.7	70.0 69.1 69.0 69.3	68.9 69.7 69.6 68.4
18 19 20 21	60.3 62.1 64.5 64.0	65.4 67.3 70.3	72.2 70.4 71.4	73.4 73.9 74.0 74.7	76.7 78.0 78.0 77.6	79.4 77.9 76.2	77.8 78.1 77.7 77.8	77.2 77.6 77.0	77.0 77.2 76.7	74.4 74.3 74.7 75.7	66.8 66.1 73.4	69.9 69.9 69.3
22 23 24 25	64.2 63.4 58.8	70.5 68.0 62.2 59.4	70.6	74.4 74.2 77.9	78.2 77.7	77.9 76.7 76.0 76.9	77.4	77.3 77.0 77.1 76.7	76.9 76.7 76.6	76.5 75.0 72.3	75.0 75.1 74.8 72.1	68.6 68.2 70.0
26 27 28 29 30	59.8 62.8 65.3 65.2 63.9	63.4 66.6 63.3	72.3 71.5 71.1 72.1	78.3 77.9 76.9 77.0 76.6	77.2 78.3 78.0 78.7	79.0 78.6 79.1 78.6	77.8 77.8 77.7 77.8 78.0	75.5 75.3 76.7	78.6 77.2 77.2 79.7 79.9	71.5 72.9 74.3 74.0	69.1 68.6 72.4 71.5	69.9 71.5 69.7 68.6
Monthly Meins.	62.8	66.6	73.7	74.5	79.0	78.7	78.1	77.0	77.1	75.6	72.5	69.8
Annual Variation.	-10.5	-67	-3.0	+ 1.2	+ 3.5	+ 5.4	+ 4.8	+ 3.6	+ 3.8	+ 2.3	- 0.8	- 3.5

Mean of months from January to April, November and December	69:4
Ditto from May to October	77.2
Mean of the Year	73.3
The Greatest Monthly Mean (that of June)	78.7
The Least Monthly Mean (that of January)	62.8
Difference	15.9

TABLE X [.—The Mean Diurnal Variation of the Temperature of Evaporation for each Month, and for the whole Year, or the Excess of the Mean Hourly Temperature of Evaporation above the respective Monthly and Annual Means.

		MONTHS, 1864.												
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 7 " 8 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 8 " 9 " 10 " 11 "	- 0°4 - 1.1 - 2.1 - 3.1 - 3.7 - 4.2 - 2.8 - 1.9 - 0.6 + 0.6 + 1.4 + 2.2 + 3.0 + 2.5 + 3.0 + 2.6 + 1.9 + 1.2 + 0.4 + 0.2	- 0.9 - 1.0 - 1.3 - 1.5 - 1.9 - 2.1 - 2.4 - 2.1 - 1.4 - 0.8 + 0.1 + 0.3 + 1.0 + 1.4 + 2.1 + 2.7 + 3.0 + 2.4 + 1.5 + 1.1 + 0.7 - 0.0 - 0.5 - 0.7	- 0°8 - 1.7 - 1.8 - 1.8 - 2.0 - 2.2 - 2.1 - 1.5 - 0.9 + 0.1 + 0.9 + 1.7 + 2.2 + 2.3 + 2.4 + 2.0 + 1.9 + 1.5 + 0.8 + 0.6 + 0.2 - 0.0 - 0.2	- 0°6 - 1·0 - 1.1 - 1.3 - 1.5 - 2·1 - 2.2 - 1.3 - 0.4 - 0.1 + 0.4 + 1.1 + 1.6 + 2.1 + 2.3 + 2.1 + 1·9 + 1.2 + 0.5 - 0.0 - 0.1 - 0.3 - 0.5 - 0.8	- 1°0 - 0.9 - 0.8 - 1.0 - 1.2 - 1.6 - 1.3 - 0.5 - 0.1 + 0.1 + 0.5 + 0.8 + 1.1 + 1.3 + 1.7 + 1.8 + 1.7 + 1.0 - 0.3 - 0.1 - 0.4 - 0.5 - 0.6	- 0°6 - 0.8 - 0.8 - 1.1 - 1.3 - 1.2 - 1.2 - 0.7 - 0.2 +0.4 +0.9 +1.0 +1.3 +1.5 +1.5 +1.4 +1.0 +0.9 +0.5 - 0.1 - 0.3 - 0.4 - 0.5 - 0.6	- 0°5 - 0.4 - 0.6 - 0.5 - 0.7 - 0.6 - 0.5 0.0 + 0.3 + 0.5 + 1.0 + 1.3 + 1.3 + 1.2 + 0.9 + 0.7 + 0.1 - 0.3 - 0.5 - 0.5 - 0.6	- 0°7 - 0.6 - 0.5 - 0.6 - 0.5 - 0.6 - 0.3 + 0.1 + 0.3 + 0.6 + 1.3 + 1.4 + 1.6 + 1.4 + 0.9 + 0.1 - 0.7 - 0.8 - 0.7 - 0.9 - 0.8 - 0.8	- 0°7 - 1.6 - 1.6 - 1.7 - 1.4 - 1.2 - 1.0 - 0.6 - 0.2 + 0.3 + 0.9 + 1.3 + 1.4 + 1.6 + 1.4 + 1.1 + 1.4 + 0.6 + 0.3 - 0.1 - 0.3 - 0.6 - 0.7	- 1.1 - 0.6 - 0.9 - 1.2 - 1.3 - 1.7 - 2.3 - 1.4 - 0.7 - 0.4 + 0.2 + 0.5 + 1.2 + 1.8 + 2.3 + 2.5 + 2.2 + 1.2 + 0.7 + 0.7 + 0.6 - 0.3 - 1.0 - 1.3	- 0°9 - 1.0 - 1.4 - 1.6 - 1.8 - 1.7 - 1.7 - 1.2 - 0.9 - 0.3 - 0.1 + 0.1 + 0.5 + 0.7 + 1.4 + 2.1 + 2.1 + 1.8 + 1.8 + 1.4 + 1.2 + 0.7 - 0.3 - 0.7	- 1°0 - 1.5 - 2.2 - 2.3 - 2.4 - 2.6 - 2.7 - 2.8 - 2.6 - 1.5 - 0.6 + 0.1 + 0.6 + 1.0 + 1.7 + 2.6 + 3.6 + 3.4 + 3.1 + 2.9 + 1.6 + 0.2 - 0.8	- 0°7 - 1.0 - 1.2 - 1.5 - 1.5 - 1.7 - 1.8 - 1.4 - 0.8 - 0.4 + 0.3 + 0.8 + 1.2 + 1.6 + 1.9 + 2.1 + 2.0 + 1.6 + 1.1 - 0.5 + 0.1 - 0.3 - 0.6	

In the Mean Diurnal Variation for the year-

A Maximum occurs at 3 P.M. and

A Minimum occurs at 6 A.M.

Mean of the hou	rs from 10 p.m. to 9 a.m	72.2
Ditto	from 10 A.M. to 9 P.M	74.5
Ditto 24 hou	irs	73.3

Table XII.—Mean Temperature of Dew-point (Calculated) for each day of Bombay Civil Time; also the Mean Monthly Temperature of Dew-point and its Variation from the Mean of the Year.

		MONTHS, 1864.										
Date, 1864.	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	62*3 60.5 57.6 55.9 54.8 55.0 55.3 56.9 60.0 62.2 59.8 49.4 48.8 54.3 57.2 61.0 59.7 60.1 59.8 57.6 53.4 58.1 61.8	62*9 60.0 62.4 60.7 61.0 61.0 59.8 62.5 63.1 66.1 64.2 64.9 67.8 67.1 62.1 61.0 63.2 67.1 63.8 54.3 49.4 56.6 61.8 56.6	58°1 67.1 64.5 60.5 61.7 69.0 67.7 67.9 63.3 64.2 61.4 67.9 66.9 69.5 68.1 64.5 66.6 67.6 67.0 67.2	70°2 69-3 69-5 70-3 69-3 70-9 70-5 71-6 71-7 73-3 71-6 70-3 70-5 68-4 71-2 71-1 71-7 71-3 70-6	73°0 72.3 72.7 72.9 73.5 73.0 71.6 73.1 74.6 75.3 73.8 72.0 71.5 72.0 73.5 75.5 75.5 75.1 75.9	76*8 76.7 76.1 76.2 76.8 76.9 77.1 77.3 77.3 76.7 76.4 76.4 76.4 76.6 75.2 76.4 75.6 74.8 75.8	77:0 77.0 77.3 76.6 76.1 76.3 76.8 76.1 77.0 77.4 76.1 76.5 77.0 76.7 76.6 76.9 76.6 76.5 76.5 76.5 76.5	760 76.3 76.5 76.0 75.6 75.9 76.0 75.8 75.9 75.1 75.5 75.1 76.1 76.2 75.4 75.5 75.4 75.3 74.7 74.6 74.5	76°1 75.2 76.9 76.4 75.7 75.6 75.7 75.6 74.8 74.6 74.1 75.0 74.4 75.0 75.2 75.7 75.4 75.3 74.5 74.7	76.1 76.2 75.5 75.9 73.5 75.3 75.5 74.0 72.5 73.8 74.0 74.5 75.2 74.1 70.4 70.5 71.6 73.1 74.3 72.4 68.8 68.1 69.8	68°2 67.4 70.0 73.3 73.8 74.4 76.1 74.1 72.5 72.1 71.3 65.0 63.7 63.2 63.8 59.0 57.8 69.9 72.6 72.3 71.8 68.3 64.4 63.6	67:8 68.7 69.1 66.9 64.1 63.8 65.1 67.1 64.5 63.2 64.9 64.4 66.3 66.1 63.9 66.6 65.1 64.4 63.5 65.7
29 30 31	61.5 59.3	30.0	68.3 67.4 69.0 71.3	74.4 74.6 73.8	74.8 75.5 75.8	77.5 77.5 76.7	76.1 76.4 76.5	75.5 74.8 75.9	74.9 77.9 78.3	70.7 70.6	69.8 68.2	67.9 65.7 64.3 65.9
Monthly Means.	<i>5</i> 7 .6	62.1	66.6	71.7	73.9	76.6	76.6	75-6	75.6	73.2	69.0	65.7
Annual Variation.	- 12.7	- 8.2	- 3:7	+ 1.4	+ 3.6	+ 6.3	+ 6.3	+ 5.3	+ 5.3	+ 2.9	- 1.3	- 4.6

Mean of Mont	hs from January to April, November and December 65.4
Ditto	from May to October 75.3
20	
Me	an of the Year
The Gre	eatest Monthly Mean (that of June or July) 76.6
The Le	ast Monthly Mean (that of January) 57.6
,	produced
	Difference 19.0

Table XIII.—The Mean Diurnal Variation of the Temperature of the Dew-point for each Month and for the whole Year, or the Excess of the Mean Temperature of Dew-point above the respective Monthly and Annual Means.

						MON	NTHS, 1	864.					
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	+1°6 +0.6 -0.8 -2.2 -2.1 -2.9 -3.6 -3.5 -3.0 -2.9 -1.5 -1.7 -0.9 +0.1 +1.4 +2.4 +3.3 +4.0 +3.9 +3.1 +2.5 +1.8 +1.4	+0°4 +0.4 +0.1 - 0.5 - 0.6 - 0.7 - 0.6 - 0.7 - 0.9 - 1.5 - 1.6 - 1.8 - 1.1 +0.1 +1.3 +1.4 +1.7 +1.7 +1.4 +0.9 +0.5 +0.4	+0°5 - C.8 - 0.7 - 0.3 - 0.5 - 0.6 - 1.2 - 1.8 - 1.8 - 1.2 - 0.9 + 0.4 + 0.4 + 0.5 + 0.3 + 0.9 + 1.5 + 1.2 + 1.0 + 1.1 + 0.8	+0.4 0.0 0.0 - 0.2 - 0.3 - 1.0 - 1.1 - 0.9 - 0.2 +0.3 +1.0 +1.1 +1.0 +0.9 +0.4 +0.4 +0.4 +0.4 +0.1 -0.3	- 0°2 +0.1 +0.3 +0.1 -0.0 -0.5 -0.2 -0.3 -0.6 -0.5 -0.4 -0.3 -0.2 +0.2 +0.5 +0.6 +0.2 +0.5 +0.6 +0.2 +0.5 +0.6 +0.2 +0.5 +0.6 +0.2 +0.5 +0.6 +0.2 +0.5 +0.6	- 0°1 - 0.3 - 0.4 - 0.6 - 0.7 - 0.6 - 0.6 - 0.4 - 0.0 + 0.3 + 0.6 + 0.7 + 0.5 + 0.5 + 0.2 + 0.4 + 0.4 - 0.0 - 0.1 - 0.2	- 0°2 +0.2 - 0.1 - 0.3 - 0.3 - 0.2 - 0.2 +0.1 +0.2 +0.6 +0.8 +0.7 +0.6 +0.4 +0.3 - 0.1 - 0.4 - 0.3 - 0.2 - 0.2 - 0.2	- 0°4 - 0°2 - 0.0 - 0.2 - 0.0 - 0.1 - 0.0 + 0.2 + 0.2 + 0.3 + 0.9 + 0.8 + 1.0 + 0.9 + 0.4 - 0.9 - 0.6 - 0.6 - 0.6	- 0°2 - 1.3 - 1.1 - 1.2 - 0.8 - 0.5 - 0.2 - 0.0 - 0.1 - 0.2 + 0.7 + 0.8 + 0.6 + 0.6 + 0.6 + 0.6 + 0.2 - 0.1 + 0.6 + 0.5 - 0.2 - 0.1 - 0.2 - 0.2 - 0.2	- 0°3 +0.5 +0.1 0.0 - 0.1 - 0.6 - 1.2 - 0.6 - 0.5 - 0.7 - 0.4 +0.1 +0.6 +0.9 +0.8 +0.2 +0.6 +0.9 +1.1 +0.6 - 0.8	+0°2 +0.1 - 0.4 - 0.6 - 0.6 - 0.5 - 0.1 - 0.5 - 0.1 - 1.8 - 1.9 - 2.1 - 1.0 +0.1 +0.7 +1.6 +2.4 +2.2 +2.1 +1.7 +0.8 +0.4	+0°4 - 0·3 - 1.1 - 1.4 - 1.6 - 1.8 - 1.8 - 2.2 - 2.8 - 2.2 - 1.9 - 1.7 - 2.2 - 2.8 - 1.9 - 0.1 + 2.2 + 3.6 + 4.2 + 4.2 + 4.2 + 1.7 + 0.5	+0°2 0.0 -0.3 -0.5 -0.6 -0.8 -0.9 -0.8 -0.8 -0.5 -0.4 -0.4 -0.2 +0.1 +0.6 +0.9 +1.0 +1.3 +1.2 +0.8 +0.4 +0.2

In the Mean Diurnal Variation for the Year-

A Maximum occurs at 6 P. M.

A Minimum occurs at 6 A.M.

Mean of the hours	from 2 A. M. to 1 P. M	. 69:7
Ditto	from 2 P. M. to 1 A. M	.70.9.
Mean for 24 hours		.70.3

Table XIV.—In which are collected the individual Observations in each Month of the Year 1864 which showed the Greatest and the Least values of the following elements, viz: Height of Burometer corrected for Temperature; Temperature of Air; Temperature of Evaporation; and Temperature of Dew-point.

	Heig	ht of Barom	eter.	Tem	perature of	Air.	Tempera	Temperature of Dew-point.				
Months, 1864.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Leasst	Range.	Greatest.	Least.	Range.
	m.	in.	in.	0	0	•	0			0	•	•
January	30.072	29.845	0.227	81.5	60.7	23.8	70.5	50.3	20.2	67.9	37.2	30.7
February	.142	.744	.398	88.8	64.7	24.1	75.0	50 .8	24.2	71.6	34.7	36.9
March	.009	.796	.213	89.9	67.0	22.9	77.6	57.0	20.6	75.1	44.1	31.0
April	29.979	·65 3	.326	91.7	73.2	18.5	80.5	69.0	11.5	77.6	64.9	12.7
May	.948	.691	.257	93.9	78.0	15.9	81.0	73.0	8.0	77.5	69.5	8.0
June	.818	.486	.332	94.0	75.5	18.5	82.0	73.0	9.0	80.1	71.1	9.0
July	-808	.535	.273	90.4	77.0	13.4	81.2	75.0	6.2	79.1	73.3	5.8
August	.854	.620	.234	87.5	75.0	12.5	81.0	74.0	7.0	79.6	71.7	7.9
September	.934	.659	.275	90.2	75. 8	14.4	82.2	73.0	9.2	81.3	71.0	10.3
October	30.03€	.708	.328	93.1	73.0	20.1	82.0	66.0	16.0	79.5	61.0	8.5
November	.067	.754	.313	92.0	70.4	21.6	79.0	61.0	18.0	77.8	48.2	9.6
December	.069	.824	.245	90.9	69.8	21.1	76.4	62.5	13.9	73.9	54.7	19.2
Year	30.142	29.486	0.656	94.0	60.7	33.3	82.2	50.3	31.9	80.1	34.7	45.4

Table XV.—Mean Pressure of Vapour for each day of Bombay Civil Time, also the Mean Monthly Pressure of Vapour and its Variation from the Mean of the Year.

	MONTHS, 1864.												
Date, 1864.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1 .		0.577	0.492	0.733		0.905	0.912	0.882	0.884	0.885	0.687	0.677	
2 3	0.565	.524	.662	.712	0.800	.902	.911	-891	.859		.668	-697	
3		.567	.608	İ	.783	.885		.897	.887	.887	.727	.706	
	.532	.536	.5 33	.716	.791	.888	.919	.882	•	.809	.810		
4 5 6 7	.484	.542	∙554	.734	.798		•900	.872	.908	-879	.822	.657	
6	.457	.542		.710	.814	.909	.885	.878	.893	.815		.599	
7	•440		.705	.748	.800	.908	.891		.873	.863	.838	.594	
8	.443	.518	.675	.738		.914	•906	.881	.870	.867	-884	.620	
9	.447	.569	.680	.765	.767	.919	.885	.875	.873		.830	.662	
10		.581	.585	Ì	.803	.918		.877	.871	.828	.787	.607	
11	.472	.640	.601	.768	.844	.902	·911	.879		.787	•779	1	
12	.523	.601	.549	.808	.862	1	.923	.879	-848	.823	.758	.582	
13	.564	.609	}	.766	.822	-889	·885	-856	.844	.828	1	-616	
14	.520		.682	.734	.777	-911	-897		.830	.841	.617	.606	
15	.366	.677	.657	.740	ļ	-914	.911	.868	-854	.860	- 592	.644	
16	.359	.661	.715	.670·	.763	.893	903	.856	.839		.583	.641	
17		-561	-685		.777	.893			·853	.831	.591	.596	
18	-4 32	.542	.708	.736	.813	.898	.898	.886	.860	.737	.507		
19	•477	.583	. 652	.757	·86 7		•909	.888	1	.740	.487	.651	
20	·541	.661		.750	.869	.902	.899	.865	.873	.765	i	.652	
21	.518		.673	.768	-858	.859	.897		-864	∙804	.724	⋅620	
22 23	.525	.662	.659	.758		.892	.897	.869	-863	. 836	.789	-605	
23	.520	. 59 3		.741	.879	.872	-901	.865	.849		.783	∙589	
24		.432	.663			.850		.863	.846	.786	.771	-633	
25	.394	.366		.863	.852	.877	.888	.847		.699	.689	Ì	
26	.420	.467	.710	.875	.832		.895	.843	903	.684	.606		
27	.491	.556	600	-968	∙866	.942	894	.839	.844	.723	-590	.634	
28	.556	.468	.689	.838	·849	.926	-885	.868	.851	.745		.680	
29	.551		.667	.843	.868	.926	.894	040	.937	.742	.722	.633	
30 31	.511		.704 .758	·821	.876	•902	.898	.849 .879	•948		-687	.604 .636	
Monthly Means.	0.484	0.561	0.651	0-768	0.825	0.900	0.900	0.871	0.870	0.805	0.705	0.632	
Annual Variations.	- 0.264	- 0.187	- 0.097	+0.020	+0.077	+0.152	+0.152	+0.123	+0.122	+0.057	- 0.043	- 0.116	

Mean of the months Ditto	from January to April, November and December. from May to October	
Mean of	f the Year	. 0.748
	Monthly Mean (that of June or July) onthly Mean (that of January)	
	Difference	0.416

Table XVI.—The Mean Diurnal Variation of the Pressure of Vapour for each Month and for the whole Year; or the Excess of the Mean Hourly Pressure above the respective Monthly and Annual Means.

		MONTHS, 1864.												
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	in. +.026 +.009013035034046056055047046032025027015 +.001 +.022 +.039 +.068 +.067 +.052 +.041 +.030 +.022	in. +.008 +.007 +.002 008 011 013 010 012 016 014 026 028 033 019 +.002 +.025 +.032 +.033 +.019 +.028 +.031 +.028 +.031 +.032 +.033 +.033 +.033 +.033 +.033 +.034 +.036 +.	in. +.010 016 014 007 006 010 013 024 037 024 016 003 + .008 +.011 +.006 +.019 +.033 +.025 +.026 +.021 +.024 +.017	in. +-011 +-001 000 004 007 023 026 021 014 025 021 005 +-021 +-028 +-024 +-021 +-011 +-010 +-011 +-003 +-004 006	in006 +.003 +.007 +.002 .000014006008015014011007006 +.013 +.016 +.005 +.012 +.013 +.006 +.007 +.004	in005011012019022018019013001 + .008 + .017 + .016 + .020 + .018 + .014 + .014 + .011000002002005007	in007 + .004003009011007007 + .002 + .004 + .017 + .011 + .018005013012011007008008	in011007001005001002 .000 + .006 + .005 + .009 + .024 + .023 + .021 + .028 + .025012012024022018024016017	in004034029032020013006003 + .005 + .020 + .023 + .017 + .017 + .017 + .018 + .011 + .018 + .014006004006	in007 + .014 + .005002015030015013017013017009 + .005 + .018 + .024 + .023 + .007 + .016020	in. +.004 +.002 010 014 015 013 003 012 014 026 040 043 047 023 +.001 +.014 +.036 +.056 +.050 +.049 +.038 +.016 +.008	in. +.009005023029032036037044056044039035044055038001 +.048 +.079 +.092 +.093 +.092 +.069 +.037 +.010	in. +.002 004 008 013 013 018 017 017 016 011 008 006 006 004 +.012 +.018 +.021 +.025 +.024 +.023 +.014 +.006 000	

Mean of the hours from	2 A.	M.	to	ı	P.	м	0.735
Ditto	2 p.	M.	to	1	A.	м	0.760
Mean of 24 hours	s		• •			••••••	0.748

In the Mean Diurnal Variation for the Year-

A Maximum occurs at 6 P. M. and

A Minimum occurs at 6 A. M.

TARLE XVII.—Mean Relative Humidity of the Air for each day of Bombay Civil Time: also the Monthly Mean Relative Humidity and its Variation from the Mean of the Year.

	MONTHS, 1864.												
Date, 1864.	January.	February.	March.	April.	May.	June.	July.	Angust.	September.	October.	November.	December.	
1 2 3 4 5 6 7 8 9	0.72 .69 .65 .61 .56 .55	0.78 .71 .72 · .63 .61 .61 .59 .64	0.57 .73 .70 .58 .57 .71 .70 .73	0.75 .71 .71 .74 .69 .75 .76	0.74 .72 .72 .74 .76 .75	0.72 .72 .71 .73 .74 .76 .77 .74	0.79 .85 .81 .77 .76 .78 .82	0.85 .84 .84 .85 .83 .85	0.90 .98 .93 .86 .87 .90 .83 .81	0.80 .80 .79 .80 .76 .82 .81	.71 .68 .71 .77 .81 .78 .82 .76	0.72 ·73 .74 .68 .62 .61 .61 .66 .62	
11 12 13 14 15 16 17	.58 .67 .70 .68 .52 .51	.72 .70 .70 .80 .77 .66	.68 .64 .75 .72 .76 .71	.78 .79 .75 .73 .74 .67	.76 .78 .75 .71 .68 .68	.75 .75 .76 .77 .73 .74 .72	.89 .85 .88 .86 .82 .82	.87 .87 .93 .89 .92	.84 .84 .85 .83 .82 .84	.74 .77 .80 .84 .85	.73 .70 .63 .62 .60 .59	.60 .66 .66 .72 .72	
19 20 21 22 23 24 25 26	.66 .73 .69 .70 .73	.69 .73 .72 .69 .53 .44	.70 .70 .71 .72	76 .73 .73 .72 .69	.75 .76 .76 .77	.87 .89 .84 .89 .88	.87 .88 .87 .90 .87	.86 .83 .83 .84 .82 .80	.84 .86 .84 .81 .81	.69 .71 .76 .78	.50 .69 .77 .75 .73 .69	.75 .72 .67 .67 .64 .67	
27 28 29 30 31	.67 .73 .73 .66	.65 .58	.73 .70 .73 .78	.76 .76 .77 .74	.73 .70 .71 .69	.89 .88 .83 .80	.86 .84 .85 .84	.91 .88 .94 .89	.75 .77 .80 .83	.73 .69 .70	.63 .77 .72	.67 .70 .68 .67 .69	
Monthly Means. Annual Variation.	0.64	0.66	- 0.04	0.74	0.73	0.79 +0.05	+0.11	0.86 +0.12	+0.10	+0.02	0.69	0.67	

Mean of the months from Jan. to April, Nov. and December	0.68
Mean of the months from May to October	0.80
Mean of the Year	0.74
The Greatest Monthly Mean (that of August)	0.86
The Least Monthly Mean (that of January)	0.64
Difference	0.22

Table XVIII.—The Mean Diurnal Variation of Relative Humidity of the Air for each Month and for the whole Year, or the Excess of the Mean Relative Humidity above the respective Monthly and Annual Means.

-						MONT	HS, 186	54.					
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	+0.11 + .10 + .08 + .05 + .06 + .05 + .04 + .05 04 07 10 14 15 14 12 10 03 + .04 + .06 + .07 + .08 + .09	+0.07 + .08 + .09 + .09 + .10 + .10 + .04 11 16 14 16 14 11 07 .00 + .03 + .04 + .05 + .05 + .07	+0.07 + .05 + .07 + .09 + .11 + .11 + .12 + .07 01 06 08 11 12 13 13 13 12 08 + .01 + .02 + .03 + .04 + .06 + .06	+0.08 + .09 + .09 + .10 + .10 + .03 02 07 10 10 10 10 09 06 .00 + .03 + .04 + .05 + .05	+0.06 + .08 + .09 + .09 + .09 + .02 06 08 10 11 12 12 11 09 07 .00 + .03 + .04 + .05 + .06	+0.03 + .04 + .04 + .05 + .05 + .03 + .01 03 05 06 07 09 08 07 04 01 + .01 + .02 + .02 + .03 + .01	+0.03 + .04 + .04 + .03 + .04 + .03 + .02 04 05 06 07 06 05 03 01 + .01 + .02 + .02 + .03	+0.03 + .04 + .05 + .05 + .05 + .05 + .04 + .02 01 02 04 05 07 05 04 03 01 + .01 + .01 + .01 + .02 + .03	+0.05 + .04 + .05 + .04 + .06 + .07 + .09 + .01 03 05 07 09 11 02 + .02 + .02 + .04 + .04	+0.06 + .09 + .10 + .10 + .11 + .09 + .07 + .02 03 06 09 12 13 13 12 11 08 01 + .02 + .04 + .04 + .04	+0.07 + .08 + .08 + .08 + .08 + .09 + .08 + .03 05 07 11 14 16 14 12 02 + .03 + .04 + .06 + .06 + .07 + .07	+0.10 + .09 + .08 + .07 + .06 + .06 + .07 04 07 15 18 19 16 - 10 00 + .06 + .08 + .10 + .09 + .09	+0.06 + .07 + .07 + .08 + .08 + .05 + .01 03 06 08 10 12 11 09 05 + .01 + .03 + .05 + .01 05 + .01 05 + .01 05 + .01 05 + .01 05 + .01 05 + .06 06

In the Mean Diurnal Variation for the Year-

A Maximum occurs at 5 a.m. A Minimum occurs at 1 p.m.

Mean of the hours from 8 A.M. to 7 P.M. 0.68.
Ditto 8 P.M. to 7 A.M. 0.80.

Ditto 8 P.M. to 7 A.M. 0'80.

Mean of 24 hours 0'74.

Table XIX.—Mean Extent of Cloudy Sky (the whole sky being equal to 8 parts) for each Day of Bombay Civil Time; also the Mean Monthly Extent and its Variation from the Mean of the Year.

Date,						MONTI	IS, 1864.	•				
1864.	January.	February.	March.	April.	May.	June.	July.	August.	Sept.	October.	Nov.	Dec.
1		2.0		5.0		4.5	6.4	8.0	6.6	4.0	2.1	2.6
2		3.2		2.4	3.4	3.6	7.2	8.0	7.9	1	2-8	0.2
3		3.0			4.2	5.1		8.0	7.8	3.3	3.3	0.9
4	1.5		0.3	0.8	3.3	6.2	6.6	7.9		1.4	4.9	1 .
5	0.1			0.7	2.3		5.9	8.0	6.8	1.9	<i>5</i> .8	0.8
6				0.3	3.2	7.5	6.6	8.0	7.0	2.2		1.7
7			0.5	0.4	3.0	6.8	7.7		7-3	0.5	0.9	5.7
8			4.0	0.9	_	6.8	8-0	7.7	6.3	0.9	4.2	4.4
9		3.3	3.4	2.2	2.7	6-1	8.0	7.8	6.1	1 1	5.5	2.8
10		5.1	0.3		1.9	7.1		8.0	· 7.3	2.3	6.1	5.2
11	0.0	l I	1.8	3.5	2.7	6.5	8.0	8.0		1.6	7.4	١
12	0.8	1.1	1.0	3.9	4.9	1 00	7.5	8.0	7.4	3.0	4.7	1.5
13	0.3	İ		3.1	4.4	6.2	8-0	8.0	7.5	0.8		0.4
14	0.2	ا ہر ا	1.1 2.8	1.2	2.2	7.4	8.0		7.1	5.0	1.0	
15	0.2	1.5 3.6	2.8 2.9	0.1	40	7.1 6.5	7.6 8.0	8.0 8.0	5.9	3.1	1.0	Į.
16	V-2	1.7	2.9		4.3 3.5	6.3	6.0	0.0	5.8 5.5	1.8	3.0,	3.0
17 18		2.0	1.9	0.7	2.4	5.1	8.0	7.1	5.5	2.3	3.0, 2.1	3.0
19	0.1	2.0	2.5	2.6	2. 4 2.9	J.,1	8.0	7.0	0.0	2.4	3.6	2.8
20	0.1	1.6	2.0	3.4	3.8	7.9	8.0	7.6	8.0	4.3	0.0	4.2
21			1.6	0.2	2.5	7.6	8.0	"	7.3	4.3	4.9	0.3
22	0.5	3.6	2.3	V.2	1.0	7.6	8.0	6.0	5.5	4.1	6.6	0.0
23	3.9	0.9		0.3	6.7	7.9	8.0	6-5	4.4	"	3.4	0.3
24	0.0		6.2		U	8.0		6.6	4.4	1.4	1.4	
25	,			5.2	3.0	8.0	8.0	4.5		1.9	0.2	Ì
26		,	5.0	4.3	3.8		8.0	7.9	5.4	33	1.0	i
27	0.1			4.9	3.9	8.0	8.0	8.0	2.1	3.1	0.4	3.2
28	0.1	1.9	4.7	3.3	3.3	8.0	7.9	7.8	5.9	2.8		3.7
29	0.1		3.9	3.7	5.4	7.7	7.6]]	4.4	1.4	7.2	2.7
30		l i	4.4	3.8		6.8	7.1	8.0	3.6		6.5	5.1
31			5.1		3.7			7.7				2.6
Monthly Mean.	0.3	1.4	2.2	2.2	3.5	6.8	7.6	7.5	6.1	2.5	3-5	2.1
Annual Variation	- 3.5	- 2.4	- 1.6 ,	- 1.6	- 0.3	+3.0	+3.8	+3.7	+2.3	- 1.3	- 0.3	- 1.7

Mean of	the months from January to April, November and December	1.9
Do.	do. from May to October	5·7
	Mean of the Year	3.8
	The Greatest Monthly Mean (that of July)	7.6
	The Least Monthly Mean (that of January))·3
	Difference	7:3

TABLE XX.—Mean Extent of Cloudy Sky (the whole sky being equal to 8 parts) in each Month for each Hour of Bombay Civil Time.

						MONT	r HS, 1 8	64.					
Bombay Civil Time	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Year.
Midnight. 1 A.M 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	0.0 .1 .1 .2 .3 .6 .7 .5 .6 .5 .6 .4 .4 .5 .4 .3 .3 .4 .2 .1 .1 .1 .1	0.5 1.2 1.7 1.7 1.9 1.9 2.2 2.1 1.8 1.6 1.6 1.5 1.6 0.9 0.6 0.6 0.6 0.6	1.1 1.3 1.7 1.6 1.5 1.7 2.3 2.8 2.9 2.4 2.2 2.0 2.2 2.3 2.3 2.4 2.4 3.1 3.4 3.2 3.0 2.2 1.8 1.6	2.9 2.8 2.9 2.9 2.9 3.1 2.3 2.0 2.3 2.4 2.4 2.0 1.8 1.9 1.5 1.5 1.8 1.4 1.4 1.8 2.3	2.8 3.7 4.4 4.7 4.3 4.1 4.4 5.1 3.4 2.7 2.4 2.0 2.9 3.5 3.6 3.4 3.7 3.8 3.2 2.4 2.6 2.9	7.1 6.7 6.8 6.7 6.5 7.2 7.3 7.1 7.3 6.9 6.7 6.0 5.7 5.8 6.5 6.9 6.9 7.0 6.8 7.0	7.5 7.5 7.5 7.5 7.5 7.8 8.0 7.9 7.5 7.6 7.7 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8	7.4 7.7 7.8 7.7 7.9 7.7 7.7 7.4 7.4 7.4 7.5 7.3 7.5 7.7 7.7 7.6 7.7 7.2 7.3 7.4	6.4 5.6 5.9 6.0 5.8 6.0 6.5 6.6 6.3 5.9 6.0 6.2 6.3 6.4 6.5 6.5 6.3 6.1 6.5 5.9 5.9	2.4 3.0 3.3 3.0 2.9 3.5 4.0 3.6 2.5 2.1 2.3 2.6 2.5 2.7 2.5 2.7 2.5 2.2 1.9 2.4 1.8 1.6 1.4 1.9 2.2	3.0 2.7 2.7 2.7 2.8 3.3 3.7 3.8 3.2 3.5 3.7 3.8 4.1 4.2 4.1 4.6 4.4 3.5 3.8 3.1 2.8 3.1	1.4 1.2 1.2 1.0 1.0 1.3 2.4 2.7 2.7 2.4 2.2 2.5 2.3 2.7 2.8 2.9 3.1 2.3 2.4 1.3 1.5	3.5 3.6 3.8 3.7 4.0 4.3 4.2 3.8 3.8 3.8 3.9 3.9 4.0 4.1 3.8 3.7 3.9 4.0 4.1 3.8 3.7

From the numbers in the last column it appears that there is, on the average of the year, very little variation from hour to hour in the cloudiness of the sky, there being a slight excess from 5 to 8 a. m. and from 2 p. m. to 6 p. m., and a slight defect from 8 p. m. to 1 a m.

TABLE XXI.—Total Fall of Rain (in Inches) as measured by Newman's Gauge placed 4½ feet above the ground, for each Day, and each Month of the Year.

						MONTE	18, 1864.					
Date, 1864.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
					in.	in.	in.	in.	in.		in.	
1						0.08	0.01	0.18	0.27			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30							.28 .21	.01	1.69 0.20			
4 5							.01	.05 .11	.03 .01			
. 6							•01	.04	.21			
7						·15		.09	.14		1	
8						·02 ·02	.24 3.44	.11 .29	.04			
10				,		·01	1.13	.04	.16		0.21	
11						-21	1.01	.06	•08			
12							0.84 .50	.26 1.36	.90			
14						.72	.82	1.58	.73 .01			
15							•03	0.32				
16						60	10	-82	-17			
18						•03	.12 .08	.27 .43	.07			
19					1		.39	.03			İ	
20						2.49	.46	•05	.35		000	
21		,				1.64 0.30	.50 1.30	.03	.24 .29		0.02 •01	
23					0-01	2.51	0.37	-64	•25		•••	
24						0.91	.12					
25 26						.75 3.56	.26 .21	EA			•	
27		ı				1.24	.39	.54 1.77				
28						.75	.01	i				
29						·01	.11	0.65			-23	
31						•02	.03 .48	.95 .04				
		,										
Total					0-01	15.42	13.36	10.72	5.59		0.47	
Number of												
Rainy Days in each month.					, 1	19	28	26	18		. 4	

If the Gauge be assumed to have exposed the same extent of surface in 1864 as in May 1866, as is probable, these numbers should be multiplied by 0.977; the true Total Fall in the year then becomes 44.52 inches.

Table XXII.—Total Fall of Rain, as measured by Newman's Gauge placed 41 feet above the ground, in each Month and for the whole Year, for each hour of Bombay Civil Time.

rii						MO	NTHS, 1	864.		·			
Bombay Clvil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 3 4 5 6 7 8 9 10 11 Noon. 1 P.M. 2 3 4 5 6 7 8 9 10 11					in. 0.01	in. 0.22 .44 .56 1.14 1.03 0.83 .54 1.82 1.31 0.91 1.72 1.22 0.54 .21 .23 .69 .36 .35 .31 .30 .22 .16 .16 .15	in. 1.49 0.81 .20 .15 .35 .38 .69 .43 1.10 0.63 .98 .47 .30 .56 .50 .87 .54 .37 .25 .38 .17 .44 .73 .57	in. 0.67 1.54 0.46 .28 .04 .03 .65 .25 .34 .65 .21 .90 .74 .69 .45 .46 .38 .43 .37 .15 .49 .24 .02 .28	in. 0.86 .27 .08 .20 .01 .08 .02 .04 .76 .53 .33 .48 .54 .42 .05 .24 .04 .11 .28 .09		in. 0.06 .01 .08 .02 .03 .03 .01		in. 3.24 3.12 1.31 1.86 1.45 1.32 1.93 2.57 3.51 2.72 3.24 3.08 2.12 1.88 1.23 2.26 1.28 1.15 0.97 0.94 1.16 0.95 0.91 1.37

TABLE XXIII.—Total Fall of Rain (in Inches) as measured by Osler's Gauge placed 26 feet above the ground, for each Day and each Month of the Year.

						MONTH	S, 1864.					
Date, 1864.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
						in.	in.	in.	in.		in.	
1 2 3 4 5 6 7 8 9 10 11 12 13						0.07 .13 .02 .02 .01 .16	0.01 .30 .19 .01 .01 .26 3.44 1.46 1.01 0.87	0.15 .01 .03 .08 .02 .05 .07 .30 .03 .05 .16 1.14	0.26 1.66 0.13 .02 .01 .21 .10 .03 .17 .05 .79		0-13	,
14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31					0.01	.65 .01 2.53 1.57 0.30 2.57 0.92 .73 3.67 1.24 0.76 .01 .02	.83 .03 .12 .08 .38 .46 .50 1.28 0.36 .12 .25 .20 .38 .01 .09 .02	1.35 0.25 .71 .21 .38 .05 .03 .03 .64 .48 1.73 0.53 .79	.15 .06		.02 .01	
Total					0.01	15.39	13.64	9-29	5.07		0.43	
Number of Rainy days in each month.					1	19	28	26	18		4	

No rain was recorded in the months January to April, October and December, nor on any of the days left blank in the above table. If the Gauge be assumed to have exposed the same extent of surface in 1864 as in May 1866 these numbers should be multiplied by 0.983: the true Total Fall in the year then becomes 43.08 inches.

Table XXIV.—Total Fall of Rain, as measured by Osler's Gauge placed 26 feet above the ground, in each Month and for the whole Year, for each hour of Bombay Civil Time.

rii.						МО	NTHS, 1	864.					
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 3 4 5 6 7 7 8 9 10 11 Noon. 1 P.M. 2 3 4 5 6 7 8 9 10 7 11 11 11 11 11 11 11 11 11 11 11 11 1					in.	in. 0.20 .44 .64 1.11 1.07 0.70 .63 1.89 1.36 0.94 1.55 1.26 .54 .20 .25 .63 .38 .34 .31 .26 .26 .17 .12 .14	in. 1.45 0.80 .20 .14 .34 .43 .78 .44 .22 .64 1.00 0.47 .37 .56 .51 .91 .49 .41 .28 .40 .15 .42 .68 .61	in. 0.70 1.39 0.39 .47 .31 .26 .76 .33 .20 .38 .47 .81 .12 .34 .23 .51 .18 .24 .20 .10 .42 .24 .03 .21	in. 0.79 .24 .07 .20 .01 .06 .02 .04 .64 .56 .28 .49 .45 .37 .05 .23 .02 .00 .04 .11 .25 .05 .00 .10		in. 0.06 .04 .09 .01 .03 .03 .03		in. 3.14 2.93 1.34 2.02 1.74 1.46 2.22 2.73 3.42 2.52 3.30 3.04 1.42 1.47 1.04 2.28 1.07 0.99 0.83 0.87 1.08 0.90 0.83 1.19

Table XXV.—Showing, for the year 1864, the Sums of the Pressures of the Winds which blew, in each Month, from each of the Eight Principal Directions with a recorded force greater than 0.1 lb. on the square foot; and also the number of Observations which those sums comprise, the latter numbers indicating the relative frequency of the same Wind (as to direction) in the Several Months and of different Winds during the same months.*

				-								
1864			И,			NE.			B.			SE.
Months, 1864.	Sums of Presences,	Number of Observa-	General Range of Hours.	Sums of Pressures.	Number of another of another.	General Range of Hours.	Sume of Pressures.	Number of Observa- tions.	General Range of Hours.	Presentes.	Number of Observa-	General Range of Hours.
	lbs.	Ħ.		lbs.	mi		lbs.	н.		lbs.	н.	
January	105.60	288.0	At all hours	35-85	0.911	At all hours except 5 to 10 F.M.	25.50	35.0	At 1 A.M. and from 4 to noon.	2.85	3.5	Single instances.
February .	30-15	117.0	At all hours except from noon to 7 P.M.	12.75	65.5	From 1 A.M. to 1 P.M.	12.50	0.89	From 3 A.M. to noon	4.25	13.5	From 2 to 4 A.M. and from 7 to 10 A.M.
March	45.85	129.5	At all hours except 1, 2, and 6 P.M.	6.05	39.5	From 5 to 11 A. M	3.80	24.0	From 6 to 11 A.M	2.60	14.5	From 5 to 10 A.M.
April	43.30	127.5	At all hours except from 1 to 8 P.M.	10.55	41.0	From 3 to 10 A.M	1.55	2.0	From 8 a.m. to 10 a.m	0.30	1.0	Single instance.
Мау	14.75	53.0	From midnight to noon	1.10	6.5	From 7 to 9 A.M.	08.0	4.5	At 8, 9 and 10 A.M	0.10	0.5	:
June	4.75	15.0	A few instances	1.20	6.9	Only 7 A.M	1.90	7.5	A few instances	5.95	22.2	Single instances.
July	08.0	2.0	:	:	:		:	:	:	:	:	:
August	3.70	16.5	1 A. M. and 7 A. M. to noon and also 6, 7 and 8 P.M.	09.0	4.0	At 9 and 10 P.M	1.60	11:0	At midnight and from 2 to 10 A.M.	0.85	4.0	Single instances.
September	4.30	22.2	From midnight to 8 A.M. and 11 P.M.	5.15	31.0	I A.M. and from 4 A.M. to noon.	9.30	22.0	From 1 to 11 A.M	08.9	27.5	From 2 a.m. to noon.
October	7.56.90	115.5	At all hours except 9 A.M. and 2 to 4 P.M.	09-6	54.0	At'midnight and from 3 A.M. to 1 P.M.	4.80	27.0	From 1 A.M. to 1 P.M except 4, 5 and 11 A.M.	2.40	21.5	From midnight to 1 P.M.
November.	15.15	83.0	Generally from 5 P.M. to midnight.	21.40	103.5	From midnight to noon and at 6 and 11 F.M.	22.40	94.0	At all hours except 1, 3, 4 A.M. and 1 and 11 F.M.	6.40	25.0	At 3 A.M. and 6 to 11 A.M.
December.	16.85	113.0	At all hours except 4 A.M. and 4 to 8 P.M.	20-90	119.0	From midnight to 2 P.M. and at 11 P.M.	12.35	65.0	From 3 A.M. to 3 P.M	0.15	1.0	None of true SE.
Sums	_	312·10 1084·5		125.15	586.5		92.50	365.0		35.65	134.5	
Means		0.29		0.21	112		0.25	35		0.26		_

* Every hourly observation of the Direction of the Wind was classed, by the rule given in the Introduction page xxxvi, with one or divided between two of the Eight Principal Directions.

Table XXV.—(continued).

			σż	<u>.</u>		SW.			W.		NW.	•
Months, 1864.	to ampa Resentes.	Number of Observa-	General Range of Hours.	Presentes.	Number of Observa-	General Range of Hours.	forms of Presences.	Number of Observa-	General Range of Hours.	Burns of Pressures.	tions.	General Range of Hours.
	lbs.	н.		lbs.	H		lbs.			lbs.	н.	,
January	:	:	:	:	:	;	0.95	3.0	None of true W	1 29.19	132.0 At all to 10	At all hours except from 4 to 10 A.M. and 10 P.M.
February .	1.50	4.0	From 2 to 5 A.M.	08.0	2.5	Single instances	11.95	43.5	From 1 to 3 A.M. and fron: 11 A.M to 9 P.M	88-60	206.0 At all to 11	At all hours except from 6 to 11 A.M.
March	3.80	20.0	At midnight and from 4 to 11 A.M.	3.10	12.5		17.40	57.5	At all hours except from 5 to 10 A.M. and 10, 11 P.M.	113.40 2	237.5 At all hours.	10urs.
April	8.40	20.2	From midnight to noon	5.85	15.5	From 16 A.M. to 9 P.M	23.20	0.99	At all hours but 5 to 9 A.M. 209.45		327.5 At all houre.	soure.
Мау	:	:	:	09.8	29.0	From 8 a.m. to 11 p.m. excepting 9, 10 a.m. & 1 p m.	52.90	174.0	At all hours	110.65 3	300.5 At all hours.	nours.
June	16.60	57.5	At all bours except 2, 3, 4, and 5 r.m.	52.90	151.5	At all hours	79.45	219.5	At all hours	64.15	134.0 At all hours.	iours.
July	0.85	3.5	Single instances	77.40	137.0	At all hours	271-90	404.0	At all hours	36.65	73.5 At all h	At all hours except 1, 5 A.M.
Angust	1.75	12.0	From 2 to 11 A.M. except 3 A.M.	131.90	294.5	At all hours	26.05	155.5	At all hours	25.75 1	101.5 At all hours.	10urs.
September.	17.70	83.0	At all hours	16.75	92.2	At all hours	39-45	211.0	At all hours	18.95	77.5 At all to 11	At all hours except from 7 to 11 A.M.
October	2.25	16.5	From midnight to noon	0.95	2.0	Single instances	7.05	31.0	A few instances	58.75	180.5 At all to 10	At all hours except from 7 to 10 A.M.
November.	3.45	12.0	From 5 to 7 A.M	1.00	7.5	At 1 P.M. and from 3 to 8 P.M.	3.05	21.0	From 1 to 5 P.M	31.45	134.0 At mid from	At midnight, 5, 6 A.M. and from 11 A.M to 11 P.M.
December.	:	:	:	0.80	4.5	From 2 to 5 P.M.	11.80	50.5	From 1 to 6 P.M	38.05 1	191.0 At all from	At all hours except 2, and from 8 to 11 A.M.
Sums	26.30	228.0		300.05	752.0		575.15 1436.5	136.5		857.50 2095.5	95.5	
Means	Ö	0.25		0.40	0		0.40			0.41		
						,						

The Mean numbers at the foot of the table show the average strength of the wind when it blows from each different direction. It is seen that the winds from SW., W., and NW. are more than one-half stronger than those from NE., E., SE., and S., while N. winds have an intermediate force.

TABLE XXVI.—Showing, for the Year 1864, the Sums of the Pressures of the Winds which blew at each hour of the day, from each of the Eight Principal Directions, with a recorded force greater than 0.1 lb. on the square foot.

Bombay Civil Time.	N.	NB.	B.	SE.	S.	\$W.	w.	NW.
	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.
Midnight.	13.95	4.65	1.60	1.45	2 20	13.05	18.85	23.05
l Ä.м.	12.80	4.80	2.05	1.75	2.25	19.25	26.45	21.25
• 2 "	14.20	5.55	2.95	1.65	3.90	12.25	23.45	17.55
· 2 ,, 3 ,,	13.95	7.65	4.75	1.80	4.15	12.80	21.25	14.45
4 ,,	14.25	8.45	5.10	1.80	3.60	12.05	21.45	12.60
4 " 5 " 6 " 7 " 8 " 9 "	12.05	12.30	8.00	2.05	3.85	1220	21.35	9.50
6 ,	12.05	11.10	9.15	1.85	3.85	11 25	15.95	8.30
7 ,,	12.10	13.00	8.15	3.15	3.20	8 [.] 75	15.80	8.20
8 ,,	10.95	13.95	10.55	4.00	3.85	8 70	19.90	8.60
9 ",	9.40	12.95	10.90	4.45	3.95	9,10	17.80	· 8.30
10 ,,	9.90	9.95	9.65	4.10	-3.60	9 20	16.95	10.80
11 ,	10.55	6.55	6.75	2.90	3.75	9.60	19.80	19.10
Noon.	12.45	3.95	4.90	1.80	2.25	10'90	24.00	35.60
l Р.м.	5.95	2.40	0.95	0.50	0.55	17 15	29.65	59.75
2 "	6.15	1.40	0.50	0.15	0.45	14 40	37.30	76.65
2 ,, 3 ,, 4 ,, 5 ,, 6 ,,	11.65	0.50	0.40	0.20	0.90	12.10	40.35	83.50
4 ,,	11.30	0.25	0.10	0.00	0.60	9.30	38.50	84.85
5 ,	12.75	0.15	0.25	0.05	0.45	16.00	31.10	78.45
6 ,,	15.05	0.25	0.30	0.00	1.20	11.20	26.85	72.35
7	19.10	0.15	0.20	0.00	1.70	13.35	26.90	63.80
8 ,, 9 ,,	22.40	0.25	0.35	0.00	1.15	12.50	21.85	49.10
9 "	19.95	0.45	1.15	0.10	0.90	15.75	21.10	36.10
10 ,,	16.60	0.60	3.40	0.40	2.55	13.00	16.50	27.85
11 ,,	12.60	3.90	0.40	1.50	2.05	15:30	20.05	27.80
••								

Table XXVII.—Showing, for the Year 1864, the number of times on which the Wind was observed to blow at each hour of the day from each of the Eight Principal Directions with a recorded force greater than 0.1 lb. on the square foot.

Bombay Civil Time.	N.	NE.	В.	\$B.	8.	\$W.	w .	NW.
Midnight.	51.5	13.5	6.0	4.0	9.5	32,5	55.5	72. 0
l A.M.	47.0	13.0	6.0	4.5	7.5	31.5	51.Q	<i>5</i> 6.0
	60.5	25.0	10.5	4.5	13.0	26.0	49.0	52.5
3 "	62.0	30.0	12.5	5.0	13.5	29.5	43.5	48.0
3 ,, 4	67.0	35.5	13.0	6.0	14.0	26.5	46.0	44.0
2 ,, 3 ,, 4 ,, 5 ,, 6 ,, 7 ,, 8 ,, 9 ,,	64.5	49.5	19.0	8.0	17.0	29.5	46.0	44.5
6	70.5	57.5	31.0	8.0	17.0	30.0	41.5	44.0
7	68.5	64.0	32.5	13.0	16.0	27.0	42.0	36.0
8 "	56.0	67.5	48 5	16.0	18.0	26.5	39.0	32.0
9 "	43.0	66.5	43.5	17.5	17.0	25.5	41.5	33.5
10 "	43,0	56.5	47.5	16.5	17.0	26.5	40.5	37-5
11 "	38.5	40.0	40.0	13.0	14,5	27.0	55.5	<i>5</i> 6.0
Noon.	40.5	26.0	28.0	8.0	8.0	32.5	64.0	92.5
l P.M.	15.5	11.5	8.0	3.0	3.5	44.0	81.0	127.5
	11.5	6.0	5.0	0.5	2.0	37.5	96.5	139.0
2 " 3 "	17.0	2.0	2.0	0.5	35	32.0	97.5	145.5
4 "	16.5	1.5	1.0	0.0	2.5	29.0	95.5	154.0
5 ,,	21.5	1.5	1.5	0.5	1.5	36.0	77.5	166.0
6 ,,	29.0	1.5	1.0	0.0	4.0	31.0	76.5	161.0
7 ,,	40.0	0.5	1.0	0.0	5.0	30.5	71.5	148.5
4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	50.0	1.5	1.5	0.0	3.5	34.5	63.0	128.0
9 ,,	60.5	1.5	2.5	0.5	4.0	36.5	<i>5</i> 8.5	106.0
10 "	56.5	3.0	2.0	2.0	7.5	35.0	52.5	92.0
11 ″,	54.0	11.5	1.5	3.5	9.0	35.5	51.5	7 9.8

Table XXVIII.—Mean Estimated Force of Wind, without regard to the direction from which it blew, for each Day of Bombay Civil Time: also the Mean Monthly Force and its Variation from the Mean of the Year.

						MONT	HS, 1864	•				
Date, 1864.	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.
	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.
1	ļ.	0.26	0.15	0.50		0.32	0.40	0.38	0.15	0.23	0.13	0.15
2 3	0.26	.20	-20	.63	0.41	.25	.40	.35	.16		-18	.16
3	İ	.24	.39		-33	.25		.31	.19	.17	.09	-09
4	.26	.17	-35	-56	.31	-60	.35	.42		.13	.16	
5	-57	.29	-63	.43	•44	ļ	.51	.60	.17	.13	.15	.15
5 6 7	.53	.17		.32	.47	.30	.43	.49	.17	.11		.17
7	.75		•16	.28	.51	.47	.43	1	.20	.15	.10	.17
8	.61	.14	-21	.28		.25	.53	.45	.14	.24	.11	.28
9	-56	.18	-32	-35	.32	.40	.23	-53	.18		.39	.15
10		.15	-30		.32	41		.47	.22	.23	.19	.21
11	.23	.17	.2 3	-48	.34	.35	.25	.55		.20	.15	
12	.17	.25	.17	.63	.34		.97	.67	.16	.18	.20	.18
13	.29	.23		.50	.37	.32	1.19	.70	-14	.20		.23
14	.45		.23	.32	.50	.41	1.01	-	.18	.20	.17	.17
15	-58	.21	.49	.63		.25	0.48	.38	.18	.14	-15	-17
16 17	.43	-30	-31	.25	.20	.32	.45	.59	.22		.12	.11
17		.39	.38	CO.	.23	.31		000	.15	.13	.19	.18
19	.47	.29	.24	.63 .61	.45 .41	.38	.93	.26 .22	.15	.17	.08 .25	١ , _
20	.18	.29	.20	•58	.30	.60	.89	.24	.17	.08	.25	.15
20 21	.24	.18	.33	.57	.43	.28	1.22	.44	.21	.15	.25	.10
99	.53	.18	.26	.65	.40	.30	1.22	.11	.14	.13	.10	.14
22 23	.53	.16	.20	.73	.33	.42	0.90	.15	.21	.12	.13	-16
24	•00	.78	.49	.73	.00	.35	0.90	.15	.21	.21	.14	.12 .18
25	.25	-38	.43	A7	.21	.27	.73	.31		.34	.11	•10
26 26	.27	.15	.28	.26	.17	""	.61	.22	.32	.55	-22	
$\frac{27}{27}$.28	.26		.31	.20	.52	.39	.11	.18	.30	.12	.14
28	.37	.69	-21	.65	.18	-33	-36	.14	.19	.14	'	.19
28 29	.32		.27	.55	.28	.37	.28	"	.18	.11	.15	.14
30	.27		.62	.40		.59	.25	.17	.19		.34	.14
31			-58		.29			-19				.16
Monthly Means.	0.39	0.27	0.32	0.48	0.33	0.37	0.62	0.36	0.18	0.19	0.17	0.16
Annual Variation.	+0.07	-005	0.00	+0.16	+0.01	+ 0.05	+ 0.30	+ 0.04	- 0.14	- 0.13	- 0.15	- 0.16

•	lbs.
The Mean Force for the Year	0.32
The Greatest Monthly Mean (that of July)	0.62
The Least Monthly Mean (that of December)	0.16
Difference	0.46

TABLE XXIX.—The Mean Diurnal Variation of the Estimated Force of Wind for each Month, and for the whole Year; or the Excess of the Mean Hourly Force above the respective Monthly and Annual Means.

		MONTHS, 1864.											
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	-0.0821171311080507060708 .02 .07 .07 .15 .13 .17 .20 .21 .11 .050109	-0.1808 .0102010912100604091309 .10 .19 .23 .27 .17 .13 .15 .07051318	-0.1214152221201914131312 - 0.7 .04 .22 .26 .26 .28 .26 .28 .26 .23 .18 .18 .210410	0.050615182828251923221404 .14 .49 .5447 .29 .20 .14 .060102 .01	0.0105040612192118191104 .05 .11 .09 .19 .25 .20 .13 .11 .09 .04 .010301	-0.07 .00 .02020707111711141211 .06 .14 .26 .23 .27 .03 .05 .0008 .0104	-0.05 .51 .11 .08 .03 .10081002040511020902 .0002 .0811 .03080105 .08	0.02 .03 .06 .03 .03 .03 .03 04 05 .01 01 04 .02 01 01 01 01 01 01 01	-0.0403070704 .04 .0201 .02 .00 .00 .02 .05 .05 .07 .00 .07 .02 .04 .0005050505	-0.1208 .07090603010214150910 .14 .17 .23 .23 .20 .17 .09 .02091509	-0.0910110708 .02 .05 .02 .03 .06 .030109050205 .04 .11 .09 .08 .02 .08 .02	-0.05100703 .02 .06 .03 .000102040501 .04 .12 .13 .06 .01 .06 .03020607	-0.0602050607060707070601 + .08 + .13 + .16 + .14 + .09 + .09 + .040105

The Mean Force of the Wind for the hours from midnight to 11 A.M	0.56
Ditto from noon to 11 p.m	0.39
The Mean Force for 24 hours	0.32

In the Mean Diurnal Variation for the Year-

A Maximum occurs at 3 P.M. and

A Minimum between 6 & 7 A.M.

DIRECTION OF WIND.

Table XXX.—The following is a list of Abnormal Days, or those on which the Wind veered to an excessive extent, in 1864.

Date, 16	364.	Initial Direction.	Final Direction.	Direction and Extent of Rotation.	Interval of Time between Initial and Final Directions.	Date, 1864.		Initial Direction.	Final Direction.	Direction and Extent of Rotation.	Interval of Time between Initial and Final Directions.
				0		June	7	sw	w	+405	12 hours.
Februar	y 4	ENE	N	+293	6 hours.		8	1			
	5	N	NW	+315	8 "		9				
	9	ENE	ENE	+360	13 ,,		11	W	SE	+585	74 hours.
	11	E	NNW	+247	8 ,,		12	ESE	NNW	+225	g hour.
	14	E	NW	+225	1 "		14	W	WsW	+337	ł "
	19	NW	NW	+360	12 ,,		15	SE	SE	- 360	3 hours.
	21	E	NW	+225			21	S	E	+630	3g bours.
	23	NW	NW	+360	7 hours.	1	25	W b 8	NNW	+438	5 hours.
	26	NbW	NW	+326	9 "		26	NW b W	N	+765	10 ,,
	27	NW bN	WNW	+326	11 ,,			İ	1	l	
		1		l		August	28	NbW	NW	+326	12 ,,
March	2	NW b N	S	- 146	A few minutes.		29	SEBE	W	+146	15 minutes.
	4	EbE	wsw	- 169			3 0	E	N	+270	l hour.
	7	E	şw	+135	A few minutes.					1	
	8	SbW	N	+529	12 hours.	Sept.	20	NW	WNW	+337	21 hours.
	19	SSE	NW b W	+147	A few minutes.	i •	20	WNW	Ebs	- 169	1 hour.
	20	WNW	ENE	+180	6 hours.		22	w	w	+360	12 hours
	22	Wbs	NW	+426	11 "		23	EbN	NW	+214	l hour.
	24	NEbN	NNW	- 417	2 ,,		29	NEbE	sw	+169	2 hours.
	26	ENE	sw b w	- 191	2 ,,		•				
	28	w	ESE	- 158	1 ,,	October	1	SE	w	+135	1 hour.
	2 8	SE	w	+135	A few minutes.		1	NW b N	SEbS	_ 158	<u>,</u>
							2	Ebs	WbN	_ 180	i ,,
April.	6	N	W	+270	7 hours.		20	N	N	+360	14 hours.
	7	NW	NW	+360	12 ,,		22	NW bW	NW	+371	141 ,,
	16	E	WNW	- 158	,"		23	sw	w	+405	71 ,,
	17	Ebs	WbN	- 180	l hour.		28	N	NW	+315	9 ,,
	24	NNW	s b W	- 146							,
						Nov.	3	NEbN	ssw	- 191	15 minutes.
May.	1	NW	NW	+360	10 hours.	_,_,	5	SE	NW	+180	
	8	E	wsw	- 203	14 hour.		9	SSE	NbE	- 506	A few minutes.
	10	NEbE	SSW	- 214	A few minutes.		19	E	NW bW	+214	A few minutes
	ii	NW	NW	+360	8 hours.				_		
	17	WbN	wsw	+327		Dec.	6 .	E	w	- 180	A few minutes
		' •			13 ,,	_ ` ` • •	24	Ebs	Wbs	+180	la hour.

Table XXXI.—Showing the Excess of the Direct Circular Motion of the Wind over the Retrograde Motion during the Year 1864.

Months, 1864.	Excess of the Direct over the Retrograde Motion.		
January February March April May June July August September October November December Excess of the whole Year.	+2 +2 +7 -0 +4 +2 +4 +3 -0	deg. 22 0 349 23 304 338 11 45 225 203 68 34	The positive sign indicates that the aggregate rotation in the direction N, E, S, W, N, (or direct) was in excess of the aggregate rotation in the direction N, W, S, E, N, (or retrograde); and the excess is expressed in revolutions and degrees.

Table XXXII.—The following record shows the Days on which the Wind blew with a force exceeding 1 lb. on the square foot in the Year 1864.

		Number of	Gener	Maximum	
Months, 1864.	Days of Month.	Days.	Direction.	Pressure.	Pressure.
January	5, 7, 8, 9, 14, 18, 22, 23.	8	NW	lbs. 1 to 2	lbs.
February	17, 24, 25, 28 3, 4, 5, 15, 17, 24, 30, 31.	. 4 8 13	" "	"	3
May	1, 2, 4, 12, 13, 15, 18, 19, 20, 21, 22, 23, 28. 11, 13, 14, 18, 21. 4, 7, 8, 20, 22, 27.	5 6	W & WNW NW	" 1 1 to 2	
July	2, 8. 12, 13, 14. 18, 19, 20.	2 3 3	WNW W & WSW WSW & WNW	2 to 3	61
A	21, 22, 23.	3 5	w sw	2	5 <u>1</u>
August	5, 11, 12, 13, 16. 26, 27. 8, 10.	2 2	NW NE & NW	1 1	2
Year		64			61

Table XXXIII.—Showing the Number of Days of the occurrence of each of the Phenomena which come under the head "Weather" during the Year 1864.

	Number of days in each month.									
Months, 1864.	Entirely Cloudiese.	Almost Cloudless.	Lightning.	Thunder.	Fall of Rain less than -01 inch.	Fall of Rain more than 01 inch.	Wind veered excessively.	Force of Wind above		
January February March April May. June July August September October November December	8 4 None. None. None. None. None. None. None. None. 3	4 2 5 None. None. None. None. None. None. 1 2	None. None. 3 7 10 16 None. 1 2 2 8 None.	None. None. None. None. 8 None. None. None. None. None.	None. None. None. 2 6 2 5 2 1 8 None.	None. None. None. 1 19 28 26 18 None. 4 None.	None. 10 10 5 5 10 None. 3 4 6 4 2	8 4 8 13 5 6 11 5 None. 2 None. 2		
Sums	15	14	49	9	26	. 96	59	64		
Difference of 1864 above the average of last 11 years	- 7	- 12	+12	- 6	+3 above the mean of 7 years.		+3 above the mean of 3 years.	- 42		

Synopsis of the Prevailing Clouds and Formation of Dew, and occasional notices of the State of Weather for the Year 1864.

Months, 1864.	Prevailing Clouds and their motions.	Deposition of Dew.	Occasional notices of the state of weather.
Janu ary	Cirri and cirro-cumuli; whose motion to- wards the end of the month was NE or E.		Weather rather cold.
February, 1st	Cirri.		
half. 2nd half	Cirro-cumuli, dense cirri and nimbi, generally moving E, but from 15th to 22nd S.E.	Noticed in first half of month.	Weather was slowly getting warmer, but cold breezes often blew in the evening.
	On 7th, 9th and 9th cirro-cumuli and cumuli, from which lightning proceeded, in NE and E. horizon.	Throughout the month.	
2nd half	Cirri ; cirro-cumuli.		
April	Cirri, cirro-cumuli: also near the close of the month cumuli; sometimes with light- ning in the afternoon.		
May	Cirro-cumuli and light nimbi generally moving SE or E; cirri, cumuli and cumulo-strati, with lightning, sometimes observed after sunset.		·
June	Nimbi; during the early part of the month cirri, cumuli and other varieties of clouds were seen at times in the morning and evening.		From 7th to 20th weather unsettled, the sky towards NE. and E. often assuming a threatening appearance in the evening, occasionally accompanied by lightning, thunder, rain and fresh wind; rain generally very light. On the morning of the 20th the regular S.W. monsoon seems to have set in, as from that date to the 28th the fall of rain was incessant and the wind settled in S.W.
July	Dense nimbi and cirro-cumuli, generally moving SE or E.		
August	Nimbi moving E; cirri and cirro-cumuli were sometimes observed.		
September	Cirri, cirro-cumuli and nimbi; whose motion was towards E but at the close of the month towards SE.	Noticed at times during the latter half of the month.	Lightning was observed on 29th and 30th.
October	Cirri, cirro-cumuli and at times nimbi; their motion was sometimes landward and some- times seaward.	Generally throughout the month.	Lightning was observed on 1st and 3rd.
November	Cirro-cumuli ; cirri, nimbi and other varieties of clouds occasionally.	Noticed at times, parti- cularly about the middle of the month.	
December	Cirri and cirro-cumuli, whose motion was NW or N.	Generally throughout the month.	•


TABLE XXXIV.—Showing the Mean Hourly, Monthly, and Annual Values of Meteorological Elements, as deduced from the Results of the last Eighteen Years' Observations (1847—1864 inclusive).

Bombay Civi Trass.	Standard Barometer No. 58 corrected for Tempe- rature.	Temperatur of the Air.	Temperature of Ground one inch below the surface.	Temperature of Ground nine inches below the surface.	Temperature of Evapora- tion.	Temperature of Dew point (calculated).	Pressure of Vapour.	Relative Humidity of the Air.	Bstimated Force of Wind	Extent of Cloudy Sky.	Total Fall of Rain.
Midnight. 1 A.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 " Noon. 1 P.M. 2 " 3 " 4 " 5 " 6 " 7 " 8 " 9 " 10 " 11 "	in. 29.809 .794 .784 .776 .778 .787 .806 .829 .850 .860 .860 .847 .825 .800 .778 .764 .759 .765 .777 .794 .811 .824 .827 .820	77.3 77.0 76.7 76.4 76.1 75.8 75.7 76.3 79.2 81.2 82.8 84.0 85.0 85.5 85.6 85.1 84.3 82.6 80.8 79.8 79.8 79.3 78.6 78.0 77.6	78.2 78.0 77.7 77.4 77.1 76.8 76.7 77.2 78.2 79.3 80.3 81.2 82.0 82.6 82.9 83.0 82.7 81.8 80.8 80.2 79.7 79.3 78.9 78.5	81.1 81.0 80.9 80.8 80.8 80.7 80.6 80.6 80.7 80.8 81.0 81.1 81.2 81.3 81.4 81.4 81.4 81.4 81.3 81.3	73.5 73.3 73.1 72.8 72.7 72.5 72.2 73.0 73.9 74.6 75.1 75.6 75.8 76.2 76.4 76.4 76.2 75.8 75.2 74.9 74.7 74.3 73.9 73.6	71.9 71.7 71.5 71.2 71.1 70.6 71.6 71.6 71.8 72.0 72.1 72.0 72.5 72.7 72.9 73.0 72.9 72.9 72.9 72.8 72.5 72.1 71.8	in. 0.772 .767 .764 .756 .756 .752 .741 .765 .766 .770 .772 .779 .775 .786 .792 .797 .799 .801 .798 .797 .795 .788 .797 .795 .788	0.84 .84 .85 .85 .86 .86 .86 .79 .74 .71 .68 .66 .67 .68 .69 .74 .78 .80 .81 .82 .83	lbs. 0.17 .18 .18 .18 .17 .15 .15 .16 .17 .19 .22 .30 .36 .41 .39 .37 .36 .31 .23 .18 .17	3.4 3.4 3.5 3.4 3.7 4.0 4.0 3.9 3.8 3.6 3.5 3.4 3.5 3.4 3.5 3.6 3.7 3.6 3.7 3.1 3.1 3.2 3.2	in. 2.62 3.13 3.32 2.96 3.70 3.31 3.16 3.37 3.55 3.20 2.96 2.65 2.57 2.42 2.91 2.51 2.20 2.69 2.69 2.76 2.49 3.06 2.54
January February March April May June July August September October November December	29.932 .904 .856 .793 .748 .648 .644 .714 .769 .829 .894 .933	73.8 75.8 79.6 83.0 85.5 83.4 81.3 80.4 80.4 81.7 79.4 76.0	73.0 75.4 78.0 81.9 84.4 83.3 81.5 80.4 80.5 81.5 79.0 76.3	75.5 76.8 79.0 82.5 85.0 84.8 83.2 82.0 81.9 82.7 80.8 78.6	67-3 68-8 72-8 76-4 78-8 79-2 78-4 77-3 76-8 76-8 72-3 68-9	63.9 65.2 69.8 73.8 76.3 77.7 77.3 76.1 75.4 74.9 69.1 65.3	0.594 .622 .721 .821 .890 .930 .919 .885 .864 .850 .705 .623	0.73 .71 .72 .75 .75 .85 .88 .87 .86 .81 .72 .71	0.23 .22 .26 .30 .29 .43 .49 .43 .20 .18 .16	1.3 1.1 1.4 1.9 3.2 6.4 7.2 7.0 5.9 3.3 1.9 1.3	0.05 0.00 0.00 0.07 0.74 22.57 23.59 10.85 9.79 1.94 0.52 0.07

^{*} These Means are derived from only five years' Observations.

•


PLATE I.




•

PLATE II.

CURVES SHOWING THE MEAN ANNUAL VARIATION OF METEOROLOGICAL ELEMENTS. 1864.



• • .



.

. , - •

